

CATERPILLAR MACHINE PRICE LIST

336F-AK

336F EXCAVATOR
 AKASHI, JAPAN

Ship Weight
 lbs

LIST PRICE
 AT DEALER

Standard Equipment:

POWERTRAIN

- Diesel engine C9.3, 241kW (Gross)
- Tier IV Final emission package
- Power Mode, Standard Power Mode, Economy Mode
- 2300m altitude capability with no derate
- 80 Amp alternator
- 3 Side-by-side cooling system for easier cleaning.
- Radial seal air filter
- Automatic engine speed control
- Primary filter with water separator and Water separator indicator switch and fuel differential indicator switch in fuel line
- 2x4micron main filters, 1x10 micron primary filter in fuel line
- Two speed travel
- Capability of using Bio-Diesel fuel (B20)
- Electrical Priming Pump
- Secondary engine shutoff switch

- Removable lower windshield with incab storage bracket
- Openable skylight

Operator station:

- Interior lighting
- Coat hook
- Beverage holder
- Literature holder
- Radio mounting (DIN size) suitable for 24-Volt Radios
- Two stereo speakers
- Storage shelf suitable for lunch box
- Adjustable armrest
- Height Adjustable Consoles Joysticks
- Neutral lever (lock out) for all controls
- Two Power Outlets, 10 Amp (Total)

Monitor:

- Color LCD display, rear view camera ready
- Warning information
- Filter / Fluid change information
- Working hour information
- Machine condition, Error code
- Tool mode setting information
- Start up level check for hydraulic oil, engine oil and engine coolant
- Capability of time clock on monitor battery
 (It lasts one week with disconnection)

Pedal:

- Travel control pedals with removable hand levers
- Capability of installing two additional pedals

UNDERCARRIAGE

- Grease Lubricated Track GLT2, resin seal
- Towing eye on baseframe

HYDRAULICS

- Regeneration circuit for boom and stick
- Capability of installing;
- stackable valves for HP, MP and QC
- additional auxiliary pump & circuit
- boom lowering control device and stick lowering check valve
- CAT Bio hydraulic oil
- Reverse swing damping valve
- Automatic swing parking brake
- High performance hydraulic return filter

OTHER STANDARD EQUIPMENT

- Lockable external tool / storage box
- Caterpillar one key security system
- Door locks and cap locks including fuel and hydraulic tanks
- Standard visibility mirror package
- Power edge trade dress with power edge decals and black cylinders

ELECTRICAL

- Signaling / Warning horn
- Exterior lights
 (Integrated into storage box)
- Circuit breaker
- Compatible with Electronic Technician

OPERATOR ENVIRONMENT

- Cab:
- Pressurized Operator Station (Positive Filtration)
- Sliding upper door window (Left Hand Cab Door)
- Glass breaking safety hammer

CATERPILLAR MACHINE PRICE LIST

336F-AK

336F EXCAVATOR
AKASHI, JAPAN

Ship Weight
lbs

LIST PRICE
AT DEALER

**Lane 2 is reserved for the Base Orders Program.
Please use lane 2 when placing orders that are part of the
Base Order Program.**

**2018 YOY list price reductions will be offset by reductions in
discounts or merchandising support.**

CATERPILLAR MACHINE PRICE LIST

336F-AK

336F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

506-8879	336F L HEX AM-N DCA1A 0	\$389, 660
	LANE 3 - AVAILABLE FROM AKASHI FACTORY	

DCA1 (R3.9M (12'10") Stick, NO Tool Control, 850mm (33") Track)

INCLUDES:

- 384-2174 336F L HEX
- 500-9155 REACH BOOM HD PKG
 - BOOM, REACH 6.5M (21'4") HD
 - LINKAGE, BKT-DB W/LIFT
 - CYLINDER, BKT (DB LINKAGE)
 - UPPER COVER, STANDARD
- 506-8862 JOYSTICK STANDARD STP PKG
 - VALVE, HYDRAULIC
 - VALVE, ANTI DRIFT, BOOM
 - VALVE, ANTI DRIFT, STICK
 - LINES, CYLINDER, BOOM
 - JOYSTICK, ONE BUTTON
 - MAT, FLOOR, RH PEDAL
 - PEDAL, STRAIGHT TRAVEL
 - LINES, OIL COOLER, STD
 - LINES, TRAVEL (STP)
 - LINES, BDRV (STD)
 - LINES, STICK-IN (STD)
 - MACHINE CONTROLLER STD
- 459-2701 COLD WEATHER PKG READY
- 314-3632 CONTROL, FINE SWING
- 383-5587 AIR CONDITIONER
- 352-7158 ACCUMULATOR WITH CRN
- 488-6541 SEAT BELT, 51MM (2")
- 372-9522 CAB-ROPS, 70/30, W/VANDAL-G BOSS
- 340-6667 HATCH, OPENABLE ROOF (DUAL)
- 496-8191 RADIO, 24V AM/FM
- 340-8259 TRACK, 850MM (33") TG (GLT)
- 463-1424 COUNTERWEIGHT, STD
- 383-6402 COOLING, HIGH AMBIENT
- 346-7053 GUARD, TRACK GUIDE, SEGMENTED
- 316-8885 SEAT, H-BACK, HEATER, S/AIR, COOL
- 463-9894 AIR CLEANER, STANDARD
- 324-5778 PANEL, STD START SWITCH
- 316-8984 WIPER-RADIAL, 70/30 W/O LOWER
- 383-5593 WASHER, WINDSHIELD UPPER
- 387-4959 GUARD, BOTTOM, HEAVY DUTY
- 346-7207 GUARD, TRAVEL MOTOR, HD
- 493-5685 CAMERA, REAR VIEW, MIRRORS(RH)
- 485-1066 LINES, FRONT (QC)
- 383-9343 LINES, BOOM-UP (STD)
- 383-9337 LINES, SDRV (STD/PGQC)
- 382-7266 DECALS, ANSI (OUTSIDE)
- 497-8530 DECALS, ANSI (CAB)
- 382-8232 COVER, FENDER
- 360-6166 ALARM, TRAVEL
- 324-4376 ETHER AID
- 358-5965 CYLINDER, BOOM (W/O BLCV)
- 357-4700 CYLINDER, STICK (W/O SLCV)
- 444-4152 STICK, R3.9M (12'10") DB HD
- 319-1179 LIGHTING, CAB (HALOGEN)
- 460-1148 PRODUCT LINK, CELLULAR PL641

Supersedes 02JAN2018
 Caterpillar: Confidential Green
 US-A-19-01 A

Subject to change without notice
 Printed in USA
 U. S. DOLLAR CURRENCY

Effective 02JAN2019
 336F-AK-003

CATERPILLAR MACHINE PRICE LIST

336F-AK

336F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
349-2233 CHANGER,HAND CTRL 2-WAY (ANSI)		
134-8887 GUARD, SWIVEL		
327-6552 MIRROR, W/O GUARD		
498-8957 CTRL, CAT PIN GRABBER COUPLER		
318-5932 COUPLER LINES, REACH BOOM		
321-0139 LINES-QC, R3.9M (12'10") STICK		

CATERPILLAR MACHINE PRICE LIST

336F-AK

336F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

506-8904	336F L HEX AM-N DCA3A 0	\$405,570
	LANE 3 - AVAILABLE FROM AKASHI FACTORY	

DCA3 (R3.2M (10'6") Stick, Tool Control, 850mm (33") Track)

INCLUDES:

- 384-2174 336F L HEX
- 500-9155 REACH BOOM HD PKG
 - BOOM, REACH 6.5M (21'4") HD
 - LINKAGE, BKT-DB W/LIFT
 - CYLINDER, BKT (DB LINKAGE)
 - UPPER COVER, STANDARD
- 506-8865 JOYSTICK STANDARD STP PKG
 - VALVE, HYDRAULIC, TCS
 - VALVE, ANTI DRIFT, BOOM
 - VALVE, ANTI DRIFT, STICK
 - LINES, CYLINDER, BOOM
 - CIRCUIT, COMBINED
 - JOYSTICK, THUMB WHEEL
 - MAT, FLOOR, RH PEDAL
 - PEDAL, STRAIGHT TRAVEL
 - LINES, OIL COOLER, STD
 - LINES, TRAVEL (STP)
 - LINES, BDRV (TCS20)
 - LINES, STICK-IN (TCS)
 - MACHINE CONTROLLER TCS
- 459-2701 COLD WEATHER PKG READY
- 314-3632 CONTROL, FINE SWING
- 383-5587 AIR CONDITIONER
- 352-7158 ACCUMULATOR WITH CRN
- 488-6541 SEAT BELT, 51MM (2")
- 372-9522 CAB-ROPS, 70/30, W/VANDAL-G BOSS
- 340-6667 HATCH, OPENABLE ROOF (DUAL)
- 496-8191 RADIO, 24V AM/FM
- 340-8259 TRACK, 850MM (33") TG (GLT)
- 463-1424 COUNTERWEIGHT, STD
- 383-6402 COOLING, HIGH AMBIENT
- 346-7053 GUARD, TRACK GUIDE, SEGMENTED
- 316-8885 SEAT, H-BACK, HEATER, S/AIR, COOL
- 463-9894 AIR CLEANER, STANDARD
- 324-5778 PANEL, STD START SWITCH
- 316-8984 WIPER-RADIAL, 70/30 W/O LOWER
- 383-5593 WASHER, WINDSHIELD UPPER
- 387-4959 GUARD, BOTTOM, HEAVY DUTY
- 346-7207 GUARD, TRAVEL MOTOR, HD
- 493-5685 CAMERA, REAR VIEW, MIRRORS(RH)
- 485-1066 LINES, FRONT (QC)
- 383-9343 LINES, BOOM-UP (STD)
- 383-9337 LINES, SDRV (STD/PGQC)
- 382-7266 DECALS, ANSI (OUTSIDE)
- 497-8530 DECALS, ANSI (CAB)
- 382-8232 COVER, FENDER
- 360-6166 ALARM, TRAVEL
- 324-4376 ETHER AID
- 358-5965 CYLINDER, BOOM (W/O BLCV)
- 357-4700 CYLINDER, STICK (W/O SLCV)
- 444-4149 STICK, R3.2M (10'6") DB HD
- 319-1179 LIGHTING, CAB (HALOGEN)

Supersedes 02JAN2018
 Caterpillar: Confidential Green
 US-A-19-01 A

Subject to change without notice
 Printed in USA
 U. S. DOLLAR CURRENCY

Effective 02JAN2019
 336F-AK-005

CATERPILLAR MACHINE PRICE LIST

336F-AK

336F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
460-1148		PRODUCT LINK, CELLULAR PL641
349-2233		CHANGER,HAND CTRL 2-WAY (ANSI)
134-8887		GUARD, SWIVEL
327-6552		MIRROR, W/O GUARD
498-8957		CTRL, CAT PIN GRABBER COUPLER
318-5932		COUPLER LINES, REACH BOOM
321-0150		LINES-QC, R3.2M (10'6") STICK
318-5898		LINES-HP, REACH BOOM
321-0140		LINES-HP, R3.2M (10'6") STICK

Supersedes 02JAN2018
 Caterpillar: Confidential Green
 US-A-19-01 A

Subject to change without notice
 Printed in USA
 U. S. DOLLAR CURRENCY

Effective 02JAN2019
 336F-AK-006

CATERPILLAR MACHINE PRICE LIST

336F-AK

336F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

506-8905	336F L HEX AM-N DCA6A 0	\$407,000
-----------------	--------------------------------------	------------------

LANE 1 - AVAILABLE FROM BALTIMORE & TACOMA DIST. CENTER
 LANE 3 - AVAILABLE FROM AKASHI FACTORY

DCA6 (R3.9M (12'10") Stick, Tool Control, 850mm (33") Track)

INCLUDES:

- 384-2174 336F L HEX
- 500-9155 REACH BOOM HD PKG
 - BOOM, REACH 6.5M (21'4") HD
 - LINKAGE, BKT-DB W/LIFT
 - CYLINDER, BKT (DB LINKAGE)
 - UPPER COVER, STANDARD
- 506-8865 JOYSTICK STANDARD STP PKG
 - VALVE, HYDRAULIC, TCS
 - VALVE, ANTI DRIFT, BOOM
 - VALVE, ANTI DRIFT, STICK
 - LINES, CYLINDER, BOOM
 - CIRCUIT, COMBINED
 - JOYSTICK, THUMB WHEEL
 - MAT, FLOOR, RH PEDAL
 - PEDAL, STRAIGHT TRAVEL
 - LINES, OIL COOLER, STD
 - LINES, TRAVEL (STP)
 - LINES, BDRV (TCS20)
 - LINES, STICK-IN (TCS)
 - MACHINE CONTROLLER TCS
- 459-2701 COLD WEATHER PKG READY
- 314-3632 CONTROL, FINE SWING
- 383-5587 AIR CONDITIONER
- 352-7158 ACCUMULATOR WITH CRN
- 488-6541 SEAT BELT, 51MM (2")
- 372-9522 CAB-ROPS,70/30,W/VANDAL-G BOSS
- 340-6667 HATCH, OPENABLE ROOF (DUAL)
- 496-8191 RADIO, 24V AM/FM
- 340-8259 TRACK, 850MM (33") TG (GLT)
- 463-1424 COUNTERWEIGHT, STD
- 383-6402 COOLING, HIGH AMBIENT
- 346-7053 GUARD, TRACK GUIDE, SEGMENTED
- 316-8885 SEAT,H-BACK,HEATER,S/AIR,COOL
- 463-9894 AIR CLEANER, STANDARD
- 324-5778 PANEL, STD START SWITCH
- 316-8984 WIPER-RADIAL, 70/30 W/O LOWER
- 383-5593 WASHER, WINDSHIELD UPPER
- 387-4959 GUARD, BOTTOM, HEAVY DUTY
- 346-7207 GUARD, TRAVEL MOTOR, HD
- 493-5685 CAMERA, REAR VIEW, MIRRORS(RH)
- 485-1066 LINES, FRONT (QC)
- 383-9343 LINES, BOOM-UP (STD)
- 383-9337 LINES, SDRV (STD/PGQC)
- 382-7266 DECALS, ANSI (OUTSIDE)
- 497-8530 DECALS, ANSI (CAB)
- 382-8232 COVER, FENDER
- 360-6166 ALARM, TRAVEL
- 324-4376 ETHER AID
- 358-5965 CYLINDER, BOOM (W/O BLCV)
- 357-4700 CYLINDER, STICK (W/O SLCV)
- 444-4152 STICK, R3.9M (12'10") DB HD

Supersedes 02JAN2018
 Caterpillar: Confidential Green
 US-A-19-01 A

Subject to change without notice
 Printed in USA
 U. S. DOLLAR CURRENCY

Effective 02JAN2019
 336F-AK-007

CATERPILLAR MACHINE PRICE LIST

336F-AK

336F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
319-1179 LIGHTING, CAB (HALOGEN)		
460-1148 PRODUCT LINK, CELLULAR PL641		
349-2233 CHANGER,HAND CTRL 2-WAY (ANSI)		
134-8887 GUARD, SWIVEL		
327-6552 MIRROR, W/O GUARD		
498-8957 CTRL, CAT PIN GRABBER COUPLER		
318-5932 COUPLER LINES, REACH BOOM		
321-0139 LINES-QC, R3.9M (12'10") STICK		
318-5898 LINES-HP, REACH BOOM		
318-5935 LINES-HP, R3.9M (12'10") STICK		

CATERPILLAR MACHINE PRICE LIST

336F-AK

336F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

535-8048	336F HEX AM-N DCA7A 0	\$487,590
	LANE 3 - AVAILABLE FROM AKASHI FACTORY	

6.9m SB w/ 3.9m stick, Tool Control HP, MP, QC, Long UC, 8.45MT CTWT
 w/ 700TG shoe, ISO mirror & Cold Weather PKG

INCLUDES:

- 524-6779 336F L SB HEX
- 527-8236 CAB 1 PIECE, DEMOLITION
- 480-6116 STRAIGHT BOOM B/SLCV PKG
BOOM, STRAIGHT
CYLINDER, BOOM (W/BLCV)
CYLINDER, STICK (W/SLCV)
DEVICE, SLCV
- 448-8865 BKT R-CYL/LKG W/LIFT PKG
CYLINDER, BKT DB CGC
LINKAGE, BKT-DB W/LIFT
- 444-4152 STICK, R3.9M (12'10") DB HD
- 476-9729 GUARD, BUCKET CYLINDER
- 468-8128 LINES-HP, STRAIGHT BOOM
- 468-8129 LINES-MP, STRAIGHTBOOM
- 468-8130 LINES-QC, STRAIGHT BOOM
- 318-5935 LINES-HP, R3.9M (12'10") STICK
- 318-5936 LINES-MP, R3.9M (12'10") STICK
- 321-0139 LINES-QC, R3.9M (12'10") STICK
- 334-9938 CONTROL, FINE SWING, LESS
- 383-5587 AIR CONDITIONER
- 352-7158 ACCUMULATOR WITH CRN
- 349-2331 VALVE, HYDRAULIC, SB-TCS
- 323-7601 COVER BLOCK & MOUNTING (BLCV)
- 352-6834 COVER BLOCK & MOUNTING (SLCV)
- 325-9195 LINES, CYLINDER (SMARTBOOM)
- 310-0220 JOYSTICK, THUMB WHEEL
- 342-3686 MAT, FLOOR, RH PEDAL
- 496-8192 MOUNTING, RADIO 12V
- 316-8885 SEAT,H-BACK,HEATER,S/AIR,COOL
- 488-6541 SEAT BELT, 51MM (2")
- 324-5778 PANEL, STD START SWITCH
- 381-2154 LINES, OIL COOLER, DIRECT RET.
- 383-9332 LINES, TRAVEL (STP)
- 383-9351 LINES, BDRV (TCS20 - SB)
- 383-9342 LINES, STICK-IN (TCS)
- 498-7484 COUNTERWEIGHT, 8.45MT (18629LBS)
- 383-6402 COOLING, HIGH AMBIENT
- 324-1004 GUARD,TRACK GUIDE, FULL LENGTH
- 463-9921 AIR CLEANER, HIGH EFFICIENCY
- 342-3641 WIPER-PARALLEL, FRONT 1-PIECE
- 383-5594 WASHER, WINDSHIELD UPPER/LOWER
- 387-4959 GUARD, BOTTOM, HEAVY DUTY
- 346-7207 GUARD, TRAVEL MOTOR, HD
- 493-5685 CAMERA, REAR VIEW, MIRRORS(RH)
- 485-1066 LINES, FRONT (QC)
- 383-9343 LINES, BOOM-UP (STD)
- 383-9339 LINES, SDRV (SLCV)
- 519-7522 INSTRUCTIONS,ANSI (OUTSIDE)
- 519-7521 INSTRUCTIONS,ANSI (CAB)
- 382-8232 COVER, FENDER
- 499-2168 MACHINE CONTROLLER TCS

Supersedes 02JAN2018
 Caterpillar: Confidential Green
 US-A-19-01 A

Subject to change without notice
 Printed in USA
 U. S. DOLLAR CURRENCY

Effective 02JAN2019
 336F-AK-009

CATERPILLAR MACHINE PRICE LIST

336F-AK

336F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
497-3868		CIRCUIT, MEDIUM PRESSURE
324-4376		ETHER AID
508-7529		DEVICE, BLCV W/SMARTBOOM (TCS)
497-3864		CIRCUIT, COMBINED
497-8534		PEDAL, STRAIGHT TRAVEL
460-1148		PRODUCT LINK, CELLULAR PL641
134-8887		GUARD, SWIVEL
498-8957		CTRL, CAT PIN GRABBER COUPLER
319-1198		LIGHTING, CAB W/GRD (HALOGEN)
473-9883		BEACON ELECTRICAL OUTLET
353-1858		SUN SCREEN, 1-PIECE
327-6553		MIRROR, CAB, GUARD FALLING
362-9797		GUARD, FALLING OBJECTS
340-8257		TRACK, 700MM (28") TG (GLT)
331-8000		QUICK DRAINS, READY (OIL)
360-7201		COLD WEATHER STARTING PKG BATTERY, COLD WEATHER BLOCK HEATER TERMINALS, JUMP START
360-6166		ALARM, TRAVEL
390-5803		BUMPER, SIDE RUBBER

CATERPILLAR MACHINE PRICE LIST

336F-AK

336F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

535-8047	336F L SB HEX AM-N BCF1 0	\$464, 620
	LANE 3 - AVAILABLE FROM AKASHI FACTORY	

6.9M SB, Tool Control, L UC, 8.45MT CTWT

Straight boom configuration with 8,45t heavy counterweight for maximized performances in ground level sorting or low-level demolition applications.

Base Configuration must be completed by selecting Mandatory / Optional attachments.

INCLUDES:

- 524-6779 336F L SB HEX
- 334-9938 CONTROL, FINE SWING, LESS
- 383-5587 AIR CONDITIONER
- 352-7158 ACCUMULATOR WITH CRN
- 324-4376 ETHER AID
- 480-6116 STRAIGHT BOOM B/SLCV PKG
BOOM, STRAIGHT
CYLINDER, BOOM (W/BLCV)
CYLINDER, STICK (W/SLCV)
DEVICE, SLCV
- 448-8865 BKT R-CYL/LKG W/LIFT PKG
LINKAGE, BKT-DB W/LIFT
CYLINDER, BKT DB CGC
- 349-2331 VALVE, HYDRAULIC, SB-TCS
- 323-7601 COVER BLOCK & MOUNTING (BLCV)
- 352-6834 COVER BLOCK & MOUNTING (SLCV)
- 325-9195 LINES, CYLINDER (SMARTBOOM)
- 508-7529 DEVICE, BLCV W/SMARTBOOM (TCS)
- 497-3864 CIRCUIT, COMBINED
- 310-0220 JOYSTICK, THUMB WHEEL
- 342-3686 MAT, FLOOR, RH PEDAL
- 496-8192 MOUNTING, RADIO 12V
- 316-8885 SEAT,H-BACK.HEATER,S/AIR,COOL
- 488-6541 SEAT BELT, 51MM (2")
- 324-5778 PANEL, STD START SWITCH
- 497-8534 PEDAL, STRAIGHT TRAVEL
- 381-2154 LINES, OIL COOLER, DIRECT RET.
- 383-9332 LINES, TRAVEL (STP)
- 383-9351 LINES, BDRV (TCS20 - SB)
- 383-9342 LINES, STICK-IN (TCS)
- 497-3868 CIRCUIT, MEDIUM PRESSURE
- 527-8236 CAB 1 PIECE, DEMOLITION
- 498-7484 COUNTERWEIGHT, 8.45MT (18629LBS)
- 383-6402 COOLING, HIGH AMBIENT
- 324-1004 GUARD,TRACK GUIDE, FULL LENGTH
- 463-9921 AIR CLEANER, HIGH EFFICIENCY
- 342-3641 WIPER-PARALLEL, FRONT 1-PIECE
- 383-5594 WASHER, WINDSHIELD UPPER/LOWER
- 387-4959 GUARD, BOTTOM, HEAVY DUTY
- 346-7207 GUARD, TRAVEL MOTOR, HD
- 493-5685 CAMERA, REAR VIEW, MIRRORS(RH)
- 485-1066 LINES, FRONT (QC)
- 383-9343 LINES, BOOM-UP (STD)
- 383-9339 LINES, SDRV (SLCV)
- 499-2168 MACHINE CONTROLLER TCS

Supersedes 02JAN2018
 Caterpillar: Confidential Green
 US-A-19-01 A

Subject to change without notice
 Printed in USA
 U. S. DOLLAR CURRENCY

Effective 02JAN2019
 336F-AK-011

CATERPILLAR MACHINE PRICE LIST

336F-AK

336F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
360-6166 ALARM, TRAVEL		
134-8887 GUARD, SWIVEL		
476-9729 GUARD, BUCKET CYLINDER		
468-8128 LINES-HP, STRAIGHT BOOM		
468-8129 LINES-MP, STRAIGHT BOOM		
468-8130 LINES-QC, STRAIGHT BOOM		
319-1198 LIGHTING, CAB W/GRD (HALOGEN)		
473-9883 BEACON ELECTRICAL OUTLET		
353-1858 SUN SCREEN, 1-PIECE		
327-6553 MIRROR, CAB, GUARD FALLING		
362-9797 GUARD, FALLING OBJECTS		

CATERPILLAR MACHINE PRICE LIST

336F-AK

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

MUST CHOOSE AT LEAST ONE PACKAGE OR ATTACHMENT FROM EACH CATEGORY

LANE SELECTION

YOU MUST SELECT THIS REFERENCE WHEN ORDERING FROM THE PDC

0P-9001	LANE 1 ORDER	0	NC
	Order from Product Distribution Center (PDC)		

DECAL PACKAGE

P	0P-7124	INSTRUCTION,NORTH AMERICA ANSI	0	NC
		This package includes the ANSI decals and is required by all NACD territories except Quebec, Canada. ONLY ON PDC MACHINES.		
L	463-6278	INSTRUCTIONS, INTERNATIONAL	0	NC
		This package includes picto decals as required for Quebec, Canada		

NOTE: For CANADA (Mandatory for Quebec)

SERVICE INSTRUCTIONS

0P-3380	INSTRUCTIONS, ENGLISH	0	NC
0P-3389	INSTRUCTIONS, FRENCH	0	NC
0P-3404	INSTRUCTIONS, SPANISH	0	NC

STORAGE PROTECTION

0G-4126	STORAGE PROTECTION (EXPORT)	0	\$274 NET
	Machines from the factory have been sprayed with Fluid Film TM, see your account rep for details. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.		

EXPORT PACKING

0G-0503	ROLL ON-ROLL OFF LANE1 DB	0	\$192 NET
	For use when NOT ordering an installed bucket or quick coupler		

ANTIFREEZE

P	0P-2407	ANTIFREEZE, -50C (-58F)	0	\$251 NET
---	---------	-----------------------------------	---	-----------

CATERPILLAR MACHINE PRICE LIST

336F-AK

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

OP-9003	LANE 3 ORDER	0	NC
---------	--------------	---	----

BOOMS, STICKS, AND LINKAGES

STICKS

L	444-4152	STICK, R12'10" DB HD	0	\$13,370
		ONLY FOR USE WITH: 500-9156 REACH BOOM HD B/SLCV PKG or 535-8047 336F L SB HEX AM-N BCF1		
L	444-4149	STICK, R10'6" DB HD	0	\$11,940
		ONLY FOR USE WITH: 500-9153 REACH BOOM PKG or 500-9155 REACH BOOM HD PKG or 500-9156 REACH BOOM HD B/SLCV PKG or 535-8047 336F L SB HEX AM-N BCF1		

UNDERCARRIAGE

TRACKS

L	340-8261	TRACK, 24" TG-HD (GLT)	0	\$3,255
L	340-8257	TRACK, 28" TG (GLT)	0	\$1,860
		CANNOT BE USED WITH: 536-6219 336F LN HEX EUR BCF2 506-8915 336F CJL BCF1 506-8919 336F CJL BCF3		
L	340-8259	TRACK, 33" TG (GLT)	0	\$4,975
		CANNOT BE USED WITH: 536-6219 336F LN HEX EUR BCF2		

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country. Please contact your Cat marketing representative with questions.

L	460-1148	PRODUCT LINK, CELLULAR PL641 ANSI	0	NC
		Product Link Pro series PL641 uses UMTS and CDMA 3G cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		

CATERPILLAR MACHINE PRICE LIST

336F-AK

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

FRAMES

FENDER COVER

L	382-8232	COVER, FENDER 0 CANNOT BE USED WITH: 524-6775 336F L SB HEX EUR BCF1 524-6776 336F LN SB HEX EUR BCF2 497-6208 PUMP, ELECTRIC REFUELING		NC
L	390-7431	TOOLBOX FOR REFUELING PUMP 0 REQUIRES: 497-6208 PUMP, ELECTRIC REFUELING CANNOT BE USED WITH: 524-6775 336F L SB HEX EUR BCF1 524-6776 336F LN SB HEX EUR BCF2		NC

INSTRUCTIONS

DECALS - EXTERIOR

L	519-7522	INSTRUCTIONS,ANSI (OUTSIDE) 0		NC
---	----------	---	--	----

DECALS - CAB

L	519-7521	INSTRUCTIONS,ANSI (CAB) 0		NC
---	----------	-------------------------------------	--	----

OPERATION & MAINTENANCE MANUAL

	0P-3380	INSTRUCTIONS, ENGLISH 0		NC
	0P-3404	INSTRUCTIONS, SPANISH 0		NC

CATERPILLAR MACHINE PRICE LIST

336F-AK

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

LINE GROUPS

HIGH PRESSURE AUXILIARY BOOM & STICK LINES

L	318-5935	LINES-HP, R12'10" STICK 0		\$1,555
		ONLY FOR USE WITH: 318-5898 LINES-HP, REACH BOOM or 535-8047 336F L SB HEX AM-N BCF1 and 444-4152 STICK, R3.9M (12'10") DB HD or 502-9425 STICK, R3.9M (12'10") DB HD CGC		

NOTE: Mandatory for 535-8047 336F L SB HEX AM-N BCF1

L	321-0140	LINES-HP, R10'6" STICK 0		\$1,555
		ONLY FOR USE WITH: 318-5898 LINES-HP, REACH BOOM or 535-8047 336F L SB HEX AM-N BCF1 and 444-4149 STICK, R3.2M (10'6") DB HD or 444-4151 STICK, R3.2M (10'6") DB ES or 488-0474 STICK, R3.2M (10'6") DB HD CGC or 543-0161 STICK PKG, R3.2M (10'6") B/SLCV CANNOT BE USED WITH: 524-6775 336F L SB HEX EUR BCF1 524-6776 336F LN SB HEX EUR BCF2 536-0482 STICK PKG, R3.2M (10'6") B/SLCV CGC		

NOTE: Mandatory for 535-8047 336F L SB HEX AM-N BCF1

MEDIUM PRESSURE AUXILIARY BOOM & STICK LINES

L	318-5936	LINES-MP, R12'10" STICK 0		\$1,065
		ONLY FOR USE WITH: 318-5899 LINES-MP, REACH BOOM or 535-8047 336F L SB HEX AM-N BCF1 and 444-4152 STICK, R3.9M (12'10") DB HD or 502-9425 STICK, R3.9M (12'10") DB CGC		

NOTE: Mandatory for 535-8047 336F L SB HEX AM-N BCF1

L	321-0141	LINES-MP, R10'6" STICK 0		\$1,065
		ONLY FOR USE WITH: 318-5899 LINES-MP, REACH BOOM or 535-8047 336F L SB HEX AM-N BCF1 and 444-4149 STICK, R3.2M (10'6") DB HD or 444-4151 STICK, R3.2M (10'6") DB ES or 488-0474 STICK, R3.2M (10'6") DB CGC or 543-0161 STICK PKG, R3.2M (10'6") B/SLCV CANNOT BE USED WITH: 524-6775 336F L SB HEX EUR BCF1 524-6776 336F LN SB HEX EUR BCF2 536-0482 STICK PKG, R3.2M (10'6") B/SLCV CGC		

NOTE: Mandatory for 535-8047 336F L SB HEX AM-N BCF1

CATERPILLAR MACHINE PRICE LIST

336F-AK

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

LINE GROUPS (CONT.)

QUICK COUPLER CONTROL

L	498-8957	CTRL, CAT PIN GRABBER COUPLER 0		\$1,140
		ANSI For use only for Cat Pin Grabber Coupler This DOES NOT include QC lines for the boom and stick. This is designed for the universal coupler operating at full machine implement pressure. It contains the hydraulic lines on the upper frame and control. It as a high-pressure circuit.		

NOTE: Mandatory for ADSD-N (except for Quebec)

QUICK COUPLER BOOM & STICK LINES

L	321-0139	LINES-QC, R12'10" STICK 0		\$1,195
		ONLY FOR USE WITH: 318-5932 COUPLER LINES, REACH BOOM or 535-8047 336F L SB HEX AM-N BCF1 and 444-4152 STICK, R3.9M (12'10") DB HD or 502-9425 STICK, R3.9M (12'10") DB CGC		

NOTE: Mandatory for 535-8047 336F L SB HEX AM-N BCF1

L	321-0150	LINES-QC, R10'6" STICK 0		\$1,195
		ONLY FOR USE WITH: 318-5932 COUPLER LINES, REACH BOOM or 535-8047 336F L SB HEX AM-N BCF1 and 444-4149 STICK, R3.2M (10'6") DB HD or 488-0474 STICK, R3.2M (10'6") DB CGC or 543-0161 STICK PKG, R3.2M (10'6") B/SLCV CANNOT BE USED WITH: 524-6775 336F L SB HEX EUR BCF1 524-6776 336F LN SB HEX EUR BCF2 536-0482 STICK PKG, R3.2M (10'6") B/SLCV CGC		

NOTE: Mandatory for 535-8047 336F L SB HEX AM-N BCF1

STARTERS, BATTERIES, & ALTERNATORS

COLD WEATHER PACKAGE

L	360-7201	COLD WEATHER STARTING PKG 0		\$1,080
		INCLUDES: - BATTERY, COLD WEATHER - TERMINALS, JUMP START - BLOCK HEATER		

CATERPILLAR MACHINE PRICE LIST

336F-AK

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

GUARDS

RUBBER BUMPER

L	390-5803	BUMPER, SIDE RUBBER	0	\$1,705
		CANNOT BE USED WITH: 536-6218 336F L HEX EUR BCF1 536-6219 336F LN HEX EUR BCF2 506-8915 336F CJL BCF1 506-8917 336F L CJL BCF2		

OTHER ATTACHMENTS

L	331-8000	QUICK DRAINS, READY (OIL)	0	NC
		NOTE: Mandatory for ANZ		
L	497-6208	PUMP, ELECTRIC REFUELING	0	\$1,685
		CANNOT BE USED WITH: 524-6775 336F L SB HEX EUR BCF1 524-6776 336F LN SB HEX EUR BCF2		

CATERPILLAR MACHINE PRICE LIST

336F-AK

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS

DEALER INSTALLED KITS

Available Through ANTARES Parts Ordering

- 488-6524 Seat belt, retractable, 51mm (2') w/ Flexible Buckle
- 488-6525 Seat belt, retractable, 76mm (3') w/ Flexible Buckle For California
- 486-1416 Security systems (MSS)
- 484-7816 FOGS Retrofit Kit PKG (Compatible with 1-Piece & 70/30 window, Openable front & top, support dual exit, including Cab Lights, Cab Mirror)
- 484-8798 FOGS Retrofit Kit PKG (Compatible with 1-Piece & 70/30 window, Openable front & fixed top guard, not support with dual exit, including Cab Lights, Cab Mirror)
- 489-6301 Mesh for Front Guard Retrofit Kit PKG (Full net, One piece for hammer use, including Cab Lights, Cab Mirror)
- 464-1923 Half Mesh for Front Guard Retrofit Kit PKG
- 490-0464 Cold Weather Field Installation Retrofit Kit PKG (Upgrade from -18C Cold Weather Ready PKG to -32C Cold Weather PKG)
- 498-6689 Electric refueling pump with auto shut off
- 353-2130 Ashtray for cupholder
- 353-2131 (Both parts numbers are required)

FIELD REFERENCE GUIDE

- PEBJ0097 DEF Tank Guard
- PEBJ0100 Refueling Pump Guard

CATERPILLAR MACHINE PRICE LIST

336F-AK

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

PACKING

STORAGE PROTECTION

0G-4126	STORAGE PROTECTION (EXPORT)	0		\$274 NET
	Machines from the factory have been sprayed with Fluid Film TM, see your account rep for details. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.			

EXPORT PACKING

0G-0483	ROLL ON-ROLL OFF W/O BKT QC DB	0		\$192 NET
	For use when NOT ordering an installed bucket or quick coupler			