

CATERPILLAR MACHINE PRICE LIST

336F

336F EXCAVATOR
VICTORIA, TX, USA (SAP)

Ship Weight
lbs

LIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

Diesel engine C9.3, 241kW (Gross)
- Tier IV Final emission package
- Power Mode, Standard Power Mode, Economy Mode
- 2300m altitude capability with no derate
80 Amp alternator
3 Side-by-side cooling system for easier cleaning.
Radial seal air filter
Automatic engine speed control
Primary filter with water separator and Water separator indicator switch
fuel differential indicator switch in fuel line
2x4micron main filters, 1x10 micron primary filter in fuel line
Two speed travel
Capability of using Bio-Diesel fuel (B20)
Electrical Priming Pump
Secondary engine shutoff switch

- Removable lower windshield with incab storage bracket
- Openable skylight

Operator station:

- Interior lighting
- Coat hook
- Beverage holder
- Literature holder
- Radio mounting (DIN size) suitable for 24-Volt Radios
- Two stereo speakers
- Storage shelf suitable for lunch box
- Adjustable armrest
- Height Adjustable Consoles Joysticks
- Neutral lever (lock out) for all controls
- Two Power Outlets, 10 Amp (Total)

Monitor:

Color LCD display, rear view camera ready
- Warning information,
- Filter / Fluid change information
- Working hour information
- Machine condition, Error code
- Tool mode setting information
- Start up level check for hydraulic oil, engine oil and engine coolant
- Capability of time clock on monitor battery (It lasts one week with disconnection)

Pedal:

- Travel control pedals with removable hand levers
- Capability of installing two additional pedals

UNDERCARRIAGE

Grease Lubricated Track GLT2, resin seal
Towing eye on baseframe

HYDRAULICS

Regeneration circuit for boom and stick
Capability of installing;
- stackable valves for HP, MP and QC
- additional auxiliary pump & circuit
- boom lowering control device and stick lowering check valve
- CAT Bio hydraulic oil
Reverse swing damping valve
Automatic swing parking brake
High performance hydraulic return filter

OTHER STANDARD EQUIPMENT

Lockable external tool / storage box
Caterpillar one key security system
Door locks and cap locks including fuel and hydraulic tanks
Standard visibility mirror package
Power edge trade dress with power edge decals and black cylinders

ELECTRICAL

Signaling / Warning horn
Exterior lights (Integrated into storage box)
Circuit breaker
Compatible with Electronic Technician

OPERATOR ENVIRONMENT

Cab:
- Pressurized Operator Station (Positive Filtration)
- Sliding upper door window (Left Hand Cab Door)
- Glass breaking safety hammer

CATERPILLAR MACHINE PRICE LIST

336F

336F EXCAVATOR
VICTORIA, TX, USA (SAP)

Ship Weight
lbs

LIST PRICE
AT DEALER

**Lane 2 is reserved for the Base Orders Program.
Please use lane 2 when placing orders that are part of the
Base Order Program.**

**2018 YOY list price reductions will be offset by reductions in
discounts or merchandising support.**

CATERPILLAR MACHINE PRICE LIST

336F

336F EXCAVATOR VICTORIA, TX, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

506-8879	336F L HEX AM-N DCA1A 0	\$389, 660
	LANE 1 - AVAILABLE FROM VICTORIA DIST. CENTER	
	LANE 2 - AVAILABLE FROM VIC FACTORY USING PRIORITY CODE L2	
	LANE 3 - AVAILABLE FROM VIC FACTORY USING PRIORITY CODE L2	
	DCA1 (R3.9M (12'10") Stick, NO Tool Control, 850mm (33") Track)	
	INCLUDES:	
	384-2174 336F L HEX	
	500-9155 REACH BOOM HD PKG	
	BOOM, REACH 6.5M (21'4") HD	
	LINKAGE, BKT-DB W/LIFT	
	CYLINDER, BKT (DB LINKAGE)	
	UPPER COVER, STANDARD	
	506-8862 JOYSTICK STANDARD STP PKG	
	VALVE, HYDRAULIC	
	VALVE, ANTI DRIFT, BOOM	
	VALVE, ANTI DRIFT, STICK	
	LINES, CYLINDER, BOOM	
	JOYSTICK, ONE BUTTON	
	MAT, FLOOR, RH PEDAL	
	PEDAL, STRAIGHT TRAVEL	
	LINES, OIL COOLER, STD	
	LINES, TRAVEL (STP)	
	LINES, BDRV (STD)	
	LINES, STICK-IN (STD)	
	MACHINE CONTROLLER STD	
	459-2701 COLD WEATHER PKG READY	
	314-3632 CONTROL, FINE SWING	
	383-5587 AIR CONDITIONER	
	352-7158 ACCUMULATOR WITH CRN	
	488-6541 SEAT BELT, 51MM (2")	
	372-9522 CAB-ROPS,70/30,W/VANDAL-G BOSS	
	340-6667 HATCH, OPENABLE ROOF (DUAL)	
	496-8191 RADIO, 24V AM/FM	
	340-8259 TRACK, 850MM (33") TG (GLT)	
	463-1424 COUNTERWEIGHT, STD	
	383-6402 COOLING, HIGH AMBIENT	
	346-7053 GUARD, TRACK GUIDE, SEGMENTED	
	316-8885 SEAT,H-BACK,HEATER,S/AIR,COOL	
	463-9894 AIR CLEANER, STANDARD	
	324-5778 PANEL, STD START SWITCH	
	316-8984 WIPER-RADIAL, 70/30 W/O LOWER	
	383-5593 WASHER, WINDSHIELD UPPER	
	387-4959 GUARD, BOTTOM, HEAVY DUTY	
	346-7207 GUARD, TRAVEL MOTOR, HD	
	493-5685 CAMERA, REAR VIEW, MIRRORS(RH)	
	485-1066 LINES, FRONT (QC)	
	383-9343 LINES, BOOM-UP (STD)	
	383-9337 LINES, SDRV (STD/PGQC)	
	382-7266 DECALS, ANSI (OUTSIDE)	
	497-8530 DECALS, ANSI (CAB)	
	382-8232 COVER, FENDER	
	360-6166 ALARM, TRAVEL	
	324-4376 ETHER AID	
	358-5965 CYLINDER, BOOM (W/O BLCV)	
	357-4700 CYLINDER, STICK (W/O SLCV)	
	444-4152 STICK, R3.9M (12'10") DB HD	

Supersedes 02JAN2018	Subject to change without notice	Effective 02JAN2019
Caterpillar: Confidential Green	Printed in USA	
US-A-19-01 A	U. S. DOLLAR CURRENCY	336F-003

CATERPILLAR MACHINE PRICE LIST

336F

336F EXCAVATOR VICTORIA, TX, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

- 319-1179 LIGHTING, CAB (HALOGEN)
- 460-1148 PRODUCT LINK, CELLULAR PL641
- 349-2233 CHANGER,HAND CTRL 2-WAY (ANSI)
- 134-8887 GUARD, SWIVEL
- 327-6552 MIRROR, W/O GUARD
- 498-8957 CTRL, CAT PIN GRABBER COUPLER
- 318-5932 COUPLER LINES, REACH BOOM
- 321-0139 LINES-QC, R3.9M (12'10") STICK

CATERPILLAR MACHINE PRICE LIST

336F

336F EXCAVATOR VICTORIA, TX, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

506-8904	336F L HEX AM-N DCA3A 0	\$405,570
	LANE 1 - AVAILABLE FROM VICTORIA DIST. CENTER	
	LANE 2 - AVAILABLE FROM VIC FACTORY USING PRIORITY CODE L2	
	LANE 3 - AVAILABLE FROM VIC FACTORY USING PRIORITY CODE L2	

DCA3 (R3.2M (10'6") Stick, Tool Control, 850mm (33") Track)

INCLUDES:

- 384-2174 336F L HEX
- 500-9155 REACH BOOM HD PKG
BOOM, REACH 6.5M (21'4") HD
LINKAGE, BKT-DB W/LIFT
CYLINDER, BKT (DB LINKAGE)
UPPER COVER, STANDARD
- 506-8865 COMBINED CIR STP PKG
VALVE, HYDRAULIC, TCS
VALVE, ANTI DRIFT, BOOM
VALVE, ANTI DRIFT, STICK
LINES, CYLINDER, BOOM
CIRCUIT, COMBINED
JOYSTICK, THUMB WHEEL
MAT, FLOOR, RH PEDAL
PEDAL, STRAIGHT TRAVEL
LINES, OIL COOLER, STD
LINES, TRAVEL (STP)
LINES, BDRV (TCS20)
LINES, STICK-IN (TCS)
MACHINE CONTROLLER TCS
- 459-2701 COLD WEATHER PKG READY
- 314-3632 CONTROL, FINE SWING
- 383-5587 AIR CONDITIONER
- 352-7158 ACCUMULATOR WITH CRN
- 488-6541 SEAT BELT, 51MM (2")
- 372-9522 CAB-ROPS, 70/30, W/VANDAL-G BOSS
- 340-6667 HATCH, OPENABLE ROOF (DUAL)
- 496-8191 RADIO, 24V AM/FM
- 340-8259 TRACK, 850MM (33") TG (GLT)
- 463-1424 COUNTERWEIGHT, STD
- 383-6402 COOLING, HIGH AMBIENT
- 346-7053 GUARD, TRACK GUIDE, SEGMENTED
- 316-8885 SEAT, H-BACK, HEATER, S/AIR, COOL
- 463-9894 AIR CLEANER, STANDARD
- 324-5778 PANEL, STD START SWITCH
- 316-8984 WIPER-RADIAL, 70/30 W/O LOWER
- 383-5593 WASHER, WINDSHIELD UPPER
- 387-4959 GUARD, BOTTOM, HEAVY DUTY
- 346-7207 GUARD, TRAVEL MOTOR, HD
- 493-5685 CAMERA, REAR VIEW, MIRRORS(RH)
- 485-1066 LINES, FRONT (QC)
- 383-9343 LINES, BOOM-UP (STD)
- 383-9337 LINES, SDRV (STD/PGQC)
- 382-7266 DECALS, ANSI (OUTSIDE)
- 497-8530 DECALS, ANSI (CAB)
- 382-8232 COVER, FENDER
- 360-6166 ALARM, TRAVEL
- 324-4376 ETHER AID
- 358-5965 CYLINDER, BOOM (W/O BLCV)
- 357-4700 CYLINDER, STICK (W/O SLCV)

Supersedes 02JAN2018
Caterpillar: Confidential Green
US-A-19-01 A

Subject to change without notice
Printed in USA
U. S. DOLLAR CURRENCY

Effective 02JAN2019
336F-005

CATERPILLAR MACHINE PRICE LIST

336F

336F EXCAVATOR VICTORIA, TX, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
444-4149 STICK, R3.2M (10'6") DB HD		
319-1179 LIGHTING, CAB (HALOGEN)		
460-1148 PRODUCT LINK, CELLULAR PL641		
349-2233 CHANGER,HAND CTRL 2-WAY (ANSI)		
134-8887 GUARD, SWIVEL		
327-6552 MIRROR, W/O GUARD		
498-8957 CTRL, CAT PIN GRABBER COUPLER		
318-5932 COUPLER LINES, REACH BOOM		
321-0150 LINES-QC, R3.2M (10'6") STICK		
318-5898 LINES-HP, REACH BOOM		
321-0140 LINES-HP, R3.2M (10'6") STICK		

CATERPILLAR MACHINE PRICE LIST

336F

336F EXCAVATOR VICTORIA, TX, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

506-8905	336F L HEX AM-N DCA6A 0	\$407,000
	LANE 1 - AVAILABLE FROM VICTORIA DIST. CENTER	
	LANE 2 - AVAILABLE FROM VIC FACTORY USING PRIORITY CODE L2	
	LANE 3 - AVAILABLE FROM VIC FACTORY USING PRIORITY CODE L2	

DCA6 (R3.9M (12'10") Stick, Tool Control, 850mm (33") Track)

INCLUDES:

- 384-2174 336F L HEX
- 500-9155 REACH BOOM HD PKG
BOOM, REACH 6.5M (21'4") HD
LINKAGE, BKT-DB W/LIFT
CYLINDER, BKT (DB LINKAGE)
UPPER COVER, STANDARD
- 506-8865 COMBINED CIR STP PKG
VALVE, HYDRAULIC, TCS
VALVE, ANTI DRIFT, BOOM
VALVE, ANTI DRIFT, STICK
LINES, CYLINDER, BOOM
CIRCUIT, COMBINED
JOYSTICK, THUMB WHEEL
MAT, FLOOR, RH PEDAL
PEDAL, STRAIGHT TRAVEL
LINES, OIL COOLER, STD
LINES, TRAVEL (STP)
LINES, BDRV (TCS20)
LINES, STICK-IN (TCS)
MACHINE CONTROLLER TCS
- 459-2701 COLD WEATHER PKG READY
- 314-3632 CONTROL, FINE SWING
- 383-5587 AIR CONDITIONER
- 352-7158 ACCUMULATOR WITH CRN
- 488-6541 SEAT BELT, 51MM (2")
- 372-9522 CAB-ROPS, 70/30, W/VANDAL-G BOSS
- 340-6667 HATCH, OPENABLE ROOF (DUAL)
- 496-8191 RADIO, 24V AM/FM
- 340-8259 TRACK, 850MM (33") TG (GLT)
- 463-1424 COUNTERWEIGHT, STD
- 383-6402 COOLING, HIGH AMBIENT
- 346-7053 GUARD, TRACK GUIDE, SEGMENTED
- 316-8885 SEAT, H-BACK, HEATER, S/AIR, COOL
- 463-9894 AIR CLEANER, STANDARD
- 324-5778 PANEL, STD START SWITCH
- 316-8984 WIPER-RADIAL, 70/30 W/O LOWER
- 383-5593 WASHER, WINDSHIELD UPPER
- 387-4959 GUARD, BOTTOM, HEAVY DUTY
- 346-7207 GUARD, TRAVEL MOTOR, HD
- 493-5685 CAMERA, REAR VIEW, MIRRORS(RH)
- 485-1066 LINES, FRONT (QC)
- 383-9343 LINES, BOOM-UP (STD)
- 383-9337 LINES, SDRV (STD/PGQC)
- 382-7266 DECALS, ANSI (OUTSIDE)
- 497-8530 DECALS, ANSI (CAB)
- 382-8232 COVER, FENDER
- 360-6166 ALARM, TRAVEL
- 324-4376 ETHER AID
- 358-5965 CYLINDER, BOOM (W/O BLCV)
- 357-4700 CYLINDER, STICK (W/O SLCV)

Supersedes 02JAN2018
Caterpillar: Confidential Green
US-A-19-01 A

Subject to change without notice
Printed in USA
U. S. DOLLAR CURRENCY

Effective 02JAN2019
336F-007

CATERPILLAR MACHINE PRICE LIST

336F

336F EXCAVATOR VICTORIA, TX, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

- 444-4152 STICK, R3.9M (12'10") DB HD
- 319-1179 LIGHTING, CAB (HALOGEN)
- 460-1148 PRODUCT LINK, CELLULAR PL641
- 349-2233 CHANGER,HAND CTRL 2-WAY (ANSI)
- 134-8887 GUARD, SWIVEL
- 327-6552 MIRROR, W/O GUARD
- 498-8957 CTRL, CAT PIN GRABBER COUPLER
- 318-5932 COUPLER LINES, REACH BOOM
- 321-0139 LINES-QC, R3.9M (12'10") STICK
- 318-5898 LINES-HP, REACH BOOM
- 318-5935 LINES-HP, R3.9M (12'10") STICK

506-8908	336F L HEX AM-N/KOR BCF1	0	\$327,310
-----------------	---------------------------------------	---	------------------

LANE 2 - AVAILABLE FROM VICTORIA FACTORY
LANE 3 - AVAILABLE FROM VICTORIA FACTORY

Base machine for standard counterweight configuration.
Well suited for general applications.

Base Configuration must be completed by selecting
Mandatory / Optional attachments.

- INCLUDES:
- 384-2174 336F L HEX
 - 314-3632 CONTROL, FINE SWING
 - 383-5587 AIR CONDITIONER
 - 352-7158 ACCUMULATOR WITH CRN
 - 488-6541 SEAT BELT, 51MM (2")
 - 372-9522 CAB-ROPS,70/30,W/VANDAL-G BOSS
 - 340-6667 HATCH, OPENABLE ROOF (DUAL)
 - 496-8191 RADIO, 24V AM/FM
 - 463-1424 COUNTERWEIGHT, STD
 - 383-6402 COOLING, HIGH AMBIENT
 - 316-8885 SEAT,H-BACK,HEATER,S/AIR,COOL
 - 324-5778 PANEL, STD START SWITCH
 - 387-4959 GUARD, BOTTOM, HEAVY DUTY
 - 346-7207 GUARD, TRAVEL MOTOR, HD
 - 493-5685 CAMERA, REAR VIEW, MIRRORS(RH)
 - 383-9343 LINES, BOOM-UP (STD)
 - 383-9337 LINES, SDRV (STD/PGQC)
 - 382-8232 COVER, FENDER
 - 358-5965 CYLINDER, BOOM (W/O BLCV)
 - 357-4700 CYLINDER, STICK (W/O SLCV)
 - 360-6166 ALARM, TRAVEL
 - 324-4376 ETHER AID
 - 319-1179 LIGHTING, CAB (HALOGEN)
 - 327-6552 MIRROR, W/O GUARD

CATERPILLAR MACHINE PRICE LIST

336F

336F EXCAVATOR VICTORIA, TX, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

506-8909	336F L HEX AM-N/ANZ BCF2 0 LANE 3 - AVAILABLE FROM VICTORIA FACTORY	\$333,690
-----------------	---	------------------

Base machine for standard counterweight with BLCV/SLCV configuration.
Well suited for general applications and those requiring BLCV/SLCV
as a safety device.

Base Configuration must be completed by selecting
Mandatory / Optional attachments.

- INCLUDES:
- 384-2174 336F L HEX
 - 314-3632 CONTROL, FINE SWING
 - 383-5587 AIR CONDITIONER
 - 352-7158 ACCUMULATOR WITH CRN
 - 488-6541 SEAT BELT, 51MM (2")
 - 372-9522 CAB-ROPS,70/30,W/VANDAL-G BOSS
 - 340-6667 HATCH, OPENABLE ROOF (DUAL)
 - 496-8191 RADIO, 24V AM/FM
 - 463-1424 COUNTERWEIGHT, STD
 - 383-6402 COOLING, HIGH AMBIENT
 - 316-8885 SEAT,H-BACK,HEATER,S/AIR,COOL
 - 324-5778 PANEL, STD START SWITCH
 - 387-4959 GUARD, BOTTOM, HEAVY DUTY
 - 346-7207 GUARD, TRAVEL MOTOR, HD
 - 493-5685 CAMERA, REAR VIEW, MIRRORS(RH)
 - 383-9343 LINES, BOOM-UP (STD)
 - 383-9339 LINES, SDRV (SLCV)
 - 382-8232 COVER, FENDER
 - 358-5968 CYLINDER, BOOM (W/BLCV)
 - 357-4701 CYLINDER, STICK (W/SLCV)
 - 360-6166 ALARM, TRAVEL
 - 324-4376 ETHER AID
 - 319-1179 LIGHTING, CAB (HALOGEN)
 - 327-6552 MIRROR, W/O GUARD

CATERPILLAR MACHINE PRICE LIST

336F

336F EXCAVATOR VICTORIA, TX, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

<p>506-8910 336F L HEX AM-N BCF3 0 LANE 3 - AVAILABLE FROM VICTORIA FACTORY</p>	<p>0</p>	<p>\$341,100</p>
---	----------	-------------------------

Base machine for heavy counterweight configuration.
Well suited for extreme service applications and those requiring maximum lift and stability.

Base Configuration must be completed by selecting Mandatory / Optional attachments.

- INCLUDES:
- 384-2175 336F L HEX HEAVY CTWT
 - 314-3632 CONTROL, FINE SWING
 - 383-5587 AIR CONDITIONER
 - 352-7158 ACCUMULATOR WITH CRN
 - 488-6541 SEAT BELT, 51MM (2")
 - 372-9522 CAB-ROPS,70/30,W/VANDAL-G BOSS
 - 340-6667 HATCH, OPENABLE ROOF (DUAL)
 - 496-8191 RADIO, 24V AM/FM
 - 467-4384 COUNTERWEIGHT, HEAVY
 - 383-6402 COOLING, HIGH AMBIENT
 - 316-8885 SEAT,H-BACK,HEATER,S/AIR,COOL
 - 324-5778 PANEL, STD START SWITCH
 - 387-4959 GUARD, BOTTOM, HEAVY DUTY
 - 346-7207 GUARD, TRAVEL MOTOR, HD
 - 493-5685 CAMERA, REAR VIEW, MIRRORS(RH)
 - 383-9343 LINES, BOOM-UP (STD)
 - 383-9337 LINES, SDRV (STD/PGQC)
 - 382-8232 COVER, FENDER
 - 358-5965 CYLINDER, BOOM (W/O BLCV)
 - 357-4700 CYLINDER, STICK (W/O SLCV)
 - 360-6166 ALARM, TRAVEL
 - 324-4376 ETHER AID
 - 319-1179 LIGHTING, CAB (HALOGEN)
 - 327-6552 MIRROR, W/O GUARD

CATERPILLAR MACHINE PRICE LIST

336F

336F EXCAVATOR VICTORIA, TX, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

<p>506-8911 336F L HEX AM-N BCF4 0 LANE 3 - AVAILABLE FROM VICTORIA FACTORY</p>	<p>0</p>	<p>\$347,480</p>
---	----------	-------------------------

Base machine for heavy counterweight with BLCV/SLCV configuration.
Well suited for extreme service applications and those requiring maximum lift and stability.

Base Configuration must be completed by selecting Mandatory / Optional attachments.

- INCLUDES:
- 384-2175 336F L HEX HEAVY CTWT
 - 314-3632 CONTROL, FINE SWING
 - 383-5587 AIR CONDITIONER
 - 352-7158 ACCUMULATOR WITH CRN
 - 488-6541 SEAT BELT, 51MM (2")
 - 372-9522 CAB-ROPS,70/30,W/VANDAL-G BOSS
 - 340-6667 HATCH, OPENABLE ROOF (DUAL)
 - 496-8191 RADIO, 24V AM/FM
 - 467-4384 COUNTERWEIGHT, HEAVY
 - 383-6402 COOLING, HIGH AMBIENT
 - 316-8885 SEAT,H-BACK,HEATER,S/AIR,COOL
 - 324-5778 PANEL, STD START SWITCH
 - 387-4959 GUARD, BOTTOM, HEAVY DUTY
 - 346-7207 GUARD, TRAVEL MOTOR, HD
 - 493-5685 CAMERA, REAR VIEW, MIRRORS(RH)
 - 383-9343 LINES, BOOM-UP (STD)
 - 383-9339 LINES, SDRV (SLCV)
 - 382-8232 COVER, FENDER
 - 358-5968 CYLINDER, BOOM (W/BLCV)
 - 357-4701 CYLINDER, STICK (W/SLCV)
 - 360-6166 ALARM, TRAVEL
 - 324-4376 ETHER AID
 - 319-1179 LIGHTING, CAB (HALOGEN)
 - 327-6552 MIRROR, W/O GUARD

CATERPILLAR MACHINE PRICE LIST

336F

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

MUST CHOOSE AT LEAST ONE PACKAGE OR ATTACHMENT FROM EACH CATEGORY

LANE SELECTION

YOU MUST SELECT THIS REFERENCE WHEN ORDERING FROM THE PDC.

0P-9001	LANE 1 ORDER	0	NC
	Order from Product Distribution Center (PDC)		

SERVICE INSTRUCTIONS

Operation & Maintenance Manuals(OMMs) are automatically sent on every machine sourced from the PDC based on the legally required language of the destination country.

FOR OMM’S IN ADDITIONAL LANGUAGES, PLEASE USE THE FOLLOWING SITE:
<https://oos.midlandcorp.com/cat/>

DECAL PACKAGE
 (must choose one)

P	0P-7124	INSTRUCTION,NORTH AMERICA ANSI	0	NC
		This package includes the ANSI decals and is required by all NACD territories except Quebec, Canada. ONLY ON PDC MACHINES.		
P	463-6278	INSTRUCTIONS, INTERNATIONAL	0	NC
		This package includes picto decals as required for Quebec, Canada.		

PACKING/DOMESTIC SHIPPING

Must select a mode of shipment

	0G-0211	PACK, ROLL ON ROLL OFF-TRUCK	0	NC
	0G-0213	PACK, RO-RO TRUCK TO VESSEL	0	\$169 NET
		NOTE: For P420 Only		
	0G-0214	PACK, RO-RO TRUCK TO RAIL	0	NC
		NOTE: Option for Rail Shipment		

CATERPILLAR MACHINE PRICE LIST

336F

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

STORAGE PROTECTION

MUST SELECT

	OG-4131	STORAGE PROTECTION (DOMESTIC) 0		NC
		Machines from the PDC have been sprayed with Fluid Film TM, see your account rep for details. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.		

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

ANTIFREEZE

L	441-5368	COOLANT, COLD WEATHER 0		\$243
---	-----------------	--	--	--------------

DIRECT SHIP TO CUSTOMER - WASH

	OP-2047	DIRECT SHIP TO CUSTOMER - WASH 0		NC
		This reference number ensures this machine receives a power wash prior shipment to remove the Fluid Film, TM.		

FREIGHT, TRUCK DELIVERY

L	OP-3006	FREIGHT, TRUCK DELIVERY (336) 0		NC
		Effective January 2, 2015 Additional net charge for change of transport mode from rail to truck Applies to Canadian dealers and their store locations only. Contact your trade lane manager for locations outside 500 km radius. Finning: \$6,000 Within 500 km radius of Vancouver and Edmonton Kramer: \$3,100 Within 500 km radius of Regina Toromont: \$3,100 Within 500 km radius of Toronto and Winnipeg Hewitt: \$6,000 Within 500 km radius of Montreal Atlantic: \$6,000 Within 500 km radius of Halifax and York AVAILABLE FOR: CANADA ONLY		

CATERPILLAR MACHINE PRICE LIST

336F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0	NC
	only for dealers enrolled in the Base Orders Management (BOM) program.		
OP-9003	LANE 3 ORDER	0	NC

BOOMS, STICKS, AND LINKAGES

NOTE: When ordering a frontless excavator, dealers can contact Caterpillar OEM Solutions at oem_solutions@cat.com. OEM Solutions can assist in development of machine configurations, application guidance, and provide guidance to AEM's or OEM's that offer specialty excavator fronts or machine modifications in your region.

OG-0341	NO BOOM	0	NC
	For No boom, No stick, and No bucket linkage		
	REQUIRES: OG-0342 NO STICK		
	422-2100 ROPS FILM REMOVAL		
500-9166	REACH BOOM ONLY PKG	0	\$24,410
	INCLUDES:		
	- BOOM, REACH 6.5M (21'4") HD		
	- UPPER COVER, STANDARD		
	- ROPS FILM REMOVAL		
	REQUIRES: OG-0342 NO STICK		

BOOM/CYLINDER PACKAGES

L	500-9155	REACH BOOM HD PKG	0	\$31,130
		Reach 6.5M (21'4") Boom Package (PKG)		
		INCLUDES:		
		- BOOM, REACH 6.5M (21'4") HD		
		- LINKAGE, BKT-DB W/LIFT		
		- CYLINDER, BKT (DB LINKAGE)		
		- UPPER COVER, STANDARD		
		ONLY FOR USE WITH: 506-8908 336F L HEX AM-N/KOR BCF1 or		
		506-8910 336F L HEX AM-N BCF3		
L	500-9156	REACH BOOM HD B/SLCV PKG	0	\$32,230
		FOR USE IN LANE 3 ONLY		
		Reach 6.5M (21'4") Boom for boom lowering control valve		
		stick lowering control valve (BLCV/SLCV) Package (PKG)		
		INCLUDES:		
		- BOOM, REACH 6.5M (21'4") HD		
		- DEVICE, SLCV		
		- LINKAGE, BKT-DB W/LIFT		
		- CYLINDER, BKT (DB LINKAGE)		
		- UPPER COVER, STANDARD		
		ONLY FOR USE WITH: 506-8909 336F L HEX AM-N/ANZ BCF2 or		
		506-8911 336F L HEX AM-N BCF4		

CATERPILLAR MACHINE PRICE LIST

336F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BOOMS, STICKS, AND LINKAGES (CONT.)

BOOM/CYLINDER PACKAGES (Cont.)

L	500-9159	REACH BOOM ES PKG 0 FOR USE IN LANE 3 ONLY Reach 6.5M (21'4") Boom Extreme service (ES) Package (PKG) INCLUDES: - BOOM, REACH 6.5M (21'4") EXT SVC - LINKAGE, BKT-DB W/LIFT - CYLINDER, BKT (DB LINKAGE) - UPPER COVER, STANDARD ONLY FOR USE WITH: 506-8910 336F L HEX AM-N BCF3	0	\$32,110
L	500-9160	REACH BOOM ES B/SLCV PKG 0 FOR USE IN LANE 3 ONLY Reach 6.5M (21'4") Extreme service (ES) for boom lowering control valve stick lowering control valve (BLCV/SLCV) Package (PKG) INCLUDES: - BOOM, REACH 6.5M (21'4") EXT SVC - DEVICE, SLCV - LINKAGE, BKT-DB W/LIFT - CYLINDER, BKT (DB LINKAGE) - UPPER COVER, STANDARD ONLY FOR USE WITH: 506-8911 336F L HEX AM-N BCF4	0	\$33,210
L	500-9162	MASS BOOM PKG 0 FOR USE IN LANE 3 ONLY Mass 6.18M (20'3") Boom Package (PKG) INCLUDES: - BOOM, MASS 6.18M (20'3") EXCAVATION - LINKAGE, BUCKET-TB W/LIFT EYE - CYLINDER, BKT (TB LINKAGE) - UPPER COVER, STANDARD ONLY FOR USE WITH: 506-8908 336F L HEX AM-N/KOR BCF1 or 506-8910 336F L HEX AM-N BCF3	0	\$31,780
L	500-9163	MASS BOOM B/SLCV PKG 0 FOR USE IN LANE 3 ONLY Mass 6.18M (20'3") Boom for boom lowering control valve/ stick lowering control valve (BLCV/SLCV) Package (PKG) INCLUDES: - BOOM, MASS 6.18M (20'3") EXCAVATION - DEVICE, SLCV M-BOOM - LINKAGE, BUCKET-TB W/LIFT EYE - CYLINDER, BKT (TB LINKAGE) - UPPER COVER, STANDARD ONLY FOR USE WITH: 506-8909 336F L HEX AM-N/ANZ BCF2 or 506-8911 336F L HEX AM-N BCF4	0	\$32,890

CATERPILLAR MACHINE PRICE LIST

336F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BOOMS, STICKS, AND LINKAGES (CONT.)

CAT GRADE CONTROL BOOM//CYLINDER PACKAGES

L	528-3778	BOOM PKG, REACH CGC 0 Reach 6.5M (21'4") Boom Package (PKG) for Cat grade control (CGC) INCLUDES: - BOOM, REACH 6.5M (21'4") CGC - LINKAGE, BKT-DB W/LIFT - CYLINDER, BKT DB CGC - GUARD, BKT DB CYLINDER, CGC - UPPER COVER, CGC - CONTROL, GRADE & SLOPE ONLY FOR USE WITH: 506-8908 336F L HEX AM-N/KOR BCF1 or 506-8910 336F L HEX AM-N BCF3	0	\$47,140
L	528-3779	BOOM PKG, REACH B/SLCV CGC 0 FOR USE IN LANE 3 ONLY Reach 6.5M (21'4") Boom for boom lowering control valve/ stick lowering control valve (BLCV/SLCV) Package (PKG), and for Cat grade control (CGC). INCLUDES: - BOOM, REACH 6.5M (21'4") CGC - DEVICE, SLCV - LINKAGE, BKT-DB W/LIFT - CYLINDER, BKT DB CGC - GUARD, BKT DB CYLINDER, CGC - UPPER COVER, CGC - CONTROL, GRADE & SLOPE ONLY FOR USE WITH: 506-8909 336F L HEX AM-N/ANZ BCF2 or 506-8911 336F L HEX AM-N BCF4	0	\$48,240

STICKS

	0G-0342	NO STICK 0 For No front or Boom only (Stick less) ONLY FOR USE WITH: 0G-0341 NO BOOM or 500-9166 REACH BOOM ONLY PKG	0	NC
L	444-4152	STICK, R12'10" DB HD 0 ONLY FOR USE WITH: 500-9155 REACH BOOM HD PKG or 500-9156 REACH BOOM HD B/SLCV PKG	0	\$13,370
L	444-4149	STICK, R10'6" DB HD 0 ONLY FOR USE WITH: 500-9155 REACH BOOM HD PKG or 500-9156 REACH BOOM HD B/SLCV PKG	0	\$11,940
L	444-4154	STICK, R12'10" DB ES 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 500-9159 REACH BOOM ES PKG or 500-9160 REACH BOOM ES B/SLCV PKG	0	\$13,900
L	502-9425	STICK, R12'10" DB HD CGC 0 ONLY FOR USE WITH: 528-3778 BOOM PKG, REACH CGC or 528-3779 BOOM PKG, REACH B/SLCV CGC	0	\$13,370
L	502-9423	STICK, R10'6" DB HD CGC 0 ONLY FOR USE WITH: 528-3778 BOOM PKG, REACH CGC or 528-3779 BOOM PKG, REACH B/SLCV CGC	0	\$11,940
L	444-4156	STICK, M8'4", TB1 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 500-9162 MASS BOOM PKG or 500-9163 MASS BOOM B/SLCV PKG	0	\$11,200

CATERPILLAR MACHINE PRICE LIST

336F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BOOMS, STICKS, AND LINKAGES (CONT.)

ROPS FILM REMOVAL

NOTE: Must be selected when machine ordered NO FRONT.

L	422-2100	ROPS FILM REMOVAL 0 Includes ROPS certification removal. ONLY FOR USE WITH: 0G-0341 NO BOOM		NC
---	----------	---	--	----

POWERTRAIN

L	463-9921	AIR CLEANER, HIGH EFFICIENCY 0 Includes external pre-cleaner		\$830
L	463-9894	AIR CLEANER, STANDARD 0 Pre-cleaner integrated into filter housing		\$740

UNDERCARRIAGE

TRACKS

L	340-8259	TRACK, 33" TG (GLT) 0		\$4,975
L	340-8258	TRACK, 31" TG (GLT) 0		\$4,975
L	457-0215	TRACK, 28" SG (GLT) 0 FOR USE IN LANE 3 ONLY For Pipeline Industry Application purpose only.		\$5,390

TRACK GUIDING GUARDS

L	192-8302	GUARD, TRACK GUIDING, CENTER 161		\$1,570
L	346-7053	GUARD, TRACK GUIDE, SEGMENTED 0		\$1,625

CATERPILLAR MACHINE PRICE LIST

336F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS

NO AUXILIARY CIRCUIT

L	506-8862	JOYSTICK STANDARD STP PKG 0 Joystick Standard Straight Travel Pedal (STP) Package (PKG) INCLUDES: - VALVE, HYDRAULIC - VALVE, ANTI DRIFT, BOOM - VALVE, ANTI DRIFT, STICK - LINES, CYLINDER, BOOM - JOYSTICK, ONE BUTTON - MAT, FLOOR, RH PEDAL - PEDAL, STRAIGHT TRAVEL - LINES, OIL COOLER, STD - LINES, TRAVEL (STP) - LINES, BDRV (STD) - LINES, STICK-IN (STD) - MACHINE CONTROLLER STD ONLY FOR USE WITH: 0G-0341 NO BOOM or 500-9166 REACH BOOM ONLY PKG or 500-9155 REACH BOOM HD PKG or 500-9159 REACH BOOM ES PKG or 500-9162 MASS BOOM PKG		\$4,675
L	506-8863	JOYSTICK STD STP BLCV/SLCV PKG 0 FOR USE IN LANE 3 ONLY Joystick Standard Straight Travel Pedal (STP) Boom lowering control Valve (BLCV)/Stick Lowering Control Valve (SLCV) Package (PKG) INCLUDES: - VALVE, HYDRAULIC - COVER BLOCK & MOUNTING (BLCV) - COVER BLOCK & MOUNTING (SLCV) - LINES, CYLINDER BLCV - DEVICE, BLCV - JOYSTICK, ONE BUTTON - MAT, FLOOR, RH PEDAL - PEDAL, STRAIGHT TRAVEL - LINES, OIL COOLER, STD - LINES, TRAVEL (STP) - LINES, BDRV (BLCV) - LINES, STICK-IN (STD) - MACHINE CONTROLLER STD ONLY FOR USE WITH: 500-9156 REACH BOOM HD B/SLCV PKG or 500-9160 REACH BOOM ES B/SLCV PKG or 500-9163 MASS BOOM B/SLCV PKG		\$6,300

CATERPILLAR MACHINE PRICE LIST

336F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

NO AUXILIARY CIRCUIT (Cont.)

L	506-8864	JOYSTICK TWJ STP PKG 0 Joystick Thumb Wheel Joystick (TWJ) Straight Travel Pedal (STP) Package (PKG) INCLUDES: - VALVE, HYDRAULIC - VALVE, ANTI DRIFT, BOOM - VALVE, ANTI DRIFT, STICK - LINES, CYLINDER, BOOM - JOYSTICK, THUMB WHEEL - MAT, FLOOR, RH PEDAL - PEDAL, STRAIGHT TRAVEL - LINES, OIL COOLER, STD - LINES, TRAVEL (STP) - LINES, BDRV (STD) - LINES, STICK-IN (STD) - MACHINE CONTROLLER STD ONLY FOR USE WITH: 528-3778 BOOM PKG, REACH CGC		\$5,870
---	----------	--	--	---------

AUXILIARY CIRCUIT - COMBINED CIRCUIT W/O MED PRESSURE

L	506-8865	COMBINED CIR STP PKG 0 Combined circuit (CIR) Straight Travel Pedal (STP) Package (PKG) Combined circuit (1 way / 2 way) INCLUDES: - VALVE, HYDRAULIC, TCS - VALVE, ANTI DRIFT, BOOM - VALVE, ANTI DRIFT, STICK - LINES, CYLINDER, BOOM - CIRCUIT, COMBINED - JOYSTICK, THUMB WHEEL - MAT, FLOOR, RH PEDAL - PEDAL, STRAIGHT TRAVEL - LINES, OIL COOLER, STD - LINES, TRAVEL (STP) - LINES, BDRV (TCS20) - LINES, STICK-IN (TCS) -MACHINE CONTROLLER TCS ONLY FOR USE WITH: 0G-0341 NO BOOM or 500-9166 REACH BOOM ONLY PKG or 500-9155 REACH BOOM HD PKG or 500-9159 REACH BOOM ES PKG or 500-9162 MASS BOOM PKG or 528-3778 BOOM PKG, REACH CGC		\$17,830
---	----------	--	--	----------

CATERPILLAR MACHINE PRICE LIST

336F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

AUXILIARY CIRCUIT - COMBINED CIRCUIT W/O MED PRESSURE (Cont.)

L	506-8866	COMBINED CIR STP BLCV/SLCV PKG 0 FOR USE IN LANE 3 ONLY Combined circuit (CIR) Straight Travel Pedal (STP) for Boom lowering control Valve (BLCV)/Stick Lowering Control Package (PKG) Combined circuit (1 way / 2 way) INCLUDES: - VALVE, HYDRAULIC, TCS - COVER BLOCK & MOUNTING (BLCV) - COVER BLOCK & MOUNTING (SLCV) - LINES, CYLINDER BLCV - DEVICE, BLCV - CIRCUIT, COMBINED - JOYSTICK, THUMB WHEEL - MAT, FLOOR, RH PEDAL - PEDAL, STRAIGHT TRAVEL - LINES, OIL COOLER, STD - LINES, TRAVEL (STP) - LINES, BDRV (TCS20 - BLCV) - LINES, STICK-IN (TCS) - MACHINE CONTROLLER TCS ONLY FOR USE WITH: 500-9156 REACH BOOM HD B/SLCV PKG or 500-9160 REACH BOOM ES B/SLCV PKG or 500-9163 MASS BOOM B/SLCV PKG or 528-3779 BOOM PKG, REACH B/SLCV CGC		\$19,460
---	----------	---	--	----------

AUXILIARY CIRCUIT - COMBINED CIRCUIT W/ MED PRESSURE

L	506-8867	COMBINED CIR MP STP PKG 0 FOR USE IN LANE 3 ONLY Combined circuit (CIR) Medium pressure (MP) Straight Travel Pedal (STP) Package (PKG) Combined circuit (1 way / 2 way) with Medium pressure INCLUDES: - VALVE, HYDRAULIC, TCS - VALVE, ANTI DRIFT, BOOM - VALVE, ANTI DRIFT, STICK - LINES, CYLINDER, BOOM - CIRCUIT, COMBINED - CIRCUIT, MEDIUM PRESSURE AHC - JOYSTICK, THUMB WHEEL - MAT, FLOOR, RH & LH PEDAL - PEDAL, STRAIGHT TRAVEL - PEDAL, TOOL MODULATION (LH) - LINES, OIL COOLER, STD - LINES, TRAVEL (STP) - LINES, BDRV (TCS20) - LINES, STICK-IN (TCS) - MACHINE CONTROLLER TCS ONLY FOR USE WITH: 0G-0341 NO BOOM or 500-9166 REACH BOOM ONLY PKG or 500-9155 REACH BOOM HD PKG or 500-9159 REACH BOOM ES PKG or 528-3778 BOOM PKG, REACH CGC		\$24,520
---	----------	--	--	----------

CATERPILLAR MACHINE PRICE LIST

336F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

AUXILIARY CIRCUIT - COMBINED CIRCUIT W/ MED PRESSURE (Cont.)

L	506-8868	COMBINED MP STP BLCV/SLCV PKG 0 FOR USE IN LANE 3 ONLY Combined Medium pressure (MP) Straight Travel Pedal (STP) for Boom lowering control Valve (BLCV)/Stick Lowering Control(SLCV) Package (PKG) Combined circuit (1 way / 2 way) with Medium pressure INCLUDES: - VALVE, HYDRAULIC, TCS - COVER BLOCK & MOUNTING (BLCV) - COVER BLOCK & MOUNTING (SLCV) - LINES, CYLINDER BLCV - DEVICE, BLCV - CIRCUIT, COMBINED - CIRCUIT, MEDIUM PRESSURE AHC - JOYSTICK, THUMB WHEEL - MAT, FLOOR, RH & LH PEDAL - PEDAL, STRAIGHT TRAVEL - PEDAL, TOOL MODULATION (LH) - LINES, OIL COOLER, STD - LINES, TRAVEL (STP) - LINES, BDRV (TCS20 - BLCV) - LINES, STICK-IN (TCS) - MACHINE CONTROLLER TCS ONLY FOR USE WITH: 500-9156 REACH BOOM HD B/SLCV PKG or 500-9160 REACH BOOM ES B/SLCV PKG or 528-3779 BOOM PKG, REACH B/SLCV CGC		\$26,140
---	----------	--	--	----------

LINE GROUPS

PILOT LINES - BUCKET

L	377-3454	LINES, FRONT (STD) 0 CANNOT BE USED WITH: 498-8957 CTRL, PIN GRABBER COUPLER ANSI and 498-8958 CTRL, PIN GRABBER COUPLER ISO		NC
L	485-1066	LINES, FRONT (QC) 0 REQUIRES: 498-8957 CTRL, PIN GRABBER COUPLER ANSI and 498-8958 CTRL, PIN GRABBER COUPLER ISO		NC

OPERATOR ENVIRONMENT

WIPER

L	316-8853	WIPER-RADIAL, 70/30 W/LOWER 0 With lower wiper		\$292
L	316-8984	WIPER-RADIAL, 70/30 W/O LOWER 0 Without lower wiper		NC

CATERPILLAR MACHINE PRICE LIST

336F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

WASHER LINE

L	383-5594	WASHER, WINDSHIELD UPPER/LOWER 0		\$880
		ONLY FOR USE WITH: 316-8853 WIPER-RADIAL, 70/30 W/LOWER		
L	383-5593	WASHER, WINDSHIELD UPPER 0		NC
		ONLY FOR USE WITH: 316-8984 WIPER-RADIAL, 70/30 W/O LOWER		

TECHNOLOGY PRODUCTS

CGC PRICE ADJUSTMENT

	OP-4244	CGC PRICE ADJUSTMENT-L 0		\$-3,055
		CGC Price adjustment for large excavators in North America to accelerate technology and improve customer value.		
		ONLY FOR USE WITH: CGC Configurations		

PRODUCT LINK

Product Link enables the remote transmission of information location, about the operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating. Availability varies your fleet by country. Please contact your Cat marketing representative with questions.

L	460-1150	PRODUCT LINK, SATELLITE PL631 0		\$432
		ANSI Product Link Pro series PL631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage.		
L	460-1148	PRODUCT LINK, CELLULAR PL641 0		NC
		AVAILABLE FOR: ADSD-N (except for Quebec) ANSI Product Link Pro series PL641 uses UMTS and CDMA 3G cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data. AVAILABLE FOR: ADSD-N (except for Quebec)		

INSTRUCTIONS

DECALS - EXTERIOR

L	382-7266	DECALS, EXTERIOR ANSI 0		NC
		AVAILABLE FOR: ADSD-N (except for Quebec)		

CATERPILLAR MACHINE PRICE LIST

336F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	--------------------	-------------------------

INSTRUCTIONS (CONT.)

DECALS - CAB

L	497-8530	DECALS, CAB ANSI	0	NC
		ONLY FOR USE WITH: 382-7266 DECALS, EXTERIOR ANSI		
		AVAILABLE FOR: ADSD-N (except for Quebec)		

CATERPILLAR MACHINE PRICE LIST

336F

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

LINE GROUPS

NOTE: REQUIRES: AUXILIARY CIRCUIT

HIGH PRESSURE AUXILIARY BOOM & STICK LINES PACKAGES

L	318-5898	LINES-HP, REACH BOOM 0 ONLY FOR USE WITH: 500-9155 REACH BOOM HD PKG or 500-9156 REACH BOOM HD B/SLCV PKG or 500-9159 REACH BOOM ES PKG or 500-9160 REACH BOOM ES B/SLCV PKG or 528-3778 BOOM PKG, REACH CGC or 528-3779 BOOM PKG, REACH B/SLCV CGC and 506-8865 COMBINED CIR STP PKG or 506-8866 COMBINED CIR STP BLCV/SLCV PKG or 506-8867 COMBINED CIR MP STP PKG or 506-8868 COMBINED MP STP BLCV/SLCV PKG		\$2, 625
L	318-5933	LINES-HP, MASS BOOM 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 500-9162 MASS BOOM PKG or 500-9163 MASS BOOM BLCV/SLCV PKG and 506-8865 COMBINED CIR STP PKG or 506-8866 COMBINED CIR STP BLCV/SLCV PKG		\$2, 625
L	318-5935	LINES-HP, R12'10" STICK 0 ONLY FOR USE WITH: 318-5898 LINES-HP, REACH BOOM and 444-4152 STICK, R3.9 (12'10") DB HD or 444-4154 STICK, R3.9M (12'10") DB ES or 502-9425 STICK, R3.9M (12'10") DB HD CGC and 506-8865 COMBINED CIR STP PKG or 506-8866 COMBINED CIR STP BLCV/SLCV PKG or 506-8867 COMBINED CIR MP STP PKG or 506-8868 COMBINED MP STP BLCV/SLCV PKG		\$1, 555
L	321-0140	LINES-HP, R10'6" STICK 0 ONLY FOR USE WITH: 318-5898 LINES-HP, REACH BOOM and 444-4149 STICK, R3.2M (10'6") DB HD or 444-4151 STICK, R3.2M (10'6") DB ES or 502-9423 STICK, R3.2M (10'6") DB HD CGC and 506-8865 COMBINED CIR STP PKG or 506-8866 COMBINED CIR STP BLCV/SLCV PKG or 506-8867 COMBINED CIR MP STP PKG or 506-8868 COMBINED MP STP BLCV/SLCV PKG		\$1, 555
L	356-8075	LINES-HP, M8'4" STICK 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 318-5933 LINES-HP, MASS BOOM and 444-4156 STICK, M2.55M (8'4") TB1 and 506-8865 COMBINED CIR STP PKG or 506-8866 COMBINED CIR STP BLCV/SLCV PKG		\$1, 555

CATERPILLAR MACHINE PRICE LIST

336F

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

LINE GROUPS (CONT.)

MEDIUM PRESSURE AUXILIARY BOOM & STICK LINES PACKAGES

L	318-5899	LINES-MP, REACH BOOM 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 500-9155 REACH BOOM HD PKG or 500-9156 REACH BOOM HD B/SLCV PKG or 500-9159 REACH BOOM ES PKG or 500-9160 REACH BOOM ES B/SLCV PKG or 528-3778 BOOM PKG, REACH CGC or 528-3779 BOOM PKG, REACH B/SLCV CGC and 506-8867 COMBINED CIR MP STP PKG or 506-8868 COMBINED MP STP BLCV/SLCV PKG		\$1,595
L	318-5936	LINES-MP, R12'10" STICK 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 318-5899 LINES-MP, REACH BOOM and 444-4152 STICK, R3.9M (12'10") DB HD or 444-4154 STICK, R3.9M (12'10") DB ES or 502-9425 STICK, R3.9M (12'10") DB HD CGC		\$1,065
L	321-0141	LINES-MP, R10'6" STICK 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 318-5899 LINES-MP, REACH BOOM and 444-4149 STICK, R3.2M (10'6") DB HD or 444-4151 STICK, R3.2M (10'6") DB ES or 502-9423 STICK, R3.2M (10'6") DB HD CGC		\$1,065

QUICK COUPLER BOOM & STICK LINES PACKAGES

L	318-5932	COUPLER LINES, REACH BOOM 0 ONLY FOR USE WITH: 498-8957 CTRL, CAT PIN GRABBER COUPLER or 498-8958 CTRL, CAT PIN GRABBER COUPLER and 500-9155 REACH BOOM HD PKG or 500-9156 REACH BOOM HD B/SLCV PKG or 500-9159 REACH BOOM ES PKG or 500-9160 REACH BOOM ES B/SLCV PKG or 528-3778 BOOM PKG, REACH CGC or 528-3779 BOOM PKG, REACH B/SLCV CGC		\$1,885
L	321-0139	LINES-QC, R12'10" STICK 0 ONLY FOR USE WITH: 318-5932 COUPLER LINES, REACH BOOM and 444-4152 STICK, R3.9M (12'10") DB HD or 444-4154 STICK, R3.9M (12'10") DB ES or 502-9425 STICK, R3.9M (12'10") DB HD CGC		\$1,195
L	321-0150	LINES-QC, R10'6" STICK 0 ONLY FOR USE WITH: 318-5932 COUPLER LINES, REACH BOOM and 444-4149 STICK, R3.2M (10'6") DB HD or 444-4151 STICK, R3.2M (10'6") DB ES or 502-9423 STICK, R3.2M (10'6") DB HD CGC		\$1,195

CATERPILLAR MACHINE PRICE LIST

336F

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

LINE GROUPS (CONT.)

QUICK COUPLER CONTROL

L	498-8957	CTRL, CAT PIN GRABBER COUPLER 0		\$1,140
		ANSI For use only for Cat Pin Grabber Coupler This DOES NOT include QC lines for the boom and stick. This is designed for the universal coupler operating at full machine implement pressure. It contains the hydraulic lines on the upper frame and control. It as a high-pressure circuit.		
		AVAILABLE FOR: ADSD-N (except for Quebec)		

STARTERS, BATTERIES, & ALTERNATORS

COLD WEATHER START PACKAGE

L	360-7201	COLD WEATHER STARTING PKG 0		\$1,080
		INCLUDES: - BATTERY, COLD WEATHER - TERMINALS, JUMP START - BLOCK HEATER		

ELECTRICAL

BEACON OUTLET

L	473-9883	BEACON ELECTRICAL OUTLET 0		NC
		This DOES NOT include Beacon. This consists of a rocker switch, relays and harnesses to an outlet on the back of the cab.		

OPERATOR ENVIRONMENT

PATTERN CHANGER

L	349-2233	CHANGER,HAND CTRL 2-WAY (ANSI) 0		\$1,255
		AVAILABLE FOR: ADSD-N (except for Quebec)		

SUN SCREEN

L	336-1150	SUN SCREEN (70/30) 0		\$211
---	----------	--------------------------------	--	-------

GUARDS

L	134-8887	GUARD, SWIVEL 97		\$362
L	390-5803	BUMPER, SIDE RUBBER 0		\$1,705

Supersedes 02JAN2018
Caterpillar: Confidential Green
US-A-19-01 A

Subject to change without notice
Printed in USA
U. S. DOLLAR CURRENCY

Effective 02JAN2019
336F-026

CATERPILLAR MACHINE PRICE LIST

336F

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

OTHER ATTACHMENTS

BIO OIL

L	344-0795	BIO OIL & FINE FILTRATION FOR USE IN LANE 3 ONLY	0	\$8,870
---	----------	---	---	---------

COOLANT

L	441-5368	COOLANT, COLD WEATHER	0	\$243
---	----------	---------------------------------	---	-------

PREVENTATIVE MAINTENANCE

L	331-8000	QUICK DRAINS, READY (OIL)	0	NC
---	----------	-------------------------------------	---	----

QUICK COUPLERS

QUICK COUPLER - CAT PIN GRABBER (Non-INSTALLED BUCKET)

L	455-3906	COUPLER, PG W/O PIN DB FOR USE IN LANE 3 ONLY Includes a Cat pin grabber coupler. (No Pins) CAN NOT BE USED WITH: Bucket installed from factory ONLY FOR USE WITH: 498-8957 CTRL, CAT PIN GRABBER COUPLER or 498-8958 CTRL, CAT PIN GRABBER COUPLER and 321-0139 LINES-QC, R3.9M (12'10") STICK or 321-0150 LINES-QC, R3.2M (10'6") STICK	1,373	\$11,890
---	----------	---	-------	----------

QUICK COUPLER - CAT PIN GRABBER (INSTALLED BUCKET)

L	455-3905	COUPLER, PIN GRABBER DB W/PINS FOR USE IN LANE 3 ONLY Includes a Cat pin grabber coupler & spare pins. For use when ordering an installed buckets ONLY FOR USE WITH: 498-8957 CTRL, CAT PIN GRABBER COUPLER or 498-8958 CTRL, CAT PIN GRABBER COUPLER and 321-0139 LINES-QC, R3.9M (12'10") STICK or 321-0150 LINES-QC, R3.2M (10'6") STICK	1,541	\$13,760
---	----------	---	-------	----------

BUCKETS

NOTE: Stick, bucket linkage and bucket must be matched.

Includes tooth adapters welded on cutting edge,
tooth tips, sidecutters or sidebar protectors.
Rated capacity, SAE heaped.

CATERPILLAR MACHINE PRICE LIST

336F

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

BUCKETS (CONT.)

HEAVY DUTY (HD)

The most popular excavator bucket style. A good "center line" choice, or starting point, when application conditions are not well known.

P	455-6831	BUCKET-HD, 48" 1.83 YD3 (DB)	3,239	\$15,243
		Includes sidecutters and tips Adapters size K110, 5 tips.		

SEVERE DUTY (SD)

For aggressive bucket loading in highly abrasive applications such as shot rock and granite.

P	371-9066	BUCKET-SD, 54" 2.14 YD3 (DB)	3,734	\$17,017
		Includes sidebar protectors and tips Adapters size K110, 5 tips.		

PACKING

PACKING

MAY SELECT ONLY ONE OPTION

0G-0211	PACK, ROLL ON ROLL OFF-TRUCK	0	NC
---------	---	---	-----------

NOTE: Option for Truck Shipment

0G-0213	PACK, RO-RO TRUCK TO VESSEL	0	\$169 NET
---------	--	---	------------------

NOTE: For P420 Only

0G-0214	PACK, RO-RO TRUCK TO RAIL	0	NC
---------	--	---	-----------

NOTE: Option for Rail Shipment

ADDITIONAL PACKING

MUST SELECT ONE OPTION

0G-4131	STORAGE PROTECTION (DOMESTIC)	0	NC
---------	--	---	-----------

Machines have been sprayed with Fluid Film TM.
This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.

0P-2671	NO STORAGE PROTECTION	0	NC
---------	--	---	-----------

Please select this if you do not want Fluid Film TM applied.