

CATERPILLAR MACHINE PRICE LIST

336FXE

336F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

Standard Equipment:

POWERTRAIN

- Diesel engine C9.3, 241kW (Gross)
- Tier IV Final emission package
- Power Mode, Standard Power Mode, Economy Mode
- 2300m/7550ft altitude capability with no derate
- 80 Amp alternator
- 3 Side-by-side cooling system for easier cleaning.
- Radial seal air filter
- Automatic engine speed control
- Primary filter with water separator and Water separator indicator switch
- fuel differential indicator switch in fuel line
- 2 x 4micron main filters, 1 x 10 micron primary filter in fuel line
- Two speed travel
- Capability of using Bio-Diesel fuel (B20)
- Electrical Priming Pump
- Secondary engine shutoff switch

UNDERCARRIAGE

- Grease Lubricated Track GLT2, resin seal
- Towing eye on baseframe

HYDRAULICS

- Regeneration circuit for boom and stick
- Capability of installing;
 - stackable valves for HP, MP and QC
 - additional auxiliary pump & circuit
 - boom lowering control device and stick lowering check valve
 - CAT Bio hydraulic oil
- Reverse swing damping valve
- Automatic swing parking brake
- High performance hydraulic return filter

ELECTRICAL

- Signaling / Warning horn
- Exterior lights (Integrated into storage box)
- Circuit breaker
- Compatible with Electronic Technician

OPERATOR ENVIRONMENT

- Cab:
 - Pressurized Operator Station (Positive Filtration)
 - Sliding upper door window (Left Hand Cab Door)
 - Glass breaking safety hammer
 - Removable lower windshield with

- incab storage bracket
- Openable skylight

Operator station:

- Interior lighting
- Coat hook
- Beverage holder
- Literature holder
- Radio mounting (DIN size) suitable for 24-Volt Radios
- Two stereo speakers
- Storage shelf suitable for lunch box
- Adjustable armrest
- Height Adjustable Consoles Joysticks
- Neutral lever (lock out) for all controls
- Two Power Outlets, 10 Amp (Total)

Monitor:

- Color LCD display, rear view camera ready
- Warning information,
- Filter / Fluid change information
- Working hour information
- Machine condition, Error code
- Tool mode setting information
- Start up level check for hydraulic oil, engine oil and engine coolant
- Capability of time clock on monitor battery (It lasts one week with disconnection)

Pedal:

- Travel control pedals with removable hand levers
- Capability of installing two additional pedals

OTHER STANDARD EQUIPMENT

- Lockable external tool / storage box
- Caterpillar one key security system
- Door locks and cap locks including fuel and hydraulic tanks
- Standard visibility mirror package
- Power edge trade dress with power edge decals and black cylinders

CATERPILLAR MACHINE PRICE LIST

336FXE

336F EXCAVATOR
AKASHI, JAPAN

Ship Weight
lbs

LIST PRICE
AT DEALER

**Lane 2 is reserved for the Base Orders Program.
Please use lane 2 when placing orders that are part of the
Base Order Program.**

**2018 YOY list price reductions will be offset by reductions in
discounts or merchandising support.**

NOTE: Machine comes with Cat Grade Control Depth and Slope hardware and software. The system will be activated from the factory for all machines with an expected ship date of July 1st 2016. For machines shipped prior to this date, the system must be enabled through the Caterpillar Software Enabled Attachment (SEA) process using the factory password system with Cat ET. There will be no charge for this SEA. "Bucket Measure-Up" calibration is required at machine delivery for the Customer's buckets.

Machine comes with Cat Production Measurement hardware and software. The system will be activated from the factory for all machines with an expected ship date of July 1st 2016. For machines shipped prior to this date, the system must be enabled through the Caterpillar Software Enabled Attachment (SEA) process using the factory password system with Cat ET. There will be no charge for this SEA. "Bucket Measure-Up" calibration and "Weighing Calibration" are required at machine delivery for the Customer's Buckets.

CATERPILLAR MACHINE PRICE LIST

336FXE

336F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

<p>528-3791</p> <p>336F L XE HEX AM-N DCA1B 0</p> <p>LANE 2 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2</p> <p>LANE 3 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2</p> <p>(R12'10" Stick, NO Tool Control, 33" Track, CGC & CPM)</p> <p>INCLUDES:</p> <p>465-2863 336F L XE HEX</p> <p>506-8929 BOOM PKG, REACH CGC BOOM, REACH 6.5M (21'4") CGC LINKAGE, BKT-DB W/LIFT CYLINDER, BKT DB CGC GUARD, BKT DB CYLINDER, CGC</p> <p>466-2776 JOYSTICK TWJ STP PKG VALVE, HYDRAULIC LINES, CYLINDER, BOOM JOYSTICK, THUMB WHEEL MAT, FLOOR, RH PEDAL PEDAL, STRAIGHT TRAVEL LINES, OIL COOLER, STD PILOT LINES, TRAVEL PEDAL</p> <p>459-2701 COLD WEATHER PKG READY</p> <p>383-5587 AIR CONDITIONER</p> <p>488-6541 SEAT BELT, 51MM (2")</p> <p>372-9522 CAB-ROPS, 70/30, W/VANDAL-G BOSS</p> <p>340-6667 HATCH, OPENABLE ROOF (DUAL)</p> <p>319-1199 RADIO, 24V AM/FM</p> <p>340-8259 TRACK, 850MM (33") TG (GLT)</p> <p>464-8655 COUNTERWEIGHT, STD</p> <p>383-6402 COOLING, HIGH AMBIENT</p> <p>346-7053 GUARD, TRACK GUIDE, SEGMENTED</p> <p>316-8885 SEAT, H-BACK, HEATER, S/AIR, COOL</p> <p>463-9894 AIR CLEANER, STANDARD</p> <p>324-5778 PANEL, STD START SWITCH</p> <p>316-8984 WIPER-RADIAL, 70/30 W/O LOWER</p> <p>383-5593 WASHER, WINDSHIELD UPPER</p> <p>387-4959 GUARD, BOTTOM, HEAVY DUTY</p> <p>346-7207 GUARD, TRAVEL MOTOR, HD</p> <p>493-5718 CAMERA, REAR VIEW, MIRRORS(RH)</p> <p>477-5058 LINES, BUCKET, PIN GRABBER @C</p> <p>444-4137 DECAL, EXTERIOR ANSI</p> <p>504-6372 DECALS, CAB ANSI</p> <p>382-8232 COVER, FENDER</p> <p>464-8676 UPPER COVER, CGC</p> <p>446-6251 SENSOR, SWING, CGC</p> <p>350-8400 CONTROL, FINE SWING</p> <p>360-6166 ALARM, TRAVEL</p> <p>324-4376 ETHER AID</p> <p>358-5965 CYLINDER, BOOM (W/O BLCV)</p> <p>357-4700 CYLINDER, STICK (W/O SLCV)</p> <p>502-9425 STICK, R3.9M (12'10") DB HD CGC</p> <p>319-1179 LIGHTING, CAB (HALOGEN)</p> <p>504-1197 PRODUCT LINK, CELLULAR PL641</p> <p>134-8887 GUARD, SWIVEL</p> <p>327-6552 MIRROR, W/O GUARD</p> <p>444-4117 CAT GRADE CTRL & CPM</p> <p>455-5740 CTRL, CAT PIN GRABBER COUPLER</p> <p>318-5932 COUPLER LINES, REACH BOOM</p>	<p>\$415,780</p>
---	-------------------------

Supersedes 02JAN2018
 Caterpillar: Confidential Green
 US-A-19-01 A

Subject to change without notice
 Printed in USA
 U. S. DOLLAR CURRENCY

Effective 02JAN2019
 336FXE-003

CATERPILLAR MACHINE PRICE LIST

336FXE

336F EXCAVATOR
AKASHI, JAPAN

Ship Weight
lbs

LIST PRICE
AT DEALER

321-0139 LINES-QC, R3.9M (12'10") STICK

CATERPILLAR MACHINE PRICE LIST

336FXE

336F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

<p>528-3792</p> <p>336F L XE HEX AM-N DCA2B 0</p> <p>LANE 2 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2</p> <p>LANE 3 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2</p> <p>(R10'6" Stick, Tool Control, 33" Track, CGC & CPM)</p> <p>INCLUDES:</p> <p>465-2863 336F L XE HEX</p> <p>506-8929 BOOM PKG, REACH CGC BOOM, REACH 6.5M (21'4") CGC LINKAGE, BKT-DB W/LIFT CYLINDER, BKT DB CGC GUARD, BKT DB CYLINDER, CGC</p> <p>466-2778 COMBINED CIR STP PKG VALVE, HYDRAULIC TCS LINES, CYLINDER, BOOM CIRCUIT, COMBINED JOYSTICK, THUMB WHEEL MAT, FLOOR, RH PEDAL PEDAL, STRAIGHT TRAVEL LINES, OIL COOLER, COMBINED PILOT LINES, TRAVEL PEDAL</p> <p>459-2701 COLD WEATHER PKG READY</p> <p>383-5587 AIR CONDITIONER</p> <p>488-6541 SEAT BELT, 51MM (2")</p> <p>372-9522 CAB-ROPS,70/30,W/VANDAL-G BOSS</p> <p>340-6667 HATCH, OPENABLE ROOF (DUAL)</p> <p>319-1199 RADIO, 24V AM/FM</p> <p>340-8259 TRACK, 850MM (33") TG (GLT)</p> <p>464-8655 COUNTERWEIGHT, STD</p> <p>383-6402 COOLING, HIGH AMBIENT</p> <p>346-7053 GUARD, TRACK GUIDE, SEGMENTED</p> <p>316-8885 SEAT,H-BACK,HEATER,S/AIR,COOL</p> <p>463-9894 AIR CLEANER, STANDARD</p> <p>324-5778 PANEL, STD START SWITCH</p> <p>316-8984 WIPER-RADIAL, 70/30 W/O LOWER</p> <p>383-5593 WASHER, WINDSHIELD UPPER</p> <p>387-4959 GUARD, BOTTOM, HEAVY DUTY</p> <p>346-7207 GUARD, TRAVEL MOTOR, HD</p> <p>493-5718 CAMERA, REAR VIEW, MIRRORS(RH)</p> <p>477-5058 LINES, BUCKET, PIN GRABBER QC</p> <p>444-4137 DECAL, EXTERIOR ANSI</p> <p>504-6372 DECALS, CAB ANSI</p> <p>382-8232 COVER, FENDER</p> <p>464-8676 UPPER COVER, CGC</p> <p>446-6251 SENSOR, SWING, CGC</p> <p>350-8400 CONTROL, FINE SWING</p> <p>360-6166 ALARM, TRAVEL</p> <p>324-4376 ETHER AID</p> <p>358-5965 CYLINDER, BOOM (W/O BLCV)</p> <p>357-4700 CYLINDER, STICK (W/O SLCV)</p> <p>502-9423 STICK, R3.2M (10'6") DB HD CGC</p> <p>319-1179 LIGHTING, CAB (HALOGEN)</p> <p>504-1197 PRODUCT LINK, CELLULAR PL641</p> <p>134-8887 GUARD, SWIVEL</p> <p>327-6552 MIRROR, W/O GUARD</p> <p>444-4117 CAT GRADE CTRL & CPM</p> <p>455-5740 CTRL, CAT PIN GRABBER COUPLER</p>	<p>\$430,740</p>
--	-------------------------

CATERPILLAR MACHINE PRICE LIST

336FXE

336F EXCAVATOR
AKASHI, JAPAN

Ship Weight
lbs

LIST PRICE
AT DEALER

- 318-5932 COUPLER LINES, REACH BOOM
- 321-0150 LINES-QC, R3.2M (10'6") STICK
- 318-5898 LINES-HP, REACH BOOM
- 321-0140 LINES-HP, R3.2M (10'6") STICK

CATERPILLAR MACHINE PRICE LIST

336FXE

336F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

<p>528-3793</p> <p>336F L XE HEX AM-N DCA3B 0</p> <p>LANE 2 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2</p> <p>LANE 3 - AVAILABLE FROM AKASHI FACTORY USING PRIORITY CODE L2</p> <p>(R12'10" Stick, Tool Control, 33" Track, CGC & CPM)</p> <p>INCLUDES:</p> <p>465-2863 336F L XE HEX</p> <p>506-8929 BOOM PKG, REACH CGC BOOM, REACH 6.5M (21'4") CGC LINKAGE, BKT-DB W/LIFT CYLINDER, BKT DB CGC GUARD, BKT DB CYLINDER, CGC</p> <p>466-2778 COMBINED CIR STP PKG VALVE, HYDRAULIC TCS LINES, CYLINDER, BOOM CIRCUIT, COMBINED JOYSTICK, THUMB WHEEL MAT, FLOOR, RH PEDAL PEDAL, STRAIGHT TRAVEL LINES, OIL COOLER, COMBINED PILOT LINES, TRAVEL PEDAL</p> <p>459-2701 COLD WEATHER PKG READY</p> <p>383-5587 AIR CONDITIONER</p> <p>488-6541 SEAT BELT, 51MM (2")</p> <p>372-9522 CAB-ROPS,70/30,W/VANDAL-G BOSS</p> <p>340-6667 HATCH, OPENABLE ROOF (DUAL)</p> <p>319-1199 RADIO, 24V AM/FM</p> <p>340-8259 TRACK, 850MM (33") TG (GLT)</p> <p>464-8655 COUNTERWEIGHT, STD</p> <p>383-6402 COOLING, HIGH AMBIENT</p> <p>346-7053 GUARD, TRACK GUIDE, SEGMENTED</p> <p>316-8885 SEAT,H-BACK,HEATER,S/AIR,COOL</p> <p>463-9894 AIR CLEANER, STANDARD</p> <p>324-5778 PANEL, STD START SWITCH</p> <p>316-8984 WIPER-RADIAL, 70/30 W/O LOWER</p> <p>383-5593 WASHER, WINDSHIELD UPPER</p> <p>387-4959 GUARD, BOTTOM, HEAVY DUTY</p> <p>346-7207 GUARD, TRAVEL MOTOR, HD</p> <p>493-5718 CAMERA, REAR VIEW, MIRRORS(RH)</p> <p>477-5058 LINES, BUCKET, PIN GRABBER QC</p> <p>444-4137 DECAL, EXTERIOR ANSI</p> <p>504-6372 DECALS, CAB ANSI</p> <p>382-8232 COVER, FENDER</p> <p>464-8676 UPPER COVER, CGC</p> <p>446-6251 SENSOR, SWING, CGC</p> <p>350-8400 CONTROL, FINE SWING</p> <p>360-6166 ALARM, TRAVEL</p> <p>324-4376 ETHER AID</p> <p>358-5965 CYLINDER, BOOM (W/O BLCV)</p> <p>357-4700 CYLINDER, STICK (W/O SLCV)</p> <p>502-9425 STICK, R3.9M (12'10") DB HD CGC</p> <p>319-1179 LIGHTING, CAB (HALOGEN)</p> <p>504-1197 PRODUCT LINK, CELLULAR PL641</p> <p>134-8887 GUARD, SWIVEL</p> <p>327-6552 MIRROR, W/O GUARD</p> <p>444-4117 CAT GRADE CTRL & CPM</p> <p>455-5740 CTRL, CAT PIN GRABBER COUPLER</p>	<p>\$432,170</p>
--	-------------------------

CATERPILLAR MACHINE PRICE LIST

336FXE

336F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

- 318-5932 COUPLER LINES, REACH BOOM
- 321-0139 LINES-QC, R3.9M (12'10") STICK
- 318-5898 LINES-HP, REACH BOOM
- 318-5935 LINES-HP, R3.9M (12'10") STICK

506-8943	336F XE HEX AM-N BCF1 0	\$354,000
-----------------	--	------------------

LANE 2 - AVAILABLE FROM AKASHI FACTORY
 LANE 3 - AVAILABLE FROM AKASHI FACTORY

Base machine for standard counterweight configuration.
 Well suited for general applications.

Base Configuration must be completed by selecting
 Mandatory / Optional attachments.

- INCLUDES:
- 465-2863 336F L XE HEX
 - 383-5587 AIR CONDITIONER
 - 488-6541 SEAT BELT, 51MM (2")
 - 372-9522 CAB-ROPS,70/30,W/VANDAL-G BOSS
 - 340-6667 HATCH, OPENABLE ROOF (DUAL)
 - 319-1199 RADIO, 24V AM/FM
 - 464-8655 COUNTERWEIGHT, STD
 - 383-6402 COOLING, HIGH AMBIENT
 - 316-8885 SEAT,H-BACK,HEATER,S/AIR,COOL
 - 324-5778 PANEL, STD START SWITCH
 - 387-4959 GUARD, BOTTOM, HEAVY DUTY
 - 346-7207 GUARD, TRAVEL MOTOR, HD
 - 493-5718 CAMERA, REAR VIEW, MIRRORS(RH)
 - 382-8232 COVER, FENDER
 - 464-8676 UPPER COVER, CGC
 - 446-6251 SENSOR, SWING, CGC
 - 358-5965 CYLINDER, BOOM (W/O BLCV)
 - 357-4700 CYLINDER, STICK (W/O SLCV)
 - 350-8400 CONTROL, FINE SWING
 - 360-6166 ALARM, TRAVEL
 - 324-4376 ETHER AID
 - 319-1179 LIGHTING, CAB (HALOGEN)
 - 134-8887 GUARD, SWIVEL
 - 327-6552 MIRROR, W/O GUARD
 - 444-4117 CAT GRADE CTRL & CPM

CATERPILLAR MACHINE PRICE LIST

336FXE

336F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

<p>506-8944</p> <p>336F XE HEX AM-N/ANZ BCF2 0</p> <p>LANE 2 - AVAILABLE FROM AKASHI FACTORY</p> <p>LANE 3 - AVAILABLE FROM AKASHI FACTORY</p>	<p>0</p>	<p>\$360,380</p>
--	----------	-------------------------

Base machine for standard counterweight with BLCV/SLCV configuration.
 Well suited for general applications and those requireing BLCV/SLCV
 as a safety device.

Base Configuration must be completed by selecting
 Mandatory / Optional attachments.

- INCLUDES:
- 465-2863 336F L XE HEX
 - 383-5587 AIR CONDITIONER
 - 488-6541 SEAT BELT, 51MM (2")
 - 372-9522 CAB-ROPS,70/30,W/VANDAL-G BOSS
 - 340-6667 HATCH, OPENABLE ROOF (DUAL)
 - 319-1199 RADIO, 24V AM/FM
 - 464-8655 COUNTERWEIGHT, STD
 - 383-6402 COOLING, HIGH AMBIENT
 - 316-8885 SEAT,H-BACK,HEATER,S/AIR,COOL
 - 324-5778 PANEL, STD START SWITCH
 - 387-4959 GUARD, BOTTOM, HEAVY DUTY
 - 346-7207 GUARD, TRAVEL MOTOR, HD
 - 493-5718 CAMERA, REAR VIEW, MIRRORS(RH)
 - 382-8232 COVER, FENDER
 - 464-8676 UPPER COVER, CGC
 - 446-6251 SENSOR, SWING, CGC
 - 369-9696 CYLINDER, BOOM (W/BLCV)
 - 369-9699 CYLINDER, STICK (W/SLCV)
 - 350-8400 CONTROL, FINE SWING
 - 360-6166 ALARM, TRAVEL
 - 324-4376 ETHER AID
 - 319-1179 LIGHTING, CAB (HALOGEN)
 - 134-8887 GUARD, SWIVEL
 - 327-6552 MIRROR, W/O GUARD
 - 444-4117 CAT GRADE CTRL & CPM

CATERPILLAR MACHINE PRICE LIST

336FXE

336F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

<p>506-8945</p> <p>336F XE HEX AM-N BCF3 0</p> <p>LANE 2 - AVAILABLE FROM AKASHI FACTORY</p> <p>LANE 3 - AVAILABLE FROM AKASHI FACTORY</p>	<p>0</p>	<p>\$368,700</p>
--	----------	-------------------------

Base machine for heavy counterweight configuration.
 Well suited for extreme service applications and those requiring maximum lift and stability.

Base Configuration must be completed by selecting Mandatory / Optional attachments.

- INCLUDES:
- 444-4126 336F L XE HEX HEAVY CTWT
 - 383-5587 AIR CONDITIONER
 - 488-6541 SEAT BELT, 51MM (2")
 - 372-9522 CAB-ROPS,70/30,W/VANDAL-G BOSS
 - 340-6667 HATCH, OPENABLE ROOF (DUAL)
 - 319-1199 RADIO, 24V AM/FM
 - 444-4132 COUNTERWEIGHT, HEAVY
 - 383-6402 COOLING, HIGH AMBIENT
 - 316-8885 SEAT,H-BACK,HEATER,S/AIR,COOL
 - 324-5778 PANEL, STD START SWITCH
 - 387-4959 GUARD, BOTTOM, HEAVY DUTY
 - 346-7207 GUARD, TRAVEL MOTOR, HD
 - 493-5718 CAMERA, REAR VIEW, MIRRORS(RH)
 - 382-8232 COVER, FENDER
 - 464-8676 UPPER COVER, CGC
 - 446-6251 SENSOR, SWING, CGC
 - 358-5965 CYLINDER, BOOM (W/O BLCV)
 - 357-4700 CYLINDER, STICK (W/O SLCV)
 - 350-8400 CONTROL, FINE SWING
 - 360-6166 ALARM, TRAVEL
 - 324-4376 ETHER AID
 - 319-1179 LIGHTING, CAB (HALOGEN)
 - 134-8887 GUARD, SWIVEL
 - 327-6552 MIRROR, W/O GUARD
 - 444-4117 CAT GRADE CTRL & CPM

CATERPILLAR MACHINE PRICE LIST

336FXE

336F EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

<p>506-8946</p> <p>336F XE HEX AM-N/ANZ BCF4 0</p> <p>LANE 2 - AVAILABLE FROM AKASHI FACTORY</p> <p>LANE 3 - AVAILABLE FROM AKASHI FACTORY</p>	<p>0</p>	<p>\$375,080</p>
--	----------	-------------------------

Base machine for heavy counterweight with BLCV/SLCV configuration.
 Well suited for extreme service applications and those requiring
 maximum lift and stability.

Base Configuration must be completed by selecting
 Mandatory / Optional attachments.

- INCLUDES:
- 444-4126 336F L XE HEX HEAVY CTWT
 - 383-5587 AIR CONDITIONER
 - 488-6541 SEAT BELT, 51MM (2")
 - 372-9522 CAB-ROPS,70/30,W/VANDAL-G BOSS
 - 340-6667 HATCH, OPENABLE ROOF (DUAL)
 - 319-1199 RADIO, 24V AM/FM
 - 444-4132 COUNTERWEIGHT, HEAVY
 - 383-6402 COOLING, HIGH AMBIENT
 - 316-8885 SEAT,H-BACK,HEATER,S/AIR,COOL
 - 324-5778 PANEL, STD START SWITCH
 - 387-4959 GUARD, BOTTOM, HEAVY DUTY
 - 346-7207 GUARD, TRAVEL MOTOR, HD
 - 493-5718 CAMERA, REAR VIEW, MIRRORS(RH)
 - 382-8232 COVER, FENDER
 - 464-8676 UPPER COVER, CGC
 - 446-6251 SENSOR, SWING, CGC
 - 369-9696 CYLINDER, BOOM (W/BLCV)
 - 369-9699 CYLINDER, STICK (W/SLCV)
 - 350-8400 CONTROL, FINE SWING
 - 360-6166 ALARM, TRAVEL
 - 324-4376 ETHER AID
 - 319-1179 LIGHTING, CAB (HALOGEN)
 - 134-8887 GUARD, SWIVEL
 - 327-6552 MIRROR, W/O GUARD
 - 444-4117 CAT GRADE CTRL & CPM

CATERPILLAR MACHINE PRICE LIST

336FXE

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

MUST CHOOSE AT LEAST ONE PACKAGE OR ATTACHMENT FROM EACH CATEGORY

LANE SELECTION

YOU MUST SELECT THIS REFERENCE WHEN ORDERING FROM THE PDC.

OP-9001	LANE 1 ORDER	0	NC
	Order from Product Distribution Center (PDC)		

DECAL PACKAGE

(Must Choose One)

OP-7124	INSTRUCTION,NORTH AMERICA ANSI	0	NC
	This package includes the ANSI decals and is required by all AM-N territories except Quebec, Canada.		

L	463-6278	INSTRUCTIONS, INTERNATIONAL	0	NC
		This package includes picto decals as required for Quebec, Canada		

SERVICE INSTRUCTIONS

OP-3380	INSTRUCTIONS, ENGLISH	0	NC
OP-3389	INSTRUCTIONS, FRENCH	0	NC
OP-3404	INSTRUCTIONS, SPANISH	0	NC

STORAGE PROTECTION

OG-4126	STORAGE PROTECTION (EXPORT)	0	\$274 NET
	Machines from the factory have been sprayed with Fluid Film TM, see your account rep for details. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.		

EXPORT PACKING

OG-0503	ROLL ON-ROLL OFF LANE1 DB	0	\$192 NET
	For use when NOT ordering an installed bucket or quick coupler		
OG-0504	ROLL ON-ROLL OFF LANE1 TB	0	\$203 NET
	For use when NOT ordering an installed bucket or quick coupler		

CATERPILLAR MACHINE PRICE LIST

336FXE

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

ANTIFREEZE

P	0P-2407	ANTIFREEZE, -50C (-58F)	0	\$251 NET
---	---------	-----------------------------------	---	-----------

CAT GRADE CONTROL AND CAT PRODUCTION MEASUREMENT

NOTE: Cat Grade Control Depth and Slope for Hydraulic Excavators is a 2D technology system that can help you reach target grade faster and finish jobs quickly, accurately and in fewer passes. Cat Production Measurement, a Cat Connect Payload technology that improves loading and hauling productivity in applications where customers require precision weighing and accurate loads.

L	0G-0359	CAT GRADE CTRL DEMO Machine comes with Cat Grade Control Depth and Slope hardware and software. The system will be activated from the factory for all machines with an expected ship date of July 1st 2016. For machines shipped prior to this date, the system must be enabled through the Caterpillar Software Enabled Attachment (SEA) process using the factory password system with Cat ET. There will be no charge for this SEA. "Bucket Measure-Up" calibration is required at machine delivery for the Customer's buckets.	0	NC
---	---------	--	---	----

L	0G-0360	CAT PRODUCT MEASUREMENT DEMO Machine comes with Cat Production Measurement hardware and software. The system will be activated from the factory for all machines with an expected ship date of July 1st 2016. For machines shipped prior to this date, the system must be enabled through the Caterpillar Software Enabled Attachment (SEA) process using the factory password system with Cat ET. There will be no charge for this SEA. "Bucket Measure-Up" calibration and "Weighing Calibration" are required at machine delivery for the Customer's Buckets.	0	NC
---	---------	--	---	----

CATERPILLAR MACHINE PRICE LIST

336FXE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0	NC
	only for dealers enrolled in the Base Order Management (BOM) program.		
OP-9003	LANE 3 ORDER	0	NC

BOOMS, STICKS, AND LINKAGES

CAT GRADE CONTROL BOOM / LINKAGE PACKAGES

L	506-8929	BOOM PKG, REACH CGC Reach 6.5M (21'4") Boom Package (PKG) for Cat Grade Control (CGC) INCLUDES: - BOOM, REACH 6.5M (21'4") CGC - LINKAGE, BKT-DB W/LIFT - GUARD, BKT CYLINDER, CGC - CYLINDER, BKT DB CGC	0	\$31,130
L	506-8930	BOOM PKG, REACH B/SLCV CGC Reach 6.5M (21'4") Boom for boom lowering control valve/ stick lowering control valve (BLCV/SLCV) Package (PKG), and for Cat Grade Control (CGC) INCLUDES: - BOOM, REACH 6.5M (21'4") CGC - LINKAGE, BKT-DB W/LIFT - GUARD, BKT CYLINDER, CGC - DEVICE, SLCV R-BOOM - CYLINDER, BKT DB CGC	0	\$32,230
L	506-8932	BOOM PKG, REACH ES CGC Reach 6.5M (21'4") Boom Extra service (ES) Package (PKG) for Cat Grade Control (CGC) INCLUDES: - BOOM, REACH 6.5M (21'4") EXT SVC CGC - LINKAGE, BKT-DB W/LIFT - GUARD, BKT CYLINDER, CGC - CYLINDER, BKT DB CGC	0	\$32,110
L	506-8933	BOOM PKG, REACH ES B/SLCV CGC Reach 6.5M (21'4") Extra service (ES) Boom for boom lowering control valve/stick lowering control valve (BLCV/SLCV) Package (PKG) for Cat Grade Control (CGC) INCLUDES: - BOOM, REACH 6.5M (21'4") EXT SVC CGC - LINKAGE, BKT-DB W/LIFT - GUARD, BKT CYLINDER, CGC - DEVICE, SLCV R-BOOM - CYLINDER, BKT DB CGC	0	\$33,210

Supersedes 02JAN2018
 Caterpillar: Confidential Green
 US-A-19-01 A

Subject to change without notice
 Printed in USA
 U. S. DOLLAR CURRENCY

Effective 02JAN2019
 336FXE-014

CATERPILLAR MACHINE PRICE LIST

336FXE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BOOMS, STICKS, AND LINKAGES (CONT.)

CAT GRADE CONTROL BOOM / LINKAGE PACKAGES (Cont.)

L	506-8935	BOOM PKG, MASS CGC 0 Mass 6.18M (20'3") Boom Package (PKG) for Cat Grade Control (CGC) INCLUDES: - BOOM, MASS 6.18M (20'3") CGC - LINKAGE, BUCKET-TB W/LIFT EYE - GUARD, BUCKET CYLINDER (TB) - CYLINDER, BKT TB CGC		\$31,780
L	506-8936	BOOM PKG, MASS B/SLCV CGC 0 Mass 6.18M (20'3") Boom for boom lowering control valve/ stick lowering control valve (BLCV/SLCV) Package (PKG) for Cat Grade Control (CGC) INCLUDES: - BOOM, MASS 6.18M (20'3") CGC - LINKAGE, BUCKET-TB W/LIFT EYE - GUARD, BUCKET CYLINDER (TB) - DEVICE, SLCV M-BOOM - CYLINDER, BKT TB CGC		\$32,890
L	493-6979	BOOM ONLY PKG 0 INCLUDES: - BOOM, REACH 6.5M (21'4") CGC - ROPS FILM REMOVAL		\$24,410

STICKS

L	0G-0342	NO STICK 0 For Boom only (Stick and Linakge less) ONLY FOR USE WITH: 493-6979 BOOM ONLY PKG		NC
L	502-9425	STICK, R12'10" DB HD CGC 0 ONLY FOR USE WITH: 506-8929 BOOM PKG, REACH CGC or 506-8930 BOOM PKG, REACH B/SLCV CGC		\$13,370
L	502-9423	STICK, R10'6" DB HD CGC 0 ONLY FOR USE WITH: 506-8924 BOOM PKG, REACH CGC or 506-8929 BOOM PKG, REACH CGC or 506-8925 BOOM PKG, REACH CGC DEMO or 506-8930 BOOM PKG, REACH B/SLCV CGC		\$11,940
L	502-9426	STICK, R12'10" DB ES CGC 0 ONLY FOR USE WITH: 506-8932 BOOM PKG, REACH ES CGC or 506-8933 BOOM PKG, REACH ES B/SLCV CGC		\$13,900
L	502-9424	STICK, R10'6" DB ES CGC 0 ONLY FOR USE WITH: 506-8932 BOOM PKG, REACH ES CGC or 506-8933 BOOM PKG, REACH ES B/SLCV CGC		\$12,130
L	502-9428	STICK, M8'4" TB HD CGC 0 ONLY FOR USE WITH: 506-8934 BOOM PKG, MASS CGC or 506-8935 BOOM PKG, MASS CGC or 506-8936 BOOM PKG, MASS B/SLCV CGC		\$11,200

CATERPILLAR MACHINE PRICE LIST

336FXE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

POWERTRAIN

AIR CLEANER

L	463-9921	AIR CLEANER, HIGH EFFICIENCY Includes external pre-cleaner	0	\$830
L	463-9894	AIR CLEANER, STANDARD Pre-cleaner integrated into filter housing	0	\$740

UNDERCARRIAGE

TRACKS

L	340-8259	TRACK, 33" TG (GLT) For long undercarriage.	0	\$4,975
L	340-8258	TRACK, 31" TG (GLT) For long undercarriage.	0	\$4,975

TRACK GUIDING GUARDS

L	192-8302	GUARD, TRACK GUIDING, CENTER	161	\$1,570
L	346-7053	GUARD, TRACK GUIDE, SEGMENTED	0	\$1,625

CATERPILLAR MACHINE PRICE LIST

336FXE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS

Select one **NO AUXILIARY CIRCUIT** or **AUXILIARY CIRCUIT**

NO AUXILIARY CIRCUIT

L	466-2776	JOYSTICK TWJ STP PKG 0 Joystick Thumb Wheel Joystick (TWJ) Straight Travel Pedal (STP) Package (PKG) INCLUDES: - VALVE, HYDRAULIC - LINES, CYLINDER, BOOM - JOYSTICK, THUMB WHEEL - MAT, FLOOR, RH PEDAL - PEDAL, STRAIGHT TRAVEL - LINES, OIL COOLER, STD - PILOT LINES, TRAVEL PEDAL ONLY FOR USE WITH: 506-8929 BOOM PKG, REACH CGC 506-8932 BOOM PKG, REACH ES CGC 506-8935 BOOM PKG, MASS CGC		\$5,720
---	----------	---	--	---------

L	466-2773	JOYSTICK STD STP BLCV/SLCV PKG 0 Joystick Standard Straight Travel Pedal (STP) Boom Lowering Control Valve/Stick Lowering Control Valve (BLCV/SLCV) Package (PKG) INCLUDES: - VALVE, HYDRAULIC - LINES, CYLINDER (SMARTBOOM) - DEVICE, BLCV - JOYSTICK, THUMB WHEEL - MAT, FLOOR, RH PEDAL - PEDAL, STRAIGHT TRAVEL - LINES, OIL COOLER, STD - PILOT LINES, TRAVEL PEDAL ONLY FOR USE WITH: 506-8930 BOOM PKG, REACH B/SLCV CGC 506-8933 BOOM PKG, REACH ES B/SLCV CGC 506-8936 BOOM PKG, MASS B/SLCV CGC		\$7,710
---	----------	--	--	---------

AUXILIARY CIRCUIT - COMBINED CIRCUIT W/O MED PRESSURE

L	466-2778	COMBINED CIR STP PKG 0 Combined circuit (CIR) Straight Travel Pedal (STP) Package (PKG) Combined circuit (1 way / 2 way) INCLUDES: - VALVE, HYDRAULIC TCS - LINES, CYLINDER, BOOM - CIRCUIT, COMBINED - JOYSTICK, THUMB WHEEL - MAT, FLOOR, RH PEDAL - PEDAL, STRAIGHT TRAVEL - LINES, OIL COOLER, COMBINED - PILOT LINES, TRAVEL PEDAL ONLY FOR USE WITH: 506-8929 BOOM PKG, REACH CGC 506-8932 BOOM PKG, REACH ES CGC 506-8934 BOOM PKG, MASS CGC		\$17,930
---	----------	--	--	----------

CATERPILLAR MACHINE PRICE LIST

336FXE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

AUXILIARY CIRCUIT - COMBINED CIRCUIT W/O MED PRESSURE (Cont.)

L	466-2779	COMBINED CIR STP BLCV/SLCV PKG 0 Combined circuit (CIR) Straight Travel Pedal (STP) Boom lowering control Valve/Stick Lowering Control Valve (BLCV/SLCV) Package (PKG) Combined circuit (1 way / 2 way) INCLUDES: - VALVE, HYDRAULIC TCS - LINES, CYLINDER (SMARTBOOM) - DEVICE, BLCV - CIRCUIT, COMBINED - JOYSTICK, THUMB WHEEL - MAT, FLOOR, RH PEDAL - PEDAL, STRAIGHT TRAVEL - LINES, OIL COOLER, COMBINED - PILOT LINES, TRAVEL PEDAL ONLY FOR USE WITH: 506-8930 BOOM PKG, REACH B/SLCV CGC 506-8933 BOOM PKG, REACH ES B/SLCV CGC 506-8936 BOOM PKG, MASS B/SLCV CGC		\$19,920
---	----------	--	--	----------

AUXILIARY CIRCUIT - COMBINED CIRCUIT W/ MED PRESSURE

L	466-2780	COMBINED CIR MP STP PKG 0 Combined circuit (CIR) Medium pressure (MP) Straight Travel Pedal (STP) Package (PKG) Combined circuit (1 way / 2 way) with Medium pressure INCLUDES: - VALVE, HYDRAULIC TCS - LINES, CYLINDER, BOOM - CIRCUIT, COMBINED - SYSTEM, MEDIUM PRESSURE - JOYSTICK, THUMB WHEEL - MAT, FLOOR, RH & LH PEDAL - PEDAL, STRAIGHT TRAVEL - PEDAL, TOOL MODULATION (LH) - LINES, OIL COOLER, COMBINED - PILOT LINES, TRAVEL PEDAL ONLY FOR USE WITH: 506-8929 BOOM PKG, REACH CGC 506-8932 BOOM PKG, REACH ES CGC		\$24,610
---	----------	--	--	----------

CATERPILLAR MACHINE PRICE LIST

336FXE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

AUXILIARY CIRCUIT - COMBINED CIRCUIT W/ MED PRESSURE (Cont.)

L	466-2781	COMBINED MP STP BLCV/SLCV PKG 0 Combined Medium pressure (MP) Straight Travel Pedal (STP) Boom lowering control Valve/Stick Lowering Control Valve (BLCV/SLCV) Package (PKG) Combined circuit (1 way / 2 way) with Medium pressure INCLUDES: - VALVE, HYDRAULIC TCS - LINES, CYLINDER (SMARTBOOM) - DEVICE, BLCV - CIRCUIT, COMBINED - SYSTEM, MEDIUM PRESSURE - JOYSTICK, THUMB WHEEL - MAT, FLOOR, RH & LH PEDAL - PEDAL, STRAIGHT TRAVEL - PEDAL, TOOL MODULATION (LH) - LINES, OIL COOLER, COMBINED - PILOT LINES, TRAVEL PEDAL ONLY FOR USE WITH: 506-8930 BOOM PKG, REACH B/SLCV CGC 506-8933 BOOM PKG, REACH ES B/SLCV CGC		\$26,600
---	----------	--	--	----------

LINE GROUPS

BUCKET LINES

L	444-4104	LINES, BUCKET, STD/DQC 0 CANNOT BE USED WITH: 455-5740 CTRL, CAT PIN GRABBER COUPLER and 455-5741 CTRL, CAT PIN GRABBER COUPLER		NC
L	477-5058	LINES, BUCKET, PIN GRABBER QC 0 ONLY FOR USE WITH: 455-5740 CTRL, CAT PIN GRABBER COUPLER or 455-5741 CTRL, CAT PIN GRABBER COUPLER		NC

OPERATOR ENVIRONMENT

WIPER

L	316-8853	WIPER-RADIAL, 70/30 W/LOWER 0		\$292
L	316-8984	WIPER-RADIAL, 70/30 W/O LOWER 0		NC

WASHER LINE

L	383-5594	WASHER, WINDSHIELD UPPER/LOWER 0 ONLY FOR USE WITH: 316-8853 WIPER-RADIAL, 70/30 W/LOWER		\$880
L	383-5593	WASHER, WINDSHIELD UPPER 0 ONLY FOR USE WITH: 316-8984 WIPER-RADIAL, W/O LOWER or 342-3641 WIPER-PARALLEL, FRONT 1-PIECE		NC

CATERPILLAR MACHINE PRICE LIST

336FXE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country. Please contact your Cat marketing representative with questions.

L	504-1197	PRODUCT LINK, CELLULAR PL641 0		NC
		ANSI Product Link Pro series PL641 uses UMTS and CDMA 3G cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		
L	460-1150	PRODUCT LINK, SATELLITE PL631 0		\$432
		ANSI Product Link Pro series PL631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage.		
		AVAILABLE FOR: AM-N (Except for Quebec)		

INSTRUCTIONS

DECALS - EXTERIOR

L	444-4137	DECAL, EXTERIOR ANSI 0		NC
		ONLY FOR USE WITH: 504-1197 PRODUCT LINK, CELLULAR PL641 or 460-1150 PRODUCT LINK, SATELLITE PL631		
		AVAILABLE FOR: AM-N (Except for Quebec)		

DECALS - CAB

L	504-6372	DECALS, CAB ANSI 0		NC
		ONLY FOR USE WITH: 444-4137 DECAL, EXTERIOR ANSI		
		AVAILABLE FOR: AM-N (Except for Quebec)		

OPERATION & MAINTENANCE MANUAL

	OP-3380	INSTRUCTIONS, ENGLISH 0		NC
	OP-3404	INSTRUCTIONS, SPANISH 0		NC

CATERPILLAR MACHINE PRICE LIST

336FXE

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

LINE GROUPS

NOTE: REQUIRES: AUXILIARY CIRCUIT

HIGH PRESSURE AUXILIARY BOOM & STICK LINES

L	318-5898	LINES-HP, REACH BOOM 0 ONLY FOR USE WITH: 506-8924 BOOM PKG, REACH CGC or 506-8929 BOOM PKG, REACH CGC or 506-8925 BOOM PKG, REACH CGC DEMO or 506-8930 BOOM PKG, REACH B/SLCV CGC or 506-8932 BOOM PKG, REACH ES CGC or 506-8933 BOOM PKG, REACH ES B/SLCV CGC or 493-6979 BOOM ONLY PKG and 466-2782 COMBINED CIR PKG or 466-2778 COMBINED CIR STP PKG or 466-2779 COMBINED CIR STP BLCV/SLCV PKG or 466-2783 COMBINED MP CIR PKG or 466-2780 COMBINED CIR MP STP PKG or 466-2781 COMBINED MP STP BLCV/SLCV PKG or 466-2784 COMBINED CIR MP BLCV/SLCV PKG or 466-2785 COMBINED MP STP BLCV/SLCV PKG		\$2,625
L	318-5933	LINES-HP, MASS BOOM 0 ONLY FOR USE WITH: 506-8935 BOOM PKG, MASS CGC or 506-8936 BOOM PKG, MASS B/SLCV CGC and 466-2778 COMBINED CIR STP PKG or 466-2779 COMBINED CIR STP BLCV/SLCV PKG or 466-2780 COMBINED CIR MP STP PKG or 466-2781 COMBINED CIR MP BLCV/SLCV PKG or 466-2784 COMBINED CIR MP BLCV/SLCV PKG or 466-2785 COMBINED MP STP BLCV/SLCV PKG		\$2,625
L	318-5935	LINES-HP, R12'10" STICK 0 ONLY FOR USE WITH: 318-5898 LINES-HP, REACH BOOM and 502-9425 STICK, R3.9M (12'10") DB, CGC or 502-9426 STICK, R3.9M (12'10") DB ES CGC		\$1,555
L	321-0140	LINES-HP, R10'6" STICK 0 ONLY FOR USE WITH: 318-5898 LINES-HP, REACH BOOM and 502-9423 STICK, R3.2M (10'6") DB, CGC or 502-9424 STICK, R3.2M (10'6") DB ES CGC		\$1,555
L	356-8075	LINES-HP, M8'4" STICK 0 ONLY FOR USE WITH: 318-5933 LINES-HP, MASS BOOM and 502-9428 STICK, M2.55M (M8'4"), TB1 CGC		\$1,555

CATERPILLAR MACHINE PRICE LIST

336FXE

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

LINE GROUPS (CONT.)

MEDIUM PRESSURE AUXILIARY BOOM & STICK LINES

L	318-5899	LINES-MP, REACH BOOM 0		\$1,595
		ONLY FOR USE WITH: 506-8924 BOOM PKG, REACH CGC or 506-8929 BOOM PKG, REACH CGC or 506-8925 BOOM PKG, REACH CGC DEMO or 506-8930 BOOM PKG, REACH B/SLCV CGC or 506-8932 BOOM PKG, REACH ES CGC or 506-8933 BOOM PKG, REACH ES B/SLCV CGC or 493-6979 BOOM ONLY PKG and 466-2783 COMBINED MP CIR PKG or 466-2780 COMBINED CIR MP STP PKG or 466-2781 COMBINED MP STP BLCV/SLCV PKG or 466-2784 COMBINED CIR MP BLCV/SLCV PKG or 466-2785 COMBINED MP STP BLCV/SLCV PKG		
L	318-5936	LINES-MP, R12'10" STICK 0		\$1,065
		ONLY FOR USE WITH: 318-5899 LINES-MP, REACH BOOM and 502-9425 STICK, R3.9M (12'10") DB, CGC or 502-9426 STICK, R3.9M (12'10") DB ES CGC		
L	321-0141	LINES-MP, R10'6" STICK 0		\$1,065
		ONLY FOR USE WITH: 318-5899 LINES-MP, REACH BOOM and 502-9423 STICK, R3.2M (10'6") DB, CGC or 502-9424 STICK, R3.2M (10'6") DB ES CGC		

QUICK COUPLER CONTROL

L	455-5740	CTRL, CAT PIN GRABBER COUPLER 0		\$1,140
		For ANSI For use only for Cat Pin Grabber Coupler This DOES NOT include QC lines for the boom and stick. This is designed for the PIN GRABBER coupler operating at full machine implement pressure. It contains the hydraulic lines on the upper frame and control. It as a high-pressure circuit. ONLY FOR USE WITH: 444-4137 DECAL, EXTERIOR ANSI AVAILABLE FOR: AM-N (Except for Quebec)		

QUICK COUPLER BOOM & STICK LINES

L	318-5932	COUPLER LINES, REACH BOOM 0		\$1,885
		ONLY FOR USE WITH: 455-5740 CTRL, CAT PIN GRABBER COUPLER or 455-5741 CTRL, CAT PIN GRABBER COUPLER or 445-2851 CONTROL, UNIVERSAL COUPLER and 506-8929 BOOM PKG, REACH CGC or 506-8930 BOOM PKG, REACH B/SLCV CGC or 506-8932 BOOM PKG, REACH ES CGC or 506-8933 BOOM PKG, REACH ES B/SLCV CGC		
L	321-0139	LINES-QC, R12'10" STICK 0		\$1,195
		ONLY FOR USE WITH: 318-5932 COUPLER LINES, REACH BOOM and 502-9425 STICK, R3.9M (12'10") DB, CGC or 502-9426 STICK, R3.9M (12'10") DB ES CGC		

CATERPILLAR MACHINE PRICE LIST

336FXE

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

LINE GROUPS (CONT.)

QUICK COUPLER BOOM & STICK LINES (Cont.)

L	321-0150	LINES-QC, R10'6" STICK 0		\$1,195
		ONLY FOR USE WITH: 318-5932 COUPLER LINES, REACH BOOM and 502-9423 STICK, R3.2M (10'6") DB, CGC or 502-9424 STICK, R3.2M (10'6") DB ES CGC		

STARTERS, BATTERIES, & ALTERNATORS

L	360-7201	COLD WEATHER STARTING PKG 0		\$1,080
		INCLUDES: - BATTERY, COLD WEATHER - TERMINALS, JUMP START - BLOCK HEATER		

ELECTRICAL

L	473-9883	BEACON ELECTRICAL OUTLET 0		NC
		This DOES NOT include Beacon. This consists of a rocker switch, relays and harnesses to an outlet on the back of the cab.		

NOTE: Mandatory for ANZ

OPERATOR ENVIRONMENT

SUN SCREEN

L	336-1150	SUN SCREEN (70/30) 0		\$211
		ONLY FOR USE WITH: 506-8943 336F XE HEX AM-N BCF1 or 506-8944 336F XE HEX AM-N/ANZ BCF2 or 506-8945 336F XE HEX AM-N BCF3 or 506-8946 336F XE HEX AM-N/ANZ BCF4 or 372-9522 CAB-ROPS,70/30,W/VANDAL-G BOSS		

NOTE: Mandatory for ANZ

TECHNOLOGY PRODUCTS

MACHINE CONTROL OPTIONS - GRADE WITH 3D

L	519-1688	GRADE W/3D GPS UNIT 0		\$54,560
		Cat GRADE with 3D is a factory installed. Includes a Cat GRADE with 3D display, dual mounted GNSS antennas including receivers, fully calibrated GNSS antennas. Requires an off-board GPS radio network and GPS base station to be functional. Additional requirements via SITECH dealer include on-board data radio and site set-up.		

CATERPILLAR MACHINE PRICE LIST

336FXE

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

GUARDS

L	390-5803	BUMPER, SIDE RUBBER	0	\$1,705
---	----------	-------------------------------	---	---------

OTHER ATTACHMENTS

ASHTRAY

L	346-7377	ASHTRAY	0	NC
---	----------	-------------------	---	----

BIO OIL

L	360-7222	BIO OIL	0	\$8,870
---	----------	-------------------	---	---------

COOLANT

L	441-5368	COOLANT, COLD WEATHER	0	\$243
---	----------	---------------------------------	---	-------

QUICK DRAIN

L	384-9775	QUICK DRAINS, READY (OIL)	0	NC
---	----------	-------------------------------------	---	----

NOTE: Mandatory for ANZ

CATERPILLAR MACHINE PRICE LIST

336FXE

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

QUICK COUPLERS

QUICK COUPLER - CAT PIN GRABBER (NO BUCKET)

L	455-3906	COUPLER, PG W/O PIN DB 1,373		\$11,890
		FOR USE WHEN "NOT" ORDERING A BUCKET Includes a Pin Grabber Coupler. (NO Pins) ONLY FOR USE WITH: 455-5740 CTRL, CAT PIN GRABBER COUPLER or 455-5741 CTRL, CAT PIN GRABBER COUPLER and 321-0139 LINES-QC, R3.9M (12'10") STICK or 321-0150 LINES-QC, R3.2M (10'6") DB STICK or 321-0153 LINES-QC, R2.8M (9'2") STICK or 253-6501 LINES-QC, R2.65CB/M2.55 (8'4") TB STK		

QUICK COUPLER - CAT PIN GRABBER (INSTALLED BUCKET)

L	455-3905	COUPLER, PIN GRABBER DB W/PINS 1,541		\$13,760
		FOR USE WHEN ORDERING AN INSTALLED BUCKET Includes a Pin Grabber Coupler. Includes(1) set of pins to attach the coupler to the stick. ONLY FOR USE WITH: 455-5740 CTRL, CAT PIN GRABBER COUPLER or 455-5741 CTRL, CAT PIN GRABBER COUPLER and 321-0139 LINES-QC, R3.9M (12'10") STICK or 321-0150 LINES-QC, R3.2 (10'6") DB STICK		

CATERPILLAR MACHINE PRICE LIST

336FXE

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

BUCKETS

NOTE: Stick, bucket linkage and bucket must be matched.

Includes tooth adapters welded on cutting edge.
 Does not include tooth tips or sidecutters.
 Rated capacity, SAE heaped.

GENERAL DUTY (GD)

For digging in low impact, lower abrasion materials as dirt, and mixed compositions of dirt and fine gravel.

P	342-2192	BUCKET-GD, 60" 2.98 YD3 (DB)	3,052	\$13,982
		Includes K100 adapters. REQUIRES: 7 tips K100 size FOR USE WITH: DB Family bucket linkage		

HEAVY DUTY (HD)

The most popular excavator bucket style. A good "center line" choice, or starting point, when application conditions are not well known.

P	332-4840	BUCKET-HD, 48" 1.84 YD3 (DB)	2,949	\$13,150
		Includes K110 adapters. REQUIRES: 5 tips K110 size FOR USE WITH: DB Family bucket linkage		
P	342-2204	BUCKET-HD, 54" 2.14 YD3 (DB)	3,160	\$13,776
		Includes K110 adapters. REQUIRES: 5 tips K110 size FOR USE WITH: DB Family bucket linkage		
P	342-2205	BUCKET-HD, 60" 2.46 YD3 (DB)	3,421	\$14,813
		Includes K110 adapters. REQUIRES: 6 tips K110 size FOR USE WITH: DB Family bucket linkage		

SEVERE DUTY (SD)

For aggressive bucket loading in highly abrasive applications such as shot rock and granite.

P	342-2237	BUCKET-SD, 54" 2.14 YD3 (DB)	3,393	\$14,938
		Includes K110 adapters. REQUIRES: 5 tips K110 size FOR USE WITH: DB Family bucket linkage		

CATERPILLAR MACHINE PRICE LIST

336FXE

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

BUCKETS (CONT.)

SIDE CUTTERS

P	7Y-0366	SIDE CUTTERS, GENERAL PURPOSE 78 INCLUDES: LH and RH general purpose sidecutters FOR USE WITH ONE OF THE LISTED BELOW: BUCKET-GD, 60" 2.98 CYD (DB) BUCKET-HD, 72" 3.08 CYD (DB)		\$950
---	---------	---	--	--------------

P	357-2698	SIDECUTTERS, HEAVY DUTY 109 INCLUDES: LH and RH heavy duty sidecutters FOR USE WITH ONE OF THE LISTED BELOW: BUCKET-HD, 48" 1.84 CYD (DB) BUCKET-HD, 54" 2.14 CYD (DB) BUCKET-HD, 60" 2.46 CYD (DB)		\$1,353
---	----------	---	--	----------------

SIDEBAR PROTECTORS

P	357-2691	PROTECTORS, SIDEBAR, SET OF 4 159 FOR USE WITH ONE OF THE LISTED BELOW: BUCKET-SD, 54" 2.14 CYD (DB) BUCKET-SD, 48" 1.84 CYD (DB)		\$1,322
---	----------	---	--	----------------

TIP (ADAPTER SIZE K100)

P	229-6975	TIP, PENETRATION PLUS 23		\$125
---	----------	---	--	--------------

TIP (ADAPTER SIZE K110)

P	309-1124	TIP, PENETRATION PLUS 35		\$164
---	----------	---	--	--------------

FIELD INSTALLED ATTACHMENTS

SOFTWARE ENABLED ATTACHMENTS

474-0570 - CAT GRADE CONTROL DEPTH AND SLOPE

CATERPILLAR MACHINE PRICE LIST

336FXE

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

SOFTWARE ENABLED ATTACHMENTS (Cont.)

NOTE: Cat Grade Control Depth and Slope for Hydraulic Excavators is a 2D technology system that can help you reach target grade faster and finish jobs quickly, accurately and in fewer passes.
 Estimated Install Hours : 15minutes
 Available Data Sheet: AEXQ1453
 Special Instructions: TBD

Machine comes with Cat Grade Control Depth and Slope hardware and software. The system will be activated from the factory for all machines with an expected ship date of July 1st 2016. For machines shipped prior to this date, the system must be enabled through the Caterpillar Software Enabled Attachment (SEA) process using the factory password system with Cat ET. There will be no charge for this SEA. "Bucket Measure-Up" calibration is required at machine delivery for the Customer's buckets.

474-0569 - CAT PRODUCT MEASUREMENT

NOTE: Cat Product Measurement, a Cat Connect Payload technology that improves loading and hauling productivity in applications where customers require precision weighing and accurate loads.
 Estimated Install Hours : 15minutes
 Available Data Sheet: TBD
 Special Instructions: TBD

Machine comes with Cat Production Measurement hardware and software. The system will be activated from the factory for all machines with an expected ship date of July 1st 2016. For machines shipped prior to this date, the system must be enabled through the Caterpillar Software Enabled Attachment (SEA) process using the factory password system with Cat ET. There will be no charge for this SEA. "Bucket Measure-Up" calibration and "Weighing Calibration" are required at machine delivery for the Customer's Buckets.

CATERPILLAR MACHINE PRICE LIST

336FXE

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

DEALER INSTALLED KITS

Available Through ANTARES Parts Ordering

- 488-6524 Seat belt, retractable, 51mm (2') w/ Flexible Buckle
- 488-6525 Seat belt, retractable, 76mm (3') w/ Flexible Buckle For California
- 486-1416 Security systems (MSS)
- 484-7816 FOGS Retrofit Kit PKG (Compatible with 1-Piece & 70/30 window, Openable front & top, support dual exit, including Cab Lights, Cab Mirror)
- 484-8798 FOGS Retrofit Kit PKG (Compatible with 1-Piece & 70/30 window, Openable front & fixed top guard, not support with dual exit, including Cab Lights, Cab Mirror)
- 489-6301 Mesh for Front Guard Retrofit Kit PKG (Full net, One piece for hammer use, including Cab Lights, Cab Mirror)
- 464-1923 Half Mesh for Front Guard Retrofit Kit PKG
- 499-3843 Vandalism Guard w/ Holder
- 499-3722 Rain protector for front windshield
- 513-2945 Cat Grade with Assist
- 490-0464 Cold Weather Field Installation Retrofit Kit PKG (Upgrade from -18C Cold Weather Ready PKG to -32C Cold Weather PKG)
- 498-6690 Electric refueling pump with auto shut off
- 353-2130 Ashtray for cupholder
- 353-2131 (Both parts numbers are required)

FIELD REFERENCE GUIDE

- PEBJ0097 DEF Tank Guard
- PEBJ0100 Refueling Pump Guard

CATERPILLAR MACHINE PRICE LIST

336FXE

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

PACKING

STORAGE PROTECTION

0G-4126	STORAGE PROTECTION (EXPORT) 0	\$274 NET
	Machines from the factory have been sprayed with Fluid Film TM, see your account rep for details. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.	

EXPORT PACKING

0G-4203	ROLL ON-ROLL OFF 0	\$143 NET
	For use when ordering an installed bucket or quick coupler	
0G-0483	ROLL ON-ROLL OFF W/O BKT QC DB 0	\$192 NET
	For use when NOT ordering an installed bucket or quick coupler FOR USE WITH; DB Linkage	
0G-0497	ROLL ON-ROLL OFF W/O BKT QC TB 0	\$203 NET
	For use when NOT ordering an installed bucket or quick coupler FOR USE WITH; TB Linkage	
0G-4210	ROLL ON-ROLL OFF W/O STICK 0	\$164 NET
	For use when ordering a machine without stick	