

CATERPILLAR MACHINE PRICE LIST

349FXE

349F XE EXCAVATOR
 AKASHI, JAPAN

Ship Weight
 lbs

LIST PRICE
 AT DEALER

Standard Equipment:

POWERTRAIN

Diesel engine C13 Tier IV final
 2300m altitude capability with no derate
 Tier 4 final emission package
 High power mode, Standard mode,
 Economy mode
 3 SBS radiator for easy cleaning
 Radial seal air filter
 Automatic engine speed control
 Primary filter with water separator
 switch in fuel line and water
 separator indicator switch, and
 fuel differential indicator
 2x4 micron main filters and 1x10 micron
 primary filter in fuel line
 Two speed travel
 Capability of using bio-diesel fuel
 Electrical priming pump

UNDERCARRIAGE

Grease lubricated track GLT4
 Towing eye on baseframe
 Track motor guards

ELECTRICAL

80 amp alternator
 Signaling/warning horn
 Compatible with electronic technician
 Circuit breaker

OPERATOR ENVIRONMENT

Cab:
 -Sliding upper door window
 (Left hand cab door)
 -Glass breaking safety hammer
 -Removable lower windshield w/ incab
 storage bracket
 -Openable skylight
 -Pressurized operator station
 (Positive filtration)
 Operator station:
 -Interior lighting
 -Coat hook
 -Beverage holder
 -Literature holder
 -Radio mounting (DIN size) suitable
 for 24-volt radios
 -Two stereo speakers
 -Storage shelf suitable for lunch box
 -Adjustable armrest
 -Height adjustable consoles Joysticks
 -Neutral lever (lock out) for all
 controls
 -Travel control pedals w/ removable
 hand levers

-Two power outlets, 10 amp (total)
 -Capability of control lever pattern
 changer on monitor
 Monitor:
 -Colour LCD display, rear view camera
 ready
 -Warning information, Filter/fluid
 change information, Working hour
 information
 -Machine condition, Error code and
 tool mode setting information,
 -Start up level check for hydraulic
 oil, engine oil and engine coolant
 -Capability of time clock on monitor
 battery (It lasts one week with
 disconnection)

OTHER STANDARD EQUIPMENT

Exterior lights (Integrated into storage
 box)
 Regeneration circuit for boom and stick
 Lockable external tool / storage box.
 Caterpillar one key security system
 Door locks and cap locks including fuel
 and hydraulic tanks
 Standard visibility mirror package.
 Secondary engine shutoff switch
 Capability of installing:
 -HP stackable valve and medium and QC
 valve.
 -Additional auxiliary pump & circuit
 -Boom lowering control device and
 stick lowering check valve
 -CAT Bio hydraulic oil
 Reverse swing damping valve
 Automatic swing parking brake
 High performance hydraulic return filter
 Power edge trade dress with power edge
 decals and black cylinders.

CATERPILLAR MACHINE PRICE LIST

349FXE

349F XE EXCAVATOR
AKASHI, JAPAN

Ship Weight
lbs

LIST PRICE
AT DEALER

**Lane 2 is reserved for the Base Orders Program.
Please use lane 2 when placing orders that are part of the
Base Order Program.**

**2018 YOY list price reductions will be offset by reductions in
discounts or merchandising support.**

NOTE: Machine comes with Cat Grade Control Depth and Slope hardware and software. The system will be activated from the factory for all machines with an expected ship date of July 1st 2016. For machines shipped prior to this date, the system must be enabled through the Caterpillar Software Enabled Attachment (SEA) process using the factory password system with Cat ET. There will be no charge for this SEA. "Bucket Measure-Up" calibration is required at machine delivery for the Customer's buckets.

Machine comes with Cat Production Measurement hardware and software. The system will be activated from the factory for all machines with an expected ship date of July 1st 2016. For machines shipped prior to this date, the system must be enabled through the Caterpillar Software Enabled Attachment (SEA) process using the factory password system with Cat ET. There will be no charge for this SEA. "Bucket Measure-Up" calibration and "Weighing Calibration" are required at machine delivery for the Customer's Buckets.

CATERPILLAR MACHINE PRICE LIST

349FXE

349F XE EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
------------------------------------	--------------------	-------------------------

<p>506-8820</p> <p>349F L XE HEX AM-N BCF1</p> <p>LANE 2 - AVAILABLE FROM AKASHI FACTORY</p> <p>LANE 3 - AVAILABLE FROM AKASHI FACTORY</p>	<p>0</p>	<p>\$499,690</p>
--	----------	-------------------------

Base Machine for Standard Counterweight

Base Configuration must be completed by selecting
 Mandatory / Optional attachments.

- INCLUDES:
- 460-9357 349F L XE EXCAVATOR
 - 488-6541 SEAT BELT, 51MM (2")
 - 478-1965 CONTROL, FINE SWING
 - 383-5590 AIR CONDITIONER
 - 231-1771 ALARM, TRAVEL
 - 324-4364 STARTING AID, ETHER
 - 297-9163 ROLLERS, SINGLE FLANGE, LC-FG
 - 316-8885 SEAT,H-BACK,HEATER,S/AIR,COOL
 - 324-5778 PANEL, STD START SWITCH
 - 455-4179 GUARD, BOTTOM, HEAVY DUTY
 - 324-4361 AIR CLEANER, HIGH EFFICIENCY
 - 462-9454 COUNTERWEIGHT, 9.0MT (19,840LBS)
 - 387-4813 COVER, FENDER, STANDARD
 - 493-5700 CAMERA, REAR VIEW, MIRRORS(RH)
 - 383-6409 FAN, VARIABLE SPEED
 - 342-3233 LIGHTS, HID, R/M-BOOM
 - 134-8893 GUARD, SWIVEL (FG)
 - 486-6422 CGC & CPM STD
 - 358-8432 CYLINDER, BOOM (W/O BLCV)
 - 358-8458 CYLINDER, STICK (W/O SLCV)
 - 424-4597 CAB-ROPS, 70/30
 - 319-1199 RADIO, 24V AM/FM
 - 336-1150 SUN SCREEN (70/30)

CATERPILLAR MACHINE PRICE LIST

349FXE

349F XE EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
------------------------------------	--------------------	-------------------------

506-8821 349F L XE HEX AM-N BCF2 0 LANE 2 - AVAILABLE FROM AKASHI FACTORY LANE 3 - AVAILABLE FROM AKASHI FACTORY	0	\$509,570
---	---	------------------

Base Machine for Standard Counterweight with BLCV/SLCV

Base Configuration must be completed by selecting
 Mandatory / Optional attachments.

- INCLUDES:
- 460-9357 349F L XE EXCAVATOR
 - 488-6541 SEAT BELT, 51MM (2")
 - 478-1965 CONTROL, FINE SWING
 - 383-5590 AIR CONDITIONER
 - 231-1771 ALARM, TRAVEL
 - 324-4364 STARTING AID, ETHER
 - 297-9163 ROLLERS, SINGLE FLANGE, LC-FG
 - 316-8885 SEAT,H-BACK,HEATER,S/AIR,COOL
 - 324-5778 PANEL, STD START SWITCH
 - 455-4179 GUARD, BOTTOM, HEAVY DUTY
 - 324-4361 AIR CLEANER, HIGH EFFICIENCY
 - 462-9454 COUNTERWEIGHT, 9.0MT (19,840LBS)
 - 387-4813 COVER, FENDER, STANDARD
 - 493-5700 CAMERA, REAR VIEW, MIRRORS(RH)
 - 383-6409 FAN, VARIABLE SPEED
 - 342-3233 LIGHTS, HID, R/M-BOOM
 - 134-8893 GUARD, SWIVEL (FG)
 - 486-6422 CGC & CPM STD
 - 483-6565 BOOM, CYLINDER ARRANGEMENT
 - 483-6568 CYLINDER, STICK (W/SLCV)
 - 424-4597 CAB-ROPS, 70/30
 - 319-1199 RADIO, 24V AM/FM
 - 336-1150 SUN SCREEN (70/30)

CATERPILLAR MACHINE PRICE LIST

349FXE

349F XE EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
------------------------------------	--------------------	-------------------------

<p>506-8822</p> <p>349F L XE HEX AM-N BCF3 0</p> <p>LANE 2 - AVAILABLE FROM AKASHI FACTORY</p> <p>LANE 3 - AVAILABLE FROM AKASHI FACTORY</p>	<p>0</p>	<p>\$498,850</p>
--	----------	-------------------------

Base Machine for Counterweight Removal

Base Configuration must be completed by selecting
 Mandatory / Optional attachments.

- INCLUDES:
- 460-9358 349F L XE EXCAVATOR CT RMV
 - 488-6541 SEAT BELT, 51MM (2")
 - 478-1965 CONTROL, FINE SWING
 - 383-5590 AIR CONDITIONER
 - 231-1771 ALARM, TRAVEL
 - 324-4364 STARTING AID, ETHER
 - 297-9163 ROLLERS, SINGLE FLANGE, LC-FG
 - 316-8885 SEAT,H-BACK,HEATER,S/AIR,COOL
 - 324-5778 PANEL, STD START SWITCH
 - 455-4179 GUARD, BOTTOM, HEAVY DUTY
 - 324-4361 AIR CLEANER, HIGH EFFICIENCY
 - 462-9453 COUNTERWEIGHT, 8.6MT (18,960LBS)
 - 387-4813 COVER, FENDER, STANDARD
 - 493-5701 CAMERA,REAR VIEW, CTWT REMOVAL
 - 383-6409 FAN, VARIABLE SPEED
 - 342-3233 LIGHTS, HID, R/M-BOOM
 - 134-8893 GUARD, SWIVEL (FG)
 - 486-6423 CGC & CPM CTWT REMOVAL
 - 358-8432 CYLINDER, BOOM (W/O BLCV)
 - 358-8458 CYLINDER, STICK (W/O SLCV)
 - 424-4597 CAB-ROPS, 70/30
 - 319-1199 RADIO, 24V AM/FM
 - 336-1150 SUN SCREEN (70/30)

CATERPILLAR MACHINE PRICE LIST

349FXE

349F XE EXCAVATOR AKASHI, JAPAN	Ship Weight lbs	LIST PRICE AT DEALER
------------------------------------	--------------------	-------------------------

<p>506-8823</p> <p>349F L XE HEX AM-N BCF4 0</p> <p>LANE 2 - AVAILABLE FROM AKASHI FACTORY</p> <p>LANE 3 - AVAILABLE FROM AKASHI FACTORY</p>	<p>0</p>	<p>\$508,730</p>
--	----------	-------------------------

Base Machine for Counterweight Removal with BLCV/SLCV

Base Configuration must be completed by selecting
 Mandatory / Optional attachments.

- INCLUDES:
- 460-9358 349F L XE EXCAVATOR CT RMV
 - 488-6541 SEAT BELT, 51MM (2")
 - 478-1965 CONTROL, FINE SWING
 - 383-5590 AIR CONDITIONER
 - 231-1771 ALARM, TRAVEL
 - 324-4364 STARTING AID, ETHER
 - 297-9163 ROLLERS, SINGLE FLANGE, LC-FG
 - 316-8885 SEAT,H-BACK,HEATER,S/AIR,COOL
 - 324-5778 PANEL, STD START SWITCH
 - 455-4179 GUARD, BOTTOM, HEAVY DUTY
 - 324-4361 AIR CLEANER, HIGH EFFICIENCY
 - 462-9453 COUNTERWEIGHT, 8.6MT (18,960LBS)
 - 387-4813 COVER, FENDER, STANDARD
 - 493-5701 CAMERA,REAR VIEW, CTWT REMOVAL
 - 383-6409 FAN, VARIABLE SPEED
 - 342-3233 LIGHTS, HID, R/M-BOOM
 - 134-8893 GUARD, SWIVEL (FG)
 - 486-6423 CGC & CPM CTWT REMOVAL
 - 483-6565 BOOM, CYLINDER ARRANGEMENT
 - 483-6568 CYLINDER, STICK (W/SLCV)
 - 424-4597 CAB-ROPS, 70/30
 - 319-1199 RADIO, 24V AM/FM
 - 336-1150 SUN SCREEN (70/30)

CATERPILLAR MACHINE PRICE LIST

349FXE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	--------------------	-------------------------

LANE SELECTION

0P-9002	LANE 2 ORDER	0		NC
	only for dealers enrolled in the Base Orders Management (BOM) program.			
0P-9003	LANE 3 ORDER	0		NC

CATERPILLAR MACHINE PRICE LIST

349FXE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BOOMS, STICKS, AND LINKAGES

NOTE: When ordering a frontless excavator, dealers can contact Caterpillar OEM Solutions at oem_solutions@cat.com. OEM Solutions can assist in development of machine configurations, application guidance, and provide guidance to AEM's or OEM's that offer specialty excavator fronts or machine modifications in your region.

CAT GRADE CONTROL BOOM//CYLINDER PACKAGES

L	529-3607	BOOM PKG, REACH CGC 0 Reach 6.9M (22'8") Boom Package (PKG) for Cat grade control (CGC) INCLUDES: - BOOM, 6.9M (22'8") REACH CGC - LINKAGE, BUCKET-TB W/LIFT EYE - CYLINDER, BKT TB CGC - UPPER COVER, CGC - GUARD, BKT TB CYLINDER, CGC ONLY FOR USE WITH: 506-8820 349F L XE HEX AM-N BCF1 or 506-8822 349F L XE HEX AM-N BCF3		\$37,000
L	529-3647	BOOM PKG, REACH B/SLCV CGC 0 Reach 6.9M (22'8") Boom for boom lowering control valve stick lowering control valve (BLCV/SLCV) Package (PKG), and for Cat grade control (CGC). INCLUDES: - BOOM, 6.9M (22'8") REACH CGC - LINKAGE, BUCKET-TB W/LIFT EYE - CYLINDER, BKT TB CGC - UPPER COVER, CGC - GUARD, BKT TB CYLINDER, CGC - DEVICE, SLCV R-BOOM ONLY FOR USE WITH: 506-8821 349F L XE HEX AM-N BCF2 or 506-8823 349F L XE HEX AM-N BCF4 or 528-6970 349F L XE HEX ANZ BCF1		\$38,540
L	529-3648	BOOM ONLY PKG, REACH CGC 0 Reach 6.9M (22'8") Boom Package (PKG) for Cat grade control (CGC) INCLUDES: - BOOM, 6.9M (22'8") REACH CGC - UPPER COVER, CGC - ROPS FILM REMOVAL ONLY FOR USE WITH: 506-8820 349F L XE HEX AM-N BCF1 or 506-8822 349F L XE HEX AM-N BCF3		\$28,180

STICKS

L	527-0575	STICK, REACH 12' 10" TB CGC 0 ONLY FOR USE WITH: 529-3607 BOOM PKG, REACH CGC or 529-3647 BOOM PKG, REACH B/SLCV CGC		\$17,810
L	527-0576	STICK, REACH 11' TB CGC 0 ONLY FOR USE WITH: 529-3607 BOOM PKG, REACH CGC or 529-3647 BOOM PKG, REACH B/SLCV CGC		\$16,010

CATERPILLAR MACHINE PRICE LIST

349FXE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

UNDERCARRIAGE

TRACKS

(Select one)

L	340-8184	TRACK, 35" TG PPR2 (FG)	0	\$13,400
L	340-8183	TRACK, 30" TG PPR2 (FG)	0	\$7,940
L	457-6826	TRACK, 30" SG PPR2 (FG)	0	\$6,920
		For Pipeline Industry Application purpose only.		
L	511-9583	TRACK, 24" DG PPR2 HD (FG)	0	\$15,070

TRACK GUIDING GUARDS

(Select one)

L	152-6996	GUARD, TRACK GUIDING, CENTER	0	\$1,825
L	348-0585	GUARD, TRACK GUIDING SEGMENTED	661	\$3,010
		Three pieces, segmented.		
L	332-5076	GUARD, TRACK GUIDE, FULL LENGTH	1,014	\$4,375
		Two pieces, full length. Sprocket end and idler end track guard.		

IDLERS

(Select one)

L	415-8520	IDLERS, STANDARD	0	\$3,730
L	415-8521	IDLER, HEAVY DUTY	0	\$4,660

HYDRAULICS

NO AUXILIARY CIRCUIT

L	474-4036	JOYSTICK TWJ STP PKG	0	\$4,100
		Joystick Thumb Wheel Joystick (TWJ) Straight Travel Pedal (STP) Package (PKG)		
		INCLUDES:		
		- VALVE, MAIN CONTROL, HL		
		- LINES, CYLINDER		
		- JOYSTICK, THUMB WHEEL		
		- MAT, FLOOR, RH PEDAL		
		- PEDAL, STRAIGHT TRAVEL		
		- LINES, PILOT, TRAVEL, STP		
		ONLY FOR USE WITH: 529-3607 BOOM PKG, REACH CGC		

CATERPILLAR MACHINE PRICE LIST

349FXE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

NO AUXILIARY CIRCUIT (Cont.)

L	487-2413	JOYSTICK TWJ STP B/SLCV PKG 0 Joystick Thumb Wheel Joystick (TWJ) Straight Travel Pedal (STP) Boom lowering control Valve (BLCV)/Stick Lowering Control Valve (SLCV) Package (PKG) INCLUDES: - VALVE, MAIN CONTROL, HL - LINES, CYLINDER (BLCV) - DEVICE, BLCV R-BOOM - JOYSTICK, THUMB WHEEL - MAT, FLOOR, RH PEDAL - PEDAL, STRAIGHT TRAVEL - LINES, PILOT, TRAVEL, STP ONLY FOR USE WITH: 529-3647 BOOM PKG, REACH B/SLCV CGC 529-3651 BOOM PKG, MASS B/SLCV CGC		\$5,620
---	----------	--	--	---------

AUXILIARY CIRCUIT - COMBINED CIRCUIT W/O MED PRESSURE

L	474-4037	COMBINED CIR STP PKG 0 Combined circuit (CIR) Straight Travel Pedal (STP) Package (PKG) Combined circuit (1 way / 2 way) INCLUDES: - VALVE, MAIN CONTROL, HL TCS - LINES, CYLINDER - SYSTEM, COMBINED - JOYSTICK, THUMB WHEEL - PEDAL, STRAIGHT TRAVEL - MAT, FLOOR, RH PEDAL - LINES, PILOT, TRAVEL, STP ONLY FOR USE WITH: 529-3607 BOOM PKG, REACH CGC		\$16,660
L	474-4038	COMBINED CIR STP BLCV/SLCV PKG 0 Combined circuit (CIR) Straight Travel Pedal (STP) Boom lowering control Valve (BLCV)/Stick Lowering Control Valve (SLCV) Package (PKG) Combined circuit (1 way / 2 way) INCLUDES: - VALVE, MAIN CONTROL, HL TCS - LINES, CYLINDER (BLCV) - DEVICE, BLCV R-BOOM - SYSTEM, COMBINED - PEDAL, STRAIGHT TRAVEL - JOYSTICK, THUMB WHEEL - MAT, FLOOR, RH PEDAL - LINES, PILOT, TRAVEL, STP ONLY FOR USE WITH: 529-3647 BOOM PKG, REACH B/SLCV CGC 529-3651 BOOM PKG, MASS B/SLCV CGC		\$18,180

CATERPILLAR MACHINE PRICE LIST

349FXE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

AUXILIARY CIRCUIT - COMBINED CIRCUIT W/ MED PRESSURE

L	474-4039	COMBINED MP CIR STP PKG 0 Combined circuit (CIR) Medium pressure (MP) Straight Travel Pedal (STP) Package (PKG) Combined circuit (1 way / 2 way) with Medium pressure INCLUDES: - VALVE, MAIN CONTROL, HL TCS - LINES, CYLINDER - SYSTEM, COMBINED - CONTROL, MEDIUM PRESSURE AHC - JOYSTICK, THUMB WHEEL - MAT, FLOOR, RH PEDAL - PEDAL, STRAIGHT TRAVEL - LINES, PILOT, TRAVEL, STP ONLY FOR USE WITH: 529-3607 BOOM PKG, REACH CGC	0	\$21,510
L	474-4040	COMBINED MP CIR STP B/SLCV PKG 0 Combined Medium pressure (MP) Straight Travel Pedal (STP) for Boom lowering control Valve (BLCV)/Stick Lowering Control Package (PKG) Combined circuit (1 way / 2 way) with Medium pressure INCLUDES: - VALVE, MAIN CONTROL, HL TCS - LINES, CYLINDER (BLCV) - DEVICE, BLCV R-BOOM - SYSTEM, COMBINED - CONTROL, MEDIUM PRESSURE AHC - JOYSTICK, THUMB WHEEL - MAT, FLOOR, RH PEDAL - PEDAL, STRAIGHT TRAVEL - LINES, PILOT, TRAVEL, STP ONLY FOR USE WITH: 529-3647 BOOM PKG, REACH B/SLCV CGC	0	\$23,030

STARTERS, BATTERIES, & ALTERNATORS

BATTERY AND COLD WEATHER START PACKAGES

(Select one)

L	328-0402	BATTERY, STANDARD 0 Optional for CJL	0	\$595
L	366-6208	COLD WEATHER START PKG 0 Optional for CJL This package includes two additional batteries. High capacity starter motor and a heavy-duty cable from batteries to starter motor, Jumper Start Lines and Block Heater INCLUDES: - RECEPTACLE, JUMP START - BATTERY, HEAVY DUTY - HEATER, JACKET WATER	0	\$1,080

CATERPILLAR MACHINE PRICE LIST

349FXE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT

WIPER

(Select one)

L	316-8984	WIPER-RADIAL, 70/30 W/O LOWER	0	NC
L	316-8853	WIPER-RADIAL, 70/30 W/LOWER	0	\$292

WASHER

(Select one)

L	383-5664	WASHER, WINDSHIELD UPPER	0	NC
		ONLY FOR USE WITH: 316-8984 WIPER-RADIAL, 70/30 W/O LOWER		
L	383-5665	WASHER, WINDSHIELD UPPER/LOWER	0	\$880
		ONLY FOR USE WITH: 316-8853 WIPER-RADIAL, 70/30 W/LOWER		

SAFETY AND SECURITY

CAB GUARDS AND CAB LIGHTS

L	500-4411	CAB LIGHT PKG	0	\$1,845
		INCLUDES: - HATCH, OPENABLE ROOF (DUAL) - LIGHTING, CAB (HID)		

NOTE: Mandatory for the Province of British Columbia

L	500-4412	FOGS PKG	0	\$4,970
		Openable top INCLUDES: - HATCH, OPENABLE ROOF (DUAL FOGS) - LIGHTING, CAB W/GRD (HID) - GUARD, FALLING OBJECTS		

NOTE: Mandatory for the Province of British Columbia

L	500-4413	FOGS PKG	0	\$5,040
		Fixed top INCLUDES: - HATCH, OPENABLE ROOF (DUAL) - LIGHTING, CAB W/GRD (HID) - GUARD, FALLING OBJECTS		

CATERPILLAR MACHINE PRICE LIST

349FXE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OTHER ATTACHMENTS

FILM OUTSIDE

L	463-0615	DECALS, EXTERIOR ANSI	0	NC
NOTE: For AM-N (except for Quebec)				

FILM CAB

L	504-6377	DECALS, CAB ANSI	0	NC
ONLY FOR USE WITH: 463-0615 DECALS, EXTERIOR ANSI				
NOTE: For AM-N (except for Quebec)				

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country. Please contact your Cat marketing representative with questions.

L	460-1150	PRODUCT LINK, SATELLITE PL631	0	\$432
ANSI Product Link Pro series PL631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage. ONLY FOR USE WITH: 463-0615 DECALS, EXTERIOR ANSI				
NOTE: For AM-N (except for Quebec)				

L	460-1148	PRODUCT LINK, CELLULAR PL641	0	NC
ANSI Product Link Pro series PL641 uses GSM and CDMA 3G cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data. ONLY FOR USE WITH: 463-0615 DECALS, EXTERIOR ANSI				
NOTE: For AM-N (except for Quebec)				

CATERPILLAR MACHINE PRICE LIST

349FXE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	-----------------	----------------------

INSTRUCTIONS

OPERATION & MAINTENANCE MANUAL

0P-3380	INSTRUCTIONS, ENGLISH	0	NC
0P-3404	INSTRUCTIONS, SPANISH	0	NC

CATERPILLAR MACHINE PRICE LIST

349FXE

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LINE GROUPS

HIGH PRESSURE AUXILIARY BOOM & STICK LINES PACKAGES

L	526-6495	LINES, HP, REACH BOOM 0 ONLY FOR USE WITH: 529-3607 BOOM PKG, REACH CGC or 529-3647 BOOM PKG, REACH B/SLCV CGC or 552-9492 349F L XE HEX CJL BCF1 and 474-4037 COMBINED CIR STP PKG or 474-4038 COMBINED CIR STP BLCV/SLCV PKG or 474-4039 COMBINED MP CIR STP PKG or 474-4040 COMBINED MP CIR STP B/SLCV PKG or 510-8608 COMBINED CIR B/SLCV PKG		\$2,910
L	332-9658	LINES-HP, R12'10" STICK 0 ONLY FOR USE WITH: 526-6495 LINES-HP, REACH BOOM and 527-0575 STICK, REACH 3.9M (12'10") TB (CGC)		\$1,820
L	332-9661	LINES-HP, R11' STICK 0 ONLY FOR USE WITH: 526-6495 LINES-HP, REACH BOOM and 527-0576 STICK, REACH 3.35M (11') TB (CGC)		\$1,820

MEDIUM PRESSURE AUXILIARY BOOM & STICK LINES PACKAGES

L	526-6496	LINES, MP, REACH BOOM 0 ONLY FOR USE WITH: 528-8475 BOOM PKG, REACH CGC or 528-8476 BOOM PKG, REACH B/SLCV CGC or 552-9492 349F L XE HEX CJL BCF1 and 474-4039 COMBINED MP CIR STP PKG or 474-4040 COMBINED MP CIR STP B/SLCV PKG or 510-8608 COMBINED CIR B/SLCV PKG		\$1,710
L	230-0120	LINES-MP, R12'10" STICK 57 ONLY FOR USE WITH: 526-6496 LINES-MP, REACH BOOM or 527-0575 STICK, REACH 3.9M (12'10") TB (CGC)		\$1,065
L	230-0123	LINES-MP, R11' STICK 53 ONLY FOR USE WITH: 526-6496 LINES-MP, REACH BOOM and 527-0576 STICK, REACH 3.35M (11') TB (CGC)		\$1,065

QUICK COUPLER CONTROL

(Option to select one)

L	459-2630	CTRL,CAT PIN GRAB COUPLER ANSI 0 For ANSI For use only for Cat Pin Grabber Coupler This DOES NOT include QC lines for the boom and stick. This is designed for the pin grabber coupler operating at full machine implement pressure. It contains the hydraulic lines on the upper frame and control. It as a high-pressure circuit. ONLY FOR USE WITH: 463-0615 DECALS, EXTERIOR ANSI		\$1,200
---	----------	---	--	---------

NOTE: For AM-N (except for Quebec)

CATERPILLAR MACHINE PRICE LIST

349FXE

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LINE GROUPS (CONT.)

QUICK COUPLER BOOM & STICK LINES PACKAGES

L	528-0093	LINES, QC, REACH BOOM 0		\$1,925
		ONLY FOR USE WITH: 529-3607 BOOM PKG, REACH CGC or 529-3647 BOOM PKG, REACH B/SLCV CGC and 459-2630 CTRL,CAT PIN GRAB COUPLER ANSI or 459-2631 CTRL,CAT PIN GRAB COUPLER ISO or 528-6970 349F L XE HEX ANZ BCF1		
L	332-9660	LINES-QC, R12'10" STICK 0		\$1,605
		ONLY FOR USE WITH: 528-0093 LINES-QC, REACH BOOM and 527-0575 STICK, REACH 3.9M (12'10") TB (CGC)		
L	332-9663	LINES-QC, R11' STICK 0		\$1,605
		ONLY FOR USE WITH: 528-0093 LINES-QC, REACH BOOM and 527-0576 STICK, REACH 3.35M (11') TB (CGC)		

SAFETY AND SECURITY

TRAVEL ALARM

L	231-1771	ALARM, TRAVEL 2		\$880
		With cut-off switch		

OTHER ATTACHMENTS

PREVENTATIVE MAINTENANCE

L	344-0830	QUICK DRAINS, READY (OIL) 0		NC
---	----------	---------------------------------------	--	----

COUNTERWEIGHT REMOVAL

L	463-0609	ARRANGEMENT, CTWT REMOVAL ANSI 0		\$11,140
		ONLY FOR USE WITH: 506-8822 349F L XE HEX AM-N BCF3 or 506-8823 349F L XE HEX AM-N BCF4 and 463-0615 DECALS, EXTERIOR ANSI		

NOTE: For AM-N (except for Quebec)

QUICK COUPLERS

QUICK COUPLER - CAT PIN GRABBER (NO BUCKET)

L	455-3908	COUPLER PG W/O PIN TB 0		\$15,603
		FOR USE WHEN "NOT" ORDERING A BUCKET Includes a Pin Grabber Coupler. (NO Pins) Does NOT include spare pins. ONLY FOR USE WITH: 459-2630 CTRL,CAT PIN GRAB COUPLER ANSI or 459-2631 CTRL,CAT PIN GRAB COUPLER ISO and 458-8256 LINES-QC, REACH BOOM and 332-9660 LINES-QC, R3.9M (12'10") STICK or 332-9663 LINES-QC, R3.35M (11") STICK		

CATERPILLAR MACHINE PRICE LIST

349FXE

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

QUICK COUPLERS (CONT.)

QUICK COUPLER - CAT PIN GRABBER (INSTALLED BUCKET)

L	455-3907	COUPLER, PIN GRABBER TB W/PINS 0 FOR USE WHEN ORDERING AN INSTALLED BUCKET Includes a Pin Grabber Coupler. Includes(1) set of pins to attach the coupler to the stick. ONLY FOR USE WITH: 459-2630 CTRL,CAT PIN GRAB COUPLER ANSI or 459-2631 CTRL,CAT PIN GRAB COUPLER ISO and 458-8256 LINES-QC, REACH BOOM and 332-9660 LINES-QC, R3.9M (12'10") STICK or 332-9663 LINES-QC, R3.35M (11") STICK		\$18,626
---	----------	---	--	----------

CATERPILLAR MACHINE PRICE LIST

349FXE

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

BUCKETS

NOTE: Stick, bucket linkage and bucket must be matched.

Includes tooth adapters welded on cutting edge.
 Does not include tooth tips or sidecutters.
 Rated capacity, SAE heaped.

GENERAL DUTY (GD)

For digging in low impact, lower abrasion materials as dirt, and mixed compositions of dirt and fine gravel.

P	345-3191	BUCKET-GD, 74" 4.04 YD3 (TB)	4,784	\$21,060
		REQUIRES: 7 tips K110		
		FOR USE WITH:		
		TB Family bucket linkage		

SIDE CUTTERS

P	357-2685	SIDE CUTTERS, HEAVY DUTY	216	\$1,981
		ONLY FOR USE WITH:		
		345-3191 BUCKET-GD, 1850MM 3.08 M3 (TB) or		
		345-3270 BUCKET-HD, 1650MM 2.41CUM (TB) or		
		366-5223 BUCKET-HD, 1800MM 2.69CUM (TB)		

TIP (ADAPTER SIZE K110)

P	309-1124	TIP, PENETRATION PLUS	35	\$164
---	----------	---------------------------------	----	-------

FIELD INSTALLED ATTACHMENTS

DEALER INSTALLED KITS

Available Through ANTARES Parts Ordering

- 486-1416 Security systems fitted (MSS)
- 499-3843 Guard, vandalism w/o rain protector
- 488-6526 Seat belt, flexible (2 inches width)
- 488-6527 Seat belt, flexible (3 inches width)
- 499-3722 Rain protector for front windshield

CATERPILLAR MACHINE PRICE LIST

349FXE

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

FIELD REFERENCE GUIDE

- PEBJ0097 DEF Tank Guard
- PEBJ0100 Refueling Pump Guard

PACKING

STORAGE PROTECTION

0G-4126	STORAGE PROTECTION (EXPORT) 0 Machines from the factory have been sprayed with Fluid Film TM, see your account rep for details. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.	\$274 NET
---------	---	------------------

EXPORT PACKING (SELECT ONE)

0G-0572	ROLL ON-ROLL OFF W/BKT QC 349 0 For use when ordering an installed bucket or quick coupler	\$940 NET
0G-0573	ROLL ON-ROLL OFF W/O BKT QC TB 0 For use when NOT ordering an installed bucket or quick coupler	\$1,000 NET