

CATERPILLAR MACHINE PRICE LIST

**352F**

352F EXCAVATOR VICTORIA, TX, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

Standard Equipment:

**POWERTRAIN**

- Diesel Engine C13 Tier IV
- Tier4 final emission package
- 2300m altitude capability w/ no deration
- Automatic engine speed control
- Radial seal air filter
- Secondary engine shut-off switch
- Primary filter with water separator
- water separator indicator switch
- fuel differential indicator
- switch in fuel line
- Electric priming pump

**UNDERCARRIAGE**

- Towing eye on base frame
- Track type undercarriage with grease lubricated seals, resin seal type 4

**ELECTRICAL**

- 80 amp alternator
- Horn, signaling/warning
- Light, Integrated into storage box

**OPERATOR ENVIRONMENT**

- Cab:
  - Beverage holder
  - Coat hook
  - Interior lighting
  - Literature holder
  - Radio mounting (meets DIN size) suitable for 24-volt radios
  - Two stereo speakers
  - Sliding upper door window on the left hand cab door
  - Storage shelf suitable for lunch box
  - Glass breaking safety hammer
  - Pressurized operator station (Positive Filtration)
  - Removable lower windshield w/ incab storage bracket
  - Two power outlets, 10 amp (total)
- Monitor:
  - Capability of time clock on monitor battery (lasts 1 week w/disconnect)
  - Color LCD display, rear view camera ready
  - Machine condition, error code & tool mode setting information
  - Start-up level check for hydraulic oil, engine oil and engine coolant
  - Warning, filter/fluid change & working hour information
- Neutral lever for all controls

- Removable lower windshield with incab storage bracket
- Pedal:
  - Capability to install 2 addtl pedals
  - Travel control with removable hand levers
- Seat:
  - Adjustable armrest
  - Height adjustable consoles

**OTHER STANDARD EQUIPMENT**

- Automatic swing parking brake
- Capability of installing additional auxiliary pump & circuit
- Capability of installing boom & stick lowering control device
- Capability of installing stackable valves for (HP, Medium and QC valve)
- Compatible with Electronic Technician Caterpillar one key security system
- Circuit breaker
- Door locks and cap locks of fuel and hydraulic tanks
- Lockable external tool / storage box
- High performance hyd. return filter
- 2 X 4 micron main filter
- 1 X 10 micron primary filter
- Mirrors, rearview (frame -right, cab-left)
- Regeneration circuit for boom & stick
- Reverse swing damping valve
- Two speed travel
- 3 SBS radiator for easy cleaning
- Capability of installing CAT Bio hydraulic oil
- Capability of using Bio-diesel fuel
- Power edge trade dress with power edge decals and black cylinders

CATERPILLAR MACHINE PRICE LIST

**352F**

352F EXCAVATOR VICTORIA, TX, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

**Lane 2 is reserved for the Base Orders Program.  
Please use lane 2 when placing orders that are part of the  
Base Order Program.**

**2018 YOY list price reductions will be offset by reductions in  
discounts or merchandising support.**

505-4700	<b>352F HEX AM-N BCF1 . . . . . 0</b> LANE 2 - AVAILABLE FROM VICTORIA FACTORY LANE 3 - AVAILABLE FROM VICTORIA FACTORY	<b>\$500,540</b>
----------	---	------------------

Base Machine for Standard Counterweight

Base Configuration must be completed by selecting  
Mandatory / Optional attachments.

- INCLUDES:
- 384-2184 352F L VG EXCAVATOR
  - 433-5612 CONTROL, FINE SWING
  - 383-5590 AIR CONDITIONER
  - 352-7158 ACCUMULATOR WITH CRN
  - 488-6541 SEAT BELT, 51MM (2")
  - 424-4597 CAB-ROPS, 70/30
  - 316-8885 SEAT,H-BACK,HEATER,S/AIR,COOL
  - 496-8191 RADIO, 24V AM/FM
  - 324-5778 PANEL, STD START SWITCH
  - 462-9454 COUNTERWEIGHT, 9.0MT (19,840LBS)
  - 383-6409 FAN, VARIABLE SPEED
  - 387-4813 COVER, FENDER, STANDARD
  - 324-4361 AIR CLEANER, HIGH EFFICIENCY
  - 396-6053 GUARD, BOTTOM, HEAVY DUTY
  - 297-9164 ROLLERS, SINGLE FLANGE, LC-VG
  - 493-5700 CAMERA, REAR VIEW, MIRRORS(RH)
  - 389-8012 LINES, PILOT, BOOM, STD
  - 231-1771 ALARM, TRAVEL
  - 324-4364 STARTING AID, ETHER
  - 336-1150 SUN SCREEN (70/30)
  - 358-8432 CYLINDER, BOOM (W/O BLCV)
  - 358-8458 CYLINDER, STICK (W/O SLCV)
  - 425-0040 GUARD, SWIVEL

CATERPILLAR MACHINE PRICE LIST

**352F**

352F EXCAVATOR VICTORIA, TX, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

<b>505-4701</b>	<b>352F HEX AM-N BCF2</b> . . . . . 0	<b>\$510,420</b>
	LANE 3 - AVAILABLE FROM VICTORIA FACTORY	

Base Machine for Standard Counterweight with BLCV/SLCV

Base Configuration must be completed by selecting  
 Mandatory / Optional attachments.

- INCLUDES:
- 384-2184 352F L VG EXCAVATOR
  - 433-5612 CONTROL, FINE SWING
  - 383-5590 AIR CONDITIONER
  - 352-7158 ACCUMULATOR WITH CRN
  - 488-6541 SEAT BELT, 51MM (2")
  - 424-4597 CAB-ROPS, 70/30
  - 316-8885 SEAT,H-BACK,HEATER,S/AIR,COOL
  - 496-8191 RADIO, 24V AM/FM
  - 324-5778 PANEL, STD START SWITCH
  - 462-9454 COUNTERWEIGHT, 9.0MT (19,840LBS)
  - 383-6409 FAN, VARIABLE SPEED
  - 387-4813 COVER, FENDER, STANDARD
  - 324-4361 AIR CLEANER, HIGH EFFICIENCY
  - 396-6053 GUARD, BOTTOM, HEAVY DUTY
  - 297-9164 ROLLERS, SINGLE FLANGE, LC-VG
  - 493-5700 CAMERA, REAR VIEW, MIRRORS(RH)
  - 389-8012 LINES, PILOT, BOOM, STD
  - 231-1771 ALARM, TRAVEL
  - 324-4364 STARTING AID, ETHER
  - 336-1150 SUN SCREEN (70/30)
  - 358-8435 CYLINDER, BOOM (W/BLCV)
  - 358-8459 CYLINDER, STICK (W/SLCV)
  - 425-0040 GUARD, SWIVEL

CATERPILLAR MACHINE PRICE LIST

**352F**

352F EXCAVATOR VICTORIA, TX, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

<b>505-4702</b> <b>352F HEX AM-N BCF3</b> ..... 0 LANE 2 - AVAILABLE FROM VICTORIA FACTORY LANE 3 - AVAILABLE FROM VICTORIA FACTORY	0	<b>\$499,700</b>
--	---	------------------

Base Machine for Counterweight Removal

INCLUDES:

- 384-2185 352F L VG EXCAVATOR CW RMV
- 433-5612 CONTROL, FINE SWING
- 383-5590 AIR CONDITIONER
- 352-7158 ACCUMULATOR WITH CRN
- 488-6541 SEAT BELT, 51MM (2")
- 424-4597 CAB-ROPS, 70/30
- 316-8885 SEAT,H-BACK,HEATER,S/AIR,COOL
- 496-8191 RADIO, 24V AM/FM
- 324-5778 PANEL, STD START SWITCH
- 462-9453 COUNTERWEIGHT, 8.6MT (18.960LBS)
- 383-6409 FAN, VARIABLE SPEED
- 387-4813 COVER, FENDER, STANDARD
- 324-4361 AIR CLEANER, HIGH EFFICIENCY
- 396-6053 GUARD, BOTTOM, HEAVY DUTY
- 297-9164 ROLLERS, SINGLE FLANGE, LC-VG
- 493-5701 CAMERA,REAR VIEW, CTWT REMOVAL
- 389-8013 LINES,PILOT,BOOM CTWT REMOVAL
- 231-1771 ALARM, TRAVEL
- 324-4364 STARTING AID, ETHER
- 336-1150 SUN SCREEN (70/30)
- 358-8432 CYLINDER, BOOM (W/O BLCV)
- 358-8458 CYLINDER, STICK (W/O SLCV)
- 425-0040 GUARD, SWIVEL

CATERPILLAR MACHINE PRICE LIST

**352F**

352F EXCAVATOR VICTORIA, TX, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

<p><b>505-4703</b></p> <p><b>352F HEX AM-N BCF4</b> . . . . . 0</p> <p>LANE 3 - AVAILABLE FROM VICTORIA FACTORY</p> <p>Base Machine for Counterweight Removal</p> <p>Base Configuration must be completed by selecting Mandatory / Optional attachments.</p> <p>INCLUDES:</p> <p>384-2185 352F L VG EXCAVATOR CW RMV 433-5612 CONTROL, FINE SWING 383-5590 AIR CONDITIONER 352-7158 ACCUMULATOR WITH CRN 488-6541 SEAT BELT, 51MM (2") 424-4597 CAB-ROPS, 70/30 316-8885 SEAT,H-BACK,HEATER,S/AIR,COOL 496-8191 RADIO, 24V AM/FM 324-5778 PANEL, STD START SWITCH 462-9453 COUNTERWEIGHT, 8.6MT (18,960LBS) 383-6409 FAN, VARIABLE SPEED 387-4813 COVER, FENDER, STANDARD 324-4361 AIR CLEANER, HIGH EFFICIENCY 396-6053 GUARD, BOTTOM, HEAVY DUTY 297-9164 ROLLERS, SINGLE FLANGE, LC-VG 493-5701 CAMERA,REAR VIEW, CTWT REMOVAL 389-8013 LINES,PILOT,BOOM CTWT REMOVAL 231-1771 ALARM, TRAVEL 324-4364 STARTING AID, ETHER 336-1150 SUN SCREEN (70/30) 358-8435 CYLINDER, BOOM (W/BLCV) 358-8459 CYLINDER, STICK (W/SLCV) 425-0040 GUARD, SWIVEL</p>	<p>0</p>	<p><b>\$509,580</b></p>
--	----------	-------------------------

CATERPILLAR MACHINE PRICE LIST

**352F**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**LANE SELECTION**

OP-9002	LANE 2 ORDER . . . . .	0		NC
	only for dealers enrolled in the Base Order Management (BOM) program.			
OP-9003	LANE 3 ORDER . . . . .	0		NC

**BOOMS, STICKS, AND LINKAGES**

NOTE: When ordering a frontless excavator, dealers can contact Caterpillar OEM Solutions at oem\_solutions@cat.com. OEM Solutions can assist in development of machine configurations, application guidance, and provide guidance to AEM's or OEM's that offer specialty excavator fronts or machine modifications in your region.

Select one **NO BOOM** or **BOOM/CYLINDER PACKAGE**  
 one **STICK**, one **BUCKET CYLINDER LINKAGE PACKAGE**

OG-0341	NO BOOM . . . . .	0		NC
	For No boom, No stick, and No bucket linkage REQUIRES: OG-0342 NO STICK or 384-9707 ROPS FILM REMOVAL			

**BOOM/CYLINDER PACKAGES**

L	500-0670	REACH BOOM 24'2" PKG . . . . .	0	\$39,000
		FOR USE IN LANE 3 ONLY Reach Boom 7.4M (24'2") Package (PKG) INCLUDES: - BOOM, 7.4M (24'2") LONG REACH - LINKAGE, BUCKET-TB W/LIFT EYE - CYLINDER, BKT (TB LINKAGE) - UPPER COVER, STANDARD NOTE: Due to supplier constraints, 500-0670 lead times have extended. Selecting this option will result in a delayed RTS date. ONLY FOR USE WITH: 505-4700 352F HEX AM-N BCF1 or 505-4702 352F HEX AM-N BCF3		
L	529-3588	BOOM PKG, REACH . . . . .	0	\$37,000
		Reach Boom 6.9M (22'8") Package (PKG) INCLUDES: - BOOM, 6.9M (22'8") REACH - LINKAGE, BUCKET-TB W/LIFT EYE - CYLINDER, BKT (TB LINKAGE) - UPPER COVER, STANDARD ONLY FOR USE WITH: 505-4700 352F HEX AM-N BCF1 or 505-4702 352F HEX AM-N BCF3		

CATERPILLAR MACHINE PRICE LIST

**352F**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**BOOMS, STICKS, AND LINKAGES (CONT.)**

**BOOM/CYLINDER PACKAGES (Cont.)**

L	529-3589	<b>BOOM PKG, REACH BLCV/SLCV</b> ..... 0 Reach Boom 6.9M (22'8") for Boom Lowering Control Valve (BLCV)/ Stick Lowering Control Valve (SLCV) Package (PKG) INCLUDES: - BOOM, 6.9M (22'8") REACH - LINKAGE, BUCKET-TB W/LIFT EYE - CYLINDER, BKT (TB LINKAGE) - UPPER COVER, STANDARD - DEVICE, SLCV R-BOOM NOTE: LANE 3 ONLY FOR AM-N ONLY FOR USE WITH: 505-4701 352F HEX AM-N BCF2 or 505-4703 352F HEX AM-N BCF4 or 510-7473 352F HEX EUR BCF2 565-5323 352F HEX ANZ CFG1		\$38,540
L	529-3591	<b>BOOM PKG, MASS</b> ..... 0 FOR USE IN LANE 3 ONLY Mass Boom 6.55M (21'6") Package (PKG) INCLUDES: - BOOM, 6.55M (21'6") MASS EXCAVATION HD - LINKAGE, BKT-UB W/O LIFT EYE - CYLINDER, BKT (UB LINKAGE) - UPPER COVER, STANDARD - MASS BOOM BLCV/SLCV PKG ONLY FOR USE WITH: 505-4700 352F HEX AM-N BCF1 or 505-4702 352F HEX AM-N BCF3 or 510-7472 352F HEX EUR BCF1		\$45,810
L	529-3592	<b>BOOM PKG, MASS BLCV/SLCV</b> ..... 0 FOR USE IN LANE 3 ONLY Mass Boom 6.55M (21'6") for Boom Lowering Control Valve (BLCV) Stick Lowering Control Valve (SLCV) Package (PKG) INCLUDES: - BOOM, 6.55M (21'6") MASS EXCAVATION HD - LINKAGE, BKT-UB W/LIFT - CYLINDER, BKT (UB LINKAGE) - UPPER COVER, STANDARD - DEVICE, STICK LOWERING CONTROL ONLY FOR USE WITH: 505-4701 352F HEX AM-N BCF2 or 505-4703 352F HEX AM-N BCF4 or 510-7473 352F HEX EUR BCF2 565-5323 352F HEX ANZ CFG1		\$47,350
L	529-3594	<b>BOOM PKG, REACH CGC</b> ..... 0 FOR USE IN LANE 3 ONLY Reach Boom 6.9M (22'8") CAT Grade Control (CGC) Package (PKG) INCLUDES: - BOOM, 6.9M (22'8") REACH (CGC) - LINKAGE, BUCKET-TB W/LIFT EYE - CYLINDER, BKT TB CGC - UPPER COVER, CGC - GUARD, BKT TB CYLINDER, CGC ONLY FOR USE WITH: 505-4700 352F HEX AM-N BCF1 or 505-4702 352F HEX AM-N BCF3		\$37,000

CATERPILLAR MACHINE PRICE LIST

**352F**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**BOOMS, STICKS, AND LINKAGES (CONT.)**

**BOOM/CYLINDER PACKAGES (Cont.)**

L	529-3595	<b>BOOM PKG, REACH BLCV/SLCV CGC</b> ..... 0 Reach Boom 6.9M (22'8") for Boom Lowering Control Valve (BLVC)/ Stick Lowering Control Valve (SLCV) CAT Grade Control (CGC) Package (PKG) INCLUDES: - BOOM, 6.9M (22'8") REACH (CGC) - LINKAGE, BUCKET-TB W/LIFT EYE - CYLINDER, BKT TB CGC - UPPER COVER, CGC - GUARD, BKT TB CYLINDER, CGC - DEVICE, SLCV R-BOOM ONLY FOR USE WITH: 505-4701 352F HEX AM-N BCF2 or 505-4703 352F HEX AM-N BCF4 or 510-7473 352F HEX EUR BCF2 or 565-5323 352F HEX ANZ CFG1		\$38,540
L	529-3590	<b>REACH BOOM ONLY PKG</b> ..... 0 Reach Boom 6.9M (22'8") Only Pckage (PKG) INCLUDES: - BOOM, 6.9M (22'8") REACH - ROPS FILM REMOVAL - UPPER COVER, STANDARD NOTE: LANE 3 ONLY FOR NACD/CNDA REQUIRES: 0G-0342 NO STICK ONLY FOR USE WITH: 505-4700 352F HEX AM-N BCF1 or 505-4702 352F HEX AM-N BCF3		\$28,180



CATERPILLAR MACHINE PRICE LIST

**352F**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**BOOMS, STICKS, AND LINKAGES (CONT.)**

**STICKS**

	0G-0342	<b>NO STICK</b> . . . . . 0		<b>NC</b>
		For No front or Boom only (Stick less)		
		ONLY FOR USE WITH: 0G-0341 NO BOOM or 529-3590 REACH BOOM ONLY PKG		
L	384-9715	<b>STICK, LONG REACH 14'1" TB</b> . . . . . 0		<b>\$18,710</b>
		FOR USE IN LANE 3 ONLY		
		ONLY FOR USE WITH: 500-0670 REACH BOOM 7.4M (24'2") PKG		
		NOTE: Due to supplier constraints, 384-9715 lead times have extended. Selecting this option will result in a delayed RTS date.		
L	331-7838	<b>STICK, REACH 12'10" TB</b> . . . . . 0		<b>\$17,320</b>
		ONLY FOR USE WITH: 529-3588 BOOM PKG, REACH or 529-3589 BOOM PKG, REACH BLCV/SLCV		
L	527-0575	<b>STICK, REACH 12'10" TB CGC</b> . . . . . 0		<b>\$17,810</b>
		FOR USE IN LANE 3 ONLY		
		ONLY FOR USE WITH: 529-3594 BOOM PKG, REACH CGC or 529-3595 BOOM PKG, REACH BLCV/SLCV CGC		
L	331-7839	<b>STICK, REACH 11' TB</b> . . . . . 0		<b>\$16,010</b>
		ONLY FOR USE WITH: 529-3588 BOOM PKG, REACH or 529-3589 BOOM PKG, REACH BLCV/SLCV		
L	527-0576	<b>STICK, REACH 11' TB CGC</b> . . . . . 0		<b>\$16,010</b>
		FOR USE IN LANE 3 ONLY		
		ONLY FOR USE WITH: 529-3594 BOOM PKG, REACH CGC or 529-3595 BOOM PKG, REACH BLCV/SLCV CGC		
L	331-7842	<b>STICK, MASS 9'10" UB</b> . . . . . 0		<b>\$16,910</b>
		NOTE: LANE 3 ONLY FOR AM-N		
		ONLY FOR USE WITH: 529-3591 BOOM PKG, MASS or 529-3592 BOOM PKG, MASS BLCV/SLCV		
L	331-7843	<b>STICK, MASS 8'2" UB</b> . . . . . 0		<b>\$15,230</b>
		NOTE: LANE 3 ONLY FOR AM-N		
		ONLY FOR USE WITH: 529-3591 BOOM PKG, MASS or 529-3592 BOOM PKG, MASS BLCV/SLCV		
L	384-9707	<b>ROPS FILM REMOVAL</b> . . . . . 0		<b>NC</b>
		Muse be selected when machine ordered NO FRONT. Includes ROPS certification removal.		

**UNDERCARRIAGE**

**TRACKS**

L	514-7063	<b>TRACK, 24" DG PPR2 HD (VG)</b> . . . . . 0		<b>\$15,070</b>
		NOTE: LANE 3 ONLY FOR AM-N		
L	457-6827	<b>TRACK, 30" SG PPR2 (VG)</b> . . . . . 0		<b>\$13,390</b>
		FOR USE IN LANE 3 ONLY		
		For Pipeline Industry Application purpose only.		
L	340-8192	<b>TRACK, 35" TG PPR2 (VG)</b> . . . . . 0		<b>\$13,400</b>

CATERPILLAR MACHINE PRICE LIST

**352F**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**UNDERCARRIAGE (CONT.)**

**TRACK GUIDING GUARDS**

(Select only one)

L	152-6996	GUARD, TRACK GUIDING, CENTER . . . . .	0	\$1,825
L	348-0585	GUARD, TRACK GUIDING SEGMENTED . . . . . Three pieces, segmented.	661	\$3,010
L	332-5076	GUARD, TRACK GUIDE, FULL LENGTH . . . . . NOTE: LANE 3 ONLY FOR AM-N Two pieces, full length. Sprocket end and idler end track guard.	1,014	\$4,375

**IDLERS**

L	415-8520	IDLERS, STANDARD . . . . .	0	\$3,730
L	415-8521	IDLER, HEAVY DUTY . . . . . FOR USE IN LANE 3 ONLY	0	\$4,660

**HYDRAULICS**

**HYDRAULIC PACKAGES**

L	505-4674	JOYSTICK STD STP PKG . . . . . Joystick Standard Straight Travel Pedal (STP) Package (PKG) INCLUDES: - VALVE, HYDRAULIC, HL - VALVE, ANTI DRIFT (BOOM) - VALVE, ANTI DRIFT (STICK) - LINES, CYLINDER - JOYSTICK, ONE BUTTON - MAT, FLOOR, RH PEDAL - PEDAL, STRAIGHT TRAVEL - LINES, PILOT, W/O TOOL - LINES, PILOT, W/O BLCV/SLCV - LINES, PILOT, STICK, STD - LINES, PILOT, TRAVEL, STP - MACHINE CONTROLLER STD ONLY FOR USE WITH: 505-4700 352F HEX AM-N BCF1 or 505-4702 352F HEX AM-N BCF3 and 500-0670 REACH BOOM 7.4M (24'2") PKG or 529-3588 BOOM PKG, REACH or 529-3590 REACH BOOM ONLY PKG or 529-3591 BOOM PKG, MASS or 0G-0341 NO BOOM	0	\$4,925
---	----------	---	---	---------

CATERPILLAR MACHINE PRICE LIST

**352F**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**HYDRAULICS (CONT.)**

**HYDRAULIC PACKAGES (Cont.)**

L	505-4675	<b>JOYSTICK STD STP B/SLCV PKG</b> ..... 0 Joystick Standard (STD) Straight Travel Pedal (STP) Boom lowering control Valve (BLCV)/Stick Lowering Control Valve (SLCV) Package (PKG) INCLUDES: - VALVE, HYDRAULIC, HL - COVER BLOCK & MOUNTING (BLCV) - COVER BLOCK & MOUNTING (SLCV) - LINES, CYLINDER (BLCV) - DEVICE, BOOM LOWERING CONTROL - JOYSTICK, ONE BUTTON - MAT, FLOOR, RH PEDAL - PEDAL, STRAIGHT TRAVEL - LINES, PILOT, W/O TOOL - LINES, PILOT, BLCV/SLCV/SB - LINES, PILOT, STICK, STD - LINES, PILOT, TRAVEL, STP - MACHINE CONTROLLER STD ONLY FOR USE WITH: 505-4701 352F HEX AM-N BCF2 or 505-4703 352F HEX AM-N BCF4 or 565-5323 352F HEX ANZ CFG1 and 529-3589 BOOM PKG, REACH BLCV/SLCV or 529-3592 BOOM PKG, MASS BLCV/SLCV	0	\$5,490
L	505-4676	<b>JOYSTICK TWJ STP PKG</b> ..... 0 Joystick Thumb Wheel Joystick (TWJ) Straight Travel Pedal (STP) Package (PKG) INCLUDES: - VALVE, HYDRAULIC, HL - VALVE, HYDRAULIC, HL - VALVE, ANTI DRIFT (BOOM) - VALVE, ANTI DRIFT (STICK) - LINES, CYLINDER - VALVE, ANTI DRIFT (BOOM) - VALVE, ANTI DRIFT (STICK) - LINES, CYLINDER - LINES, PILOT, W/O TOOL - LINES, PILOT, W/O BLCV/SLCV - LINES, PILOT, STICK, STD - MACHINE CONTROLLER STD ONLY FOR USE WITH: 505-4700 352F HEX AM-N BCF1 or 505-4702 352F HEX AM-N BCF3 and 500-0677 REACH BOOM CGC PKG	0	\$6,130

CATERPILLAR MACHINE PRICE LIST

**352F**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**HYDRAULICS (CONT.)**

**HYDRAULIC PACKAGES (Cont.)**

L	505-4677	<b>COMBINED CIR STP PKG</b> ..... 0 Combined circuit (CIR) Straight Travel Pedal (STP) Combined circuit (1 way / 2 way) INCLUDES: - VALVE, MAIN CONTROL, HL TCS - VALVE, ANTI DRIFT (BOOM) - VALVE, ANTI DRIFT (STICK) - LINES, CYLINDER - SYSTEM, COMBINED - JOYSTICK, THUMB WHEEL - PEDAL, STRAIGHT TRAVEL - MAT, FLOOR, RH PEDAL - LINES, PILOT, TOOL & HL - LINES, PILOT, W/O BLCV/SLCV - LINES, PILOT, STICK, TOOL - LINES, PILOT, TRAVEL, STP - MACHINE CONTROLLER TCS ONLY FOR USE WITH: 505-4700 352F HEX AM-N BCF1 or 505-4702 352F HEX AM-N BCF3 and 500-0670 REACH BOOM 7.4M (24'2") PKG or 529-3588 BOOM PKG, REACH or 529-3590 REACH BOOM ONLY PKG or 529-3591 BOOM PKG, MASS or 500-0677 REACH BOOM CGC PKG or 0G-0341 NO BOOM	0	\$18,680
L	505-4678	<b>COMBINED CIR STP B/SLCV PKG</b> ..... 0 FOR USE IN LANE 3 ONLY Combined circuit (CIR) Straight Travel Pedal (STP) for Boom lowering control Valve (BLCV)/Stick Lowering Control Package (PKG) Combined circuit (1 way / 2 way) INCLUDES: - VALVE, MAIN CONTROL, HL TCS - COVER BLOCK & MOUNTING (BLCV) - COVER BLOCK & MOUNTING (SLCV) - LINES, CYLINDER (BLCV) - DEVICE, BOOM LOWERING CONTROL - SYSTEM, COMBINED - PEDAL, STRAIGHT TRAVEL - JOYSTICK, THUMB WHEEL - MAT, FLOOR, RH PEDAL - LINES, PILOT, TOOL & HL - LINES, PILOT, BLCV/SLCV/SB - LINES, PILOT, STICK, TOOL - LINES, PILOT, TRAVEL, STP - MACHINE CONTROLLER TCS ONLY FOR USE WITH: 505-4701 352F HEX AM-N BCF2 or 505-4703 352F HEX AM-N BCF4 or 565-5323 352F HEX ANZ CFG1 and 529-3589 BOOM PKG, REACH BLCV/SLCV or 529-3592 BOOM PKG, MASS BLCV/SLCV or 500-0678 REACH BOOM BLCV/SLCV CGC PKG	0	\$19,250

CATERPILLAR MACHINE PRICE LIST

**352F**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**LINE GROUPS**

**PILOT LINES - BUCKET**

L	389-8018	LINES, PILOT, BUCKET, STD/UQC . . . . . 0 CANNOT BE USED WITH: 498-8961 CTRL, CAT PIN GRABBER COUPLER 498-8962 CTRL, CAT PIN GRABBER COUPLER		NC
L	494-9529	LINES, PILOT, BUCKET, QC . . . . . 0 REQUIRES: 498-8961 CTRL, CAT PIN GRABBER COUPLER or 498-8962 CTRL, CAT PIN GRABBER COUPLER		NC

**STARTERS, BATTERIES, & ALTERNATORS**

**BATTERY AND COLD WEATHER START PACKAGES**

L	328-0403	BATTERY, HEAVY DUTY . . . . . 0		\$740
L	366-6208	COLD WEATHER START PKG . . . . . 0 For ambient temperatures above -(minus) 32 degrees C (-26F). INCLUDES: - RECEPTACLE, JUMP START - BATTERY, HEAVY DUTY - HEATER, JACKET WATER		\$1,080

**OPERATOR ENVIRONMENT**

**WIPER**

L	316-8853	WIPER-RADIAL, 70/30 W/LOWER . . . . . 0		\$292
L	316-8984	WIPER-RADIAL, 70/30 W/O LOWER . . . . . 0		NC

**WASHER**

L	383-5665	WASHER, WINDSHIELD UPPER/LOWER . . . . . 0 ONLY FOR USE WITH: 316-8853 WIPER-RADIAL, 70/30 W/LOWER		\$880
L	383-5664	WASHER, WINDSHIELD UPPER . . . . . 0 ONLY FOR USE WITH: 316-8984 WIPER-RADIAL, 70/30 W/O LOWER		NC

CATERPILLAR MACHINE PRICE LIST

**352F**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**TECHNOLOGY PRODUCTS**

**PRODUCT LINK**

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country. Please contact your Cat marketing representative with questions.

L	460-1150	<b>PRODUCT LINK, SATELLITE PL631</b> . . . . . 0 ANSI Product Link Pro series PL631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage. AVAILABLE FOR: AM-N (except for Quebec)		<b>\$432</b>
L	460-1148	<b>PRODUCT LINK, CELLULAR PL641</b> . . . . . 0 ANSI Product Link Pro series PL641 uses UMTS and CDMA 3G cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data. AVAILABLE FOR: AM-N (except for Quebec)		<b>NC</b>

**SAFETY AND SECURITY**

**CAB GUARDS AND CAB LIGHTS**

L	500-0681	<b>LIGHTING CAB PKG</b> . . . . . 0 INCLUDES: - HATCH, OPENABLE ROOF (DUAL) - LIGHTING, CAB (HALOGEN)		<b>\$1,005</b>
L	500-0682	<b>GUARD FOGS 1PC/DUAL PKG</b> . . . . . 0 Openable Top Guard INCLUDES: - HATCH, OPENABLE ROOF(DUAL FOGS) - LIGHTING, CAB W/GRD (HALOGEN) - GUARD, FALLING OBJECTS		<b>\$4,130</b>
L	500-0683	<b>GUARD FOGS 70/30 PKG</b> . . . . . 0 Fixed Top Guard FOR USE IN LANE 3 ONLY INCLUDES: - HATCH, OPENABLE ROOF (DUAL) - LIGHTING, CAB W/GRD (HALOGEN) - GUARD, FALLING OBJECTS CANNOT BE USED WITH: FOR EUR 353-2048 CAB-ROPS, 1-PIECE		<b>\$4,195</b>

**CAB MIRROR**

L	327-6552	<b>MIRROR, CAB, W/O GUARD</b> . . . . . 0 Additional ISO cab mirror ONLY FOR USE WITH: 500-0681 LIGHTING CAB PKG		<b>\$107</b>
---	----------	--	--	--------------

CATERPILLAR MACHINE PRICE LIST

**352F**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**SAFETY AND SECURITY (CONT.)**

***CAB MIRROR (Cont.)***

L	327-6553	MIRROR, CAB, GUARD FALLING . . . . . 0 FOR USE IN LANE 3 ONLY Additional ISO cab mirror for FOGS and front mesh guard ONLY FOR USE WITH: 500-0682 GUARD FOGS 1PC/DUAL PKG 500-0683 GUARD FOGS 70/30 PKG		\$107
---	----------	---	--	-------

**OTHER ATTACHMENTS**

***DECALS - EXTERIOR***

L	384-2199	DECALS, EXTERIOR ANSI . . . . . 0 AVAILABLE FOR: AM-N (except for Quebec)		NC
---	----------	--	--	----

***DECALS - CAB***

L	497-9646	DECALS, CAB ANSI . . . . . 0 ONLY FOR USE WITH: 384-2199 DECALS, EXTERIOR ANSI AVAILABLE FOR: Canada		NC
---	----------	--	--	----

***COUNTERWEIGHT REMOVAL***

L	431-3924	ARRANGEMENT, CTWT REMOVAL ANSI . . . . . 0 ANSI ONLY FOR USE WITH: 384-2199 DECALS, EXTERIOR ANSI AVAILABLE FOR: AM-N (except for Quebec) REQUIRED BY: 505-4702 352F HEX AM-N BCF3 505-4703 352F HEX AM-N BCF4		\$11,140
---	----------	---	--	----------

CATERPILLAR MACHINE PRICE LIST

**352F**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**LINE GROUPS**

**HIGH PRESSURE AUXILIARY BOOM LINES**

L	526-6495	<b>LINES, HP, REACH BOOM</b> ..... 0 ONLY FOR USE WITH: 529-3588 BOOM PKG, REACH or 529-3589 BOOM PKG, REACH BLCV/SLCV or 500-0677 REACH BOOM CGC PKG or 529-3590 REACH BOOM ONLY PKG or 500-0678 REACH BOOM BLCV/SLCV CGC PKG and 505-4677 COMBINED CIR STP PKG or 505-4678 COMBINED CIR STP B/SLCV PKG or 510-7476 COMBINED CIR B/SLCV PKG or 510-7477 HAMMER CIR B/SLCV PKG		\$2,910
L	528-0095	<b>LINES, HP, MASS BOOM</b> ..... 0 ONLY FOR USE WITH: 529-3591 BOOM PKG, MASS or 529-3592 BOOM PKG, MASS BLCV/SLCV and 505-4677 COMBINED CIR STP PKG or 505-4678 COMBINED CIR STP B/SLCV PKG or 510-7476 COMBINED CIR B/SLCV PKG or 510-7477 HAMMER CIR B/SLCV PKG		\$2,910

**HIGH PRESSURE AUXILIARY STICK LINES**

L	332-9658	<b>LINES-HP, R12'10" STICK</b> ..... 0 ONLY FOR USE WITH: 526-6495 LINES, HP, REACH BOOM and 331-7838 STICK, REACH 3.9M (12'10") TB or 488-1174 STICK, REACH 3.9M (12'10") TB (CGC)		\$1,820
L	332-9661	<b>LINES-HP, R11' STICK</b> ..... 0 ONLY FOR USE WITH: 526-6495 LINES, HP, REACH BOOM and 331-7839 STICK, REACH 3.35M (11') TB or 488-1175 STICK, REACH 3.35M (11') TB (CGC)		\$1,820
L	493-3897	<b>LINES-HP, M9'10" STICK</b> ..... 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 528-0095 LINES, HP, MASS BOOM and 331-7842 STICK, MASS 3.0M (9'10") UB		\$1,820
L	493-3898	<b>LINES-HP, M8'2" STICK</b> ..... 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 528-0095 LINES, HP, MASS BOOM and 331-7843 STICK, MASS 2.5M (8'2") UB		\$1,820

**MEDIUM PRESSURE CIRCUIT**

L	497-3873	<b>CIRCUIT, MEDIUM PRESSURE</b> ..... 0 NOTE: LANE 3 ONLY FOR AM-N ONLY FOR USE WITH: 505-4677 COMBINED CIR STP PKG or 505-4678 COMBINED CIR STP B/SLCV PKG or 510-7476 COMBINED CIR B/SLCV PKG CANNOT BE USED WITH: 510-7477 HAMMER CIR B/SLCV PKG		\$4,855
---	----------	--	--	---------



CATERPILLAR MACHINE PRICE LIST

352F

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	--------------------	-------------------------

**LINE GROUPS (CONT.)**

**MEDIUM PRESSURE AUXILIARY BOOM LINES**

L	526-6496	<b>LINES, MP, REACH BOOM</b> ..... 0 NOTE: LANE 3 ONLY FOR AM-N ONLY FOR USE WITH: 529-3588 BOOM PKG, REACH or 529-3589 BOOM PKG, REACH BLCV/SLCV or 529-3590 REACH BOOM ONLY PKG or 500-0677 REACH BOOM CGC PKG or 500-0678 REACH BOOM BLCV/SLCV CGC PKG and 497-3873 CIRCUIT, MEDIUM PRESSURE	0	\$1,710
---	----------	--	---	---------

**MEDIUM PRESSURE AUXILIARY STICK LINES**

L	230-0120	<b>LINES-MP, R12'10" STICK</b> ..... 57 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 526-6496 LINES, MP, REACH BOOM and 331-7838 STICK, REACH 3.9M (12'10") TB or 488-1174 STICK, REACH 3.9M (12'10") TB (CGC)	57	\$1,065
L	230-0123	<b>LINES-MP, R11' STICK</b> ..... 53 NOTE: LANE 3 ONLY FOR AM-N ONLY FOR USE WITH: 526-6496 LINES, MP, REACH BOOM and 331-7839 STICK, REACH 3.35M (11') TB or 488-1175 STICK, REACH 3.35M (11') TB (CGC)	53	\$1,065

**QUICK COUPLER CONTROL**

L	498-8961	<b>CTRL, CAT PIN GRABBER COUPLER</b> ..... 0 ANSI For use only for Cat Pin Grabber Coupler This DOES NOT include QC lines for the boom and stick. This is designed for the pin grabber coupler operating at full machine implement pressure. It contains the hydraulic lines on the upper frame and control. It as a high-pressure circuit ONLY FOR USE WITH: 384-2199 DECALS, EXTERIOR ANSI AVAILABLE FOR: AM-N (except for Quebec)	0	\$1,200
L	498-8962	<b>CTRL, CAT PIN GRABBER COUPLER</b> ..... 0 ISO For use only for Cat Pin Grabber Coupler This DOES NOT include QC lines for the boom and stick. This is designed for the pin grabber coupler operating at full machine implement pressure. It contains the hydraulic lines on the upper frame and control. It as a high-pressure circuit. ONLY FOR USE WITH: 384-2197 DECALS, EXTERIOR ISO AVAILABLE FOR: Canada	0	\$1,200

**QUICK COUPLER BOOM LINES**

L	388-0173	<b>LINES-QC, LONG REACH BOOM</b> ..... 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 500-0670 REACH BOOM 7.4M (24'2") PKG and 498-8961 CTRL, CAT PIN GRABBER COUPLER or 498-8962 CTRL, CAT PIN GRABBER COUPLER	0	\$1,925
---	----------	--	---	---------

CATERPILLAR MACHINE PRICE LIST

**352F**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**LINE GROUPS (CONT.)**

**QUICK COUPLER BOOM LINES (Cont.)**

L	526-6497	LINES, QC, REACH BOOM . . . . . 0		\$1,925
		ONLY FOR USE WITH: 529-3588 BOOM PKG, REACH or 529-3590 REACH BOOM ONLY PKG or 529-3589 BOOM PKG, REACH BLCV/SLCV or 500-0677 REACH BOOM CGC PKG or 500-0678 REACH BOOM BLCV/SLCV CGC PKG and 498-8961 CTRL, CAT PIN GRABBER COUPLER or 498-8962 CTRL, CAT PIN GRABBER COUPLER or 508-8596 CONTROL, CW DEDICATED COUPLER or 565-5323 352F HEX ANZ CFG1		

**QUICK COUPLER STICK LINES**

L	242-6550	LINES-QC, R14'1" STICK . . . . . 45		\$1,605
		FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 388-0173 LINES-QC, LONG REACH BOOM and 384-9715 STICK, LONG REACH 4.3M (14'1") TB		
L	332-9660	LINES-QC, R12'10" STICK . . . . . 0		\$1,605
		ONLY FOR USE WITH: 526-6497 LINES, QC, REACH BOOM and 331-7838 STICK, REACH 3.9M (12'10") TB or 488-1174 STICK, REACH 3.9M (12'10") TB (CGC)		
L	332-9663	LINES-QC, R11' STICK . . . . . 0		\$1,605
		ONLY FOR USE WITH: 526-6497 LINES, QC, REACH BOOM and 331-7839 STICK, REACH 3.35M (11') TB or 488-1175 STICK, REACH 3.35M (11') TB (CGC)		

**OPERATOR ENVIRONMENT**

**PATTERN CHANGER**

L	349-2233	CHANGER,HAND CTRL 2-WAY (ANSI) . . . . . 0		\$1,255
		ONLY FOR USE WITH: 384-2199 DECALS, EXTERIOR ANSI AVAILABLE FOR: AM-N (except for Quebec)		

**TECHNOLOGY PRODUCTS**

**CAT GRADE CONTROL**

Depth and Slope is the deeply integrated indicate - only CAT Grade Control System that provides guidance to the bucket tip using the standard machine display.

L	497-9660	GRADE CTRL, DEPTH AND SLOPE . . . . . 0		\$16,010
		FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 505-4700 352F HEX AM-N BCF1 or 505-4701 352F HEX AM-N BCF2 and 500-0677 REACH BOOM CGC PKG or 500-0678 REACH BOOM BLCV/SLCV CGC PKG and 488-1174 STICK, REACH 3.9M (12'10") TB (CGC) or 488-1175 STICK, REACH 3.35M (11') TB (CGC)		

CATERPILLAR MACHINE PRICE LIST

**352F**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**TECHNOLOGY PRODUCTS (CONT.)**

**CAT GRADE CONTROL (Cont.)**

L	497-9661	GRADE CTRL, DEPTH AND SLOPE RV ..... 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 505-4702 352F HEX AM-N BCF3 or 505-4703 352F HEX AM-N BCF4 and 500-0677 REACH BOOM CGC PKG or 500-0678 REACH BOOM BLCV/SLCV CGC PKG and 488-1174 STICK, REACH 3.9M (12'10") TB (CGC) or 488-1175 STICK, REACH 3.35M (11') TB (CGC)	0	\$16,010
---	----------	--	---	----------

**MACHINE CONTROL OPTIONS - GRADE WITH 3D**

L	519-1606	GRADE W/3D GPS UNIT ..... 0 FOR USE IN LANE 3 ONLY Cat GRADE with 3D is a factory installed. Includes a Cat GRADE with 3D display, dual mounted GNSS antennas including receivers, fully calibrated GNSS antennas. Requires an off-board GPS radio network and GPS base station to be functional. Additional requirements via SITECH dealer include on-board data radio and site set-up. ONLY FOR USE WITH: 497-9660 GRADE CTRL, DEPTH AND SLOPE or 497-9661 GRADE CTRL, DEPTH AND SLOPE RV	0	\$38,770
---	----------	---	---	----------

**SAFETY AND SECURITY**

**BOOM LIGHTS**

L	328-0259	LIGHTS, HALOGEN, R/M-BOOM ..... 0 For Reach boom and Mass boom. Halogen boom lights w/ time delay. ONLY FOR USE WITH: 500-0672 REACH BOOM PKG or 500-0673 REACH BOOM BLCV/SLCV PKG or 500-0680 REACH BOOM ONLY PKG or 500-0674 MASS BOOM PKG or 500-0675 MASS BOOM BLCV/SLCV PKG or 500-0677 REACH BOOM CGC PKG or 500-0678 REACH BOOM BLCV/SLCV CGC PKG	0	\$319
L	342-3233	LIGHTS, HID, R/M-BOOM ..... 0 For Reach boom and Mass boom. HID boom lights w/ time delay. ONLY FOR USE WITH: 500-0672 REACH BOOM PKG or 500-0673 REACH BOOM BLCV/SLCV PKG or 500-0680 REACH BOOM ONLY PKG or 500-0674 MASS BOOM PKG or 500-0675 MASS BOOM BLCV/SLCV PKG or 500-0677 REACH BOOM CGC PKG or 500-0678 REACH BOOM BLCV/SLCV CGC PKG	0	\$1,160
L	238-2188	LIGHTS, HALOGEN, LONG R-BOOM ..... 0 FOR USE IN LANE 3 ONLY For 7.4M (24'2") Long reach boom. Halogen boom lights w/ time delay. ONLY FOR USE WITH: 500-0670 REACH BOOM 7.4M (24'2") PKG	0	\$319

CATERPILLAR MACHINE PRICE LIST

**352F**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**SAFETY AND SECURITY (CONT.)**

***BOOM LIGHTS (Cont.)***

L	377-8286	LIGHTS, HID LONG R-BOOM ..... 0 FOR USE IN LANE 3 ONLY For 7.4M (24'2") Long reach boom. HID boom lights w/ time delay. ONLY FOR USE WITH: 500-0670 REACH BOOM 7.4M (24'2") PKG		\$1,160
---	----------	---	--	---------

**COOLING**

***LUBRICANT***

L	451-4009	COOLANT, COLD WEATHER ..... 0		\$239
---	----------	-------------------------------	--	-------

**OTHER ATTACHMENTS**

***PREVENTATIVE MAINTENANCE***

L	344-0830	QUICK DRAINS, READY (OIL) ..... 0		NC
---	----------	-----------------------------------	--	----

**QUICK COUPLERS**

***QUICK COUPLER - CAT PIN GRABBER (Non-INSTALLED BUCKET)***

L	455-3908	COUPLER PG W/O PIN TB ..... 0 Includes a Cat pin grabber coupler. (No Pins) CAN NOT BE USED WITH: Bucket installed from factory ONLY FOR USE WITH: 498-8961 CTRL, CAT PIN GRABBER COUPLER or 498-8962 CTRL, CAT PIN GRABBER COUPLER and 242-6550 LINES-QC, R4.3M (14'1") STICK or 332-9660 LINES-QC, R3.9M (12'10") STICK or 332-9663 LINES-QC, R3.35M (11') STICK		\$15,603
---	----------	---	--	----------

***QUICK COUPLER - CAT PIN GRABBER (INSTALLED BUCKET)***

L	455-3907	COUPLER, PIN GRABBER TB W/PINS ..... 0 Includes a Cat pin grabber coupler & spare pins. For use when ordering an installed buckets ONLY FOR USE WITH: 498-8961 CTRL, CAT PIN GRABBER COUPLER or 498-8962 CTRL, CAT PIN GRABBER COUPLER and 242-6550 LINES-QC, R4.3M (14'1") STICK or 332-9660 LINES-QC, R3.9M (12'10") STICK or 332-9663 LINES-QC, R3.35M (11') STICK		\$18,626
---	----------	--	--	----------

**BUCKETS**

NOTE: Stick, bucket linkage and bucket must be matched.

Includes tooth adapters welded on cutting edge,  
tooth tips, sidecutters or sidebar protectors.  
Rated capacity, SAE heaped.

CATERPILLAR MACHINE PRICE LIST

**352F**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**BUCKETS (CONT.)**

**GENERAL DUTY (GD)**

For digging in low impact, lower abrasion materials as dirt, and mixed compositions of dirt and fine gravel.

P	490-2264	<b>BUCKET-GDC, 74" 4.04YD3 (TB)</b> ..... 4,784 Includes sidecutters and tips Adapters size K110, 7 tips. FOR USE WITH: TB Family bucket linkage		<b>\$24,072</b>
---	----------	--	--	-----------------

**HEAVY DUTY (HD)**

The most popular excavator bucket style. A good "center line" choice, or starting point, when application conditions are not well known.

P	457-1195	<b>BUCKET-HD, 54" 2.44 YD3 (TB)</b> ..... 4,193 Includes sidecutters and tips Adapters size K110, 5 tips FOR USE WITH: TB Family bucket linkage		<b>\$22,050</b>
P	457-1191	<b>BUCKET-HD, 72" 3.52 YD3 (TB)</b> ..... 5,156 Includes sidecutters and tips Adapters size K110, 7 tips. FOR USE WITH: TB Family bucket linkage		<b>\$25,040</b>

**SEVERE DUTY (SD)**

For aggressive bucket loading in highly abrasive applications such as shot rock and granite.

P	518-9348	<b>BKTA SD 61" 2.80YD3 PO</b> ..... 5,415 Includes sidebar protectors and tips Adapters size K130, 5 tips. FOR USE WITH: TB Family bucket linkage		<b>\$24,778</b>
---	----------	---	--	-----------------

**PACKING**

**PACKING**

MAY SELECT ONLY ONE OPTION

	0G-0211	<b>PACK, ROLL ON ROLL OFF-TRUCK</b> ..... 0		<b>NC</b>
--	---------	---	--	-----------

NOTE: Option for Truck Shipment

CATERPILLAR MACHINE PRICE LIST

**352F**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**PACKING (CONT.)**

***PACKING (Cont.)***

OG-0213	PACK, RO-RO TRUCK TO VESSEL . . . . .	0	\$169 NET
	NOTE: For P420 Only		
OG-0214	PACK, RO-RO TRUCK TO RAIL . . . . .	0	NC
	NOTE: Option for Rail Shipment		
OG-0608	PACK, RO-RO TRUCK TO VESSEL . . . . .	0	\$404 NET

**ADDITIONAL PACKING**

MUST SELECT ONE OPTION

OG-4127	STORAGE PROTECTION (EXPORT) . . . . .	0	\$409 NET
	Machines from the factory have been sprayed with Fluid Film TM, see your account rep for details. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.		
OG-4131	STORAGE PROTECTION (DOMESTIC) . . . . .	0	NC
	Machines have been sprayed with Fluid Film TM. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.		
OP-2671	NO STORAGE PROTECTION . . . . .	0	NC
	Please select this if you do not want Fluid Film TM applied.		

**MACHINE PREPARATION**

MAY SELECT OPTION

OP-4751	STICK ON SHIPMENT . . . . .	0	\$6,470 NET
	Additional net charge for shipping with stick and boom attached to allow for ease of assembly at customer and dealer locations where the prescribed last mile shipment has the stick removed. The counterweight and work tools will ship removed.		
	ONLY FOR USE WITH: OG-0211 PACK, ROLL ON ROLL OFF-TRUCK		
	CANNOT BE USED WITH: OG-0341 NO BOOM		
	OG-0342 NO STICK		