

CATERPILLAR MACHINE PRICE LIST

374F-XZ

374F EXCAVATOR
 XUZHOU, CHINA

Ship Weight
 lbs

LIST PRICE
 AT DEALER

Standard Equipment:

POWERTRAIN

Automatic engine speed control
 CAT C15 diesel engine:
 -2300m/7500ft altitude capability
 w/ no derate
 -Power management modes:
 High power: 382 KW
 Economy: 323 KW with reduced engine
 speed
 4 micron fuel filter
 48C ambient capability - 52C with engine
 derate
 Air cleaner (high efficiency)
 Secondary engine shut-off switch
 Water separator in fuel line
 including water level sensor&indicator

UNDERCARRIAGE

Grease lubricated track with PPR2
 Heavy duty idler/track rollers
 Towing eye on base frame

HYDRAULICS

Hydraulic main pump (2 pump)
 Capability of installing Cat bio
 hydraulic oil

ELECTRICAL

80 Ampere alternator
 Standard maintenance-free batteries
 Electrical priming pump with switch
 Horn, signaling/warning
 Light, cab mounted/Light, cab skirt
 Light, boom mounted/Light, right side
 Capability to electrically connect a
 beacon

OPERATOR ENVIRONMENT

Cab:
 -Beverage/Literature holder/Coat hook
 -Bolt-on FOGS capability
 -Interior lighting/Openable skylight
 -Radio mounting (meets DIN size)
 with antenna and two stereo speakers
 -Sliding door window
 -Storage compartment suitable for
 lunch box
 -Safety hammer for breaking glass
 -Pressurized operator station

(positive filtration)
 -Gain/response map selection
 (production, normal, control)
 -Lift mode (equivalent to soft mode)
 -Power supply with 12V
 Monitor:
 -Clock/Video ready
 -Language display (full graphic and
 full color display)
 -Machine condition, error code &
 tool mode setting information
 -Start-up level check for engine oil
 engine coolant & hydraulic oil
 -Warning, filter/fluid change &
 working hour information
 -Neutral lever for all controls
 -Fuel consumption meter
 Pedal:
 -Capability to install 2 add'l pedals
 -(one electric pedal capability)
 -Travel control with removable
 hand levers
 Seat:
 -Adjustable armrest
 -Height adjustable consoles
 -Electric provision for seat heater

GUARDS

5mm swivel guard on undercarriage
 HD bottom guards on upper frame
 HD travel motor guards

OTHER STANDARD EQUIPMENT

Automatic swing parking brake
 Smart Boom for the regions except GCN1
 Boom and stick drift reducing valve
 Capability to install additional
 auxiliary circuit
 Capability to install boom & stick
 lowering control device
 Capability to install HP stackable valve
 and QC valve
 Bio fuel capability
 CAT data link with E/T use capability
 Circuit breaker/Counterweight
 Manual reversing cooling fan/Walkways
 Door locks and cap locks
 3 SBS radiator for easy cleaning
 High performance hyd. return filter
 Mirrors, rearview (frame-right,cab-left)
 Product Link ready
 Regeneration circuit for boom & stick
 Two speed auto-shift travel
 Steel firewall between engine & pump
 compartment

CATERPILLAR MACHINE PRICE LIST

374F-XZ

374F EXCAVATOR XUZHOU, CHINA	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

**Lane 2 is reserved for the Base Order Management Program
 Please use Lane 2 when placing orders that are part of the Base Order
 Management program.**

**2018 YOY list price reductions will be offset by reductions in
 discounts or merchandising support.**

524-2075	374F L HEX AM-N FTO1A 0 LANE 1 - AVAILABLE FROM SAVANNAH PDC LANE 3 - AVAILABLE FROM CXL FACTORY USING PRIORITY CODE L2 DCA 1 (NO Tool Control, 900mm Track, 70/30) INCLUDES: 502-5841 374F L HEX 432-5834 COLD WEATHER STARTING 120V PKG INCLUDES: BATTERY (COLD WEATHER) STARTING AID, ETHER HEATER, ENGINE COOLANT (120V) TERMINALS, JUMP START 433-0714 JOYSTICK TWJ STP PKG INCLUDES: MAIN VALVE JOYSTICK, THUMB WHEEL MAT, FLOOR, RH PEDAL PEDAL, STRAIGHT TRAVEL PILOT LINES (W/STP) 507-1278 CAB, 70/30 POLY HATCH PKG INCLUDES: CAB,70/30,W/VANDAL-G BOSS RADIO, 24V AM/FM WASHER WIPER WIPER-PARALLEL, FRONT 70/30 SUN SCREEN (70/30) 372-9520 AIR CONDITIONER 377-8075 ALARM, TRAVEL 381-7560 QUICK DRAINS, READY (OIL) 488-6541 SEAT BELT, 51MM (2") 316-8885 SEAT,H-BACK,HEATER,S/AIR,COOL 473-9883 BEACON ELECTRICAL OUTLET 379-7460 WALKWAYS 357-7500 TRACK, 900MM (35") DG-HD (PPR2) 460-1150 PRODUCT LINK, SATELLITE PL631 141-3748 GUARD, TRACK GUIDING, CENTER 430-4687 COUNTERWEIGHT,REMOVAL(ANSI) 499-0247 CAMERA, REAR 379-7477 STORAGE BOX (HRC) 379-7476 TANK, FUEL 446-0767 HOOD & COVER (CPM) 389-1628 INSTRUCTIONS, ANSI (OUT) 509-0798 INSTRUCTIONS, ANSI (CAB) 319-1179 LIGHTING, CAB (HALOGEN) 500-3303 CPM	\$788, 650
----------	---	------------

CATERPILLAR MACHINE PRICE LIST

374F-XZ

374F EXCAVATOR XUZHOU, CHINA	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

<p>571-6469 374F L HEX AM-N FTO1B 0</p> <p>LANE 1 - AVAILABLE FROM SAVANNAH PDC LANE 3 - AVAILABLE FROM CXL FACTORY USING PRIORITY CODE L2</p> <p>DCA 1 (NO Tool Control, 900mm Track, 70/30)</p> <p>INCLUDES: 502-5841 374F L HEX 432-5834 COLD WEATHER STARTING 120V PKG INCLUDES: BATTERY (COLD WEATHER) STARTING AID, ETHER HEATER, ENGINE COOLANT (120V) TERMINALS, JUMP START 433-0714 JOYSTICK TWJ STP PKG INCLUDES: MAIN VALVE JOYSTICK, THUMB WHEEL MAT, FLOOR, RH PEDAL PEDAL, STRAIGHT TRAVEL PILOT LINES (W/STP) 507-1278 CAB, 70/30 POLY HATCH PKG INCLUDES: CAB,70/30,W/VANDAL-G BOSS RADIO, 24V AM/FM WASHER WIPER WIPER-PARALLEL, FRONT 70/30 SUN SCREEN (70/30) 372-9520 AIR CONDITIONER 377-8075 ALARM, TRAVEL 381-7560 QUICK DRAINS, READY (OIL) 488-6541 SEAT BELT, 51MM (2") 316-8885 SEAT,H-BACK,HEATER,S/AIR,COOL 473-9883 BEACON ELECTRICAL OUTLET 379-7460 WALKWAYS 357-7500 TRACK, 900MM (35") DG-HD (PPR2) 460-1150 PRODUCT LINK, SATELLITE PL631 141-3748 GUARD, TRACK GUIDING, CENTER 430-4687 COUNTERWEIGHT,REMOVAL(ANSI) 499-0247 CAMERA, REAR 379-7477 STORAGE BOX (HRC) 379-7476 TANK, FUEL 446-0767 HOOD & COVER (CPM) 389-1628 INSTRUCTIONS, ANSI (OUT) 509-0798 INSTRUCTIONS, ANSI (CAB) 319-1179 LIGHTING, CAB (HALOGEN) 369-0301 HALOGEN LIGHTS, R-BOOM 500-3303 CPM 327-6552 MIRROR, CAB, W/O GUARD</p>	0	\$788,750
---	---	-----------

CATERPILLAR MACHINE PRICE LIST

374F-XZ

374F EXCAVATOR XUZHOU, CHINA	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

565-0234	374F L HEX AM-N FTO1B 0	\$788,750
-----------------	--	------------------

LANE 1 - AVAILABLE FROM SAVANNAH PDC
 LANE 3 - AVAILABLE FROM CXL FACTORY USING PRIORITY CODE L2

DCA 1 (NO Tool Control, 900mm Track, 70/30)

INCLUDES:

556-9791 374F L HEX
 432-5834 COLD WEATHER STARTING 120V PKG

INCLUDES:

BATTERY (COLD WEATHER)
 STARTING AID, ETHER
 HEATER, ENGINE COOLANT (120V)
 TERMINALS, JUMP START

433-0714 JOYSTICK TWJ STP PKG

INCLUDES:

MAIN VALVE
 JOYSTICK, THUMB WHEEL
 MAT, FLOOR, RH PEDAL
 PEDAL, STRAIGHT TRAVEL
 PILOT LINES (W/STP)

507-1278 CAB, 70/30 POLY HATCH PKG

INCLUDES:

CAB,70/30,W/VANDAL-G BOSS
 RADIO, 24V AM/FM
 WASHER WIPER
 WIPER-PARALLEL, FRONT 70/30
 SUN SCREEN (70/30)

372-9520 AIR CONDITIONER

377-8075 ALARM, TRAVEL

381-7560 QUICK DRAINS, READY (OIL)

488-6541 SEAT BELT, 51MM (2")

316-8885 SEAT,H-BACK,HEATER,S/AIR,COOL

473-9883 BEACON ELECTRICAL OUTLET

379-7460 WALKWAYS

357-7500 TRACK, 900MM (35") DG-HD (PPR2)

460-1150 PRODUCT LINK, SATELLITE PL631

141-3748 GUARD, TRACK GUIDING, CENTER

430-4687 COUNTERWEIGHT,REMOVAL(ANSI)

499-0247 CAMERA, REAR

379-7477 STORAGE BOX (HRC)

379-7476 TANK, FUEL

446-0767 HOOD & COVER (CPM)

389-1628 INSTRUCTIONS, ANSI (OUT)

509-0798 INSTRUCTIONS, ANSI (CAB)

319-1179 LIGHTING, CAB (HALOGEN)

369-0301 HALOGEN LIGHTS, R-BOOM

500-3303 CPM

327-6552 MIRROR, CAB, W/O GUARD

NOTE: PDC inventory is not yet available for this FTO.
 Available from March 2019

CATERPILLAR MACHINE PRICE LIST

374F-XZ

374F EXCAVATOR XUZHOU, CHINA	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

510-8609 374F L HEX ADSD-N BCF 0 LANE 2 - AVAILABLE FROM XUZHOU FACTORY LANE 3 - AVAILABLE FROM XUZHOU FACTORY	\$729,780
---	------------------

Engine suitable for EPA Tier 4

Base Configuration must be completed by selecting
 Mandatory / Optional attachments.

INCLUDES:

- 502-5841 374F L HEX
- 372-9520 AIR CONDITIONER
- 377-8075 ALARM, TRAVEL
- 381-7560 QUICK DRAINS, READY (OIL)
- 488-6541 SEAT BELT, 2"
- 316-8885 SEAT,H-BACK,HEATER,S/AIR,COOL
- 473-9883 BEACON ELECTRICAL OUTLET
- 379-7460 WALKWAYS
- NOTE: For US/Canada/Korea

559-7534 374F L HEX AMN BCF1A 0 LANE 3 - AVAILABLE FROM XUZHOU FACTORY	\$781,770
--	------------------

Engine suitable for EPA Tier 4-FRONTLESS

Base Configuration must be completed by selecting
 Mandatory / Optional attachments.

INCLUDES:

- 502-5841 374F L HEX
- 316-8885 SEAT,H-BACK,HEATER,S/AIR,COOL
- 372-9520 AIR CONDITIONER
- 377-8075 ALARM, TRAVEL
- 379-7460 WALKWAYS
- 381-5037 CYLINDER, BOOM (W/O BLCV)
- 381-7560 QUICK DRAINS, READY (OIL)
- 473-9883 BEACON ELECTRICAL OUTLET
- 488-6541 SEAT BELT, 2"
- 562-6975 FRONTLESS, IDENTIFIER

0P-4178 374F MISC MATERIAL 0 AVAILABLE FROM SAVANNAH PDC & XUZHOU FACTORY.	NC
--	-----------

Only reference numbers under LANE 1 AM-NORTH OPTIONAL ATTACHMENTS
 section can be used on MISC order.

CATERPILLAR MACHINE PRICE LIST

374F-XZ

USE	REF NO.	MANDATORY ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

MUST CHOOSE AT LEAST ONE PACKAGE OR ATTACHMENT FROM EACH CATEGORY

LANE SELECTION FOR FTO

YOU MUST SELECT THIS REFERENCE WHEN ORDERING DCA FROM PDC

OP-9001	LANE 1 ORDER	0	NC
---------	------------------------	---	----

DECAL PACKAGE

(Must Choose One)

P	OP-7124	INSTRUCTION,NORTH AMERICA ANSI This package includes the ANSI decals and is required by all AM-N territories except Quebec, Canada.	0	NC
P	450-5705	INSTRUCTIONS, ISO This package includes picto decals as required for Quebec, Canada.	0	NC

NOTE: Required for Quebec

STORAGE PROTECTION

OG-4127	STORAGE PROTECTION (EXPORT)	0	\$409 NET
---------	---------------------------------------	---	-----------

Machines from the factory have been sprayed with Fluid Film TM, see your account rep for details. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.

EXPORT PACKING

OG-8001	PACK, WITH BOOM & STICK	0	\$3,105 NET
---------	-----------------------------------	---	-------------

To use if bucket is not ordered.
For shipment stick is detached

OG-8006	OPTION, BOOM DETACHED	0	NC
---------	---------------------------------	---	----

NOTE: Required by the inland transportation regulation in China.

OG-8008	OPTION, COUNTERWEIGHT DETACHED	0	NC
---------	--	---	----

NOTE: Required by the inland transportation regulation in China.

CATERPILLAR MACHINE PRICE LIST

374F-XZ

USE	REF NO.	MANDATORY ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

EXPORT PACKING (Cont.)

OP-4652	PACK, 374F/390F SIDE STEP	0	\$62 NET
---------	---------------------------	---	----------

NOTE: Required by the inland transportation regulation in China.

OG-0672	EXP PKG, BOOM	0	\$128
---------	---------------	---	-------

NOTE: For MISC order/ Machine order when select boom, FTO(NI)

OG-0673	EXP PKG, STICK/LINKAGE	0	\$173
---------	------------------------	---	-------

NOTE: For MISC order/ Machine order when select stick, FTO(NI)

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

BOOM PACKAGE FOR FTO

P	528-4279	R-BOOM, 25'7" CPM PKG	0	\$80,350
			0	\$80,350 NI

Reach Boom/7.8M(25'7") Package compatible with CAT Production Measurement (CPM)

INCLUDES:

- BOOM, 7.8M (25'7") REACH, CPM
- CYLINDER, BOOM (W/O BLCV)
- CYLINDER, STICK (W/O SLCV)
- HALOGEN LIGHTS, R-BOOM

P	528-4280	M-BOOM, 23' (CPM) PKG	0	\$91,080
			0	\$91,080 NI

Mass Boom/7.0M (23') Package (PKG) compatible with CAT Production Measurement (CPM)

INCLUDES:

- BOOM, 7.0M (23') MASS EXCAVATION(CPM)
- CYLINDER, BOOM (W/O BLCV)
- CYLINDER, STICK (W/O SLCV)
- HALOGEN LIGHTS, M-BOOM

STICK/LINKAGE PACKAGE FOR FTO

P	507-1272	R15'4" STICK/BKT LKG (CPM) PKG	0	\$47,510
			0	\$47,510 NI

Reach Stick R4.67M (15'4") Package (PKG) compatible with CAT Production Measurement (CPM)

INCLUDES:

- STICK, R4.67M (15'4") (CPM) (VB2)
- LINKAGE, VB2 W/EYE CPM PKG

ONLY FOR USE WITH: 528-4279 R-BOOM, 7.8M (25'7") CPM PKG

CATERPILLAR MACHINE PRICE LIST

374F-XZ

USE	REF NO.	MANDATORY ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------	-----------------	----------------------

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS (CONT.)

STICK/LINKAGE PACKAGE FOR FTO (Cont.)

P	507-1273	R13'7" STICK/BKT LKG (CPM) PKG	0 0	\$45,480 \$45,480 NI
		Reach Stick R4.15M (13'7") Package (PKG) compatible with CAT Production Measurement (CPM) INCLUDES: -STICK, R4.15M (13'7") (CPM) (VB2) -LINKAGE, VB2 W/EYE CPM PKG ONLY FOR USE WITH: 528-4279 R-BOOM, 7.8M (25'7") CPM PKG		
P	507-1274	R11'10" STICK/BKT LKG (CPM)PKG	0 0	\$44,050 \$44,050 NI
		Reach Stick R3.6M (11'10") Package (PKG) compatible with CAT Production Measurement (CPM) INCLUDES: -STICK, R3.6M (11'10") (CPM) (VB2) -LINKAGE, VB2 W/EYE CPM PKG ONLY FOR USE WITH: 528-4279 R-BOOM, 7.8M (25'7") CPM PKG		
P	517-8392	M8'5" STICK/BKT LKG (CPM)PKG	0 0	\$47,720 \$47,720 NI
		Reach Stick M2.57M (8'5") Package (PKG) compatible with CAT Production Measurement (CPM) INCLUDES: -STICK, M2.57M (8'5") (CPM) (WB2) -LINKAGE, WB2 W/EYE (CPM) PKG ONLY FOR USE WITH: 528-4280 M-BOOM, 7.0M (23") (CPM) PKG		

BUCKETS

NOTE: Stick, bucket linkage, bucket adjuster and bucket must be matched.

For the full portfolio of work tools please refer to the Work Tool price pages.

Bucket orders and machine orders will need to be entered separately. Buckets will be supplied directly from CWTS in Den Bosch/Wamego. For bucket-only miscellaneous orders, use reference OG related to your local WTHEx pricelist on your miscellaneous order.

CATERPILLAR MACHINE PRICE LIST

374F-XZ

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0		NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.			
OP-9003	LANE 3 ORDER	0		NC

BOOMS, STICKS, AND LINKAGES

NOTE: Stick and bucket linkage must be matched.
 For Auxiliary hydraulic boom & stick lines packages,
 please refer to the LINE GROUPS SECTION.

BOOM PACKAGES

includes boom and stick cylinders

Reach boom packages

L	415-9638	R-BOOM, 25' 7" PKG	0	\$80,030
		FOR USE IN LANE 2 FOR AM-N FOR USE IN LANE 3 ALL OTHER REGIONS Reach Boom/7.8M(25'7") Package (PKG) INCLUDES: -BOOM, 7.8M (25' 7") REACH -CYLINDER, BOOM (W/O BLCV) -CYLINDER, STICK (W/O SLCV) CANNOT BE USED WITH: Australia & New Zealand		
		NOTE: For AME/CIS/Turkey/PAC/EU/SEA/India/Japan/Korea/US/Canada/HK		
L	432-5835	R-BOOM, 25'7"BLCV/SLCV PKG	0	\$95,590
		FOR USE IN LANE 2 FOR EU FOR USE IN LANE 3 ALL OTHER REGIONS Reach Boom/7.8M(25'7") Package (PKG)with boom lowering control device (BLCV) and stick lowering control device (SLCV) INCLUDES: -BOOM, 7.8M (25' 7") REACH -CYLINDER, BOOM (W/BLCV) -CYLINDER, STICK (W/SLCV) -DEVICE, BOOM LOWERING CONTROL -DEVICE, STICK LOWERING CONTROL		
		NOTE: For SEA/India/US/Canada/Korea/ANZP/EU LANE 2 FOR EU		

CATERPILLAR MACHINE PRICE LIST

374F-XZ

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BOOMS, STICKS, AND LINKAGES (CONT.)

Reach boom packages (Cont.)

L	559-7542	R-BOOM ONLY, 25'7" 0 FOR USE IN LANE 3 ONLY Reach Boom/7.8M(25'7") Package (PKG),STICKLESS INCLUDES: 355-7244 CYLINDER, STICK (W/O SLCV) 381-7557 BOOM, 25' 7" REACH		\$59,810
L	357-4759	STICK, R13'7" (VB2) 0 FOR USE IN LANE 2 FOR AM-N FOR USE IN LANE 3 ALL OTHER REGIONS Reach stick R4.15M (R13'7") compatible with VB2 linkage		\$26,980

Reach boom packages with CPM

L	481-3512	R-BOOM, 25' 7" CPM PKG 0 Reach Boom/7.8M(25'7") Package compatible with CAT Production Measurement (CPM) INCLUDES: -BOOM, 7.8M REACH, CPM -CYLINDER, BOOM (W/O BLCV) -CYLINDER, STICK (W/O BLCV) CANNOT BE USED WITH: Australia & New Zealand		\$80,030
---	----------	---	--	----------

NOTE: For New Caledonia and French Polynesia/AME/CIS/Turkey/US/Canada /Japan

L	481-3513	R-BOOM,25'7"BLCV/SLCV CPM PKG 0 Reach Boom/7.8M(25'7") Package with boom lowering control device (BLCV),stick lowering control device (SLCV) compatible with CAT Production Measurement (CPM) INCLUDES: -BOOM, 7.8M (25' 7") REACH, CPM -CYLINDER, STICK (W/SLCV) -CYLINDER, BOOM (W/BLCV) -DEVICE, BOOM LOWERING CONTROL -DEVICE, STICK LOWERING CONTROL		\$95,590
---	----------	---	--	----------

NOTE: For ANZ/EU/US/Canada

CATERPILLAR MACHINE PRICE LIST

374F-XZ

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BOOMS, STICKS, AND LINKAGES (CONT.)

Mass boom packages

L	415-9639	M-BOOM, 23' PKG 0 FOR USE IN LANE 2 FOR EU/CIS/AME FOR USE IN LANE 3 ALL OTHER REGIONS Mass Boom/7.0M (23') Package (PKG) INCLUDES: -BOOM, 7.0M (23') MASS EXCAVATION -CYLINDER, BOOM (W/O BLCV) -CYLINDER, STICK (W/O SLCV) CANNOT BE USED WITH: Australia & New Zealand		\$90,760
---	----------	--	--	----------

NOTE: For New Caledonia and French Polynesia/AME/CIS/Turkey/SEA/India /GCN1/AM-S/EU/US/Canada/Korea/HK

L	432-5838	M-BOOM, 23' BLCV/SLCV PKG 0 FOR USE IN LANE 2 FOR EU/CIS FOR USE IN LANE 3 ALL OTHER REGIONS Mass Boom/7.0M (23') Package (PKG) with boom lowering control device (BLCV) and stick lowering control device (SLCV) INCLUDES: -BOOM, 7.0M (23') MASS EXCAVATION -CYLINDER, BOOM (W/BLCV) -CYLINDER, STICK (W/SLCV) -DEVICE, BOOM LOWERING CONTROL -DEVICE, STICK LOWERING CONTROL		\$106,320
---	----------	---	--	-----------

NOTE: For AM-S/SEA/India/US/Canada/Korea/ANZP/EU

L	559-7543	M-BOOM ONLY, 23' 0 FOR USE IN LANE 3 ONLY Mass Boom/7.0M (23') Package (PKG),STICKLESS INCLUDES: 355-7244 CYLINDER, STICK (W/O SLCV) 381-7558 BOOM, 23' MASS EXCAVATION		\$70,540
---	----------	---	--	----------

Mass boom packages CPM

L	507-1269	M-BOOM, 23' (CPM) PKG 0 Mass Boom/7.0M (23') Package (PKG) compatible with CAT Production Measurement (CPM) INCLUDES: -BOOM,7.0M MASS EXCAVATION (CPM) -CYLINDER, STICK (W/O SLCV) -CYLINDER, BOOM (W/O BLCV)		\$90,760
---	----------	---	--	----------

NOTE: For ANZP/SEA/India/GCN1/AM-S/EU/US/Canada/Korea

CATERPILLAR MACHINE PRICE LIST

374F-XZ

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BOOMS, STICKS, AND LINKAGES (CONT.)

Mass boom packages CPM (Cont.)

L	507-1271	M-BOOM, 23'(CPM) BLCV/SLCV PKG 0 Mass Boom/7.0M (23') Package (PKG) compatible with CAT Production Measurement (CPM) INCLUDES: -BOOM,23'MASS EXCAVATION (CPM) -DEVICE, BOOM LOWERING CONTROL -CYLINDER, BOOM (W/BLCV) -CYLINDER, STICK (W/SLCV) -DEVICE, STICK LOWERING CONTROL NOTE: For SEA/India/AM-S/US/Canada/Korea/ANZP/EU		\$106,320
	0G-0341	NO BOOM 0 FOR USE WITH FRONTLESS CONFIGURATION REQUIRES: -NO STICK -ROPS CERTIFICATION REMOVAL		NC

CATERPILLAR MACHINE PRICE LIST

374F-XZ

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BOOMS, STICKS, AND LINKAGES (CONT.)

STICKS

Reach Stick (VB2-linkage)

L	357-4758	STICK, R15'4" (VB2) 0 FOR USE IN LANE 2 FOR AM-N FOR USE IN LANE 3 ALL OTHER REGIONS Reach stick R4.6M (R15'4") compatible with VB2 linkage ONLY FOR USE WITH: 415-9638 R-BOOM, 7.8M(25' 7")PKG 432-5835 R-BOOM, 7.8M(25' 7") BLCV/SLCV PKG		\$29,010
---	----------	---	--	----------

NOTE: For ANZ/AME/CIS/Turkey/EU/US/Canada

L	357-4760	STICK, R11'10" (VB2) 0 FOR USE IN LANE 2 FOR EU/AM-N FOR USE IN LANE 3 ALL OTHER REGIONS Reach stick R3.6M (R11'10") compatible with VB2 linkage ONLY FOR USE WITH: 415-9638 R-BOOM, 7.8M(25' 7")PKG 432-5835 R-BOOM, 7.8M(25' 7") BLCV/SLCV PKG		\$25,550
---	----------	--	--	----------

NOTE: For ANZ/AME/CIS/Turkey/EU/Japan/US/Canada/HK

Reach Stick CPM (VB2-linkage)

L	506-0427	STICK, R15'4" (CPM) (VB2) 0 Reach stick R4.6M(R15'4") Cat Production Measurement ready (CPM) compatible with VB2 linkage ONLY FOR USE WITH: 481-3512 R-BOOM, 7.8M(25' 7")CPM PKG OR 481-3513 R-BOOM,7.8M(25'7") BLCV/SLCV CPM PKG		\$29,010
---	----------	--	--	----------

L	506-0428	STICK, R11'10" (CPM) (VB2) 0 Reach stick R3.6M(R11'10") Cat Production Measurement ready (CPM) compatible with VB2 linkage ONLY FOR USE WITH: 481-3512 R-BOOM, 7.8M(25' 7")CPM PKG 481-3513 R-BOOM,7.8M(25'7") BLCV/SLCV CPM PKG		\$25,550
---	----------	---	--	----------

NOTE: For AME/CIS/Turkey/EU/US/Canada/ANZ/Japan

L	504-6346	STICK, R13'7" (CPM) (VB2) 0 Reach stick R4.15M(R13'7") Cat Production Measurement ready (CPM) compatible with VB2 linkage ONLY FOR USE WITH: 481-3512 R-BOOM, 25' 7" CPM PKG ONLY FOR USE WITH: 481-3513 R-BOOM,25'7"BLCV/SLCV CPM PKG		\$26,980
---	----------	---	--	----------

NOTE: For US/CANADA

CATERPILLAR MACHINE PRICE LIST

374F-XZ

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BOOMS, STICKS, AND LINKAGES (CONT.)

Mass Stick (WB2-linkage)

L	366-6287	STICK, M8'5" (WB2) 0		\$27,170
		FOR USE IN LANE 2 FOR EU/CIS/AME FOR USE IN LANE 3 ALL OTHER REGIONS Mass stick M2.6M (M8'6") compatible with WB2 linkage ONLY FOR USE WITH: 415-9639 M-BOOM, 7.0M(23')PKG 432-5838 M-BOOM, 7.0M(23')BLCV/SLCV PKG		

NOTE: For ANZP/AME/CIS/Turkey/SEA/India/AM-S/GCN1/EU/Korea/US/Canada

Mass Stick CPM (WB2-linkage)

L	504-6347	STICK, M8'5" (CPM) (WB2) 0		\$27,170
		Mass stick M2.6M(M8'6") Cat Production Measurement ready (CPM) compatible with WB2 linkage ONLY FOR USE WITH: 507-1269 M-BOOM, 7.0M(23')(CPM) PKG 507-1271 M-BOOM, 7.0M(23')(CPM) BLCV/SLCV PKG		

NOTE: For SEA/India/GCN1/AM-S/US/Canada/Korea/AME/CIS/Turkey/ANZP/EU

	0G-0342	NO STICK 0		NC
		For FRONTLESS CONFIGURATION REQUIRES: -NO BUCKET LINKAGE -ROPS CERTIFICATION REMOVAL		

BUCKET LINKAGES

Linkage VB2- Family for reach boom

L	432-5851	LINKAGE, VB2 W/EYE PKG 0		\$18,500
		FOR USE IN LANE 2 FOR EU/AM-N FOR USE IN LANE 3 ALL OTHER REGIONS VB2 linkage WITH lifting eye INCLUDES: -LINKAGE, BKT VB2-W/LIFT EYE -CYLINDER,BKT (VB2-LINKAGE) ONLY FOR USE WITH: 357-4758 STICK, R4.6M(R15'4")(VB2) 357-4760 STICK, R3.6M (R11'10")(VB2) 447-2487 STICK, R2.84M(R9'4")(VB2)		

NOTE: For SEA/India/AM-S/Korea/ANZP/AME/CIS/Turkey/EU/US/Canada
 /ANZP/AME/CIS/Turkey/EU/US/Canada

CATERPILLAR MACHINE PRICE LIST

374F-XZ

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BOOMS, STICKS, AND LINKAGES (CONT.)

Linkage VB2- Family for reach boom CPM

L	432-5854	LINKAGE, VB2 W/EYE CPM PKG 0 VB2 linkage WITH lifting eye Cat Production Measurement ready (CPM) INCLUDES: -LINKAGE, BKT VB2-W/LIFT EYE -GUARD, CYLINDER (CPM) -CYLINDER,BKT (VB2-LINKAGE CPM) ONLY FOR USE WITH: 506-0428 STICK, R3.6M(R11'10")(CPM) (VB2) 506-0427 STICK, R4.6M R15'4")(CPM) (VB2) 504-6346 STICK, R4.15M(R13'7")(CPM) (VB2)		\$18,500
---	----------	--	--	----------

NOTE: For ANZ/AME/CIS/Turkey/EU/US/Canada

Linkage WB2-Family for mass boom

L	415-9642	LINKAGE, WB2 W/O EYE PKG 0 FOR USE IN LANE 2 FOR EU/CIS/AME FOR USE IN LANE 3 ALL OTHER REGIONS WB2 linkage without lifting eye INCLUDES: -LINKAGE, BKT WB2-W/O LIFT EYE -CYLINDER,BKT (WB2-LINKAGE) ONLY FOR USE WITH: 384-9794 STICK, M3.0M(M9'10")(WB2) 366-6287 STICK, M2.6M(M8'6")(WB2)		\$18,750
---	----------	--	--	----------

NOTE: For AME/CIS/Turkey/SEA/India/AM-S/GCN1/EU/Korea/US/Canada/ANZP /HK

L	432-5856	LINKAGE, WB2 W/EYE PKG 0 FOR USE IN LANE 2 FOR EU/CIS/AME FOR USE IN LANE 3 ALL OTHER REGIONS WB2 linkage WITH lifting eye INCLUDES: -LINKAGE, BKT VB2-W/LIFT EYE -CYLINDER,BKT (WB2-LINKAGE) ONLY FOR USE WITH: 384-9794 STICK, M3.0M(M9'10")(WB2) 366-6287 STICK, M2.6M(M8'6")(WB2)		\$20,550
---	----------	---	--	----------

NOTE: For GCN1/SEA/India/Korea/US/Canada/AME/CIS/Turkey/ANZP/AM-S/EU

CATERPILLAR MACHINE PRICE LIST

374F-XZ

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BOOMS, STICKS, AND LINKAGES (CONT.)

Linkage WB2-Family for mass boom CPM

L	507-1276	LINKAGE, WB2 W/O EYE (CPM) PKG 0 WB2 linkage without lifting eye compatible with CPM. INCLUDES: -LINKAGE, BKT WB2-W/O LIFT EYE -GUARD (CPM) -CYLINDER,BKT(WB2-LINKAGE)(CPM) NOTE: For ANZP/SEA/India/GCN1/AM-S/US/Canada/Korea/AME/CIS/Turkey/EU		\$18,850
L	507-1277	LINKAGE, WB2 W/EYE (CPM) PKG 0 WB2 linkage WITH lifting eye compatible with CPM. INCLUDES: -LINKAGE, BKT WB2-W/LIFT EYE -GUARD (CPM) -CYLINDER,BKT(WB2-LINKAGE)(CPM) NOTE: For AME/CIS/Turkey/SEA/India/GCN1/AM-S/EU/US/Canada/Korea/ANZP		\$20,550

UNDERCARRIAGE

TRACKS

L	357-7499	TRACK, 30" DG-HD (PPR2) 0 FOR USE IN LANE 2 FOR EU FOR USE IN LANE 3 ALL OTHER REGIONS t=20.5MM CANNOT BE USED WITH: ANZ NOTE: For AME/CIS/Turkey/SEA/India/AM-S/PAC/EU/Korea/US/Canada/HK		\$7,790
L	357-7500	TRACK, 36" DG-HD (PPR2) 0 FOR USE IN LANE 2 FOR AM-N FOR USE IN LANE 3 ALL OTHER REGIONS t=20.5MM		\$13,210

TRACK GUIDING GUARD

P	141-3748	GUARD, TRACK GUIDING, CENTER 0 FOR USE IN LANE 2 FOR EU/AM-N/CIS/AME FOR USE IN LANE 3 ALL OTHER REGIONS NOTE: For SEA/ANZP/India/Korea/AME/CIS/Turkey/AM-S/EU/US/Canada LANE 2 FOR EU/AM-N/CIS/AME		\$2,005
---	----------	---	--	---------

CATERPILLAR MACHINE PRICE LIST

374F-XZ

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

UNDERCARRIAGE (CONT.)

TRACK GUIDING GUARD (Cont.)

P	390-5668	GUARD, TRACK GUIDING, SEGMENTED 0 FOR USE IN LANE 2 FOR EU FOR USE IN LANE 3 ALL OTHER REGIONS		\$3,670
---	----------	--	--	---------

NOTE: For ANZP/AM-S/SEA/India/US/Canada/Korea/AME/CIS/Turkey/GCN1/EU/HK

P	141-3751	GUARD, TRACK GUIDE, FULL LENGTH 1,532 FOR USE IN LANE 3 ONLY		\$5,720
---	----------	---	--	---------

HYDRAULICS

CONTROL PACKAGES

NO Auxilliary Circuit

L	433-0714	JOYSTICK TWJ STP PKG 0 FOR USE IN LANE 2 FOR CIS/AME Joystick Thumb Wheel (TWJ) and straight travel pedal (STP) Package (PKG)		\$6,560
---	----------	---	--	---------

NOTE: For SEA/India/ANZP/GCN1/AM-S/AME/CIS/Turkey/EU/US/Canada/Korea

Auxilliary Circuit - Tool Control Without Medium Pressure

L	433-0734	TOOL CTRL TWJ STP PKG 0 FOR USE IN LANE 3 ONLY Tool Control (CTRL) with Joystick thumb wheel and straight travel pedal (STP) Package (PKG) Combined circuit (1 way / 2 way)		\$14,790
---	----------	--	--	----------

NOTE: For AME/CIS/Turkey/EU/US/Canada/Korea/ANZP/SEA/India/AM-S

CATERPILLAR MACHINE PRICE LIST

374F-XZ

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

Auxilliary Circuit - Tool Control With Medium Pressure

L	433-0738	TOOL CTRL MP TWJ STP PKG 0		\$20,230
		FOR USE IN LANE 2 FOR EU		
		FOR USE IN LANE 3 ALL OTHER REGIONS		
		Tool Control (CTRL) Medium Pressure (MP) with thumb wheel joystick (TWJ) and straight travel pedal (STP) package(pkg)		
		Combined circuit (1 way / 2 way)		

NOTE: For ANZP/SEA/India/AM-S/US/Canada/Korea/AME/CIS/Turkey/EU

OPERATOR ENVIRONMENT

OPERATOR STATION

L	507-1278	CAB, 70/30 POLY HATCH PKG 0		\$1,070
		FOR USE IN LANE 2 FOR AM-N		
		FOR USE IN LANE 3 ALL OTHER REGIONS		
		INCLUDES:		
		-CAB,70/30,W/VANDAL-G BOSS		
		-RADIO, 24V AM/FM		
		-WASHER WIPER		
		-WIPER-PARALLEL, FRONT 70/30		
		-SUN SCREEN (70/30)		

NOTE: NOT AVAILABLE FOR EU

STORAGE BOX

L	379-7477	STORAGE BOX (HRC) 0		NC
		FOR USE IN LANE 2 FOR AM-N		
		FOR USE IN LANE 3 ALL OTHER REGIONS		
		CANNOT BE USED WITH: 384-9804 LUBRICATION, ELECTRIC		

NOTE: For US/Canada/Korea

L	379-7713	STORAGE BOX (LUB ELEC HRC) 0		NC
		FOR USE IN LANE 3 ONLY		
		REQUIRES: 384-9804 LUBRICATION, ELECTRIC		

CATERPILLAR MACHINE PRICE LIST

374F-XZ

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Cat marketing representative with questions.

L	460-1150	PRODUCT LINK, SATELLITE PL631 0 FOR USE IN LANE 2 FOR AM-N FOR USE IN LANE 3 ALL OTHER REGIONS ANSI Product Link Pro series PL631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage. Not available for Russia/Singapore/Guyana/Kazakhstan/Serbia NOTE: LANE 2 FOR AM-N		\$432
---	----------	---	--	-------

CATERPILLAR MACHINE PRICE LIST

374F-XZ

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

SAFETY AND SECURITY

CAB GUARDS

P	415-9646	GUARD FOGS HALOGEN PKG 0		\$3,385
		FOGS guard with working lights, cab mounted w/time delay		
		INCLUDES:		
		-GUARD, FALLING OBJECTS		
		-LIGHTING, CAB W/GRD (HALOGEN)		

CAB LIGHTS

P	319-1179	LIGHTING, CAB (HALOGEN) 0		\$319
		Working lights, cab mounted w/time delay		
		NOTE: For AM-S/AME/CIS/Turkey/SEA/ANZP/GCN1/India/EU/US/Canada/Korea /HK		

CAB MIRROR

L	327-6552	MIRROR, CAB, W/O GUARD 0		\$107
		Mandatory for EU, Japan & Am-N,turkey,SK,ANZ		
		Additional ISO cab mirror		
		CANNOT BE USED WITH: 415-9646 GUARD FOGS HALOGEN PKG		
		415-9647 GUARD FOGS HID PKG		

NOTE: Available from FEB 2019 Shipment

L	327-6553	MIRROR, CAB, GUARD FALLING 0		\$107
		Mandatory for EU, TURKEY& Am-N,SK,ANZ		
		Additional ISO cab mirror for FOGS and front mesh guard		
		ONLY FOR USE WITH: 415-9647 GUARD FOGS HID PKG		
		415-9646 GUARD FOGS HALOGEN PKG		

NOTE: Available from FEB 2019 Shipment

BOOM LIGHTS

P	369-0301	HALOGEN LIGHTS, R-BOOM 0		\$322
		FOR USE IN LANE 2 FOR EU/AM-N		
		FOR USE IN LANE 3 ALL OTHER REGIONS		
		Reach boom lights with time delay.		
		ONLY FOR USE WITH: 415-9638 R-BOOM, 7.8M(25' 7")PKG or		
		432-5835 R-BOOM, 7.8M(25'7"BLCV/SLCV) PKG or		
		481-3513 R-BOOM, 7.8M(25'7") BLCV/SLCV CPM PKG or		
		481-3512 R-BOOM, 7.8M(25' 7")CPM PKG		
		559-7542 R-BOOM ONLY, 25'7" PKG		
		559-7545 R-BOOM ONLY, 25'7" PKG		

CATERPILLAR MACHINE PRICE LIST

374F-XZ

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

SAFETY AND SECURITY (CONT.)

BOOM LIGHTS (Cont.)

P	377-8013	HALOGEN LIGHTS, M-BOOM 0 FOR USE IN LANE 2 FOR EU/CIS/AME FOR USE IN LANE 3 ALL OTHER REGIONS Mass boom lights with time delay. ONLY FOR USE WITH: 415-9639 M-BOOM, 7.0M(23')PKG or 432-5838 M-BOOM, 7.0M(23' BLCV/SLCV)PKG or 507-1269 M-BOOM, 7.0M(23')(CPM) PKG or 507-1271 M-BOOM, 7.0M(23')(CPM) BLCV/SLCV PKG 559-7543 M-BOOM ONLY, 23' PKG 559-7546 M-BOOM ONLY, 23' PKG		\$322
---	----------	---	--	-------

NOTE: For ANZP/AME/CIS/Turkey/SEA/India/GCN1/AM-S/EU/Korea/US/Canada /HK

P	377-8014	HID LIGHTS, R-BOOM 0 FOR USE IN LANE 2 FOR AM-N FOR USE IN LANE 3 ALL OTHER REGIONS HID reach boom lights with time delay. ONLY FOR USE WITH: 415-9638 R-BOOM, 7.8M(25' 7")PKG or 432-5835 R-BOOM, 7.8M(25'7" BLCV/SLCV) PKG or 481-3513 R-BOOM, 7.8M(25'7") BLCV/SLCV CPM PKG or 481-3512 R-BOOM, 7.8M(25' 7")CPM PKG 559-7542 R-BOOM ONLY, 25'7" PKG 559-7545 R-BOOM ONLY, 25'7" PKG		\$1,165
---	----------	--	--	---------

NOTE: For AME/CIS/Turkey/SEA/India/ANZP/EU/US/Canada LANE 2 FOR AM-N

P	377-8015	HID LIGHTS, M-BOOM 0 FOR USE IN LANE 2 FOR CIS/AME FOR USE IN LANE 3 ALL OTHER REGIONS HID mass boom lights with time delay. ONLY FOR USE WITH: 415-9639 M-BOOM, 7.0M(23')PKG or 432-5838 M-BOOM, 7.0M(23' BLCV/SLCV)PKG or 507-1269 M-BOOM, 7.0M(23')(CPM) PKG or 507-1271 M-BOOM, 7.0M(23')(CPM) BLCV/SLCV PKG 559-7543 M-BOOM ONLY, 23' PKG 559-7546 M-BOOM ONLY, 23' PKG		\$1,165
---	----------	--	--	---------

NOTE: For AME/CIS/Turkey/AM-S/EU/ANZP/SEA/India/US/Canada

CATERPILLAR MACHINE PRICE LIST

374F-XZ

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

SAFETY AND SECURITY (CONT.)

CAMERA & GUARD RAILS

L	499-0246	CAMERA, REAR 0		\$1,385
		FOR USE IN LANE 2 FOR AM-N/CIS/AME FOR USE IN LANE 3 ALL THER REGIONS Not Available for Turkey/EU		

NOTE: For GCN1/ANZP/AME/CIS/SEA/India/AM-S/US/Canada/Korea

L	499-0247	CAMERA, REAR 0		\$1,385
		FOR USE IN LANE 2 FOR AM-N FOR USE IN LANE 3 ALL OTHER REGIONS Not available for Turkey REQUIRES: 431-3993 COUNTERWEIGHT,REMOVAL(ISO-LRC) 430-4686 COUNTERWEIGHT,REMOVAL(ISO-HRC) 430-4687 COUNTERWEIGHT,REMOVAL(ANSI)		

NOTE: For ANZP/AME/CIS/SEA/India/GCN1/AM-S/US/Canada

FUEL SYSTEMS

FUEL TANK

L	379-7476	TANK, FUEL 0		NC
		FOR USE IN LANE 2 FOR EU/AM-N FOR USE IN LANE 3 ALL OTHER REGIONS No fast fill fuel function		

NOTE: For EU/US/Canada/Korea/ANZ

L	397-5465	FUEL TANK W/FAST FILL SYSTEM 0		\$1,975
		FOR USE IN LANE 2 FOR EU/AM-N FOR USE IN LANE 3 ALL OTHER REGIONS With fast fill fuel function		

NOTE: For EU/US/Canada/Korea/ANZ

FRAMES

CATERPILLAR MACHINE PRICE LIST

374F-XZ

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

FRAMES (CONT.)

COUNTERWEIGHT

L	430-4685	COUNTERWEIGHT,24,250LBS (HRC) 0 FOR USE IN LANE 2 FOR EU/AM-N FOR USE IN LANE 3 ALL OTHER REGIONS ONLY FOR USE WITH: 493-7824 CAMERA, REAR & RH VIEW 499-0246 CAMERA, REAR 499-0248 HANDRAILS		NC
---	----------	--	--	----

NOTE: For ANZ/EU/US/Canada/Korea

L	430-4687	COUNTERWEIGHT,REMOVAL(ANSI) 0 FOR USE IN LANE 2 FOR AM-N FOR USE IN LANE 3 ALL OTHER REGIONS ONLY FOR USE WITH: 499-0247 CAMERA, REAR		\$16,260
---	----------	--	--	----------

NOTE: For US/Canada

HOOD & COVER

L	446-0766	HOOD & COVER 0 FOR USE IN LANE 2 FOR EU/AM-N/CIS/AME FOR USE IN LANE 3 ALL OTHER REGIONS		NC
---	----------	--	--	----

L	446-0767	HOOD + COVER (CPM) 0 FOR USE IN LANE 2 FOR EU/JPN/AM-N/ANZ/TURKEY FOR USE IN LANE 3 ALL OTHER REGIONS		NC
---	----------	---	--	----

NOTE: For ANZP/AME/CIS/Turkey/EU/US/Canada/Japan/SEA/India/AM-S /GCN1/Korea

INSTRUCTIONS

FILM OUTSIDE

P	389-1628	INSTRUCTIONS, ANSI (OUT) 0 FOR USE IN LANE 2 FOR AM-N FOR USE IN LANE 3 ALL OTHER REGIONS		NC
---	----------	---	--	----

FILM CAB

P	509-0798	INSTRUCTIONS, ANSI (CAB) 0 FOR USE IN LANE 2 FOR AM-N FOR USE IN LANE 3 ALL OTHER REGIONS		NC
---	----------	---	--	----

FILM FRONTLESS

MANDATORY FOR FRONTLESS CONFIGURATION

P	560-4394	INSTRUCTIONS, ANSI (OUT) 0 FOR USE IN LANE 3 ONLY		NC
---	----------	--	--	----

CATERPILLAR MACHINE PRICE LIST

374F-XZ

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

CYLINDERS

STICK CYLINDER

P	355-7244	CYLINDER, STICK (W/O SLCV) 0 FOR USE IN LANE 3 ONLY CANNOT BE USED WITH: 559-7542 R-BOOM ONLY, 25'7" PKG 559-7543 M-BOOM ONLY, 23' PKG		\$22,310
---	----------	---	--	----------

CATERPILLAR MACHINE PRICE LIST

374F-XZ

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

POWERTRAIN

ELECTRIC LUBRICATION

L	384-9804	LUBRICATION, ELECTRIC. 0		\$4,190
		FOR USE IN LANE 3 ONLY This attachment fills the storage box and is intended for use in moderate climates. Performance may be unacceptable in temperatures below 14 degrees F, (-10C). Caterpillar is experiencing a supplier constraint on 384-9804, selecting this option may cause a slight delay in RTS date. ONLY FOR USE WITH: 423-2143 STORAGE BOX (LUB ELEC LRC)		
		NOTE: For AM-S/US/Canada/AME/CIS/HK Not available for Turkey/EU/SEA/TW		

LINE GROUPS

HIGH PRESSURE AUXILIARY BOOM LINES

L	381-5811	LINES-HP, BOOM 25'6" REACH 0		\$3,765
		FOR USE IN LANE 2 FOR EU FOR USE IN LANE 3 ALL THE REGIONS REQUIRES: 374-0004 LINES-HP, R2.8M(9'4")STICK 374-0003 LINES-HP, 3.6M(11'10")STICK 369-6190 LINES-HP, R4.6M(15'4")STICK 374-0002 LINES-HP, R4.15M(R13'7")STICK ONLY FOR USE WITH: 433-0726 CIRCUIT, HAMMER TWJ PKG or 433-0731 CIRCUIT, HAMMER TWJ STP PKG or 447-5118 CIRCUIT, HAMMER TWJ STP LP PKG or 433-0733 TOOL CTRL TWJ PKG or 433-0734 TOOL CTRL TWJ STP PKG or 433-0737 TOOL CTRL MP TWJ PKG or 433-0738 TOOL CTRL MP TWJ STP PKG or 433-0739 TOOL CTRL MP TWJ STP LP PKG and 415-9638 R-BOOM, 7.8M(25' 7")PKG or 432-5835 R-BOOM, 7.8M(25'7"BLCV/SLCV) PKG or 481-3513 R-BOOM, 7.8M(25'7") BLCV/SLCV CPM PKG or 481-3512 R-BOOM, 7.8M(25' 7")CPM PKG		
		NOTE: For ANZP/SEA/India/Korea/AME/CIS/Turkey/EU/US/Canada/HK		

CATERPILLAR MACHINE PRICE LIST

374F-XZ

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

LINE GROUPS (CONT.)

HIGH PRESSURE AUXILIARY BOOM LINES (Cont.)

L	381-5812	LINES-HP, BOOM 23' M.E. 0 FOR USE IN LANE 2 FOR EU/CIS/AME FOR USE IN LANE 3 ALL OTHER REGIONS REQUIRES: 374-0006 LINES-HP, M2.6M(8'6")STICK 374-0005 LINES-HP, M3.0M(9'10")STICK ONLY FOR USE WITH: 433-0726 CIRCUIT, HAMMER TWJ PKG or 433-0731 CIRCUIT, HAMMER TWJ STP PKG or 447-5118 CIRCUIT, HAMMER TWJ STP LP PKG or 433-0733 TOOL CTRL TWJ PKG or 433-0734 TOOL CTRL TWJ STP PKG or 433-0737 TOOL CTRL MP TWJ PKG or 433-0738 TOOL CTRL MP TWJ STP PKG or 433-0739 TOOL CTRL MP TWJ STP LP PKG and 415-9639 M-BOOM, 7.0M(23')PKG or 432-5838 M-BOOM, 7.0M(23' BLCV/SLCV)PKG or 507-1269 M-BOOM, 7.0M(23')(CPM) PKG or 507-1271 M-BOOM,7.0M(23')(CPM) BLCV/SLCV PKG		\$3,765
---	----------	---	--	---------

NOTE: For SEA/ANZP/GCN1/India/US/Canada/Korea/AME/CIS/Turkey/AM-S/EU /HK

HIGH PRESSURE AUXILIARY STICK LINES

L	374-0002	LINES-HP, R13'7" STICK 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 504-6346 STICK, R4.15M(R13'7")(CPM) (VB2) 381-5811 LINES-HP, BOOM 25'6" REACH		\$2,890
L	374-0003	LINES-HP, 11'10" STICK 0 ONLY FOR USE WITH: 357-4760 STICK, R3.6M(R11'10")(VB2) or 506-0428 STICK, R3.6M(R11'10")(CPM) (VB2) and 381-5811 LINES-HP, BOOM 25'6" REACH		\$2,890
L	369-6190	LINES-HP, R15'4" STICK 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 357-4758 STICK, R4.6M(R15'4")(VB2) or 506-0427 STICK, R4.6M R15'4")(CPM) (VB2) 381-5811 LINES-HP, BOOM 25'6" REACH		\$2,890

NOTE: For AME/CIS/Turkey/ANZ/EU/US/Canada/HK

NOTE: For AME/CIS/Turkey/ANZ/EU/US/Canada

CATERPILLAR MACHINE PRICE LIST

374F-XZ

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

LINE GROUPS (CONT.)

HIGH PRESSURE AUXILIARY STICK LINES (Cont.)

L	374-0006	LINES-HP, 8'6" STICK 0		\$2,890
		FOR USE IN LANE 2 FOR CIS		
		FOR USE IN LANE 3 ALL OTHER REGIONS		
		ONLY FOR USE WITH: 366-6287 STICK, M2.6M(M8'6")(WB2) or		
		504-6347 STICK, M2.6M(M8'6")(CPM) (WB2) and		
		381-5812 LINES-HP, BOOM 7.0M(23')M.E.		

NOTE: For SEA/ANZP/GCN1/India/US/Canada/Korea/AME/CIS/AM-S/Turkey/EU
 LANE 2 FOR CIS

MEDIUM PRESSURE AUXILIARY BOOM LINES

L	381-5813	LINES-MP, BOOM 25'6" REACH 0		\$2,135
		FOR USE IN LANE 3 ONLY		
		REQUIRES: 359-8799 LINES-MP, R9'4"(R9'4")STICK		
		359-8798 LINES-MP, R3.6M(11'10")STICK		
		369-6191 LINES-MP, R4.6M(15'4")STICK		
		ONLY FOR USE WITH: 433-0737 TOOL CTRL MP TWJ PKG or		
		433-0738 TOOL CTRL MP TWJ STP PKG or		
		433-0739 TOOL CTRL MP TWJ STP LP PKG and		
		415-9638 R-BOOM, 7.8M(25' 7")PKG or		
		432-5835 R-BOOM, 7.8M(25'7"BLCV/SLCV) PKG or		
		481-3513 R-BOOM, 7.8M(25'7") BLCV/SLCV CPM PKG or		
		481-3512 R-BOOM, 7.8M(25' 7")CPM PKG		

NOTE: For ANZP/SEA/India/US/Canada/Korea/AME/CIS/Turkey/EU

MEDIUM PRESSURE AUXILIARY STICK LINES

L	369-6191	LINES-MP, R15'4" STICK 0		\$1,555
		FOR USE IN LANE 3 ONLY		
		ONLY FOR USE WITH: 357-4758 STICK, R4.6M(R15'4")(VB2) or		
		506-0427 STICK, R4.6M R15'4")(CPM) (VB2)		
		381-5813 LINES-MP, BOOM 7.8M(25'6")REACH and		

NOTE: For AME/CIS/Turkey/ANZ/EU/US/Canada
 We are experiencing supplier delays on 369-6191, selecting this option may cause your RTS date to be extended.

CATERPILLAR MACHINE PRICE LIST

374F-XZ

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

LINE GROUPS (CONT.)

QUICK COUPLER

L	383-5095	CONTROL, CW DEDICATED QC(ANSI) 0		\$3,030
		FOR USE IN LANE 2 FOR AM-N FOR USE IN LANE 3 ALL OTHER REGIONS For use only for CW Dedicated Coupler This DOES NOT include QC lines for the boom and stick.		

NOTE: For US/Canada

QUICK COUPLER BOOM LINES

L	381-5815	LINES-QC, BOOM 25'6" REACH 0		\$3,865
		FOR USE IN LANE 2 FOR AM-N FOR USE IN LANE 3 ALL OTHER REGIONS REQUIRES: 326-8308 LINES-QC, R2.8M(9'4")STICK 371-3120 LINES-QC, R3.6M(11'10")STICK 344-4199 LINES-QC, R4.6M(15'4)STICK ONLY FOR USE WITH: 349-2279 CONTROL, CW DEDICATED QC (ISO) or 383-5095 CONTROL, CW DEDICATED QC(ANSI) and 415-9638 R-BOOM, 7.8M(25' 7")PKG or 432-5835 R-BOOM, 7.8M(25'7"BLCV/SLCV) PKG or 481-3513 R-BOOM, 7.8M(25'7") BLCV/SLCV CPM PKG or 481-3512 R-BOOM, 7.8M(25' 7")CPM PKG		

NOTE: For ANZ/EU/US/Canada

L	381-5816	LINES-QC, BOOM 23' M.E. 0		\$3,865
		FOR USE IN LANE 2 FOR EU FOR USE IN LANE 3 ALL OTHER REGIONS REQUIRES: 371-3124 LINES-QC, M2.6M(8'6")STICK ONLY FOR USE WITH: 349-2279 CONTROL, CW DEDICATED QC (ISO) or 383-5095 CONTROL, CW DEDICATED QC(ANSI) and 415-9639 M-BOOM, 7.0M(23')PKG or 432-5838 M-BOOM, 7.0M(23' BLCV/SLCV)PKG		

NOTE: For ANZ/US/Canada/AM-S/EU

QUICK COUPLER STICK LINES

L	371-3120	LINES-QC, 11'10" STICK 0		\$2,795
		FOR USE IN LANE 2 FOR AM-N FOR USE IN LANE 3 ALL OTHER REGIONS ONLY FOR USE WITH: 357-4760 STICK, R3.6M(R11'10")(VB2) or 506-0428 STICK, R3.6M(R11'10")(CPM) (VB2) and 381-5815 LINES-QC, BOOM 25'6" REACH		

NOTE: For ANZ/EU/US/Canada

CATERPILLAR MACHINE PRICE LIST

374F-XZ

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

LINE GROUPS (CONT.)

QUICK COUPLER STICK LINES (Cont.)

L	344-4199	LINES-QC, R15'4 STICK 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 357-4758 STICK, R4.6M(R15'4")(VB2) or 506-0427 STICK, R4.6M R15'4")(CPM) (VB2) 381-5815 LINES-QC, BOOM 25'6" REACH NOTE: For ANZ/EU/US/Canada		\$2,795
L	326-8310	LINES-QC, R13'7" STICK 0 FOR USE IN LANE 2 FOR AM-N FOR USE IN LANE 3 ALL OTHER REGIONS ONLY FOR USE WITH: 357-4759 STICK, R4.15M(R13'7")(VB2) or 504-6346 STICK, R4.15M(R13'7")(CPM) (VB2) and 381-5815 LINES-QC, BOOM 7.8M REACH NOTE: LANE 2 FOR AM-N		\$2,795
L	371-3124	LINES-QC, 8'6" STICK 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 366-6287 STICK, M2.6M(M8'6")(WB2) or 504-6347 STICK, M2.6M(M8'6")(CPM) (WB2) and 381-5816 LINES-QC, BOOM 7.0M(23')M.E. NOTE: For ANZ/EU/US/Canada/AM-S		\$2,795

STARTERS, BATTERIES, & ALTERNATORS

COLD WEATHER START PACKAGES

L	432-5834	COLD WEATHER STARTING 120V PKG 0 FOR USE IN LANE 2 FOR AM-N FOR USE IN LANE 3 ALL OTHER REGIONS INCLUDES: -BATTERY, COLD WEATHER -TERMINALS, JUMP START FOR -18 DEGREES, WITH 2 ADDITIONAL BATTERIES -HEATER, ENGINE COOLANT (120V) -STARTING AID, ETHER For temperatures ranging from -18 degree C(0F) to -32 degree C(-26). NOTE: For AM-S/US/Canada/Japan		\$1,470
---	----------	---	--	---------

CATERPILLAR MACHINE PRICE LIST

374F-XZ

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS

CAT Production Measurement

Includes Cat Production Measurement (CPM). CPM is activated ex-factory for life. In addition, this attachment includes the Cat Grade control (CGC) hardware and has CGC 2D system capability, except for the laser catcher and its wiring. CGC can be activated through the Service Mode on the monitor. No SEA is necessary. If required, laser catcher can be retrofitted through parts."

L	500-3303	CPM.....	0	\$16,160
---	----------	----------	---	----------

NOTE: For SEA/India/GCN1/AM-S/PAC/Korea/AME/CIS/Turkey/ANZ/EU/US /Canada/Japan

BUCKETS

BUCKETS

NOTE: Stick, bucket linkage, bucket adjuster and bucket must be matched.

For the full portfolio of work tools please refer to the Work Tool price pages.

For AME/CIS,

Bucket orders and machine orders will need to be entered separately. Buckets will be supplied directly from CWTS in Den Bosch. Please include the machine MSO in your bucket order to link both orders and synchronize the shipment and delivery at port of destination. Please refer to the WTHEx pricelist for the available bucket references and pricing. For specific bucket and work tool needs that are not included in the price list, contact the Caterpillar Tool Center. For EAME market call: +31 736.399.777 or e-mail: worktools@cat.com
 For bucket-only miscellaneous orders, use reference 0G related to your local WTHEx pricelist on your miscellaneous order.

For Am-N,

Bucket orders and machine orders will need to be entered separately. Buckets will be supplied directly from CWTS in Den Bosch/Wamego. For bucket-only miscellaneous orders, use reference 0G related to your local WTHEx pricelist on your miscellaneous order.

For GCN1/SEA/India/AM-S/ANZP,

CATERPILLAR MACHINE PRICE LIST

374F-XZ

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

BUCKETS (CONT.)

BUCKETS (Cont.)

Bucket can continue to be ordered either from the machine price list as part of the machine order or from the local WTHEX price list for buckets not shown in the machine price list.
 For specific bucket and work tool needs not covered in the price list, contact the Caterpillar Tool Center, email to: worktools@cat.com
 For bucket-only miscellaneous orders, use reference OG related to your local WTHEX pricelist on your miscellaneous order.

PACKING

OEM PACKING - FRONTLESS

OP-2688	PACK, FOR OEM EXPORT	0	NC
---------	----------------------	---	----

EXPORT PACKING - Machine Preparation

(Must select)

The following machine detaching options are required to meet the inland transportation regulation in China.

OG-8000	PACK, WITH BOOM,STICK & BUCKET For shipment bucket and stick are detached	0	\$3,105 NET
OG-8001	PACK, WITH BOOM & STICK To use if bucket is not ordered. For shipment stick is detached	0	\$3,105 NET
OG-8006	OPTION, BOOM DETACHED	0	NC
NOTE: Required by the inland transportation regulation in China.			
OG-8008	OPTION, COUNTERWEIGHT DETACHED	0	NC
NOTE: Required by the inland transportation regulation in China.			
OP-4652	PACK, 374F/390F SIDE STEP	0	\$62 NET
NOTE: Required by the inland transportation regulation in China.			
OP-4653	PACK, 374F/390F TOP GUARD ONLY FOR USE WITH: 415-9646 GUARD FOGS HALOGEN PKG 415-9647 GUARD FOGS HID PKG 433-2497 GUARD TOP HALOGEN PKG 433-2498 GUARD TOP HID PKG	0	\$62 NET
NOTE: Required by the inland transportation regulation in China.			

CATERPILLAR MACHINE PRICE LIST

374F-XZ

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

PACKING (CONT.)

EXPORT PACKING - Transportation mode (Including protection)

NOTE: Must select

0G-4127	STORAGE PROTECTION (EXPORT) 0	\$409 NET
	Machines from the factory have been sprayed with Fluid Film TM, see your account rep for details. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.	

HYDRAULIC PLUGS

L	564-0029	PLUG, FRONTLESS, STANDARD 0	NC
		FOR USE IN LANE 3 ONLY	
L	564-0031	PLUG, FRONTLESS, W/SLCV 0	NC
		FOR USE IN LANE 3 ONLY	
L	564-0032	PLUG, FRONTLESS, HIGH PRESSURE 0	NC
		FOR USE IN LANE 3 ONLY	
L	564-0033	PLUG, FRONTLESS MEDIUM PRESSURE 0	NC
		FOR USE IN LANE 3 ONLY	
L	564-0034	PLUG, FRONTLESS, QUICK COUPLER 0	NC
		FOR USE IN LANE 3 ONLY	
L	564-0035	PLUG, BOOM, STANDARD 0	NC
		FOR USE IN LANE 3 ONLY	
L	564-0036	PLUG, BOOM, HIGH PRESSURE 0	NC
		FOR USE IN LANE 3 ONLY	
L	564-0037	PLUG, BOOM, MEDIUM PRESSURE? 0	NC
		FOR USE IN LANE 3 ONLY	
L	564-0039	PLUG, BOOM, QUICK COUPLER 0	NC
		FOR USE IN LANE 3 ONLY	
L	565-9039	PLUG, STICK CYLINDER, STD 0	NC
		FOR USE IN LANE 3 ONLY	
L	565-9040	PLUG, STICK CYLINDER, SLCV 0	NC
		FOR USE IN LANE 3 ONLY	
L	565-9041	PLUG, BOOM CYLINDER, STD 0	NC
		FOR USE IN LANE 3 ONLY	
L	565-9042	PLUG, BOOM CYLINDER, SLCV 0	NC
		FOR USE IN LANE 3 ONLY	

PACK FOR FRONTLESS

0P-6488	PACK, 374F/390F BOOM/STICK CYL 0	\$645 NET
	FOR FRONT LESS MACHINE ONLY	