

CATERPILLAR MACHINE PRICE LIST

390F-XZ

390F EXCAVATOR
 XUZHOU, CHINA

Ship Weight
 lbs

LIST PRICE
 AT DEALER

Standard Equipment:

POWERTRAIN

Automatic engine speed control
 CAT C18 diesel engine:
 -2300m/7500ft altitude capability
 w/ no derate
 -Power management modes:
 -High power: 382 KW
 -Economy: 323 KW with reduced engine
 speed
 Cooling capability:
 -High ambient, 52C/125(HRC)
 -High ambient, 52C/125(LRC)
 HPC(High Pressure Cut) ON except travel
 Radial seal air filter
 Secondary engine shut-off switch
 Water separator in fuel line

UNDERCARRIAGE

Idler and center section track guiding
 guards
 Grease lubricated track with PPR2
 Solid cast idler
 Heavy duty rollers
 Towing eye on base frame

HYDRAULICS

Hydraulic main pump (2 pump)
 Capability of installing Cat bio
 hydraulic oil

ELECTRICAL

75 Ampere alternator
 Heavy Duty batteries (2) Maint-free
 Horn, signaling/warning
 Light, storage box mounted (one)
 Light, cab mounted
 Light, boom mounted

OPERATOR ENVIRONMENT

Cab:
 -Ashtray with lighter
 -Beverage holder
 -Bolt-on FOGS capability
 -Coat hook
 -Interior lighting
 -Literature holder
 -Polycarbonate skylight
 -Parallel wiper and washer
 -Radio mounting (meets DIN size)
 with antenna and two stereo speakers
 -Sliding upper door window
 -Storage compartment (Shelf) suitable
 for lunch box
 -Air conditioner, heater and defroster
 with climate control

-Floormat, washable
 Monitor:
 -Clock
 -Language display (full graphic and
 full color display)
 -Machine condition, error code and
 tool mode setting information
 -Start-up level check for engine oil
 engine coolant & hydraulic oil
 -Warning, filter/fluid change and
 working hour information
 -Neutral lever for all controls
 -Fuel consumption meter
 Pedal:
 -Capability to install 2 add'l pedals
 (one electric pedal capability)
 -Travel control with removable
 hand levers
 Seat:
 -Adjustable armrest (95mm /3,7"width)
 -Electric provision for seat heater

GUARDS

5mm swivel guard on undercarriage
 HD bottom guards on upper frame
 HD travel motor guards

OTHER STANDARD EQUIPMENT

Automatic swing parking brake
 Boom and stick drift reducing valve
 Boom lowering device for service
 Capability to install additional
 auxiliary circuit
 Capability to install boom & stick
 lowering control device
 Capability to install stackable valves
 for main valve (max 3 valves)
 CAT data link with E/T use capability
 HD Circuit breaker
 Counterweight with lifting eyes
 Door locks and cap locks
 High performance hyd. return filter
 Mirrors, rearview (frame -right,
 cab-left)
 Product Link ready
 Regeneration circuit for boom & stick
 Two speed auto-shift travel
 Steel firewall between engine & pump
 compartment

CATERPILLAR MACHINE PRICE LIST

390F-XZ

390F EXCAVATOR
 XUZHOU, CHINA

Ship Weight
 lbs

LIST PRICE
 AT DEALER

**Lane 2 is reserved for the Base Order Management Program
 Please use Lane 2 when placing orders that are part of the Base Order
 Management program.**

**2018 YOY list price reductions will be offset by reductions in
 discounts or merchandising support.**

557-9554 390F L HEX AM-N FTO1B 0 \$995,330

LANE 1 - AVAILABLE FROM SAVANNAH PDC
 LANE 3 - AVAILABLE FROM XUZHOU FACTORY

FTO 1 (NO Tool Control, 900mm Track 70/30)

INCLUDES:

557-3359 390F L HEX
 439-1604 COLD WEATHER STARTING 120V PKG

INCLUDES:

STARTING AID, ETHER
 BATTERY (COLD WEATHER)
 HEATER, ENGINE COOLANT (120V)
 TERMINALS, JUMP START

439-1739 JOYSTICK TWJ STP PKG

INCLUDES:

MAIN VALVE
 JOYSTICK, THUMB WHEEL
 MAT, FLOOR, RH PEDAL
 PILOT LINES (W/STP)
 PEDAL, STRAIGHT TRAVEL

507-1278 CAB, 70/30 POLY HATCH PKG

INCLUDES:

CAB,70/30,W/VANDAL-G BOSS
 RADIO, 24V AM/FM
 WASHER WIPER
 WIPER-PARALLEL, FRONT 70/30
 SUN SCREEN (70/30)

372-9526 AIR CONDITIONER

377-8075 ALARM, TRAVEL

382-7318 QUICK DRAINS, READY (OIL)

488-6541 SEAT BELT, 51MM (2")

316-8885 SEAT,H-BACK,HEATER,S/AIR,COOL

473-9883 BEACON ELECTRICAL OUTLET

382-8287 WALKWAYS

499-0250 CAMERA, REAR VIEW

460-1150 PRODUCT LINK, SATELLITE PL631

357-7486 TRACK, 900MM (35") DG-HD (PPR2)

297-7518 GUARD,TRACK GUIDE, SEGMENTED

426-4925 UNDERCARRIAGE

430-7909 COUNTERWEIGHT,REMOVAL(ANSI)

379-7477 STORAGE BOX (HRC)

379-7839 TANK, FUEL

450-1767 HOOD & COVER (CPM)

416-5616 INSTRUCTIONS, ANSI (OUT)

509-0804 INSTRUCTIONS, ANSI (CAB)

319-1179 LIGHTING, CAB (HALOGEN)

500-3305 CPM W/O BLCV

NOTE: PDC inventory is not yet available for this FTO.

CATERPILLAR MACHINE PRICE LIST

390F-XZ

390F EXCAVATOR XUZHOU, CHINA	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

571-6474 390F L HEX AM-N FTO1C 0 LANE 3 - AVAILABLE FROM XUZHOU FACTORY FTO 1 (NO Tool Control, 900mm Track 70/30) INCLUDES: 557-3359 390F L HEX 439-1604 COLD WEATHER STARTING 120V PKG INCLUDES: STARTING AID, ETHER BATTERY (COLD WEATHER) HEATER, ENGINE COOLANT (120V) TERMINALS, JUMP START 439-1739 JOYSTICK TWJ STP PKG INCLUDES: MAIN VALVE JOYSTICK, THUMB WHEEL MAT, FLOOR, RH PEDAL PILOT LINES (W/STP) PEDAL, STRAIGHT TRAVEL 507-1278 CAB, 70/30 POLY HATCH PKG INCLUDES: CAB,70/30,W/VANDAL-G BOSS RADIO, 24V AM/FM WASHER WIPER WIPER-PARALLEL, FRONT 70/30 SUN SCREEN (70/30) 372-9526 AIR CONDITIONER 377-8075 ALARM, TRAVEL 382-7318 QUICK DRAINS, READY (OIL) 488-6541 SEAT BELT, 51MM (2") 316-8885 SEAT,H-BACK,HEATER,S/AIR,COOL 473-9883 BEACON ELECTRICAL OUTLET 382-8287 WALKWAYS 499-0250 CAMERA, REAR VIEW 460-1150 PRODUCT LINK, SATELLITE PL631 357-7486 TRACK, 900MM (35") DG-HD (PPR2) 297-7518 GUARD,TRACK GUIDE, SEGMENTED 426-4925 UNDERCARRIAGE 430-7909 COUNTERWEIGHT,REMOVAL(ANSI) 379-7477 STORAGE BOX (HRC) 379-7839 TANK, FUEL 450-1767 HOOD & COVER (CPM) 416-5616 INSTRUCTIONS, ANSI (OUT) 509-0804 INSTRUCTIONS, ANSI (CAB) 319-1179 LIGHTING, CAB (HALOGEN) 500-3305 CPM W/O BLCV 327-6552 MIRROR, CAB, W/O GUARD NOTE: PDC inventory is not yet available for this FTO.	0	\$995,440
--	---	------------------

CATERPILLAR MACHINE PRICE LIST

390F-XZ

390F EXCAVATOR XUZHOU, CHINA	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

<p>565-0245 390F L HEX AM-N FTO1C 0 LANE 3 - AVAILABLE FROM XUZHOU FACTORY</p>	<p>0</p>	<p>\$995,440</p>
---	----------	-------------------------

FTO 1 (NO Tool Control, 900mm Track 70/30)

INCLUDES:

- 556-9792 390F L HEX
- 439-1604 COLD WEATHER STARTING 120V PKG

INCLUDES:

- STARTING AID, ETHER
- BATTERY (COLD WEATHER)
- HEATER, ENGINE COOLANT (120V)
- TERMINALS, JUMP START

- 439-1739 JOYSTICK TWJ STP PKG

INCLUDES:

- MAIN VALVE
- JOYSTICK, THUMB WHEEL
- MAT, FLOOR, RH PEDAL
- PILOT LINES (W/STP)
- PEDAL, STRAIGHT TRAVEL

- 507-1278 CAB, 70/30 POLY HATCH PKG

INCLUDES:

- CAB,70/30,W/VANDAL-G BOSS
- RADIO, 24V AM/FM
- WASHER WIPER
- WIPER-PARALLEL, FRONT 70/30
- SUN SCREEN (70/30)

- 372-9526 AIR CONDITIONER
- 377-8075 ALARM, TRAVEL
- 382-7318 QUICK DRAINS, READY (OIL)
- 488-6541 SEAT BELT, 51MM (2")
- 316-8885 SEAT,H-BACK,HEATER,S/AIR,COOL
- 473-9883 BEACON ELECTRICAL OUTLET
- 382-8287 WALKWAYS
- 499-0250 CAMERA, REAR VIEW
- 460-1150 PRODUCT LINK, SATELLITE PL631
- 357-7486 TRACK, 900MM (35") DG-HD (PPR2)
- 297-7518 GUARD,TRACK GUIDE, SEGMENTED
- 426-4925 UNDERCARRIAGE
- 430-7909 COUNTERWEIGHT,REMOVAL(ANSI)
- 379-7477 STORAGE BOX (HRC)
- 379-7839 TANK, FUEL
- 450-1767 HOOD & COVER (CPM)
- 416-5616 INSTRUCTIONS, ANSI (OUT)
- 509-0804 INSTRUCTIONS, ANSI (CAB)
- 319-1179 LIGHTING, CAB (HALOGEN)
- 500-3305 CPM W/O BLCV
- 327-6552 MIRROR, CAB, W/O GUARD

NOTE: PDC inventory is not yet available for this FTO.
 Available from March 2019

CATERPILLAR MACHINE PRICE LIST

390F-XZ

390F EXCAVATOR XUZHOU, CHINA	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------	--------------------	-------------------------

557-9552 390F L HEX AM-N BCF1A 0 LANE 2 - AVAILABLE FROM XUZHOU FACTORY LANE 3 - AVAILABLE FROM XUZHOU FACTORY	0	\$933,510
---	---	------------------

Engine suitable for EPA Tier 4

Base Configuration must be completed by selecting
 Mandatory / Optional attachments.

- INCLUDES:
- 557-3359 390F L HEX
 - 372-9526 AIR CONDITIONER
 - 377-8075 ALARM, TRAVEL
 - 382-7318 QUICK DRAINS, READY (OIL)
 - 488-6541 SEAT BELT, 2"
 - 316-8885 SEAT,H-BACK,HEATER,S/AIR,COOL
 - 473-9883 BEACON ELECTRICAL OUTLET
 - 382-8287 WALKWAYS
 - 499-0250 CAMERA, REAR VIEW

559-7537 390F L HEX AMN BCF1A 0 LANE 3 - AVAILABLE FROM XUZHOU FACTORY	0	\$1,018,630
--	---	--------------------

Engine suitable for EPA Tier 4-FRONTLESS

Base Configuration must be completed by selecting
 Mandatory / Optional attachments.

- INCLUDES:
- 557-3359 390F L HEX
 - 372-9526 AIR CONDITIONER
 - 377-8075 ALARM, TRAVEL
 - 382-7318 QUICK DRAINS, READY (OIL)
 - 382-8287 WALKWAYS
 - 384-1134 CYLINDER, BOOM (W/O BLCV)
 - 473-9883 BEACON ELECTRICAL OUTLET
 - 488-6541 SEAT BELT, 2"
 - 316-8885 SEAT,H-BACK,HEATER,S/AIR,COOL
 - 499-0250 CAMERA, REAR VIEW
 - 562-5667 IDENTIFIER, FRONTLESS

0P-3979 390F MISC MATERIAL 0 AVAILABLE FROM SAVANNAH PDC & XUZHOU FACTORY.	0	NC
--	---	-----------

Only reference numbers under LANE 1 AM-NORTH OPTIONAL ATTACHMENTS
 section can be used on MISC order.

CATERPILLAR MACHINE PRICE LIST

390F-XZ

USE	REF NO.	MANDATORY ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

MUST CHOOSE AT LEAST ONE PACKAGE OR ATTACHMENT FROM EACH CATEGORY

LANE SELECTION FOR FTO

YOU MUST SELECT THIS REFERENCE WHEN ORDERING DCA FROM PDC

OP-9001	LANE 1 ORDER	0	NC
---------	------------------------	---	----

DECAL PACKAGE

(Must Choose One)

P	OP-7124	INSTRUCTION,NORTH AMERICA ANSI This package includes the ANSI decals and is required by all AM-N territories except Quebec, Canada.	0	NC
P	450-5706	INSTRUCTIONS, ISO This package includes picto decals as required for Quebec, Canada.	0	NC

NOTE: Required for Quebec

STORAGE PROTECTION

	OG-4127	STORAGE PROTECTION (EXPORT) Machines from the factory have been sprayed with Fluid Film TM, see your account rep for details. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.	0	\$409 NET
L	377-8075	ALARM, TRAVEL	0	\$890

NOTE: Mandatory for AM-S

EXPORT PACKING

	OG-8001	PACK, WITH BOOM & STICK To use if bucket is not ordered. For shipment stick is detached	0	\$3,105 NET
	OG-8006	OPTION, BOOM DETACHED	0	NC
	OG-8008	OPTION, COUNTERWEIGHT DETACHED	0	NC

NOTE: Required by the inland transportation regulation in China.

NOTE: Required by the inland transportation regulation in China.

CATERPILLAR MACHINE PRICE LIST

390F-XZ

USE	REF NO.	MANDATORY ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

EXPORT PACKING (Cont.)

	0P-4652	PACK, 374F/390F SIDE STEP	0	\$62 NET
		NOTE: Required by the inland transportation regulation in China.		
	0G-0672	EXP PKG, BOOM	0	\$128
		NOTE: For MISC order/ Machine order when select boom, FTO(NI)		
	0G-0673	EXP PKG, STICK/LINKAGE	0	\$173
		NOTE: For MISC order/ Machine order when select stick, FTO(NI)		

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

BOOM PACKAGE FOR FTO

P	528-4281	GP-BOOM, 27'7" CPM PKG	0	\$103,540
		General Purpose Boom/8.4M(27'7") Package (PKG) compatible with CAT Production Measurement (CPM)	0	\$103,540 NI
		INCLUDES:		
		-BOOM, 8.4M (27'7") GP (CPM)		
		-CYLINDER, BOOM (W/O BLCV)		
		-CYLINDER, STICK (W/O SLCV)		
		-HALOGEN LIGHTS, GP-BOOM		
P	528-4282	M-BOOM, 23'9" (CPM) PKG	0	\$106,760
		Mass Boom/7.25M (23'9") Package (PKG) compatible with CAT Production Measurement (CPM)	0	\$106,760 NI
		INCLUDES:		
		-BOOM, 7.25M (23'9") MASS EXCAVATION		
		-CYLINDER, BOOM (W/O BLCV)		
		-CYLINDER, STICK (W/O SLCV)		
		-HALOGEN LIGHTS, M-BOOM		
L	555-3609	R-BOOM,32'10" CPM PKG	0	\$105,840
		Reach Boom/10M(32'10") package(PKG) compatabile with Cat Production Measurement ready (CPM)	0	\$105,840 NI
		INCLUDES:		
		-BOOM, 32'10" REACH (CPM)		
		-CYLINDER, BOOM (W/O BLCV)		
		-CYLINDER, STICK (W/O SLCV)		
		-HALOGEN LIGHTS, R-BOOM		

CATERPILLAR MACHINE PRICE LIST

390F-XZ

USE	REF NO.	MANDATORY ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------	-----------------	----------------------

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS (CONT.)

STICK/LINKAGE PACKAGE FOR FTO

P	507-1312	R/GP 18'1" STICK/BKT LKG PKG	0 0	\$66,860 \$66,860 NI
		Reach Stick R5.5M (18'1") Package (PKG) compatible with CAT Production Measurement (CPM) INCLUDES: -STICK, R5.5M (18'1") (CPM) (HB2) -LINKAGE, HB2 W/EYE CPM PKG ONLY FOR USE WITH: 528-4281 GP-BOOM, 8.4M (27'7") CPM PKG		
P	507-1313	R/GP 14'5" STICK/BKT LKG PKG	0 0	\$63,540 \$63,540 NI
		Reach Stick R4.4M (14'5") Package (PKG) compatible with CAT Production Measurement (CPM) INCLUDES: -STICK, R4.4M (14'5") (CPM) (HB2) -LINKAGE, HB2 W/EYE CPM PKG ONLY FOR USE WITH: 528-4281 GP-BOOM, 8.4M (27'7") CPM PKG		
P	507-1314	GP11'2" STICK/BKT LKG PKG	0 0	\$64,280 \$64,280 NI
		General Purpose 3.4M (11'2") Package (PKG) compatible with CAT Production Measurement (CPM) INCLUDES: -STICK, GP3.4M (11'2") (CPM) (JC) -LINKAGE, JC W/EYE (CPM) PKG ONLY FOR USE WITH: 528-4281 GP-BOOM, 8.4M (27'7") CPM PKG		
P	517-8393	M9'7" STICK/BKT LKG (CPM)PKG	0 0	\$65,160 \$65,160 NI
		Mass 2.92M (9'7") Package (PKG) compatible with CAT Production Measurement (CPM) INCLUDES: -STICK, M2.92M (9'7") (CPM) (JC) -LINKAGE, JC W/EYE (CPM) PKG ONLY FOR USE WITH: 528-4282 M-BOOM, 7.25M (23'9") (CPM) PKG		

BUCKETS

NOTE: Stick, bucket linkage, bucket adjuster and bucket must be matched.

For the full portfolio of work tools please refer to the Work Tool price pages.

Bucket orders and machine orders will need to be entered separately. Buckets will be supplied directly from CWTS in Den Bosch/Wamego. For bucket-only miscellaneous orders, use reference OG related to your local WTHEX pricelist on your miscellaneous order.

CATERPILLAR MACHINE PRICE LIST

390F-XZ

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
OP-9003	LANE 3 ORDER	0	NC

BOOMS, STICKS, AND LINKAGES

**NOTES: Stick and bucket linkage must be matched.
 For Auxiliary hydraulic boom & stick lines packages,
 please refer to the LINE GROUPS SECTION.**

**BOOM PACKAGES
 includes boom and stick cylinders**

Reach boom packages

L	440-2991	R-BOOM, 32'10" PKG FOR USE IN LANE 2 FOR AM-N FOR USE IN LANE 3 ALL OTHER REGIONS Reach Boom/10M(32'10") Package (PKG) INCLUDES: -BOOM, 10M (32'10") REACH -CYLINDER, BOOM (W/O BLCV) -CYLINDER, STICK (W/O SLCV) CANNOT BE USED WITH: Australia & New Zealand NOTE: For AME/CIS/Turkey/EU/ANZP/SEA/India/GCN1/AM-S/US/Canada	0	\$105,200
L	439-1727	R-BOOM, 32'10" BLCV/SLCV PKG Reach Boom/10M(32'10") Package with boom lowering control device (BLCV) and stick lowering control device (SLCV) INCLUDES: -BOOM, 10m (32'10") REACH -CYLINDER, BOOM (W/BLCV) -STICK, CYLINDER (W/SLCV) -DEVICE, BOOM LOWERING CONTROL -DEVICE, STICK LOWERING CONTROL NOTE: For ANZP/SEA/India/EU/US/Canada	0	\$122,410
P	559-7547	R-BOOM, 32'10" PKG, STICK LESS FOR USE IN LANE 3 ONLY Reach Boom/10M(32'10") Package (PKG),STICKLESS Include: 355-7249 CYLINDER, STICK (W/O SLCV) 382-7315 BOOM, 32'10" REACH	0	\$78,720

CATERPILLAR MACHINE PRICE LIST

390F-XZ

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BOOMS, STICKS, AND LINKAGES (CONT.)

Reach boom packages (Cont.)

L	439-1729	GP-BOOM, 27'7" PKG 0		\$102,900
		FOR USE IN LANE 2 FOR AM-S FOR USE IN LANE 3 ALL OTHER REGIONS General Purpose Boom/8.4M(27'7") Package (PKG) INCLUDES: -BOOM, 8.4M (27'7") GENERAL PURPOSE -CYLINDER, BOOM (W/O BLCV) -CYLINDER, STICK (W/O SLCV) CANNOT BE USED WITH: Australia & New Zealand		

NOTE: For AME/CIS/SEA/India/Turkey/PAC/GCN1/AM-S/EU/US/Canada/Japan/HK

L	439-1730	GP-BOOM, 27'7" BLCV/SLCV PKG 0		\$120,110
		FOR USE IN LANE 3 ONLY General Purpose Boom/8.4M (27'7") Package (PKG) with boom lowering control device (BLCV) and stick lowering control device (SLCV) INCLUDES: -BOOM, 8.4M (27'7") GENERAL PURPOSE -CYLINDER, BOOM (W/ BLCV) -CYLINDER, STICK (W/ SLCV) -DEVICE, BOOM LOWERING CONTROL -DEVICE, STICK LOWERING CONTROL NOTE: LANE 2 FOR EU		

NOTE: For US/Canada/ANZP/SEA/India/EU

P	559-7549	GP-BOOM, 27'7" PKG STICK LESS 0		\$76,420
		FOR USE IN LANE 3 ONLY General Purpose Boom/8.4M(27'7") Package (PKG), STICKLESS Include: 355-7249 CYLINDER, STICK (W/O SLCV) 357-4743BOOM, 27'7" GENERAL PURPOSE		

Reach/General Purpose boom packages with CAT Grade Control

L	528-2858	R-BOOM, 32'10" CPM PKG 0		\$105,200
		Reach Boom/10.0M(32'10")Package (PKG) with CAT Production Measurement (CPM) INCLUDES: -BOOM, 32'10" REACH (CPM) -CYLINDER, BOOM (W/O BLCV)) -CYLINDER, STICK (W/O SLCV) AVAILABLE FOR: New Caledonia and French Polynesia/EU/AM-N/CIS/AME/TUR/SEA/INDIA		

CATERPILLAR MACHINE PRICE LIST

390F-XZ

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BOOMS, STICKS, AND LINKAGES (CONT.)

Reach/General Purpose boom packages with CAT Grade Control (Cont.)

L	528-2860	R-BOOM, 32' 10" BLCV/SLCV CPM PKG 0 Reach Boom/10.0M(32'10")Package (PKG) with boom lowering device (BLCV),stick lowering control device (SLCV) compatible with CAT Production Measurement (CPM) INCLUDES: -BOOM, 32'10" REACH (CPM) -DEVICE, BOOM LOWERING CONTROL -DEVICE, STICK LOWERING CONTROL -CYLINDER, BOOM (W/BLCV) -STICK, CYLINDER (W/SLCV) AVAILABLE FOR: New Caledonia and French Polynesia/EU/AM-N/CIS/AME/TUR		\$122,410
L	481-3515	GP-BOOM, 27' 7" BLCV/SLCV CPM PKG 0 General Purpose Boom/8.4M(27'7") Package (PKG) with boom lowering device (BLCV),stick lowering control device (SLCV) compatible with CAT Production Measurement (CPM) INCLUDES: -BOOM, 8.4M (27' 7") GP (CPM) -DEVICE, BOOM LOWERING CONTROL -DEVICE, STICK LOWERING CONTROL -CYLINDER, BOOM (W/BLCV) -STICK, CYLINDER (W/SLCV)		\$120,110
L	481-3516	GP-BOOM, 27' 7" CPM PKG 0 General Purpose Boom/8.4M(27'7") Package (PKG) compatible with CAT Production Measurement (CPM) INCLUDES: -BOOM, 8.4M (27' 7") GP (CPM) -CYLINDER, BOOM (W/O BLCV) -CYLINDER, STICK (W/O SLCV) CANNOT BE USED WITH: Australia & New Zealand NOTE: For New Caledonia and French Polynesia/SEA/India /AM-S/GCN1/PAC/AME/CIS/Turkey/US/Canada		\$102,900

Mass boom packages

L	456-1082	M-BOOM, 23'9" PKG 0 FOR USE IN LANE 2 FOR EU/CIS/AME FOR USE IN LANE 3 ALL OTHER REGIONS Mass Boom/7.25M (23'9") Package (PKG) INCLUDES: -BOOM, 7.25M (23.9') MASS EXCAVATION -CYLINDER, BOOM (W/O BLCV) -CYLINDER, STICK (W/O SLCV) CANNOT BE USED WITH: Australia & New Zealand NOTE: For AME/CIS/Turkey/SEA/GCN1/AM-S/India/EU/US/Canada/PAC /Japan/Korea/HK		\$106,120
---	----------	---	--	-----------

CATERPILLAR MACHINE PRICE LIST

390F-XZ

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BOOMS, STICKS, AND LINKAGES (CONT.)

Mass boom packages (Cont.)

L	456-1083	M-BOOM, 23'9 BLCV/SLCV PKG 0 FOR USE IN LANE 2 FOR EU FOR USE IN LANE 3 ALL OTHER REGIONS Mass Boom/7.25M (23'9) Package (PKG) with boom lowering control device (BLCV) and stick lowering control device (SLCV) INCLUDES: -BOOM, 7.25m (23'9) MASS EXCAVATION -CYLINDER, BOOM (W/BLCV) -CYLINDER, STICK (W/SLCV) -DEVICE, BOOM LOWERING CONTROL -DEVICE, STICK LOWERING CONTROL -DEVICE, STICK LOWERING CONTROL NOTE: For SEA/India/PAC/US/Canada/Korea/ANZP/EU		\$123,330
P	559-7548	M-BOOM, 23'9" PKG STICK LESS 0 FOR USE IN LANE 3 ONLY Mass Boom/7.25M (23'9") Package (PKG),STICKLESS Include: 355-7249 CYLINDER, STICK (W/O SLCV) 357-4756 BOOM, 23'9" MASS EXCAVATION		\$79,640
L	507-1309	M-BOOM, 23'9" (CPM) PKG 0 INCLUDES: -BOOM, 23'9" MASS EXCAVATION -CYLINDER, BOOM (W/O BLCV) -CYLINDER, STICK (W/O SLCV) NOTE: For AME/CIS/Turkey/EU/ANZP/SEA/India/GCN1/AM-S/US/Canada/AM-S South Korea/Japan		\$106,120
L	507-1311	M-BOOM,23'9"BLCV/SLCV (CPM)PKG 0 INCLUDES: -BOOM, 23'9" MASS EXCAVATION -DEVICE, BOOM LOWERING CONTROL -CYLINDER, BOOM (W/BLCV) -STICK, CYLINDER (W/SLCV) -DEVICE, STICK LOWERING CONTROL NOTE: For SEA/India/US/Canada/Korea/ANZP/EU		\$123,330
	0G-0341	NO BOOM 0 For FRONTLESS CONFIGURATION REQUIRES: -NO STICK -ROPS CERTIFICATION REMOVAL		NC

STICKS

CATERPILLAR MACHINE PRICE LIST

390F-XZ

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BOOMS, STICKS, AND LINKAGES (CONT.)

Reach/General Purpose Stick (HB2-linkage)

L	357-4766	STICK, R18'1" (HB2) 0		\$37,900
		FOR USE IN LANE 2 FOR AM-N FOR USE IN LANE 3 ALL OTHER REGIONS Reach/General Purpose stick 5.5M (18'1") compatible with HB2 linkage ONLY FOR USE WITH: 440-2991 R-BOOM, 10M(32'10")PKG 439-1729 GP-BOOM, 8.4M(27'7")PKG 439-1727 R-BOOM, 10M(32'10")BLCV/SLCV PKG 439-1730 GP-BOOM, 8.4M(27'7")BLCV/SLCV PKG		

NOTE: For EU/ANZP/AME/CIS/Turkey/SEA/India/GCN1/AM-S/US/Canada

L	357-4767	STICK, R14'5" (HB2) 0		\$34,580
		FOR USE WITH LANE 2 FOR AM-N FOR USE IN LANE 3 ALL OTHER REGIONS Reach/General purpose stick 4.4M (14'5") compatible with HB2 linkage ONLY FOR USE WITH: 440-2991 R-BOOM, 10M(32'10")PKG 439-1729 GP-BOOM, 8.4M(27'7")PKG 439-1727 R-BOOM, 10M(32'10")BLCV/SLCV PKG 439-1730 GP-BOOM, 8.4M(27'7")BLCV/SLCV PKG		

NOTE: For EU/ANZP/AME/CIS/Turkey/SEA/India/GCN1/AM-S/US/Canada

Reach Stick CPM (HB2-linkage)

L	506-0429	STICK, R18'1" (CPM) (HB2) 0		\$37,900
		ONLY FOR USE WITH: 481-3515 GP-BOOM,8.4M BLCV/SLCV CPM PKG 481-3516 GP-BOOM, 8.4M(27'7")CPM PKG 528-2858 R-BOOM, 32'10" CPM PKG 528-2860 R-BOOM,32'10"BLCV/SLCV CPM PKG		
L	506-0430	STICK, R14'5" (CPM) (HB2) 0		\$34,580
		ONLY FOR USE WITH: 481-3515 GP-BOOM,8.4M BLCV/SLCV CPM PKG 481-3516 GP-BOOM, 8.4M(27'7")CPM PKG 528-2858 R-BOOM, 32'10" CPM PKG 528-2860 R-BOOM,32'10"BLCV/SLCV CPM PKG		

General Purpose Stick (JC-linkage)

L	384-2101	STICK, GP11'2" (JC) 0		\$33,710
		General Purpose stick 3.4M (11'2") compatible with JC linkage ONLY FOR USE WITH: 439-1729 GP-BOOM, 8.4M(27'7")PKG 439-1730 GP-BOOM, 8.4M(27'7")BLCV/SLCV PKG		
L	384-2102	STICK, GP9'7" (JC) 0		\$30,560
		General Purpose stick 2.8M (9'7) compatible with JC linkage ONLY FOR USE WITH: 439-1730 GP-BOOM, 8.4M(27'7")BLCV/SLCV PKG 439-1729 GP-BOOM, 8.4M(27'7")PKG		

General Purpose Stick (JC-linkage) CPM

L	504-6349	STICK, GP11'2" (CPM) (JC) 0		\$33,710
		ONLY FOR USE WITH: 481-3515 GP-BOOM,8.4M BLCV/SLCV CPM PKG 481-3516 GP-BOOM, 8.4M(27'7")CPM PKG		

CATERPILLAR MACHINE PRICE LIST

390F-XZ

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BOOMS, STICKS, AND LINKAGES (CONT.)

General Purpose Stick (JC-linkage) CPM (Cont.)

L	527-1953	STICK, GP9'7" (CPM) (JC) 0		\$30,560
		ONLY FOR USE WITH: 481-3515 GP-BOOM,8.4M BLCV/SLCV CPM PKG		
		481-3516 GP-BOOM, 8.4M(27'7")CPM PKG		
		AVAILABLE FOR: AM-N		

Mass Stick (JC-linkage)

L	384-2103	STICK, M11'2" (JC) 0		\$37,440
		Mass stick M3.4M (M11'2") compatible with JC linkage		
		ONLY FOR USE WITH: 456-1082 M-BOOM, 7.25M(23'9")PKG		
		456-1083 M-BOOM, 7.25M(23'9)BLCV/SLCV PKG		
		487-3680 M-BOOM, 7.25M(23'9)BLCV/SLCV PKG		

NOTE: For GCN1/US/Canada/Korea/SEA/India/AM-S/AME/CIS/Turkey /ANZP/EU/Japan/HK

L	366-6288	STICK, M9'7" (JC) 0		\$34,590
		FOR USE IN LANE 2 FOR EU/CIS/AME		
		FOR USE IN LANE 3 ALL OTHER REGIONS		
		Mass stick M2.9M (M9'7") compatible with JC linkage		
		/Canada/Japan		
		ONLY FOR USE WITH: 456-1082 M-BOOM, 7.25M(23'9")PKG		
		456-1083 M-BOOM, 7.25M(23'9)BLCV/SLCV PKG		
		487-3680 M-BOOM, 7.25M(23'9)BLCV/SLCV PKG		

NOTE: For ANZP/AME/CIS/Turkey/SEA/India/GCN1/AM-S/EU/Korea/US /Canada/Japan/HK

Mass Stick (JC-linkage) CPM

L	504-6350	STICK, M9'7" (CPM) (JC) 0		\$34,590
		ONLY FOR USE WITH: 507-1309 M-BOOM, 7.25M(23'9")(CPM) PKG		
		507-1310 M-BOOM,7.25M(23'9)BLCV/SLCV (CPM)PKG		
		507-1311 M-BOOM,7.25M(23'9)BLCV/SLCV (CPM)PKG		

NOTE: For SEA/India/AM-S/Japan/US/Canada/Korea/ANZP/GCN1 /AME/CIS/Turkey/EU

L	527-1954	STICK, M11'2" (CPM) (JC) 0		\$37,440
		ONLY FOR USE WITH: 507-1309 M-BOOM, 7.25M(23'9")(CPM) PKG		
		507-1311 M-BOOM,7.25M(23'9)BLCV/SLCV (CPM)PKG		
		AVAILABLE FOR: EU/Japan/Am-N/Korea/ANZ/CIS/AME/TUR/SEA/INDIA/		
		GCN1/Am-S		

OG-0342	NO STICK 0			NC
	For FRONTLESS CONFIGURATION			
	REQUIRES:			
	-NO BUCKET LINKAGE			
	-ROPS CERTIFICATION REMOVAL			

CATERPILLAR MACHINE PRICE LIST

390F-XZ

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BOOMS, STICKS, AND LINKAGES (CONT.)

BUCKET LINKAGES

Linkage HB2- Family for reach boom

L	439-1735	LINKAGE, HB2 W/EYE PKG 0 FOR USE IN LANE 2 FOR AM-N FOR USE IN LANE 3 ALL OTHER REGIONS HB2 linkage WITH lifting eye INCLUDES: -LINKAGE, BKT HB2-W/LIFT EYE -CYLINDER,BKT (HB2-LINKAGE) ONLY FOR USE WITH: 357-4766 STICK, R/GP5.5M(18'1")(HB2) 357-4767 STICK, R/GP4.4M(14'5")(HB2)		\$28,960
---	----------	--	--	----------

NOTE: For ANZP/SEA/India/AM-S/AME/CIS/Turkey/EU/US/Canada

Linkage HB2- Family for reach boom CPM

L	439-1736	LINKAGE, HB2 W/EYE CPM PKG 0 HB2 linkage WITH lifting eye CAT Production Measurement (CPM) ready INCLUDES: -LINKAGE, BKT HB2-W/LIFT EYE -CYLINDER,BKT (HB2-LINKAGE CPM) -CYLINDER, GUARD (CPM) REQUIRES: R-BOOM BLCV/SLCV PKG Not available for Korea ONLY FOR USE WITH: REACH/GENERAL PURPOSE STICK CPM 506-0429 STICK, R/GP5.5M(18'1")(CPM) (HB2) 506-0430 STICK, R/GP4.4M(14'5")(CPM) (HB2)		\$28,960
---	----------	--	--	----------

Linkage JC-Family for mass boom

L	439-1737	LINKAGE, JC W/EYE PKG 0 FOR USE IN LANE 2 FOR EU/AM-N/CIS/AME FOR USE IN LANE 3 ALL OTHER REGIONS JC linkage WITH lifting eye INCLUDES: -LINKAGE, BKT JC-W/LIFT EYE -CYLINDER,BKT (JC-LINKAGE) ONLY FOR USE WITH: MASS STICK / GP STICK 384-2101 STICK, GP3.4M(11'2")(JC) 384-2102 STICK, GP2.9M(9'7")(JC) 384-2103 STICK, M3.4M(11'2")(JC) 366-6288 STICK, M2.9M(9'7")(JC)		\$30,570
---	----------	--	--	----------

NOTE: For AM-S/EU/US/Canada/Korea/ANZP/AME/CIS/Turkey/SEA/India

CATERPILLAR MACHINE PRICE LIST

390F-XZ

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BOOMS, STICKS, AND LINKAGES (CONT.)

Linkage JC-Family for mass boom CPM

L	507-1317	LINKAGE, JC W/EYE (CPM) PKG 0		\$30,570
		INCLUDES: -CYLINDER, BKT HB -LINKAGE, BKT JC-W/LIFT EYE -CYLINDER, GUARD ONLY FOR USE WITH: 504-6349 STICK, GP3.4M(11'2")(CPM) (JC) 504-6350 STICK, M2.92M(9'7")(CPM) (JC) 527-1954 STICK, M3.4M (CPM) (JC)		

NOTE: For AME/CIS/Turkey/AM-S/SEA/India/EU/US/Canada/Korea/ANZP

UNDERCARRIAGE

TRACKS

L	357-7484	TRACK, 26" DG-HD (PPR2) 0		\$2,820
		FOR USE IN LANE 2 FOR EU/CIS/AME FOR USE IN LANE 3 ALL OTHER REGIONS		

NOTE: For ANZP/AME/CIS/Turkey/SEA/India/GCN1/AM-S/EU/Japan/Korea/US/Canada/HK

L	357-7485	TRACK, 30" DG-HD (PPR2) 0		\$7,790
		FOR USE IN LANE 2 FOR EU FOR USE IN LANE 3 ALL OTHER REGIONS		

NOTE: For AM-S/US/Canada/AME/CIS/Turkey/SEA/ANZP/India/EU/Korea/HK/JAPAN

L	357-7486	TRACK, 36" DG-HD (PPR2) 0		\$13,210
		FOR USE IN LANE 2 FOR AM-N FOR USE IN LANE 3 ALL OTHER REGIONS		

TRACK GUIDING GUARD

P	297-7518	GUARD, TRACK GUIDE, SEGMENTED 760		\$4,060
		FOR USE IN LANE 2 FOR EU/AM-N REQUIRES: 426-4925 UNDERCARRIAGE		

NOTE: For GCN1/AM-S/AME/CIS/Turkey/SEA/ANZP/India/EU/US/Canada/Korea/HK

CATERPILLAR MACHINE PRICE LIST

390F-XZ

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

UNDERCARRIAGE (CONT.)

TRACK GUIDING GUARD (Cont.)

P	359-5640	GUARD, TRACK GUIDE, FULL LENGTH 0 FOR USE IN LANE 2 FOR EU/CIS/AME FOR USE IN LANE 3 ALL OTHER REGIONS REQUIRES: 426-4929 UNDERCARRIAGE(FULL LENGTH TGG) NOTE: For AME/CIS/Turkey/SEA/ANZP/India/GCN1/AM-S/EU/Korea/Japan /US/Canada/HK		\$13,070
---	----------	--	--	----------

HYDRAULICS

CONTROL PACKAGES

NO Auxilliary Circuit

L	439-1739	JOYSTICK TWJ STP PKG 0 FOR USE IN LANE 2 FOR EU/AM-N FOR USE IN LANE 3 ALL OTHER REGIONS Joystick Thumb Wheel (TWJ) and straight travel pedal (STP) Package (PKG) NOTE: For GCN1/AM-S/SEA/ANZP/India/AME/CIS/Turkey/EU/US/Canada/Korea		\$8,600
---	----------	--	--	---------

Auxilliary Circuit - Tool Control Without Medium Pressure

L	439-1744	TOOL CTRL TWJ STP PKG 0 FOR USE IN LANE 3 ONLY Tool Control (CTRL) with Joystick thumb wheel (TWJ) and straight travel pedal (STP) Package (PKG) Combined circuit (1 way / 2 way) NOTE: For AME/CIS/Turkey/EU/US/Canada/Korea/ANZP/SEA/India		\$17,430
---	----------	--	--	----------

Auxilliary Circuit - Tool Control With Medium Pressure

L	439-1746	TOOL CTRL MP TWJ STP PKG 0 FOR USE IN LANE 2 FOR EU FOR USE IN LANE 3 ALL OTHER REGIONS Tool Control (CTRL) Medium Pressure (MP) with thumb wheel joystick (TWJ) and straight travel pedal (STP) package(pkg) Combined circuit (1 way / 2 way) NOTE: P/SEA/India/AM-S/Korea/US/Canada/AME/CIS/Turkey/EU		\$26,110
---	----------	--	--	----------

CATERPILLAR MACHINE PRICE LIST

390F-XZ

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT

OPERATOR STATION

L	507-1278	CAB, 70/30 POLY HATCH PKG 0		\$1,070
		FOR USE IN LANE 2 FOR AM-N/CIS/AME FOR USE IN LANE 3 ALL OTHER REGIONS INCLUDES: -CAB,70/30,W/VANDAL-G BOSS -RADIO, 24V AM/FM -WASHER WIPER -WIPER-PARALLEL, FRONT 70/30 -SUN SCREEN (70/30)		

NOTE: NOT AVAILABLE FOR EU

STORAGE BOX

L	379-7477	STORAGE BOX (HRC) 0		NC
		FOR USE IN LANE 2 FOR AM-N FOR USE IN LANE 3 ALL OTHER REGIONS CANNOT BE USED WITH: 384-9804 LUBRICATION, ELECTRIC		

NOTE: For US/Canada/Korea

L	379-7713	STORAGE BOX (LUB ELEC HRC) 0		NC
		FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 384-9804 LUBRICATION, ELECTRIC		

NOTE: For US/Canada

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Cat marketing representative with questions.

L	460-1150	PRODUCT LINK, SATELLITE PL631 0		\$432
		FOR USE IN LANE 2 FOR AM-N FOR USE IN LANE 3 ALL OTHER REGIONS ANSI Product Link Pro series PL631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage. Not available for Russia/Singapore/Guyana/Kazakhstan/Serbia		

CATERPILLAR MACHINE PRICE LIST

390F-XZ

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

SAFETY AND SECURITY

CAB LIGHTS/CAB GUARDS

L	319-1179	LIGHTING, CAB (HALOGEN) 0		\$319
		Working lights, cab mounted w/time delay		
L	415-9646	GUARD FOGS HALOGEN PKG 0		\$3,385
		FOGS guard with working lights, cab mounted w/time delay		
		INCLUDES:		
		-GUARD, FALLING OBJECTS		
		-LIGHTING, CAB W/GRD (HALOGEN)		

CAB MIRROR

L	327-6552	MIRROR, CAB, W/O GUARD 0		\$107
		Mandatory for EU, Japan & Am-N,turkey,SK,ANZ		
		Additional ISO cab mirror		
		CANNOT BE USED WITH: 415-9646 GUARD FOGS HALOGEN PKG		
		415-9647 GUARD FOGS HID PKG		
L	327-6553	MIRROR, CAB, GUARD FALLING 0		\$107
		Mandatory for EU, TURKEY& Am-N,SK,ANZ		
		Additional ISO cab mirror for FOGS and front mesh guard		
		ONLY FOR USE WITH: 415-9647 GUARD FOGS HID PKG		
		415-9646 GUARD FOGS HALOGEN PKG		

BOOM LIGHTS

L	388-6868	HALOGEN LIGHTS, R-BOOM 0		\$640
		FOR USE IN LANE 3 ONLY		
		Halogen reach boom lights with time delay.		
		ONLY FOR USE WITH: 440-2991 R-BOOM, 10M(32'10")PKG or		
		439-1727 R-BOOM, 10M(32'10")BLCV/SLCV PKG		
		559-7547 R-BOOM, 32'10" PKG, STICK LESS		
		NOTE: For EU/ANZP/AME/CIS/Turkey/SEA/India/GCN1/AM-S/US/Canada		
L	388-6870	HALOGEN LIGHTS, GP-BOOM 0		\$640
		FOR USE IN LANE 2 FOR EU/AM-N/CIS/AME		
		FOR USE IN LANE 3 ALL OTHER REGIONS		
		Halogen general purpose boom lights with time delay.		
		ONLY FOR USE WITH: 439-1729 GP-BOOM, 8.4M(27'7")PKG or		
		439-1730 GP-BOOM, 8.4M(27'7")BLCV/SLCV PKG or		
		481-3515 GP-BOOM, 8.4M(27'7")BLCV/SLCV CPM PKG or		
		481-3516 GP-BOOM, 8.4M(27' 7")CPM PKG		
		559-7548 M-BOOM, 23'9" PKG STICK LESS		
		NOTE: For ANZP/AME/CIS/Turkey/EU/Japan/US/Canada/SEA/India/GCN1/AM-S		
		/HK		

CATERPILLAR MACHINE PRICE LIST

390F-XZ

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

SAFETY AND SECURITY (CONT.)

BOOM LIGHTS (Cont.)

L	388-6869	HALOGEN LIGHTS, M-BOOM 0		\$640
		FOR USE IN LANE 3 ONLY Halogen mass boom lights with time delay. ONLY FOR USE WITH: 456-1082 M-BOOM, 7.25M(23'9")PKG 456-1083 M-BOOM, 7.25M(23'9)BLCV/SLCV PKG 507-1309 M-BOOM, 7.25M(23'9")(CPM) PKG 507-1310 M-BOOM, 7.25M(23'9)BLCV/SLCV (CPM)PKG 507-1311 M-BOOM, 7.25M(23'9)BLCV/SLCV (CPM)PKG 487-3680 M-BOOM, 7.25M(23'9)BLCV/SLCV PKG 559-7549 GP-BOOM, 27'7" PKG STICK LESS 559-7548 M-BOOM, 23'9" PKG STICK LESS		

NOTE: For EU/Japan/Korea/ANZP/AME/CIS/Turkey/SEA/India/GCN1/AM-S
 /US/Canada/HK
 EU/CIS/AME

L	388-6871	HID LIGHTS, R-BOOM 0		\$1,760
		FOR USE IN LANE 3 ONLY HID reach boom lights with time delay. Not available for Korea/HK ONLY FOR USE WITH: 440-2991 R-BOOM, 10M(32'10")PKG 439-1727 R-BOOM, 10M(32'10")BLCV/SLCV PKG 487-3678 R-BOOM, 10M(32'10")BLCV/SLCV PKG 559-7547 R-BOOM, 32'10" PKG, STICK LESS		

L	388-6873	HID LIGHTS, GP-BOOM 0		\$1,760
		FOR USE IN LANE 3 ONLY HID General purpose boom lights with time delay. ONLY FOR USE WITH: 439-1729 GP-BOOM, 8.4M(27'7")PKG or 439-1730 GP-BOOM, 8.4M(27'7")BLCV/SLCV PKG or 481-3515 GP-BOOM, 8.4M(27'7")BLCV/SLCV CPM PKG or 481-3516 GP-BOOM, 8.4M(27'7")CPM PKG 559-7549 GP-BOOM, 27'7" PKG STICK LESS		

NOTE: For AME/CIS/Turkey/SEA/India/GCN1/AM-S/EU/ANZ/NEW Caledonia
 and French Polynesia/US/Canada

L	388-6872	HID LIGHTS, M-BOOM 0		\$1,760
		FOR USE IN LANE 2 FOR CIS/AME FOR USE IN LANE 3 ALL OTHER REGIONS HID mass boom lights with time delay. ONLY FOR USE WITH: 456-1082 M-BOOM, 7.25M(23'9")PKG or 456-1083 M-BOOM, 7.25M(23'9)BLCV/SLCV PKG 507-1309 M-BOOM, 7.25M(23'9")(CPM) PKG 507-1310 M-BOOM, 7.25M(23'9)BLCV/SLCV (CPM)PKG 507-1311 M-BOOM, 7.25M(23'9)BLCV/SLCV (CPM)PKG 487-3680 M-BOOM, 7.25M(23'9)BLCV/SLCV PKG 559-7548 M-BOOM, 23'9" PKG STICK LESS 559-7549 GP-BOOM, 27'7" PKG STICK LESS		

NOTE: For GCN1/AM-S/US/Canada/AME/CIS/Turkey/SEA/ANZP/India/Korea/EU

CATERPILLAR MACHINE PRICE LIST

390F-XZ

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

FUEL SYSTEMS

FUEL TANK

L	379-7839	TANK, FUEL 0 FOR USE IN LANE 2 FOR EU/AM-N FOR USE IN LANE 3 ALL OTHER REGIONS No fast fill fuel function		NC
---	----------	--	--	----

NOTE: For EU/US/Canada/Korea/ANZ

L	397-5466	FUEL TANK W/FAST FILL SYSTEM 0 FOR USE IN LANE 2 FOR EU/AM-N FOR USE IN LANE 3 ALL OTHER REGIONS		\$1,975
---	----------	--	--	---------

NOTE: For EU/US/Canada/Korea/ANZ
 LANE 2 FOR EU/AM-N

FRAMES

UNDERCARRIAGE

L	426-4925	UNDERCARRIAGE 0 FOR USE IN LANE 2 FOR EU/AM-N FOR USE IN LANE 3 ALL OTHER REGIONS ONLY FOR USE WITH: 297-7518 GUARD,TRACK GUIDE, SEGMENTED		NC
---	----------	---	--	----

NOTE: For GCN1/AM-S/AME/CIS/Turkey/SEA/ANZP/India/EU/US/Canada/Korea/HK

L	426-4929	UNDERCARRIAGE(FULL LENGTH TGG) 0 FOR USE IN LANE 2 FOR EU/CIS/AME FOR USE IN LANE 3 ALL OTHER REGIONS ONLY FOR USE WITH: 359-5640 GUARD,TRACK GUIDE, FULL LENGTH		NC
---	----------	---	--	----

NOTE: For ANZP/AME/CIS/Turkey/SEA/India/GCN1/AM-S/EU/Japan/Korea/US/Canada/HK

COUNTERWEIGHT

L	430-7908	COUNTERWEIGHT,REMOVAL(ISO-HRC) 0 FOR USE IN LANE 3 ONLY		\$16,500
---	----------	--	--	----------

NOTE: For ANZ/EU/Korea/US/Canada

CATERPILLAR MACHINE PRICE LIST

390F-XZ

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

FRAMES (CONT.)

COUNTERWEIGHT (Cont.)

L	430-7907	COUNTERWEIGHT,27,340LBS (HRC) 0 FOR USE IN LANE 2 FOR EU FOR USE IN LANE 3 ALL OTHER REGIONS		\$2,495
---	----------	--	--	---------

NOTE: For ANZ/EU/Korea/US/Canada
 LANE 2 FOR EU

L	430-7909	COUNTERWEIGHT,REMOVAL(ANSI) 0 FOR USE IN LANE 2 FOR AM-N FOR USE IN LANE 3 ALL OTHER REGIONS		\$16,500
---	----------	--	--	----------

NOTE: LANE 2 FOR AM-N

HOOD & COVER
 (SELECT ONE)

L	450-2070	HOOD & COVER 0		NC
---	----------	--------------------------	--	----

L	450-1767	HOOD & COVER (CPM) 0 AVAILABLE FOR: ANZ/New Caledonia and French Polynesia/EU/GCN1 /AME/CIS/Turkey/Japan/US/Canada/Korea/SEA/India/AM-S		NC
---	----------	---	--	----

INSTRUCTIONS

FILM OUTSIDE

P	416-5616	INSTRUCTIONS, ANSI (OUT) 0		NC
---	----------	--------------------------------------	--	----

FILM CAB

P	509-0804	INSTRUCTIONS, ANSI (CAB) 0 FOR USE IN LANE 2 FOR AM-N FOR USE IN LANE 3 ALL OTHER REGIONS		NC
---	----------	---	--	----

FILM FRONTLESS

MANDATORY FOR FRONTLESS CONFIGURATION

P	560-4397	INSTRUCTIONS, ANSI (OUT) 0 FOR USE IN LANE 3 ONLY		NC
---	----------	--	--	----

CATERPILLAR MACHINE PRICE LIST

390F-XZ

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

CYLINDERS

STICK CYLINDER

P	355-7249	CYLINDER, STICK (W/O SLCV) 0 FOR USE IN LANE 3 ONLY CANNOT BE USED WITH: 559-7547 R-BOOM, 32'10" PKG, STICK LESS 559-7549 GP-BOOM, 27'7" PKG STICK LESS 559-7548 M-BOOM, 23'9" PKG STICK LESS		\$13,220
---	----------	---	--	----------

CATERPILLAR MACHINE PRICE LIST

390F-XZ

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

POWERTRAIN

ELECTRIC LUBRICATION

L	384-9804	LUBRICATION, ELECTRIC. 0		\$4,190
		FOR USE IN LANE 3 ONLY Includes a grease tank, a reel hose and a grease gun. This attachment fills the storage box and is intended for use in moderate climates. Performance may be unacceptable in temperatures below 14 degrees F, (-10C). Caterpillar is experiencing a supplier constraint on 384-9804, selecting this option may cause a slight delay in RTS date. Not available for Turkey/EU ONLY FOR USE WITH: 423-2143 STORAGE BOX (LUB ELEC LRC) 379-7713 STORAGE BOX (LUB ELEC HRC)		

NOTE: For US/Canada/AME/CIS/HK

LINE GROUPS

HIGH PRESSURE AUXILIARY BOOM LINES

L	371-0144	LINES-HP, R-BOOM 32'10" 0		\$4,295
		FOR USE IN LANE 3 ONLY REQUIRES: 374-0007 LINES-HP, R/GP 5.5M(18'1")STICK 374-0008 LINES-HP, R/GP 4.4M(14'5")STICK ONLY FOR USE WITH: 439-1741 CIRCUIT, HAMMER TWJ PKG or 439-1742 CIRCUIT, HAMMER TWJ STP PKG or 447-5130 CIRCUIT, HAMMER TWJ STP LP PKG or 447-5132 TOOL CTRL TWJ PKG or 439-1744 TOOL CTRL TWJ STP PKG or 439-1745 TOOL CTRL MP TWJ PKG or 439-1746 TOOL CTRL MP TWJ STP PKG or 439-1747 TOOL CTRL MP TWJ STP LP PKG and 440-2991 R-BOOM, 10M(32'10")PKG or 439-1727 R-BOOM, 10M(32'10")BLCV/SLCV PKG or 487-3678 R-BOOM, 10M(32'10")BLCV/SLCV PKG or 528-2858 R-BOOM, 32'10" CPM PKG or 528-2860 R-BOOM,32'10"BLCV/SLCV CPM PKG 559-7547 R-BOOM, 32'10" PKG, STICK LESS		

NOTE: For AME/CIS/Turkey/SEA/India/GCN1/AM-S/EU/US/Canada/ANZP

CATERPILLAR MACHINE PRICE LIST

390F-XZ

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

LINE GROUPS (CONT.)

HIGH PRESSURE AUXILIARY BOOM LINES (Cont.)

L	371-0145	LINES-HP, GP-BOOM 27'7" 0 FOR USE IN LANE 2 FOR EU FOR USE IN LANE 3 ALL OTHER REGIONS REQUIRES: 374-0007 LINES-HP, R/GP 5.5M(18'1")STICK 374-0008 LINES-HP, R/GP 4.4M(14'5")STICK 374-0010 LINES-HP, M/GP 3.4M(11'2")STICK 374-0011 LINES-HP, M2.9M(M9'7") STICK ONLY FOR USE WITH: 439-1741 CIRCUIT, HAMMER TWJ PKG or 439-1742 CIRCUIT, HAMMER TWJ STP PKG or 447-5130 CIRCUIT, HAMMER TWJ STP LP PKG or 447-5132 TOOL CTRL TWJ PKG or 439-1744 TOOL CTRL TWJ STP PKG or 439-1745 TOOL CTRL MP TWJ PKG or 439-1746 TOOL CTRL MP TWJ STP PKG or 439-1747 TOOL CTRL MP TWJ STP LP PKG and 439-1729 GP-BOOM, 8.4M(27'7")PKG or 439-1730 GP-BOOM, 8.4M(27'7")BLCV/SLCV PKG or 481-3515 GP-BOOM, 8.4M(27'7")BLCV/SLCV CPM PKG or 481-3516 GP-BOOM, 8.4M(27' 7")CPM PKG 559-7549 GP-BOOM, 27'7" PKG STICK LESS		\$4,295
---	----------	--	--	----------------

NOTE: For ANZP/US/Canada/AME/CIS/Turkey/SEA/India/GCN1/AM-S/EU/HK

L	371-0146	LINES-HP, M-BOOM 23'9" 0 FOR USE IN LANE 3 ONLY REQUIRES: 374-0010 LINES-HP, M/GP 3.4M(11'2")STICK 374-0011 LINES-HP, M2.9M(M9'7") STICK ONLY FOR USE WITH: 439-1741 CIRCUIT, HAMMER TWJ PKG or 439-1742 CIRCUIT, HAMMER TWJ STP PKG or 447-5130 CIRCUIT, HAMMER TWJ STP LP PKG or 447-5132 TOOL CTRL TWJ PKG or 439-1744 TOOL CTRL TWJ STP PKG or 439-1745 TOOL CTRL MP TWJ PKG or 439-1746 TOOL CTRL MP TWJ STP PKG or 439-1747 TOOL CTRL MP TWJ STP LP PKG and 456-1082 M-BOOM, 7.25M(23'9")PKG or 456-1083 M-BOOM, 7.25M(23'9")BLCV/SLCV PKG or 507-1309 M-BOOM, 7.25M(23'9")(CPM) PKG or 507-1310 M-BOOM, 7.25M(23'9")BLCV/SLCV (CPM)PKG or 507-1311 M-BOOM, 7.25M(23'9")BLCV/SLCV (CPM)PKG or 487-3680 M-BOOM, 7.25M(23'9")BLCV/SLCV PKG 559-7548 M-BOOM, 23'9" PKG STICK LESS 559-7550 M-BOOM, 23'9 SLCV PKG		\$4,295
---	----------	--	--	----------------

NOTE: For GCN1/US/Canada/SEA/ANZP/AME/CIS/Turkey/AM-S/India/Korea/EU /HK

CATERPILLAR MACHINE PRICE LIST

390F-XZ

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

LINE GROUPS (CONT.)

HIGH PRESSURE AUXILIARY STICK LINES

L	374-0007	LINES-HP, GP 18'1" STICK 0 FOR USE IN LANE 3 ONLY Not available for Korea/HK ONLY FOR USE WITH: 357-4766 STICK, R/GP5.5M(18'1")(HB2) or 506-0429 STICK, R/GP5.5M(18'1")(CPM) (HB2) and 371-0144 LINES-HP, R-BOOM 10M(32'10") or 371-0145 LINES-HP, GP-BOOM 8.4M(27'7")		\$3,535
---	----------	---	--	---------

L	374-0008	LINES-HP, GP 14'5" STICK 0 FOR USE IN LANE 3 ONLY Not available for Korea/HK ONLY FOR USE WITH: 357-4767 STICK, R/GP4.4M(14'5")(HB2) or 506-0430 STICK, R/GP4.4M(14'5")(CPM) (HB2) and 371-0144 LINES-HP, R-BOOM 10M(32'10") or 371-0145 LINES-HP, GP-BOOM 8.4M(27'7")		\$3,535
---	----------	---	--	---------

L	374-0010	LINES-HP, M/GP 11'2" STICK 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 384-2101 STICK, GP3.4M(11'2")(JC) or 384-2103 STICK, M3.4M(11'2")(JC) or 527-1954 STICK, M3.4M (CPM) (JC) or 504-6349 STICK, GP3.4M(11'2")(CPM) (JC) and 371-0145 LINES-HP, GP-BOOM 8.4M(27'7") or 371-0146 LINES-HP, M-BOOM 7.25M(23'9")		\$3,535
---	----------	--	--	---------

NOTE: For AME/CIS/Turkey/AM-S/EU/US/Canada/SEA/ANZP/India/Korea/HK

L	374-0011	LINES-HP, M9'7" STICK 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 384-2102 STICK, GP2.9M(9'7")(JC) or 527-1953 STICK, GP2.9M (CPM) (JC) or 366-6288 STICK, M2.9M(9'7")(JC) or 504-6350 STICK, M2.92M(9'7")(CPM) (JC) and 371-0145 LINES-HP, GP-BOOM 8.4M(27'7") or 371-0146 LINES-HP, M-BOOM 7.25M(23'9")		\$3,535
---	----------	---	--	---------

NOTE: For GCN1/US/Canada/SEA/ANZP/AME/CIS/AM-S/India/Turkey/EU/Korea/HK

CATERPILLAR MACHINE PRICE LIST

390F-XZ

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

LINE GROUPS (CONT.)

MEDIUM PRESSURE AUXILIARY BOOM LINES

L	359-8766	LINES-MP, R-BOOM 32'10" 0 FOR USE IN LANE 3 ONLY Not available for Korea/HK REQUIRES: 359-8802 LINES-MP, R/G 5.5M(18'1")STICK 359-8803 LINES-MP, R/G 4.4M(14'5")STICK ONLY FOR USE WITH: 439-1745 TOOL CTRL MP TWJ PKG or 439-1746 TOOL CTRL MP TWJ STP PKG or 439-1747 TOOL CTRL MP TWJ STP LP PKG and 440-2991 R-BOOM, 10M(32'10")PKG or 439-1727 R-BOOM, 10M(32'10")BLCV/SLCV PKG or 487-3678 R-BOOM, 10M(32'10")BLCV/SLCV PKG 559-7547 R-BOOM, 32'10" PKG, STICK LESS 528-2858 R-BOOM, 32'10" CPM PKG 528-2860 R-BOOM,32'10"BLCV/SLCV CPM PKG	0	\$2,135
L	359-8767	LINES-MP, BOOM 27'7" GP 0 FOR USE IN LANE 3 ONLY REQUIRES: 359-8802 LINES-MP, R/G 5.5M(18'1")STICK 359-8803 LINES-MP, R/G 4.4M(14'5")STICK 359-8805 LINES-MP, M/GP 3.4M(11'2")STICK 359-8806 LINES-MP, M2.9M(9'7")STICK ONLY FOR USE WITH: 439-1745 TOOL CTRL MP TWJ PKG or 439-1746 TOOL CTRL MP TWJ STP PKG or 439-1747 TOOL CTRL MP TWJ STP LP PKG and 439-1729 GP-BOOM, 8.4M(27'7")PKG or 439-1730 GP-BOOM, 8.4M(27'7")BLCV/SLCV PKG or 481-3515 GP-BOOM, 8.4M(27'7")BLCV/SLCV CPM PKG or 481-3516 GP-BOOM, 8.4M(27'7")CPM PKG 559-7549 GP-BOOM, 27'7" PKG STICK LESS	0	\$2,135

NOTE: For US/Canada/ANZP/SEA/India/AM-S/EU/AME/CIS/Turkey

MEDIUM PRESSURE AUXILIARY STICK LINES

L	359-8802	LINES-MP, R/G 18'1" STICK 0 FOR USE IN LANE 3 ONLY Not available for Korea/HK ONLY FOR USE WITH: TOOL CONTROL MP PKG 357-4766 STICK, R/GP5.5M(18'1")(HB2) or 506-0429 STICK, R/GP5.5M(18'1")(CPM) (HB2) and 359-8766 LINES-MP, R-BOOM 10M(32'10") or 359-8767 LINES-MP, BOOM 8.4M(27'7")GP	0	\$1,555
L	359-8805	LINES-MP, M/GP 11'2" STICK 0 FOR USE IN LANE 3 ONLY Not available for HK ONLY FOR USE WITH: 384-2101 STICK, GP3.4M(11'2")(JC) or 384-2103 STICK, M3.4M(11'2")(JC) or 527-1954 STICK, M3.4M (CPM) (JC) 504-6349 STICK, GP3.4M(11'2")(CPM) (JC) and 359-8767 LINES-MP, BOOM 8.4M(27'7")GP or 359-8768 LINES-MP, BOOM 23'9" M/GP	0	\$1,555

CATERPILLAR MACHINE PRICE LIST

390F-XZ

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

LINE GROUPS (CONT.)

QUICK COUPLER CONTROL

L	383-5127	CONTROL, CW DEDICATED QC(ANSI) 0 FOR USE IN LANE 2 FOR AM-N FOR USE IN LANE 3 ALL OTHER REGIONS For use only for CW Dedicated Coupler This DOES NOT include QC lines for the boom and stick.		\$3,030
---	----------	--	--	---------

QUICK COUPLER BOOM LINES

L	370-0185	LINES-QC, R-BOOM 32'1" 0 FOR USE IN LANE 2 FOR AM-N FOR USE IN LANE 3 ALL OTHER REGIONS REQUIRES: 344-4370 LINES-QC, R5.5M(18'1")STICK 371-3108 LINES-QC, R/GP 4.4M(14'5")STICK ONLY FOR USE WITH: 440-2991 R-BOOM, 10M(32'10")PKG or 439-1727 R-BOOM, 10M(32'10")BLCV/SLCV PKG or 487-3678 R-BOOM, 10M(32'10")BLCV/SLCV PKG 528-2858 R-BOOM, 32'10" CPM PKG 528-2860 R-BOOM,32'10"BLCV/SLCV CPM PKG 559-7547 R-BOOM, 32'10" PKG, STICK LESS NOTE: For ANZ/AM-S/EU/US/Canada Can be ordered without the QC control for AM-N		\$3,865
---	----------	---	--	---------

L	369-6103	LINES-QC, M-BOOM 7.25M 0 FOR USE IN LANE 2 FOR EU FOR USE IN LANE 3 ALL OTHER REGIONS REQUIRES: 369-5422 LINES-QC, M/GP 3.4M(11'2")STICK 371-3105 LINES-QC, M2.9M(9'7")STICK ONLY FOR USE WITH: 456-1082 M-BOOM, 7.25M(23'9")PKG or 456-1083 M-BOOM, 7.25M(23'9")BLCV/SLCV PKG or 507-1309 M-BOOM, 7.25M(23'9")(CPM) PKG or 507-1311 M-BOOM, 7.25M(23'9")BLCV/SLCV (CPM)PKG 559-7548 M-BOOM, 23'9" PKG STICK LESS 559-7550 M-BOOM, 23'9" SLCV PKG NOTE: For ANZ/AM-S/EU/US/Canada		\$3,865
---	----------	--	--	---------

CATERPILLAR MACHINE PRICE LIST

390F-XZ

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

LINE GROUPS (CONT.)

QUICK COUPLER BOOM LINES (Cont.)

L	370-0186	LINES-QC, BOOM 27'7" GP 0 FOR USE IN LANE 2 FOR AM-N FOR USE IN LANE 3 ALL OTHER REGIONS REQUIRES: 344-4370 LINES-QC, R5.5M(18'1")STICK 371-3108 LINES-QC, R/GP 4.4M(14'5")STICK 369-5422 LINES-QC, M/GP 3.4M(11'2")STICK 371-3105 LINES-QC, M2.9M(9'7")STICK ONLY FOR USE WITH: 439-1729 GP-BOOM, 8.4M(27'7")PKG or 439-1730 GP-BOOM, 8.4M(27'7")BLCV/SLCV PKG or 481-3515 GP-BOOM, 8.4M(27'7")BLCV/SLCV CPM PKG or 481-3516 GP-BOOM, 8.4M(27'7")CPM PKG 559-7549 GP-BOOM, 27'7" PKG STICK LESS		\$3,865
---	----------	--	--	---------

NOTE: For ANZ/US/Canada/EU/AM-S

QUICK COUPLER STICK LINES

(SELECT ONE)

L	344-4370	LINES-QC, R18'1" STICK 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 357-4766 STICK, R/GP5.5M(18'1")(HB2) or 506-0429 STICK, R/GP5.5M(18'1")(CPM) (HB2) and 370-0185 LINES-QC, R-BOOM 10M(32'1") or 370-0186 LINES-QC, BOOM 8.4M(27'7")GP		\$2,795
---	----------	---	--	---------

NOTE: For ANZ/AM-S/EU/US/Canada

L	371-3108	LINES-QC, R/GP 14'5" STICK 0 FOR USE IN LANE 2 FOR AM-N FOR USE IN LANE 3 ALL OTHER REGIONS ONLY FOR USE WITH: 357-4767 STICK, R/GP4.4M(14'5")(HB2) or 506-0430 STICK, R/GP4.4M(14'5")(CPM) (HB2) and 370-0185 LINES-QC, R-BOOM 10M(32'1") or 370-0186 LINES-QC, BOOM 8.4M(27'7")GP		\$2,795
---	----------	--	--	---------

NOTE: For ANZ/AM-S/EU/US/Canada

L	369-5422	LINES-QC, M/GP 11'2" STICK 0 FOR USE IN LANE 2 FOR AM-N FOR USE IN LANE 3 ALL OTHER REGIONS ONLY FOR USE WITH: 384-2101 STICK, GP3.4M(11'2")(JC) or 384-2103 STICK, M3.4M(11'2")(JC) or 527-1954 STICK, M3.4M (CPM) (JC) 504-6349 STICK, GP3.4M(11'2")(CPM) (JC) and 369-6103 LINES-QC, M-BOOM 7.25M(23'9") or 370-0186 LINES-QC, BOOM 8.4M(27'7")GP		\$2,795
---	----------	---	--	---------

NOTE: For ANZ/AM-S/EU/US/Canada

CATERPILLAR MACHINE PRICE LIST

390F-XZ

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

LINE GROUPS (CONT.)

QUICK COUPLER STICK LINES (Cont.)

L	517-2401	LINES-QC, GP/M9'7" STICK 0		\$2,795
		FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 366-6288 STICK, M2.9M(9'7")(JC) or 504-6350 STICK, M2.92M(9'7")(CPM) (JC) or 527-1953 STICK, GP2.9M (CPM) (JC) and 369-6103 LINES-QC, M-BOOM 7.25M(23'9") or 370-0186 LINES-QC, BOOM 8.4M(27'7")GP		

NOTE: For ANZ/AM-S/EU/US/Canada

STARTERS, BATTERIES, & ALTERNATORS

COLD WEATHER START PACKAGES

L	439-1604	COLD WEATHER STARTING 120V PKG 0		\$1,470
		FOR USE IN LANE 2 FOR AM-N FOR USE IN LANE 3 ALL OTHER REGIONS INCLUDES: -BATTERY (COLD WEATHER) -TERMINALS, JUMP START FOR -18 DEGREES, WITH 2 ADDITIONAL BATTERIES -HEATER, ENGINE COOLANT (120V) -STARTING AID, ETHER For temperatures ranging from -18 degree C(0F) to -32 degree C(-26).		

NOTE: For AM-S/US/Canada/Japan

TECHNOLOGY PRODUCTS

CAT Production Measurement

Includes Cat Production Measurement (CPM). CPM is activated ex-factory for life. In addition, this attachment includes the Cat Grade control (CGC) hardware and has CGC 2D system capability, except for the laser catcher and its wiring. CGC can be activated through the Service Mode on the monitor. No SEA is necessary. If required, laser catcher can be retrofitted through parts."

L	500-3305	CPM W/O BLCV 0		\$16,160
---	----------	----------------------	--	----------

NOTE: For New Caledonia and French Polynesia/AME/CIS /Turkey/SEA/India/AM-S/PAC/EU/Japan/US/Canada/Korea/GCN1

L	500-3307	CPM W/BLCV 0		\$16,160
---	----------	--------------------	--	----------

NOTE: For SEA/India/PAC/Korea/US/Canada/ANZP/EU/AME/CIS/Turkey

CATERPILLAR MACHINE PRICE LIST

390F-XZ

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

BUCKETS

BUCKETS

NOTE: Stick, bucket linkage, bucket adjuster and bucket must be matched.

For the full portfolio of work tools please refer to the Work Tool price pages

For AME/CIS,

Bucket orders and machine orders will need to be entered separately. Buckets will be supplied directly from CWTS in Den Bosch. Please include the machine MSO in your bucket order to link both orders and synchronize the shipment and delivery at port of destination. Please refer to the WTHEX pricelist for the available bucket references and pricing. For specific bucket and work tool needs that are not included in the price list, contact the Caterpillar Tool Center. For EAME market call: +31 736.399.777 or e-mail: worktools@cat.com
 For bucket-only miscellaneous orders, use reference OG related to your local WTHEX pricelist on your miscellaneous order.

For Am-N,

Bucket orders and machine orders will need to be entered separately. Buckets will be supplied directly from CWTS in Den Bosch/Wamego. For bucket-only miscellaneous orders, use reference OG related to your local WTHEX pricelist on your miscellaneous order.

For GCN1/SEA/India/AM-S/ANZP,

Bucket can continue to be ordered either from the machine price list as part of the machine order or from the local WTHEX price list for buckets not shown in the machine price list. For specific bucket and work tool needs not covered in the price list, contact the Caterpillar Tool Center, email to: worktools@cat.com
 For bucket-only miscellaneous orders, use reference OG related to your local WTHEX pricelist on your miscellaneous order.

PACKING

OEM PACKING - Frontless

OP-2688	PACK, FOR OEM EXPORT	0	NC
---------	----------------------------	---	----

CATERPILLAR MACHINE PRICE LIST

390F-XZ

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

PACKING (CONT.)

EXPORT PACKING - Machine Preparation

(Must select)

The following machine detaching options are required to meet the inland transportation regulation in China.

OG-8000	PACK, WITH BOOM,STICK & BUCKET	0		\$3,105 NET
	For shipment bucket and stick are detached			
OG-8001	PACK, WITH BOOM & STICK	0		\$3,105 NET
	To use if bucket is not ordered.			
	For shipment stick is detached			
OG-8006	OPTION, BOOM DETACHED	0		NC
	NOTE: Required by the inland transportation regulation in China.			
OG-8008	OPTION, COUNTERWEIGHT DETACHED	0		NC
	NOTE: Required by the inland transportation regulation in China.			
OP-4652	PACK, 374F/390F SIDE STEP	0		\$62 NET
	NOTE: Required by the inland transportation regulation in China.			
OP-4653	PACK, 374F/390F TOP GUARD	0		\$62 NET
	ONLY FOR USE WITH: 415-9646 GUARD FOGS HALOGEN PKG			
	415-9647 GUARD FOGS HID PKG			
	433-2497 GUARD TOP HALOGEN PKG			
	433-2498 GUARD TOP HID PKG			
	NOTE: Required by the inland transportation regulation in China.			

EXPORT PACKING - Transportation mode (Including protection)

NOTE: Must select

OG-4127	STORAGE PROTECTION (EXPORT)	0		\$409 NET
	Machines from the factory have been sprayed with Fluid Film TM, see your account rep for details. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.			

HYDRAULIC PLUGS

L	564-0040	PLUG, FRONTLESS, STANDARD	0	NC
		FOR USE IN LANE 3 ONLY		
L	564-0043	PLUG, FRONTLESS, HIGH PRESSURE	0	NC
		FOR USE IN LANE 3 ONLY		
L	564-0044	PLUG,FRONTLESS MEDIUM PRESSURE	0	NC
		FOR USE IN LANE 3 ONLY		
L	564-0045	PLUG, FRONTLESS, QUICK COUPLER	0	NC
		FOR USE IN LANE 3 ONLY		

CATERPILLAR MACHINE PRICE LIST

390F-XZ

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

PACKING (CONT.)

HYDRAULIC PLUGS (Cont.)

L	564-0046	PLUG, BOOM, STANDARD FOR USE IN LANE 3 ONLY	0	NC
L	564-0047	PLUG, BOOM, HIGH PRESSURE FOR USE IN LANE 3 ONLY	0	NC
L	564-0048	PLUG, BOOM, MEDIUM PRESSURE FOR USE IN LANE 3 ONLY	0	NC
L	564-0049	PLUG, BOOM, QUICK COUPLER FOR USE IN LANE 3 ONLY	0	NC
L	565-9039	PLUG, STICK CYLINDER, STD FOR USE IN LANE 3 ONLY	0	NC
L	565-9041	PLUG, BOOM CYLINDER, STD FOR USE IN LANE 3 ONLY	0	NC

PACK FOR FRONTLESS

	0P-6488	PACK,374F/390F BOOM/STICK CYL FOR FRONT LESS MACHINE ONLY	0	\$645 NET
--	---------	--	---	------------------