

CATERPILLAR MACHINE PRICE LIST

415F2IL

415F2IL INDUSTRIAL LOADER HRC
LEICESTER, ENGLAND

Ship Weight
lbs

LIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

- Cat C3.4B, 55KW (Net 68HP/51kW)
- Direct Injection Turbo Charged Engine,
- US EPA Tier4 Final Emissions Compliant
- Water separator
- Thermal starting aid system
- A dry type axial seal air cleaner with
 - integral precleaner
 - automatic dust ejection system
 - filter condition indicator
- Hydraulically boosted multi-plate wet disk brake with
 - dual pedals & interlock
- Differential lock
- Drive-line parking brake
- Torque converter
- Four Wheel Drive
- Transmission-four speed manual shift
 - neutral safety switch
- Spin-on filters for
 - fuel
 - engine oil
 - transmission oil
- Outboard Planetary Rear Axles
- Diesel Particulate Filter

- ELECTRICAL (Continued)
- Stop and tail lights
- Audible system fault alarm
- Key start/stop system
- 880 CCA maintenance free battery
- Battery disconnect switch
- External Power Receptacle (12v)
- Remote jump start connector

HYDRAULICS

- Load sensing, variable flow system with
 - 35 gpm axial piston pump
- 6 micron hydraulic filter
- O-ring face seal hydraulic fittings
- Caterpillar XT-3 hose
- Hydraulic oil cooler
- Flow-Sharing Hydraulic Valves
- Hydraulic suction strainer

ELECTRICAL

- 12 volt electrical start
- 150 ampere alternator
- Horn
- Backup alarm
- Hazard flashers/turn signals
- Halogen head lights (2)
- Halogen rear flood lights (2)

CATERPILLAR MACHINE PRICE LIST

415F2IL

415F2IL INDUSTRIAL LOADER HRC
LEICESTER, ENGLAND

Ship Weight
lbs

LIST PRICE
AT DEALER

OPERATOR ENVIRONMENT

- Lighted gauge group
- Interior rearview mirror
- Rear fenders
- ROPS canopy
- Foot throttle
- Mechanical suspension seat
- Coat Strap

APPLICATION SPECIFIC COMPONENTS

- Bucket level indicator
- Lift cylinder brace
- Return-to-dig
(automatic bucket positioner)
- Self-leveling loader with single lever
control
- Transmission neutralizer switch
- Single Tilt Loader

FLUIDS

- Antifreeze - Extended Life Coolant
-30C (-20F)

OTHER STANDARD EQUIPMENT

- Hydrostatic power steering
- Standard Storage Box
- Transport tie-down points
- Ground line fill fuel tank with
- 44 gallon capacity
- Rubber impact strips on radiator guards
- Bumper
- CD-ROM Parts Manual
- Safety Manual
- Operations and Maintenance Manual
- Lockable hood
- Tire Valve Stem Protection

CATERPILLAR MACHINE PRICE LIST

415F2IL

415F2IL INDUSTRIAL LOADER HRC
LEICESTER, ENGLAND

Ship Weight
lbs

LIST PRICE
AT DEALER

**Lane 2 is reserved for the Base Order Management Program
Please use Lane 2 when placing orders that are part of the Base Order
Management program.**

CATERPILLAR MACHINE PRICE LIST

415F2IL

415F2IL INDUSTRIAL LOADER HRC LEICESTER, ENGLAND	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

540-0791	415F2IL BACKHOE LOADER DCA1 0	\$95,740
	LANE 1 - AVAILABLE FROM WACO PRODUCT DISTRIBUTION CENTER	

- INCLUDES:
- 462-5265 415F2IL BHL ST(C3.4)TIER 4 HRC
 - 462-5275 CANOPY
 - 462-5274 HYDRAULICS, MP, 3FCN/5BNK
 - 523-4442 RIDE CONTROL
 - 457-2797 BATTERY, HEAVY DUTY
 - 447-0049 PRODUCT LINK, CELLULAR, PL641
 - 337-9695 COUNTERWEIGHT, 530 LBS
 - 463-6939 COUNTERWEIGHT, 198 LBS

462-5265	415F2IL BHL ST(C3.4)TIER 4 HRC 0	\$85,620
	LANE 2 - AVAILABLE FROM LEICESTER FACTORY	
	LANE 2 - AVAILABLE FROM LEICESTER FACTORY	

Use the reference below when ordering miscellaneous field installed kits via CMOPS to transfer to ANTARES.

0G-0554	415F2IL MISC MTRL, USA & CNDA 0	NC
---------	---	----

CATERPILLAR MACHINE PRICE LIST

415F2IL

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

LANE SELECTION

Select this option when ordering from the PDC

OP-9001	LANE 1 ORDER	0	NC
	Select this option when ordering from the PDC		

LOADER BUCKET

Select either 325-5100 or both bucket and cutting edge.

P	325-5100	BUCKET, LOADER (NONE)	0	NC
		Ship with no loader bucket.		
P	337-7382	BUCKET-GP, 1.0 YD3, PO	776	\$2,753
		1.00 CYD (0.76CUM) SAE capacity General Purpose. Drilled to accept bolt-on teeth or cutting edge (not included).		
P	337-7436	BUCKET-MP, 1.3 YD3, PO, BRKTS	1,593	\$6,911
		1.35 CYD (1.03CUM) SAE capacity Multi Purpose. Drilled to accept bolt-on teeth or cutting edge (not included)		

CUTTING EDGE

P	9R-5321	CUTTING EDGE, TWO PIECE	154	\$331
		Bolt-on reversible cutting edge for the Loader Bucket.		

TIRES

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice, but we reserve the right to use alternate but equivalent tires. If equivalent tires are not available we will agree an alternative prior to machine shipment.

P	464-9639	TIRES,12.5 80/16.9-24, GY/TI	0	\$1,600
---	----------	--	---	---------

HITCH

P	462-5281	HITCH 3 POINT	0	NC
		Category II		

WORKLIGHTS

L	491-6733	WORKLIGHTS (4) HALOGEN LAMPS	0	NC
---	----------	--	---	----

DECAL PACKAGES

P	462-7172	INSTRUCTIONS ANSI	0	NC
		This package includes picto decals for use in USA.		
P	463-8126	INSTRUCTIONS,ISO	0	NC
		This package includes picto decals for use outside of USA.		

SEAT BELT

L	206-1748	SEAT BELT, 3" SUSPENSION	0	\$109
		REQUIRED IN: CALIFORNIA		

CATERPILLAR MACHINE PRICE LIST

415F2IL

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

INSTRUCTIONS AND OPERATION MANUALS

421-8926	SERIALIZED TECHNICAL MEDIA KIT	0		NC
	Kit will include instructions and parts CD in the legally required language, based on the shipping address. Any additional media such as a paper parts manual, not included in the kit, can be ordered through the media website. https://oos.midlandcorp.com/CAT/Default.aspx			

TRANSPORT PROTECTION

461-6839	SHIPPING/STORAGE PROTECTION	0		\$203 NET
	Provides protective film for rust protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.			
462-1033	RUST PREVENTATIVE APPLICATOR	0		\$108 NET
	Preparation for shipment - Silix applicators required for shipment by sea. Required for all machines for USA, Canada & South America			

PACKING

0P-0210	PACK, DOMESTIC TRUCK	0		NC
	Required for all machines for USA, Canada & South America			
0P-3071	FREIGHT SHIP-TO EXCEEDS RADIUS	0		NC
	A freight surcharge will be applied for the ship-to locations described below. Any applicable surcharge will be billed seperately. Contact your trade lane manager for information. Finning: Locations exceeding 500 km radius of Vancouver and Edmonton Kramer: Locations exceeding 500 km radius of Regina Toromont: Locations exceeding 500 km radius of Toronto and Winnipeg Hewitt: Locations exceeding 500 km radius of Montreal Atlantic: Locations exceeding 500 km radius of Halifax and York NC Machinery: Deliveries to Alaska Hawthorne: Deliveries to Hawaii			

CATERPILLAR MACHINE PRICE LIST

415F2IL

USE	REF NO.	LANE 1 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------	--------------------	-------------------------

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

May select additional options (not required)

P	211-4292	BEACON, MAGNETIC MOUNT 0 Must be ordered as 'NOT INSTALLED'		\$231 NI
P	461-9717	BOX, BLADE/SCARIFIER 0		\$6,389
P	470-5247	KIT, DUAL TILT CYLINDER 0		\$2,028

CATERPILLAR MACHINE PRICE LIST

415F2IL

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

LANE 2/ LANE 3 FACTORY ARRANGEMENTS.

0P-9002	LANE 2 ORDER	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program		
0P-9003	LANE 3 ORDER	0	NC

HYDRAULICS

VALVE HYDRAULICS (INC LOADER/HOE VALVES PLUS ALL LINES & CONTROLS)

L	462-5273	HYDRAULICS, GP, 3FCN/5BNK	0	\$5,690
L	462-5274	HYDRAULICS, MP, 3FCN/5BNK	0	\$6,930

ELECTRICAL

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitoring performance of your assets, it helps keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet.

Availability varies by country, please contact your Cat marketing representative with questions or click on the link below:
<HTTPS://DEALER.CAT.COM/en/bt/otd/machine-price-list.html>
 From there click on the "PRODUCT LINK Hardware Certification" link.

L	447-0048	PRODUCT LINK, SATELLITE PL631E	0	\$311 NET
		PL631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage.		
L	447-0049	PRODUCT LINK, CELLULAR, PL641I	0	NC
		PL641 uses GSM and CDMA 3G cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		

OPERATOR ENVIRONMENT

CAB/CANOPY

L	462-5275	CANOPY	0	NC
L	462-5276	CAB, STANDARD, A/C	0	\$10,280

CATERPILLAR MACHINE PRICE LIST

415F2IL

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

WORKING LIGHTS

L	491-6734	WORKLIGHTS (8) HALOGEN LAMPS	0	NC
		FOR USE WITH: 462-5276 CAB, STD, A/C		
L	491-6736	WORKLIGHTS (8) LED LAMPS	0	\$875
		FOR USE WITH: 462-5276 CAB, STD, A/C		
L	491-6733	WORKLIGHTS (4) HALOGEN LAMPS	0	NC
		FOR USE WITH: 462-5275 CANOPY		
L	491-6735	WORKLIGHTS (4) LED LAMPS	0	\$436
		FOR USE WITH: 462-5275 CANOPY		

SEAT BELT

L	206-1748	SEAT BELT, 3" SUSPENSION	0	\$109
---	----------	------------------------------------	---	-------

TIRES, RIMS, AND WHEELS

TIRES

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice, but we reserve the right to propose alternate tires Any proposed change will be reviewed with the dealer prior to machine shipment. The machine will ship only with the dealer acceptance of the proposed alternative tire.

P	464-9639	TIRES, 12.5 80/16.9-24, GY/TI	0	\$1,600
---	----------	---	---	---------

OTHER ATTACHMENTS

COUNTERWEIGHT

P	337-9693	COUNTERWEIGHT, NONE	0	NC
P	337-9694	COUNTERWEIGHT, 255 LBS	0	\$680
P	337-9695	COUNTERWEIGHT, 530 LBS	0	\$895
P	337-9696	COUNTERWEIGHT, 1015 LBS	0	\$1,765

REAR HITCH

P	462-5281	HITCH 3 POINT	0	NC
		Category II		

BUCKETS

LOADER BUCKETS

P	325-5100	BUCKET, LOADER (NONE)	0	NC
		Ship with no loader bucket.		

CATERPILLAR MACHINE PRICE LIST

415F2IL

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BUCKETS (CONT.)

LOADER BUCKETS (Cont.)

P	337-7382	BUCKET-GP, 1.0 YD3, PO	776	\$2,753
		1.00 CYD (0.76CUM) SAE capacity General Purpose. Drilled to accept bolt-on teeth or cutting edge (not included).		
P	337-7436	BUCKET-MP, 1.3 YD3, PO, BRKTS	1,593	\$6,911
		1.35 CYD (1.03CUM) SAE capacity Multi Purpose. Drilled to accept bolt-on teeth or cutting edge (not included)		

CUTTING EDGE/TEETH

(May select when ordering a bucket)

P	9R-5321	CUTTING EDGE, TWO PIECE	154	\$331
		Bolt-on reversible cutting edge for the Loader Bucket. CANNOT BE USED WITH: 9R-5866 TEETH		
P	9R-5866	TEETH	61	\$389
		Includes eight bolt-on Uniteeth and hardware. FOR USE WITH: ALL GP & MP LOADER BUCKETS CANNOT BE USED WITH: 9R5321 CUTTING EDGE, TWO PIECE		

INSTRUCTIONS

DECAL PACKAGES

P	462-7172	INSTRUCTIONS ANSI	0	NC
		This package includes picto decals for use in USA.		

INSTRUCTIONS AND OPERATION MANUALS

	421-8926	SERIALIZED TECHNICAL MEDIA KIT	0	NC
		Kit will include instructions and parts CD in the legally required language, based on the shipping address. Any additional media such as a paper parts manual, not included in the kit, can be ordered through the media website. https://oos.midlandcorp.com/CAT/Default.aspx		

CATERPILLAR MACHINE PRICE LIST

415F2IL

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

NOTE

LANE 2 / LANE 3 OPTIONAL SELECTIONS

All items may be ordered as Lane 2 unless specifically designated 'FOR USE IN LANE 3 ONLY'.

HYDRAULICS

RIDE CONTROL

L	523-4442	RIDE CONTROL 0		\$1,490
		Improves ride during travel by providing a suspension system in the loader lift arm circuit. Recommended in applications where improved material retention or ride is desired.		
		The ride control accumulator will need to be charged to the correct pressure. Please consult your service department for procedure and specifications		

ELECTRICAL

MAGNETIC BEACON

P	211-4292	BEACON, MAGNETIC MOUNT 0		\$231 NI
		Must be ordered as 'NOT INSTALLED'		
P	433-0154	BEACON, MAGNETIC MOUNT, STROBE 0		\$342 NI
		Must be ordered as 'NOT INSTALLED'.		

RADIO

P	540-2298	RADIO, FM BLUETOOTH 0		\$550
		Cat FM Radio with bluetooth, aux input, microphone. CANNOT BE USED WITH: OPEN CANOPY MACHINES		

RADIO READY CANOPY HEADLINER

L	398-2875	RADIO READY HEADLINER, CANOPY 3		\$499
		Canopy headliner to accept a suitable 'all weather' Radio/ CD player (not available from factory) FOR USE WITH: OPEN CANOPIES ONLY		

FACE FAN

L	454-6610	FAN, STANDARD CAB/ CANOPY 0		\$230
---	----------	--	--	--------------

SECURITY KEYPAD

L	387-6570	SECURITY SYSTEM, KEYPAD 0		\$499
		The keypad unit is a self contained immobiliser system to disable the engine, transmission and other systems at key switch on until a valid pass code is entered on the keypad which unlocks the machine to enable operation.		

CATERPILLAR MACHINE PRICE LIST

415F2IL

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ELECTRICAL (CONT.)

HEAVY DUTY BATTERY

L	457-2797	BATTERY, HEAVY DUTY 0 INCLUDED IN: COLD WEATHER PACKAGE		\$227
---	----------	--	--	-------

COLD WEATHER PACKAGES

L	450-8468	COLD WEATHER PACKAGE, 120V HRC 0 Provides additional battery and engine block heater as well as radiator antifreeze (to -55 celsius), mounting for an ether bottle and low temperature diesel fuel (to -30 celsius). The ether bottle is available seperately from Parts Distribution		\$780
---	----------	---	--	-------

L	396-6505	FUEL, COLD WEATHER 0 Provides low temperature diesel fuel (to -30 celsius). INCLUDED IN: COLD WEATHER PACKAGE		\$139 NET
---	----------	---	--	-----------

OTHER ATTACHMENTS

REAR COUNTER WEIGHT

May select

P	463-6939	COUNTERWEIGHT, 198 LBS 0		\$575
---	----------	--------------------------------	--	-------

WORK TOOLS

INDUSTRIAL SCRAPER

May Select

P	461-9717	BOX, BLADE/SCARIFIER 0		\$6,389
P	470-5247	KIT, DUAL TILT CYLINDER 0 Factory fitted		\$2,028

FLUIDS

COLD WEATHER FUEL

L	396-6505	FUEL, COLD WEATHER 0 Provides low temperature diesel fuel (to -30 celsius). INCLUDED IN: COLD WEATHER PACKAGE		\$139 NET
---	----------	---	--	-----------

CATERPILLAR MACHINE PRICE LIST

415F2IL

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS

KITS

Kits cannot be ordered with your machine order.
Kits can be ordered through CMOPS, but **MUST** be separate orders from the machine, and **MUST** include the top level MISC MTRL reference number. To ensure the orders are transferred through Antares to the Parts Distribution

For USA and Canada, please place your order as follows:

OG-0554 415F2IL MISC MTRL
Kit item number

Kits will not be shipped with your machine, and are not carried in the Waco or Clayton Logistics Nodes.

RIDE CONTROL

P	387-6450	KIT, RIDE CONTROL 0 Improves ride during travel by providing a suspension system in the loader lift arm circuit. Recommended in applications where improved ride or material retention is desired such as roading or load and carry.		\$1,454 NI
---	----------	--	--	-------------------

OTHER KITS

P	466-3561	KIT-HAND THROTTLE 0		\$185 NI
P	470-5247	KIT, DUAL TILT CYLINDER 0 Converts single tilt 3-point hitch to dual tilt system to allow both left and right vertical articulation of the hitch. Refer to Cat Service Information System (SIS) Refer to Special Instructions M0066044 for installation instructions INCLUDES: Hydraulic Lines		\$1,764 NI
P	482-1308	KIT, SECURITY KEYPAD 0 Provides a kit to add a keypad unit, self contained immobiliser system to disable the engine, transmission and other systems at key switch on until a valid pass code is entered on the keypad which unlocks the machine to enable operation.		\$493 NI
P	387-6472	KIT, FENDER, FRONT 0 Provides a kit to add a set of 2 Front Fenders to a machine.		\$571 NI

AVAILABLE FROM PARTS DISTRIBUTION

Please see the WT-BHL price list for other items available from Parts Distribution

CATERPILLAR MACHINE PRICE LIST

415F2IL

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

PACKING

SHIPPING AND PROTECTION

0P-0210	PACK, DOMESTIC TRUCK	0		NC
	Required for all machines for USA, Canada & South America			
461-6839	SHIPPING/STORAGE PROTECTION	0		\$203 NET
	Provides protective film for rust protection while shipping and for extended storage periods.			
	This product will need to be power washed with soapy water prior to shipment to the customer.			
	REQUIRED BY: AM-N and AM-S DEALERS			
462-1033	RUST PREVENTATIVE APPLICATOR	0		\$108 NET
	Preparation for shipment - Silix applicators required for shipment by sea.			
	Required for all machines for USA, Canada & South America			
0G-3280	PACK, MISCELLANEOUS MATERIAL	0		\$212 NET