

CATERPILLAR MACHINE PRICE LIST

430F2 HRC

430F2 BACKHOE LOADER HRC
LEICESTER, ENGLAND

Ship Weight
lbs

LIST PRICE
AT DEALER

Standard Equipment:

THIS LISTING IS A GENERAL DESCRIPTION
OF A 430F2 BACKHOE LOADER EQUIPPED WITH
THE LOWEST CHARGE ITEMS.

BOOMS, STICKS, AND LINKAGES

- 15' Center pivot excavator style backhoe
- Pilot operated joystick hydraulic controls with pattern changer valve
- Pilot operated stabilizer controls
- Boom transport lock
- Swing transport lock
- Street pads stabilizer shoes
- Anti-drift hydraulics (Boom, Stick and E-Stick)
- Cat Cushion Swing(tm) system
- Bucket level indicator
- Lift cylinder brace
- Return-to-dig (auto bucket positioner)
- Self-leveling loader with single lever control
- Transmission neutralizer switch
- Single Tilt Loader

POWERTRAIN

- Cat C4.4, 86kW (Net 108 HP/81kW) Direct Injection Turbo Charged Engine, with ACERT technology.
- US EPA Tier4 Final Emissions Compliant with Selective Catalytic Reduction(SCR)
- Water separator with service indicator
- Thermal starting aid system
- Eco mode
- A dry-type axial seal air cleaner with integral precleaner, automatic dust ejection system & filter condition indicator
- Hydraulically boosted multi-plate wet disk brake with dual pedals & interlock
- Differential lock
- Drive-line parking brake
- High Ambient Cooling Package
- Torque converter
- Transmission--four speed synchro mesh with power shuttle & neutral safety switch
- Spin-on fuel, engine oil & transmission oil filters
- Outboard planetary rear axles
- Open Circuit Breather

HYDRAULICS

- Load sensing, variable flow system with 43 gpm axial piston pump

CATERPILLAR MACHINE PRICE LIST

430F2 HRC

430F2 BACKHOE LOADER HRC
LEICESTER, ENGLAND

Ship Weight
lbs

LIST PRICE
AT DEALER

HYDRAULICS (CONT.)

- 6 micron hydraulic filter
- O-ring face seal hydraulic fittings
- Caterpillar XT-3 hose
- Hydraulic oil cooler
- Pilot control shutoff switch
- PPPC, Flow-sharing hydraulic valves
- Hydraulic suction strainer

Long Life Coolant -30C (-20F)
Padlocks (2 on ST, 3 on IT)

ELECTRICAL

- 12 volt electrical start
- 150 ampere alternator
- Horn and Backup Alarm
- Hazard flashers/turn signals
- Halogen head lights (4)
- Halogen rear flood lights (4)
- Stop and tail lights
- Audible system fault alarm
- Key start/stop system
- 880 CCA maintenance free battery
- Battery disconnect switch
- External/internal power receptacles(12v)
- Diagnostic ports for engine and machine
- Electronic Control Modules
- Remote jump start connector

OPERATOR ENVIRONMENT

- Lighted gauge group
- Interior rearview mirror
- ROPS canopy, Rear Fenders
- 2-inch retractable seat belt
- Tilt steering column
- Steering knob
- Hand and foot throttle
- Automatic Engine Speed Control
- One Touch Low Idle
- Floor mat and Coat Strap
- Lockable storage area
- Air suspension seat

OTHER STANDARD EQUIPMENT

- Hydrostatic power steering
- Standard Storage Box
- Transport tie-downs
- Ground line fill fuel tank with 44 gallon capacity
- Ground line fill diesel exhaust fluid tank with 5 gallon capacity
- Rubber impact strips on radiator guards
- Bumper
- CD-ROM Parts Manual
- Backhoe Safety Manual
- Operations and Maintenance Manual
- Lockable hood
- Tire Valve Stem Protection

CATERPILLAR MACHINE PRICE LIST

430F2 HRC

430F2 BACKHOE LOADER HRC
LEICESTER, ENGLAND

Ship Weight
lbs

LIST PRICE
AT DEALER

**Lane 2 is reserved for the Base Order Management Program.
Please use Lane 2 when placing orders that are part of the Base Order
Management Program**

CATERPILLAR MACHINE PRICE LIST

430F2 HRC

430F2 BACKHOE LOADER HRC LEICESTER, ENGLAND	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

540-0799 430F2 BACKHOE LOADER DCA1 0 LANE 1 - AVAILABLE FROM CLAYTON PRODUCT DISTRIBUTION CENTER		\$147,470
---	--	------------------

- INCLUDES:
 450-8452 430F2 BHL ST, TIER 4, HRC
 337-9696 COUNTERWEIGHT, 1015 LBS
 450-8761 ENGINE, 86KW, C4.4 ACERT, T4F
 450-8732 STICK, EXTENDABLE, 16FT
 398-2681 RIDE CONTROL
 450-8683 CAB, DELUXE
 450-8715 AIR CONDITIONER, T4
 433-4806 SEAT, DELUXE FABRIC
 450-8530 HYDRAULICS, MP, 6FCN/8BNK, ST
 450-8606 PT, 4WD, STD SHIFT
 398-2882 COLD WEATHER PACKAGE, 120V HRC
 398-2855 LINES, COMBINED AUX, E-STICK
 447-0049 PRODUCT LINK, CELLULAR, PL641

450-8452 430F2 BHL ST, TIER 4, HRC 0 LANE 2 - AVAILABLE FROM LEICESTER FACTORY LANE 3 - AVAILABLE FROM LEICESTER FACTORY AVAILABLE FOR: AM-N and PUERTO RICO		\$103,940
---	--	------------------

Use the reference below when ordering miscellaneous field installed kits.

0G-0557 430F2 MISC MTRL, USA & CNDA 0		NC
---	--	-----------

CATERPILLAR MACHINE PRICE LIST

430F2 HRC

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

LANE SELECTION

OP-9001	LANE 1 ORDER	0	NC
	Select this option when ordering from the Distribution Center		

LOADER BUCKET

P	325-5100	BUCKET, LOADER (NONE)	0	NC
		Ship with no loader bucket.		
P	337-7436	BUCKET-MP, 1.3 YD3, PO, BRKTS	1,593	\$6,911
		1.35 CYD (1.03CUM) SAE capacity Multi Purpose. Drilled to accept bolt-on teeth or cutting edge (not included)		
P	337-7385	BUCKET-GP, 1.30 YD3, PO	965	\$3,231
		1.25 CYD (0.96CUM) SAE capacity General Purpose. Drilled to accept bolt-on teeth or cutting edge (not included).		
P	337-7401	BUCKET-GP, 1.5 YD3, PO	1,056	\$4,142
		1.5 CYD (1.15 CUM) SAE capacity General Purpose. Drilled to accept bolt-on teeth or cutting edge (not included).		

CUTTING EDGES

Must select if loader bucket required with DCA1.

P	9R-5321	CUTTING EDGE, TWO PIECE	154	\$331
		Bolt-on reversible cutting edge for the Loader Bucket. ONLY FOR USE WITH: Buckets 337-7436 and 337-7385		
P	9R-5320	CUTTING EDGE, TWO PIECE, WIDE	154	\$329
		Bolt-on reversible cutting edge for Loader Buckets. ONLY FOR USE WITH: Bucket 337-7401		

TIRES

Must select.
Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice, but we reserve the right to propose alternate tires Any proposed change will be reviewed with the dealer prior to machine shipment. The machine will ship only with the dealer acceptance of the proposed alternative tire.

P	533-0488	TIRES, 340 80-18/500 70-24, MX	0	\$1,645
		Michelin Power CL (Bias Ply) 12.5/80-18 12PR directional front tires and 500/70-24 20PR (Bias ply) directional rear tires designed to deliver high load capacity. Provides excellent traction and floatation. Wide lugs provide long life and hard surface grip.		

WORKING LIGHTS

L	491-6734	WORKLIGHTS (8) HALOGEN LAMPS	0	NC
---	----------	--	---	----

DECAL PACKAGES

Must select one

P	430-9945	INSTRUCTIONS, ISO	0	NC
		This package includes picto decals for use outside of USA.		

CATERPILLAR MACHINE PRICE LIST

430F2 HRC

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

DECAL PACKAGES (Cont.)

P	430-9944	INSTRUCTIONS, ANSI 0		NC
		This package includes picto decals for use in USA.		

SEAT BELT

Select one

L	206-1747	BELT, SEAT, 2" SUSPENSION 0		NC
		CANNOT BE SELECTED BY: dealers from California		
L	206-1748	SEAT BELT, 3" SUSPENSION 0		\$109

STABILIZER PADS

Must select one

P	9R-1085	STABILIZER PADS, STREET 37		NC
		Set of two rubber pads which bolt to the standard shoes. For use on prepared surfaces such as asphalt or concrete.		
P	9R-6007	STABILIZER PADS, FLIP-OVER 85		\$336
		Flip-over pads for use on asphalt, concrete or soil.		

BACKHOE BUCKET OR COUPLER

Must select one

P	175-7877	BUCKET, HOE, (NONE) 10		NC
		REQUIRED when no backhoe bucket or coupler is installed.		
P	219-3387	BUCKET-HD, 24", 6.2 CFT 333		\$1,717
		Includes 5 tooth tips.		
P	254-8941	BUCKET-HC SOIL, 24", 8.5 CFT 395		\$1,854
		Includes 5 angle-down adapters and soil tooth tips.		
P	219-3411	BUCKET-HD, 12", 2.8 CFT 238		\$1,457
		12- wide, 0.1 CYD (0.078 CUM) capacity Includes 3 tooth tips and Pin set for 12" Buckets.		
P	219-3386	BUCKET-HD, 18", 4.2 CFT 284		\$1,508
		Includes 4 tooth tips.		
P	212-8738	BUCKET-DC, 48", 13.0 CFT 0		\$2,757
		Ditch cleaning bucket		

INSTRUCTIONS AND OPERATION MANUALS

Must select

	421-8926	SERIALIZED TECHNICAL MEDIA KIT 0		NC
		Kit will include instructions and parts CD in the legally required language, based on the shipping address. Any additional media such as a paper parts manual, not included in the kit, can be ordered through the media website. https://oos.midlandcorp.com/CAT/Default.aspx		

CATERPILLAR MACHINE PRICE LIST

430F2 HRC

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

TRANSPORT PROTECTION

461-6839	SHIPPING/STORAGE PROTECTION	0		\$203 NET
	Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer. Currently this is only available to, and required by, machines shipping to USA, Canada & South America.			
462-1033	RUST PREVENTATIVE APPLICATOR	0		\$108 NET
	Preparation for shipment - Silix applicators required for shipment by sea. Required for all machines for USA, Canada & South America			

PACKING

0P-0210	PACK, DOMESTIC TRUCK	0		NC
	Required for all machines for USA, Canada & South America			
0P-3071	FREIGHT SHIP-TO EXCEEDS RADIUS	0		NC
	A freight surcharge will be applied for the ship-to locations described below. Any applicable surcharge will be billed seperately. Contact your trade lane manager for information. Finning: Locations exceeding 500 km radius of Vancouver and Edmonton Kramer: Locations exceeding 500 km radius of Regina Toromont: Locations exceeding 500 km radius of Toronto and Winnipeg Hewitt: Locations exceeding 500 km radius of Montreal Atlantic: Locations exceeding 500 km radius of Halifax and York NC Machinery: Deliveries to Alaska Hawthorne: Deliveries to Hawaii			

CATERPILLAR MACHINE PRICE LIST

430F2 HRC

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

May select additional options (not required).

P	211-4292	BEACON, MAGNETIC MOUNT	0	\$231 NI
		Must be ordered as 'NOT INSTALLED'		
P	353-1389	GUARD, STABILIZER	0	\$835
		Guards to protect Stabilizer cylinder rods from damage.		
P	270-3204	PLATE GROUP - BOOM WEAR	0	\$208
		Bolt on guard prevents damage to boom.		
P	337-6851	FENDERS, FRONT	0	\$576
		Set of two fenders with integrated steps.		

HOE COUPLER

P	444-7500	COUPLER, PG, MAN.D.LOCK, BHL F	192	\$2,090
		Mechanical quick coupler for backhoe buckets. (Base machine includes one set of pins and hardware to attach one bucket).		
P	544-1901	COUPLER, PIN LOCK, BL F	0	\$1,528
		Manual coupler for dedicated Pin Lock backhoe work tools. Includes mounting pins and hardware for attaching tools.		

THUMBS

Thumbs cannot be shipped without either bucket or coupler.
Thumbs & Tines may only be ordered as full, installed packages.
Thumbs cannot be ordered installed, less the tine. A Tine must be selected to complete the order.
No additional not installed tine allowed When ordering a BHL Thumb & Tine from the Factory; insure that the correct tine is selected for the bucket and/or bucket/coupler combination.
If the incorrect tine is selected, the bucket and tine may not mate properly.

P	282-5409	THUMB, HYDRAULIC, NO TINE, BHL	0	\$5,500
		Hydraulic Thumb Arrangement without tines REQUIRES: Thumb tine (see below)		
P	221-4282	THUMB, TINE, A 1	0	\$417
		Buckets with no coupler ONLY FOR USE WITH: 219-3411 BUCKET 12" OR 219-3387 BUCKET 24"		
P	221-4283	THUMB, TINE, A 3	0	\$417
		Buckets with no coupler FOR USE WITH: 254-8941 BUCKET 24" Buckets with 444-7500 Coupler FOR USE WITH: 219-3411 BUCKET 12" OR 219-3386 BUCKET 18" OR 219-3387 BUCKET 24"		
P	281-6708	THUMB, TINE, A 5	0	\$417
		ONLY FOR USE WITH: 444-7500 COUPLER, MANUAL 254-8941 BUCKET 24"		

CATERPILLAR MACHINE PRICE LIST

430F2 HRC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

LANE 2/ LANE 3 FACTORY ARRANGEMENTS

0P-9002	LANE 2 ORDER	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program		
0P-9003	LANE 3 ORDER	0	NC

CATERPILLAR MACHINE PRICE LIST

430F2 HRC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BOOMS, STICKS, AND LINKAGES

BACKHOE STICKS

L	450-8731	STICK, STANDARD, 16FT	0	NC
L	450-8732	STICK, EXTENDABLE, 16FT	0	\$5,010
		Provides additional 3'8" (1.13m) of reach		

POWERTRAIN

POWERTRAIN (Gearbox, Axles, Lines)

L	450-8606	PT, 4WD, STD SHIFT	0	\$9,600
L	450-8616	PT, 4WD, AUTOSHIFT	0	\$13,330
L	450-8627	PT, 4WD/2WS, AUTOSHIFT, LTC	0	\$15,800
		Autoshift with Lockup Torque Converter		

ENGINE (Engine, Cooler, Filters, Lines)

L	450-8761	ENGINE, 86KW, C4.4 ACERT, T4F	0	\$7,070
		EPA/ ARB Tier 4 Final Certified engine with aftertreatment. Net Power @ Rated (2200RPM) SAE J1349 108HP (81kW)		

HYDRAULICS

LOADER & BACKHOE HYDRAULICS (inc Valves and Loader Lines)

HYDRAULICS FOR SINGLE TILT MACHINES

L	450-8525	HYDRAULICS, GP, 5FCN/7BNK, ST	0	\$720
		ONLY FOR USE WITH: 450-8452 430F2 BHL ST TIER 4 HRC CANNOT BE USED WITH: E-STICK WHEN AUX LINES ARE REQUIRED		
L	450-8527	HYDRAULICS, GP, 6FCN/8BNK, ST	0	\$1,465
		ONLY FOR USE WITH: 450-8452 430F2 BHL ST TIER 4 HRC		
L	450-8528	HYDRAULICS, MP, 5FCN/7BNK, ST	0	\$1,870
		ONLY FOR USE WITH: 450-8452 430F2 BHL ST TIER 4 HRC CANNOT BE USED WITH: E-STICK WHEN AUX LINES ARE REQUIRED		
L	450-8530	HYDRAULICS, MP, 6FCN/8BNK, ST	0	\$2,615
		ONLY FOR USE WITH: 450-8452 430F2 BHL ST TIER 4 HRC		

CATERPILLAR MACHINE PRICE LIST

430F2 HRC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

ELECTRICAL

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitoring performance of your assets, it helps keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet.

Availability varies by country, please contact your Cat marketing representative with questions or click on the link below:
[HTTPS://DEALER.CAT.COM/en/bt/otd/machine-price-list.html](https://dealer.cat.com/en/bt/otd/machine-price-list.html)
 From there click on the "PRODUCT LINK Hardware Certification" link.

L	447-0048	PRODUCT LINK, SATELLITE PL631E	0	\$311 NET
		PL631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage.		
L	447-0049	PRODUCT LINK, CELLULAR, PL641I	0	NC
		PL641 uses GSM and CDMA 3G cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		

OPERATOR ENVIRONMENT

CAB/ CANOPY

L	450-8682	CANOPY, BASE	0	NC
		Includes tilt steering column, floor mat, two internal and two external power receptacles and rotating vandal guard.		
L	450-8683	CAB, DELUXE	0	\$8,390
		Includes: window defroster, front & rear windshield wiper/washer system, left & right side doors with locks, coat hook, interior rear view mirror, tilt/tele steering column, floor mat, radio-ready headliner, two internal and two external 12v power sockets, auto-up stabilizers, and system indicators for hydraulic filter service and hydraulic temperature warning.		

WORKING LIGHTS

L	491-6736	WORKLIGHTS (8) LED LAMPS	0	\$875
L	491-6734	WORKLIGHTS (8) HALOGEN LAMPS	0	NC

SEATING

L	433-4804	SEAT, VINYL	0	NC
		ONLY FOR USE WITH: OPEN CANOPY ONLY		
L	433-4806	SEAT, DELUXE FABRIC	0	\$925
		ONLY FOR USE WITH: DELUXE ENCLOSED CABS		
L	395-2942	SEAT, DELUXE FABRIC, HEATED	0	\$1,435
		ONLY FOR USE WITH: DELUXE ENCLOSED CABS		

CATERPILLAR MACHINE PRICE LIST

430F2 HRC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

SEAT BELT

L	206-1747	BELT, SEAT, 2" SUSPENSION	0	NC
L	206-1748	SEAT BELT, 3" SUSPENSION REQUIRED IN: CALIFORNIA	0	\$109

ENVIRONMENTAL CONTROL

SELECT FOR ENCLOSED CABS ONLY

L	450-8714	HEATER, T4 Select if heat only is required. CANNOT BE USED WITH: MACHINES WHICH HAVE AN OPEN CANOPY	0	NC
L	450-8715	AIR CONDITIONER, T4 Select if heat and air conditioning is required. CANNOT BE USED WITH: MACHINES WHICH HAVE AN OPEN CANOPY	0	\$2,400

TIRES, RIMS, AND WHEELS

TIRES

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice, but we reserve the right to propose alternate tires Any proposed change will be reviewed with the dealer prior to machine shipment. The machine will ship only with the dealer acceptance of the proposed alternative tire.

TIRES AVAILABLE FROM FIRESTONE

P	282-3855	TIRES, 12.5 80-18/21L-24, FS Front: Firestone 12.5 80-18 NHS (12ply) I-3 Super Traction Loader. Directional tire with low profile design that provides excellent traction and flotation. Tough sidewall for long wear. Rear: Firestone 21L-24 (16ply) R4 ATU (All Traction Utility) Directional tire provides excellent traction and flotation characteristics. Shock-fortified nylon-cord body resists impacts, cuts and punctures. Adds one inch of rear height with improved rear flotation. ONLY FOR USE WITH: FOUR WHEEL DRIVE POWERTRAINS	0	\$2,390
P	380-8961	TIRES, 12.5 80/19.5L-24, FS Front: Firestone 12.5 80-18, 12 ply, I-3 Super Traction Directional tire with low profile design that provides excellent traction and flotation. Tough sidewall for long wear. Rear: Firestone 19.5L-24, ATU, 12PLY, 20 PITCH Directional tire provides excellent traction and flotation characteristics. Shock-fortified nylon-cord body resists impacts, cuts and punctures. Designed for superior noise and vibration cancellation. ONLY FOR USE WITH: FOUR WHEEL DRIVE POWERTRAINS	0	\$2,010

CATERPILLAR MACHINE PRICE LIST

430F2 HRC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS (CONT.)

TIRES AVAILABLE FROM GOODYEAR

P	379-2161	TIRES, 12.5 80/19.5L-24, GY 0 Front: Goodyear 12.5 80-1810 PR I-3 Sure Grip Lug Directional tire for good traction and long wear, provided by wide, sturdy overlapping lugs. Rear: Goodyear 19.5L-24 12 PR R4 IT525 Directional tire with solid performance on rock-hard ground. Increased wear and performance on hard surfaces. ONLY FOR USE WITH: FOUR WHEEL DRIVE POWERTRAINS		\$1,690
---	----------	--	--	---------

TIRES AVAILABLE FROM MICHELIN

P	320-2384	TIRES, 340 80R18/500 70R24, MX 0 Front: Michelin 340/80R18 XMCL 142A8 Directional tire designed to deliver high load capacity, smooth wear and long life with superb grip in all types of conditions. Rear: Michelin 500/70R24 XMCL 157A8 Directional tire designed for outstanding damage resistance,oth extremely long tire life, and high load capacity.of conditions. ONLY FOR USE WITH: FOUR WHEEL DRIVE POWERTRAINS		\$3,110
---	----------	---	--	---------

TIRES AVAILABLE FROM MULTIPLE SOURCES

P	320-2385	TIRES,340 80R18/500/70-24 MI 0 Front: Michelin 340/80R18. Directional tire designed to deliver high load capacity, smooth wear and long life with superb grip in all types of conditions. Rear: Michelin 500/70-24 Power CL 164A8 Directional tire provides excellent traction and flotation characteristics. Shock-fortified nylon-cord body resists impacts, cuts and punctures. Combines benefits of radial front with stability of rear bias. ONLY FOR USE WITH: FOUR WHEEL DRIVE POWERTRAINS		\$2,470
P	533-2163	TIRES, 340 80R20/480 80R26, MX 0 Michelin 340/80-R20 XMCL radial directional front tires and Michelin 480/80R26 XMCL radial directional rear tires for excellent traction on all types of ground, good wear resistance on hard abrasive surfaces. A taller and wider tire combination for superior ground clearance and flotation. REQUIRES: 311-2230 STEERING STOP		\$3,535
P	533-0488	TIRES, 340 80-18/500 70-24, MX 0 Michelin Power CL (Bias Ply) 12.5/80-18 12PR directional front tires and 500/70-24 20PR (Bias ply) directional rear tires designed to deliver high load capacity. Provides excellent traction and floatation. Wide lugs provide long life and hard surface grip.		\$1,645
P	533-0479	TIRES, 340 80R18/500 70R24, MX 0 Michelin 340/80R18 BIBLOAD Radial multi-directional front tires and Michelin 500/70R24 BIBLOAD Radial multi-directional rear tires for more contact on hard surfaces and smoother ride with good resistance to wear and tear.		\$3,235

CATERPILLAR MACHINE PRICE LIST

430F2 HRC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS (CONT.)

STEERING STOP

P	311-2230	STEERING STOP	0	\$10
		Front axle steering stop limits the steering angle on 20- tire arrangements to prevent machine interference. REQUIRES: 5332163 TIRES, 340 80R20/480 80R26, MX		

OTHER ATTACHMENTS

COUNTERWEIGHT

RECOMMENDED WEIGHT

430F2ST	4WD	Std Stick, MP bucket	CWT NONE
430F2	ST	4WD Std Stick, GP Bucket	1015lbs
430F2	ST	4WD E-Stick, GP Bucket	1015lbs
430F2	ST	4WD E-Stick, MP Bucket	1015lbs
430F2	IT	4WD Std Stick, GP Bucket	1015lbs
430F2	IT	4WD Std Stick, MP Bucket	1015lbs
430F2	IT	4WD E-Stick, Fork	1015lbs
430F2	IT	4WD E-Stick, Material Arm	1015lbs

ADD THE NEXT INCREMENT OF COUNTERWEIGHT WHEN ADDING A THUMB.

P	337-9693	COUNTERWEIGHT, NONE	0	NC
P	337-9696	COUNTERWEIGHT, 1015 LBS	0	\$1,765

Stabilizer Pads and Accessories

P	9R-1085	STABILIZER PADS, STREET	37	NC
		Set of two rubber pads which bolt to the standard shoes. For use on prepared surfaces such as asphalt or concrete.		
P	9R-6007	STABILIZER PADS, FLIP-OVER	85	\$336
		Flip-over pads for use on asphalt, concrete or soil.		

BUCKETS

LOADER BUCKETS

(Must Select One if ordering a ST machine. For IT Work Tools refer to the Optional Attachment section).

P	325-5100	BUCKET, LOADER (NONE)	0	NC
		Ship with no loader bucket.		
P	337-7385	BUCKET-GP, 1.30 YD3, PO	965	\$3,231
		1.25 CYD (0.96CUM) SAE capacity General Purpose. Drilled to accept bolt-on teeth or cutting edge (not included).		
P	337-7388	BUCKET-GP, 1.4 YD3, PO	1,012	\$3,418
		1.45 CYD (1.1 CUM) SAE capacity General Purpose. Drilled to accept bolt-on teeth or cutting edge (not included).		

CATERPILLAR MACHINE PRICE LIST

430F2 HRC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BUCKETS (CONT.)

LOADER BUCKETS (Cont.)

P	337-7401	BUCKET-GP, 1.5 YD3, PO	1,056	\$4,142
		1.5 CYD (1.15 CUM) SAE capacity General Purpose. Drilled to accept bolt-on teeth or cutting edge (not included).		
P	337-7436	BUCKET-MP, 1.3 YD3, PO, BRKTS	1,593	\$6,911
		1.35 CYD (1.03CUM) SAE capacity Multi Purpose. Drilled to accept bolt-on teeth or cutting edge (not included) REQUIRES: MP HYDRAULICS		
P	337-7442	BUCKET-MP, 1.4 YD3, PO	1,655	\$7,424
		1.45 CYD (1.1 CUM) SAE capacity Multi Purpose. Drilled to accept bolt-on teeth or cutting edge (not included). REQUIRES: MP HYDRAULICS		

CUTTING EDGE/TEETH

(May select when ordering a bucket)

P	9R-5320	CUTTING EDGE, TWO PIECE,WIDE	154	\$329
		Bolt-on reversible cutting edge for the Loader Bucket. ONLY FOR USE WITH: 337-7401 BUCKET-GP, 1.5 CYD or 337-7442 BUCKET-MP, 1.4 CYD or 337-7396 BUCKET-GP, 1.3 CYD or 337-7445 BUCKET-MP, 1.4 CYD, FORKS CANNOT BE USED WITH: 9R-5866 TEETH		
P	9R-5321	CUTTING EDGE, TWO PIECE	154	\$331
		Bolt-on reversible cutting edge for the Loader Bucket. ONLY FOR USE WITH: 337-7385 BUCKET-GP, 1.25 CYD or 337-7388 BUCKET-GP, 1.4 CYD or 337-7436 BUCKET-MP, 1.3 CYD or 337-7439 BUCKET-MP, 1.3 CYD, FORKS CANNOT BE USED WITH: 9R-5866 TEETH		
P	9R-5866	TEETH	61	\$389
		Includes eight bolt-on Uniteeth and hardware. ONLY FOR USE WITH: ALL GP & MP LOADER BUCKETS CANNOT BE USED WITH: 9R5320 CUTTING EDGE, TWO PIECE,WIDE or 9R5321 CUTTING EDGE, TWO PIECE		

BACKHOE BUCKETS AND COUPLERS

If no coupler is selected hoe bucket should be ordered as installed.

If coupler is selected coupler should be installed and hoe bucket not installed.

Additional buckets (and bucket pins) may be ordered as not-installed from the Lane2/ Lane3 Optional section.

P	175-7877	BUCKET, HOE, (NONE)	10	NC
		REQUIRED when no backhoe bucket or coupler is installed.		
P	219-3387	BUCKET-HD, 24", 6.2 CFT	333	\$1,717
		Includes 5 tooth tips.	333	\$1,717 NI
P	254-8941	BUCKET-HC SOIL, 24", 8.5 CFT	395	\$1,854
		Includes 5 angle-down adapters and soil tooth tips.	395	\$1,854 NI
P	219-3396	BUCKET-HD ROCK, 24", 7.0 CFT	381	\$1,892
		Includes 5 tooth tips.	381	\$1,892 NI

CATERPILLAR MACHINE PRICE LIST

430F2 HRC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
BUCKETS (CONT.)				
BACKHOE BUCKETS AND COUPLERS (Cont.)				
P	219-3381	BUCKET-SD, 24" 6.2 CFT	291 291	\$1,335 \$1,335 NI
		Includes 5 tooth tips.		
P	247-1950	BUCKET-HD, 24", 7.3 CFT PL	370 370	\$1,846 \$1,846 NI
		This Pin Lock bucket includes 5 tooth tips.		
		ONLY FOR USE WITH: 487-0712 COUPLER, PIN LOCK		
P	219-3411	BUCKET-HD, 12", 2.8 CFT	238 238	\$1,457 \$1,457 NI
		12- wide, 0.1 CYD (0.078 CUM) capacity		
		Includes 3 tooth tips and Pin set for 12" Buckets.		
P	219-3386	BUCKET-HD, 18", 4.2 CFT	284 284	\$1,508 \$1,508 NI
		Includes 4 tooth tips.		
P	212-8738	BUCKET-DC, 48", 13.0 CFT	0 453	\$2,757 \$2,757 NI
		Ditch cleaning bucket		
P	444-7500	COUPLER, PG, MAN.D.LOCK, BHL F	192	\$2,090
		Mechanical quick coupler for backhoe buckets.		
		(includes one set of pins and hardware to attach one bucket)		
P	544-1901	COUPLER, PIN LOCK, BL F	0	\$1,528
		Manual coupler for dedicated Pin Lock backhoe work tools.		
		Includes mounting pins and hardware for attaching tools.		
P	485-5303	COUPLER, PG, HYD.D.LOCK,BHL-F	192	\$4,083
		Hydraulic quick coupler with dual lock for backhoe buckets.		
		REQUIRES: 450-8579 LINES,HYD COUPLER 16FT STD-STK or		
		450-8580 LINES,HYD COUPLER 16FT E-STICK		

INSTRUCTIONS

DECAL PACKAGES

P	430-9944	INSTRUCTIONS, ANSI	0	NC
		This package includes picto decals for use in USA.		

INSTRUCTIONS AND OPERATION MANUALS

	421-8926	SERIALIZED TECHNICAL MEDIA KIT	0	NC
		Kit will include instructions and parts CD in the legally required language, based on the shipping address.		
		Any additional media such as a paper parts manual, not included in the kit, can be ordered through the media website.		
		https://oos.midlandcorp.com/CAT/Default.aspx		

CATERPILLAR MACHINE PRICE LIST

430F2 HRC

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

NOTE

LANE 2 / LANE 3 OPTIONAL SELECTIONS

All items may be ordered as Lane 2 unless specifically designated 'FOR USE IN LANE 3 ONLY'.

HYDRAULICS

RIDE CONTROL

L	398-2681	RIDE CONTROL 0		\$1,490
		Improves ride during travel by providing a suspension system in the loader lift arm circuit. Recommended in applications where improved material retention or ride is desired.		

THUMBS

Thumbs cannot be shipped without either bucket or coupler.
Thumbs & Tines may only be ordered as full, installed packages.
Thumbs cannot be ordered installed, less the tine. A Tine must be selected to complete the order.
No additional not installed tine allowed When ordering a BHL Thumb & Tine from the Factory; insure that the correct tine is selected for the bucket and/or bucket/coupler combination.
If the incorrect tine is selected, the bucket and tine may not mate properly.

P	282-5409	THUMB, HYDRAULIC, NO TINE, BHL 0		\$5,500
		Hydraulic Thumb Arrangement without tines FOR USE WITH: LINES, COMBINED AUX REQUIRES: Thumb tine (see below)		
P	221-4282	THUMB, TINE, A 1 0		\$417
		Buckets with no coupler ONLY FOR USE WITH: 219-3411 BUCKET 12" OR 219-3386 BUCKET 18" 219-3381 BUCKET 24" OR 219-3387 BUCKET 24"		
P	221-4284	THUMB, TINE, A 2 0		\$417
		Bucket with no coupler FOR USE WITH: 219-3396 BUCKET 24" Bucket with 544-1901 Coupler FOR USE WITH: 247-1950 BUCKET 24"		
P	221-4283	THUMB, TINE, A 3 0		\$417
		Bucket with no coupler FOR USE WITH: 254-8941 BUCKET 24" Buckets with: 444-7500 COUPLER, MANUAL OR 485-5303 COUPLER, HYDR FOR USE WITH: 219-3411 BUCKET 12" OR 219-3386 BUCKET 18" OR 219-3381 BUCKET 24" OR 219-3387		
P	221-4285	THUMB, TINE, A 4 0		\$417
		ONLY FOR USE WITH: 444-7500 COUPLER, MANUAL OR 485-5303 COUPLER, HYDR 219-3396 BUCKET 24"		

CATERPILLAR MACHINE PRICE LIST

430F2 HRC

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
HYDRAULICS (CONT.)				
THUMBS (Cont.)				
P	281-6708	THUMB, TINE, A 5 0 ONLY FOR USE WITH: 444-7500 COUPLER, MANUAL OR 485-5303 COUPLER, HYDR 254-8941 BUCKET 24"		\$417
HYDRAULIC QUICK DISCONNECT				
P	456-3390	COUPLING, QD, THREADED WITH CAPS 4 This includes one additional male and female threaded flat face, connect under pressure, quick disconnect coupling & protective caps. Compatible with all backhoe work tools. MUST BE ORDERED AS NOT-INSTALLED.		\$371 NI
BACKHOE HYDRAULICS				
L	398-2854	LINES, COMBINED AUX, STD STICK 0 ONLY FOR USE WITH: 450-8731 STICK, STANDARD, 16FT and 5 or 6 FUNCTION HYDRAULICS		\$3,500
L	398-2855	LINES, COMBINED AUX, E-STICK 0 ONLY FOR USE WITH: 450-8732 STICK, EXTENDABLE, 16FT and 6 FUNCTION HYDRAULICS		\$3,500
ELECTRICAL				
MAGNETIC BEACON				
P	211-4292	BEACON, MAGNETIC MOUNT 0 Must be ordered as 'NOT INSTALLED'		\$231 NI
P	433-0154	BEACON, MAGNETIC MOUNT, STROBE 0 Must be ordered as 'NOT INSTALLED'.		\$342 NI
RADIO				
P	540-2298	RADIO, FM BLUETOOTH 0 Cat FM Radio with bluetooth, aux input & microphone CANNOT BE USED WITH: OPEN CANOPY MACHINES		\$550
RADIO READY CANOPY HEADLINER				
L	398-2875	RADIO READY HEADLINER, CANOPY 3 Canopy headliner to accept a suitable 'all weather' Radio/ CD player (not available from factory) FOR USE WITH: OPEN CANOPIES ONLY		\$499
FACE FAN				
L	387-6682	FAN 0 ONLY FOR USE WITH: DELUXE CABS		\$230
L	454-6610	FAN, STANDARD CAB/ CANOPY 0 FOR USE WITH: CANOPIES		\$230

CATERPILLAR MACHINE PRICE LIST

430F2 HRC

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
ELECTRICAL (CONT.)				
SECURITY KEYPAD				
L	387-6570	SECURITY SYSTEM, KEYPAD 0 The keypad unit is a self contained immobiliser system to disable the engine, transmission and other systems at key switch on until a valid pass code is entered on the keypad which unlocks the machine to enable operation.		\$499
HEAVY DUTY BATTERY				
L	457-2797	BATTERY, HEAVY DUTY 0 INCLUDED IN: COLD WEATHER PACKAGE		\$227
COLD WEATHER PACKAGE				
L	398-2882	COLD WEATHER PACKAGE, 120V HRC 0 Provides additional battery and engine block heater as well as radiator antifreeze (to -55 celsius), mounting for an ether bottle and low temperature diesel fuel (to -30 celsius). The ether bottle is available seperately from Parts Distribution CANNOT BE USED WITH: HEAVY DUTY BATTERY or COLD WEATHER FUEL		\$780
L	396-6505	FUEL, COLD WEATHER 0 Provides low temperature diesel fuel (to -30 celsius). INCLUDED IN: COLD WEATHER PACKAGE		\$139 NET
GUARDS				
P	270-3204	PLATE GROUP - BOOM WEAR 0 Bolt on guard prevents damage to boom.		\$208
P	353-1389	GUARD, STABILIZER 0 Guards to protect Stabilizer cylinder rods from damage.		\$835
OTHER ATTACHMENTS				
FENDERS				
P	337-6851	FENDERS, FRONT 0 Set of two fenders with integrated steps.		\$576
FILTER SET				
P	399-0118	SERVICE FILTER PACK, T4/C4.4 0 Please order as 'Not-Installed'. This pack includes: Transmission, Engine and Machine hydraulic filters together with fuel water separator filter. NOTE: Only one pack per machine order.		\$101 NI NET
EXTERIOR REAR VIEW MIRRORS				
P	382-2499	MIRRORS, EXTERNAL, BOTH SIDES 0		\$725

CATERPILLAR MACHINE PRICE LIST

430F2 HRC

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

WORK TOOLS

HYDRAULIC QUICK COUPLER LINES

Required if a Hydraulic Quick Coupler has been selected.
Optional selection on other machines.

P	450-8579	LINES, HYD COUPLER 16FT STD-STK	192	\$2,324
		Provides hydraulic lines, valve and electrical controller. REQUIRED BY: HYDRAULIC COUPLER, PG, DUAL LOCK and STANDARD STICK		
P	450-8580	LINES, HYD COUPLER 16FT E-STICK	192	\$2,324
		Provides hydraulic lines, valve and electrical controller. REQUIRED BY: HYDRAULIC COUPLER, PG, DUAL LOCK and EXTENDABLE STICK		

BUCKET PINS

P	318-9902	PINS, SPARE	6	\$175
		Includes bucket pins and hardware. FOR USE WITH: 444-7500 COUPLER, PG, MANUAL, DUAL LOCK 361-1200 COUPLER, PG, HYD, DUAL LOCK		

FLUIDS

COLD WEATHER FUEL

L	396-6505	FUEL, COLD WEATHER	0	\$139 NET
		Provides low temperature diesel fuel (to -30 celsius). INCLUDED IN: COLD WEATHER PACKAGE		

CATERPILLAR MACHINE PRICE LIST

430F2 HRC

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS

KITS

Kits cannot be ordered with your machine order.
Kits can be ordered through CMOPS, but **MUST** be separate orders from the machine, and **MUST** include the top level MISC MTRL reference number. To ensure the orders are transferred through Antares to the Parts Distribution System you **MUST** also select the required Packing reference number.

For USA and Canada, please place your order as follows:

OG-0557 430F2 MISC MTRL
Kit item number

Kits will not be shipped with your machine, and are not carried in the Waco or Clayton Logistics Nodes.
Rest of the world may order direct from the plant.
Please place your order as follows:

OG-0325 430F2 MISC MTRL
Kit item number
OG-3280 PACK, MISCL MTRL

PLEASE SEE PREVIOUS PRICE LISTS WHEN ORDERING KITS FOR USE WITH EARLIER MODELS.

RIDE CONTROL

P	387-6451	KIT, RIDE CONTROL (PILOT/ECM) 0	\$1,418 NI
		Improves ride during travel by providing a suspension system in the loader lift arm circuit. Recommended in applications where improved ride or material retention is desired such as roading or load and carry.	

CATERPILLAR MACHINE PRICE LIST

430F2 HRC

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

AUXILIARY, COMBINED FUNCTION HYDRAULIC KITS

For use with both one-way flow tools (hammers, compactors) and two-way flow tools (augers, thumbs, side tilt couplers). Units equipped with Standard Sticks require 5 function BH Hydraulics and operate using the right thumb controller. Units equipped with Extendible Sticks require 6 Function BH Hydraulics and operate using the left thumb controller. Mounted near the backhoe valve bank in the chassis, a manual ball valve switches between one-way and two-way flow. Estimated shop time: 8 hours to install kit, plus 8 more hours is needed if adding a valve section to the valve bank (converting 4 to 5 Function, or 5 to 6 Function).

P	468-7984	KIT, HYD, COMBINED, 16FT STD STK 0		\$3,332 NI
		Provides diverter valve and hydraulic 3/4" lines routed to midpoint of stick for use with one-way or two-way flow work tools.		
		Includes hydraulic quick disconnect couplings.		
		This kit can be used to build 1 way (hammer) lines. See REHS installation instructions.		
		FOR USE WITH: STICK, STANDARD and HYDRAULICS, BH, 5 FUNCTION or HYDRAULICS, BH, 6 FUNCTION		
P	468-7983	KIT, HYD, COMBINED, 16FT E-STK 0		\$3,332 NI
		Provides diverter valve and hydraulic 3/4" lines routed to midpoint of stick for use with one-way or two-way flow work tools.		
		Includes hydraulic quick disconnect couplings.		
		This kit can be used to build 1 way (hammer) lines. See REHS installation instructions.		
		FOR USE WITH: E-STICK and HYDRAULICS, BH, 6 FUNCTION		

OTHER KITS

P	468-7972	KIT, LINES, HYD CPLR 16FT S-STK 0		\$1,724 NI
P	468-7973	KIT, LINES, HYD CPLR 16FT E-STK 0		\$1,724 NI
P	444-7500	COUPLER, PG, MAN.D.LOCK, BHL F 192		\$2,090 NI
		Mechanical quick coupler for backhoe buckets.		
P	361-1200	COUPLER, PG, HYD, DUAL LOCK 192		\$4,046 NI
		Hydraulic quick coupler with dual lock for backhoe buckets.		
P	387-6458	KIT, GUARD, STABILIZER CYLNDRS 0		\$828 NI
P	455-7380	KIT, LOADER, COUPLING QD 0		\$368 NI
		Includes both Male and Female 'Twist to Connect' hydraulic quick disconnect couplings with protective caps.		
P	442-9566	KIT, HOE, COUPLING Q-DISCON 0		\$363 NI
		Includes both Male and Female 'Twist to Connect' hydraulic quick disconnect couplings with protective caps.		

CATERPILLAR MACHINE PRICE LIST

430F2 HRC

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

OTHER KITS (Cont.)

P	482-1308	KIT, SECURITY KEYPAD 0 Provides a kit to add a keypad unit, self contained immobiliser system to disable the engine, transmission and other systems at key switch on until a valid pass code is entered on the keypad which unlocks the machine to enable operation.		\$493 NI
P	387-6472	KIT, FENDER, FRONT 0 Provides a kit to add a set of 2 Front Fenders to a machine.		\$571 NI

AVAILABLE FROM PARTS DISTRIBUTION

See reference media number M0078810 installation instructions

P	511-9785	KIT, OBJECT HANDLING, BHL-CP 0 Load Control Kit includes the following object handling kits : 512-6861 Load Control Kit (Boom) (1) 512-6863 Load Control Kit (Stick) (2) 512-6862 Load Control Kit (Bucket) (3) 512-5597 Load Control Kit (Stab) (4) See reference media number M0078810 installation instructions		\$3,256 NI
P	512-5597	KIT, LCV, STABILIZER, BHL-CP 0 Load Control Kit will provide a Hose Burst Check Valve (HBCV) for the stabs See reference media number M0078810 installation instructions		\$546 NI
P	512-6861	KIT, LCV - BOOM, BHL-CP 0 Load Control Kit will provide a Hose Burst Check Valve (HBCV) for the boom. See reference media number M0078810 installation instructions		\$733 NI
P	512-6862	KIT, LCV - BUCKET, BHL-CP 0 Load Control Kit will provide a Hose Burst Check Valve (HBCV) for the bucket See reference media number M0078810 installation instructions		\$1,122 NI
P	512-6863	KIT, LCV - STICK, BHL-CP 0 Load Control Kit will provide a Hose Burst Check Valve (HBCV) for the stick See reference media number M0078810 installation instructions		\$854 NI

Please see the WT-BHL price list for other items available from Parts Distribution

PACKING

0P-0210	PACK, DOMESTIC TRUCK 0 Required for all machines for USA, Canada & South America		NC
461-6839	SHIPPING/STORAGE PROTECTION 0 Provides protective film for rust protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer. REQUIRED BY: AM-N and AM-S DEALERS		\$203 NET

CATERPILLAR MACHINE PRICE LIST

430F2 HRC

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	---------------------	--------------------	-------------------------

PACKING (CONT.)

462-1033	RUST PREVENTATIVE APPLICATOR 0 Preparation for shipment - Silix applicators required for shipment by sea.	\$108 NET
0G-3280	Required for all machines for USA, Canada & South America PACK, MISCELLANEOUS MATERIAL 0	\$212 NET