

CATERPILLAR MACHINE PRICE LIST

**440**

440 BACKHOE LOADER LEICESTER, ENGLAND	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

Standard Equipment:

THIS LISTING IS A GENERAL DESCRIPTION OF A 440 BACKHOE LOADER EQUIPPED WITH THE LOWEST CHARGE ITEMS.

**BOOMS, STICKS, AND LINKAGES**

- 15' Center pivot excavator style backhoe
- Electrohydraulic operated hydraulic controls with pattern changer valve
- Electrohydraulic operated stabilizer controls
- Boom transport lock
- Swing transport lock
- Street pads stabilizer shoes
- Anti-drift hydraulics (Boom, Stick and E-Stick)
- Cat Cushion Swing(tm) system
- Bucket level indicator
- Lift cylinder brace
- Return-to-dig (auto bucket positioner)
- Self-leveling loader with single lever control
- Transmission neutralizer switch
- Single Tilt Loader

**POWERTRAIN**

- Cat C4.4, 86kW (Net 104HP/78kW) Direct Injection Turbo Charged Engine, with ACERT technology.
- US EPA Tier4 Final Emissions Compliant with Selective Catalytic Reduction(SCR)
- Water separator with service indicator
- Thermal starting aid system
- Eco mode
- A dry-type axial seal air cleaner with integral precleaner, automatic dust ejection system & filter condition indicator
- Hydraulically boosted multi-plate wet disk brake with dual pedals & interlock
- Differential lock
- Spring Applied Hydraulic Release (SAHR) brake
- High Ambient Cooling Package
- Torque converter
- Autoshift transmission with 6 forward and 3 reverse gears & neutral safety switch
- Spin-on fuel, engine oil & transmission oil filters
- Outboard planetary rear axles
- Open Circuit Breather

CATERPILLAR MACHINE PRICE LIST

**440**

440 BACKHOE LOADER LEICESTER, ENGLAND	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

**HYDRAULICS**

Load sensing, variable flow system  
with 55 gpm axial piston pump  
6 micron hydraulic filter  
O-ring face seal hydraulic fittings  
Caterpillar XT-3 hose  
Hydraulic oil cooler  
Pilot control shutoff switch  
PPPC, Open Center with Flow Summation  
Hydraulic suction strainer

Lockable hood  
Tire Valve Stem Protection  
Long Life Coolant -30C (-20F)  
Counterweight 500kg/1102lbs  
Padlocks Qty 2

**ELECTRICAL**

12 volt electrical start  
150 ampere alternator  
Horn and Backup Alarm  
Hazard flashers/turn signals  
Halogen head lights (4)  
Halogen rear flood lights (4)  
Stop and tail lights  
Audible system fault alarm  
Key start/stop system  
1.000 CCA maintenance free battery  
Battery disconnect switch  
External/internal power receptacles(12v)  
Diagnostic ports for engine and machine  
Electronic Control Modules  
Remote jump start connector

**OPERATOR ENVIRONMENT**

Lighted gauge group  
Interior rearview mirror  
ROPS canopy, Rear Fenders  
2-inch retractable seat belt  
Tilt steering column  
Steering knob  
Hand and foot throttle  
Automatic Engine Speed Control  
One Touch Low Idle  
Floor mat and Coat Strap  
Lockable storage area  
Air suspension seat

**OTHER STANDARD EQUIPMENT**

Hydrostatic power steering  
Standard Storage Box  
Transport tie-downs  
Ground line fill fuel tank with 44  
gallon capacity  
Ground line fill diesel exhaust fluid  
tank with 5 gallon capacity  
Rubber impact strips on radiator guards  
Bumper  
CD-ROM Parts Manual  
Backhoe Safety Manual  
Operations and Maintenance Manual

CATERPILLAR MACHINE PRICE LIST

440

---

440 BACKHOE LOADER  
LEICESTER, ENGLAND

Ship Weight  
lbs

LIST PRICE  
AT DEALER

---

**Lane 2 is reserved for the Base Order Management Program  
Please use Lane 2 when placing orders that are part of the Base Order  
Management Program.**

CATERPILLAR MACHINE PRICE LIST

**440**

440 BACKHOE LOADER LEICESTER, ENGLAND	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

<b>549-6303</b> <b>440-07A BACKHOE LOADER DCA1</b> ..... 0 LANE 1 - AVAILABLE FROM CLAYTON PRODUCT DISTRIBUTION CENTER	0	<b>\$161,300</b>
---	---	------------------

INCLUDES:  
 506-3397 440-07A BACKHOE LOADER  
 506-3417 CAB, DELUXE  
 558-9623 SEAT, DELUXE FABRIC  
 506-3404 RIDE CONTROL  
 506-3426 STICK, EXTENDABLE  
 521-5137 HYDRAULICS, MP, 6FCN/8BNK  
 506-3406 POWERTRAIN, 4WD, AUTOSHIFT  
 491-6734 WORKING (8) HALOGEN LAMPS  
 506-3449 COLD WEATHER PACKAGE, 120V HRC  
 518-9096 PRODUCT LINK, CELLULAR PL641

<b>549-6304</b> <b>440-07A BACKHOE LOADER DCA2</b> ..... 0 LANE 1 - AVAILABLE FROM CLAYTON PRODUCT DISTRIBUTION CENTER	0	<b>\$165,870</b>
---	---	------------------

INCLUDES:  
 506-3397 440-07A BACKHOE LOADER  
 506-3417 CAB, DELUXE  
 558-9623 SEAT, DELUXE FABRIC  
 506-3404 RIDE CONTROL  
 506-3426 STICK, EXTENDABLE  
 506-3415 HYDRAULICS, QC, 6FCN/8BNK  
 506-3406 POWERTRAIN, 4WD, AUTOSHIFT  
 491-6734 WORKING (8) HALOGEN LAMPS  
 506-3449 COLD WEATHER PACKAGE, 120V HRC  
 518-9096 PRODUCT LINK, CELLULAR PL641

<b>506-3397</b> <b>440-07A BACKHOE LOADER</b> ..... 0 LANE 2 - AVAILABLE FROM LEICESTER FACTORY LANE 3 - AVAILABLE FROM LEICESTER FACTORY AVAILABLE FOR: AM-N and PUERTO RICO	0	<b>\$126,410</b>
--	---	------------------

**Use the reference below when ordering miscellaneous field installed kits.**

CATERPILLAR MACHINE PRICE LIST

**440**

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**LANE 1 AM-NORTH MANDATORY ATTACHMENTS**

**LANE SELECTION**

OP-9001	LANE 1 ORDER . . . . .	0	NC
	Select this option when ordering from the Distribution Center		

**LOADER BUCKET**

P	521-6207	BUCKET-GP, 1.75 YD3, PO, BOCE . . . . .	2,226	\$5,765
		ONLY FOR USE WITH: DCA1		
P	521-6205	BUCKET-MP, HD, 1.75YD3,PO,BOCE . . . . .	2,698	\$11,674
		ONLY FOR USE WITH: DCA1		
P	521-6208	BUCKET-GP, 2.0 YD3, PO, BOCE . . . . .	2,403	\$6,035
		ONLY FOR USE WITH: DCA1		
P	521-6206	BUCKET-MP, XD, 1.75YD3,PO,BOCE . . . . .	2,866	\$13,090
		Extreme Duty Bucket. Features include : Additional lifting eyes, Hose guards for cylinder hoses, Wear plates, Additional bolt-on cutting edge on rear of the clam and Thicker base edge.		
		ONLY FOR USE WITH: DCA1		
P	506-0984	BUCKET-GP, 2.0 YD3, IT, BOCE . . . . .	2,065	\$6,035
		ONLY FOR USE WITH: DCA2		
P	502-1117	BUCKET-GP, 1.75 YD3, IT, BOCE . . . . .	1,897	\$5,765
		ONLY FOR USE WITH: DCA2		
P	506-1010	BUCKET-MP, HD, 1.75YD3,IT,BOCE . . . . .	2,414	\$11,674
		Heavy Duty Bucket		
		ONLY FOR USE WITH: DCA2		
P	506-1011	BUCKET-MP, XD, 1.75YD3,IT,BOCE . . . . .	2,579	\$13,090
		Extreme Duty Bucket		
		ONLY FOR USE WITH: DCA2		

**TIRES**

P	533-0488	TIRES, 340 80-18/500 70-24, MX . . . . .	0	\$1,645
		Michelin Power CL (Bias Ply) 12.5/80-18 12PR directional front tire and 500/70-24 20PR (Bias ply) directional rear tires designed to deliver high load capacity. Provides excellent traction and floatation. Wide lugs provide long life and hard surface grip.		

**DECAL PACKAGES**

P	488-2908	INSTRUCTIONS, ANSI . . . . .	0	NC
		This package includes picto decals for use in USA.		
P	488-2909	INSTRUCTIONS, ISO . . . . .	0	NC
		This package includes picto decals for use outside of USA.		

**SEAT BELT**

L	206-1747	BELT, SEAT, 2" SUSPENSION . . . . .	0	NC
L	206-1748	SEAT BELT, 3" SUSPENSION . . . . .	0	\$109
		REQUIRED IN: CALIFORNIA		

CATERPILLAR MACHINE PRICE LIST

**440**

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)**

**STABILIZER PADS**

P	488-2944	STABILIZER PADS, FLIP-OVER . . . . .	0	\$336
		Flip-over pads for use on asphalt, concrete or soil.		

**BACKHOE BUCKET OR COUPLER**

P	175-7877	BUCKET, HOE, (NONE) . . . . .	10	NC
		REQUIRED when no backhoe bucket or coupler is installed.		
P	219-3411	BUCKET-HD, 12", 2.8 CFT . . . . .	238	\$1,457
		Includes 3 tooth tips and Pin set for 12" Buckets.		
P	219-3386	BUCKET-HD, 18", 4.2 CFT . . . . .	284	\$1,508
		Includes 4 tooth tips.		
P	219-3387	BUCKET-HD, 24", 6.2 CFT . . . . .	333	\$1,717
		Includes 5 tooth tips.		
P	254-8941	BUCKET-HC SOIL, 24", 8.5 CFT . . . . .	395	\$1,854
		Includes 5 angle-down adapters and soil tooth tips.		
P	219-3381	BUCKET-SD, 24" 6.2 CFT . . . . .	291	\$1,335
		Includes 5 tooth tips.		
P	247-1950	BUCKET-HD, 24", 7.3 CFT PL . . . . .	370	\$1,846
		This Pin Lock bucket includes 5 tooth tips.		
P	212-8738	BUCKET-DC, 48", 13.0 CFT . . . . .	0	\$2,757
		Ditch cleaning bucket	453	\$2,757 NI

**INSTRUCTIONS AND OPERATION MANUALS**

	421-8926	SERIALIZED TECHNICAL MEDIA KIT . . . . .	0	NC
		Kit will include instructions and parts CD in the legally required language, based on the shipping address.		
		Any additional media such as a paper parts manual, not included in the kit, can be ordered through the media website.		
		<a href="https://oos.midlandcorp.com/CAT/Default.aspx">https://oos.midlandcorp.com/CAT/Default.aspx</a>		

**TRANSPORT PROTECTION**

	461-6839	SHIPPING/STORAGE PROTECTION . . . . .	0	\$203 NET
		Provides protective film for rust protection while shipping and for extended storage periods.		
		This product will need to be power washed with soapy water prior to shipment to the customer.		
	462-1033	RUST PREVENTATIVE APPLICATOR . . . . .	0	\$108 NET
		Preparation for shipment - Silix applicators required for shipment by sea.		

**PACKING**

	OP-0210	PACK, DOMESTIC TRUCK . . . . .	0	NC
		Required for all machines for USA, Canada & South America		

CATERPILLAR MACHINE PRICE LIST

**440**

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)**

***PACKING (Cont.)***

0P-3071	<b>FREIGHT SHIP-TO EXCEEDS RADIUS</b> . . . . . 0	<b>NC</b>
	A freight surcharge will be applied for the ship-to locations described below. Any applicable surcharge will be billed seperately. Contact your trade lane manager for information. Finning: Locations exceeding 500 km radius of Vancouver and Edmonton Kramer: Locations exceeding 500 km radius of Regina Toromont: Locations exceeding 500 km radius of Toronto and Winnipeg Hewitt: Locations exceeding 500 km radius of Montreal Atlantic: Locations exceeding 500 km radius of Halifax and York NC Machinery: Deliveries to Alaska Hawthorne: Deliveries to Hawaii	

CATERPILLAR MACHINE PRICE LIST

**440**

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**LANE 1 AM-NORTH OPTIONAL ATTACHMENTS**

*May select additional options (not required).*

P	211-4292	BEACON, MAGNETIC MOUNT . . . . . 0 Must be ordered as 'NOT INSTALLED'		\$231 NI
P	337-6851	FENDERS, FRONT . . . . . 0 Set of two fenders with integrated steps.		\$576
P	488-2906	GUARD, STABILIZER. . . . . 0 Guards to protect Stabilizer cylinder rods from damage.		\$835
P	513-8881	PLATE GROUP, BOOM WEAR . . . . . 0 Bolt on guard prevents damage to boom.		\$208

**HOE COUPLER**

P	444-7500	COUPLER, PG, MAN.D.LOCK, BHL F . . . . . 192 Mechanical quick coupler for backhoe buckets. (includes one set of pins and hardware to attach one bucket)		\$2,090
P	544-1901	COUPLER, PIN LOCK, BL F . . . . . 0 Manual coupler for dedicated Pin Lock backhoe work tools. Includes mounting pins and hardware for attaching tools.		\$1,528

**CARRIAGE & FORK**

P	6W-8832	CARRIAGE, FORK. . . . . 611 699 Standard carriage. Does not include tines. ONLY FOR USE WITH: DCA2		\$2,511 \$2,511 NI
P	195-6935	FORK TINE, 2" X 5" X 48" . . . . . 216 216 One tine only, specify qty of 2 for pair.		\$765 \$765 NI
P	195-6939	FORK TINE, 2" X 5" X 54" . . . . . 232 232 One tine only, specify qty of 2 for pair.		\$793 \$793 NI

**THUMBS**

Thumbs cannot be shipped without either bucket or coupler.  
Thumbs & Tines may only be ordered as full, installed packages.  
Thumbs cannot be ordered installed, less the tine. A Tine must be selected to complete the order.  
No additional not installed tine allowed When ordering a BHL Thumb & Tine from the Factory; insure that the correct tine is selected for the bucket and/or bucket/coupler combination.  
If the incorrect tine is selected, the bucket and tine may not mate properly.

P	282-5409	THUMB, HYDRAULIC, NO TINE, BHL . . . . . 0 Hydraulic Thumb Arrangement without tines REQUIRES: Thumb tine (see below)		\$5,500
P	221-4282	THUMB, TINE, A 1 . . . . . 0 Buckets with no coupler ONLY FOR USE WITH: 219-3411 BUCKET 12" 219-3387 BUCKET 24" 219-3386 BUCKET 18" 219-3386 BUCKET 24"		\$417

CATERPILLAR MACHINE PRICE LIST

**440**

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**LANE 1 AM-NORTH OPTIONAL ATTACHMENTS (CONT.)**

***THUMBS (Cont.)***

P	221-4283	THUMB, TINE, A 3 . . . . . 0 Buckets with no coupler FOR USE WITH: 254-8941 BUCKET 24" Buckets with 444-7500 Coupler FOR USE WITH: 219-3411 BUCKET 12" OR 219-3386 BUCKET 18" OR 219-3387 BUCKET 24" 219-3381 BUCKET 24"		\$417
P	281-6708	THUMB, TINE, A 5 . . . . . 0 ONLY FOR USE WITH: 444-7500 COUPLER, MANUAL 254-8941 BUCKET 24"		\$417

CATERPILLAR MACHINE PRICE LIST

**440**

---

USE	REF NO.	<b>LANE 2 / 3 MANDATORY</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	--------------------	-------------------------

---

**LANE SELECTION**

***LANE 2/ LANE 3 FACTORY ARRANGEMENTS***

<b>0P-9002</b>	<b>LANE 2 ORDER</b> ..... 0 Only for dealers enrolled in the Base Orders Management (BOM) program	<b>NC</b>
<b>0P-9003</b>	<b>LANE 3 ORDER</b> ..... 0	<b>NC</b>

CATERPILLAR MACHINE PRICE LIST

**440**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**BOOMS, STICKS, AND LINKAGES**

***BACKHOE STICKS***

L	506-3425	STICK, STANDARD, 15' . . . . .	0	NC
L	506-3426	STICK, EXTENDABLE, 15' . . . . . Provides additional 3'9" (1.14m) of reach	0	\$5,010

**POWERTRAIN**

***POWERTRAIN (Gearbox, Axles, Lines)***

L	506-3406	POWERTRAIN, 4WD, AUTOSHIFT . . . . .	0	\$13,330
L	521-5139	POWERTRAIN, 4WD, AUTOSHIFT,LTC . . . . . Autoshift, Lockup Torque Converter	0	\$15,800

**HYDRAULICS**

***LOADER & BACKHOE HYDRAULICS (inc Valves and Loader Lines)***

L	521-5137	HYDRAULICS, MP, 6FCN/8BNK . . . . .	0	\$2,615
L	506-3415	HYDRAULICS, QC, 6FCN/8BNK . . . . . Includes a Hydraulic IT Loader Coupler & MP Hydraulics.	0	\$7,180

**ELECTRICAL**

***PRODUCT LINK***

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitoring performance of your assets, it helps keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet.

Availability varies by country, please contact your Cat marketing representative with questions or click on the link below:  
[HTTPS://DEALER.CAT.COM/en/bt/otd/machine-price-list.html](https://dealer.cat.com/en/bt/otd/machine-price-list.html)  
 From there click on the "PRODUCT LINK Hardware Certification" link.

L	518-9102	PRODUCT LINK, SATELLITE PL631 . . . . . PL631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage.	0	\$432
L	518-9096	PRODUCT LINK, CELLULAR PL641 . . . . . PL641 uses GSM and CDMA 3G cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.	0	NC

CATERPILLAR MACHINE PRICE LIST

**440**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT**

**CAB/ CANOPY**

L	506-3416	CANOPY, BASE . . . . .	0	NC
		Includes tilt steering column, floor mat, two internal and two external power receptacles and rotating vandal guard.		
L	506-3417	CAB, DELUXE . . . . .	0	\$10,740
		Includes: Heating and Air Conditioning, window defroster, front & rear windshield wiper/washer system, left & right side doors with locks, coat hook, interior rear view mirror, tilt/tele steering column, floor mat, radio-ready headliner, two internal and two external 12v power sockets, auto-up stabilizers, and system indicators for hydraulic filter service and hydraulic temperature warning.		

**SEATS**

L	507-5499	SEAT, VINYL . . . . .	0	NC
		ONLY FOR USE WITH: 506-3416 CANOPY, BASE		
L	558-9623	SEAT, DELUXE FABRIC . . . . .	0	\$925
		ONLY FOR USE WITH: 506-3417 CAB, DELUXE		
L	507-5500	SEAT, DELUXE FABRIC, HEATED . . . . .	0	\$1,435
		ONLY FOR USE WITH: 506-5500 CAB, DELUXE		

**WORKING LIGHTS**

L	491-6734	WORKLIGHTS (8) HALOGEN LAMPS . . . . .	0	NC
L	491-6736	WORKLIGHTS (8) LED LAMPS . . . . .	0	\$875

**SEAT BELT**

L	206-1747	BELT, SEAT, 2" SUSPENSION . . . . .	0	NC
L	206-1748	SEAT BELT, 3" SUSPENSION . . . . .	0	\$109
		REQUIRED IN: CALIFORNIA		

**TIRES, RIMS, AND WHEELS**

**TIRES**

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice, but we reserve the right to propose alternate tires Any proposed change will be reviewed with the dealer prior to machine shipment. The machine will ship only with the dealer acceptance of the proposed alternative tire.

**TIRES AVAILABLE FROM FIRESTONE**

P	504-6981	TIRES, 15-19.5/21L-24, FS . . . . .	0	\$6,670
		Firestone AWD Bias Flotation, Front: Bias 15-19.5 12PR Rear: Bias 21L-24 16PR		

CATERPILLAR MACHINE PRICE LIST

**440**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**TIRES, RIMS, AND WHEELS (CONT.)**

**TIRES AVAILABLE FROM MICHELIN**

P	533-0488	<b>TIRES, 340 80-18/500 70-24, MX</b> ..... 0 Michelin Power CL (Bias Ply) 12.5/80-18 12PR directional front tire and 500/70-24 20PR (Bias ply) directional rear tires designed to deliver high load capacity. Provides excellent traction and floatation. Wide lugs provide long life and hard surface grip.		\$1,645
P	533-0465	<b>TIRES, 340 80R20/540 70R24, MX</b> ..... 0 Michelin Bibload, Front: Radial 340/80R20 Rear: Radial 540/70R24		\$5,170

**OTHER ATTACHMENTS**

**Stabilizer Pads**

P	488-2944	<b>STABILIZER PADS, FLIP-OVER</b> ..... 0 Flip-over pads for use on asphalt, concrete or soil.		\$336
---	----------	---	--	-------

**BUCKETS**

**LOADER BUCKETS FOR ST MACHINE**

P	563-0497	<b>BUCKET, LOADER (NONE)</b> ..... 0 Ship with no loader bucket.		NC
P	521-6207	<b>BUCKET-GP, 1.75 YD3, PO, BOCE</b> ..... 2,226 ONLY FOR USE WITH: 521-5137 HYDRAULICS, MP OR 521-5138 HYDRAULICS, GP		\$5,765
P	521-6208	<b>BUCKET-GP, 2.0 YD3, PO, BOCE</b> ..... 2,403 ONLY FOR USE WITH: 521-5137 HYDRAULICS, MP OR 521-5138 HYDRAULICS, GP		\$6,035
P	521-6205	<b>BUCKET-MP, HD, 1.75YD3,PO,BOCE</b> ..... 2,698 ONLY FOR USE WITH: 521-5137 HYDRAULICS, MP		\$11,674
P	521-6206	<b>BUCKET-MP, XD, 1.75YD3,PO,BOCE</b> ..... 2,866 Extreme Duty Bucket. Features include : Additional lifting eyes, Hose guards for cylinder hoses, Wear plates, Additional bolt-on cutting edge on rear of the clam and Thicker base edge. ONLY FOR USE WITH: 521-5137 HYDRAULICS, MP		\$13,090

**LOADER BUCKET FOR IT STYLE LOADER**

P	502-1117	<b>BUCKET-GP, 1.75 YD3, IT, BOCE</b> ..... 1,897 ONLY FOR USE WITH: 506-3415 HYDRAULICS, QC		\$5,765
P	506-0984	<b>BUCKET-GP, 2.0 YD3, IT, BOCE</b> ..... 2,065 ONLY FOR USE WITH: 506-3415 HYDRAULICS, QC		\$6,035
P	506-1010	<b>BUCKET-MP, HD, 1.75YD3,IT,BOCE</b> ..... 2,414 Heavy Duty Bucket ONLY FOR USE WITH: 506-3415 HYDRAULICS, QC		\$11,674
P	506-1011	<b>BUCKET-MP, XD, 1.75YD3,IT,BOCE</b> ..... 2,579 Extreme Duty Bucket ONLY FOR USE WITH: 506-3415 HYDRAULICS, QC		\$13,090

CATERPILLAR MACHINE PRICE LIST

**440**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**BUCKETS (CONT.)**

**BACKHOE BUCKETS AND COUPLERS**

If no coupler is selected hoe bucket should be ordered as installed.

If coupler is selected coupler should be installed and hoe bucket not installed.

Additional buckets (and bucket pins) may be ordered as not-installed from the Lane2/ Lane3 Optional section.

P	175-7877	BUCKET, HOE, (NONE) . . . . .	10	NC
		REQUIRED when no backhoe bucket or coupler is installed.		
P	219-3411	BUCKET-HD, 12", 2.8 CFT . . . . .	238	\$1,457
		Includes 3 tooth tips and Pin set for 12" Buckets.		
P	219-3386	BUCKET-HD, 18", 4.2 CFT . . . . .	284	\$1,508
			284	\$1,508 NI
		Includes 4 tooth tips.		
P	219-3387	BUCKET-HD, 24", 6.2 CFT . . . . .	333	\$1,717
		Includes 5 tooth tips.		
P	254-8941	BUCKET-HC SOIL, 24", 8.5 CFT . . . . .	395	\$1,854
		Includes 5 angle-down adapters and soil tooth tips.		
P	219-3396	BUCKET-HD ROCK, 24", 7.0 CFT . . . . .	381	\$1,892
		Includes 5 tooth tips.		
P	219-3381	BUCKET-SD, 24" 6.2 CFT . . . . .	291	\$1,335
		Includes 5 tooth tips.		
P	247-1950	BUCKET-HD, 24", 7.3 CFT PL . . . . .	370	\$1,846
		This Pin Lock bucket includes 5 tooth tips.		
P	212-8738	BUCKET-DC, 48", 13.0 CFT . . . . .	0	\$2,757
			453	\$2,757 NI
		Ditch cleaning bucket		
P	444-7500	COUPLER, PG, MAN.D.LOCK, BHL F . . . . .	192	\$2,090
		Mechanical quick coupler for backhoe buckets. (includes one set of pins and hardware to attach one bucket)		
P	485-5303	COUPLER, PG, HYD.D.LOCK,BHL-F . . . . .	192	\$4,083
		Hydraulic quick coupler with dual lock for backhoe buckets. ONLY FOR USE WITH: 450-8579 LINES,HYD COUPLER 16FT STD-STK or 450-8580 LINES,HYD COUPLER 16FT E-STICK		

**INSTRUCTIONS**

**DECAL PACKAGES**

P	488-2908	INSTRUCTIONS, ANSI . . . . .	0	NC
		This package includes picto decals for use in USA.		

**INSTRUCTIONS AND OPERATION MANUALS**

	421-8926	SERIALIZED TECHNICAL MEDIA KIT . . . . .	0	NC
		Kit will include instructions and parts CD in the legally required language, based on the shipping address. Any additional media such as a paper parts manual, not included in the kit, can be ordered through the media website. <a href="https://oos.midlandcorp.com/CAT/Default.aspx">https://oos.midlandcorp.com/CAT/Default.aspx</a>		

CATERPILLAR MACHINE PRICE LIST

**440**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**NOTE**

**LANE 2 / LANE 3 OPTIONAL SELECTIONS**

All items may be ordered as Lane 2 unless specifically designated 'FOR USE IN LANE 3 ONLY'.

**HYDRAULICS**

**RIDE CONTROL**

L	506-3404	<b>RIDE CONTROL</b> . . . . .	0	\$1,490
		Improves ride during travel by providing a suspension system in the loader lift arm circuit. Recommended in applications where improved material retention or ride is desired.		

**THUMBS**

Thumbs cannot be shipped without either bucket or coupler.  
Thumbs & Tines may only be ordered as full, installed packages.  
Thumbs cannot be ordered installed, less the tine. A Tine must be selected to complete the order.  
No additional not installed tine allowed When ordering a BHL Thumb & Tine from the Factory; insure that the correct tine is selected for the bucket and/or bucket/coupler combination.  
If the incorrect tine is selected, the bucket and tine may not mate properly.

P	282-5409	<b>THUMB, HYDRAULIC, NO TINE, BHL</b> . . . . .	0	\$5,500
		Hydraulic Thumb Arrangement without tines FOR USE WITH: LINES, COMBINED AUX REQUIRES: Thumb tine (see below)		
P	221-4282	<b>THUMB, TINE, A 1</b> . . . . .	0	\$417
		Buckets with no coupler ONLY FOR USE WITH: 219-3411 BUCKET 12" OR 219-3386 BUCKET 18" 219-3381 BUCKET 24" OR 219-3387 BUCKET 24"		
P	221-4284	<b>THUMB, TINE, A 2</b> . . . . .	0	\$417
		Bucket with no coupler FOR USE WITH: 219-3396 BUCKET 24" Bucket with 544-1901 Coupler FOR USE WITH: 247-1950 BUCKET 24"		
P	221-4283	<b>THUMB, TINE, A 3</b> . . . . .	0	\$417
		Bucket with no coupler FOR USE WITH: 254-8941 BUCKET 24" Buckets with: 444-7500 COUPLER, MANUAL OR 485-5303 COUPLER, HYDR FOR USE WITH: 219-3411 BUCKET 12" OR 219-3386 BUCKET 18" OR 219-3381 BUCKET 24" OR 219-3387		
P	221-4285	<b>THUMB, TINE, A 4</b> . . . . .	0	\$417
		ONLY FOR USE WITH: 444-7500 COUPLER, MANUAL OR 485-5303 COUPLER, HYDR 219-3396 BUCKET 24"		

CATERPILLAR MACHINE PRICE LIST

**440**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**HYDRAULICS (CONT.)**

**THUMBS (Cont.)**

P	281-6708	THUMB, TINE, A 5 . . . . . 0		\$417
		ONLY FOR USE WITH: 444-7500 COUPLER, MANUAL OR 485-5303 COUPLER, HYDR 254-8941 BUCKET 24"		

**HYDRAULIC QUICK DISCONNECT**

P	456-3390	COUPLING, QD, THREADED WITH CAPS . . . . . 4		\$371 NI
		This includes one additional male and female threaded flat face, connect under pressure, quick disconnect coupling & protective caps. Compatible with all backhoe work tools. MUST BE ORDERED AS NOT-INSTALLED.		

**BACKHOE HYDRAULICS**

L	506-3429	LINES, AUX COMBO, STD STICK 15' . . . . . 0		\$3,500
		ONLY FOR USE WITH: 506-3429 STICK, STANDARD, 16FT		
L	506-3430	LINES, AUX COMBO, EXT STICK 15' . . . . . 0		\$3,500
		ONLY FOR USE WITH: 506-3426 STICK, EXTENDABLE, 16FT		
L	550-4174	LINES, COMBO, AUX READY LINES . . . . . 0		\$104
		This option adds hydraulics lines from the valve under the cab, terminating at the rear of the machine. This option simplifies the additional of combo lines at a later time in the field.		

**CAPS**

P	487-6058	COUPLER NONE . . . . . 0		NC
		This includes caps to close off lines when machine is "Hydraulic Coupler Ready", however, NO hyd coupler is selected. REQUIRES: 506-3433 LINES, HYD COUPLER STD-STK 506-3434 LINES, HYD COUPLER EXT-STICK CANNOT BE USED WITH: 485-5303 COUPLER		

**ELECTRICAL**

**MAGNETIC BEACON**

P	211-4292	BEACON, MAGNETIC MOUNT . . . . . 0		\$231 NI
		Must be ordered as 'NOT INSTALLED'		
P	433-0154	BEACON, MAGNETIC MOUNT, STROBE . . . . . 0		\$342 NI
		Must be ordered as 'NOT INSTALLED'.		

**RADIO**

P	540-2298	RADIO, FM BLUETOOTH . . . . . 0		\$550
		Cat FM Radio with bluetooth, aux input & microphone CANNOT BE USED WITH: OPEN CANOPY MACHINES		

CATERPILLAR MACHINE PRICE LIST

**440**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
<b>ELECTRICAL (CONT.)</b>				
<b>RADIO READY CANOPY HEADLINER</b>				
L	506-3435	RADIO READY HEADLINER, CANOPY . . . . . 0 Canopy headliner to accept a suitable 'all weather' Radio/ CD player. FOR USE WITH: 506-3416 CANOPY		\$499
<b>FACE FAN</b>				
L	387-6682	FAN . . . . . 0 ONLY FOR USE WITH: 506-3417 CAB, DELUXE		\$230
L	454-6610	FAN, STANDARD CAB/ CANOPY . . . . . 0 ONLY FOR USE WITH: 506-3416 CANOPY		\$230
<b>HEAVY DUTY BATTERY</b>				
L	507-2335	BATTERY, HEAVY DUTY . . . . . 0 INCLUDED IN: COLD WEATHER PACKAGE		\$227
<b>COLD WEATHER PACKAGE</b>				
L	506-3449	COLD WEATHER PACKAGE, 120V HRC . . . . . 0 Provides additional battery and engine block heater as well as radiator antifreeze (to -55 celsius), mounting for an ether bottle and low temperature diesel fuel (to -30 celsius). The ether bottle is available seperately from Parts Distribution CANNOT BE USED WITH: HEAVY DUTY BATTERY or COLD WEATHER FUEL		\$780
L	396-6505	FUEL, COLD WEATHER . . . . . 0 Provides low temperature diesel fuel (to -30 celsius). INCLUDED IN: COLD WEATHER PACKAGE		\$139 NET
<b>GUARDS</b>				
P	513-8881	PLATE GROUP, BOOM WEAR . . . . . 0 Bolt on guard prevents damage to boom.		\$208
P	488-2906	GUARD, STABILIZER . . . . . 0 Guards to protect Stabilizer cylinder rods from damage.		\$835
P	517-4400	GUARD, STAB LEG . . . . . 0 Guards added to bottom of Stab Leg to prevent material from collecting in Leg Casting.		\$67
<b>OTHER ATTACHMENTS</b>				
<b>FENDERS</b>				
P	337-6851	FENDERS, FRONT . . . . . 0 Set of two fenders with integrated steps.		\$576
P	499-0724	FENDERS, REAR EXTENSIONS . . . . . 0 Set of two fender, rear extensions		\$585

CATERPILLAR MACHINE PRICE LIST

**440**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**OTHER ATTACHMENTS (CONT.)**

***FILTER SET***

P	399-0118	SERVICE FILTER PACK, T4/C4.4 . . . . .	0	\$101 NI NET
Please order as 'Not-Installed'. This pack includes: Transmission, Engine and Machine hydraulic filters together with fuel water separator filter. NOTE: Only one pack per machine order.				

***EXTERIOR REAR VIEW MIRRORS***

P	382-2499	MIRRORS, EXTERNAL, BOTH SIDES . . . . .	0	\$725
---	----------	---	---	-------

**WORK TOOLS**

***ATTACHMENTS FOR IT STYLE LOADER ONLY***

P	6W-8832	CARRIAGE, FORK . . . . .	611	\$2,511
Standard carriage. Does not include tines. ONLY FOR USE WITH: 506-3415 HYDRAULICS, QC				
P	195-6935	FORK TINE, 2" X 5" X 48" . . . . .	216	\$765
One tine only, specify qty of 2 for pair.				
P	195-6939	FORK TINE, 2" X 5" X 54" . . . . .	232	\$793
One tine only, specify qty of 2 for pair.				

***HYDRAULIC QUICK COUPLER LINES***

Required if a Hydraulic Quick Coupler has been selected.  
Optional selection on other machines.

P	506-3433	LINES, HYD COUPLER 16' STD-STK . . . . .	0	\$2,408
Provides hydraulic lines, valve and electrical controller. REQUIRED BY: 485-5303 HYDRAULIC COUPLER, PG, DUAL LOCK 506-3425 STANDARD STICK				
P	506-3434	LINES, HYD COUPLER 16' E-STICK . . . . .	0	\$2,408
Provides hydraulic lines, valve and electrical controller. REQUIRED BY: 485-5303 HYDRAULIC COUPLER, PG, DUAL LOCK 506-3426 EXTENDABLE STICK				

***BUCKET PINS***

P	318-9902	PINS, SPARE . . . . .	6	\$175
Includes bucket pins and hardware. ONLY FOR USE WITH: 444-7500 COUPLER, PG, MANUAL, DUAL LOCK 485-5303 COUPLER, PG, HYDR, D, LOCK 506-3433 LINES, HYD, COUPLER, STD STK 506-3434 LINES, HYD, COUPLER, EXT STK				

CATERPILLAR MACHINE PRICE LIST

**440**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
<b>BUCKETS</b>				
<b>BACKHOE BUCKETS</b>				
As a result of shipping space limitations, machine shipments will be limited to two 36" pallets including not-installed rear buckets and attachments.				
Backhoe Buckets equipped with "Diagonal Retention System" teeth.				
P	219-3411	BUCKET-HD, 12", 2.8 CFT . . . . .	238	\$1,457 NI
		Includes 3 tooth tips and Pin set for 12" Buckets.		
P	219-3386	BUCKET-HD, 18", 4.2 CFT . . . . .	284	\$1,508 NI
		Includes 4 tooth tips.		
W	219-3387	BUCKET-HD, 24", 6.2 CFT . . . . .	333	\$1,717 NI
		Includes 5 tooth tips.		
W	254-8941	BUCKET-HC SOIL, 24", 8.5 CFT . . . . .	395	\$1,854 NI
		INCLUDES: 5 angle-down adapters and soil tooth tips.		
W	219-3396	BUCKET-HD ROCK, 24", 7.0 CFT . . . . .	381	\$1,892 NI
		INCLUDES: 5 tooth tips		
W	219-3381	BUCKET-SD, 24" 6.2 CFT . . . . .	291	\$1,335 NI
		Includes 5 tooth tips.		
W	247-1950	BUCKET-HD, 24", 7.3 CFT PL . . . . .	370	\$1,846 NI
		INCLUDES: 5 tooth tips		
P	212-8738	BUCKET-DC, 48", 13.0 CFT . . . . .	453	\$2,757 NI
		Ditch cleaning bucket		

**FIELD INSTALLED ATTACHMENTS**

**KITS**

Kits cannot be ordered with your machine order.  
Kits can be ordered through CMOPS, but MUST be separate orders from the machine, and MUST include the top level MISC MTRL reference number. To ensure the orders are transferred through Antares to the Parts Distribution System you MUST also select the required Packing reference number.

For USA and Canada, please place your order as follows:

OP-6441 440 MISC MTRL  
Kit item number

Kits will not be shipped with your machine, and are not carried in the Waco or Clayton Logistics Nodes.

PLEASE SEE PREVIOUS PRICE LISTS WHEN ORDERING KITS FOR USE WITH EARLIER MODELS.

CATERPILLAR MACHINE PRICE LIST

**440**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**FIELD INSTALLED ATTACHMENTS (CONT.)**

**KITS**

P	550-4089	KIT, LINES, HYD CPLR STD-STICK . . . . .	0	\$1,761 NI
P	550-4090	KIT, LINES, HYD CPLR E-STICK . . . . .	0	\$1,761 NI
P	550-4175	LINES, AUX, INTERNAL TO FRAME . . . . . Must be ordered in combination with 550-4092 LINES,AUX,EXTERNAL to create a full auxiliary circuit. This kit adds hydraulics lines from the valve under the cab, terminating at the rear of the machine. This option simplifies the additional of combo lines at a later time in the field.	0	\$52 NI
P	550-4092	LINES, AUX, EXTERNAL TO FRAME . . . . . Kit required to complete addition of Combine Aux Lines to BH. Must be ordered in combination with 550-4175 to create full auxiliary circuit. Kit requires Dealer to provide bulk hose and fabricate hose assemblies.	0	\$104 NI
P	539-6387	KIT, LOADER COUPLER . . . . . Single Tilt loader coupler kit	0	\$4,570 NI
L	454-6610	FAN, STANDARD CAB/ CANOPY . . . . .	0	\$230 NI
P	387-6472	KIT, FENDER, FRONT . . . . . Provides a kit to add a set of 2 Front Fenders to a machine.	0	\$571 NI
P	497-5482	KIT, WORKLIGHTS, LED, WIDE . . . . .	0	\$218 NI
P	523-0146	KIT, WORKLIGHTS, LED, SPOT . . . . .	0	\$218 NI
P	551-4411	KIT, REAR FENDER EXTENSIONS . . . . . Set of 2 rear fender extensions	0	\$585 NI
P	551-4436	KIT, STABILIZER LEG GUARDS . . . . . Guards added to bottom of Stab Leg to prevent material from collecting in Leg Casting.	0	\$67 NI
P	550-4091	KIT, LINES, HYD CPLR E-STICK . . . . .	0	\$1,761 NI
P	551-4408	KIT, HAMMER PEDAL . . . . .	0	\$214 NI

**PACKING**

	0P-0210	PACK, DOMESTIC TRUCK . . . . . Required for all machines for USA, Canada & South America	0	NC
	461-6839	SHIPPING/STORAGE PROTECTION . . . . . Provides protective film for rust protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer. REQUIRED BY: AM-N and AM-S DEALERS	0	\$203 NET

CATERPILLAR MACHINE PRICE LIST

**440**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
<b>PACKING (CONT.)</b>				
	<b>462-1033</b>	<b>RUST PREVENTATIVE APPLICATOR . . . . .</b>	<b>0</b>	<b>\$108 NET</b>
		Preparation for shipment - Silix applicators required for shipment by sea.		
		Required for all machines for USA, Canada & South America		
	<b>0G-3280</b>	<b>PACK, MISCELLANEOUS MATERIAL . . . . .</b>	<b>0</b>	<b>\$212 NET</b>