

CATERPILLAR MACHINE PRICE LIST

450F

450F BACKHOE LOADER TIER 4I HRC
LEICESTER, ENGLAND

Ship Weight
lbs

LIST PRICE
AT DEALER

Standard Equipment:

BOOMS, STICKS, AND LINKAGES

- 17'3" center pivot backhoe
- Excavator style boom with hammer rest
- Thumb-ready stick w/gripping edges
- Boom transport lock w/auto latching
- Swing transport lock
- Lifting eye
- Pilot operated stabilizer controls
- 198-degree bucket rotation
- Single Tilt (ST) Loader
- Bucket level indicator
- Loader service brace
- Return-to-dig, automatic
- Self-leveling loader bucket
- Transmission neutralizer switch

POWERTRAIN

- Cat C4.4 106kW Engine
- U.S. EPA T4i EMISSIONS COMPLIANT
- Electronic, turbo, aftercooled with
- Water separator with indicator light
- Thermal starting aid system
- Dry-type axial seal air cleaner w/auto dust ejection, pre-cleaner & filter indicator
- Engine fan guard
- On-the-go 4-wheel drive front axle
- Front driveshaft guard
- Power steering, w/secondary steering
- Hydraulically applied multi-plate wet outboard disk brakes
- Electronic differential lock
- Separate driveline parking brakes
- Torque converter
- Transmission, Auto-shift (5F, 3R)
- 25 mph/40 kph level ground max speed
- Spin-on eng & trans oil filters
- Spin-on clear bowl water/fuel separator
- Spin-on secondary fuel filter
- Firestone 15-19.5 12 ply front tires
- Firestone 21L-24 16 ply rear tires
- Consolidated engine service points
- Open-Circuit-Breather system
- Diesel particulate filter

HYDRAULICS

- Load sensing, variable flow closed center system, 50 gpm
- 5 Function backhoe hydraulics
- 2 Function loader hydraulics
- 6-micron bowl & carriage filter
- O-ring face seal hydraulic fittings
- Snap-To-Connect hydraulic couplings
- Caterpillar XT-3 hose
- Cat "ToughGuard" XT-3 ES hose

Ride Control

ELECTRICAL

- 12-volt electrical system
- 150-ampere alternator
- Horn and Backup Alarm
- Hazard flashers/turn signals
- Halogen head lights (4)
- Halogen rear flood lights (4)
- Stop and taillights
- Audible system fault alarm
- Key start/stop system
- Ext/int 12-volt power receptacles (2)
- Two 880 CCA service-free batteries
- Battery disconnect switch

OPERATOR ENVIRONMENT

- Lighted gauge group:
 - coolant temp, fuel, tachometer.
- Interior rearview mirror
- ROPS canopy
- 2-inch retractable seat belt
- Steering wheel assist knob
- Hand and foot governor
- Floor mat, coat hook
- Cell phone mount
- Two lockable storage areas
- Drink and lunch box holders
- Air suspension seat with arm rests
- Service harness
- Tilt steering column
- Rear fender extensions
- System fault alarm

OTHER STANDARD EQUIPMENT

- Hydrostatic power steering
- Toolbox, lockable, external
- Vandalism locks & lockable hood
- Transport tie-down points
- Ground line fill, 44 gal fuel tank
- Rubber impact strips on radiator guard
- 2200 lb counterweight
- Tire valve stem protection
- Stabilizer cylinder rock guards
- Flip style, dual-purpose stabilizer pads
- CD-ROM Parts & Backhoe Safety Manuals
- Operations and Maintenance Manual
- Long life coolant, -30C (-20F)

CATERPILLAR MACHINE PRICE LIST

450F

| 450F BACKHOE LOADER TIER 4I HRC LEICESTER, ENGLAND | Ship Weight lbs | LIST PRICE AT DEALER |
|---|--------------------|-------------------------|
|---|--------------------|-------------------------|

**Lane 2 is reserved for the Base Order Management Program
Please use Lane 2 when placing orders that are part of the Base Order
Management program.**

**2018 YOY list price reductions will be offset by reductions in
discounts or merchandising support.**

| | | |
|----------|---|-----------|
| 385-6570 | 450F BHL, TIER 4I HRC 0 LANE 2 - AVAILABLE FROM LEICESTER FACTORY LANE 3 - AVAILABLE FROM LEICESTER FACTORY | \$172,660 |
|----------|---|-----------|

MISCELLANEOUS ORDERS

**Not available on this model, all miscellaneous orders should be
placed using the ANTARES parts ordering system.**

CATERPILLAR MACHINE PRICE LIST

450F

| USE | REF NO. | LANE 1 | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|--------|-----------------|----------------------|
|-----|---------|--------|-----------------|----------------------|

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

LANE SELECTION

| | | | |
|---------|--|---|----|
| OP-9001 | LANE 1 ORDER | 0 | NC |
| | Select this option when ordering from the Distribution Center. | | |

LOADER BUCKET

Select one

| | | | | |
|---|----------|--|-------|----------|
| P | 374-7863 | E-STICK TRANSPORT GROUP. | 0 | NC |
| | | Select this to ship E-Stick macines without a loader bucket. | | |
| P | 270-9163 | BUCKET-GP, 1.75 YD3, PO, BOCE | 1,473 | \$5,719 |
| | | 1.75 cu. yd. SAE capacity General Purpose. For use in low-density material. Includes bolt on reversible cutting edges. | | |
| P | 272-1701 | BUCKET-MP, 1.5YD3,PO,BRKTS,BOCE | 2,105 | \$12,113 |
| | | Includes fork mounting brackets. | | |

BACKHOE BUCKET

Must select

| | | | | |
|---|----------|---------------------------------------|-----|---------|
| P | 326-7717 | BUCKET, HOE, (NONE) | 0 | NC |
| | | Ship with no installed backhoe bucket | | |
| P | 278-4487 | BUCKET-HD, 24", 9.5 CFT | 542 | \$2,047 |

DECAL PACKAGES

Select one

| | | | | |
|---|----------|--|---|----|
| P | 391-2134 | INSTRUCTIONS, ANSI | 0 | NC |
| | | Includes picto decals as required for North America except for Canada. | | |
| P | 391-2135 | INSTRUCTIONS, ISO | 0 | NC |
| | | Includes picto decals required for countries outside the USA. | | |

SEAT BELT

Select one

| | | | | |
|---|----------|-------------------------------------|---|-------|
| L | 206-1747 | BELT, SEAT, 2" SUSPENSION | 0 | NC |
| L | 206-1748 | SEAT BELT, 3" SUSPENSION | 0 | \$109 |

INSTRUCTIONS AND OPERATION MANUALS

Must select

| | | | |
|----------|---|---|----|
| 421-8926 | SERIALIZED TECHNICAL MEDIA KIT | 0 | NC |
| | Kit will include instructions and parts CD in the legally required language, based on the shipping address. | | |
| | Any additional media such as a paper parts manual, not included in the kit, can be ordered through the media website. | | |
| | https://oos.midlandcorp.com/CAT/Default.aspx | | |

CATERPILLAR MACHINE PRICE LIST

450F

| USE | REF NO. | LANE 1 | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|--------|-----------------|----------------------|
|-----|---------|--------|-----------------|----------------------|

LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

TRANSPORT PROTECTION

| | | | | |
|-----------------|--|---|--|------------------|
| 461-6839 | SHIPPING/STORAGE PROTECTION | 0 | | \$203 NET |
| | Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer. Currently this is only available to, and required by, machines shipping to USA, Canada & South America. | | | |
| 462-1033 | RUST PREVENTATIVE APPLICATOR | 0 | | \$108 NET |
| | Preparation for shipment - Silix applicators required for shipment by sea. Required for all machines for USA, Canada & South America | | | |

PACKING

Must select

| | | | | |
|----------------|---|---|--|-----------|
| 0P-0210 | PACK, DOMESTIC TRUCK | 0 | | NC |
| | List Price At Dealer applies to all dealer locations, except * NC Seattle only * Pacific San Francisco only * Atlantic Halifax, NS or Fredericton, NB only * Finning Vancouver, BC or Edmonton, AB only * Hewitt Main store only * Kramer Main store only * Newfoundland Main store only * Toromont Main store only | | | |

CATERPILLAR MACHINE PRICE LIST

450F

| USE | REF NO. | LANE 1 | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|--------|-----------------|----------------------|
|-----|---------|--------|-----------------|----------------------|

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

LANE 1 NACD FINISH TO ORDER

May select additional options (not required).

| | | | | |
|---|----------|--|--|----------|
| P | 211-4292 | BEACON, MAGNETIC MOUNT 0 Must be ordered as 'NOT INSTALLED' | | \$231 NI |
|---|----------|--|--|----------|

CATERPILLAR MACHINE PRICE LIST

450F

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|----------------------|-----------------|----------------------|
|-----|---------|----------------------|-----------------|----------------------|

LANE SELECTION

LANE 2/ LANE 3 FACTORY ARRANGEMENTS

MACHINES ORDERED FROM THIS SECTION WILL BE SOURCED FROM THE FACTORY

Lane 2 and Lane 3 are dependant on factory availability.

If no reference number is listed, Lane 2 or Lane 3 configurations are not available.

| | | | |
|---------|--|---|-----------|
| OP-9002 | LANE 2 ORDER | 0 | NC |
| | Please select for orders not including the items marked 'FOR USE IN LANE 3 ONLY' | | |
| OP-9003 | LANE 3 ORDER | 0 | NC |
| | Currently only Wiring, Product Link requires Lane 3 availability. | | |

BOOMS, STICKS, AND LINKAGES

STICKS

Select one

| | | | | |
|---|----------|------------------------------------|---|----------------|
| L | 387-8234 | STICK, STANDARD | 0 | NC |
| L | 387-8235 | STICK, EXTENDIBLE | 0 | \$6,500 |

BACKHOE BUCKETS

Must select

| | | | | |
|---|----------|---|---|-----------|
| L | 326-7717 | BUCKET, HOE, (NONE) | 0 | NC |
| | | Ship with no backhoe bucket Backhoe Buckets must be ordered from the WT-BHL Price List from Parts Distribution. For further information see the Field Installed Attachments section at the end of this price list. | | |

HYDRAULICS

BACKHOE CONTROLS

Select one

| | | | | |
|---|----------|--|---|----------------|
| L | 385-6577 | CONTROLS, PILOT, 5 FUNCTION | 0 | \$4,510 |
| | | Boom, stick, bucket, swing and one additional aux section actuated by roller switch on RH joystick. | | |
| L | 385-6578 | CONTROLS, PILOT, 6 FUNCTION | 0 | \$5,680 |
| | | Boom, stick, bucket, swing and two additional aux sections actuated by roller switches in LH and RH joysticks. | | |
| L | 385-6579 | CONTROLS, DYNAHOE, 5 FUNCTION | 0 | \$1,255 |
| | | Controls from left to right are bucket-stick-boom-swing. The right foot pedal operates the auxiliary function such as extendible stick or Combined Function Auxiliary lines. | | |

CATERPILLAR MACHINE PRICE LIST

450F

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|----------------------|-----------------|----------------------|
|-----|---------|----------------------|-----------------|----------------------|

HYDRAULICS (CONT.)

BACKHOE CONTROLS (Cont.)

| | | | | |
|---|----------|---|--|---------|
| L | 385-6580 | CONTROLS, DYNAHOE, 6 FUNCTION 0 Controls from left to right are bucket-stick-boom-swing. The right foot pedal normally operates the extendible stick. The left foot pedal normally operates the auxiliary function such as Combined Function Auxiliary lines. | | \$2,450 |
| L | 385-6581 | CONTROLS, FORD, 5 FUNCTION 0 Controls from left to right are stick-boom-bucket-swing. The right foot pedal operates the auxiliary function such as extendible stick or Combined Function Auxiliary lines. | | \$2,220 |
| L | 385-6582 | CONTROLS, FORD, 6 FUNCTION 0 Controls from left to right are stick-boom-bucket-swing. The right foot pedal normally operates the extendible stick. The left foot pedal normally operates the auxiliary function such as Combined Function Auxiliary lines. | | \$3,390 |

LOADER BUCKETS

Loader Buckets must be ordered from the WT-BHL Price List from Parts Distribution. For further information see the Field Installed Attachments section at the end of this price list. Select a transport option below.

| | | | | |
|---|----------|--|--|----|
| P | 112-9177 | STD STICK TRANSPORT GROUP 0 Select this to ship standard stick machines without loader bucket. | | NC |
| P | 374-7863 | E-STICK TRANSPORT GROUP 0 Select this to ship E-stick machines without loader bucket. | | NC |

LOADER HYDRAULICS

Select one

| | | | | |
|---|----------|--|--|---------|
| L | 387-8237 | HYDRAULICS, LOADER, GP, PILOT 0 ONLY FOR USE WITH: 112-9177/ 374-7863 Bucket, Loader (None) or 270-9163 Bucket, 1.75 CYD GP CANNOT BE USED WITH: 385-6579 Controls, Dynahoe, 5 Function or 385-6580 Controls, Dynahoe, 6 Function or 385-6581 Controls, Ford, 5 Function or 385-6582 Controls, Ford, 6 Function | | NC |
| L | 387-1575 | HYDRAULICS, LOADER, MP, PILOT 0 Includes valve section for operating MP style loader buckets. Can be used with all loader bucket selections. ONLY FOR USE WITH: 112-9177/ 374-7863 Bucket, Loader (None) or 270-9163 Bucket, 1.75 CYD GP or 272-1700 Bucket-MP, 1.5 CYD, W/Forks or 272-1701 Bucket-MP, 1.5 CYD CANNOT BE USED WITH: 385-6579 Controls, Dynahoe, 5 Function or 385-6580 Controls, Dynahoe, 6 Function or 385-6581 Controls, Ford, 5 Function or 385-6582 Controls, Ford, 6 Function | | \$1,800 |
| L | 387-8238 | HYDRAULICS, LOADER, GP, MECH 0 ONLY FOR USE WITH: 112-9177/ 374-7863 Bucket, Loader (None) or 270-9163 Bucket, 1.75 CYD GP CANNOT BE USED WITH: 385-6577 Controls, Pilot, 5 Function or 385-6578 Controls, Pilot 6 Function | | NC |

CATERPILLAR MACHINE PRICE LIST

450F

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|----------------------|-----------------|----------------------|
|-----|---------|----------------------|-----------------|----------------------|

HYDRAULICS (CONT.)

LOADER HYDRAULICS (Cont.)

| | | | | |
|---|----------|--|--|---------|
| L | 387-1577 | HYDRAULICS, LOADER, MP, MECH 0 | | \$1,800 |
| | | Includes valve section for operating MP style loader buckets ONLY FOR USE WITH: ALL LOADER BUCKET SELECTIONS. CANNOT BE USED WITH: 385-6577 Controls, Pilot, 5 Function or 385-6578 Controls, Pilot, 6 Function | | |

OPERATOR ENVIRONMENT

CAB/ CANOPY

Select one

| | | | | |
|---|----------|--|--|----------|
| L | 387-1581 | CANOPY, ROPS 0 | | NC |
| | | Includes air suspension vinyl seat, floor mat, tilt steering column, internal and external power receptacles, and rotating vandal guard. | | |
| L | 387-1582 | CAB, ROPS, DELUXE, W/AC 0 | | \$10,740 |
| | | Includes window defroster, front and rear windshield wiper/washer system,A/C, heater/pressurizer, left and right side doors with locks, coat hook, interior rearview mirror, tilt steering column, floor mat, air-suspension fabric seat, radio-ready headliner, two internal and one external power receptacles, system indicators for hydraulic filter service and hydraulic temp warning, deluxe air suspension fabric seat, and auto-up stabilizers. | | |

SEAT BELT

Select one

| | | | | |
|---|----------|---------------------------------------|--|-------|
| L | 206-1747 | BELT, SEAT, 2" SUSPENSION 0 | | NC |
| | | CANNOT BE USED IN: CALIFORNIA | | |
| L | 206-1748 | SEAT BELT, 3" SUSPENSION 0 | | \$109 |
| | | REQUIRED IN: CALIFORNIA | | |

INSTRUCTIONS

DECAL PACKAGE

Must select

| | | | | |
|---|----------|---|--|----|
| P | 391-2134 | INSTRUCTIONS, ANSI 0 | | NC |
| | | Includes picto decals as required for North America except for Canada. | | |

INSTRUCTIONS AND OPERATION MANUALS

Must select

| | | | | |
|--|----------|---|--|----|
| | 421-8926 | SERIALIZED TECHNICAL MEDIA KIT 0 | | NC |
| | | Kit will include instructions and parts CD in the legally required language, based on the shipping address. Any additional media such as a paper parts manual, not included in the kit, can be ordered through the media website. https://oos.midlandcorp.com/CAT/Default.aspx | | |

CATERPILLAR MACHINE PRICE LIST

450F

| USE | REF NO. | LANE 2 / 3 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|---------------------|-----------------|----------------------|
|-----|---------|---------------------|-----------------|----------------------|

NOTE

Optional Attachments - Select if required.

HYDRAULICS

QUICK DISCONNECTS

| | | | | |
|---|----------|--|--|-----------------|
| P | 132-8769 | COUPLING, QUICK DISCONNECT 4 Includes one additional male and female flat face hydraulic quick disconnect. Compatible with Caterpillar work tools. ONLY FOR USE WITH: All Backhoe work tools. | | \$510 NI |
|---|----------|--|--|-----------------|

BACKHOE AUXILIARY LINES

Must select combined auxiliary lines if using a thumb.

| | | | | |
|---|----------|--|--|----------------|
| L | 387-1585 | LINES, COMB AUX, STD STICK, PILOT 0 Provides diverter valve and hydraulic 3/4" lines routed to midpoint of stick for use with one-way or two-way flow work tools. Includes hydraulic quick disconnect couplings. REQUIRES: 387-8234 Stick, Standard and 385-6577 Controls, Pilot, 5 function or 385-6578 Controls, Pilot, 6 Function | | \$3,345 |
| L | 387-1586 | LINES, ONE-WAY, E-STICK 0 Provides hydraulic 3/4" lines routed to midpoint of stick for use with hammers, compactors and other one-way flow work tools. E-stick retract function operates one-way flow work tools. Includes hydraulic quick disconnect couplings. CAN BE USED WITH ANY BACKHOE CONTROLS REQUIRES: 387-8235 Stick, Extendible ("E") | | \$3,150 |
| L | 387-1587 | LINES, COMB AUX, E-STICK, PILOT 0 Provides diverter valve and hydraulic 3/4" lines routed to midpoint of stick for use with one-way or two-way flow work tools. Includes hydraulic quick disconnect couplings. REQUIRES: 387-8235 Stick, Extendible ("E") and 385-6578 Controls, Pilot, 6 Function | | \$3,390 |
| L | 387-1588 | LINES, COMB AUX, STD STICK, MECH 0 Provides diverter valve and hydraulic 3/4" lines routed to midpoint of stick for use with one-way or two-way flow work tools. Includes hydraulic quick disconnect couplings. REQUIRES: 387-8234 Stick, Standard and 385-6579 Controls, Dynahoe, 5 Function or 385-6580 Controls, Dynahoe, 6 Function or 385-6581 Controls, Ford, 5 Function or 385-6582 Controls, Ford, 6 Function | | \$3,345 |
| L | 387-1589 | LINES, COMB AUX, E-STICK, MECH 0 Provides diverter valve and hydraulic 3/4" lines routed to midpoint of stick for use with one-way or two-way flow work tools. Includes hydraulic quick disconnect couplings. REQUIRES: 387-8235 Stick, Extendible ("E") and 385-6580 Controls, Dynahoe, 6 Function or 385-6582 Controls, Ford 6 Function | | \$3,390 |

CATERPILLAR MACHINE PRICE LIST

450F

| USE | REF NO. | LANE 2 / 3 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|---------------------|-----------------|----------------------|
|-----|---------|---------------------|-----------------|----------------------|

ELECTRICAL

| | | | | |
|---|----------|---|--|----------|
| P | 211-4292 | BEACON, MAGNETIC MOUNT 0 Order as 'Not-Installed'. | | \$231 NI |
|---|----------|---|--|----------|

PRODUCT LINK

LANE 3 ONLY

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitoring performance of your assets, it helps keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country. contact your Cat marketing representative with any questions.

| | | | | |
|---|----------|--|--|---------|
| L | 331-5489 | PRODUCT LINK, SATELLITE PL321 0 FOR USE IN LANE 3 ONLY Satellite Product Link uses a satellite network for transmission asset information including location, utilization and condition. For use in areas with poor or no cellular coverage. | | \$2,681 |
|---|----------|--|--|---------|

COLD WEATHER PACKAGE

| | | | | |
|---|----------|---|--|-------|
| L | 422-1418 | COLD WEATHER PACKAGE, 120V 0 Provides engine coolant heater, cold weather fuel, antifreeze and mounting for an ether bottle. The ether bottle is available seperately from Parts Distribution CANNOT BE USED WITH: 396-6505 FUEL, COLD WEATHER | | \$650 |
|---|----------|---|--|-------|

RADIO

| | | | | |
|---|----------|--|--|-------|
| P | 540-2298 | RADIO, FM BLUETOOTH 0 Cat FM Radio with bluetooth, aux input & microphone | | \$550 |
|---|----------|--|--|-------|

OTHER ATTACHMENTS

BACKHOE BUCKET STOPS

| | | | | |
|---|----------|---|--|-------|
| P | 303-4603 | STOPS, BUCKET 0 For Use With: 446D, 446B, and 446 backhoe buckets. | | \$182 |
| P | 337-6851 | FENDERS, FRONT 0 Set of two. | | \$576 |

FLUIDS

COLD WEATHER FUEL

| | | | | |
|---|----------|--|--|-----------|
| L | 396-6505 | FUEL, COLD WEATHER 0 Provides low temperature diesel fuel (to -30 celsius). CANNOT BE USED WITH: 422-1418 COLD WEATHER PACKAGE, 120V | | \$139 NET |
|---|----------|--|--|-----------|

CATERPILLAR MACHINE PRICE LIST

450F

| USE | REF NO. | LANE 2 / 3 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|---------------------|-----------------|----------------------|
|-----|---------|---------------------|-----------------|----------------------|

FIELD INSTALLED ATTACHMENTS

LOADER BUCKETS

AVAILABLE FROM PARTS DISTRIBUTION

- 270-9163 BUCKET-GP, 1.75 YD3, PO, BOCE**
1.75 cu. yd. SAE capacity General Purpose. For use in low-density material. Includes bolt on reversible cutting edges.
- 272-1701 BUCKET-MP, 1.5YD3,PO,BRKTS,BOCE**
Includes fork mounting brackets.
REQUIRES: 387-1575 Hydraulics, Loader, MP
- 272-1700 BUCKET-MP, 1.5YD3,PO,FORKS,BOCE**
1.5 cu. yd. SAE capacity Multi-Purpose. Includes bolt on reversible cutting edges. Includes flip-over forks.
REQUIRES: 387-1575 Hydraulics, Loader, MP

BACKHOE BUCKETS

AVAILABLE FROM PARTS DISTRIBUTION

- 278-4499 BUCKET-HD, 18", 6.3 CFT**
- 278-4487 BUCKET-HD, 24", 9.5 CFT**
- 278-4493 BUCKET-HD, 30", 12.4 CFT**
- 275-4026 BUCKET-HD, 36", 15.5 CFT**

OPTIONAL ITEMS

AVAILABLE FROM PARTS DISTRIBUTION

- 132-8769 COUPLING, QUICK DISCONNECT**
Includes one additional male and female flat face hydraulic quick disconnect. Compatible with Caterpillar work tools.
FOR USE WITH: All Backhoe work tools.
- 281-7219 KIT, DEBRIS SCREEN**
For open canopy units in hammer operation. Kit includes enclosed cab rear and corner glass to deflect flying objects.
Reference media number REHS3134

PACKING

Must Select

| | | |
|-----------------|---|------------------|
| 0G-3274 | PACK, ROLL ON/ROLL OFF BY SEA 0 | \$231 NET |
| | Preparation for shipment by sea. Complete machine. | |
| 461-6839 | SHIPPING/STORAGE PROTECTION 0 | \$203 NET |
| | Provides protective film for rust protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer. Currently this is only available to, and required by, machines shipping to USA, Canada & South America. | |
| 462-1033 | RUST PREVENTATIVE APPLICATOR 0 | \$108 NET |
| | Preparation for shipment - Silix applicators required for shipment by sea. Required for all machines for USA, Canada & South America | |