

**JOHN DEERE**

Current Date 16Nov2018

450K CRAWLER DOZER**450K Standard Equipment****ENGINE:**

*John Deere PowerTech PWS
4.5L-meets FT4 / Stage IV
emissions
80 SAE Net hp (60 kw)
*Turbocharged with Charge
Air Cooler
Isolation-Mounted
Electronic Controlled Fuel
Injection
Electric Fuel Shut-off with
Keyless Start
Vertical Spin-on Engine Oil
Filter
Pressure system with full-
flow spin-on filter
and oil-to-water cooler
Dual-stage dry tube with
tangential unloader
Enclosed Safety Fan Guard
(Conforms to SAE J1308)

ELECTRICAL:

24 Volt System
100 Amp Sealed Alternator
Two Batteries with 190
Minute Reserve Capacity and
950 CCA
Master Electric Disconnect
Switch
Bypass Start Safety Cover
on Starter
Positive Terminal Battery
Covers
Pre-wired for Work Lights,
Underseat Heater and Low
Pressure Indicator
(2) High Intensity Grille
Mounted and (2) Rear Work
Light

HYDRAULICS:

21 GPM (80 L/Min) Fixed
Displacement Hydraulic Gear
Pump

Speed

Infinite Ground Speed
Selection
Automatic Straight Ahead
Tracking
Adjustable Ground Speed
When Shifting from Forward
to Reverse
Dynamic Braking (Anti-Free
Wheel)
Transmission Neutral Lock
with Safety Start Switch
Automatic Spring Applied,
Hydraulically Released
Parking Brake
Hydraulic/Hydrostatic Oil
Reservoir with Sight Gauge
Vertical Spin-on
Transmission Filter
Oil to Air Transmission Oil
Cooler
Triple Reduction Final Drives
with Wet Multi-Disk Brakes

UNDERCARRIAGE:

57 In. (1450 mm) Long
Track (LT) Track Gauge
Maximum life Undercarriage
with 40 Link-Extended Life
SC2 Bushings and
16 in. (406mm) Moderate
Service Shoes (we need to
correct)
Sealed Track Chain
Single Flange Rollers
Full Length Smooth Surface
Track Frame Covers
Front and Rear Chain Guides

Solid Sprocket with Bolt-on
Sprocket Guards

OPERATOR STATION:

JDLink Ultimate with Three-
Year Service Contract
Modular Design ROPS/FOPS

**Adjustable Full Length Arm
Rests**

Headliner and Floormat
Electronic Monitor System
with Audible and Visual
Warning:
Low Alternator Voltage
Engine Oil Pressure
Engine Coolant Temperature

Engine RPM Indicator

Hydraulic Oil Filter
Restriction
Transmission Oil Filter
Restriction
Transmission Oil
Temperature
Transmission Speed
Indicator
Engine Air Restriction
Indicator
Fasten Seat Belt/Park Brake
Warning
Fuel Gauge, Electric,
Illuminated
Hourmeter, Electric,
Illuminated
Transmission Oil Pressure
Indicator
Horn, Electric(Conforms to
SAE J994, J1446)
Built-in Operators Manual
Storage Compartment and
Manual
Convex Rearview Mirror
12 Volt Power Port

OVERALL VEHICLE:

One Piece Unitized
Mainframe
Front Tow Loop
Reinforced Engine and Mid-
frame Bottom Guards
Integral Transmission Guard

Perforated Engine Side

Hydraulic/Hydrostatic Oil Reservoir with Sight Gauge	Canopy, Isolation Mounted (Conforms to SAE J1040)	Shields
Vertical Spin-on Hydraulic Oil Filter	Left and Right Front Access	Heavy Duty Louvered Front Grille
Three-function direct-acting T-bar joystick with pushbutton angle function	Slip-Resistant Steps and Ergonomically Located Handholds (Conforms to SAE J185)	Less C-Frame and Blade Vandal Protection Locking for:
"O" Ring Face Seal Connectors	Suspension Vinyl Seat: Height and Weight and Fore-Aft Adjustments (Conforms to SAE J899)	Engine Access Door-Requires Padlock
POWER TRAIN:	Adjustable Leg Support	Side Tanks Access Doors-Require Padlocks
Dual Path Hydrostatic Transmission	3 In. (76 mm) Retractable Seat Belt (Conforms to SAE J386)	Instrument Panel - Requires Padlock on ROPS Canopy
Single-Lever Speed in Grip Steering with Counter Rotation and Horn	Adjustable Footrests	Transmission & Hydraulic Reservoir - Requires Wrench
Decelerator/Brake Pedal		Wide Mouth Fuel Filler Cap - Requires Padlock
Automatic Power Management (w/ Manual Override) for Matching Ground		53 Gallon (202 Liter) Fuel Tank
		Reverse Warning Alarm with Guarding (Conforms to SAE J994, J1446)

Required - *You must select one from each category*

▼ BASE MACHINE

Ex-Works Dubuque, Iowa, United States of America

As not all option codes have field kits, please review your order option codes and available kits prior to placing a machine order.

Description	Code	Price
450K CRAWLER DOZER	23A0T	\$108,315.00

▼ ENGINE

Description	Code	Price
John Deere PowerTech	0940	\$1,055.00

PWS 4.5L (274 cu. in.) 4 Cyl EPA FT4/EU Stage IV Compliant

▼ TRACK FRAME

Description	Code	Price
Gauge Low Ground Pressure (LGP) Track Frame	1075	\$1,963.00

1753 mm (69 In.)
(6) bottom roller
1650 mm (65 In.)

1450 mm (57 In.) Gauge, Long-Track (LT) Frame (6 roller)	1045	No Added Cost
--	------	---------------

1046 \$300.00

1450 mm (57 In.) Gauge, Standard Track Frame with
Front Idler Guards (6 roller)

Gauge Low Ground Pressure (LGP) Track Frame with Front Idler Guards	1076	\$2,263.00
---	------	------------

(6 bottom rollers)
1650 mm (65 In.)

TRACK SHOES AND CHAIN

Description	Code	Price
-------------	------	-------

Long Track Only

Requires code 1045

40 Link with 16 in. (406 mm) Moderate Service Shoes	4550	(\$6,098.00)
---	------	--------------

Extended life Undercarriage with 40 Link-Extended Life SC2 Bushings and 16 in. (406mm) Moderate Service Shoes	4650	(\$1,333.00)
---	------	--------------

Maximum life Undercarriage with 37 Link-Extended Life SC2 Bushings and 16 in. (406mm) Moderate Service Shoes	4750	No Added Cost
--	------	---------------

Low Ground Pressure Only

Sealed and Lubed Tracks except as noted. Full Width and Closed Center Single Bar Grousers except as noted.

Moderate Service Shoes	4570	(\$4,679.00)
------------------------	------	--------------

40 Link with 24 in. (610 mm) Moderate Service Shoes

Maximum life Undercarriage	4770	\$1,422.00
----------------------------	------	------------

with 37 Link-Extended Life SC2 Bushings and 24 in. (610mm) Moderate Service Shoes

Extended life Undercarriage	4670	(\$667.00)
-----------------------------	------	------------

with 40 Link-Extended Life SC2 Bushings and 24 in. (610 mm) Moderate Service Shoes

CHAIN GUIDES OR ROCK GUARDS

Description	Code	Price
-------------	------	-------

Chain Guides	4825	No Added Cost
--------------	------	---------------

Front and Rear Chain Guides for XLT or LGP Track

Full-Length Rock Guards	4850	\$1,359.00
-------------------------	------	------------

Requires code 1055 or 1075

Recommended for slope and rocky conditions

DOZER BLADE

Blades or C-Frames are Not Included In Base Price. All C-Frame Options Include Remote C-Frame Pivot Grease Banks and Integrally Protected Hoses with Replaceable Hoses. All Blades have Manual adjustable blade pitch.

Description	Code	Price
Heavy Duty Inside All Hydraulic C-Frame Less Blade	7015	\$2,429.00
<p>Includes lift cylinders with Cordura-covered hoses. Includes tilt cylinder hoses with cable and Cordura covers. Includes angle cylinders and hoses with steel and Cordura covers. To convert an H-series blade to fit this unit, refer to instruction T205831 Does not include attaching pins and hardware. Refer to Installation instructions T177581 to attach non-Deere attachments. When using root rake or front attachments, recommend C Frame Reinforcement Conversion Kit in the referral section.</p>		
115 in. X 37.6 in. (2.92 m X .96 m) Blade with All Hydraulic Heavy Duty C-Frame (Blade NOT Installed)	7065	\$3,925.00
<p>Blade shipped with machine but not installed Includes lift cylinders with Cordura covered hoses Includes tilt cylinder hoses with cable and Cordura covers Includes angle cylinders and hoses with steel and Cordura covers When using root rake or front attachments, recommend C Frame Reinforcement Conversion Kit in the referral section</p>		
Blade	7075	\$4,096.00
<p>124 in. X 35.2 in. (3.15 m X .894 m) Blade with All Hydraulic Heavy Duty C-Frame (Blade NOT Installed) Requires Code 1075, LGP Track Frame Blade shipped with machine but not installed Includes lift cylinders with Cordura covered hoses Includes tilt cylinder hoses with cable and Cordura covers Includes angle cylinders and hoses with steel and Cordura covers When using root rake or front attachments, recommend C Frame Reinforcement Conversion Kit in the referral section</p>		
Blade with Inside All Hydraulic Heavy-Duty C-Frame	7055	\$3,721.00
<p>105 in. X 37.6 in.(2.67 m x .96 m) Requires Code 1055 Standard Track only. Includes lift cylinders with Cordura-covered hoses Includes tilt cylinder hoses with cable and Cordura covers Includes angle cylinders and hoses with steel and Cordura covers When using root rake or front attachments, recommend C Frame Reinforcement Conversion Kit in the referral section</p>		
90 in. X 37.6 in. (2.29 m X .96 m) Blade with Inside All Hydraulic Standard C-Frame	7025	\$3,239.00
<p>Requires Code 1045, Standard Track Will not cut overall track width when fully angled Includes lift cylinders with Cordura covered hoses Includes tilt cylinder hoses with cable and Cordura covers Includes angle cylinders and hoses with steel and Cordura covers Not recommended for front attachments mounted on blade</p>		
97 in. x 37.6 in. (2.46 m X .96 m) Blade with Inside All Hydraulic Standard C-Frame	7045	\$3,306.00
<p>Requires Code 1045, Standard Track Includes lift cylinders with Cordura covered hoses Includes tilt cylinder hoses with cable and Cordura covers Includes angle cylinders and hoses with steel and Cordura covers Not recommended for front attachments mounted on blade</p>		

▼ HYDRAULICS FOR DOZER BLADE AND ATTACHMENTS

Description	Code	Price
3 Function Hydraulic Control Valve	7725	No Added Cost
3 Function Electro-Hydraulics (EH) for Power-Angle-Tilt (PAT)	7750	\$3,551.00
Grade Control Ready (EH) Hydraulics. Grade Control Recommendations: Trimble Ready Installation AT338871 for Cab Units or Trimble Ready Installation AT352426 for Canopy units or Topcon Ready Installation AT338879 for Cab and Canopy or Leica Ready Installation AT408427 for Cab and Canopy units. If machine has factory installed winch (Sales Code 9401, 9402, or 9403), cannot order AT338871, AT352426, AT338879 or AT408427.		
4 Function Hydraulic Control for Power-Angle-Tilt (PAT)	7775	\$939.00
4th function (without Float). Does include circuit reliefs. Work port plugged. Includes auxiliary rear plumbing for ripper.		
4 Function Electro-Hydraulics (EH) for Power-Angle-Tilt (PAT) and Rear Attachment w/ Rear Auxiliary Plumbing	7760	\$4,959.00
Grade Control Ready (EH) Hydraulics. Grade Control Recommendations: Trimble Ready Installation AT338871 for Cab Units or Trimble Ready Installation AT352426 for Canopy units or Topcon Ready Installation AT338879 for Cab and Canopy or Leica Ready Installation AT408427 for Cab and Canopy units. If machine has factory installed winch (Sales Code 9401, 9402, or 9403), cannot order AT338871, AT352426, AT338879 or AT408427.		
HYDRAULIC PUMP		
Description	Code	Price
Hydraulic Pump	7925	No Added Cost
for use without Winch Does not include external spline for mechanical drive winch or auxiliary pump.		
Hydraulic Pump	7975	\$443.00
for use w/ Winch For use with Deere 4000S Winch (mechanical drive) Includes external spline for winch or auxiliary pump.		
GREASES, FUEL, OIL, & COOLANT		
Description	Code	Price
Hydraulic And Hydrostatic Oil - Hydrau	8010	No Added Cost
Standard Factory Fill. Provides All-Season Capability in Ambient Temperatures Ranging From -25C (-13F) to 50C (122F).		
Hydraulic And Hydrostatic Oil - Hydrau XR	8020	\$565.00
Optional Factory Fill. Intended for Colder Climates with Extreme Cold Ambient Temperatures		

down to -40C (-40F)
Provides All-Season Capability in Ambient Temperature Ranging from
-40C to 40C (-40F to 104F).

OPERATOR'S STATION

Description	Code	Price
Canopy	5025	No Added Cost

Requires Code 5826, 5845, or 5855 Vinyl Seat.
Not for use with codes 7750 or 7760, Control Valves for Integrated Grade Control.

Cab with Roof Mounted Air Conditioner/Heater	5085	\$14,809.00
--	------	-------------

Fresh air intake 18,000 BTU heater/defroster/ pressurizer with air pre-cleaner
24,000 BTU air conditioner
30,000 BTU under-seat heater
AM/FM/WB Radio and Digital Clock
Dome light
Deluxe headliner
Tinted safety glass all around
Front windshield and doors with (3) single-speed wipers and washers
100 amp alternator
Pre-wired for Work Lights, rear wiper & washer
Requires either code 5885 or 5890, Cloth Seat.

SEAT

Description	Code	Price
Air Suspension Comfort Control High Back Fabric Seat	5885	No Added Cost

3 in. (76 mm) retractable seat belt.
Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning
Requires Cab.

Air Suspension Comfort Control High Back Vinyl Seat	5855	No Added Cost
---	------	---------------

3 in. (76 mm) retractable seat belt.
Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning.
Requires Code 5025.

Heated Air Suspension Comfort Control High Back Fabric Seat	5890	\$647.00
---	------	----------

3 In. (76 mm) retractable seat belt.
Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning.
Restricted to cab use only.

MACHINE CONNECTIVITY

Machine connectivity functions require cellular coverage. Usage of JDLINK System requires customer's acceptance of the terms of the John Deere Telematics System Contract.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

Description	Code	Price
JDLINK Ultimate Cellular - 5 Years	170C	No Added Cost

Includes JDLINK hardware: integrated cab wiring harness, antenna, 4G LTE modular telematics gateway (MTG), Wi-Fi data transfer, Blue Tooth capability and JDLINK Ultimate activation.

JDLINK utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLINK hardware to restore functionality.

Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLINK customer account must be created to access JDLINK Ultimate data. Go to www.StellarSupport.com to renew or update JDLINK subscriptions.

Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

JDLINK Ultimate Satellite - 5 Years	170J	\$1,936.00
-------------------------------------	------	------------

The JDLINK satellite option includes a separate satellite gateway to connect to the global satellite network. The satellite gateway works with the 4G LTE MTG to automatically transmit data over a satellite network when a cellular network is not available. Includes JDLINK hardware: integrated cab wiring harness, antenna, 4G LTE modular telematics gateway (MTG), Wi-Fi data transfer, Blue Tooth capability, separate satellite gateway and JDLINK Ultimate dual mode activation. JDLINK utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLINK hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLINK customer account must be created to access JDLINK Ultimate data. Go to www.StellarSupport.com to renew or update JDLINK subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

GRADE CONTROL

Description	Code	Price
Topcon Grade Control Base Kit Installed	2500	\$7,497.01

Requires code 7750 or 7760.
Factory installed and includes additional brackets and wiring harnesses that further enhances and simplifies the addition of a Topcon grade control system. This also enables the Topcon 3D-MC2 Grade Control Systems to be ordered.

No Topcon Grade Control Base Kit Installed	2575	No Added Cost
--	------	---------------

Order for no blade control or Trimble or Leica Blade control field installations.
Requires No Topcon Radio Installation code 2775

▼ TOPCON GRADE CONTROL SYSTEM

Kit includes the following equivalent parts from Topcon 3DMC2 system:

Password, MC-R3 Full Auto
OAF Bundle, MC-R3 3DMC2
Kit, GX-60 GPS
Kit, Common 3D Dozer GPS
OEM, Antenna Config Kit
Kit, OEM MC2 Sensor
Assy, MC-R3 NO-OAF
Full Assembly and Final Calibration On Site

Description	Code	Price
No Topcon Radio Installation	2775	No Added Cost

▼ OPERATOR'S MANUAL AND DECALS

Description	Code	Price
English Operator Manual	2605	No Added Cost
Spanish Operator Manual	2610	No Added Cost
French Operator Manual	2615	No Added Cost

Optional - *Select as desired*

▼ FUEL FILTRATION

Description	Code	Price
Severe-Duty Fuel Filter	9060	\$521.00

Do not order with Tier 2 engines as severe-duty fuel filtration and water separation is included. Available for Tier 3 engines only.

▼ EXHAUST

Description	Code	Price
Chrome Exhaust	9065	\$136.00

▼ AIR PRE-CLEANER

Description	Code	Price
Engine Air Precleaner	9130	\$490.00

▼ MISCELLANEOUS

Description	Code	Price
Fluid Sampling Ports	9070	\$286.00
Quick Service Bank for Transmission, Hydraulic, Engine oil & Engine Coolant Fluid changes	9075	\$508.00

▼ COOLANT HEATER

Description	Code	Price
Coolant Heater, Electric	9530	\$201.00



HYDRAULIC VALVE

Description	Code	Price
Hydraulic Track Adjuster Yoke Relief Valve	9400	\$207.00

Recommended for severe operating conditions (for example, forestry or rock).
Replaces grease zerk in track adjusters.



WINCH

Description	Code	Price
Model 4000 Standard Speed Winch - Power In, Free Spool Out	9401	\$18,645.00

Requires Code 7975, 9450 or 9455.
Not for Use with Code 9187, 9345 or 9355.
Can not be used with Trimble or TopCon interface field Kits.

Model 4000 Standard Speed Winch - Power In, Power Out	9402	\$21,043.00
---	------	-------------

Requires Code 7975, 9450 or 9455.
Not for Use with Code 9187, 9345 or 9355.
Cannot be used with Trimble or TopCon interface field Kits.

Model 4000 Low Speed Winch - Power In, Power Out	9403	\$21,923.00
--	------	-------------

Requires Code 7975, 9450 or 9455.
Not for Use with Code 9187, 9345 or 9355.
Cannot be used with Trimble or TopCon interface field Kits.

4000 Winch Fairlead, Four Roller	9410	\$3,851.00
----------------------------------	------	------------

For use with winch.
Requires Code 9401, 9402 or 9403.

Extended Drawbar, 4000 Winch with Pin & Hardware	9440	\$1,045.00
--	------	------------

For use with winch.
Requires Code 9401, 9402 or 9403.



SEAT

Description	Code	Price
Under- Seat Canopy Heater	9125	\$1,275.00

Requires Canopy
30,000 BTU



WASHER AND WIPER

Description	Code	Price
Rear Wiper / Washer	9380	\$669.00

Requires Code 5085



LIGHTING

Description	Code	Price
-------------	------	-------

	Deluxe LED Work Lights	9168	\$335.00
▼	RADIO		
	Description	Code	Price
	Premium Radio with Bluetooth	9501	\$1,095.00
▼	MISCELLANEOUS		
	Description	Code	Price
	Extended Rigid Drawbar with Pin	9355	\$492.00
	<p>Recommended for pull-type implements that require turning clearance - extends 11.3 In. (288 mm) to rear. Cannot be used with Code 9345, Retrieval Hitch Cannot be used with 4000S Winch Can be used with rear counterweight</p>		
▼	REAR SCREEN		
	Description	Code	Price
	Rear Screen for Canopy (Grey)	9450	\$1,035.00
	Requires code 5025 or 5035.		
	Rear Screen Cab (Grey)	9455	\$1,327.00
	Requires code 5085 or 5095.		
▼	GRILLE		
	Description	Code	Price
	Grille	9325	\$1,248.00
	<p>Extreme-Duty Grille with Hose Protection Heavy gauge plate grille also protects lights Protects fittings on both ends of front hydraulic hoses Replaces heavy-duty grille</p>		
▼	RIPPER		
	Description	Code	Price
	Heavy Duty Parallelogram Ripper with 5 Shank Pockets and (3) Shank/Teeth	9187	\$10,908.00
	<p>Requires code 7760 or 7775 Hydraulics. Cannot be used with 9345 or 9355.</p>		
▼	HITCHES		
	Description	Code	Price
	Retrieval Hitch with Pin	9345	\$263.00
	<p>Recommended for pull-type implements - drawbar extends 6.1 I. (155 mm) to rear Cannot be used with Code 9355, Extended Rigid Drawbar</p>		

Cannot be used with 4000S Winch
Can be used with rear counterweight

ATTACHMENTS FOR FIELD CONVERSION

F.O.B. Dubuque, Iowa for dealer-installed kits, except where noted. Some of the following kits may require additional parts for a complete installation. Prior to ordering, check the installation instructions by going to www.johndeereinfo.com and clicking on Library, or by clicking on this Hyperlink ([Installation Bulletin Search](#)), and insert the AT number to retrieve the attachment installation instruction bulletin for additional parts.
Exception to above note is FRONTIER Dealer Installed Kits.

All attachments are sold as a quantity of one.

Description	Code	Price
Cold Start		
110 Volt Engine Coolant Heater, (1000 Watt)	AT211191	\$95.00
Average installation, 0.5 hour		
Frame Attachment		
C-Frame Steps	AT310522	\$207.00
For use on units S/N 106533 and below. Installation instructions T208092 Average installation, 1.0 hour		
C-Frame Tilt Clevis Kit	AT311768	\$361.00
Extended Drawbar, 4000 Winch with Pin and Hardware	AT222827	\$861.00
Front Counterweight, 94 kg. (207 lb.)	AT451157	\$497.00
Heavy Duty Parallelogram Ripper with 5 Shank Pockets and (3) Shank/Teeth	AT451797	\$12,066.00
Requires 4 Function Hydraulics and Auxiliary Plumbing.		
Grade Control		
Leica Grade Control Interface Package, Paladin-Installed for Cab or Canopy	AT438592	\$7,243.00
Requires code 7750 or 7760.		
Trimble Grade Control Interface Package, Paladin-Installed	AT455318	\$6,892.00
Requires code 7750 or 7760.		
Guards		
Tank Guards, LT and XLT	BYT10770	\$2,460.00
Hydraulics		
Auxiliary Fifth Function Valve (without Float), Lever and Linkage	AT219741	\$468.00

Auxiliary Fourth Function Valve Section (without Float), Lever and Linkage	AT385271	\$468.00
Average installation, 5 hours. Converts three function control valve to four function. Work ports plugged without circuit reliefs.		
Electro-Hydraulics (EH) Auxiliary Hydraulic Function kit	AT451993	\$1,333.00
Kit Will Convert Code 7750 3 hyd. functions to a 4 hyd.Functions.		
Rear Auxiliary Plumbing	AT451249	\$118.00
For Crawler Tractors with 3 function hydraulics. Average installation, 1 hour. For use with rear mounted or pull type equipment. Includes two hoses and fittings from fourth or fifth function auxiliary valve to rear cover plate.		
Rear Auxiliary Plumbing for use with 4000 Winch	AT451247	\$468.00
For Crawler Tractors with 3 function hydraulics. Average installation, 1 hour. For use with rear mounted or pull type equipment. Includes two hoses and fittings from fourth or fifth function auxiliary valve to rear cover plate. Not for use with Paccar winch.		
<u>Operator Environment</u>		
LED Cab Light Field Kit	BYT10774	\$321.00
<u>Overall Vehicle</u>		
LED Grille Light Field Kit	BYT10775	\$230.00
Rear Counterweight, 330 Lb. (150 Kg)	T174346	\$662.00
<u>Powertrain</u>		
Severe Duty Fuel Filter kit	AT466342	\$351.00
<u>Powertrain & Cooling</u>		
Quick Service Bank for Transmission, Hydraulic, Engine oil & Engine Coolant Fluid changes	AT451244	\$710.00
Remote Service Bank is inside engine compartment and includes Industry Standard Quick Disconnect Couplers.		
<u>Winches</u>		
External lines with Accumulator for Power In/Power Out Winches on 450K, 550K and 650K Only	AT460040	\$1,132.00
Requires AT460042 and AT4311564 or AT411565. 450K: (S.N. 304771) 550K: (S.N. 305398) 650K: (S.N. 305399)		
Linkage and Controls for Power In/Free Spool Out Winches	AT411564	\$433.00

For use on 450K, 550K & 650K models only.
Requires AT460040 and AT460042.

Linkage and Controls for Power In/Power Out Winches	AT411565	\$433.00
---	----------	----------

For use on 450K, 550K & 650K models only.
Requires AT460040 and AT460042.

Mounting Bracket and Hardware for Model 4000S Winch on AT460042 450K, 550K and 650K Only		\$1,401.00
---	--	------------

Requires AT460040 and AT411564 or AT411565.
450K: (S.N. 304771)
550K: (S.N. 305398)
650K: (S.N. 305399)

REFERRAL ATTACHMENTS

Description	Code	Price
-------------	------	-------

[G.R.Mfg.](#)

G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005

41" Center Brush Guard for the 450J, 550J, and 650J	AT343937	\$706.00
---	----------	----------

Fits blades up to 115" length.
For J crawlers above S/N 139432, and all Ks.

Brush Guard, Full Width for 115 in. X 37.6 in. (2.92 m X .96 m) Blade	AT364288	\$1,250.00
---	----------	------------

For J-Series crawler S/N 139433 and above.

Brush Guard, Full Width, 105 in.(2667mm) Blade	AT343936	\$1,250.00
--	----------	------------

For J-Series crawler S/N 139433 and above.

Brush Guard, Full Width, 90 - 97" Blade	AT343935	\$1,012.00
---	----------	------------

Front Enclosure, Cab	BYT10411	\$2,275.00
----------------------	----------	------------

Standard only
Note: For SN 305399--

Full Enclosure, Cab (FT4)	BYT10166	\$7,679.00
---------------------------	----------	------------

Full Enclosure, Canopy	BYT10409	\$6,393.00
------------------------	----------	------------

Heavy Duty 124 in.(3.15m) Root Rake for S/n above 139433	AT369894	\$5,878.00
--	----------	------------

For 124 in blade crawlers with S/n 139433 and above.

Heavy Duty Root Rake w/ Brush Guard, 114"	AT343939	\$5,778.00
---	----------	------------

For use with 115" blades
For crawler S/N 139433 and above
Root rake has integral guarding which prohibits use w/ blade equipped w/
brush guard

Heavy Duty Root Rake w/ Brush Guard, 98"	AT343938	\$5,270.00
--	----------	------------

For use with 97" and 105" blades
For crawler S/N 139433 and above
Root rake has integral guarding which prohibits use w/ blade equipped w/
brush guard

Lift Cylinder Guards (FT4)	AT320934	\$233.00
----------------------------	----------	----------

Limb Risers, Arched (Curved) ROPS Canopy and Cab Tractors	BYT10165	\$1,935.00
---	----------	------------

Limb Risers, PTP	BYT10412	\$2,419.00
------------------	----------	------------

Rear Screen, Cab	AT413183	\$1,208.00
------------------	----------	------------

Rear Screen, Canopy	AT413184	\$942.00
---------------------	----------	----------

Root Rake for 115 in. blade with S/N 139433 and above	AT353099	\$3,594.00
---	----------	------------

Screens, Cab Guard for A/C	AT446908	\$929.00
----------------------------	----------	----------

Average installation, 1 hour.
Bolt-on.
Plate covers top, rear and sides of A/C module for complete protection in
forestry applications.
Requires cab rear screen.

Side Screens, Cab	AT413011	\$1,332.00
-------------------	----------	------------

Side Screens, Canopy	AT413012	\$1,244.00
----------------------	----------	------------

Standard Duty 124 in.(3.15m) Root Rake for S/n above 139433	AT369893	\$3,812.00
---	----------	------------

For 124 in blade crawlers with S/n 139433 and above.

Tank Guard LGP (FT4)	BYT10413	\$2,457.00
----------------------	----------	------------

[PACCAR Winch Div](#)

* F.O.B. PACCAR. * All Winches include installation instructions. All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of PACCAR, and will be handled directly between the Dealer and PACCAR. PACCAR (Carco Winch) 800 E. Dallas, P.O. Box 547 Broken Arrow, OK 74013-0547 Phone: 918-251-8511 www.paccarwinch.com

3 Roller Fairlead Kit for Hydraulic Winch	AT336215	\$3,600.00
---	----------	------------

For use with PACCAR winch