



JOHN DEERE

Current Date 16Nov2018

## 550K CRAWLER DOZER

## 550K Standard Equipment

## ENGINE:

\*John Deere PowerTech PWS  
4.5L meets FT4 / Stage IV  
emissions  
92 SAE Net hp (69 kw)  
\*Turbocharged with Charge  
Air Cooler  
Isolation-Mounted  
Electronic Controlled Fuel  
Injection  
Electric Fuel Shut-off with  
Key Start Switch  
Vertical Spin-on Engine Oil  
Filter  
Vertical Spin-on Primary Fuel  
Filter with Water Separator  
Vertical Spin-on Final Fuel  
Filter  
Oil-to-Water Engine Oil  
Cooler  
Dual Safety Element Dry-  
Type Air Cleaner with Built-in  
Precleaner with  
Evacuator Valve  
Above Hood  
Prescreener/Raincap  
Eco Mode  
Enclosed Safety Fan Guard  
(Conforms to SAE J1308)

## COOLING SYSTEM:

\*Cool-On-Demand Variable  
Speed Engine Fan  
Engine Coolant -34 Degree F  
(-37 Degree C)  
Coolant Surge Tank  
10-Fin/in. Trash Resistant  
Engine Coolant Radiator  
10-Fin/in. Hydrostatic Oil-to-  
Air Cooler  
10-Fin/in. Air to Air Charge  
Air Cooler  
Enclosed Safety Fan Guard  
(Conforms to SAE J1308 -  
ISO 3457)

Blade Control  
O Ring Face Seal Connectors

## POWER TRAIN:

Dual Path Hydrostatic  
Transmission  
Variable displacement piston  
pump and variable  
displacement motor  
combination for each track  
Hydrostatic Transmission  
Diagnostic Remote Test  
Ports  
Single-Lever Speed in Grip  
Steering with Counter  
Rotation and Horn  
Decelerator/Brake Pedal  
Automatic Power  
Management (w/ Manual  
Override) for Matching  
Ground  
Speed  
Infinite Ground Speed  
Selection  
Automatic Straight-Ahead  
Tracking  
Adjustable Ground Speed  
When Shifting from Forward  
to Reverse  
Dynamic Braking (Anti-Free  
Wheel)  
Transmission Neutral Lock  
with Safety Start Switch  
Automatic Spring-Applied,  
Hydraulically-Released  
Parking Brake  
Independent Transmission  
Oil Reservoir with Sight  
Gauge  
Vertical Spin-on  
Transmission Filter  
Oil-to-Air Transmission Oil  
Cooler  
Triple Reduction Final Drives  
with Wet Multi-Disk Brakes

Adjustable Leg Support  
3 In. (76 mm) Retractable  
Seat Belt (Conforms to SAE  
J386)  
Adjustable Footrests  
Adjustable Full-length Arm  
Rests  
\*Side Console Leg Cushions  
  
\*Cup and Lunch Box Holder  
Headliner and Floor Mat  
Electronic Monitor System  
with Audible and Visual  
Warning:  
Low Alternator Voltage  
Engine Oil Pressure  
Engine Coolant Temperature

Engine RPM Indicator  
Hydraulic Oil Filter  
Restriction  
Transmission Oil Filter  
Restriction  
Transmission Oil  
Temperature  
Engine Air Restriction  
Indicator  
Fasten Seat Belt/Park Brake  
Warning  
Transmission Speed  
Indicator  
Fuel Gauge, Electric,  
Illuminated  
Hourmeter, Electric  
Transmission Oil Pressure  
Indicator  
Horn, Electric  
(Conforms to SAE J994,  
J1446)  
Operators Manual Storage  
Compartment and Manual  
Convex Rearview Mirror  
12 Volt Power Port

OVERALL VEHICLE:  
One-Piece Unitized

*Tilt Out Heavy-Duty Louvered Front Grille and Radiator with Hose Protection	UNDERCARRIAGE: *61 In. (1549 mm) XLT Track Gauge w/ 7 Bottom Rollers	Mainframe Front Tow Loop (Bolt-on) Reinforced Engine and Mid-frame Bottom Guards Integral Transmission Guard
ELECTRICAL: 24 Volt System 100 Amp Alternator *Dual Batteries with 190 Minute Reserve Capacity and 950 CCA Master Electric Disconnect Switch Bypass Start Safety Cover on Starter Positive Terminal Battery Covers Pre-wired for Work Lights, Underseat Heater and Low Pressure Indicator (2) Grille Mounted and (2) Rear Mounted Lights w/ (2) reflectors	Maximun Life Undercarraige with 40 Link-Extended Life SC2 Bushings and 18 in. (457mm) Moderate Service Shoes Double Flange Rollers Full-Length, Smooth Surface Track Frame Covers Front and Rear Chain Guides Solid Sprockets with Bolt-on Sprocket Guards	Perforated Engine Side Shields *Hinged Bottom Access Covers (Bolt-On) Less C-Frame and Blade Vandal Protection Locking for: Engine Access Door-Requires Padlock Side Tanks Access Doors-Require Padlocks Wide Mouth Filler Cap - Requires Padlock *Envoirnmental Drains Instrument Panel Requires Padlock on ROPS Canopy Transmission & Hydraulic Reservoirs Lockable Grease Gun and Tool Storage in Right Access Door 53.45 Gallon (202 Liter) Fuel Tank *Ground level Fueling Reverse Warning Alarm with Guarding (Conforms to SAE J994, J1446)
HYDRAULICS: 15 GPM (56.8 L/Min) Fixed Displacement Hydraulic Gear Pump Independent Hydraulic Oil Reservoir with Sight Gauge Hydraulic Oil Cooler Vertical Spin-on Hydraulic Oil Filter Three-Function Hydraulic Valve with Low Effort Single-Lever (T-Bar)	OPERATOR STATION: JDLink Ultimate Machine Monitoring System w/ 3-year Message Service Modular Design ROPS/FOPS Canopy, Isolation-Mounted (Conforms to SAE J1040) Left and Right Front Access Slip-Resistant Steps and Ergonomically- Located Handholds (Conforms to SAE J185) Suspension Vinyl Seat: Height and Weight and Fore-Aft Adjustments (Conforms to SAE J899)	

Required - You must select one from each category

BASE MACHINE

Ex-Works Dubuque, Iowa, United States of America

As not all option codes have field kits, please review your order option codes and available kits prior to placing a machine order.

Description	Code	Price
550K CRAWLER DOZER	02GOT	\$128,241.00

ENGINE

Description	Code	Price
John Deere PowerTech PWS 4.5L (274 cu. in.) 4 Cyl EPA FT4/EU Stage IV Compliant	0940	\$2,310.00

TRACK FRAME			
Description	Code	Price	
1549 mm (61 In.) Gauge, Standard Track Frame (6 Roller)	1053	(\$1,259.00)	
1549 mm (61 In.) Gauge, Standard Track Frame with Front Idler Guards (6 Roller)	1054	(\$1,000.00)	
1753 mm (69 In.) Gauge Low Ground Pressure (LGP) Track Frame (6 Roller)	1073	\$3,345.00	
1753 mm (69 In.) Gauge Low Ground Pressure (LGP) Track Frame With Front Idler Guards (6 Roller)	1074	\$3,845.00	
TRACK SHOES AND CHAIN			
Description	Code	Price	
<u>Low Ground Pressure Only</u>			
Sealed and Lubed Tracks except as noted. Full Width and Closed Center Single Bar Grousers except as noted.			
Moderate Service Shoes	4570	(\$6,041.00)	
40 Link with 24 in. (610 mm) Moderate Service Shoes			
Maximum life Undercarriage	4770	\$864.00	
Extended life Undercarriage	4670	(\$1,225.00)	
with 40 Link-Extended Life SC2 Bushings and 24 in. (610 mm) Moderate Service Shoes			
<u>Extra Long Track or Low Ground Pressure Track</u>			
Sealed and Lubed Tracks except as noted. Full Width and Closed Center Single Bar Grousers except as noted.			
40 Link with 18 in. (457 mm) Moderate Service Shoes	4560	(\$6,904.00)	
Maximum life Undercarriage with 37-Link, Extended-Life SC2 Bushings and 18 in. (457mm) Moderate Service Shoes	4760	No Added Cost	
Extended life Undercarriage with 40-Link, Extended-Life SC2 Bushings and 18 in. (450mm) Moderate Service Shoes	4660	(\$1,891.00)	
CHAIN GUIDES OR ROCK GUARDS			
Description	Code	Price	
Chain Guides	4825	No Added Cost	
Front and Rear Chain Guides for XLT or LGP Track			
Full-Length Rock Guards	4850	\$1,359.00	
Requires code 1053 or 1073. Recommended for slope and rocky conditions.			
DOZER BLADE			

Blades or C-Frames are Not Included In Base Price. All C-Frame Options Include Remote C-Frame Pivot Grease Banks and Integrally Protected Hoses with Replaceable Hoses. All Blades have Manual adjustable blade pitch.

Description	Code	Price
Heavy Duty Inside All Hydraulic C-Frame Less Blade	7015	\$10,176.00
<p>Includes lift cylinders with Cordura-covered hoses. Includes tilt cylinder hoses with cable and Cordura covers. Includes angle cylinders and hoses with steel and Cordura covers. To convert an H-series blade to fit this unit, refer to instruction T205831 Does not include attaching pins and hardware. Refer to Installation instructions T177581 to attach non-Deere attachments. When using root rake or front attachments, recommend C Frame Reinforcement Conversion Kit in the referral section.</p>		
115 in. X 37.6 in. (2.92 m X .96 m) Blade with All Hydraulic Heavy Duty C-Frame (Blade NOT Installed)	7065	\$15,013.00
<p>Blade shipped with machine but not installed Includes lift cylinders with Cordura covered hoses Includes tilt cylinder hoses with cable and Cordura covers Includes angle cylinders and hoses with steel and Cordura covers When using root rake or front attachments, recommend C Frame Reinforcement Conversion Kit in the referral section</p>		
Blade	7075	\$15,465.00
<p>124 in. X 35.2 in. (3.15 m X .894 m) Blade with All Hydraulic Heavy Duty C-Frame (Blade NOT Installed) Requires Code 1073, LGP Track Frame. Blade shipped with machine but not installed. Includes lift cylinders with Cordura covered hoses. Includes tilt cylinder hoses with cable and Cordura covers. Includes angle cylinders and hoses with steel and Cordura covers. When using root rake or front attachments, recommend C Frame Reinforcement Conversion Kit in the referral section.</p>		
Blade with Inside All Hydraulic Heavy-Duty C-Frame	7055	\$14,679.00
<p>105 in. X 37.6 in.(2.67 m x .96 m) Requires Code 1053 Standard Track only. Includes lift cylinders with Cordura-covered hoses. Includes tilt cylinder hoses with cable and Cordura covers. Includes angle cylinders and hoses with steel and Cordura covers. When using root rake or front attachments, recommend C Frame Reinforcement Conversion Kit in the referral section.</p>		
<p>▼ HYDRAULICS FOR DOZER BLADE AND ATTACHMENTS</p>		
Description	Code	Price
3 Function Hydraulic Control Valve	7725	No Added Cost
3 Function Electro-Hydraulics (EH) for Power-Angle-Tilt (PAT)	7750	\$3,551.00
<p>Grade Control Ready (EH) Hydraulics. Grade Control Recommendations: Topcon Ready Installation -Sales Code 2500. Trimble Ready Installation AT455318. Leica Ready Installation AT438592. Note: If machine has factory installed winch (Sales Code 9401, 9402, or 9403), cannot order Sales Code 2500, AT407969 or AT408431.</p>		

4 Function Hydraulic Control for Power-Angle-Tilt (PAT)	7775	\$939.00
---	------	----------

4th function (without Float).  
Does include circuit reliefs.  
Work port plugged.  
Includes auxiliary rear plumbing for ripper.

4 Function Electro-Hydraulics (EH) for Power-Angle-Tilt (PAT) and Rear Attachment w/ Rear Auxiliary Plumbing	7760	\$4,959.00
--	------	------------

Grade Control Ready (EH) Hydraulics  
Grade Control Recommendations:  
Topcon Ready Installation - Sales Code 2500.  
Trimble Ready Installation AT455318.  
Leica Ready Installation AT438592.  
Note: If machine has factory installed winch (Sales Code 9401, 9402, or 9403), cannot order Sales Code 2500, AT407969 or AT408431.

▼ HYDRAULIC PUMP

Description	Code	Price
Hydraulic Pump	7925	No Added Cost

for use without Winch  
Does not Includes external spline for mechanical drive winch or auxiliary pump.

Hydraulic Pump	7975	\$443.00
----------------	------	----------

for use w/ Winch  
For use with Deere 4000S Winch (mechanical drive)  
Includes external spline for winch or auxiliary pump.

▼ GREASES, FUEL, OIL, & COOLANT

Description	Code	Price
Hydraulic And Hydrostatic Oil - Hydrau	8010	No Added Cost

Standard Factory Fill.  
Provides All-Season Capability in Ambient Temperatures Ranging From -25C (-13F) to 50C (122F).

Hydraulic And Hydrostatic Oil - Hydrau XR	8020	\$565.00
---	------	----------

Optional Factory Fill.  
Intended for Colder Climates with Extreme Cold Ambient Temperatures down to -40C (-40F)  
Provides All-Season Capability in Ambient Temperature Ranging from -40C to 40C (-40F to 104F).

▼ OPERATOR'S STATION

Description	Code	Price
Canopy	5025	No Added Cost

Requires Code 5826, 5845, or 5855 Vinyl Seat.  
Not for use with codes 7750 or 7760, Control Valves for Integrated Grade Control.

	5085	\$17,851.00
--	------	-------------

Cab with Roof Mounted Air Conditioner/Heater

Fresh air intake 18,000 BTU heater/defroster/ pressurizer with air pre-cleaner  
24,000 BTU air conditioner  
30,000 BTU under-seat heater  
AM/FM/WB Radio and Digital Clock  
Dome light  
Deluxe headliner  
Tinted safety glass all around  
Front windshield and doors with (3) single-speed wipers and washers  
100 amp alternator  
Pre-wired for Work Lights, rear wiper & washer  
Requires either code 5885 or 5890, Cloth Seat.



SEAT

Description	Code	Price
Air Suspension Comfort Control High Back Fabric Seat	5885	No Added Cost

3 in. (76 mm) retractable seat belt.  
Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning  
Requires Cab.

Air Suspension Comfort Control High Back Vinyl Seat	5855	No Added Cost
---	------	---------------

3 in. (76 mm) retractable seat belt.  
Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning.  
Requires Code 5025.

Heated Air Suspension Comfort Control High Back Fabric Seat	5890	\$647.00
---	------	----------

3 In. (76 mm) retractable seat belt.  
Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning.  
Restricted to cab use only.



MACHINE CONNECTIVITY

Machine connectivity functions require cellular coverage. Usage of JDLINK System requires customer's acceptance of the terms of the John Deere Telematics System Contract.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

Description	Code	Price
JDLINK Ultimate Cellular - 5 Years	170C	No Added Cost

Includes JDLINK hardware: integrated cab wiring harness, antenna, 4G LTE modular telematics gateway (MTG), Wi-Fi data transfer, Blue Tooth capability and JDLINK Ultimate activation.

JDLINK utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLINK hardware to restore functionality.

Includes 5 year subscription. Annual subscription renewal required after 5

years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to [www.StellarSupport.com](http://www.StellarSupport.com) to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at [www.JohnDeere.com/Agreements](http://www.JohnDeere.com/Agreements). If these terms and conditions are not agreeable do not proceed and do not use the service.

JDLink Ultimate Satellite - 5 Years	170J	\$1,936.00
-------------------------------------	------	------------

The JDLink satellite option includes a separate satellite gateway to connect to the global satellite network. The satellite gateway works with the 4G LTE MTG to automatically transmit data over a satellite network when a cellular network is not available. Includes JDLink hardware: integrated cab wiring harness, antenna, 4G LTE modular telematics gateway (MTG), Wi-Fi data transfer, Blue Tooth capability, separate satellite gateway and JDLink Ultimate dual mode activation. JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to [www.StellarSupport.com](http://www.StellarSupport.com) to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at [www.JohnDeere.com/Agreements](http://www.JohnDeere.com/Agreements). If these terms and conditions are not agreeable do not proceed and do not use the service.

▼ GRADE CONTROL

Description	Code	Price
Topcon Grade Control Base Kit Installed	2500	\$7,497.01

Requires code 7750 or 7760.  
Factory installed and includes additional brackets and wiring harnesses that further enhances and simplifies the addition of a Topcon grade control system. This also enables the Topcon 3D-MC2 Grade Control Systems to be ordered.

No Topcon Grade Control Base Kit Installed	2575	No Added Cost
--	------	---------------

Order for no blade control or Trimble or Leica Blade control field installations.  
Requires No Topcon Radio Installation code 2775

▼ TOPCON GRADE CONTROL SYSTEM

Kit includes the following equivalent parts from Topcon 3DMC2 system:

- Password, MC-R3 Full Auto
- OAF Bundle, MC-R3 3DMC2
- Kit, GX-60 GPS
- Kit, Common 3D Dozer GPS
- OEM, Antenna Config Kit
- Kit, OEM MC2 Sensor
- Assy, MC-R3 NO-OAF
- Full Assembly and Final Calibration On Site



Description	Code	Price
No Topcon Radio Installation	2775	No Added Cost
<b>OPERATOR'S MANUAL AND DECALS</b>		
Description	Code	Price
English Operator Manual	2605	No Added Cost
Spanish Operator Manual	2610	No Added Cost
French Operator Manual	2615	No Added Cost
Optional - <i>Select as desired</i>		
<b>FUEL FILTRATION</b>		
Description	Code	Price
Severe-Duty Fuel Filter	9060	\$521.00
<b>EXHAUST</b>		
Description	Code	Price
Chrome Exhaust	9065	\$136.00
<b>AIR PRE-CLEANER</b>		
Description	Code	Price
Engine Air Precleaner	9130	\$490.00
<b>MISCELLANEOUS</b>		
Description	Code	Price
Fluid Sampling Ports	9070	\$286.00
Quick Service Bank for Transmission, Hydraulic, Engine oil & Engine Coolant Fluid changes	9075	\$508.00
<b>COOLANT HEATER</b>		
Description	Code	Price
Coolant Heater, Electric	9530	\$141.00
<b>HYDRAULIC VALVE</b>		
Description	Code	Price
Hydraulic Track Adjuster Yoke Relief Valve	9400	No Added Cost
Recommended for severe operating conditions (for example, forestry or rock). Replaces grease zerk in track adjusters.		
<b>WINCH</b>		
Description	Code	Price
Model 4000 Standard Speed Winch - Power In, Free Spool Out	9401	\$18,645.00



Requires Code 7975, 9450 or 9455.  
Not for Use with Code 9187, 9345 or 9355.  
Can not be used with Trimble or TopCon interface field Kits.

Model 4000 Standard Speed Winch - Power In, Power Out	9402	\$21,043.00
---	------	-------------

Requires Code 7975, 9450 or 9455.  
Not for Use with Code 9187, 9345 or 9355.  
Cannot be used with Trimble or TopCon interface field Kits.

Model 4000 Low Speed Winch - Power In, Power Out	9403	\$21,923.00
--	------	-------------

Requires Code 7975, 9450 or 9455.  
Not for Use with Code 9187, 9345 or 9355.  
Cannot be used with Trimble or TopCon interface field Kits.

4000 Winch Fairlead, Four Roller	9410	\$3,851.00
----------------------------------	------	------------

For use with winch.  
Requires Code 9401, 9402 or 9403.

Extended Drawbar, 4000 Winch with Pin & Hardware	9440	\$1,045.00
--	------	------------

For use with winch.  
Requires Code 9401, 9402 or 9403.

#### SEAT

Description	Code	Price
Under- Seat Canopy Heater	9125	\$1,275.00

Requires Canopy  
30,000 BTU

#### WASHER AND WIPER

Description	Code	Price
Rear Wiper / Washer	9380	\$669.00

Requires Code 5085

#### LIGHTING

Description	Code	Price
Deluxe LED Work Lights	9168	\$335.00

#### RADIO

Description	Code	Price
Premium Radio with Bluetooth	9501	\$1,095.00

#### MISCELLANEOUS

Description	Code	Price
Extended Rigid Drawbar with Pin	9355	\$492.00

Recommended for pull-type implements that require turning clearance - extends 11.3 in. (288 mm) to rear.  
Cannot be used with Code 9345, Retrieval Hitch  
Cannot be used with 4000S Winch  
Can be used with rear counterweight

**REAR SCREEN**

Description	Code	Price
Rear Screen for Canopy (Grey)	9450	\$1,035.00

Requires code 5025.

Rear Screen Cab (Grey)	9455	\$1,327.00
------------------------	------	------------

Requires code 5085.

**GRILLE**

Description	Code	Price
Grille	9325	\$1,248.00

Extreme-Duty Grille with Hose Protection  
Heavy gauge plate grille also protects lights  
Protects fittings on both ends of front hydraulic hoses  
Replaces heavy-duty grille

**RIPPER**

Description	Code	Price
Heavy Duty Parallelogram Ripper with 5 Shank Pockets and (3) Shank/Teeth	9187	\$10,908.00

Requires code 7760 or 7775 Hydraulics.  
Cannot be used with 9345 or 9355.

**HITCHES**

Description	Code	Price
Retrieval Hitch with Pin	9345	\$263.00

Recommended for pull-type implements - drawbar extends 6.1 in. (155 mm) to rear.  
Not For Use With Codes 9187 or 9355.  
Cannot be used with 4000S Winch.  
Can be used with rear counterweight.

**RUST PROTECTION**

Description	Code	Price
Non-Export Rust Preventive Coating	9909	\$148.00

Coating protects exposed unpainted surfaces from road salt during shipment.

**ATTACHMENTS FOR FIELD CONVERSION**

F.O.B. Dubuque, Iowa for dealer-installed kits, except where noted. Some of the following kits may require additional

parts for a complete installation. Prior to ordering, check the installation instructions by going to [www.johndeere.com](http://www.johndeere.com) and clicking on Library, or by clicking on this Hyperlink ( [Installation Bulletin Search](#) ), and insert the AT number to retrieve the attachment installation instruction bulletin for additional parts. Exception to above note is FRONTIER Dealer Installed Kits.

All attachments are sold as a quantity of one.

Description	Code	Price
<u>Cold Start</u>		
110 Volt Engine Coolant Heater, (1000 Watt)	AT211191	\$95.00
Average installation, 0.5 hour		
<u>Frame Attachment</u>		
C-Frame Steps	AT310522	\$207.00
C-Frame Tilt Clevis Kit	AT311768	\$361.00
Extended Drawbar, 4000 Winch with Pin and Hardware	AT222827	\$861.00
Front Counterweight, 94 kg. (207 lb.)	AT451157	\$497.00
Heavy Duty Parallelogram Ripper with 5 Shank Pockets and (3) Shank/Teeth	AT451797	\$12,066.00
Requires 4 Function Hydraulics and Auxiliary Plumbing.		
<u>Grade Control</u>		
Leica Grade Control Interface Package, Paladin-Installed for Cab or Canopy	AT438592	\$7,243.00
Requires code 7750 or 7760.		
Trimble Grade Control Interface Package, Paladin-Installed	AT455318	\$6,892.00
Requires code 7750 or 7760.		
<u>Guards</u>		
Tank Guards, LT and XLT	BYT10770	\$2,460.00
<u>Hydraulics</u>		
Auxiliary Fifth Function Valve (without Float), Lever and Linkage	AT219741	\$468.00
Auxiliary Fourth Function Valve Section (without Float), Lever and Linkage	AT385271	\$468.00
Average installation, 5 hours. Converts three function control valve to four function. Work ports plugged without circuit reliefs.		
Electro-Hydraulics (EH) Auxiliary Hydraulic Function kit	AT451993	\$1,333.00
Kit Will Convert Code 7750 3 hyd. functions to a 4 hyd.Functions.		

Rear Auxiliary Plumbing	AT451249	\$118.00
<p>For Crawler Tractors with 3 function hydraulics. Average installation, 1 hour. For use with rear mounted or pull type equipment. Includes two hoses and fittings from fourth or fifth function auxiliary valve to rear cover plate.</p>		
Rear Auxiliary Plumbing for use with 4000 Winch	AT451247	\$468.00
<p>For Crawler Tractors with 3 function hydraulics. Average installation, 1 hour. For use with rear mounted or pull type equipment. Includes two hoses and fittings from fourth or fifth function auxiliary valve to rear cover plate. Not for use with Paccar winch.</p>		
<u>Operator Environment</u>		
LED Cab Light Field Kit	BYT10774	\$321.00
<u>Overall Vehicle</u>		
LED Grille Light Field Kit	BYT10775	\$230.00
Rear Counterweight, 330 Lb. (150 Kg)	T174346	\$662.00
<u>Powertrain</u>		
Severe Duty Fuel Filter kit	AT466342	\$351.00
<u>Powertrain &amp; Cooling</u>		
Quick Service Bank for Transmission, Hydraulic, Engine oil & Engine Coolant Fluid changes	AT451244	\$710.00
Remote Service Bank is inside engine compartment and includes Industry Standard Quick Disconnect Couplers.		
<u>Winches</u>		
External lines with Accumulator for Power In/Power Out Winches on 450K, 550K and 650K Only	AT460040	\$1,132.00
<p>Requires AT460042 and AT4311564 or AT411565. 450K: (S.N. 304771 ) 550K: (S.N. 305398 ) 650K: (S.N. 305399 )</p>		
External lines with Accumulator for Power In/Power Out Winches on 460J, 500J and 650J Only	AT182314	\$1,178.00
Fairlead, 4000 Winch Four Roller	AT175529	\$2,896.00
Linkage and Controls for Power In/Free Spool Out Winches	AT411564	\$433.00
For use on 450K, 550K & 650K models only. Requires AT460040 and AT460042.		
Linkage and Controls for Power In/Power Out Winches	AT411565	\$433.00

For use on 450K, 550K & 650K models only.  
Requires AT460040 and AT460042.

Mounting Bracket and Hardware for Model 4000S Winch on AT460042 450K, 550K and 650K Only \$1,401.00

Requires AT460040 and AT411564 or AT411565.  
450K: (S.N. 304771 )  
550K: (S.N. 305398 )  
650K: (S.N. 305399 )



## REFERRAL ATTACHMENTS

Description	Code	Price
-------------	------	-------

[G.R.Mfg.](#)

G.R. Manufacturing, Inc. \* Kits listed below must be ordered through John Deere. \* F.O.B. Trussville, Alabama \* All kits include installation instructions \* All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005

41" Center Brush Guard for the 450J, 550J, and 650J	AT343937	\$706.00
---	----------	----------

Fits blades up to 115" length.  
For J crawlers above S/N 139432, and all Ks.

Brush Guard, Full Width for 115 in. X 37.6 in. (2.92 m X .96 m) Blade	AT364288	\$1,250.00
---	----------	------------

For J-Series crawler S/N 139433 and above.

Brush Guard, Full Width, 105 in.(2667mm) Blade	AT343936	\$1,250.00
--	----------	------------

For J-Series crawler S/N 139433 and above.

Brush Guard, Full Width, 90 - 97" Blade	AT343935	\$1,012.00
---	----------	------------

Front Enclosure, Cab	BYT10411	\$2,275.00
----------------------	----------	------------

Standard only  
Note: For SN 305398--

Full Enclosure, Cab (FT4)	BYT10166	\$7,679.00
---------------------------	----------	------------

Includes Arched Limb Riser, Side Screens, Rear Screen, Doors, Front Screen & AC Condensor Guard.  
Not for use with SmartGrade.  
550K: (S.N. 305398 )

Full Enclosure, Canopy	BYT10409	\$6,393.00
------------------------	----------	------------

Note: For SN 305398--

Heavy Duty 124 in.(3.15m) Root Rake for S/n above 139433	AT369894	\$5,878.00
--	----------	------------

For 124 in blade crawlers with S/n 139433 and above.

	AT343939	\$5,778.00
--	----------	------------

## Heavy Duty Root Rake w/ Brush Guard, 114"

For use with 115" blades  
For crawler S/N 139433 and above  
Root rake has integral guarding which prohibits use w/ blade equipped w/  
brush guard

Heavy Duty Root Rake w/ Brush Guard, 98"	AT343938	\$5,270.00
--	----------	------------

For use with 97" and 105" blades  
For crawler S/N 139433 and above  
Root rake has integral guarding which prohibits use w/ blade equipped w/  
brush guard

Lift Cylinder Guards (FT4)	AT320934	\$233.00
----------------------------	----------	----------

Limb Risers, Arched (Curved) ROPS Canopy and Cab Tractors	BYT10165	\$1,935.00
---	----------	------------

550K: (S.N. 305398 )

Limb Risers, PTP	BYT10412	\$2,419.00
------------------	----------	------------

Note: For SN 305398--

Point to Point Limb Riser (GR#705561)	AT435076	\$2,240.00
---------------------------------------	----------	------------

Rear Screen, Cab	AT413183	\$1,208.00
------------------	----------	------------

Rear Screen, Canopy	AT413184	\$942.00
---------------------	----------	----------

Root Rake for 115 in. blade with S/N 139433 and above	AT353099	\$3,594.00
---	----------	------------

Screens, Cab Guard for A/C	AT446908	\$929.00
----------------------------	----------	----------

Average installation, 1 hour.  
Bolt-on.  
Plate covers top, rear and sides of A/C module for complete protection in  
forestry applications.  
Requires cab rear screen.

Side Screens, Cab	AT413011	\$1,332.00
-------------------	----------	------------

Side Screens, Canopy	AT413012	\$1,244.00
----------------------	----------	------------

Standard Duty 124 in.(3.15m) Root Rake for S/n above 139433	AT369893	\$3,812.00
---	----------	------------

For 124 in blade crawlers with S/n 139433 and above.

Tank Guard LGP (FT4)	BYT10413	\$2,457.00
----------------------	----------	------------

For units with S/N 305398 and above.

PACCAR Winch Div

\* F.O.B. PACCAR. \* All Winches include installation instructions. All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of PACCAR, and will be handled directly between the Dealer and PACCAR. PACCAR (Carco

Winch) 800 E. Dallas, P.O. Box 547 Broken Arrow, OK 74013-0547  
Phone: 918-251-8511 www.paccarwinch.com

---

3 Roller Fairlead Kit for Hydraulic Winch	AT336215	\$3,600.00
---	----------	------------

For use with PACCAR winch

---

4th Roller Kit for Hydraulic Winch Fairlead	AT336216	\$800.00
---	----------	----------

---