

CATERPILLAR MACHINE PRICE LIST

735

735 TRUCK
PETERLEE, ENGLAND

Ship Weight
lbs

LIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

Auto shift six-speed forward and single speed reverse transmission
Automatic Traction Control
Cat C13 engine with ACERT technology
-Engine will be certified and labelled for emissions compliance as required for the region of sale
Differentials, standard with auto clutched cross-axle differential locks for all axles
Engine compression brake
Dual circuit enclosed multiple disc brakes
Fluid sampling valves
Three axle, six wheel drive
Machine speed limiter
Auto retarder control (ARC)
Hill assist
Waiting brake

Rear wiper

OTHER STANDARD EQUIPMENT

Back up alarm
Body, adapted for exhaust heat
Guards: rear window and radiator, crankcase and axle
Mirrors, main, auxiliary, left and right
Mud flaps, body mounted
Spill guard, front, integral part of fabricated body
Starting receptacle, electric, remote
Towing eyes front
Vandalism protection: lockable caps for fuel tank and hydraulic oil tank
Fully raised body lock
Cat Detect with Stability Assist
Rollover Warning System
Assisted Hoist System

ELECTRICAL

Electrical system: 24 volt, 10A 24 to 12 volt convertor
Headlights, four
Lights: cab interior, front, side and rear, two reversing/working, two stop/tail and width marker
Hood raise and lower switch

OPERATOR ENVIRONMENT

Air conditioning with R134A refrigerant
Air vents, adjustable
Radio ready
Touch Screen
including cycle counter, rear view camera and screen
Electro hydraulic hoist control
Glass windows, laminated and tinted front, toughened and tinted rear
Heater and defroster with four-speed fan
Horn, electric
Operator and passenger grab handles
ROPS/FOPS cab with full instrumentation
Seat, fully adjustable, air suspension
Seat, padded companion/trainer
Seat belts, two retractable
Secondary steering
Storage: two cup holders, flask receptacle, under seat storage, behind seat storage, coat hook
Sun visor
Tilt and telescopic steering wheel
Front windshield wiper and washer, intermittent

CATERPILLAR MACHINE PRICE LIST

735

735 TRUCK PETERLEE, ENGLAND	Ship Weight lbs	LIST PRICE AT DEALER
--------------------------------	--------------------	-------------------------

2018 YOY list price reductions will be offset by reductions in discounts or merchandising support.

561-9554	735-04A ARTICULATED TRUCK DCA1 0 LANE 1 - AVAILABLE FROM BALTIMORE PDC	\$645,570
-----------------	--	------------------

- INCLUDES:
- 485-1708 735-04A ARTICULATED TRUCK
 - 487-9933 CHASSIS, STANDARD
 - 563-4447 TIRES, 750/65R25 MX ** XAD-65
 - 481-8888 PRODUCT LINK, CELLULAR PLE641
 - 489-6842 BODY, STANDARD
 - 503-2045 TANK, STANDARD FUEL
 - 487-9912 EXHAUST, STANDARD
 - 502-9602 AID, STANDARD STARTING
 - 502-7483 NO SOUND SUPPRESSION
 - 480-1971 NO MACHINE SECURITY SYSTEM
 - 480-1973 NO ROOF LIGHTS
 - 381-0102 HEATER, ENGINE COOLANT, 120V
 - 320-5940 FUEL ADDITIVE, ANTI WAX
 - 500-5946 MIRROR, STANDARD
 - 381-0092 ANTIFREEZE, -36C (-33F)
 - 480-1980 AM/FM RADIO (BLUETOOTH READY)
 - 455-3503 NO TAILGATE
 - 485-0330 SEAT, STANDARD
 - 485-0336 NO PAYLOAD
 - 566-5659 SEAT BELT, STANDARD
 - 497-9403 NO REAR WIPER
 - 497-9404 STANDARD CAB

CATERPILLAR MACHINE PRICE LIST

735

735 TRUCK PETERLEE, ENGLAND	Ship Weight lbs	LIST PRICE AT DEALER
--------------------------------	--------------------	-------------------------

562-7095	735-04A ARTICULATED TRUCK DCA2 0 LANE 1 - AVAILABLE FROM BALTIMORE PDC	\$646,700
-----------------	--	------------------

- INCLUDES:
 485-1708 735-04A ARTICULATED TRUCK
 487-9933 CHASSIS, STANDARD
 563-4448 TIRES, 750/65R25 BS ** VLT E-3
 481-8888 PRODUCT LINK, CELLULAR PLE641
 489-6842 BODY, STANDARD
 503-2045 TANK, STANDARD FUEL
 487-9912 EXHAUST, STANDARD
 502-9602 AID, STANDARD STARTING
 502-7483 NO SOUND SUPPRESSION
 480-1971 NO MACHINE SECURITY SYSTEM
 480-1973 NO ROOF LIGHTS
 381-0102 HEATER, ENGINE COOLANT, 120V
 320-5940 FUEL ADDITIVE, ANTI WAX
 500-5946 MIRROR, STANDARD
 381-0092 ANTIFREEZE, -36C (-33F)
 480-1980 AM/FM RADIO (BLUETOOTH READY)
 455-3503 NO TAILGATE
 485-0330 SEAT, STANDARD
 485-0336 NO PAYLOAD
 566-5659 SEAT BELT, STANDARD
 497-9403 NO REAR WIPER
 497-9404 STANDARD CAB

485-1708	735-04A ARTICULATED TRUCK 0 LANE 3 - AVAILABLE FROM PETERLEE FACTORY	\$641,130
-----------------	--	------------------

Available for AM-N, EU, Puerto Rico, South Korea, Japan, Australia, and New Zealand.

OP-6475	735 MISCELLANEOUS MATERIAL 0 AVAILABLE FROM PETERLEE FACTORY	NC
----------------	--	-----------

Only reference numbers that have the text 'ALSO AVAILABLE ON A MISCELLANEOUS ORDER' can be used on a MISC order.

CATERPILLAR MACHINE PRICE LIST

735

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

LANE SELECTION

OP-9001	LANE 1 ORDER	0	NC
---------	------------------------	---	----

INSTRUCTIONS

421-8926	SERIALIZED TECHNICAL MEDIA KIT	0	NC
	Kit will include instructions and parts CD in the legally required language, based on the shipping address. Any additional media such as a paper parts manual, not included in the kit, can be ordered through the media website.		

DECAL PACKAGE

P	488-0552	FILM GROUP, ANSI	0	NC
		REQUIRED BY: USA		
P	488-0549	FILM GROUP, ISO	0	NC
		REQUIRED BY: CANADA		
P	552-5786	FILM GROUP, CANADA	0	NC
		REQUIRED BY: CANADA ONLY.		

PACKING

OP-9917	DOMESTIC	0	\$164 NET
OP-9918	ROLL ON-ROLL OFF	0	\$212 NET

CATERPILLAR MACHINE PRICE LIST

735

USE	REF NO.	LANE 1 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

FLUIDS

L	381-0094	ANTIFREEZE, -50C (-58F)	0	\$388
---	----------	-----------------------------------	---	-------

SHIPPING AND STORAGE PROTECTION

Machines from the Baltimore PDC have been sprayed with Fluid Film TM, see your account rep for details. The product is added for for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.

P	0P-2047	DIRECT SHIP TO CUSTOMER - WASH	0	NC
Select if the machine being purchased will not receive a dealer PDI and will be shipped directly to the customer. This reference number will ensure the machine receives a power wash prior to shipment to remove the Fluid Film, TM.				

CATERPILLAR MACHINE PRICE LIST

735

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE SELECTION

	0P-9003	LANE 3 ORDER	0	NC
--	---------	------------------------	---	----

STARTERS, BATTERIES, & ALTERNATORS

STARTING TYPE

L	502-9602	AID, STARTING, STANDARD	0	NC
L	502-9603	AID, COLD WEATHER STARTING	0	\$1,760

ELECTRICAL

LIGHTS

L	480-1973	NO ROOF LIGHTS	0	NC
L	480-2054	LIGHTS, ROOF MOUNTED WORK	0	\$1,040

SECURITY

L	480-1971	NO MACHINE SECURITY SYSTEM	0	NC
L	480-1992	SECURITY SYSTEM, MACHINE	0	\$495

REAR WIPER

L	497-9403	NO REAR WIPER	0	NC
L	480-7003	WIPER, REAR	0	\$545

OPERATOR ENVIRONMENT

RADIO TYPE

L	480-1968	NO RADIO/STEREO SYSTEM	0	NC
L	480-1980	AM/FM RADIO (BLUETOOTH READY)	0	\$580

MIRROR TYPE

L	500-5946	MIRROR, STANDARD	0	NC
L	500-5947	MIRROR, ELECTRIC HEATED	0	\$1,035

SEAT TYPE

L	485-0330	SEAT, STANDARD	0	NC
---	----------	--------------------------	---	----

CATERPILLAR MACHINE PRICE LIST

735

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

SEAT TYPE (Cont.)

L	485-0331	SEAT, DELUXE	0	\$785
---	----------	------------------------	---	-------

SEAT BELT

L	566-5659	SEAT BELT, W/ INDICATION	0	NC
---	----------	------------------------------------	---	----

L	485-3446	SEAT BELT, 4 POINT	0	\$665
---	----------	------------------------------	---	-------

CAB TYPE

L	497-9404	STANDARD CAB To be used by HRC regions.	0	NC
---	----------	--	---	----

L	497-9391	HIGH AMBIENT CAB Infrared Reflective Glass (IRR) To be used by HRC regions.	0	\$1,555
---	----------	---	---	---------

TECHNOLOGY PRODUCTS

PRODUCT LINK COMMUNICATIONS

L	481-8887	PRODUCT LINK, SATELLITE PLE631 Product Link Elite series PLE631 uses a satellite network to transmit location, utilization and condition information for viewing in Product transmit loaction, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology	0	\$432
---	----------	--	---	-------

L	481-8888	PRODUCT LINK, CELLULAR PLE641 Product Link Elite series PLE641 offers expanded coverage including 3G UMTS and CDMA2000 as well as 2G GSM and CDMA cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.	0	NC
---	----------	---	---	----

Cat Production Measurement

A Cat Connect Payload technology that improves loading and hauling productivity in applications where optimum payload capacity is desired.

Please check with factory for Payload availability before ordering.

L	503-5941	PAYLOAD	0	\$11,830
---	----------	-------------------	---	----------

L	485-0336	NO PAYLOAD	0	NC
---	----------	----------------------	---	----

FUEL SYSTEMS

TANK TYPE

L	503-2045	TANK, STANDARD FUEL	0	NC
---	----------	-------------------------------	---	----

Supersedes 02JAN2018
Caterpillar: Confidential Green
US-A-19-01 A

Subject to change without notice
Printed in USA
U. S. DOLLAR CURRENCY

Effective 02JAN2019
735-007

CATERPILLAR MACHINE PRICE LIST

735

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

FUEL SYSTEMS (CONT.)

TANK TYPE (Cont.)

L	517-1808	FILLER, FAST FUEL	0	\$3,455
---	----------	-----------------------------	---	---------

TIRES, RIMS, AND WHEELS

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice, but we reserve the right to change to alternate tires. If the tire brand cannot be supplied we may contact the dealer, however, in some cases we will change to an alternative premium brand tire without notice. If the tire type cannot be supplied, we will contact the dealer to propose alternatives. The dealer needs to choose between an alternative tire or a "rims only" option (where available) within 72 hours. If no response is provided by the deadline, the order will default to the alternative tire brand and will be changed at that point. As a consequence of a possible tire change, the total machine price will be decreased or increased depending on the price of the new tire.

L	563-4447	TIRES, 750/65R25 MX ** XAD-65 Michelin radial, supplier part 79374/123895, tread depth: 43mm, 22.00/3.5 rim. Suitable for soft or rocky underfoot where mobility and traction is desired. Low-profile tire provides increased floatation, stability and capacity. Mandatory with 735.	0	\$3,530
L	563-4448	TIRES, 750/65R25 BS ** VLT E-3 Bridgestone radial, supplier part 420-220, tread depth: 43mm, 22/3 rim. Suitable for soft or rocky underfoot conditions where mobility is desired with increased floatation and load capacity. Mandatory with 735.	0	\$4,660
L	565-2653	TIRES, 750/65R25 YOKOHAMA Mandatory with 735.	0	\$12,610

OTHER ATTACHMENTS

SOUND SUPPRESSION

L	502-7483	NO SOUND SUPPRESSION This is a mandatory attachment for all Non-EC Dealers.	0	NC
---	----------	--	---	----

ENGINE

L	563-9783	ROW ENGINE ARRANGEMENT ONLY FOR USE WITH: 485-1710 735 ARTICULATED TRUCK REQUIRED BY: AM-N, PUERTO RICO, SOUTH KOREA AND JAPAN	0	NC
---	----------	--	---	----

CATERPILLAR MACHINE PRICE LIST

735

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

FRAMES

CHASSIS TYPE

Please contact the factory for current long wheel base availability.

L	487-9933	CHASSIS, STANDARD	0	NC
		For use with body.		
L	487-9934	CHASSIS, STANDARD WHEEL BASE	0	\$-23, 660
		This package is a bare chassis machine with hoist cylinders.		
L	487-9935	CHASSIS, STANDARD WHEEL BASE	0	\$-29, 620
		This package is a bare chassis machine without hoist cylinders.		
L	487-9936	CHASSIS, LONG WHEEL BASE	0	\$-19, 520
		This package is a long wheel base machine without hoist cylinders.		

BODY

BODY TYPE

L	489-6842	BODY, STANDARD	0	NC
L	487-9932	LINER, DUMP BODY	0	\$15, 050

EXHAUST TYPE

L	487-9912	EXHAUST, STANDARD	0	NC
		To be used by HRC regions.		
L	487-9913	EXHAUST, STANDARD	0	NC
		For use with bare chassis machine orders.		
L	487-9929	EXHAUST, STANDARD	0	NC
		To be used by HRC regions.		
L	487-9920	EXHAUST, HEATED BODY	0	\$4, 530
		For use with bare chassis machine orders.		
L	487-9922	EXHAUST, HEATED BODY	0	\$4, 530
		To be used by LRC regions.		

TAILGATE

P	455-3503	NO TAILGATE	0	NC
P	522-4291	TAILGATE, SCISSOR	0	\$15, 120

FLUIDS

COOLANT TYPE

L	381-0092	ANTIFREEZE, -36C (-33F)	0	NC
L	381-0094	ANTIFREEZE, -50C (-58F)	0	\$388

CATERPILLAR MACHINE PRICE LIST

735

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-------------------------	--------------------	-------------------------

INSTRUCTIONS

OPERATION AND MAINTENANCE MANUAL

421-8926	SERIALIZED TECHNICAL MEDIA KIT	0	NC
-----------------	---	----------	-----------

The technical media kit, will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary.

Any additional media or translations not included in the kit, should be ordered through publications.cat.com

DECALS

P	488-0552	FILM GROUP, ANSI	0	NC
----------	-----------------	-----------------------------------	----------	-----------

This package includes the ANSI decals and is required by USA.

P	488-0560	FILM GROUP, ANSI	0	NC
----------	-----------------	-----------------------------------	----------	-----------

For use with bare chassis machine.

This package includes the ANSI decals and is required by USA.

CATERPILLAR MACHINE PRICE LIST

735

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

ELECTRICAL

P	363-7685	BEACON, LED	0	\$570
---	----------	-----------------------	---	-------

OTHER ATTACHMENTS

L	364-4045	GROUP, ETHER To be used by HRC regions.	0	\$119
L	381-0102	HEATER, ENGINE COOLANT, 120V Supply cable not included.	0	\$199
L	381-0103	HEATER, ENGINE COOLANT, 240V Supply cable not included.	0	\$199
L	320-5940	FUEL ADDITIVE, ANTI WAX	0	\$129
L	500-5939	REAR BLINDS	0	\$259

AUTOMATIC LUBRICATION

L	526-0515	AUTOLUBE ARRANGEMENT	0	NC
---	----------	--------------------------------	---	----

When selecting Automatic Lubrication, must select above part number and one part number from below to complete Automatic Lubrication option. Select one only:

L	526-0572	LUBRICATION, AUTOMATIC Not for use with Scissor Tailgate	0	\$5,890
L	526-0570	LUBRICATION, AUTOMATIC For use with Scissor Tailgate	0	\$5,890
L	506-4152	LUBRICATION, AUTOMATIC For use with SWB bare chassis machine with hoist cylinders.	0	\$5,890
L	506-4153	LUBRICATION, AUTOMATIC For use with LWB machine without hoist cylinders.	0	\$5,890
L	526-0518	LUBRICATION, AUTOMATIC For use with SWB bare chassis machine without hoist cylinders.	0	\$5,890

FACTORY SOURCED KITS

FINISH TO ORDER KITS

Kits in this section can be shipped loose from Peterlee on a miscellaneous order using OG-0705 with targeted availability of 2 weeks from receipt of order.

P	527-9212	AM/FM RADIO (BLUETOOTH READY)	0	\$580 NI
P	526-6598	FILLER, FAST FUEL	0	\$3,455 NI
P	480-2054	LIGHTS, ROOF MOUNTED WORK	0	\$1,040 NI
P	572-1733	PAYLOAD	0	\$11,830 NI

CATERPILLAR MACHINE PRICE LIST

735

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

FACTORY SOURCED KITS (CONT.)

FINISH TO ORDER KITS (Cont.)

AM-N/AM-S use OP0650 to order 730 TAILGATE, SCISSOR from Wamego, USA, source. This top level number is to be used along with part number 522-4291. The manufacturing and ship source on the order needs to be BPA.

ALTERNATE SOURCED ATTACHMENTS

FINISH TO ORDER KITS

Kits in this section can be shipped loose from Morton on a miscellaneous order with targeted availability of 1-2 weeks from receipt of order.

ALL ORDERS MUST BE MADE THROUGH ANTARES AND NOT CMOPS.
ORDERS ENTERED THROUGH CMOPS WILL NOT BE PROCESSED.

P	541-4651	BEACON, LED	0	\$569 NI
---	----------	-----------------------	---	----------

DOCUMENTATION

MISCELLANEOUS

	OP-2046	PREPARATION FOR INSPECTION	0	\$406 NET
--	---------	--------------------------------------	---	-----------

PACKING

PACKING (Must Select One)

	OP-9917	DOMESTIC	0	\$164 NET
--	---------	--------------------	---	-----------

	OP-9918	ROLL ON-ROLL OFF	0	\$212 NET
--	---------	----------------------------	---	-----------

SHIPPING AND STORAGE PROTECTION

Machines from the Peterlee factory have been sprayed with Fluid Film TM, see your account rep for details. The product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.

P	OP-2047	DIRECT SHIP TO CUSTOMER - WASH	0	NC
---	---------	--	---	----

Select if the machine being purchased will not receive a dealer PDI and will be shipped directly to the customer. This reference number will ensure the machine receives a power wash prior to shipment to remove the Fluid Film, TM.