

CATERPILLAR MACHINE PRICE LIST

740GC

740GC ARTICULATED TRUCK
PETERLEE, ENGLAND

Ship Weight
lbs

LIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

Auto shift transmission with nine forward and two reverse speeds
Advanced Automatic Traction Control
Cat C15 engine with ACERT technology
-Engine will be certified and labelled for emissions compliance as required for the region of sale
Differentials, standard with auto clutched cross-axle differential locks for all axles
Engine compression brake
Oil cooled brakes, enclosed
Fluid sampling valves
Three axle, six wheel drive, six wheel brake
Machine speed limiter
Auto retarder control (ARC)/no lever
Hill assist
Waiting brake

OTHER STANDARD EQUIPMENT

Back up alarm
Body, adapted for exhaust heat
Guards: rear window and radiator, crankcase and axle
Mirrors, left, right and front
Mud flaps, body mounted
Spill guard, front, integral part of fabricated body
Starting receptacle, electric, remote
Towing eyes front
Vandalism protection: lockable caps for fuel tank and hydraulic oil tank
Fully raised body lock

ELECTRICAL

Electrical system: 24 volt, 10A 24 to 12 volt convertor
Headlights, four
Lights: cab interior, front, side and rear, two reversing/working, two stop/tail and width marker
Hood raise and lower switch.

OPERATOR ENVIRONMENT

Air conditioning with R134A refrigerant
Air vents, adjustable
Radio ready
Colour Multi-Purpose Display (CMPD), including cycle counter, rear view camera and screen
Electro hydraulic hoist control
Glass windows, laminated and tinted front, toughened and tinted rear
Heater and defroster with four-speed fan
Horn, electric
Operator and passenger grab handles
ROPS/FOPS cab with full instrumentation
Seat, fully adjustable, air suspension
Seat, padded companion/trainer
Seat belts, two retractable
Secondary steering
Storage: two cup holders, flask receptacle, under seat storage, door pocket, behind seat storage, coat hook
Sun visor
Tilt and telescopic steering wheel
Front windshield wiper and washer, intermittent

CATERPILLAR MACHINE PRICE LIST

740GC

740GC ARTICULATED TRUCK
PETERLEE, ENGLAND

Ship Weight
lbs

LIST PRICE
AT DEALER

2018 YOY list price reductions will be offset by reductions in discounts or merchandising support.

538-3728	740-04A ARTICULATED TRUCK 0	\$695,640
	LANE 3 - AVAILABLE FROM PETERLEE FACTORY	

AVAILABLE FOR: AM-N, EU, PUERTO RICO, SOUTH KOREA, JAPAN, AUSTRALIA,
AND NEW ZEALAND

CATERPILLAR MACHINE PRICE LIST

740GC

USE	REF NO.	MANDATORY ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------------------	--------------------	-------------------------

NOTE

SPECIALTY MACHINES

WATER, FUEL/LUBE, CUSTOM BODIES, TOW, CONTAINER, CABLE REEL, FORESTRY, CONCRETE MIXER & OTHER APPLICATIONS

Specialty Machines are available from Dealers and Original Equipment Manufacturers (OEMs) using an Articulated Truck Bare Chassis. Bare Chassis Trucks are available in either standard or long wheel base versions. For more information about Specialty machines, applications and to review a list of potential OEMs, please visit dealer.cat.com (<https://dealer.cat.com/en/articulated-trucks/specialty-machines.html>).

NOTE: YOU MUST CHOOSE ONE ATTACHMENT FROM ALL MANDATORY SECTIONS EXCLUDING THE BODY SECTION TO OBTAIN A BARE CHASSIS TRUCK.

For more information about Articulated Truck Bare Chassis, contact your Caterpillar OEM Solutions representative at dealer.cat.com/oemsolutions or visit www.cat.com/oemsolutions.

CATERPILLAR MACHINE PRICE LIST

740GC

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE SELECTION

OP-9003	LANE 3 ORDER	0	NC
---------	------------------------	---	----

FEATURE PACKAGES

LUBRICATION TYPE

L	538-3767	LUBRICATION, MANUAL Use this number when ordering a bare chassis machine with hoist cylinders or standard chassis with no tailgate CANNOT BE USED WITH: 538-3778 TAILGATE, SCISSOR	0	NC
L	538-3768	LUBRICATION, MANUAL ONLY FOR USE WITH: 538-3778 TAILGATE, SCISSOR	0	NC
L	564-5635	LUBRICATION, MANUAL Use this number when ordering a bare chassis machine without hoist cylinders	0	NC
L	538-3769	LUBRICATION, AUTOMATIC CANNOT BE USED WITH: 538-3778 TAILGATE, SCISSOR	0	\$5,890
L	538-3770	LUBRICATION, AUTOMATIC ONLY FOR USE WITH: 538-3778 TAILGATE, SCISSOR	0	\$5,890
L	564-5640	LUBRICATION, AUTOMATIC Use this number when ordering a bare chassis machine without hoist cylinders	0	\$5,890
L	564-5637	LUBRICATION, AUTOMATIC Use this number when ordering a bare chassis machine with hoist cylinders	0	\$5,890

STARTERS, BATTERIES, & ALTERNATORS

STARTING TYPE

L	383-2606	AID, STARTING, STANDARD	0	NC
L	570-0213	AID, COLD WEATHER STARTING Recommended in temperatures below -18C.	0	\$1,760

ELECTRICAL

LIGHTS

L	480-1973	NO ROOF LIGHTS	0	NC
L	480-2054	LIGHTS, ROOF MOUNTED WORK	0	\$1,040

SECURITY

L	480-1971	NO MACHINE SECURITY SYSTEM	0	NC
L	480-1992	SECURITY SYSTEM, MACHINE	0	\$495

CATERPILLAR MACHINE PRICE LIST

740GC

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

ELECTRICAL (CONT.)

REAR WIPER

L	497-9403	NO REAR WIPER	0	NC
L	480-7003	WIPER, REAR	0	\$545

OPERATOR ENVIRONMENT

RADIO TYPE

L	480-1968	NO RADIO/STEREO SYSTEM	0	NC
L	480-1980	AM/FM RADIO (BLUETOOTH READY)	0	\$580

MIRROR TYPE

L	480-7004	MIRROR, STANDARD	0	NC
L	480-7005	MIRROR, ELECTRIC HEATED	0	\$1,035

SEAT TYPE

L	485-0330	SEAT, STANDARD	0	NC
L	485-0331	SEAT, DELUXE	0	\$785

SEAT BELT

L	566-5659	SEAT BELT, W/ INDICATION	0	NC
L	485-3446	SEAT BELT, 4 POINT	0	\$665

CAB TYPE

L	545-6497	CAB, STANDARD To be used by HRC regions.	0	NC
L	545-6499	CAB, HIGH AMBIENT Infrared Reflective Glass (IRR) To be used by HRC regions.	0	\$1,555

CATERPILLAR MACHINE PRICE LIST

740GC

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS

PRODUCT LINK COMMUNICATIONS

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor the performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Cat marketing representative with questions.

L	481-8888	PRODUCT LINK, CELLULAR PLE641 0 Product Link Elite series PLE641 offers expanded coverage including 3G UMTS and CDMA2000 as well as 2G GSM and CDMA cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		NC
L	481-8887	PRODUCT LINK, SATELLITE PLE631 0 Product Link Elite series PLE631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage.		\$432

CAT PRODUCTION MEASUREMENT

A Cat Connect Payload technology that improves loading and hauling productivity in applications where optimum payload capacity is desired.

Please check with factory for Payload availability before ordering.

L	485-0336	NO PAYLOAD 0		NC
L	544-4782	PAYLOAD 0 Includes Cat Production Measurement payload weighing system.		\$11,830

FUEL SYSTEMS

TANK TYPE

L	517-2530	TANK, STANDARD FUEL 0 ONLY FOR USE WITH: HRC REGIONS		NC
L	517-4331	FILLER, FAST FUEL 0 ONLY FOR USE WITH: HRC REGIONS		\$3,455

CATERPILLAR MACHINE PRICE LIST

740GC

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice, but we reserve the right to change to alternate tires. If the tire brand cannot be supplied we may contact the dealer, however, in some cases we will change to an alternative premium brand tire without notice. If the tire type cannot be supplied, we will contact the dealer to propose alternatives. The dealer needs to choose between an alternative tire or a "rims only" option (where available) within 72 hours. If no response is provided by the deadline, the order will default to the alternative tire brand and will be changed at that point. As a consequence of a possible tire change, the total machine price will be decreased or increased depending on the price of the new tire.

L	475-0053	TIRES, 29.5R25 YH ** RT41 E-4 0 Yokohama radial, supplier part P3381, tread depth: 65mm, 25.00/3.0 rim. Provides damage resistance, mobility, and traction in moderate rock environments.		\$-23,450
---	----------	--	--	-----------

OTHER ATTACHMENTS

SOUND SUPPRESSION

L	493-8938	NO SOUND SUPPRESSION 0 ONLY FOR USE WITH: HRC REGIONS		NC
---	----------	--	--	----

FENDERS

L	487-5083	FENDER COVER. 0		NC
L	488-0471	EXTENSION, FENDER 0		\$850

FRAMES

CHASSIS TYPE

L	538-3755	CHASSIS, STANDARD 0		NC
L	538-3756	CHASSIS, STANDARD WHEEL BASE 0 This package is a bare chassis machine with hoist cylinders.		\$-24,400
L	538-3757	CHASSIS, STANDARD WHEEL BASE 0 This package is a bare chassis machine without hoist cylinders.		\$-30,760

BODY

BODY TYPE

L	538-3751	BODY, STANDARD 0		NC
L	538-3752	LINER, DUMP BODY 0		\$14,890

CATERPILLAR MACHINE PRICE LIST

740GC

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

BODY (CONT.)

EXHAUST TYPE

L	526-4109	EXHAUST, STANDARD	0	NC
L	526-4110	EXHAUST, HEATED BODY	0	\$4,540

FLUIDS

COOLANT TYPE

L	377-1338	ANTIFREEZE, -36C (-33F)	0	NC
L	377-1339	ANTIFREEZE, -50C (-58F)	0	\$382

INSTRUCTIONS

OPERATION AND MAINTENANCE MANUAL

	421-8926	SERIALIZED TECHNICAL MEDIA KIT	0	NC
The technical media kit, will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary.				

Any additional media or translations not included in the kit, should be ordered through publications.cat.com

DECALS

P	538-3762	FILM GROUP, ANSI	0	NC
This package includes the ANSI decals and is required by USA.				
P	538-3764	FILM GROUP, ANSI	0	NC
This package includes the ANSI decals and is required by USA. Use this number when ordering a bare chassis machine.				

CATERPILLAR MACHINE PRICE LIST

740GC

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
ELECTRICAL				
P	363-7685	BEACON, LED	0	\$570
OTHER ATTACHMENTS				
L	328-4116	GROUP, ETHER	0	\$119
		ONLY FOR USE WITH: HRC REGIONS		
L	377-1330	HEATER, ENGINE COOLANT, 120V	0	\$197
		Supply cable not included.		
L	377-1331	HEATER, ENGINE COOLANT, 240V	0	\$197
		Supply cable not included.		
L	320-5940	FUEL ADDITIVE, ANTI WAX	0	\$129
BODY				
TAILGATE				
P	538-3778	TAILGATE, SCISSOR	0	\$14,960
			0	\$14,960 NI
DOCUMENTATION				
MISCELLANEOUS				
	0P-2046	PREPARATION FOR INSPECTION	0	\$406 NET
PACKING				
PACKING (Must Select One)				
	0P-9917	DOMESTIC	0	\$164 NET
	0P-9918	ROLL ON-ROLL OFF	0	\$212 NET
SHIPPING AND STORAGE PROTECTION				
Machines from the Peterlee factory have been sprayed with Fluid Film TM, see your account rep for details. The product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.				
P	0P-2047	DIRECT SHIP TO CUSTOMER - WASH	0	NC
		Select if the machine being purchased will not receive a dealer PDI and will be shipped directly to the customer. This reference number will ensure the machine receives a power wash prior to shipment to remove the Fluid Film, TM.		