

CATERPILLAR MACHINE PRICE LIST

745

745 ARTICULATED TRUCK  
PETERLEE, ENGLAND

Ship Weight  
lbs

LIST PRICE  
AT DEALER

Standard Equipment:

**POWERTRAIN**

Auto shift transmission with nine forward and two reverse speeds  
Automatic Traction Control  
Cat C18 engine with ACERT technology  
-Engine will be certified and labelled for emissions compliance as required for the region of sale  
Differentials, standard with auto clutched cross-axle differential locks for all axles  
Engine compression brake  
Oil cooled brakes, enclosed  
Fluid sampling valves  
Three axle, six wheel drive, six wheel brake  
Machine speed limiter  
Auto retarder control (ARC)  
Hill assist  
Waiting brake

Rear wiper

**OTHER STANDARD EQUIPMENT**

Back up alarm  
Body, adapted for exhaust heat  
Guards: rear window and radiator, crankcase and axle  
Mirrors, main, auxiliary, left and right  
Mud flaps, body mounted  
Spill guard, front, integral part of fabricated body  
Starting receptacle, electric, remote  
Towing eyes front  
Vandalism protection: lockable caps for fuel tank and hydraulic oil tank  
Fully raised body lock

**ELECTRICAL**

Electrical system: 24 volt, 10A 24 to 12 volt convertor  
Headlights, four  
Lights: cab interior, front, side and rear, two reversing/working, two stop/tail and width marker  
Hood raise and lower switch.

**OPERATOR ENVIRONMENT**

Air conditioning with R134A refrigerant  
Air vents, adjustable  
Radio ready  
Colour Multi-Purpose Display (CMPD), including cycle counter, rear view camera and screen  
Electro hydraulic hoist control  
Glass windows, laminated and tinted front, toughened and tinted rear  
Heater and defroster with four-speed fan  
Horn, electric  
Operator and passenger grab handles  
ROPS/FOPS cab with full instrumentation  
Seat, fully adjustable, air suspension  
Seat, padded companion/trainer  
Seat belts, two retractable  
Secondary steering  
Storage: two cup holders, flask receptacle, under seat storage, door pocket, behind seat storage, coat hook  
Sun visor  
Tilt and telescopic steering wheel  
Front windshield wiper and washer, intermittent

CATERPILLAR MACHINE PRICE LIST

**745**

745 ARTICULATED TRUCK PETERLEE, ENGLAND	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

**2018 YOY list price reductions will be offset by reductions in discounts or merchandising support.**

<b>537-2027</b>	<b>745-04A ARTICULATED TRUCK DCA2 . . . . . 0</b>	<b>\$755,760</b>
	LANE 1 - AVAILABLE FROM BALTIMORE PDC, GALVESTON PDC AND SAVANNAH PDC	

- INCLUDES:
- 482-0372 745 ARTICULATED TRUCK
  - 491-8577 CHASSIS, STANDARD
  - 377-1321 TIRES, 29.5R25 MX \*\* XADN+ E-3
  - 487-5083 FENDER COVER
  - 481-8889 PRODUCT LINK, SATELLITE PL631
  - 376-9751 BODY, STANDARD
  - 517-2530 TANK, STANDARD FUEL
  - 526-4109 EXHAUST, STANDARD
  - 493-8967 AID, STANDARD STARTING
  - 484-6486 LUBRICATION, MANUAL
  - 493-8938 NO SOUND SUPPRESSION
  - 480-1971 NO MACHINE SECURITY SYSTEM
  - 480-1973 NO ROOF LIGHTS
  - 377-1330 HEATER, ENGINE COOLANT, 120V
  - 320-5940 FUEL ADDITIVE, ANTI WAX
  - 480-7004 MIRROR, STANDARD
  - 377-1338 ANTIFREEZE, -36C (-33F)
  - 480-1980 AM/FM RADIO (BLUETOOTH READY)
  - 485-0336 NO PAYLOAD
  - 566-5659 SEAT BELT, STANDARD

<b>562-9062</b>	<b>745-04A ARTICULATED TRUCK DCA4 . . . . . 0</b>	<b>\$748,780</b>
	LANE 1 - AVAILABLE FROM BALTIMORE AND SAVANNAH PDC	

- INCLUDES:
- 482-0372 745 ARTICULATED TRUCK
  - 491-8577 CHASSIS, STANDARD
  - 475-0053 TIRES, 29.5R25 YH \*\* RT41 E-4
  - 487-5083 FENDER COVER
  - 481-8889 PRODUCT LINK, SATELLITE PL631
  - 376-9751 BODY, STANDARD
  - 517-2530 TANK, STANDARD FUEL
  - 526-4109 EXHAUST, STANDARD
  - 493-8967 AID, STANDARD STARTING
  - 484-6486 LUBRICATION, MANUAL
  - 493-8938 NO SOUND SUPPRESSION
  - 480-1971 NO MACHINE SECURITY SYSTEM
  - 480-1973 NO ROOF LIGHTS
  - 377-1330 HEATER, ENGINE COOLANT, 120V
  - 320-5940 FUEL ADDITIVE, ANTI WAX
  - 480-7004 MIRROR, STANDARD
  - 377-1338 ANTIFREEZE, -36C (-33F)
  - 480-1980 AM/FM RADIO (BLUETOOTH READY)
  - 485-0336 NO PAYLOAD
  - 566-5659 SEAT BELT, STANDARD

CATERPILLAR MACHINE PRICE LIST

**745**

745 ARTICULATED TRUCK PETERLEE, ENGLAND	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

<b>550-0697</b>	<b>745-04A ARTICULATED TRUCK DCA3</b> . . . . . 0 LANE 1 - AVAILABLE FROM TACOMA PDC	<b>\$757,540</b>
-----------------	---	------------------

INCLUDES:  
 482-0372 745 ARTICULATED TRUCK  
 491-8577 CHASSIS, STANDARD  
 475-0053 TIRES, 29.5R25 YH \*\* RT41 E-3  
 487-5083 FENDER COVER  
 481-8889 PRODUCT LINK, SATELLITE PL631  
 376-9751 BODY, STANDARD  
 517-2530 TANK, STANDARD FUEL  
 526-4110 EXHAUST, HEATED BODY  
 494-1546 AID, COLD WEATHER STARTING  
 484-6486 LUBRICATION, MANUAL  
 493-8938 NO SOUND SUPPRESSION  
 480-1971 NO MACHINE SECURITY SYSTEM  
 480-2054 LIGHTS, ROOF MOUNTED WORK  
 377-1330 HEATER, ENGINE COOLANT, 120V  
 320-5940 FUEL ADDITIVE, ANTI WAX  
 480-7005 MIRROR, HEATED  
 377-1339 ANTIFREEZE, -50C (-58F)  
 480-1980 AM/FM RADIO (BLUETOOTH READY)  
 485-0336 NO PAYLOAD  
 566-5659 SEAT BELT, STANDARD

<b>482-0372</b>	<b>745-04A ARTICULATED TRUCK</b> . . . . . 0 LANE 3 - AVAILABLE FROM PETERLEE FACTORY	<b>\$770,890</b>
-----------------	--	------------------

AVAILABLE FOR: AM-N, EU, PUERTO RICO, SOUTH KOREA, JAPAN, AUSTRALIA,  
 AND NEW ZEALAND

<b>0G-0705</b>	<b>745 MISCELLANEOUS MATERIAL</b> . . . . . 0 AVAILABLE FROM PETERLEE FACTORY	<b>NC</b>
----------------	--	-----------

Only reference numbers that have the text  
 'ALSO AVAILABLE ON A MISCELLANEOUS ORDER' can be used on a MISC order.

NOTE: NACD/LACD use 0P0651 to order 745 TAILGATE, SCISSOR from Wamego USA,  
 source. This top level number is to be used when ordering scissor  
 tailgates without ordering a machine, the part number to use is  
 526-7702. The manufacturing and ship source on the order needs to be  
 BPA.

CATERPILLAR MACHINE PRICE LIST

**745**

---

USE	REF NO.	<b>MANDATORY ATTACHMENTS</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	------------------------------	--------------------	-------------------------

---

**NOTE**

***SPECIALTY MACHINES***

WATER, FUEL/LUBE, CUSTOM BODIES, TOW, CONTAINER, CABLE REEL, FORESTRY,  
CONCRETE MIXER & OTHER APPLICATIONS

Specialty Machines are available from Dealers and Original Equipment  
Manufacturers (OEMs) using an Articulated Truck Bare Chassis. Bare  
Chassis Trucks are available in either standard or long wheel base  
versions. For more information about Specialty machines, applications  
and to review a list of potential OEMs, please visit [dealer.cat.com](https://dealer.cat.com)  
(<https://dealer.cat.com/en/articulated-trucks/specialty-machines.html>).

NOTE: YOU MUST CHOOSE ONE ATTACHMENT FROM ALL MANDATORY SECTIONS  
EXCLUDING THE BODY SECTION TO OBTAIN A BARE CHASSIS TRUCK.

For more information about Articulated Truck Bare Chassis, contact  
your Caterpillar OEM Solutions representative at  
[dealer.cat.com/oemsolutions](https://dealer.cat.com/oemsolutions) or visit [www.cat.com/oemsolutions](http://www.cat.com/oemsolutions).

CATERPILLAR MACHINE PRICE LIST

**745**

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**LANE 1 AM-NORTH MANDATORY ATTACHMENTS**

**LANE SELECTION**

OP-9001	LANE 1 ORDER . . . . .	0	NC
---------	------------------------	---	----

**INSTRUCTIONS**

421-8926	<b>SERIALIZED TECHNICAL MEDIA KIT . . . . .</b>	0	NC
	Kit will include instructions and parts CD in the legally required language, based on the shipping address. Any additional media such as a paper parts manual, not included in the kit, can be ordered through the media website.		

**DECAL PACKAGE**

P	484-6479	<b>FILM GROUP, ANSI . . . . .</b>	0	NC
		ONLY FOR USE WITH: 537-2027, 537-2028 AND 550-0697 REQUIRED BY: USA		
P	484-6475	<b>FILM GROUP, ISO . . . . .</b>	0	NC
		ONLY FOR USE WITH: 537-2027, 537-2028 AND 550-0697 REQUIRED BY: CANADA		
P	552-5786	<b>FILM GROUP, CANADA . . . . .</b>	0	NC
		REQUIRED BY: CANADA ONLY		

**PACKING**

OP-9917	DOMESTIC . . . . .	0	\$164 NET
OP-9918	ROLL ON-ROLL OFF . . . . .	0	\$212 NET

CATERPILLAR MACHINE PRICE LIST

**745**

USE	REF NO.	LANE 1 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**LANE 1 AM-NORTH OPTIONAL ATTACHMENTS**

**FLUIDS**

L	377-1339	ANTIFREEZE, -50C (-58F) . . . . .	0	\$382
---	----------	-----------------------------------	---	-------

**SHIPPING AND STORAGE PROTECTION**

Machines from the Baltimore PDC have been sprayed with Fluid Film TM, see your account rep for details. The product is added for for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.

P	0P-2047	DIRECT SHIP TO CUSTOMER - WASH . . . . .	0	NC
		Select if the machine being purchased will not receive a dealer PDI and will be shipped directly to the customer. This reference number will ensure the machine receives a power wash prior to shipment to remove the Fluid Film, TM.		

CATERPILLAR MACHINE PRICE LIST

**745**

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**LANE SELECTION**

OP-9003	LANE 3 ORDER . . . . .	0	NC
---------	------------------------	---	----

**FEATURE PACKAGES**

**LUBRICATION TYPE**

L	484-6486	LUBRICATION, MANUAL . . . . . Use this number when ordering a bare chassis machine with hoist cylinders CANNOT BE USED WITH: 526-2725 TAILGATE, SCISSOR	0	NC
L	484-6488	LUBRICATION, MANUAL . . . . . ONLY FOR USE WITH: 526-2725 TAILGATE, SCISSOR	0	NC
L	484-6487	LUBRICATION, MANUAL . . . . . Use this number when ordering a bare chassis machine without hoist cylinders	0	NC
L	484-8439	LUBRICATION, MANUAL . . . . . ONLY FOR USE WITH: 491-8580 CHASSIS, LONG WHEEL BASE	0	NC
L	484-6489	LUBRICATION, AUTOMATIC . . . . . CANNOT BE USED WITH: 526-2725 TAILGATE, SCISSOR	0	\$5,760
L	484-6532	LUBRICATION, AUTOMATIC . . . . . ONLY FOR USE WITH: 526-2725 TAILGATE, SCISSOR	0	\$5,760
L	484-6531	LUBRICATION, AUTOMATIC . . . . . Use this number when ordering a bare chassis machine without hoist cylinders	0	\$5,760
L	484-6533	LUBRICATION, AUTOMATIC . . . . . Use this number when ordering a bare chassis machine with hoist cylinders	0	\$5,760
L	484-8440	LUBRICATION, AUTOMATIC . . . . . ONLY FOR USE WITH: 491-8580 CHASSIS, LONG WHEEL BASE	0	\$5,810

**POWERTRAIN**

**ENGINE**

L	563-9785	ROW ENGINE ARRANGEMENT . . . . . REQUIRED BY: AM-N, PUERTO RICO, SOUTH KOREA AND JAPAN ONLY FOR USE WITH: 482-0372 745 ARTICULATED TRUCK	0	NC
---	----------	--	---	----

**STARTERS, BATTERIES, & ALTERNATORS**

**STARTING TYPE**

L	493-8967	AID, STARTING, STANDARD . . . . .	0	NC
L	494-1546	AID, COLD WEATHER STARTING . . . . . Recommended in temperatures below -18C.	0	\$1,760

**ELECTRICAL**

**LIGHTS**

L	480-1973	NO ROOF LIGHTS . . . . .	0	NC
---	----------	--------------------------	---	----

CATERPILLAR MACHINE PRICE LIST

**745**

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**ELECTRICAL (CONT.)**

**LIGHTS (Cont.)**

L	480-2054	LIGHTS, ROOF MOUNTED WORK .....	0	\$1,040
---	----------	---------------------------------	---	---------

**SECURITY**

L	480-1971	NO MACHINE SECURITY SYSTEM .....	0	NC
---	----------	----------------------------------	---	----

L	480-1992	SECURITY SYSTEM, MACHINE .....	0	\$495
---	----------	--------------------------------	---	-------

**OPERATOR ENVIRONMENT**

**RADIO TYPE**

L	480-1968	NO RADIO/STEREO SYSTEM .....	0	NC
---	----------	------------------------------	---	----

L	480-1980	AM/FM RADIO (BLUETOOTH READY) .....	0	\$580
---	----------	-------------------------------------	---	-------

**MIRROR TYPE**

L	480-7004	MIRROR, STANDARD .....	0	NC
---	----------	------------------------	---	----

L	480-7005	MIRROR, ELECTRIC HEATED .....	0	\$1,035
---	----------	-------------------------------	---	---------

**SEAT BELT**

L	566-5659	SEAT BELT, W/ INDICATION .....	0	NC
---	----------	--------------------------------	---	----

L	485-3446	SEAT BELT, 4 POINT .....	0	\$665
---	----------	--------------------------	---	-------

**TECHNOLOGY PRODUCTS**

**PRODUCT LINK COMMUNICATIONS**

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor the performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Cat marketing representative with questions.

L	481-8888	PRODUCT LINK, CELLULAR PLE641 .....	0	NC
---	----------	-------------------------------------	---	----

Product Link Elite series PLE641 offers expanded coverage including 3G UMTS and CDMA2000 as well as 2G GSM and CDMA cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.



CATERPILLAR MACHINE PRICE LIST

**745**

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**TECHNOLOGY PRODUCTS (CONT.)**

**PRODUCT LINK COMMUNICATIONS (Cont.)**

L	481-8887	PRODUCT LINK, SATELLITE PLE631 . . . . . 0		\$432
		Product Link Elite series PLE631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage.		

**CAT PRODUCTION MEASUREMENT**

A Cat Connect Payload technology that improves loading and hauling productivity in applications where optimum payload capacity is desired.

Please check with factory for Payload availability before ordering.

L	485-0336	NO PAYLOAD . . . . . 0		NC
L	484-8384	PAYLOAD . . . . . 0		\$11,720
		Includes Cat Production Measurement payload weighing system.		

**FUEL SYSTEMS**

**TANK TYPE**

L	517-2530	TANK, STANDARD FUEL . . . . . 0		NC
		ONLY FOR USE WITH: HRC REGIONS		
L	517-4331	FILLER, FAST FUEL . . . . . 0		\$3,455
		ONLY FOR USE WITH: HRC REGIONS		

**TIRES, RIMS, AND WHEELS**

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice, but we reserve the right to change to alternate tires. If the tire brand cannot be supplied we may contact the dealer, however, in some cases we will change to an alternative premium brand tire without notice. If the tire type cannot be supplied, we will contact the dealer to propose alternatives. The dealer needs to choose between an alternative tire or a "rims only" option (where available) within 72 hours. If no response is provided by the deadline, the order will default to the alternative tire brand and will be changed at that point. As a consequence of a possible tire change, the total machine price will be decreased or increased depending on the price of the new tire.

L	377-1321	TIRES, 29.5R25 MX ** XADN + E-3 . . . . . 0		\$-16,470
		**PLEASE CONTACT THE FACTORY FOR AVAILABILITY BEFORE ORDERING** Michelin radial, supplier part 597428, tread depth: 44mm, 25.00/3.5 rim. Suitable for soft or rocky underfoot conditions where mobility and traction is desired.		
L	554-5158	TIRES, 29.5R25 MX ** X DEFEND . . . . . 0		\$-6,810
		Michelin radial, supplier part 940473, tread depth: 65mm, 25.00/3.5 rim. Suitable for soft to deep rock environments with increased tread for better damage resistance.		

CATERPILLAR MACHINE PRICE LIST

**745**

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**TIRES, RIMS, AND WHEELS (CONT.)**

L	451-7036	<b>TIRES, 29.5R25 BS ** VLTA E-3</b> . . . . . 0 Bridgestone radial, supplier part 422-967, tread depth: 48mm, 25.00/3.5 rim. Suitable for soft or rocky underfoot conditions where mobility and traction is desired.		\$-20,990
L	377-1324	<b>TIRES, 29.5R25 BS ** VLTS E-4</b> . . . . . 0 Bridgestone radial, supplier part 422916, tread depth: 65mm, 25.00/3.5 rim. Provides damage resistance, mobility and traction in moderate rock environments.		\$-9,840
L	475-0053	<b>TIRES, 29.5R25 YH ** RT41 E-4</b> . . . . . 0 Yokohama radial, supplier part P3381, tread depth: 65mm, 25.00/3.0 rim. Provides damage resistance, mobility, and traction in moderate rock environments.		\$-23,450
L	386-3028	<b>TIRES,875/65R29 MX**XAD65 E-3T</b> . . . . . 0 <b>**PLEASE CONTACT THE FACTORY FOR AVAILABILITY BEFORE ORDERING**</b> Michelin radial, supplier part 40269, tread depths: 51mm, 27.00/3.5 rim. Suitable for soft or rocky underfoot conditions where mobility is desired with increased floatation and load capacity. REQUIRES: 488-0471 EXTENSION, FENDER		\$-4,700
L	478-8915	<b>TIRES,875/65R29 BS**VLTS E-4</b> . . . . . 0 <b>**PLEASE CONTACT THE FACTORY FOR AVAILABILITY BEFORE ORDERING**</b> Bridgestone radial, supplier part 4730, tread depth: 60mm, 27.00/3.5 rim. Provides damage resistance, mobility and traction in moderate rock environments. REQUIRES: 488-0471 EXTENSION, FENDER		\$5,310

**OTHER ATTACHMENTS**

**SOUND SUPPRESSION**

L	493-8938	<b>NO SOUND SUPPRESSION</b> . . . . . 0 ONLY FOR USE WITH: HRC REGIONS		NC
---	----------	---	--	----

**FENDERS**

L	487-5083	<b>FENDER COVER.</b> . . . . . 0		NC
L	488-0471	<b>EXTENSION, FENDER</b> . . . . . 0 REQUIRED BY: 386-3028 TIRES,875/65R29 MX**XAD65 E-3T 478-8915 TIRES,875/65R29 BS**VLTS E-4		\$850

**FRAMES**

**CHASSIS TYPE**

L	491-8577	<b>CHASSIS, STANDARD</b> . . . . . 0		NC
L	491-8578	<b>CHASSIS, STANDARD WHEEL BASE</b> . . . . . 0 This package is a bare chassis machine with hoist cylinders.		\$-24,400
L	491-8579	<b>CHASSIS, STANDARD WHEEL BASE</b> . . . . . 0 This package is a bare chassis machine without hoist cylinders.		\$-30,760
L	491-8580	<b>CHASSIS, LONG WHEEL BASE</b> . . . . . 0 This package is a long wheel base chassis machine without hoist cylinders.		\$-19,520

CATERPILLAR MACHINE PRICE LIST

**745**

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**BODY**

**BODY TYPE**

L	376-9751	BODY, STANDARD . . . . .	0	NC
L	376-9758	LINER, DUMP BODY . . . . .	0	\$14,890

**EXHAUST TYPE**

L	526-4109	EXHAUST, STANDARD . . . . .	0	NC
L	526-4110	EXHAUST, HEATED BODY . . . . .	0	\$4,540

**FLUIDS**

**COOLANT TYPE**

L	377-1338	ANTIFREEZE, -36C (-33F) . . . . .	0	NC
L	377-1339	ANTIFREEZE, -50C (-58F) . . . . .	0	\$382

**INSTRUCTIONS**

**OPERATION AND MAINTENANCE MANUAL**

421-8926	SERIALIZED TECHNICAL MEDIA KIT . . . . .	0	NC
----------	--	---	----

The technical media kit, will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary.

Any additional media or translations not included in the kit, should be ordered through [publications.cat.com](http://publications.cat.com)

**DECALS**

P	484-6479	FILM GROUP, ANSI . . . . .	0	NC
This package includes the ANSI decals and is required by USA.				
P	484-6482	FILM GROUP, ANSI . . . . .	0	NC
This package includes the ANSI decals and is required by USA. Use this number when ordering a bare chassis machine.				

CATERPILLAR MACHINE PRICE LIST

**745**

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**ELECTRICAL**

P	363-7685	BEACON, LED .....	0	\$570
---	----------	-------------------	---	-------

**OTHER ATTACHMENTS**

L	397-6078	GROUP, ETHER .....	0	\$119
		ONLY FOR USE WITH: HRC REGIONS		
L	377-1330	HEATER, ENGINE COOLANT, 120V .....	0	\$197
		Supply cable not included.		
L	377-1331	HEATER, ENGINE COOLANT, 240V .....	0	\$197
		Supply cable not included.		
L	320-5940	FUEL ADDITIVE, ANTI WAX .....	0	\$129

**BODY**

**TAILGATE**

P	526-2725	TAILGATE, SCISSOR .....	0	\$14,960
			0	\$14,960 NI

**FACTORY SOURCED KITS**

**MISCELLANEOUS KITS**

Kits in this section can be shipped loose on a miscellaneous order using OG-0705.

L	384-7618	KIT, LINER .....	0	\$14,890 NI
---	----------	------------------	---	-------------

**FINISH TO ORDER KITS**

Kits in this section can be shipped loose from Peterlee on a miscellaneous order using OG-0705 with targeted availability of 2 weeks from receipt of order.

P	526-7702	TAILGATE, SCISSOR .....	0	\$14,960 NI
---	----------	-------------------------	---	-------------

ONLY FOR USE WITH: 745 ARTICULATED TRUCK with 3T6 or 3F6 prefix AM-N/AM-S use OP0651 to order 745 TAILGATE, SCISSOR from Wamego, USA, source. This top level number is to be used when ordering scissor tailgates without ordering a machine. The manufacturing and ship source on the order needs to be BPA.

CATERPILLAR MACHINE PRICE LIST

**745**

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**ALTERNATE SOURCED ATTACHMENTS**

**FINISH TO ORDER KITS**

Kits in this section can be shipped loose from Morton on a miscellaneous order with targeted availability of 1-2 weeks from receipt of order.

ALL ORDERS MUST BE MADE THROUGH ANTARES AND NOT CMOPS.  
ORDERS ENTERED THROUGH CMOPS WILL NOT BE PROCESSED.

P	541-4653	PAYLOAD . . . . .	0	\$11,719 NI
P	541-4651	BEACON, LED . . . . .	0	\$569 NI
P	540-1699	FILLER, FAST FUEL . . . . .	0	\$3,456 NI

**DOCUMENTATION**

**MISCELLANEOUS**

	0P-2046	PREPARATION FOR INSPECTION . . . . .	0	\$406 NET
--	---------	--------------------------------------	---	-----------

**PACKING**

**PACKING (Must Select One)**

	0P-9917	DOMESTIC . . . . .	0	\$164 NET
	0P-9918	ROLL ON-ROLL OFF . . . . .	0	\$212 NET

**SHIPPING AND STORAGE PROTECTION**

Machines from the Peterlee factory have been sprayed with Fluid Film TM, see your account rep for details. The product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.

P	0P-2047	DIRECT SHIP TO CUSTOMER - WASH . . . . .	0	NC
		Select if the machine being purchased will not receive a dealer PDI and will be shipped directly to the customer. This reference number will ensure the machine receives a power wash prior to shipment to remove the Fluid Film, TM.		