

CATERPILLAR MACHINE PRICE LIST

816K

816K LANDFILL COMPACTOR
 DECATUR, IL, USA

Ship Weight
 lbs

LIST PRICE
 AT DEALER

Standard Equipment:

POWERTRAIN

Advanced Productivity Electronic Control Shifting (APECS)
 Air to air aftercooler
 Brakes, full hydraulic, enclosed, wet multiple disc service brakes
 Electro-hydraulic parking brake
 Electronic Clutch Pressure Control (ECPC)
 Engine, CAT C7.1
 Engine driven cooling fan (suction)
 Fuel priming pump (electric)
 Fuel to air cooler
 Ground level engine shutoff
 Radiator, unit core
 Starting aid (ether)
 Throttle lock
 Transmission, planetary with 2F/2R speed range control
 Torque converter

-Torque convertor temperature
 Instrumentation, warning indicators:
 -Action alert system, three category
 -Brake oil pressure
 -Electrical system, low voltage
 -Engine failure malfunction alert and action lamp
 -Parking brake status
 Light, dome (cab)
 Lunch box and beverage holders
 Mirror, internal (panoramic)
 Mirrors, rearview (externally mounted)
 Seat, Cat optimized seat system
 Seat belt, retractable, 76mm (3"), 2-point, minder
 STIC control system with lockout
 Sun visor (front)
 Tinted glass
 Transmission gear (indicator)
 Product Link Elite:
 -VIMS
 -Graphical information display
 -External data port
 -Customizable operator profiles
 -Event indicator light on rear grill
 Wet-arm wipers/washers (front and rear), intermittent wipers (front and rear)

ELECTRICAL

Alarm, back-up
 Alternator, 150-amp
 Batteries, maintenance free
 Electrical system, 24V
 Ground level lockable master disconnect switch
 Light, warning unswitched (LED strobe)
 Lighting system (front & rear)
 Starter, electric
 Starting receptacle for emergency start

GUARDS

Guards, axle (front and rear)
 Guard, cab window
 Guards, crankcase and powertrain, hinged
 Guard, driveshaft
 Guard, radiator

OPERATOR ENVIRONMENT

AccuGrade mapping (ready)
 A/C with roof mounted condenser
 Cab, sound-suppressed pressurized, internal four-post rollover protective structure (ROPS/FOPS), radio ready for entertainment includes antenna, speakers, converter (12-volt 10/15-amp) and power port
 Camera, rear vision
 Coat and hard hat hooks
 Finger tip shifting controls
 Flip-up armrest
 Heater and defroster
 Horn, electric
 Hydraulic controls (floor mounted)
 Implement hydraulic lockout
 Instrumentation, gauges:
 -Engine coolant temperature
 -Fuel level
 -Hydraulic oil temperature
 -Speedometer/Tachometer

OTHER STANDARD EQUIPMENT

Doors, service access (locking)
 Ecology drains for engine, radiator, transmission, hydraulic tank
 Engine, crankcase, 500 hour interval with CJ-4 oil
 Emergency egress
 Fire suppression (ready)
 Fuel tank, 523 L (138 gal)
 Hitch, drawbar with pin
 Hoses, Cat XT(TM)
 Hydraulic, engine, and transmission oil coolers
 Oil change system, high speed
 Oil sampling valves
 Steering, load sensing
 Total hydraulic filtration system
 Vandalism protection caplocks
 Venturi stack

CATERPILLAR MACHINE PRICE LIST

816K

816K LANDFILL COMPACTOR DECATUR, IL, USA	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

430-8350	816K LANDFILL COMPACTOR HRC 0 LANE 2 - AVAILABLE FROM DECATUR FACTORY	\$579,880
-----------------	---	------------------

AVAILABLE FOR: AM-N, EU, ISRAEL, ANZ, JAPAN, & SOUTH KOREA

CATERPILLAR MACHINE PRICE LIST

816K

USE	REF NO.	LANE 2 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE SELECTION

	0P-9002	LANE 2 ORDER	0	NC
--	---------	------------------------	---	----

POWERTRAIN

AXLES

L	446-6768	AXLES, NO-SPIN REAR Provides standard front axle and no-spin rear axle.	0	\$4,300
L	446-6767	AXLES, NO-SPIN FRONT Provides no-spin front axle and standard rear axle.	0	\$4,210
L	446-6769	AXLES, NO-SPIN FRONT & REAR Provides no-spin front and rear axles.	0	\$8,520

ENGINES (430-8350 816K LANDFILL COMPACTOR HRC ONLY)

L	566-8810	ENGINE, STANDARD US EPA T4F Technology ONLY FOR USE WITH: 430-8350 816K LANDFILL COMPACTOR HRC	0	NC
---	----------	--	---	----

ELECTRICAL

HORNS

L	417-2725	HORN, STANDARD	0	NC
L	383-2192	HORN, TRUMPET Required for EU.	11	\$655

LIGHTS

L	489-2326	LIGHTS, STANDARD	0	NC
L	489-2327	LIGHTS, LED	0	\$1,660

OPERATOR ENVIRONMENT

CAB PACKAGES

L	525-7227	CAB, DELUXE INCLUDES: -Cab glass, rubber mounted -Cab precleaner, powered -Seat, heated & ventilated -Radio, CB (ready)	0	\$2,230
---	----------	--	---	---------

MIRRORS

L	346-3864	MIRRORS, STANDARD	0	NC
L	376-7034	MIRRORS, HEATED	6	\$119

CATERPILLAR MACHINE PRICE LIST

816K

USE	REF NO.	LANE 2 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet.

Authorization varies by country, please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Caterpillar marketing representative with questions.

L	528-5686	PRODUCT LINK, CELLULAR PLE641 0 Product Link Elite series PLE641 offers expanded coverage including 3G UMTS and CDMA2000 as well as 2G GSM and CDMA cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		NC
L	528-5687	PRODUCT LINK, SATELLITE PLE631 0 Product Link Elite series PLE631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage.		\$432

TIRES, RIMS, AND WHEELS

WHEELS

Caterpillar has developed an exclusive licensed agreement with M2 Industries to provide a refurbished compactor wheel exchange program through the Caterpillar dealer network. Machine model and serial number required prior to quote. Please contact M2 Industries directly for pricing and delivery: Dale Mills at (812) 246-0651.

All wheels are provided with extended inner rim, (4) wear bars welded on extended inner rim, and (4) wear bars welded on inside disc.

Loose wheel orders must go through Parts Distribution.

L	457-7819	WHEELS, COMBINATION TIPS 0 Provides (4) 40" wheels with a combination of (10) plus tips & (10) paddle tips. The plus tips are welded on the inner & outer rows while the paddle tips are welded on the 2 inside rows. Also provides 1" hardfacing on both edges of outer wrapper.		NC
L	457-7817	WHEELS, PADDLE TIPS 0 Provides (4) 40" wheels with (20) paddle tips welded in (4) rows of (5) tips each. Also provides 1" hardfacing on both edges of outer wrapper.		\$-1,115
L	457-7818	WHEELS, PLUS TIPS 0 Provides (4) 40" wheels with (20) plus tips welded in (4) rows of (5) tips each. Also provides 1" hardfacing on both edges of outer wrapper.		\$5,190

CATERPILLAR MACHINE PRICE LIST

816K

USE	REF NO.	LANE 2 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS (CONT.)

WHEELS (Cont.)

L	493-8444	WHEELS, CHOPPER 0 Provides (4) 40" wheels with (20) chopper style blades welded in a chevron pattern. These type of wheels are recommended for wet/soft waste where chopping and/or traction is a large concern and abrasive wear life is not a major concern.		\$1,200
L	457-7885	WHEELS, SMOOTH 0		\$-11,540
L	0P-3639	OMISSION, WHEELS -13,310		\$-22,440

OTHER ATTACHMENTS

ENGINE PRECLEANERS

L	433-0491	PRECLEANER, STANDARD 0 ONLY FOR USE WITH: 430-8350 816K LANDFILL COMPACTOR HRC		NC
---	----------	---	--	----

STRIKER BARS

L	457-7889	STRIKER BARS 0		NC
L	467-5160	STRIKER BARS W/CLEANER FINGERS 0 Provides cleaner fingers on the front and rear striker bars. ONLY FOR USE WITH: 457-7819 WHEELS, COMBINATION TIP 457-7817 WHEELS, PADDLE TIPS 457-7818 WHEELS, PLUS TIPS		\$5,590

BLADES

Loose blade orders must go through Parts Distribution or CWTS.

L	446-6762	BULLDOZER, NO BLADE 0 DOES NOT INCLUDE BLADE Provides a standard dozer arrangement without a blade.		\$10,550
L	446-6763	BULLDOZER, STRAIGHT BLADE 0 INCLUDES STRAIGHT BLADE Provides a standard dozer arrangement with a straight blade.		\$26,130
L	446-6764	BULLDOZER, TILT, NO BLADE 0 DOES NOT INCLUDE BLADE Provides a tilt dozer arrangement with second hydraulic function for use with tilt blade. Order tilt blade through CWTS.		\$12,740

CATERPILLAR MACHINE PRICE LIST

816K

USE	REF NO.	LANE 2 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

STARTERS, BATTERIES, & ALTERNATORS

STARTING AIDS.

MAY SELECT ONE ONLY

L	265-7724	HEATER, ENGINE BLOCK, 120V	0	\$255
L	267-0339	HEATER, ENGINE BLOCK, 240V	0	\$160

OPERATOR ENVIRONMENT

L	452-1394	RADIO, AM/FM/AUX/USB/BT BlueTooth radio technology enables the use of a hands free function such as listening to music and making phone calls. Authorization varies by country, please contact your Cat marketing representative with questions or click on the link below: https://dealer.cat.com/en/products/technology.html	5	\$755
---	----------	---	---	-------

TECHNOLOGY PRODUCTS

This is a factory designed and integrated mapping system offered with two levels of accuracy. SBAS level of accuracy requires no off-board infrastructure and delivers only pass count mapping. RTK level of accuracy requires a corrections source (i.e. base station, IBSS, VRS) and data radio. RTK delivers pass count mapping as well as CCA (Cat Compaction Algorithm) mapping. Contact your Dealer Technology Representative to order a base station and/or data radio.

Note: Outside of North America and Europe, SBAS is not available in all regions. Please consult your Dealer Technology Representative for SBAS availability in your region.

L	498-2664	MAPPING, GNSS SBAS Includes CB460 Display (7.0 in/17.8 cm), MS952 antenna/receiver, and AS450 angle sensor. The SBAS option can be upgraded later to RTK with the addition of a high accuracy option key and data radio. These can be purchased from your Dealer Technology Representative.	0	\$23,640
L	498-2665	MAPPING, GNSS RTK Includes CB460 Display (7.0 in/17.8 cm), MS952 antenna/receiver, AS450 angle sensor, and high accuracy option keys. Data radio is required but not included and must be ordered from your Dealer Technology Representative.	0	\$30,720

OTHER ATTACHMENTS

L	467-5131	SOUND SUPPRESSION	0	\$2,485
---	----------	-----------------------------	---	---------

CATERPILLAR MACHINE PRICE LIST

816K

USE	REF NO.	LANE 2 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

FLUIDS

ANTIFREEZE

Standard machine includes antifreeze protection to -34C (-29F).
 Different lubricants are also required for extreme temperatures.
 Please refer to operation and maintenance manual.

OP-2406	ANTIFREEZE, -50C (-58F)	0	\$386 NET
---------	-------------------------	---	-----------

INSTRUCTIONS

P	504-1365	FILM, AM-NORTH REQUIRED BY: AM-NORTH	0	NC
P	434-5933	FILMS, ANSI REQUIRED BY: AM-NORTH EXCEPT QUEBEC (N050)	0	NC

PACKING

MUST SELECT ONE

OP-0437	PACK, DOMESTIC TRUCK Machine will ship complete.	0	NC
OP-0069	PACK, DOMESTIC TRUCK Removes wheels.	0	\$775 NET