

CATERPILLAR MACHINE PRICE LIST

825K

825K COMPACTOR
 DECATUR, IL, USA

Ship Weight
 lbs

LIST PRICE
 AT DEALER

Standard Equipment:

POWERTRAIN

- Air to air aftercooler
- Auto shift
- Brakes, full hydraulic, enclosed, wet multiple disc service brakes
- Electro-hydraulic parking brake
- Electronic Clutch Pressure Control (ECPC)
- Engine, Cat C15 w/ ACERT technology
- Fuel priming pump (electric)
- Fuel to air cooler
- Ground level engine shutoff
- Hydraulically driven demand fan
- Integrated braking system
- Radiator, Aluminum Modular (AMR)
- Separated cooling system
- Single Clutch Speed Shifting (SCSS)
- Starting aid (ether) automatic
- Throttle lock
- Torque converter w/ Lock Up Clutch (LUC)
- Transmission, planetary, with 3F/3R speed range control

ELECTRICAL

- Alarm, back-up
- Alternator, 150-amp
- Batteries, maintenance-free, 4-1000CCA
- Electrical system, 24V
- Ground level lockable master disconnect switch
- Light, warning switched (LED strobe)
- Lights, access stairway, underhood, front, rear, & directional (rear)
- Starter, electric (heavy duty)
- Starting receptacle for emergency start

OPERATOR ENVIRONMENT

- AccuGrade mapping (ready)
- Air conditioner
- Cab, sound-suppressed pressurized internal four-post rollover protective structure (ROPS/FOPS), radio ready for entertainment includes antenna, speakers, converter (12-volt 10/15-amp) and power port
- Cab door, sliding window (LH)
- Camera, rear vision
- Compaction control (ready)
- Coat and hard hat hooks
- Electro-hydraulic tilt and lift controls
- Finger tip shifting controls
- Flip-up armrest
- Heater and defroster
- Horn, electric
- Implement hydraulic lockout

Instrumentation, gauges:

- Engine coolant temperature
 - Fuel level
 - Hydraulic oil temperature
 - Speedometer/Tachometer
 - Torque convertor temperature
- Instrumentation, warning indicators:
- Action alert system, three category
 - Brake oil pressure
 - Electrical system, low voltage
 - Engine failure malfunction alert and action lamp
 - Parking brake status
 - Laminated glass
 - Light, dome (cab)
 - Lunch box and beverage holders
 - Mirror, internal (panoramic)
 - Seat, Cat optimized seat system
 - Seat belt, retractable, 76mm (3"), 2-point, minder
 - STIC control system with lockout
 - Sun visor (front)
 - Tinted glass
 - Transmission gear (indicator)

Product Link Elite:

- VIMS
- Graphical information display
- External data port
- Customizable operator profiles
- Wet-arm wipers/washers (front and rear), intermittent wipers (front and rear)

TIRES, RIMS, AND WHEELS

- Wheels, tamping tips

GUARDS

- Guard, driveshaft
- Guards, crankcase and powertrain

BLADES

- Bulldozer straight blade, hydraulics, and linkage

OTHER STANDARD EQUIPMENT

- Cleaner bars with teeth
- Doors, service access (locking)
- Ecology drains for engine, radiator, transmission, hydraulic tank
- Emergency platform egress
- Engine, crankcase, 500 hour interval with CJ-4 oil
- Engine idle management features:
 - Auto idle kickdown
 - Delayed engine shutdown
 - Engine idle shutdown

CATERPILLAR MACHINE PRICE LIST

825K

825K COMPACTOR
DECATUR, IL, USA

Ship Weight
lbs

LIST PRICE
AT DEALER

OTHER STANDARD EQUIPMENT (CONT.)

- Exhaust stack, fold down
- Fast fuel system
- Fire suppression (ready)
- Fuel tank, 782 L (207 gal)
- Hitch, drawbar with pin
- Hoses, Cat XT(TM)
- Hydraulic, engine, and transmission oil coolers
- Oil change system, high speed
- Oil sampling valves
- Stairway, left and right rear access
- Steering, load sensing
- Toe kicks
- Total hydraulic filtration system
- Vandalism protection caplocks
- Venturi stack

CATERPILLAR MACHINE PRICE LIST

825K

| | | |
|------------------------------------|--------------------|-------------------------|
| 825K COMPACTOR DECATUR, IL, USA | Ship Weight lbs | LIST PRICE AT DEALER |
|------------------------------------|--------------------|-------------------------|

2018 YOY list price reductions will be offset by reductions in discounts or merchandising support.

| | | |
|-----------------|---|------------------|
| 376-5110 | 825K SOIL COMPACTOR HRC 76,545 | \$920,530 |
| | LANE 2 - AVAILABLE FROM DECATUR FACTORY | |

AVAILABLE FOR: AM-N, EU, ISRAEL, ANZ, JAPAN, & SOUTH KOREA

CATERPILLAR MACHINE PRICE LIST

825K

| USE | REF NO. | LANE 2 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------|-----------------|----------------------|
|-----|---------|------------------|-----------------|----------------------|

LANE SELECTION

| | | | | |
|--|---------|------------------------|---|----|
| | OP-9002 | LANE 2 ORDER | 0 | NC |
|--|---------|------------------------|---|----|

SPECIAL ARRANGEMENTS

ENGINE AND SOUND SUPPRESSION PACKAGES

NOTE: 141-5066 EU Certification requires Sound Suppression.

| | | | | |
|---|----------|---|----|---------|
| L | 376-5230 | ENGINE & NO SOUND SUPPRESSION | 0 | NC |
| | | Includes: | | |
| | | -Engine, US EPA T4/EU Stage IV Technology | | |
| | | -No Sound Suppression | | |
| | | Machine sound level: 113 dB(A) per ISO 6395 | | |
| | | Operator sound level: 73 dB(A) per ISO 6396 | | |
| | | REQUIRES: 376-5110 825K SOIL COMPACTOR HRC | | |
| L | 376-5240 | ENGINE & SOUND SUPPRESSION | 28 | \$3,230 |
| | | Includes: | | |
| | | -Engine, US EPA T4/EU Stage IV Technology | | |
| | | -Sound Suppression | | |
| | | Provides sound suppression arrangement for reduced spectator sound. | | |
| | | Machine sound level: 110 dB(A) per ISO 6395 | | |
| | | Operator sound level: 72 dB(A) per ISO 6396 | | |
| | | REQUIRES: 376-5110 825K SOIL COMPACTOR HRC | | |

ENGINE PRECLEANERS

| | | | | |
|---|----------|--|----|---------|
| L | 377-9320 | PRECLEANER, STANDARD | 0 | NC |
| | | REQUIRES: 376-5110 825K SOIL COMPACTOR HRC | | |
| L | 377-0851 | PRECLEANER, DUAL | 37 | \$2,795 |
| | | REQUIRES: 376-5110 825K SOIL COMPACTOR HRC | | |

POWERTRAIN

AXLE ARRANGEMENTS

| | | | | |
|---|----------|---|-----|---------|
| L | 376-5096 | AXLES, STANDARD | 0 | NC |
| | | Provides standard front and rear axles. | | |
| L | 376-5097 | AXLES, NO-SPIN REAR | 119 | \$4,485 |
| | | Provides standard front axle and no-spin rear axle. | | |

HYDRAULICS

| | | | | |
|---|----------|--|---|----|
| L | 386-2302 | HYDRAULICS | 0 | NC |
| | | Available worldwide, except for Canada & EU. | | |
| L | 386-2301 | HYDRAULICS, CANADA & EU | 0 | NC |
| | | Available worldwide. | | |

CATERPILLAR MACHINE PRICE LIST

825K

| USE | REF NO. | LANE 2 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------|-----------------|----------------------|
|-----|---------|------------------|-----------------|----------------------|

ELECTRICAL

LIGHTS

| | | | | |
|---|----------|---------------------------|---|---------|
| L | 528-3215 | LIGHTS, HALOGEN | 0 | NC |
| L | 528-3216 | LIGHTS, LED | 0 | \$3,580 |

OPERATOR ENVIRONMENT

CAB PACKAGES

| | | | | |
|---|----------|--|---|---------|
| L | 525-6498 | CAB, DELUXE INCLUDES: -Cab glass, rubber mounted -Cab precleaner, powered -Seat, heated & ventilated -Radio, CB (ready) | 0 | \$3,430 |
|---|----------|--|---|---------|

MIRRORS

| | | | | |
|---|----------|-----------------------------|---|-------|
| L | 346-3864 | MIRRORS, STANDARD | 0 | NC |
| L | 376-7034 | MIRRORS, HEATED | 6 | \$119 |

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet.

Authorization varies by country, please contact your Cat marketing representative with questions or click on the link below:
[HTTPS://DEALER.CAT.COM/en/bt/otd/machine-price-list.html](https://dealer.cat.com/en/bt/otd/machine-price-list.html)
From there click on the "PRODUCT LINK Hardware Certification" link.

| | | | | |
|---|----------|---|---|-------|
| L | 528-5689 | PRODUCT LINK, CELLULAR PLE641 Product Link Elite series PLE641 offers expanded coverage including 3G UMTS and CDMA2000 as well as 2G GSM and CDMA cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data. | 0 | NC |
| L | 528-5690 | PRODUCT LINK, SATELLITE PLE631 Product Link Elite series PLE631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage. | 0 | \$432 |

CATERPILLAR MACHINE PRICE LIST

825K

| USE | REF NO. | LANE 2 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------|-----------------|----------------------|
|-----|---------|------------------|-----------------|----------------------|

TIRES, RIMS, AND WHEELS

WHEELS

Caterpillar has developed an exclusive licensed agreement with M2 Industries to provide a refurbished compactor wheel exchange program through the Caterpillar dealer network. Machine model and serial number required prior to quote. Please contact M2 Industries directly for pricing and delivery: Dale Mills at (812) 246-0651.

| | | | | |
|---|----------|--|--|-----------------|
| L | 127-9740 | WHEELS, TAMPING TIPS 0 Provides wheels with standard tamping tips. | | NC |
| L | 420-3481 | WHEELS, HIGH IMPACT TIPS 444 Provides wheels with tamping tips designed to withstand the impact encountered when compacting soils containing rocky material. | | \$15,380 |

CATERPILLAR MACHINE PRICE LIST

825K

| USE | REF NO. | LANE 2 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|-----------------|-----------------|----------------------|
|-----|---------|-----------------|-----------------|----------------------|

STARTERS, BATTERIES, & ALTERNATORS

STARTING AIDS.

MAY SELECT ONE ONLY

| | | | | |
|---|----------|--|--|-------|
| L | 246-2689 | HEATER, ENGINE COOLANT, 120V 2 110/120-volt external power source required. | | \$327 |
| L | 246-3514 | HEATER, ENGINE COOLANT, 240V 2 220/240-volt external power source required. | | \$384 |

OPERATOR ENVIRONMENT

| | | | | |
|---|----------|---|--|-------|
| L | 452-1394 | RADIO, AM/FM/AUX/USB/BT 5 BlueTooth radio technology enables the use of a hands free function such as listening to music and making phone calls. Authorization varies by country, please contact your Cat marketing representative with questions or click on the link below: https://dealer.cat.com/en/products/technology.html | | \$755 |
|---|----------|---|--|-------|

TECHNOLOGY PRODUCTS

| | | | | |
|---|----------|--|--|---------|
| L | 376-5112 | COMPACTION CONTROL, BASIC 3 A proprietary Caterpillar technology that detects soil stiffness via rolling resistance. The system provides the operator with real time soil stiffness information on the machine display. | | \$7,840 |
|---|----------|--|--|---------|

FLUIDS

ANTIFREEZE

Standard machine includes antifreeze protection to -34C (-29F).
Different lubricants are also required for extreme temperatures.
Please refer to operation and maintenance manual.

| | | | | |
|--|---------|-------------------------------------|--|-----------|
| | OP-2406 | ANTIFREEZE, -50C (-58F) 0 | | \$386 NET |
|--|---------|-------------------------------------|--|-----------|

INSTRUCTIONS

| | | | | |
|---|----------|---|--|----|
| P | 504-1365 | FILM, AM-NORTH 0 REQUIRED BY: AM-NORTH | | NC |
| P | 376-5209 | FILMS, ANSI 0 REQUIRED BY: AM-NORTH EXCEPT QUEBEC (N050) | | NC |

PACKING

MUST SELECT ONE

| | | | | |
|--|---------|---|--|----|
| | OP-0437 | PACK, DOMESTIC TRUCK 0 Machine will ship complete. Corner cutting edges removed and placed in cab. | | NC |
|--|---------|---|--|----|