

CATERPILLAR MACHINE PRICE LIST

**826K**

826K LANDFILL COMPACTOR  
DECATUR, IL, USA

Ship Weight  
lbs

LIST PRICE  
AT DEALER

Standard Equipment:

**POWERTRAIN**

Air to air aftercooler  
Brakes, full hydraulic, enclosed, wet multiple disc service brakes  
Electro-hydraulic parking brake  
Electronic Clutch Pressure Control (ECPC)  
Engine, Cat C15 w/ Acert technology  
Fuel priming pump(electric)  
Fuel to air cooler  
Ground level engine shutoff  
Heat shield, turbo and exhaust manifold  
Hydraulically driven demand fan  
Integrated braking system  
Radiator, Aluminum Modular (AMR)  
Separated cooling system  
Single Clutch Speed Shifting (SCSS)  
Starting aid (ether) automatic  
Throttle lock  
Torque converter w/ Lock Up Clutch (LUC)  
Transmission, planetary, 2F/2R speed range control  
Underhood ventilation system

**ELECTRICAL**

Alarm, back-up  
Alternator, 150-amp  
Batteries, maintenance free, 4-1000CCA  
Electrical system, 24V  
Ground level lockable master disconnect switch  
Light, warning unswitched (LED strobe)  
Lights, access stairway, underhood, front & rear  
Starter, electric (heavy duty)  
Starting receptacle for emergency start

**OPERATOR ENVIRONMENT**

AccuGrade mapping (ready)  
Air conditioner with roof mounted condenser  
Cab, sound-suppressed pressurized, internal four-post rollover protective structure (ROPS/FOPS), radio ready for entertainment includes antenna, speakers, converter (12-volt 10/15-amp) and power port  
Camera, rear vision  
Coat and hard hat hooks  
Finger tip shifting controls  
Flip-up armrest  
Heater and defroster  
Horn, electric  
Hydraulic controls  
Implement hydraulic lockout

Instrumentation, gauges:

- Engine coolant temperature
- Fuel level
- Hydraulic oil temperature
- Speedometer/Tachometer
- Torque convertor temperature

Instrumentation, warning indicators:

- Action alert system, three category
- Brake oil pressure
- Electrical system, low voltage
- Engine failure malfunction alert and action lamp

- Parking brake status
- Laminated glass
- Light, dome (cab)
- Lunch box and beverage holders
- Mirror, internal (panoramic)
- Seat, Cat optimized seat system
- Seat belt, retractable, 76mm (3"), 2-point, minder
- STIC control system with lockout
- Sun visor (front)
- Tinted glass
- Transmission gear (indicator)

Product Link Elite:

- VIMS
- Graphical information display
- External data port
- Customizable operator profiles
- Wet-arm wipers/washer (front and rear), intermittent wipers (front and rear)

**GUARDS**

- Guards, axle (front and rear)
- Guard, cab window
- Guards, crankcase and powertrain, hydraulically powered
- Guard, driveshaft

**BLADES**

- Bulldozer arrangement (no blade)

**OTHER STANDARD EQUIPMENT**

- Demand fan/swing out (hyd. reversible)
- Doors, service access (locking)
- Ecology drains for engine, radiator, transmission, hydraulic tank
- Emergency platform egress
- Engine, crankcase, 500 hour interval with CJ-4 oil
- Engine idle management features:
  - Auto idle kickdown
  - Delayed engine shutdown
  - Engine idle shutdown
- Exhaust stack, fold down

CATERPILLAR MACHINE PRICE LIST

**826K**

---

826K LANDFILL COMPACTOR  
DECATUR, IL, USA

Ship Weight  
lbs

LIST PRICE  
AT DEALER

---

**OTHER STANDARD EQUIPMENT (CONT.)**

- Fire suppression (ready)
- Fuel tank, 782 L (207 gal)
- Hitch, drawbar with pin
- Hoses, Cat XT(TM)
- Hydraulic, engine, and transmission oil coolers
- Oil change system, high speed
- Oil sampling valves
- Stairway, left and right rear access
- Steering, load sensing
- Striker bars
- Total hydraulic filtration system
- Vandalism protection caplocks
- Venturi stack

CATERPILLAR MACHINE PRICE LIST

**826K**

---

826K LANDFILL COMPACTOR DECATUR, IL, USA	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

---

<b>376-5010</b>	<b>826K LANDFILL COMPACTOR HRC</b> ..... 83,637 LANE 2 - AVAILABLE FROM DECATUR FACTORY	<b>\$917,810</b>
-----------------	--	------------------

AVAILABLE FOR: AM-N, EU, ISRAEL, ANZ, JAPAN, & SOUTH KOREA

<b>0P-3306</b>	<b>826K MISCELLANEOUS MATERIAL</b> ..... 0 AVAILABLE FROM DECATUR FACTORY	<b>NC</b>
----------------	--	-----------

Only reference numbers under the Factory Sourced Kits section can be used on a MISC order.

CATERPILLAR MACHINE PRICE LIST

**826K**

USE	REF NO.	LANE 2 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**LANE SELECTION**

	OP-9002	LANE 2 ORDER . . . . .	0	NC
--	---------	------------------------	---	----

**SPECIAL ARRANGEMENTS**

**ENGINE AND SOUND SUPPRESSION PACKAGES**

L	376-5030	ENGINE & NO SOUND SUPPRESSION . . . . .	0	NC
---	----------	---	---	----

Includes:  
-Engine, US EPA T4F/EU Stage V Technology  
-No Sound Suppression  
Machine sound level: 113 dB(A) per ISO 6395  
Operator sound level: 73 dB(A) per ISO 6396  
REQUIRES: 376-5010 826K LANDFILL COMPACTOR HRC

L	376-5040	ENGINE & SOUND SUPPRESSION . . . . .	28	\$3,130
---	----------	--------------------------------------	----	---------

Includes:  
-Engine, US EPA T4F/EU Stage V Technology  
-Sound Suppression  
Provides sound suppression arrangement for reduced spectator sound.  
Machine sound level: 110 dB (A) per ISO 6395  
Operator sound level: 72 dB (A) per ISO 6396  
REQUIRES: 376-5010 826K LANDFILL COMPACTOR HRC

**ENGINE PRECLEANERS**

L	417-6327	PRECLEANER, STANDARD . . . . .	0	NC
---	----------	--------------------------------	---	----

REQUIRES: 376-5010 826K LANDFILL COMPACTOR HRC

L	377-0851	PRECLEANER, DUAL . . . . .	37	\$2,795
---	----------	----------------------------	----	---------

REQUIRES: 376-5010 826K LANDFILL COMPACTOR HRC

**POWERTRAIN**

**AXLE ARRANGEMENTS**

L	464-6023	AXLES, NO-SPIN REAR . . . . .	119	NC
---	----------	-------------------------------	-----	----

Provides standard front axle and no-spin rear axle.

L	376-5098	AXLES, NO-SPIN FRONT . . . . .	70	NC
---	----------	--------------------------------	----	----

Provides no-spin front axle and standard rear axle.

L	376-5099	AXLES, NO-SPIN FRONT & REAR . . . . .	190	\$5,130
---	----------	---------------------------------------	-----	---------

Provides no-spin front and rear axles.

**HYDRAULICS**

L	386-2300	HYDRAULICS . . . . .	0	NC
---	----------	----------------------	---	----

Available worldwide, except for Canada & EU.

L	386-2299	HYDRAULICS, CANADA & EU . . . . .	0	NC
---	----------	-----------------------------------	---	----

Available worldwide.

CATERPILLAR MACHINE PRICE LIST

**826K**

USE	REF NO.	LANE 2 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**ELECTRICAL**

**HORNS**

L	417-2725	HORN, STANDARD . . . . .	0	NC
L	383-2192	HORN, TRUMPET . . . . . Required for EU.	11	\$655

**LIGHTS**

L	528-9816	LIGHTS, HALOGEN . . . . .	0	NC
L	528-9817	LIGHTS, LED . . . . .	0	\$3,580

**OPERATOR ENVIRONMENT**

**CAB PACKAGES**

L	525-6501	CAB, DELUXE . . . . . INCLUDES: -Cab glass, rubber mounted -Cab precleaner, powered -Seat, heated & ventilated -Radio, CB (ready)	0	\$3,400
---	----------	--	---	---------

**MIRRORS**

L	346-3864	MIRRORS, STANDARD . . . . .	0	NC
L	376-7034	MIRRORS, HEATED . . . . .	6	\$119

**TECHNOLOGY PRODUCTS**

**PRODUCT LINK**

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet.

Authorization varies by country, please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Caterpillar marketing representative with questions.

L	528-5689	PRODUCT LINK, CELLULAR PLE641 . . . . . Product Link Elite series PLE641 offers expanded coverage including 3G UMTS and CDMA2000 as well as 2G GSM and CDMA cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.	0	NC
---	----------	---	---	----

CATERPILLAR MACHINE PRICE LIST

**826K**

USE	REF NO.	LANE 2 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**TECHNOLOGY PRODUCTS (CONT.)**

**PRODUCT LINK (Cont.)**

L	528-5690	PRODUCT LINK, SATELLITE PLE631 . . . . . 0 Product Link Elite series PLE631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage.		\$432
---	----------	--	--	-------

**TIRES, RIMS, AND WHEELS**

**WHEELS**

Caterpillar has developed an exclusive licensed agreement with M2 Industries to provide a refurbished compactor wheel exchange program through the Caterpillar dealer network. Machine model and serial number required prior to quote. Please contact M2 Industries directly for pricing and delivery: Dale Mills at (812) 246-0651.

All wheels are provided with through hardened inner rim extension to work with machine axle guards, (5) wear bars welded on inner rim extension, and (5) wear bars welded on inner wheel disc. Also provides 1" hard facing on both edges of the wrapper between tips/blades.

NOTE: Loose wheel orders must go through Parts Distribution.

L	420-3478	WHEELS, 48" COMBINATION TIPS . . . . . 0 Provides a combination of (12) plus tips & (18) paddle tips. The plus tips are welded on the inner & outer rows while the paddle tips are welded on the 3 inside rows.		NC
L	457-7896	WHEELS, 48" DIAMOND TIPS . . . . . 0 Provides (30) diamond (extended life) tips welded in (5) rows of (6) tips each.		\$42,200
NOTE: These wheels will ship NOT INSTALLED.				
L	398-8542	WHEELS, 48" PADDLE TIPS . . . . . -580 Provides (30) paddle tips welded in (5) rows of (6) tips each.		\$-1,510
L	398-8543	WHEELS, 48" PLUS TIPS . . . . . 876 Provides (30) plus tips welded in (5) rows of (6) tips each.		\$6,990
L	398-8544	WHEELS, 40" PLUS TIPS . . . . . -1,080 Provides (24) plus tips welded in (4) rows of (6) tips each on a (40") narrow wheel. This wheel is recommended for landfills where sinking is not an issue and the need for higher ground pressure is required to break and shred construction material		\$5,390
L	398-8540	WHEELS, 48" SMOOTH . . . . . -5,408		\$-15,510
L	0P-3641	OMISSION, WHEELS . . . . . -20,480		\$-33,100

**OTHER ATTACHMENTS**

**STAIRWAYS**

L	382-1989	STAIRWAY, FIXED . . . . . 0 Provides fixed left and right side stairways.		NC
---	----------	--	--	----

CATERPILLAR MACHINE PRICE LIST

**826K**

USE	REF NO.	LANE 2 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**OTHER ATTACHMENTS (CONT.)**

**STAIRWAYS (Cont.)**

L	382-1990	STAIRWAY, SWINGOUT . . . . .	783	\$8,880
		Provides swingout left and right side stairways.		

**STRIKER BARS**

NOTE: Striker bars are shipped NOT INSTALLED

L	477-3887	STRIKER BARS. . . . .	0	NC
L	477-3883	STRIKER BARS W/CLEANER FINGERS. . . . .	2,000	\$7,560
		Provides cleaner fingers on the front, mid and rear striker bars.		
		ONLY FOR USE WITH: 420-3478 WHEELS, 48" COMBINATION TIPS		
		457-7896 WHEELS, 48" DIAMOND TIPS		
		398-8542 WHEELS, 48" PADDLE TIPS		
		398-8543 WHEELS, 48" PLUS TIPS		
		398-8544 WHEELS, 40" PLUS TIPS		

CATERPILLAR MACHINE PRICE LIST

**826K**

USE	REF NO.	LANE 2 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**STARTERS, BATTERIES, & ALTERNATORS**

**STARTING AIDS.**

MAY SELECT ONE ONLY

L	246-2689	HEATER, ENGINE COOLANT, 120V . . . . . 2 110/120-volt external power source required.		\$327
L	246-3514	HEATER, ENGINE COOLANT, 240V . . . . . 2 220/240-volt external power source required.		\$384

**OPERATOR ENVIRONMENT**

L	452-1394	RADIO, AM/FM/AUX/USB/BT . . . . . 5 BlueTooth radio technology enables the use of a hands free function such as listening to music and making phone calls. Authorization varies by country, please contact your Cat marketing representative with questions or click on the link below: <a href="https://dealer.cat.com/en/products/technology.html">https://dealer.cat.com/en/products/technology.html</a>		\$755
---	----------	---	--	-------

**TECHNOLOGY PRODUCTS**

This is a factory designed and integrated mapping system offered with two levels of accuracy. SBAS level of accuracy requires no off-board infrastructure and delivers only pass count mapping. RTK level of accuracy requires a corrections source (i.e. base station, IBSS, VRS) and data radio. RTK delivers pass count mapping as well as CCA (Cat Compaction Algorithm) mapping. Contact your Dealer Technology Representative to order a base station and/or data radio.

Note: Outside of North America and Europe, SBAS is not available in all regions. Please consult your Dealer Technology Representative for SBAS availability in your region.

L	497-9368	MAPPING, GNSS SBAS . . . . . 0 Includes CB460 Display (7.0 in/17.8 cm), MS952 antenna/receiver, and AS450 angle sensor. The SBAS option can be upgraded later to RTK with the addition of a high accuracy option key and data radio. These can be purchased from your Dealer Technology Representative.		\$23,890
L	497-9369	MAPPING, GNSS RTK . . . . . 0 Includes CB460 Display (7.0 in/17.8 cm), MS952 antenna/receiver, AS450 angle sensor, and high accuracy option keys. Data radio is required but not included and must be ordered from your Dealer Technology Representative.		\$31,020

**GUARDS**

L	364-7648	GUARD, REAR FAN & GRILL. . . . . 462 Provides additional guarding for the rear fan and grill using a swing-out gate on rear bumper.		\$4,600
---	----------	--	--	---------

CATERPILLAR MACHINE PRICE LIST

**826K**

USE	REF NO.	LANE 2 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**BLADES**

NOTE: Loose blade orders must go through Parts Distribution or CWTS.

NOTE: Blades are shipped NOT INSTALLED

MAY SELECT ONE ONLY

L	397-7898	<b>BLADE, 177" 16.1 YD3 STRAIGHT</b> . . . . .	5,537	<b>\$29,413</b>
		Capacity: 16.1 YD3 (12.3 M3) Height: 74.8" (1900 MM), Overall Width: 177.2" (4502 MM)		
L	398-1102	<b>BLADE, SEMI-U</b> . . . . .	6,012	<b>\$31,268</b>
		Capacity: 20.9 YD3 (16.0 M3) Height: 79.6" (2022 MM), Overall Width: 178.0" (4522 MM)		
L	398-1103	<b>BLADE, 173" 22.9 YD3 FULL U</b> . . . . .	5,675	<b>\$32,422</b>
		Capacity: 22.9 YD3 (17.5 M3) Height: 79.5" (2019 MM), Overall Width: 173.1" (4398 MM)		

**FLUIDS**

**ANTIFREEZE**

Standard machine includes antifreeze protection to -34C (-29F).  
Different lubricants are also required for extreme temperatures.  
Please refer to operation and maintenance manual.

P	0P-2406	<b>ANTIFREEZE, -50C (-58F)</b> . . . . .	0	<b>\$386 NET</b>
---	---------	--	---	------------------

**INSTRUCTIONS**

P	504-1365	<b>FILM, AM-NORTH</b> . . . . .	0	<b>NC</b>
		REQUIRED BY: AM-NORTH		
P	376-5009	<b>FILMS, ANSI</b> . . . . .	0	<b>NC</b>
		REQUIRED BY: AM-NORTH EXCEPT QUEBEC (N050)		

**PACKING**

MUST SELECT ONE

	0P-0443	<b>PACK, DOMESTIC TRUCK</b> . . . . .	0	<b>NC</b>
		Remove air conditioner. Striker Bars & Blade is not installed. CANNOT BE USED WITH: 457-7896 WHEELS, 48" DIAMOND TIPS		
	0P-0063	<b>PACK, DOMESTIC TRUCK</b> . . . . .	0	<b>\$1,035 NET</b>
		Remove air conditioner & wheels. Striker Bars & Blade are not installed.		
	0P-0812	<b>PACK, MISC SHIPMENTS</b> . . . . .	0	<b>NC</b>
		Use this as the packing reference number on a MISC MSO.		