

CATERPILLAR MACHINE PRICE LIST

834K

834K WHEEL TRACTOR
DECATUR, IL, USA

Ship Weight
lbs

LIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

Advanced Productivity Electronic Control Shifting(APECS)
Air to air aftercooler
Brakes, full hyd., enclosed, wet multiple disc service brakes
Electro hydraulic parking brake
Engine, Cat C18 w/ACERT technology
Fuel priming pump (electric)
Fuel to air cooler
Ground level engine shutoff
Guard, transmission
Hydraulically driven demand fan
Integrated braking
Radiator, Aluminum Modular Radiator (AMR)
Separated cooling system
Starting aid (ether) automatic
Throttle lock
Torque converter, impeller clutch with lock-up clutch & rimpull control system
Turbine precleaner, engine air intake
Transmission, planetary powershift, 4F/3R electronic control

-Engine coolant temperature
-Fuel level
-Hydraulic oil temperature
-Speedometer/Tachometer
-Torque convertor temperature
Instrumentation, warning indicators:
-Action alert system, three category
-Axle/Brake oil temp. (front/rear)
-Brake oil pressure
-Electrical system, low voltage
-Engine failure malfunction alert and action lamp
Mirrors, rearview (externally mounted)
Parking brake status
Rimpull select switch
Seat, Cat Comfort (cloth) air suspension
STIC control system with steering lock
Tinted glass
Transmission gear (indicator)
Product Link Elite:
-VIMS
-Graphical information display
-External data port
-Customizable operator profiles
Wet-arm wipers/washers (front and rear), intermittent wipers (front and rear)

ELECTRICAL

Alarm, back-up
Alternator, 150-amp
Batteries, maintenance-free, 4-1000 CCA
Converter, 10/15-amp, 24V to 12V
Lights, front & rear, access stairway, turn signals
Starter, electric (heavy duty)
Starter lockout in bumper
Starting receptacle for emergency start
Transmission lockout in bumper

OTHER STANDARD EQUIPMENT

CAES (ready)
Counterweight
Doors, service access (locking)
Dozer stabilizer
Dozer trunnions
Dozer push beam
Dozer pins
Dozer cylinders and hydraulic lines
Ecology drains for engine, radiator, hydraulic tank
Emergency platform egress
Engine, crankcase, 250 hour interval with CJ-4 oil
Fast fuel system
Front walkway
Fuel tank, 731 L (188 gal)
Ground level fuel fill
Ground level transmission electronic clutch pressure control access
Hitch, drawbar with pin
Hoses, Cat XT(TM)
Hydraulic oil cooler
Hydraulic, steering and brake filtration/screening system
Oil sampling valves
Stairway, left and right rear access
Steering, load sensing

OPERATOR ENVIRONMENT

Air conditioner
Cab, sound-suppressed pressurized, internal four-post rollover protective structure (ROPS/FOPS), radio ready for entertainment includes antenna, speakers, converter (12-volt 10-15 amp) and power port
Coat and hard hat hooks
E/H blade controls (seat mounted)
Flip-up armrest
Heater and defroster
Horn, electric
Implement hydraulic lockout
Laminated glass
Light, dome (cab)
Lunchbox and beverage holders
Instrumentation, gauges:

CATERPILLAR MACHINE PRICE LIST

834K

834K WHEEL TRACTOR
DECATUR, IL, USA

Ship Weight
lbs

LIST PRICE
AT DEALER

OTHER STANDARD EQUIPMENT (CONT.)

Toe kicks
Vandalism protection caplocks
Venturi stack

CATERPILLAR MACHINE PRICE LIST

834K

	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

<p>347-5100 834K WHEEL DOZER HRC</p> <p> LANE 2 - AVAILABLE FROM DECATUR FACTORY</p> <p> LANE 3 - AVAILABLE FROM DECATUR FACTORY</p>	<p>115,385</p>	<p>\$1,325,440</p>
---	----------------	---------------------------

AVAILABLE FOR: AM-N, EU, JAPAN, & SOUTH KOREA

<p>0P-4741 834K MISCELLANEOUS MATERIAL</p> <p> AVAILABLE FROM DECATUR FACTORY</p>	<p>0</p>	<p>NC</p>
---	----------	------------------

Only reference numbers under the Factory Sourced Kits section can be used on a MISC order.

CATERPILLAR MACHINE PRICE LIST

834K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

	OP-9002	LANE 2 ORDER	0	NC
	OP-9003	LANE 3 ORDER	0	NC

SPECIAL ARRANGEMENTS

DOZER ARRANGEMENTS

L	435-1135	DOZER, STANDARD Includes push arms. Blade not included. Blades are in the Optional Attachment section.	0	NC
L	435-1145	DOZER, SCOOP FOR USE WITH LANE 3 ONLY Provides base machine adapted for the CWTS Coal or Woodchip Scoop attachment. Includes push beam, dual lift cylinders, 3 function hydraulics with increased flow, and stabilizer linkage. Scoop attachment for coal or woodchip applications must be ordered separately through CWTS. Push arms are part of the CWTS scoop. REQUIRES: 550-0287 LIGHTS, LED (SCOOP) 372-2588 FENDERS, STANDARD	0	\$29,640

POWERTRAIN

ENGINE ARRANGEMENTS

L	375-3420	ENGINE, STANDARD US EPA T4F/EU Stage V Technology REQUIRES: 347-5100 834K WHEEL DOZER HRC	0	NC
L	347-4880	ENGINE, BRAKE US EPA T4F/EU Stage V Technology Proves engine braking for steep grades or speed reduction. REQUIRES: 347-5100 834K WHEEL DOZER HRC	78	\$3,450

ENGINE PRECLEANERS

L	377-9320	PRECLEANER, STANDARD REQUIRES: 347-5100 834K WHEEL DOZER HRC	0	NC
L	377-0851	PRECLEANER, DUAL REQUIRES: 347-5100 834K WHEEL DOZER HRC	37	\$2,795

AXLE ARRANGEMENTS

L	347-5246	AXLES, STANDARD Provides standard front and rear axles.	0	NC
L	347-5256	AXLES, NO-SPIN REAR Provides standard front axle and no-spin rear axle. With normal hard packed floor conditions this can cause significant tire wear. No-spin recommended in applications which require improved traction.	-15	\$4,780

HYDRAULICS

L	373-9317	HYDRAULICS AVAILABLE FOR: ALL REGIONS EXCEPT EU	0	NC
---	----------	--	---	----

CATERPILLAR MACHINE PRICE LIST

834K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

L	373-9318	HYDRAULICS (EU) 15 AVAILABLE FOR: ALL REGIONS EXCEPT CANADA		NC
---	----------	--	--	----

ELECTRICAL

LIGHTS

L	345-0540	LIGHTS, STANDARD 0 Provides the following: Front flood/running lights (4 Halogen/all facing forward) Rear flood lights (4 Halogen/all facing rear) and 2 taillights Upper ROPS lights (6 Halogen/2 facing rear, 4 facing forward) Two of the rear floodlights are stair lamps ONLY FOR USE WITH: 435-1135 DOZER, STANDARD		NC
---	----------	---	--	----

L	360-8186	LIGHTS, HID 28 Provides the following: Front flood/running lights (4 Halogen/all facing forward) Rear flood lights (2 HID/4 Halogen/all facing rear) and 2 taillights. Upper ROPS lights (4 HID/facing forward and 4 Halogen/2 facing rear, 2 facing forward) Two of the rear floodlights are stair lamps ONLY FOR USE WITH: 435-1135 DOZER, STANDARD		\$2,535
---	----------	---	--	---------

L	550-0286	LIGHTS, LED 0 Provides the following: Front flood/running lights (4 LED/all facing forward) Rear flood lights (4 LED/all facing rear) and 2 taillights Upper ROPS lights (8 LED/2 facing rear, 6 facing forward) Two of the rear floodlights are stair lamps ONLY FOR USE WITH: 435-1135 DOZER, STANDARD		\$3,850
---	----------	--	--	---------

L	550-0287	LIGHTS, LED (SCOOP) 0 Provides the following: Front flood/running lights (4 LED/all facing forward) Rear flood lights (4 LED/all facing rear) and 2 taillights Upper ROPS lights (8 LED/2 facing rear, 6 facing forward) Two of the rear floodlights are stair lamps ONLY FOR USE WITH: 435-1145 DOZER, SCOOP		\$4,255
---	----------	---	--	---------

OPERATOR ENVIRONMENT

CAB PACKAGES

NOTE: 2-point seat belts are standard. 4-point seat belts are available through parts distribution if needed.

L	540-2511	CAB, BASIC 0 INCLUDES: -Cab door, standard window (LH) -Cab glass, standard -Cab precleaner, non-powered -Seat, heated & ventilated -Seat belt, 3", 2-point, minder -Radio, CB (ready)		\$3,170
---	----------	---	--	---------

CATERPILLAR MACHINE PRICE LIST

834K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

CAB PACKAGES (Cont.)

L	540-2512	CAB, BASIC PLUS 0		\$4,290
		INCLUDES: -Cab door, sliding window (LH) -Cab glass, standard -Cab precleaner, non-powered -Seat, heated & ventilated -Seat belt, 3", 2-point, minder -Radio, CB (ready)		
L	544-1162	CAB, DELUXE 0		\$14,040
		INCLUDES: -Cab door, standard window (LH) -Cab glass, rubber mounted -Cab precleaner, powered -Seat, heated & ventilated -Seat belt, 3", 2-point, minder -Radio, CB (ready)		

MIRRORS

L	346-3864	MIRRORS, STANDARD 0		NC
L	376-7034	MIRRORS, HEATED 6		\$119

INTEGRATED OBJECT DETECTION SYSTEM

L	360-8191	CAMERA, REAR VISION 0		NC
		Provides an object detection system (camera only) to enhance operator awareness of surroundings. This system uses visual information only in order to provide the operator with additional information about the work area to the rear of the wheel loader.		
L	372-3042	DETECTION, OBJECT (RADAR) 19		\$2,795
		Not available for EU. Provides an object detection system (camera & radar) to enhance operator awareness of surroundings. This system uses visual and radar information in order to provide the operator with additional information about the work area to the rear of the wheel loader. For a list of countries that RF radar is approved for use in, visit https://dealer.cat.com/detect ONLY FOR USE WITH: 435-1135 DOZER, STANDARD		

CATERPILLAR MACHINE PRICE LIST

834K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet.

Authorization varies by country, please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Caterpillar marketing representative with questions.

L	509-4155	PRODUCT LINK, CELLULAR PLE641 0		NC
		Product Link Elite series PLE641 offers expanded coverage including 3G UMTS and CDMA2000 as well as 2G GSM and CDMA cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		
L	509-4150	PRODUCT LINK, SATELLITE PLE631 0		\$432
		Product Link Elite series PLE631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage.		

FUEL SYSTEMS

FUEL LINES

L	433-3844	FUEL LINES, NON-HEATED 0		NC
L	433-3845	FUEL LINES, HEATED 3		\$1,390

TIRES, RIMS, AND WHEELS

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice. However, if the tire type cannot be supplied we will contact the dealer to propose alternatives. The dealer needs to choose between an alternative tire or a "rims only" option (where available) within 72 hours. If no response is provided by the deadline, the order will default to the alternative tire and will be changed at that point. As a consequence of a possible tire change, the total machine price will be decreased or increased depending on the price of the new tire.

NOTE: All tires are tubeless, include heavy duty rims and come in a set of 4.

CATERPILLAR MACHINE PRICE LIST

834K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS (CONT.)

TIRES AVAILABLE FROM BRIDGESTONE

P	396-4291	TIRES, 35/65-33 BS DL 42PR L5 0 Bridgestone Bias; Tread Depth=97mm (122/32"); Rim=28"x33" Suitable for severe rock environments where maximum damage protection is needed.		\$8,180
P	485-3623	TIRES, 35/65R33 BS VSNT ** L4 1,460 Bridgestone Radial; Tread Depth=62.5mm (79/32"); Rim=28"x33" Provides damage resistance, mobility, and traction in moderate rock environments.		\$-1,240
P	499-5790	TIRES, 35/65R33 BS VSDL ** L5 2,772 Bridgestone Radial; Tread Depth=95mm (120/32"); Rim=28"x33" Suitable for severe rock environments where maximum damage protection is needed.		\$13,320

TIRES AVAILABLE FROM MICHELIN

P	396-4288	TIRES, 35/65R33 MX ** L5 0 Michelin Radial XMINED2; Tread Depth=97mm (122/32"); Rim=28"x33" Directional tire suitable for severe rock environments where maximum damage protection is needed.		\$32,380
P	478-4157	TIRES, 35/65R33 MX *** L4 0 Michelin Radial TXTL; Tread Depth=60mm (76/32"); Rim=28"x33" Directional tire that provides damage resistance, mobility, and traction in moderate rock environments.		\$10,080

TIRES, ALLOWANCE FOR OMISSION

P	396-4156	RIMS ONLY, TIRES OMITTED -7,964		\$-38,340
---	----------	---------------------------------------	--	-----------

OTHER ATTACHMENTS

FENDERS

L	372-2588	FENDERS, STANDARD 0 Provides standard front fenders.		NC
L	372-2598	FENDERS, ROADING 513 Provides full coverage front and rear fenders. CANNOT BE USED WITH: 435-1145 DOZER, SCOOP		\$5,480

SOUND SUPPRESSION

NOTE: 141-5066 EU Certification requires Sound Suppression.

L	347-5105	NO SOUND SUPPRESSION 0 REQUIRES: 347-5100 834K WHEEL DOZER HRC		NC
L	347-5125	SOUND SUPPRESSION 298 REQUIRES: 347-5100 834K WHEEL DOZER HRC 372-9038 GUARD, CRANKCASE 435-1165 GUARD, BOTTOM		\$4,880

WHEEL CHOCKS

L	541-8669	NO WHEEL CHOCKS 0		NC
---	----------	-------------------------	--	----

CATERPILLAR MACHINE PRICE LIST

834K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	--------------------	-------------------------

OTHER ATTACHMENTS (CONT.)

WHEEL CHOCKS (Cont.)

L	541-8670	WHEEL CHOCKS 0 Includes wheel chocks and an integrated storage system.		\$1,700
---	----------	---	--	---------

CATERPILLAR MACHINE PRICE LIST

834K

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

POWERTRAIN

L	367-5430	COOLER, AXLE OIL 0 Axle oil cooler attachment is recommended with ride control for long downhill grades or any high braking applications.		\$12,560
---	----------	---	--	----------

LINE GROUPS

STEERING

L	367-5429	STEERING, SECONDARY 117 Required for EU. Provides a ground speed driven supplemental steering pump.		\$12,450
---	----------	--	--	----------

STARTERS, BATTERIES, & ALTERNATORS

STARTING ARRANGEMENT

L	374-6450	STARTING, COLD WEATHER 94 Includes 1 additional starter and 2 additional batteries.		\$1,730
---	----------	---	--	---------

STARTING AIDS

MAY SELECT ONE ONLY

L	374-7404	HEATER, ENGINE COOLANT, 120V 1 110/120-volt external power source required.		\$353
---	----------	---	--	-------

ELECTRICAL

L	376-7128	LIGHT, WARNING (LED STROBE) 17 ***DEALER INSTALLED ATTACHMENT***		\$700
---	----------	--	--	-------

OPERATOR ENVIRONMENT

L	504-5735	RADIO, AM/FM/AUX 0		\$735
L	376-7135	RADIO, AM/FM/AUX/USB/BT/CD/SAT 6 BlueTooth radio technology enables the use of a hands free function such as listening to music and making phone calls. Authorization varies by country, please contact your Cat marketing representative with questions or click on the link below: https://dealer.cat.com/en/products/technology.html Requires service contract with satellite radio provider.		\$1,630
L	378-8646	MIRROR, INTERNAL (PANORAMIC) 10		\$447
L	346-3863	VISOR, CAB 2		\$171

CATERPILLAR MACHINE PRICE LIST

834K

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS

TIRE PRESSURE MONITORING SYSTEM

L	543-7141	MONITORING, TIRE PRESSURE 0 Provides four sensors that mount to the valve stem of each tire along with a receiver module that monitors both pressure and temperature in each tire. Tire pressure and temperature information is shared with the operator via the info display. Warnings are provided through Unified Fleet if pressure is outside of a configurable target range. The system is not recommended for use on tires with liquid additives or sealants.		\$3,000
---	----------	---	--	---------

GUARDS

L	372-9038	GUARD, CRANKCASE 107 Required by 347-5125 or 347-4919 Sound Suppression.		\$715
L	435-1165	GUARD, BOTTOM 104 Required by 347-5125 or 347-4919 Sound Suppression.		\$3,020
L	447-5688	GUARD, HYDRAULIC TANK 28 Provides protection for hydraulic tank and brake accumulators.		\$322

OTHER ATTACHMENTS

L	459-6446	COVER, INLET GRILL (CW) 0 Provides inlet grill covers for extended idling in cold weather. Recommended for ambient temperatures of -10C (14F) and below. REQUIRES: 347-5100 834K WHEEL DOZER HRC		\$3,585
L	376-1572	OIL CHANGE SYSTEM, HIGH SPEED 5 Provides remote port and components for high speed oil change.		\$585
L	260-1950	COUNTERWEIGHT, FRONT 6,637 FOR USE WITH LANE 3 ONLY REQUIRES: 435-1135 DOZER, STANDARD 376-3845 BLADE, COAL		\$13,720

BLADES

Blades are for machine orders only.

Loose blade orders must go through Parts Distribution or Cat Work Tools when not ordering a machine.

Please contact CWTS or refer to the WT-800 price list for coal scoop and wood chip scoop options.

MAY SELECT ONE

L	375-5101	BLADE, STRAIGHT 6,766 REQUIRES: 435-1135 DOZER, STANDARD		\$35,942
L	376-3848	BLADE, SEMI-U 8,007 REQUIRES: 435-1135 DOZER, STANDARD		\$44,149
L	375-5114	BLADE, UNIVERSAL 10,897 REQUIRES: 435-1135 DOZER, STANDARD		\$46,629

CATERPILLAR MACHINE PRICE LIST

834K

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

BLADES (CONT.)

L	376-3845	BLADE, 227" 29.0 CYD, COAL U FOR USE WITH LANE 3 ONLY REQUIRES: 435-1135 DOZER, STANDARD 260-1950 COUNTERWEIGHT	10,699	\$50,743
---	----------	--	--------	----------

FLUIDS

ANTIFREEZE

Standard machine includes antifreeze protection to -34C (-29F).
Different lubricants are also required for extreme temperatures.
Please refer to operation and maintenance manual.

P	0P-2411	COOLANT, -50C (-58F)	0	\$520 NET
---	---------	----------------------	---	-----------

FACTORY SOURCED KITS

OBJECT DETECTION KITS

Please consult the DETECTCAT retrofit price list for dealer installed
Object Detection kits on Large Wheel Loaders.

RETRO-FIT KITS for CURRENT 834K

If ordering on a MISC MSO, you need to use 0P-4741 for TOP LEVEL and
0P-0812 for PACKING.

Kits must be ordered as NOT-INSTALLED.

No returns on Kit components or for parts removed.

C	476-9629	KIT, AXLE OIL COOLER 834K Ser# TWY00001 & up, TW400001 & up, LWY00001 & up, L4Y00001 & up Provides all parts for field installation of the axle oil cooler system.	0	\$12,390 NI
C	471-9675	KIT, COVER, INLET GRILL (CW) 834K Ser# TWY00001 & up, TW400001 & up Provides all parts for field installation of the inlet grill covers for extended idling in cold weather. Recommended for ambient temperatures of -10C (14F) and below.	0	\$3,940 NI
C	560-2915	KIT, TIRE PRESSURE MONITORING 834K Ser# TWY00708 & up, TW400001 & up, LWY00752 & up, L4Y00001 & up Provides four sensors that mount to the valve stem of each tire along with a receiver module that monitors both pressure and temperature in each tire. Tire pressure and temperature information is shared with the operator via the primary display. Warnings are provided through Unified Fleet if pressure is outside of a configurable target range. Software license for Cat Tire Pressure Monitoring (TPM) will be a separate charge. Requires SEA for permanent activation.	0	\$3,125 NI

CATERPILLAR MACHINE PRICE LIST

834K

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

FACTORY SOURCED KITS (CONT.)

RETRO-FIT KITS for CURRENT 834K (Cont.)

C	563-3197	KIT, WHEEL CHOCKS 0 834K Ser# TWY00001 & up, TW400001 & up, LWY00001 & up, L4Y00001 & up Provides all parts for field installation of wheel chocks and an integrated storage system.		\$1,980 NI
---	----------	--	--	------------

INSTRUCTIONS

P	504-1365	FILM, AM-NORTH 0 REQUIRED BY: AM-NORTH		NC
P	347-5055	FILMS, ANSI 0 REQUIRED BY: AM-NORTH EXCEPT QUEBEC (N050)		NC

PACKING

MUST SELECT ONE

0P-3712	PACK, DOMESTIC TRUCK 0 Removes blade, arms, and trunnions.		NC
0P-0453	PACK, DOMESTIC TRUCK 0 Removes blade, arms, trunnions, and tires.		NC
0P-0812	PACK, MISC SHIPMENTS 0 Use this as the packing reference number on a MISC MSO.		NC