

CATERPILLAR MACHINE PRICE LIST

836K

836K LANDFILL COMPACTOR
DECATUR, IL, USA

Ship Weight
lbs

LIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

Advanced Productivity Electronic Control
Shifting (APECS)
Air to air aftercooler
Brakes, full hyd., enclosed, wet
multiple disc service brakes
Electro hydraulic parking brake
Engine, Cat C18 w/ACERT technology
Fuel priming pump (electric)
Fuel to air cooler
Ground level engine shutoff
Guard, (3 pc) transmission
Heat shield, turbo and exhaust manifold
Hydraulically driven demand fan
Integrated braking
Radiator, Next Generation Modular (NGMR)
Separated cooling system
Single stage engine precleaner with dust
ejection
Starting aid (ether) automatic
Throttle lock
Torque converter w/ Lock Up Clutch (LUC)
Transmission, planetary, with 2F/2R
speed range control
Underhood ventilation system

ELECTRICAL

Alarm, back-up
Alternator, 150-amp
Batteries, maintenance-free, 4-1000 CCA
Converter, 10/15-amp, 24V to 12V
Lights, front & rear, access stairway
-4 rear facing flood (2 stairway)
-2 front & 2 rear upper ROPS
-2 tail lights
Starter, electric (heavy duty)
Starter lockout (ground level)
Starting receptacle for emergency start
Transmission lockout (ground level)

OPERATOR ENVIRONMENT

AccuGrade mapping (ready)
Air conditioner
Cab, sound-suppressed pressurized,
internal four-post rollover protective
structure (ROPS/FOPS), radio ready for
entertainment includes antenna,
speakers, converter (12-volt 10/15-amp)
and power port
Camera, rear vision
Coat and hard hat hooks
Flip-up armrest
Heater and defroster
Horn, electric
Hydraulic controls (floor mounted)

Implement hydraulic lockout
Laminated glass
Light, dome (cab)
Lunchbox and beverage holders
Instrumentation, gauges:
-Engine coolant temperature
-Fuel level
-Hydraulic oil temperature
-Speedometer/Tachometer
-Torque convertor temperature
Instrumentation, warning indicators:
-Action alert system, three category
-Axle/Brake oil temp. (front)
-Brake oil pressure
-Electrical system, low voltage
-Engine failure malfunction alert and
action lamp
Mirror, internal (panoramic)
Mirrors, rearview (externally mounted)
Parking brake status
Seat, Cat optimized seat system
Seat belt, retractable, 76mm (3"),
2-point, minder
STIC control system with steering lock
Sun visor (front)
Tinted glass
Transmission gear (indicator)
Product Link Elite:
-VIMS
-Graphical information display
-External data port
-Customizable operator profiles
Wet-arm wipers/washers (front and rear),
intermittent wipers (front and rear)

GUARDS

Guards, axle (front and rear)
Guard, cab window
Guards, crankcase and powertrain,
hydraulically powered
Guard, rear fan and grill

BLADES

Bulldozer arrangement (no blade)

OTHER STANDARD EQUIPMENT

Auto Blade Positioner (ABP)
Counterweight
Demand fan/swing out (hyd. reversible)
Doors, service access (locking)
Ecology drains for engine, radiator,
hydraulic tank
Electronic clutch pressure control &
remote mounted pressure taps
Emergency platform egress

CATERPILLAR MACHINE PRICE LIST

836K

836K LANDFILL COMPACTOR
DECATUR, IL, USA

Ship Weight
lbs

LIST PRICE
AT DEALER

OTHER STANDARD EQUIPMENT (CONT.)

Engine, crankcase, 500 hour interval
with CJ-4 oil
Fuel tank, 793 L (210 gal)
Hitch, drawbar with pin
Hoses, Cat XT(TM)
Hydraulic oil cooler
Hydraulic, steering and brake
filtration/screening system
Oil sampling valves
Steering, load sensing
Vandalism protection caplocks
Venturi stack

CATERPILLAR MACHINE PRICE LIST

836K

836K LANDFILL COMPACTOR DECATUR, IL, USA	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

347-5200	836K LANDFILL COMPACTOR HRC LANE 2 - AVAILABLE FROM DECATUR FACTORY	122,008	\$1,150,850
-----------------	---	---------	--------------------

INCLUDES:
 Engine, Cat C18 w/ACERT technology
 -US EPA T4F/EU Stage V Technology

AVAILABLE FOR: AM-N, EU, ISRAEL, ANZ, JAPAN, & SOUTH KOREA

0P-2885	836K MISCELLANEOUS MATERIAL AVAILABLE FROM DECATUR FACTORY	0	NC
----------------	--	---	-----------

Only reference numbers under the Factory Sourced Kits section can be used on a MISC order.

CATERPILLAR MACHINE PRICE LIST

836K

USE	REF NO.	LANE 2 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE SELECTION

	OP-9002	LANE 2 ORDER	0	NC
--	---------	------------------------	---	----

POWERTRAIN

AXLE ARRANGEMENTS

L	368-9305	AXLES,NO-SPIN FRONT & STD REAR	0	NC
		Provides no-spin differential front axle and standard rear axle.		
L	368-9306	AXLES, NO-SPIN FRONT & REAR	11	\$5,050
		Provides no-spin differential front and rear axles.		

ENGINE PRECLEANERS

L	547-6530	PRECLEANER, STANDARD	0	NC
		Strata Tube single stage precleaner with dust ejection that includes a fine mesh screen with large surface area to prevent debris ingestion. May improve filter life but does require regular maintenance of cleaning screen & ejector bowl.		
		REQUIRES: 347-5200 836K LANDFILL COMPACTOR HRC		
L	377-0851	PRECLEANER, DUAL	37	\$2,795
		Dual stage precleaner with dust ejection which includes the traditional Cat turbine in first stage and Optimax second stage. May reduce filter life but limited precleaner maintenance is required.		
		REQUIRES: 347-5200 836K LANDFILL COMPACTOR HRC		

HYDRAULICS

L	373-9360	HYDRAULICS, STANDARD	0	NC
		Available worldwide, except for EU.		
L	373-9361	HYDRAULICS (EU)	0	NC
		Available worldwide, except for Canada.		

ELECTRICAL

HORNS

L	436-2290	HORN, ELECTRIC (STANDARD)	0	NC
L	383-2192	HORN, TRUMPET	11	\$655
L	436-2292	HORN, ELECTRIC (EU)	2	\$337
		REQUIRED BY: EU		

LIGHTS

L	345-0539	LIGHTS, STANDARD	0	NC
L	550-0285	LIGHTS, LED	0	\$3,140

CATERPILLAR MACHINE PRICE LIST

836K

USE	REF NO.	LANE 2 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

OPERATOR ENVIRONMENT

CAB PACKAGES

L	523-6591	CAB, DELUXE	0	\$4,235
		INCLUDES: -Cab glass, rubber mounted -Cab precleaner, powered -Seat, heated & ventilated -Seat belt, 3", 2-point, minder -Mirror, internal (panoramic)		

MIRRORS

L	346-3864	MIRRORS, STANDARD	0	NC
L	376-7034	MIRRORS, HEATED	6	\$119

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet.

Authorization varies by country, please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Caterpillar marketing representative with questions.

L	528-5692	PRODUCT LINK, CELLULAR PLE641	0	NC
		Product Link Elite series PLE641 offers expanded coverage including 3G UMTS and CDMA2000 as well as 2G GSM and CDMA cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		
L	528-5693	PRODUCT LINK, SATELLITE PLE631	0	\$432
		Product Link Elite series PLE631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage.		

FUEL SYSTEMS

FUEL LINES

L	433-3844	FUEL LINES, NON-HEATED	0	NC
L	433-3845	FUEL LINES, HEATED	3	\$1,390

CATERPILLAR MACHINE PRICE LIST

836K

USE	REF NO.	LANE 2 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

FUEL SYSTEMS (CONT.)

FUEL TANKS

L	519-9940	FUEL TANK, NON-FAST FILL	0	NC
L	521-5386	FUEL TANK, FAST FILL	0	\$2,020

TIRES, RIMS, AND WHEELS

WHEELS

Caterpillar has developed an exclusive licensed agreement with M2 Industries to provide a refurbished compactor wheel exchange program through the Caterpillar dealer network. Machine model and serial number required prior to quote. Please contact M2 Industries directly for pricing and delivery: Dale Mills at (812) 246-0651.

All wheels have through hardened inner rim extension, (8) wear bars welded on inner rim extension, and (8) wear bars welded on inside wheel disc. Also includes 1" wide hardfacing on both edges of the outer wrapper of the wheel.

NOTE: If installing AEM Tips that exceed the length of Cat Tips, there could be interference with the new Cleaner Bars that now have attachment ready cleaner finger feet welded onto the standard rear Striker Bars.

NOTE: Loose wheel orders must go through Parts Distribution.

NOTE: Wheels are shipped NOT INSTALLED

L	378-0419	WHEELS, COMBINATION TIPS Provides (4) 55" wheels with a combination of (16) plus tips welded on the inner and outer two rows of tips with (24) paddle tips welded on the three inside rows of tips.	0	NC
L	457-7890	WHEELS, DIAMOND TIPS Provides (4) 55" wheels with (40) diamond (extended life) tips welded on in 5 rows.	804	\$47,370
L	378-0415	WHEELS, PADDLE TIPS Provides (4) 55" wheels with (40) paddle tips welded on in 5 rows.	-678	\$-1,625
L	377-3057	WHEELS, PLUS TIPS Provides (4) 55" wheels with (40) plus tips welded on in 5 rows.	158	\$10,260
L	347-1980	WHEELS, SMOOTH Provides (4) 55" smooth wheels. CANNOT BE USED WITH: 347-5198 STRIKER BARS W/CLEANER FINGERS	-10,272	\$-17,280

NOTE: If installing AEM Tips that exceed the length of Cat Tips, there could be interference with the new Cleaner Bars that now have attachment ready cleaner finger feet welded onto the standard rear Striker Bars.

CATERPILLAR MACHINE PRICE LIST

836K

USE	REF NO.	LANE 2 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS (CONT.)

WHEELS (Cont.)

L	0P-3642	OMISSION, WHEELS	-28,700	\$-42,510
		CANNOT BE USED WITH: 347-5198 STRIKER BARS W/CLEANER FINGERS		

NOTE: If installing AEM Tips that exceed the length of Cat Tips, there could be interference with the new Cleaner Bars that now have attachment ready cleaner finger feet welded onto the standard rear Striker Bars.

GUARDS

GUARD ACTUATION

L	347-5285	GUARD ACTUATION, STANDARD (2V)	0	NC
L	347-5295	GUARD ACTUATION, PREMIUM (4V)	0	\$3,070

OTHER ATTACHMENTS

SOUND SUPPRESSION

L	347-5115	NO SOUND SUPPRESSION	0	NC
		Machine sound power level: 111 dB(A) per ISO 6395 Operator sound pressure level: 72 dB(A) per ISO 6396		
L	347-5135	SOUND SUPPRESSION	52	\$3,155
		Provides sound suppression arrangement for reduced spectator sound. Machine sound power level: 109 dB(A) per ISO 6395 Operator sound pressure level: 71 dB(A) per ISO 6396		

STAIRWAYS

L	347-5218	STAIRWAY, FIXED (LH & RH)	0	NC
L	347-5118	STAIRWAY, SWINGOUT (LH & RH)	0	\$18,280

STRIKER BARS

NOTE: Striker Bars are shipped NOT INSTALLED

L	508-0042	STRIKER BARS	0	NC
L	508-0043	STRIKER BARS W/CLEANER FINGERS	0	\$9,750
		Provides maximum capability to maintain clean wheels in the most severe packing conditions. ONLY FOR USE WITH: 378-0419 WHEELS, COMBINATION TIPS 457-7890 WHEELS, DIAMOND TIPS 378-0415 WHEELS, PADDLE TIPS 377-3057 WHEELS, PLUS TIPS		

CATERPILLAR MACHINE PRICE LIST

836K

USE	REF NO.	LANE 2 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

STARTERS, BATTERIES, & ALTERNATORS

STARTING ARRANGEMENT.

L	374-6440	STARTING, COLD WEATHER 0 Includes 1 additional starter and 2 additional batteries.		\$1,800
---	----------	---	--	---------

STARTING AIDS.

MAY SELECT ONE ONLY

L	374-7404	HEATER, ENGINE COOLANT, 120V 1 110/120-volt external power source required.		\$353
L	374-7414	HEATER, ENGINE COOLANT, 240V 2 220/240-volt external power source required.		\$416

ELECTRICAL

L	376-7129	LIGHT, WARNING (LED STROBE) 35 ***DEALER INSTALLED ATTACHMENT***		\$730
---	----------	---	--	-------

OPERATOR ENVIRONMENT

RADIOS

MAY SELECT ONE ONLY

L	452-1394	RADIO, AM/FM/AUX/USB/BT 5 BlueTooth radio technology enables the use of a hands free function such as listening to music and making phone calls. Authorization varies by country, please contact your Cat marketing representative with questions or click on the link below: https://dealer.cat.com/en/products/technology.html		\$755
L	376-7135	RADIO, AM/FM/AUX/USB/BT/CD/SAT 6 BlueTooth radio technology enables the use of a hands free function such as listening to music and making phone calls. Authorization varies by country, please contact your Cat marketing representative with questions or click on the link below: https://dealer.cat.com/en/products/technology.html Requires service contract with satellite radio provider.		\$1,630

CATERPILLAR MACHINE PRICE LIST

836K

USE	REF NO.	LANE 2 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

TECHNOLOGY PRODUCTS

This is a factory designed and integrated mapping system offered with two levels of accuracy. SBAS level of accuracy requires no off-board infrastructure and delivers only pass count mapping. RTK level of accuracy requires a corrections source (i.e. base station, IBSS, VRS) and data radio. RTK delivers pass count mapping as well as CCA (Cat Compaction Algorithm) mapping. Contact your Dealer Technology Representative to order a base station and/or data radio.

Note: Outside of North America and Europe, SBAS is not available in all regions. Please consult your Dealer Technology Representative for SBAS availability in your region.

L	492-0374	MAPPING, GNSS SBAS 0 Includes CB460 Display (7.0 in/17.8 cm), MS952 antenna/receiver, and AS450 angle sensor. The SBAS option can be upgraded later to RTK with the addition of a high accuracy option key and data radio. These can be purchased from your Dealer Technology Representative.		\$23,890
L	492-0375	MAPPING, GNSS RTK 0 Includes CB460 Display (7.0 in/17.8 cm), MS952 antenna/receiver, AS450 angle sensor, and high accuracy option keys. Data radio is required but not included and must be ordered from your Dealer Technology Representative.		\$31,020

OTHER ATTACHMENTS

L	376-1572	OIL CHANGE SYSTEM, HIGH SPEED 5 Provides remote port and components for high speed oil change.		\$585
---	----------	--	--	-------

BLADES

NOTE: Loose blade orders must go through Parts Distribution or CWTS.

NOTE: Blades are shipped NOT INSTALLED

MAY SELECT ONE ONLY

L	314-7311	BLADE, STRAIGHT 6,880 Capacity: 25.9 CYD (19.8 CUM) Height: 87.5" (2222 MM), Overall Width: 204.4" (5193 MM)		\$39,692
L	315-7877	BLADE, SEMI U 8,265 Capacity: 29.3 CYD (22.4 CUM) Height: 87.2" (2215 MM), Overall Width: 209.1" (5311 MM)		\$41,222
L	315-7879	BLADE, FULL-U 8,037 Capacity: 33.7 CYD (25.8 CUM) Height: 87.2" (2215 MM), Overall Width: 207.6" (5273 MM)		\$42,838

CATERPILLAR MACHINE PRICE LIST

836K

USE	REF NO.	LANE 2 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

FLUIDS

ANTIFREEZE

Standard machine includes antifreeze protection to -34C (-29F).
 Different lubricants are also required for extreme temperatures.
 Please refer to operation and maintenance manual.

P	0P-2411	COOLANT, -50C (-58F)	0	\$520 NET
---	---------	--------------------------------	---	-----------

INSTRUCTIONS

P	504-1365	FILM, AM-NORTH REQUIRED BY: AM-NORTH	0	NC
---	----------	---	---	----

P	347-5065	FILMS, ANSI REQUIRED BY: AM-NORTH EXCEPT QUEBEC, CANADA (N050)	0	NC
---	----------	---	---	----

PACKING

MUST SELECT ONE

	0P-0436	PACK, DOMESTIC TRUCK Remove air conditioner. Wheels, striker bars & blade are not installed.	0	NC
--	---------	---	---	----

	0P-0812	PACK, MISC SHIPMENTS Use this as the packing reference number on a MISC MSO.	0	NC
--	---------	---	---	----