



JOHN DEERE

Current Date 01Nov2018

## 844K-III AGGREGATE HANDLER

844K-III Aggregate

Handler Standard

Equipment

Note: Base Equipment  
is identical to the  
844K-III

## POWERTRAIN:

Powershift

Transmission with

Lock-Up Torque

Converter

5 Speed Forward/ 3

Speed Reverse

Electronically

Controlled Fully

Automated Shift

System

Quick Shift Button in

Loader Control Lever

Steering Column Shift

Lever with F-N-R and

Lock Modes

Auto/Manual Shift

Modes

Adaptive Clutch-Cutoff

Programmable

Maximum High Gear

Clutch Calibration

Engaged from Monitor

Transmission

Diagnostic Ports

Conventional Front

and Rear Differentials

Outboard Heavy Duty

Planetaries

Heavy Duty Self

Adjusting Front and

Rear Power Brakes

Electrically Actuated

Automatic Spring

Applied, Hydraulically

Released, Wet Multi-

Disc Park Brake

Transmission Fill Tube

and Sight Gauge

2000 Hour

Transmission Filter

Maintenance Free

## ELECTRICAL:

24 Volt Electrical

System

Solid State Electrical

Power Distribution

System

130 Amp Alternator

(2) Heavy Duty

Batteries - each 1400

Cold Cranking

amps/440 minute

Reserve Capacity

Remote Jump Starting

Terminals with Covers

By-Pass Start Safety

Cover at Starter

Lockable Master

Electrical Disconnect

Switch

Starting Switch with

Electric Fuel Shut Off

Pre-wired for

Beacon/Strobe Light

Lights:

(1) Engine

Compartment Light

(1) Engine Coolant

Reservoir Light

(2) Halogen Driving

Lights with Guards

(4) Front, (2) Rear

Cab and 2-Rear Grille

mounted Work Lights

LED Turn Signals and

Flashers

LED Stop and Tail

Lights

Horn, Electric

Reverse Warning

Alarm

Voltage Converter for

24V to 12V / 8 Amps

Multi-Function / Multi-

Language LCD Color

Monitor includes:

DIGITAL

INSTRUMENTS

ANALOG Display:

Hydraulic Oil

Extension, Adjustable Air Suspension

for Weight/Height with Fore-Aft

Adjustment and Adjustable Arm Rests

Hydraulic Controls Integrated to Seat

Joystick Steering w/ Gear Shift, Horn

and FNR along with Textured

Steering Wheel and Spinner Knob

3 Inch High Visibility Blaze Orange

Seat Belt with Retractor

(2) Cup Holders

Lunch box (Cooler) Holder

Dome and Reading Light

12 Volt Power Port

Sun Visor

Radio Ready

Rubber Floor Mat

Operator's Manual Storage

Compartment

(2) Outside Mirrors and (2) Inside

Rear View Mirrors

Front and Rear Intermittent

Windshield Wiper and Washers

Left and Right Side Cab Access

Slip-Resistant Steps and

Ergonomically Located Handholds

## OVERALL VEHICLE:

Level 1 and Level 2 Sound Package

Bushed Pin Joints (including Static

Joints on Bucket and Steering

Cylinder)

Bushed Steering Cylinder Pin Joints on

Loader Frame

Cab Left and Right Handrails, Steps

and Platforms

Cast Bumper with Rear Hitch and

Locking Pin

Lift Eyes

Front, Mid and Rear Tie Downs

Front Fenders

Articulation Locking Bar

40 Degree Steering Articulation to

Each Side with Rubber Cushion Stops

on Frame

Vandal Protection With Lockable

Engine Enclosures, Right

Counterweight

Compartment, Battery Box, Filler

Drivelines	Temperature	Access for Right and Left
Wheel Spin Control System	Engine Coolant Temperature	Radiators/Fuel/Hydraulic/Transmission
COOLING:	Transmission Oil Temperature	Fluid Sampling Ports for Engine, Transmission, Hydraulic, Axles Oils and Engine Coolant
Quad-Cool System: Heavy Duty, Trash Resistant and High Ambient Cooling Package	Engine Oil Pressure	Environmental Drains with Hoses for Engine, Transmission, Hydraulic Oils and Engine Coolant
2 Side access to all Coolers	DIGITAL Display: Engine RPM	Fuel Tank Fill Strainer
Cooling System isolated from Engine Compartment	Transmission Gear / Direction Indicator	Ground Level Fueling (and DEF - FT4 Only)
Engine Radiator	Hour Meter	Ground Level Lubrication
Integral Engine Oil Cooler	Fuel Level	Same Side Ground Level Daily Servicing
Hydraulic Oil Cooler (Oil to Air)	DEF Level (FT4 Only)	Left and Right Engine Frame Steps and Handholds
Transmission Oil Cooler (Oil to Air)	Speedometer	Storage Compartment
Charge Air Cooler (Air to Air)	Odometer	Transmission Side Access Guards
Coolant Recovery Tank	Outside Temperature	Front and Rear Bottom Guards
Antifreeze, -34F (-37 C)	Fuel Consumption Rate	Heavy Duty Fuel Tank Guard
Cool-on Demand	Integrated Cycle Counter with 5 Categories	
Swing out Fan	Indicator Lights for Standard and Selected Options	
Automatic Reversing Hydraulic Fan	Indicator Lights for Amber Caution and Red Stop	
Enclosed Fan Safety Guard	Operator Warning Messages	
Front and Rear Axle Coolers	BUILT-IN	
	DIAGNOSTICS:	
	Diagnostic Code	
	Details	
	Sensor Values	
	Calibrations	
	Individual Circuit Tester	
	MENU DISPLAY:	
	Codes	
	Machine Settings	
	Diagnostics	
	Monitor Settings	
	OPERATOR'S STATION:	
	Isolation Mounted	
	ROPS/FOPS Quiet Cab with:	
	Air Condition, Heater, Defroster and Pressurizer	
	Keyless Start with Multiple Security Modes	
	Backlit Sealed Switch Module with Function Indicators	
	Deluxe Heated Seat with Leather/Fabric,	
	Hydraulic Diagnostic Ports	

(2) 4000 Hour In-Tank High-Wide Back with  
 Filters Head Rest

Required - *You must select one from each category*

▼ BASE MACHINE

FOB Davenport, Ia.

"As not all option codes have field kits, please review your order option codes and available kits prior to placing a machine order"

Description	Code	Price
844K-III AGGREGATE HANDLER	7710DW	\$505,504.00

▼ GATHERING GROUP CONFIGURATIONS

Description	Code	Price
Standard Gathering Group	0810	No Added Cost

▼ OPERATOR'S MANUAL AND DECALS

Description	Code	Price
English Labels and Decals	2605	No Added Cost
Spanish Labels and Decals	2610	No Added Cost
French Labels and Decals	2615	No Added Cost

▼ MACHINE CONFIGURATION

Description	Code	Price
844K-III Aggregate Handler Configuration	1011	\$49,153.00

This configuration allows 2 pass loading of 24 ton on highway trucks. The aggregate handler configuration is designed for re-handling processed, free-flowing aggregates in yard applications. It is not approved for quarry pit face applications, sand and gravel bank digging, or other hard digging applications.  
 Includes: Increased additional engine torque and 21 additional hp, increased counterweighting for 11% greater payload. Increased 500 psi maximum hydraulic pressure and larger bucket cylinders for stronger digging force. Requires 875/65 R 29 tires for increased stability. Can only be equipped with Deere material handling buckets with BOCE. Requires code 8111, Aggregate Handler Counterweight and code 3130 No Differential Lock.

▼ ENGINE

Description	Code	Price
John Deere PowerTech PSS	0924	\$63,650.00

13.5L meets EPA FT4 and EU Stage IV Emissions (401 Net Peak hp)  
 For use only in areas where EPA Final Tier 4/EU Stage IV is required.

Turbocharged, Charge Air Cooled  
 Wet Sleeve Cylinder Liners  
 Programmable Auto-Idle and Auto-Shutdown  
 Selected Idle Adjustment from 900-1250 RPM  
 Starter Protection  
 4 Valves / Cylinder  
 Cooled Exhaust Gas Recirculation

Automatic Derating for Exceeded System Temperatures  
Electronically Controlled MEUI Fuel Delivery System, B20 Biodiesel Compatible  
Electrical Fuel Priming System  
Serpentine Drive Belt with Automatic Tensioner  
Under Hood Dual Element Air Cleaner with Restriction Indicator  
Under Hood Exhaust Filter and Catalysts with Curved Exhaust Stack  
Automatic Exhaust Filter Regeneration  
Dual-Stage Fuel Filter and Water Separator  
500 Hour Vertical Spin-on Oil Filter  
Oil crankcase filter, Lifetime  
Engine Compartment Light  
Remote Jump Starting Lugs  
Automatic Engine Cool-down Timer

EXHAUST			
Description	Code	Price	
Engine Exhaust with Flat Black Curved Stack	1310	No Added Cost	
Engine Exhaust with Chrome Curved Stack	1330	\$344.00	
FUEL FILTRATION AND FAST FILL			
Description	Code	Price	
Standard Fuel Filter & Water Separator	1610	No Added Cost	
Standard Fuel Filters and Water Separator with Fast Fill	1630	\$830.00	
ALTERNATOR			
Description	Code	Price	
130 amp Alternator	1215	\$585.00	
CONVERTER			
Description	Code	Price	
24 Volt to 12 Volt - 8 Amp Converter	2708	No Added Cost	
24 Volt to 12 Volt - 15 Amp Converter	2715	\$115.00	
24 Volt to 12 Volt - 30 Amp Converter	2730	\$265.00	
LIGHTING			
Description	Code	Price	
Halogen Work and Drive Lights	7120	No Added Cost	
LED Front Turn/Marker & Rear Turn/Brake Lights			
Premium LED Work and Drive Lights	7140	\$2,114.00	
All exterior machine lights are LED LED Front Turn/Marker & Rear Turn/Brake Lights			
COUNTERWEIGHT			
Description	Code	Price	
Aggregate Handler Counterweight	8111	\$5,599.00	
Increased counterweighting for 11% greater stability.			

▼ WHEELS AND TIRES

All Tires are tubeless and include rims, axle stops when required, and come in sets of 4.

Tire chain use requires Axle Stops.

NOTE: If a No Brand Preference code is selected a 9000 code in the Optional Equipment - Order as Desired section will automatically be selected as well. This is required to enable the factory to source this order.

Description	Code	Price
<a href="#">875/65R29 L3 Radial Tires with 5 Piece Rims</a>		
No Brand Preference	4923	\$41,764.00
Bridgestone VTS - US/CA	5035	\$42,420.00
Michelin XHA2	5036	\$43,800.00

▼ TIRE PRESSURE MONITORING

Description	Code	Price
Tire Pressure Monitoring System	5310	\$1,700.00
Less Tire Pressure Monitoring System	5320	No Added Cost

▼ FENDERS

Description	Code	Price
Fenders	5540	No Added Cost
Full Coverage Front Fenders		
Fenders	5550	\$3,489.00
Full Front and Rear Fenders For Muddy Applications		

▼ LINKAGE CONFIGURATION

Description	Code	Price
Standard Z-BAR	2010	No Added Cost
Z-BAR with Standard Greased Pin Joints		

▼ WORK TOOLS

Capacity rating is with auxiliary cutting edge or teeth with segments installed.

Description	Code	Price
<a href="#">Buckets</a>		
9.3 Cu. Yd (7.1 Cu. M.) Enhanced Production Material Handling Bucket with Bolt-on Cutting Edge without Wear Plates	8960	\$30,405.00
Updated bucket profile for easier loading. Curved profile side cutters for improved material retention. Includes integrated spill deflector and replaceable bushed static joints. Does not allow installation of bolt on spillguard or lower side cutter protection guard. Wear plates are not available.		
9.8 Cu. Yd (7.5 Cu. M.) Enhanced Production Material Handling Bucket with Bolt-on Cutting Edge without Wear Plates	8970	\$32,025.00

Updated bucket profile for easier loading. Curved profile side cutters for improved material retention. Includes integrated spill deflector and replaceable bushed static joints. Does not allow installation of bolt on spillguard or lower side cutter protection guard. Wear plates are not available.

9.8 Cu. Yd (7.5 Cu. M.) Special Narrow Width Enhanced Production MH Bucket with Bolt-on Cutting Edge without Wear Plates	8980	\$35,582.00
--	------	-------------

Narrow 118 inch wide bucket for loading narrow hoppers or very narrow trucks or trailers, common to the California market. Bucket is narrower than outside edges of tires and compromises cleaning up around loading areas. Is not recommended for excavating or digging below ground. If your customer does not load narrow trucks and loads typical tandem-axle or longer bed trucks, this bucket is not recommended. Is designed for handling processed aggregates.

Includes enhanced production bucket features with updated bucket profile for easier loading. Curved profile side cutters for improved material retention. Includes lower side cutter protection guard, exterior side wear protection (cheek plate), integrated spill deflector, and replaceable bushed static joints. Does not allow installation of bolt on spillguard.

#### ▼ HYDRAULIC CONTROLS

Description	Code	Price
2 Function -- Joystick with Steering Column FNR	2424	\$1,178.00

1 lever controls boom and bucket.

2 Function -- 2-Lever Fingertip Control and Steering Column FNR	2426	No Added Cost
---	------	---------------

1 lever controls boom and 2nd lever controls bucket functions.

#### ▼ A/C CHARGE

Description	Code	Price
Cab with Air A/C Charge	8450	No Added Cost

#### ▼ MIRRORS

Description	Code	Price
Standard Outside Mirrors	8310	No Added Cost

Heated Outside Mirrors	8320	\$624.00
------------------------	------	----------

#### ▼ STEERING CYLINDERS

Description	Code	Price
Greased Steering Cylinder Joints	1910	No Added Cost

NeverGrease Steering Cylinder Joints	1915	No Added Cost
--------------------------------------	------	---------------

#### ▼ PAYLOAD SCALE

Description	Code	Price
Loadrite L2180 Payload Scale	2810	In Referral Price

Option includes the Deere branded L2180 that will integrate with JDLink for remotely monitoring payload weighing data. Electronic components will be field installed and calibrated by the corresponding Loadrite Dealer. Price includes set up, activation and calibration.

NOTE: Selecting this code will automatically order the appropriate referral field kit priced in Attachments for this machine order and Cannot be Changed. If you are not sure the unit needs a scale, then at a later time you can order the appropriate "Loadrite L2180 Payload Scale Referral Kit" that is for field units which has identical field kit pricing.

Loadrite L2180 Payload Scale with Printer	2815	In Referral Price
---	------	-------------------

Option includes the Deere branded L2180 that will integrate with JDLink for remotely monitoring payload weighing data. Electronic components will be field installed and calibrated by the corresponding Loadrite Dealer. Price includes set up, activation and calibration.

Provides onboard ticket printing capability for Loadrite 2180 Payload Scale.

NOTE: Selecting this code will automatically order the appropriate referral field kit priced in Attachments for this machine order and Cannot be Changed. If you are not sure the unit needs a scale, then at a later time you can order the appropriate "Loadrite L2180 Payload Scale Referral Kit" that is for field units which has identical field kit pricing.

No Payload Scale	2890	No Added Cost
------------------	------	---------------

Z-Bar and High Lift Linkage models will be shipped Loadrite ready.

▼ TRANSMISSION

Description	Code	Price
5-Speed Transmission with Lock-up Torque Converter	1120	No Added Cost

▼ AXLES

Description	Code	Price
Conventional (Open) Front and Rear Differential Axles	3044	No Added Cost

▼ DIFFERENTIAL LOCK

Description	Code	Price
No Differential Lock	3130	No Added Cost

Requires Axle Code 3044

▼ MACHINE CONNECTIVITY

Machine connectivity functions require cellular coverage. Usage of JDLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

Description	Code	Price
JDLink Ultimate Cellular - 5 Years	170C	No Added Cost

Includes JDLink hardware: integrated cab wiring harness, antenna, 4G LTE modular telematics gateway (MTG), Wi-Fi data transfer, Blue Tooth capability and JDLink Ultimate activation.

JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality.

Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to [www.StellarSupport.com](http://www.StellarSupport.com) to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at [www.JohnDeere.com/Agreements](http://www.JohnDeere.com/Agreements). If these terms and conditions are not agreeable do not proceed and do not use the service.

JDLink Ultimate Satellite - 5 Years	170J	\$2,074.00
-------------------------------------	------	------------

Includes JDLink hardware: integrated cab wiring harness, antenna, 4G LTE modular telematics gateway (MTG), Wi-Fi data transfer, Blue Tooth capability and JDLink Ultimate activation.

JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality.

Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to [www.StellarSupport.com](http://www.StellarSupport.com) to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at [www.JohnDeere.com/Agreements](http://www.JohnDeere.com/Agreements). If these terms and conditions are not agreeable do not proceed and do not use the service.

Optional - *Select as desired*

▼ COLD START PACKAGES

Description	Code	Price
Automatic Ether Starting Aid	9010	\$338.00

Recommended below 10 degrees F (-12 degrees C).  
 Recommend with Engine Block Heater for cold starts below -10 degrees F(-23 C).

Ether can not included.

Engine Block Heater	9015	\$243.00
---------------------	------	----------

Recommend with ether system for cold starts below -10 degrees F (-23 C)

▼ QUICK FLUID SERVICE WITH ENVIRONMENTAL DRAIN

Description	Code	Price
Quick Fluid Service w/Environmental Drains	9045	\$850.00

Coupling system for Engine Oil, Transmission Fluid, Hydraulic Fluid and Engine Coolant.



ANTI-CORROSION			
Description	Code	Price	
Electrical Corrosion Prevention Package	9210	\$1,425.00	
Preventive corrosion treatment for use in corrosive environments. Preventive corrosion treatment includes dielectric grease for electrical connections and polyurethane-based sealant on exposed terminals.			
TIRE BRAND PREFERENCE			
Description	Code	Price	
<a href="#">No Tire Brand Preference</a>			
875/65R9 L3 NO BRAND PREFERRED WITH 5 PC RIMS	9704	No Added Cost	
HYDRAULIC OIL			
Description	Code	Price	
Hydraulic Fluid - Hydrau XR	9316	\$535.00	
Optional factory fill. Required for colder climates with operation below -25C (-13F) and extreme cold ambient temperatures down to -40C (-40F). Provides all-season capability in ambient temperatures ranging from -40C to 40C (-40F to 104F).			
RADIO			
Description	Code	Price	
AM/FM/Weather Band (WB) Radio with Remote AUX Port	9106	\$576.00	
Premium AM/FM/Weather Band (WB) Radio with Bluetooth, Remote Aux and Remote USB Port	9111	\$850.00	
CAB AIR PRECLEANER			
Description	Code	Price	
Powered Cab Air Pre-Cleaner	9115	\$945.00	
Extends cab air filter change intervals.			
REAR CAMERA OR RADAR DETECTION			
Description	Code	Price	
Rear Camera and Radar Object Detection System	9130	\$4,589.00	
Display shows view behind the machine and provides audible alert. Rear view is displayed in video-enabled LCD Color Monitor.			
Rear Camera Only	9131	\$1,285.00	
Not for use with code 2790 (No 24 Volt Power Converter) or 9130 (Rear Camera and Radar Object Detection System).			
OPERATOR'S STATION			
Description	Code	Price	
5.0 lbs. multi purpose (ABC) Dry Chemical Fire Extinguisher	9140	\$139.00	
SECONDARY STEERING			

Description	Code	Price
Secondary Steering	9305	\$3,208.00

▼ 4WD LOADER SIMULATOR

4WD Loader Operator Training Simulator  
- JD Bookstore order code: SIM5700  
- JD Bookstore Price: \$15,997

Includes software, replica joysticks, foot pedals, steering wheel and integrated seat. Item ordered through the JD Bookstore.

▼ SMV EMBLEM AND MOUNTING BRACKETS

Description	Code	Price
Single Beacon Bracket	9125	\$189.00

Bracket has fold down position for transport.  
Cannot be ordered with code 9126.

Dual Beacon Bracket	9126	\$378.00
---------------------	------	----------

Cannot be ordered with code 0820 or 9125.  
Cannot be ordered with code 9125.

Slow Moving Vehicle (SMV) Emblem	9525	\$157.00
----------------------------------	------	----------

License Plate Bracket and Light	9520	\$177.00
---------------------------------	------	----------

▼ RUST PROTECTION

Description	Code	Price
Non-Export Rust Preventive Coating	9909	\$235.00

Coating protects exposed unpainted surfaces from road salt during shipment.

▼ PAINT

Description	Code	Price
Finish Paint - Decals Not Installed	9800	No Added Cost

For custom paint.  
Paintable cab roof.  
Decals packaged with machine.  
Safety decals installed.

▼ ATTACHMENTS FOR FIELD CONVERSION

F.O.B. Dubuque, Iowa for dealer-installed kits, except where noted. Some of the following kits may require additional parts for a complete installation. Prior to ordering, check the installation instructions by going to [www.johndeereotechinfo.com](http://www.johndeereotechinfo.com) and clicking on Library, or by clicking on this Hyperlink ( [Installation Bulletin Search](#) ), and insert the AT number to retrieve the attachment installation instruction bulletin for additional parts. Exception to above note is FRONTIER Dealer Installed Kits.

All attachments are sold as a quantity of one.

Description	Code	Price
<a href="#">Buckets &amp; Bucket Wear Components</a>		

BYT10764 \$30,405.00

9.3 Cu. Yd (7.1 Cu. M.) Enhanced Production Material Handling Bucket with Bolt-on Cutting Edge without Wear Plates. Bolt-on Cutting Edge is Installed.		
9.8 Cu. Yd (7.5 Cu. M.) Enhanced Production Material Handling Bucket with Bolt-on Cutting Edge without Wear Plates. Bolt-on Cutting Edge is Installed.	BYT10765	\$32,025.00
9.8 Cu. Yd (7.5 Cu. M.) Narrow Width Enhanced Production Material Handling Bucket without Wear Plates. No Ground Engaging Tools Installed	BYT10531	\$35,582.00
<u>Hydraulics</u>		
2-Lever Fingertip Control to Joystick Control w/FNR Conversion Kit	AT337445	\$1,826.00
For use when equipped with Two Function hydraulics and 2-Lever Fingertip Control.		
Auto Lube - Factory Installation Fee	BYT10002	\$5,009.00
Labor for installation of Lincoln Quicklub automatic greasing system field kit at Paladin Customworks, Davenport IA. Must also order Auto Lube Field kit AT466454.		
Auto Lube Field Kit - 844K Series III (including Aggregate Handler) only	AT466454	\$6,800.00
Lincoln Quicklub automatic greasing system. Will require field installation at additional cost.		
High-Altitude Hydraulic Kit	BYT10172	\$606.00
For use at high altitudes to improve hydraulic performance by pressurizing the hydraulic tank. For use above 10,000 feet. For use with Stage 2, Tier 3, or IT4 Engines.		
Hydraulic Warm Up Circuit Kit	AT456774	\$1,074.00
For units with S/N 662428 and above.		
Joystick Control Conversion to 2-Lever Fingertip Controls	AT337444	\$1,821.00
To convert from Joystick to 2-Lever Fingertip Controls		
<u>Operator Environment</u>		
24 Volt to 12 Volt - 30 Amp Converter	AT418533	\$465.00
444K - S/N 670313 and above 524K - S/N 670311 and above 544K - S/N 670309 and above 624K - S/N 658065 and above 644K - S/N 658218 and above 724K - S/N 658297 and above 744K/824K/844K - S/N 663886 and above		
Premium AM/FM/Weather Band (WB)/ XM Ready Radio with Bluetooth, Remote Aux and Remote USB Port	AT476948	\$875.00
Rear Camera	AT463590	\$1,285.00
844K - Stage 2/Tier 3/ FT4 - S/N 663886 and above.		

Display shows view behind the machine. Rear view is displayed in video-enabled LCD Color Monitor.

Machines S/N 646496 and above will require AT410941 (Advanced Display Monitor with Camera mode).

Please Order AT410941 in JD Point.

Rear Camera and Radar Object Detection System	AT463589	\$4,344.00
---	----------	------------

844K - Stage 2/Tier 3/ FT4 - S/N 663886 and above.

Display shows view behind the machine and provides audible alert. Rear view is displayed in video-enabled LCD Color Monitor.

Machines S/N 646496 and above will require AT410941 (Advanced Display Monitor with Camera mode).

Please Order AT410941 in JD Point.

Secondary Steering	AT456216	\$3,208.00
--------------------	----------	------------

Kit applies to 844K machines after serial number DW844KX642008.

### Overall Vehicle

Dual Beacon Wiring Harness and Switch Kit	AT377291	\$178.00
---	----------	----------

Fold-Down Beacon Bracket	AT366856	\$189.00
--------------------------	----------	----------

Full Rear Fenders For Muddy Applications	AT341538	\$2,825.00
--	----------	------------

Quick Fluid Service Kit	AT456750	\$679.00
-------------------------	----------	----------

For use with Stage 2/Tier 3/FT4 Engines.

Slow Moving Vehicle (SMV) Emblem and Bracket	AT368286	\$116.00
--	----------	----------

For use with IT4/FT4 engines.

### Powertrain & Cooling

Automatic Ether Starting Aid	AT464630	\$342.00
------------------------------	----------	----------

Fast Fill Fuel System	AT464502	\$2,346.00
-----------------------	----------	------------

For use with Stage 2/Tier 3/FT4 Engines.  
Kit includes a new fast fuel compatible fuel tank and all necessary fast fuel connections.  
150 gpm fill rate.

Tire Pressure Monitoring System (TPMS); 29 Inch Rim	AT379117	\$1,685.00
---	----------	------------

## REFERRAL ATTACHMENTS

Description	Code	Price
-------------	------	-------

### Loadrite Weighing Systems

Loadrite L2180 Payload Scale Referral Kit	AT439718	\$10,500.00
---	----------	-------------

For use with Z-Bar and High Lift Z-Bar Loadrite ready machines. Loadrite must be contacted to install, activate and calibrate this scale.

Independent field kit for 744K/824K - S/N 659786 and above; 844K - S/N 659628 and above that are Loadrite Ready and ordered with No Payload Scale code 2890.

If this kit is installed on 744K/824K - S/N 659786 and above; 844K - S/N 659628 and above with an active JDLink subscription, Loadrite Payload Scale reports will show on JDLink web site.

---

Loadrite L2180 Payload Scale Referral Kit for Code 2810	AT439716	\$10,500.00
---	----------	-------------

This is not an independent kit, it is part of the factory option code 2810 and should be ordered with that code.  
Loadrite must be contacted to install, activate and calibrate this scale.

---

Loadrite L2180 Payload Scale Referral Kit for Code 2815	AT458264	\$12,000.00
---	----------	-------------

This is not an independent kit, it is part of the factory option code 2815 and should be ordered with that code.  
Loadrite must be contacted to install, activate and calibrate this scale.

---

Loadrite L2180 Payload Scale with Printer Referral Kit	AT458263	\$12,000.00
--	----------	-------------

For use with Z-Bar and High Lift Z-Bar Loadrite ready machines.  
Loadrite must be contacted to install, activate and calibrate this scale.

Independent field kit for 744K/824K - S/N 659786 and above; 844K - S/N 659628 and above that are Loadrite Ready and ordered with No Payload Scale code 2890.

If this kit is installed on 744K/824K - S/N 659786 and above; 844K - S/N 659628 and above with an active JDLink subscription, Loadrite Payload Scale reports will show on JDLink web site.

---