

CATERPILLAR MACHINE PRICE LIST

844K

844K WHEEL TRACTOR DECATUR, IL, USA	Ship Weight lbs	LIST PRICE AT FACTORY
--	--------------------	--------------------------

Standard Equipment:

POWERTRAIN

- Brakes, full hyd., enclosed, oil-disc
- Axle-shaft oil-disc service brake
- Electro-hydraulic parking brake
- Case drain filters
- Demand fan
- Engine, Cat C27 ACERT
- Fuel priming pump (electric)
- Ground level engine shutoff, bumper
- Precleaner, engine air intake
- Radiator, Aluminum Modular (AMR)
- Separated cooling system
- Starting aid, (ether) manual override
- Throttle lock
- Torque converter, impeller clutch with lock-up clutch & rimpull control system
- Transmission, (21") planetary power shift (electronic) (3F/3R)

- Torque convertor temperature
- Instrumentation, warning indicators:
- Action alert system, three category
- Automatic transmission mode enable status
- Brake malfunction
- Blade float status
- Delayed engine shutdown status
- Engine idle shutdown status
- Engine malfunction
- Hydraulic lockout
- Lockup clutch enable status
- Low fuel level
- Parking brake status
- Rimpull control enable status
- Seat belt warning
- Secondary steering
- Throttle lock status
- Transmission gear

ELECTRICAL

- Alarm, back-up
- Alternator, 150-amp
- Batteries, maintenance free, 6-1400 CCA
- Deutsch component connectors
- Electrical starting system, 24V
- Electronic transmission control
- Lights, front & rear, access stairway, engine compartment, turn signals
- Starter, electric
- Starter lockout in bumper
- Starting receptacle for emergency start
- Transmission lockout in bumper

- Keypad, control with indicator lights:
- Auto/Manual transmission mode
- Auto trans mode speed range
- Lockup clutch
- Reduced rimpull
- Throttle lock
- Light, dome (cab)
- Lunchbox and beverage holders
- Mirrors, rearview (externally mounted)
- Seat, Cat Comfort (cloth) air suspension
- Seat belt, 2-point, 76mm (3"), minder
- STIC control system with steering lock
- Tinted glass
- Trainer seat with lap belt
- Product Link Elite:

OPERATOR ENVIRONMENT

- Air conditioner and heater with automatic temperature control
- Cab, sound-suppressed pressurized, protective structure (ROPS/FOPS), radio ready for entertainment includes antenna, speakers, converter (12-volt 10/15-amp), and power port
- Cigar lighter and ashtray
- Coat hook
- E/H blade controls (seat mounted)
- Flip-up armrest
- Heater and defroster
- Horn, electric
- Implement hydraulic lockout
- Instrumentation, gauges:
- Engine coolant temperature
- Fuel level
- Gear
- Ground speed
- Hydraulic oil temperature
- Speedometer/Tachometer

- VIMS
- Graphical information display
- External data port
- Customizable operator profiles
- Wet-arm wipers/washers (front, rear and corner), intermittent front wiper

OTHER STANDARD EQUIPMENT

- Axle temperature sensor
- Battery disconnect and jump start receptacle, bumper
- Couplings, Caterpillar O-ring face seals
- Dozer push arms
- Dozer stabilizer
- Dozer trunnions
- Dozer push beam
- Dozer pins
- Dozer cylinders and hydraulic lines
- Economy mode with on demand throttle
- Emergency platform egress
- Engine, crankcase, 500 hour interval

CATERPILLAR MACHINE PRICE LIST

844K

844K WHEEL TRACTOR
DECATUR, IL, USA

Ship Weight
lbs

LIST PRICE
AT FACTORY

OTHER STANDARD EQUIPMENT (CONT.)

- with CH4
- Engine idle management features:
 - Auto idle kickdown
 - Delayed engine shutdown
 - Engine idle shutdown
- Fenders, steel (front)
- Front walkway
- Grouped/labeled lube points
- Guards, crankcase and powertrain
- High speed oil change
- Hitch, drawbar with pin
- Hoses, Caterpillar XT(TM)
- Oil sampling valves
- Sight gauges:
 - hydraulic tanks
 - steering/fan and implement/brake
 - transmission
- Stairway, left and right rear access
- Steering, load sensing
- Steering, secondary
- Toe kicks
- Transmission lockout, bumper
- Vandalism protection locks
- Venturi stack

CATERPILLAR MACHINE PRICE LIST

844K

844K WHEEL TRACTOR DECATUR, IL, USA	Ship Weight lbs	LIST PRICE AT FACTORY
--	--------------------	--------------------------

386-8300	844K WHEEL DOZER HRC 0 LANE 2 - AVAILABLE FROM DECATUR FACTORY	**
-----------------	--	-----------

Contact Global Mining for prices

AVAILABLE FOR: AM-NORTH & EU

0P-3303	844K MISCELLANEOUS MATERIAL 0 AVAILABLE FROM DECATUR FACTORY	NC
----------------	--	-----------

Only reference numbers under the Factory Sourced Kits section can be used on a MISC order.

CATERPILLAR MACHINE PRICE LIST

844K

USE	REF NO.	LANE 2 MANDATORY	Ship Weight lbs	LIST PRICE AT FACTORY
-----	---------	------------------	-----------------	-----------------------

LANE SELECTION

	OP-9002	LANE 2 ORDER	0	NC
--	---------	------------------------	---	----

REGIONAL PACKAGES

L	386-8530	REGIONAL PACKAGE, STANDARD Available worldwide, except for Canada. Includes: -Accumulators, Brake (NON-CANADA)	0	NC
L	386-8860	REGIONAL PACKAGE, CANADA Available for US & Canada only. Includes: -Accumulators, Brake (CANADA)	0	NC

POWERTRAIN

AXLE ARRANGEMENTS

L	386-8703	AXLES, ES	0	\$1,945
L	386-8705	AXLES, ES FRT, NO-SPIN REAR Provides standard front axle and no-spin differential rear axle. With normal hard packed floor conditions this can cause significant tire wear. Recommended in applications which require improved traction.	0	\$4,500
L	386-8711	AXLES, ES FRT, NO-SPIN RR, AOC Provides standard front axle, no-spin differential rear axle, and axle oil cooler with two section pump, oil filters, and coolers. With normal hard packed floor conditions this can cause significant tire wear. Recommended in applications which require improved traction.	0	\$18,950

ENGINE ARRANGEMENTS

L	380-2454	ENGINE, STANDARD US EPA T4F/EU Stage V Technology ONLY FOR USE WITH: 386-8300 844K WHEEL DOZER HRC	0	NC
L	388-0693	ENGINE, STANDARD, SND SUP US EPA T4F/EU Stage V Technology Provides engine mounted sound suppression. ONLY FOR USE WITH: 386-8300 844K WHEEL DOZER HRC	0	NC
L	516-0918	ENGINE, BRAKE US EPA T4F/EU Stage V Technology Provides engine braking for steep grades or speed reduction. ONLY FOR USE WITH: 386-8300 844K WHEEL DOZER HRC	0	\$3,680
L	516-0919	ENGINE, BRAKE, SND SUP US EPA T4F/EU Stage V Technology Provides engine braking for steep grades or speed reduction and engine mounted sound suppression. ONLY FOR USE WITH: 386-8300 844K WHEEL DOZER HRC	0	\$3,680

CATERPILLAR MACHINE PRICE LIST

844K

USE	REF NO.	LANE 2 MANDATORY	Ship Weight lbs	LIST PRICE AT FACTORY
-----	---------	------------------	-----------------	-----------------------

POWERTRAIN (CONT.)

SOUND SUPPRESSION

L	386-8706	NO SOUND SUPPRESSION 0		NC
		ONLY FOR USE WITH: 380-2454 ENGINE, STANDARD 516-0918 ENGINE, BRAKE 383-6810 ENGINE, STANDARD 516-0920 ENGINE, BRAKE 563-4001 ENGINE, STANDARD, SND SUP		
L	386-8707	SOUND SUPPRESSION 0		\$17,680
		Provides machine mounted sound suppression. ONLY FOR USE WITH: 388-0693 ENGINE, STANDARD, SND SUP 516-0919 ENGINE, BRAKE, SND SUP 388-0687 ENGINE, STANDARD, SND SUP 516-0921 ENGINE, BRAKE, SND SUP 563-4001 ENGINE, STANDARD, SND SUP		

HYDRAULICS

FILTRATION

Standard filtration systems provide case drain filtration and low pressure filtration. Case drains filters are monitored with the VIMS system. A quantity of (2) filters are put on the case drain of the brake pump and steering pump, fan pump and motor. A quantity of (4) filters are put on the output side of the steering pilot pump, AOC pumps, and fan motor. Deluxe filtration upgrades the system by placing (1) high pressure screen on the output side of the steering pump.

L	390-6570	FILTRATION, STANDARD 0		NC
L	390-6575	FILTRATION, DELUXE 0		\$4,440

LINE GROUPS

LUBRICATION ARRANGEMENTS

L	510-9290	LUBRICATION, MANUAL 0		NC
L	390-6540	AUTOLUBE 0		\$11,530

ELECTRICAL

LIGHTS

L	389-9634	LIGHTS, STANDARD 0		NC
L	386-8552	LIGHTS, HID 0		\$7,530
L	395-3103	LIGHTS, LED 0		\$13,420

CATERPILLAR MACHINE PRICE LIST

844K

USE	REF NO.	LANE 2 MANDATORY	Ship Weight lbs	LIST PRICE AT FACTORY
-----	---------	------------------	-----------------	-----------------------

OPERATOR ENVIRONMENT

CAB PACKAGES

NOTE: 2-point seat belts are standard. 4-point seat belts are available through parts distribution if needed.

L	548-2009	CAB, BASIC 0		\$8,670
		INCLUDES: -Cab glass, standard -Seat, heated & ventilated -Cab precleaner, powered -Converter, power		
L	505-8518	CAB, DELUXE 0		\$16,750
		INCLUDES: -Cab glass, rubber mounted & solar Provides high impact resistant solar control glass mounted in rubber seals for quick replacement. (Complies with AS/NZS 2080, the Australian / New Zealand standard safety glazing for land vehicles.) -Seat, heated & ventilated -Cab precleaner, powered -Converter, power		

MIRRORS

L	353-4228	MIRRORS, STANDARD 0		NC
		Provides external rear view mirrors.		
L	353-4248	MIRRORS, HEATED 0		\$590
		Provides heated external rear view mirrors.		

INTEGRATED OBJECT DETECTION SYSTEM

L	394-6995	CAMERA, REAR VISION 0		NC
		Provides an object detection system (camera only) to enhance operator awareness of surroundings. This system uses visual information only in order to provide the operator with additional information about the work area to the rear of the wheel loader.		
L	512-2507	DETECTION, OBJECT (RADAR) (C6) 0		\$14,260
		Provides an object detection system (camera & radar) to enhance operator awareness of surroundings. This system uses visual and radar information in order to provide the operator with additional information about the work area to the rear of the wheel loader. For a list of countries that RF radar is approved for use in, visit https://dealer.cat.com/detect		

CATERPILLAR MACHINE PRICE LIST

844K

USE	REF NO.	LANE 2 MANDATORY	Ship Weight lbs	LIST PRICE AT FACTORY
-----	---------	------------------	-----------------	-----------------------

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet.

Authorization varies by country, please contact your Cat marketing representative with questions or click on the link below:
[HTTPS://DEALER.CAT.COM/en/bt/otd/machine-price-list.html](https://dealer.cat.com/en/bt/otd/machine-price-list.html)
 From there click on the "PRODUCT LINK Hardware Certification" link.

L	487-4616	PRODUCT LINK, CELLULAR PLE641 0		NC
		Product Link Elite series PLE641 offers expanded coverage including 3G UMTS and CDMA2000 as well as 2G GSM and CDMA cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		
L	487-4615	PRODUCT LINK, SATELLITE PLE631 0		\$432
		Product Link Elite series PLE631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage.		

FUEL SYSTEMS

FUEL LINES

L	516-3917	FUEL LINES, NON-HEATED 0		NC
L	516-3918	FUEL LINES, HEATED 0		\$1,125

FUEL TANKS

L	386-8467	FUEL TANK, NON-FAST FILL 0		NC
L	386-8477	FUEL TANK, FAST FILL 0		\$1,850

CATERPILLAR MACHINE PRICE LIST

844K

USE	REF NO.	LANE 2 MANDATORY	Ship Weight lbs	LIST PRICE AT FACTORY
-----	---------	------------------	-----------------	-----------------------

TIRES, RIMS, AND WHEELS

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice. However, if the tire type cannot be supplied we will contact the dealer to propose alternatives. The dealer needs to choose between an alternative tire or a "rims only" option (where available) within 72 hours. If no response is provided by the deadline, the order will default to the alternative tire and will be changed at that point. As a consequence of a possible tire change, the total machine price will be decreased or increased depending on the price of the new tire.

NOTE: Dealers should contact an Application Specialist if they plan to use a tire not offered on the price list. Some tires may require axle oscillation stops or other machine modifications.

NOTE: All tires are tubeless, include rims, and come in a set of 4.

TIRES FROM BRIDGESTONE

P	178-8542	TIRES, 45/65R39 BS VSDL * L5 1,064 Bridgestone Radial; Tread Depth=116mm (146/32"); Rim=32"x39" Suitable for severe rock environments where maximum damage protection is needed.		\$-23,890
---	----------	--	--	-----------

TIRES AVAILABLE FROM MICHELIN

P	381-7083	TIRES, 45/65R39 MX ** XMINED2 0 Michelin Radial; Tread Depth=116mm (146/32"); Rim=32"x39" Directional tire suitable for severe rock environments where maximum damage protection is needed.		\$36,320
P	381-7084	TIRES, 45/65R39 MX XLDD2 ** L5 510 Michelin Radial; Tread Depth=115mm (145/32"); Rim=32"x39" Directional tire suitable for severe rock environments where maximum damage protection is needed.		\$6,800

TIRES, ALLOWANCE FOR OMISSION

P	132-2067	RIMS ONLY, TIRES OMITTED -9,188		\$-91,900
---	----------	---	--	-----------

OTHER ATTACHMENTS

ACCESS ARRANGEMENTS

L	388-8700	ACCESS, STANDARD 0 Provides ladders on both sides of machine.		NC
L	386-8387	ACCESS, POWERED 0 Provides integrated stairs with powered raise and lower on left side and standard ladder on right side of machine.		\$42,020 NI

CATERPILLAR MACHINE PRICE LIST

844K

USE	REF NO.	LANE 2 MANDATORY	Ship Weight lbs	LIST PRICE AT FACTORY
-----	---------	------------------	-----------------	-----------------------

OTHER ATTACHMENTS (CONT.)

SERVICE CENTER

L	444-0360	NO SERVICE CENTER.	0	NC
L	386-8741	SERVICE CENTER. Provides ground level access for many diagnostic and maintenance procedures. Diagnostic features include indicator keypad, messenger Electronic Technician (ET) port, service keyswitch, 12V power receptacle, flood light, and laptop table. Maintenance features include fast fill ports for transmission oil, coolant, implement oil, and steering oil. Ecology drains for implement and steering oil. REQUIRES: SOFTWARE, MESSENGER 386-8464 OIL CHANGE SYSTEM, HIGH SPEED	0	\$15,320

FLUIDS

L	386-8611	HYDRAULIC OIL, STANDARD	0	NC
L	386-8612	HYDRAULIC OIL, ARCTIC Installs 0W-20 CAT TDTO Cold Weather Oil in place of standard 10W HYDO-10 hydraulic oil. For use in cold climates for ambient temperature down to -40C (-40F).	0	\$8,430

CATERPILLAR MACHINE PRICE LIST

844K

USE	REF NO.	LANE 2 OPTIONAL	Ship Weight lbs	LIST PRICE AT FACTORY
-----	---------	-----------------	-----------------	-----------------------

STARTERS, BATTERIES, & ALTERNATORS

STARTING AIDS

MAY SELECT ONE

L	348-2326	HEATER, ENGINE COOLANT, 120V	0	\$725
		ONLY FOR USE WITH: 386-8300 844K WHEEL DOZER HRC		
L	348-2327	HEATER, ENGINE COOLANT, 240V	0	\$1,130
		ONLY FOR USE WITH: 386-8300 844K WHEEL DOZER HRC		

ELECTRICAL

L	394-6977	LIGHT, WARNING BEACON	0	\$291
		DEALER INSTALLED ATTACHMENT		

MESSENGER SOFTWARE

Display is standard, order language needed.

The factory will install the language group. The dealer will select the individual language upon delivery set-up.

NOTE: Required & available for 386-8741 SERVICE CENTER only.

P	449-7743	SOFTWARE, MESSENGER	0	NC
		Language is English/Spanish/Portuguese (Brazil)		

OPERATOR ENVIRONMENT

L	239-4046	SUN SCREEN	18	\$560
		Pull down sun screen for both front and rear windows.		

RADIOS

MAY SELECT ONE

L	474-3703	RADIO, AM/FM/AUX	0	\$725
L	379-0147	RADIO, AM/FM/AUX/USB/BT/CD/SAT	0	\$1,735
		BlueTooth radio technology enables the use of a hands free function such as listening to music and making phone calls. Authorization varies by country, please contact your Cat marketing representative with questions or click on the link below: https://dealer.cat.com/en/products/technology.html Requires service contract with satellite radio provider.		

COOLING

L	449-7808	COOLING, HIGH AMBIENT	0	NC
		Provides increased air flow through software. Recommended for ambient temperatures up to 121F (49C).		

CATERPILLAR MACHINE PRICE LIST

844K

USE	REF NO.	LANE 2 OPTIONAL	Ship Weight lbs	LIST PRICE AT FACTORY
-----	---------	-----------------	-----------------	-----------------------

TIRES, RIMS, AND WHEELS

TIRE PRESSURE MONITORING SYSTEM

L	543-7154	MONITORING, TIRE PRESSURE 0		\$3,000
		Provides four sensors that mount to the valve stem of each tire along with a receiver module that monitors both pressure and temperature in each tire. Tire pressure and temperature information is shared with the operator via the info display. Warnings are provided through Unified Fleet if pressure is outside of a configurable target range. The system is not recommended for use on tires with liquid additives or sealants.		

OTHER ATTACHMENTS

L	386-8287	FENDERS, ROADING 0		\$12,020
		DEALER INSTALLED ATTACHMENT Provides fender extensions. Aids in the prevention of mud build up on rear steps and handrails.		
L	386-8454	OIL CHANGE SYSTEM, HIGH SPEED 0		\$590
		Provides remote port and components for high speed oil change. ONLY FOR USE WITH: 444-0360 NO SERVICE CENTER		
L	386-8464	OIL CHANGE SYSTEM, HIGH SPEED 0		\$590
		Provides remote port and components for high speed oil change. ONLY FOR USE WITH: 386-8741 SERVICE CENTER REQUIRED BY: 386-8741 SERVICE CENTER		
L	386-8298	STOP, AXLE OSCILLATION 9		\$411
		For customers with chains on the rear tires to limit the rear axle oscillation. Limits oscillation to +/- 5.5 degrees.		
L	516-6214	WHEEL CHOCKS 0		\$2,220
		Includes wheel chocks and an integrated storage system.		

FLUIDS

ANTIFREEZE

Standard machine includes antifreeze protection to -34C (-29F).
Different lubricants are also required for extreme temperatures.
Please refer to operation and maintenance manual.

P	0P-2470	ANTIFREEZE, -50C (-58F) 0		\$600 NET
---	---------	-------------------------------------	--	-----------

FACTORY SOURCED KITS

OBJECT DETECTION KITS

Please consult the DETECTCAT retrofit price list for dealer installed Object Detection kits on Large Wheel Loaders.

CATERPILLAR MACHINE PRICE LIST

844K

USE	REF NO.	LANE 2 OPTIONAL	Ship Weight lbs	LIST PRICE AT FACTORY
-----	---------	-----------------	-----------------	-----------------------

FACTORY SOURCED KITS (CONT.)

CUSTOM RETRO-FIT KITS for CURRENT 844K

If ordering on a MISC MSO, you need to use OP-3303 for TOP LEVEL and OP-0812 for PACKING.

Kits must be ordered as NOT-INSTALLED.

No returns on Kit components or for parts removed.

C	560-2916	KIT, TIRE PRESSURE MONITORING 0 844K Ser# MBE00101 & up, KLS00407 & up, K4Y00001 & up, M4R00001 & up Provides four sensors that mount to the valve stem of each tire along with a receiver module that monitors both pressure and temperature in each tire. Tire pressure and temperature information is shared with the operator via the primary display. Warnings are provided through Unified Fleet if pressure is outside of a configurable target range. Software license for Cat Tire Pressure Monitoring (TPM) will be a separate charge. Requires SEA for permanent activation.		\$3,155 NI
C	563-3196	KIT, WHEEL CHOCKS 0 844K Ser# MBE00001 & up, KLS00001 & up, K4Y00001 & up, M4R00001 & up Provides all parts for field installation of wheel chocks and an integrated storage system.		\$2,305 NI

ALTERNATE SOURCED ATTACHMENTS

BLADES - ALTERNATE SOURCED

All 844K blades need to be ordered through a misc CMOPS order and submitted to CWTS, even if required for a new machine order.

Please cross-reference BOTH machine MSO and misc blade MSO on one another. For example, please cross-reference the misc blade MSO on the machine MSO and vice versa.

****PLEASE REFER TO YOUR WORK TOOLS PRICE LIST FOR PRICES & OP NUMBERS.**

P	392-7164	BLADE, 213" 23.3YD3 SEMI-U 11,111 (CWTS PRODUCT) Capacity 17.8 M3 (23.3 YD3), overall width 5415mm (213") and height 2270mm (89").		**
P	153-2111	BLADE, COAL 14,240 (CWTS PRODUCT) Capacity 30.7 M3 (40.2 YD3), overall width 5,846mm (19'2") and height 2,289mm (7'6").		**
P	158-4533	BLADE, HEAVY DUTY, SEMI-U 12,680 (CWTS PRODUCT) Capacity 16.1 M3 (21.1 YD3), overall width 5,418mm (17'8") and height 1,813mm (6'0").		**

SPECIAL PAINT

P	267-3667	PAINT, BLACK-BUCKET/BLADE REAR 1,134 Special paint configuration that will add black low gloss paint to the top and back of the blade. Recommended for use with HID lights for reducing possible glare.		**
---	----------	--	--	-----------

CATERPILLAR MACHINE PRICE LIST

844K

USE	REF NO.	LANE 2 OPTIONAL	Ship Weight lbs	LIST PRICE AT FACTORY
-----	---------	-----------------	-----------------	-----------------------

INSTRUCTIONS

P	504-1365	FILM, AM-NORTH REQUIRED BY: AM-NORTH	0	NC
P	386-8870	FILMS, ANSI REQUIRED BY: AM-NORTH EXCEPT QUEBEC (N050)	0	NC

PACKING

MUST SELECT ONE

0P-0204	PACK, DOMESTIC TRUCK Remove cab, ROPS, and tires.	0	\$795 NET
0P-0205	PACK, DOMESTIC TRUCK Removes axles, cab, ROPS, and tires.	0	\$1,685 NET
0P-0296	PACK, DOMESTIC RAIL Removes cab, ROPS, and tires.	0	NC
0P-0812	PACK, MISC SHIPMENTS Use this as the packing reference number on a MISC MSO.	0	NC