

CATERPILLAR MACHINE PRICE LIST

914M

914M WHEEL LOADER LEICESTER, ENGLAND	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

Standard Equipment:

POWERTRAIN

- Cat C4.4 ACERT Engine
- Common rail fuel injection
- U.S. EPA Tier 4 Final/ EU Stage 4
- MLT 2014
- Caterpillar NOx Reduction System
- Fuel: Ultra Low Sulphur Diesel @ <15ppm
- Engine Oil: Cj-4
- Electric fuel pump with 4 micron filtration
- S.O.S port, transmission oil
- Hydrostatic transmission,
- Lube for life universal joints
- Forward - Neutral - Reverse on joystick
- 100% locking differentials, whilst moving
- Air cleaner, radial seal, dual filters
- Cooling fan, hydraulic on demand
- Intergrated Cyclone pre-cleaner

HYDRAULICS

- Two valve, single lever joystick
- Diagnostic pressure taps
- SOS port, hydraulic oil
- Variable displacement piston pump,hystat and implement.

ELECTRICAL

- 150 Amp alternator
- Single 850 CCA maintenance free battery
- Roading lights
- 12 volt direct electric starting
- Heavy duty battery
- Battery disconnect switch

OPERATOR ENVIRONMENT

- Hydraulic control lever lockout
- Electrohydraulic implement controls
- Gauges
 - Engine coolant temperature
 - Hydraulic oil temperature
 - Fuel level
 - Speedometer
 - Digital Hour meter
 - DEF
- Operator warning system indicators:
 - Brake charge pressure low
 - Engine malfunction
 - Park brake applied
 - Electrical system voltage flow
 - Hydraulic oil filter bypass
 - Action indicator
- Seat
 - Fabric or Vinyl
 - adjustable height, backrest, armrest

- Seat belt, retractable
- Heater/defroster
- Wiper/washer (front & rear)
- Tinted front glass,laminated
- Adjustable steering column
- Rear window defrost
- Lockable Storage box with cup holder
- Internal 12V power source
- External 12V power source

FLUIDS

- Extended life coolant antifreeze
- Protected to -36C (-33F) hydraulic oil
- Cat Advanced Hydo 10

OTHER STANDARD EQUIPMENT

- Parallel lift, Optimised Z-Bar loader
- Fenders, front and rear
- Engine enclosure - lockable
- Recovery hitch
- Vandalism protection - locked service points

REGIONAL STANDARDS(as required)

- Chocks
- bucket tooth or edge guard
- Decals, roading speed
- Reflectors, roading
- Camara, rear view
- Beacon

CATERPILLAR MACHINE PRICE LIST

914M

914M WHEEL LOADER LEICESTER, ENGLAND	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

**Lane 2 is reserved for the Base Order Management Program.
 Please use Lane 2 when placing orders that are part of the Base Order
 Management Program.**

550-3555	914M WHEEL LOADER DCA1 0 LANE 1 - AVAILABLE FROM CLAYTON PRODUCT DISTRIBUTION CENTER	\$159,690
-----------------	--	------------------

INCLUDES:

- 462-7420 ENGINE, C4.4, T4F, HRC
- 462-7125 POWERTRAIN, HI RIMPULL, 24MPH
- 462-7433 LOADER ARR, STD CPLR, STD LIFT
- 463-2090 CAB, DELUXE, SINGLE BRAKE
- 539-7204 SEAT, DELUXE
- 462-7111 HEATER AND AIR CONDITIONER
- 464-9682 STEERING, STANDARD
- 550-9815 SEAT BELT, RETRACTABLE 2"
- 308-0189 VALVE, DRAIN, ECO
- 423-5544 LIGHTS, ROADING, RH DIP
- 433-3258 SECURITY SYSTEM, NONE
- 444-1001 ENG COOLANT, A/FREEZE (-50C/-58F)
- 448-9539 LIGHTS, CAB, WORKING HALOGEN
- 450-5405 HYDRAULIC OIL, STANDARD
- 462-7340 BATTERY, HEAVY DUTY
- 469-5852 FENDERS, STANDARD
- 470-6214 HYDRAULICS, 3V/1L, STD LIFT
- 471-6212 WORKTOOL, WIRING
- 471-6763 FEATURE PACKAGE, ROAD + LOAD
- 474-1980 ALARM, BACK-UP
- 474-1982 HEATER, ENGINE COOLANT, 120V
- 486-3775 3V QUICK DISCONNECT PUSH FIT
- 504-4835 CAMERA, REAR VIEW
- 508-0797 PRODUCT LINK, CELLULAR, PL240
- 524-5098 FUEL, STANDARD

457-1486	914M WHEEL LOADER 0 LANE 2 - AVAILABLE FROM LEICESTER FACTORY LANE 3 - AVAILABLE FROM LEICESTER FACTORY Standard machine with top speed of 12 mph (20 kph)	\$127,570
-----------------	--	------------------

CATERPILLAR MACHINE PRICE LIST

914M

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

LANE SELECTION

OP-9001	LANE 1 ORDER	0		NC
	Select this option when ordering from the Distribution Center.			

TIRES

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice, but we reserve the right to propose alternate tires. Any proposed change will be reviewed with the dealer prior to machine shipment. The machine will ship only with the dealer acceptance of the proposed alternative tire.

P	385-5822	TIRES, 17.5 R25, MX, L2 XTLA	1,789	\$2,110
		Michelin Product Code #04118		
		Radial, non-directional tread for traction.		
		Cut and impact resistant.		
		Width over tire measurement = 2300mm (91")		

Bucket

P	472-6541	BUCKET, GP, 2.0 YD3, IT, BOCE	1,362	\$6,024
			1,362	\$6,024 NI

INSTRUCTION DECALS

L	476-2741	INSTRUCTIONS, ANSI	0	NC
		This package includes picto decals as required for the USA. (excl. Canada).		
L	476-2740	INSTRUCTIONS, ISO	0	NC
		This package includes picto decals as required for all countries (incl. Canada) excluding the USA.		

PREP PACK

L	519-5211	PREP PACK, EMC	0	NC
		Decal to certify the machine meets emc regulations		
		REQUIRED BY: Canadian Dealers		

FUEL

L	524-5098	FUEL, STANDARD	0	NC
---	----------	--------------------------	---	----

MEDIA KIT

	421-8926	SERIALIZED TECHNICAL MEDIA KIT	0	NC
		Kit will include instructions and parts CD in the legally required language, based on the shipping address.		
		Any additional media such as a paper parts manual, not included in the kit, can be ordered through the media website.		
		https://oos.midlandcorp.com/CAT/Default.aspx		

CATERPILLAR MACHINE PRICE LIST

914M

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

PACKING

0P-0210	PACK, DOMESTIC TRUCK	0	NC
	CANNOT BE USED WITH: EU LAST MILE DEALERS		
0P-4299	PACKING, LAST MILE PROGRAM	0	NC
	ONLY FOR USE WITH: EU LAST MILE DEALERS		
0G-3273	RUST PREVENTATIVE APPLICATOR.	0	\$110 NET
	Preparation for shipment		

CATERPILLAR MACHINE PRICE LIST

914M

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	-------------------------	--------------------	-------------------------

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

May select additional options (not required).

WORKTOOLS

**SEE WT CWL price list to order Work Tools such as:
General Purpose Buckets with various G.E.T.
Multi Purpose Buckets with various G.E.T.
Light Material Buckets with bolt on edge
Pallet Forks & Carriages
Brooms, Angle & Pickup**

CATERPILLAR MACHINE PRICE LIST

914M

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) Program.		
OP-9003	LANE 3 ORDER	0	NC

POWERTRAIN

POWERTRAIN - ENGINE

L	462-7420	ENGINE, C4.4, T4F, HRC	0	NC
---	----------	----------------------------------	---	----

FUEL

L	524-5098	FUEL, STANDARD	0	NC
L	484-5160	FUEL, COLD WEATHER Provides low temperature diesel fuel (to -30 celsius).	0	\$178

POWERTRAIN - GEARING

L	462-7113	POWERTRAIN, HI RIMPULL, 12MPH Axle/differential with high rimpull, designed for stated top speed. Select for regions where traveling below 20 KPH does not require operator to carry driver's license. Also recommended for applications where faster traveling speeds are not necessary. Transmission will have a Low Range, selecting between Gear 1 and Gear 2	0	\$565
L	462-7125	POWERTRAIN, HI RIMPULL, 24MPH Axle/differential with high rimpull, designed for stated top speed. Recommended for most applications in areas without local travel speed restrictions. Transmission has a Low Range, selecting between Gear 1 and Gear 2, and a High Range which provides automatic shifting between gears.	0	\$4,850

DRAIN

L	308-0189	VALVE, DRAIN, ECO Auto drain plugs are fitted in base of hydraulic and fuel tanks. Oil/fuel drains when drain tube is screwed into plug.	0	\$155
L	308-0190	VALVE, DRAIN STD Threaded drain plug fitted in base of hydraulic & fuel tanks	0	NC

CATERPILLAR MACHINE PRICE LIST

914M

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS

LOADER ARRANGEMENTS

The 910M and 914M are designed for Caterpillar work tools.
 When using third party work tools, pin on coupler, or ISO wide coupler the loader linkage could go over center when fully dumped.
 Refer to Special Instructions, SEHS0166 "Procedure to Modify the Linkage in order to Prevent the Linkage from Over-Centering on 910M and 914M" for preventing an over center condition from occurring.

L	467-0398	LOADER ARR, PIN ON, STD LIFT 0		NC
		REQUIRES: 423-6175 TRANSPORT GROUP IF NO INSTALLED BUCKET SELECTED. ONLY FOR USE WITH: PIN ON BUCKETS AND STANDARD LIFT HYDRAULIC SYSTEMS.		
L	462-7433	LOADER ARR, STD CPLR, STD LIFT 0		\$2,050
		STD coupler is also called "IT" or "Integrated Toolcarrier" coupler. ONLY FOR USE WITH: STANDARD COUPLER BUCKETS AND 3 OR 4 VALVE STANDARD LIFT HYDRAULIC SYSTEMS.		
L	467-0402	LOADER AR, STD CPLER, HI LIFT 0		\$8,710
		STD coupler is also called "IT" or "Integrated Toolcarrier" coupler. ONLY FOR USE WITH: STANDARD COUPLER BUCKETS AND 3 OR 4 VALVE HI LIFT HYDRAULIC SYSTEMS.		
L	462-7440	LOADER ARR, WIDE CPLR, STD LFT 0		\$2,050
		WIDE coupler is also called "ISO" and is compatible with the Volvo work tool interface. ONLY FOR USE WITH: WIDE COUPLER BUCKETS AND 3 OR 4 VALVE STANDARD LIFT HYDRAULIC SYSTEMS.		
L	462-7447	LOADER AR, WIDE CPLER, HI LIFT 0		\$8,710
		WIDE coupler is also called "ISO" and is compatible with the Volvo work tool interface. ONLY FOR USE WITH: WIDE COUPLER BUCKETS AND 3 OR 4 VALVE HI LIFT HYDRAULIC SYSTEMS.		

HYDRAULIC SYSTEMS

PLEASE NOTE: HARNESS, WIRING, WORKTOOL (471-6212) is recommended for use with complex hydromechanical work tools such as angle brooms, dozer blades, snow blowers, wheel saws, and mulchers.

L	470-6212	HYDRAULICS, 2V/1L, STD/HI LIFT 0		NC
		Provides standard lift and tilt hydraulic valves and an electrohydraulic joystick lever control which operates both lift and tilt functions. ONLY FOR USE WITH: PIN ON LOADER ARRANGEMENTS ONLY.		
L	470-6214	HYDRAULICS, 3V/1L, STD LIFT 0		\$3,170
		Provides third valve auxiliary hydraulics, controlled by a proportional thumb switch on the joystick. Auxiliary lines terminate on the loader arms with quick disconnect couplings. Electrohydraulic joystick lever operates both lift and tilt functions. CANNOT BE USED WITH: HI LIFT LOADER ARRANGEMENTS.		
L	470-6224	HYDRAULICS, 3V/1L, HI LIFT 0		\$3,170
		Provides third valve auxiliary hydraulics, controlled by a proportional thumb switch on the joystick. Auxiliary lines terminate on the loader arms with quick disconnect couplings. Electrohydraulic joystick lever operates both lift and tilt functions. ONLY FOR USE WITH: HI LIFT LOADER ARRANGEMENTS.		

CATERPILLAR MACHINE PRICE LIST

914M

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

HYDRAULIC SYSTEMS (Cont.)

L	470-6216	HYD,4V/1L,STDLIFT,HF,WT WIRING 0 Provides four valve highflow hydraulics with two auxiliary functions, controlled by two separate proportional thumb switches on the joystick. Two sets of auxiliary lines terminate on the loader arms with quick disconnect couplings. Electrohydraulic joystick lever operates both lift and tilt functions. Recommended for work tools requiring two separate hydraulic lines such as angle brooms, dozer blades snow blowers, or snow wings. CANNOT BE USED WITH: HI LIFT LOADER ARRANGEMENTS		\$6,670
L	538-6259	HYDRAULICS, 2V,COUPLER READY 0 2 function hydraulics, coupler ready. For use with all Loader arrangement couplers. Coupler and cab switch not included CANNOT BE USED WITH: 467-0398 LOADER ARR, PIN ON, STD LIFT 462-7441 LOADER ARR, PIN ON, HI LIFT		\$455

AUX COUPLINGS

L	486-3774	3V QUICK DISCONNECT SCREW FIT 0 Provides threaded male and female connect under pressure connectors with protective caps Note: If ordered on machine, any Work Tools must also have threaded fittings to connect to threaded fittings on machine		\$302
L	486-3779	4V QUICK DISCONNECT SCREW FIT 0 Provides threaded male and female connect under pressure connectors with protective caps Note: If ordered on machine, any Work Tools must also have threaded fittings to connect to threaded fittings on machine		\$302
L	486-3775	3V QUICK DISCONNECT PUSH FIT 0 Includes Push to Connect Fittings, the same as what was on previous K-Series models		NC
L	486-3780	4V QUICK DISCONNECT PUSH FIT 0 Includes Push to Connect Fittings, the same as what was on previous K-Series models		NC

STARTERS, BATTERIES, & ALTERNATORS

BATTERY ARRANGEMENT

L	462-7342	BATTERY, STANDARD 0		NC
L	462-7340	BATTERY, HEAVY DUTY 0 Additional 855 Cold Cranking Amp, maintenance free battery. Mounted on right rear chassis in a battery box, outboard of chassis.		\$209

ELECTRICAL

ROADING LIGHTS

P	423-5544	LIGHTS, ROADING, RH DIP 0 Provides directional signals, front and rear and high/low beam. ONLY FOR USE WITH: Drive on right (Exc Italy)		\$745
---	----------	---	--	-------

CATERPILLAR MACHINE PRICE LIST

914M

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

ELECTRICAL (CONT.)

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor the performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the cost of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Caterpillar marketing representative with questions.

L	508-0797	PRODUCT LINK, CELLULAR, PL240 0		NC
		Product Link Basic series PL240 uses cellular network to transmit hour and location information for viewing in Product Link user application. Cellular technology provides capabilities for frequent data transmission.		
L	509-6603	PRODUCT LINK, CELLULAR, PL641 0		\$833
		Product Link Pro series PL641 offers expanded coverage including 3G UMTS and CDMA2000 as well as 2G GSM and CDMA cellular networks to transmit location, utilization and health information for viewing in Product link user transmission and larger volumes of data.		

OPERATOR ENVIRONMENT

STEERING

L	464-9682	STEERING, STANDARD 0		NC
		CANNOT BE USED WITH: EU DEALERS		
L	464-9683	STEERING, SECONDARY 0		\$1,255
		Provides limited steering control in the event of a loss of power or a loss of hydraulic flow. Includes operator warning system indicator and operator alarm. REQUIRES: 462-7340 BATTERY, HEAVY DUTY		

CANOPY/ CAB

L	463-2089	CANOPY, STANDARD, SINGLE BRAKE 0		NC
		Canopy features: ROPS, FOPS, fixed steering column, low effort joystick with FNR, gear selection, differential lock, continuous flow (opt), and proportional auxiliary switch (opt) in one hand, coat hook, sun visor, external knock back mirrors, interior rear view mirror, lockable storage box, and suspended pedals. CANNOT BE USED BY: EU DEALERS REQUIRES: HYDRAULIC HOSE GUARD IF 3 OR 4 VALVE HYDRAULICS SELECTED.		
L	463-2090	CAB, DELUXE, SINGLE BRAKE 0		\$7,580
		ROPS/FOPS certified Deluxe cab includes all canopy features plus adjustable steering column, two doors with sliding glass windows, heated rear window, cabin light, radio ready kit, available Cat Radio/CD/MP3/WMA Player (opt), heater with available air conditioning (opt), available rear blind (opt). REQUIRES: 539-7204 SEAT DELUXE		

CATERPILLAR MACHINE PRICE LIST

914M

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

SEATS

L	539-7203	SEAT, VINYL 0 Fully adjustable mechanical suspension with vinyl covered seat upper and mid height backrest. ONLY FOR USE WITH: CANOPY		NC
L	539-7204	SEAT, DELUXE 0 Fully adjustable air ride suspension with fabric covered seat upper, mid height backrest, mechanical lumbar support, heated cushions and armrests. ONLY FOR USE WITH: 463-2090 Cab, deluxe CANNOT BE USED WITH: CANOPY		\$775
L	552-3734	SEAT, DELUXE PLUS 0 Fully adjustable air ride suspension with fabric covered seat upper, mid height backrest, mechanical lumbar support, heated and adjustable comfort cushions, and armrests. CANNOT BE USED WITH: CANOPY		\$1,060

SEAT BELTS

L	236-8015	SEAT BELT, RETRACTABLE 3" 0 High Visibility Orange 76MM (3 inch) wide seat belt. Recommended for customer running extended hours for enhanced comfort. Required in British Columbia, Oregon, California		\$244
L	550-9815	SEAT BELT, RETRACTABLE 2" 0 High Visibility Orange 51MM (2 inch) wide seat belt.		NC

ACCESSORY EQUIPMENT

L	504-4835	CAMERA, REAR VIEW 0 Provides a rear view camera system with display in the cab. CANNOT BE USED WITH: 504-4834 REAR VIEW MIRROR" INCLUDED IN: 507-9875 PREP PACK EU		\$1,535
L	504-4834	MIRROR, REAR VIEW 0 Provides a rear view mirror in the cab. CANNOT BE USED WITH: 504-4835 CAMERA, REAR VIEW		NC

FEATURE PACKAGES

L	471-6770	FEATURE PACKAGE, BASIC 0 Basic package does not include new electronically controlled features such as Ride Control, Return To Dig, Lift Kickout, Electronic Throttle Lock, Rimpull Control, Creeper Control, Implement Modulation control nor Drivetrain Aggressiveness control		\$1,920
L	471-6763	FEATURE PACKAGE, ROAD & LOAD 0 This package contains all the electronically controlled features such as Ride Control, Return To Dig, Lift Kickout, Electronic Throttle Lock, Rimpull Control, Creeper Control, Implement Modulation control and Drivetrain Aggressiveness control.		\$3,660

CATERPILLAR MACHINE PRICE LIST

914M

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

HEATER/ AIR CONDITIONER

REQUIRED IF ORDERING A CAB

L	462-7107	HEATER	0	NC
		Heater/Front defroster		
L	462-7111	HEATER AND AIR CONDITIONER	0	\$4,175
		Heater/Front defroster and air conditioner.		

MACHINE SECURITY SYSTEM

Please note: this is a mandatory selection on machines with an enclosed cab but is NOT available on machines with a canopy.

L	433-3258	SECURITY SYSTEM, NONE	0	NC
L	423-6165	SECURITY SYSTEM, MACHINE	0	\$1,030
		NOTE: KEYPAD system, not key-based. Caterpillar Machine Security System (MSS) to manage access to the machine via keypad code. Machine is shipped with the system inactive. Requires ET to activate.		

TIRES, RIMS, AND WHEELS

TIRES

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice, but we reserve the right to propose alternate tires. Any proposed change will be reviewed with the dealer prior to machine shipment. The machine will ship only with the dealer acceptance of the proposed alternative tire

TIRES

P	420-3893	TIRES, 17.5-25, BS, L2 SNOW	0	\$1,210
		Bridgestone Product Code # IPC 69465 Specially designed for operation on snowy roads. Directional tread pattern provides excellent traction and pulling performance.		
P	533-2713	TIRES, 17.5 R25, NK, L2 SNOW	0	\$4,810
		Nokian Hakkapeliitta Tire. Specially designed for operation on snow and ice. Non directional tread pattern with excellent self cleaning.		
P	568-6856	TIRES, 17.5 R25, MX, XSNOW	0	\$5,340
		Michelin Product Code #99466 Michelin Xsnoplus Tire. Specially designed for operation on snow and ice. Non directional tread with excellent self-cleaning. Width over tire measurement = 2248mm (89")		

CATERPILLAR MACHINE PRICE LIST

914M

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS (CONT.)

TIRES AVAILABLE FROM FLEXPORIT WITH 1 PIECE RIMS

P	443-7885	TIRES, 17.5X25, FLEX, SOLID 0		\$8,890
PLEASE CONTACT THE FACTORY TO CHECK AVAILABILITY BEFORE ORDERING.				
Flexport. Solid tires ideal for hard abrasive surfaces where				
puncture resistance is required. Not homologated for use on road.				
Recommended speed: 8 kph (5 mph) loaded, 16 kph (10 mph) unloaded.				
Flexports supplied WITH rear metal platforms only.				
Width across tires 87.8" (2230mm)				
REQUIRES: 504-4713 FENDERS, DEFLECTORS				
CANNOT BE USED WITH: ANY ROADING CONVERSION PACKAGE				

TIRES AVAILABLE FROM GOODYEAR WITH 1 PIECE RIMS

P	385-5821	TIRES, 17.5-25, GY, L2 SGL12PR 1,511		\$26
Goodyear Product Code #123-897-458				
SGL D/L-2A (Sure Grip Loader) - 12 ply rating				
Nylon bias, tubeless, directional and self cleaning tread				
for floatation and traction.				
Width over tire measurement = 2260mm (89")				
P	385-5820	TIRES, 15.5-25, GY, L2 SGL12PR 1,439		\$-2,085
Goodyear Product Code #123-894-458				
SGL D/L-2A (Sure Grip Loader) - 12 ply rating				
Nylon bias, tubeless, directional and self cleaning tread				
for floatation and traction.				
Width over tire measurement = 2200mm (87")				
P	430-2658	TIRES, 17.5 R25, GY, L3 RT-3B 0		\$7,930
Goodyear Product Code #606019				
17.5R25 176A2 TL * UN RT-3B 6S				
Radial tire, non directional tread, self cleaning				
Superior resistance to rock cuts and penetration				
for use on rough terrain				
Width across tires 89" (2260mm)				

TIRES AVAILABLE FROM GOODYEAR WITH 3 PIECE RIMS

P	430-2660	TIRES, 17.5-25, GY, L2 SGL16PR 0		\$2,170
Goodyear Product Code #123-876-458				
SGL D/L-2A (Sure Grip Loader) - 16 ply rating				
Nylon bias, tubeless, directional and self cleaning tread				
for floatation and traction. lf-cleaning.				
Width over tire measurement = 2260mm (89")				
P	385-5825	TIRES, 17.5-25, GY, L3,3PC RIM 2,234		\$3,395
Goodyear Product Code #123-876-175				
HRL D/L-3A (Hard Rock Lug)				
Wide base bias rock tire. Aggressive lug design provides good				
performance in harsh underfoot conditions.				

TIRES AVAILABLE FROM MICHELIN WITH 1 PIECE RIMS

P	385-5823	TIRES, 17.5 R25, MX, L3 XHA2 2,123		\$4,820
Michelin Product Code #717546				
Radial, wide lug, non-directional tread for lateral				
traction. Heavy shoulder and protected sidewall				
for heavy duty applications.				
Width over tire measurement = 2259mm (89")				

CATERPILLAR MACHINE PRICE LIST

914M

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS (CONT.)

TIRES AVAILABLE FROM MICHELIN WITH 1 PIECE RIMS (Cont.)

P	425-5015	TIRES, 15.5 R25, MX, L3 XHA 0 Michelin radial tire, wide lug, non-directional tread for lateral traction. Heavy shoulder and protected sidewall for heavy duty applications. Width over tire measurement = 2290mm (90")		\$1,825
P	385-5822	TIRES, 17.5 R25, MX, L2 XTLA 1,789 Michelin Product Code #04118 Radial, non-directional tread for traction. Cut and impact resistant. Width over tire measurement = 2300mm (91")		\$2,110
P	430-2654	TIRES, 15.5 R25, MX, L2 XTLA 0 Michelin Radial Tires, non-directional tread for traction. Cut and impact resistant. Width over tire measurement = 2300mm (91")		\$880

TIRES AVAILABLE FROM MICHELIN WITH 3 PIECE RIMS

P	385-5826	TIRES, 17.5 R25, MX,L2, XTLA 2,090 Michelin Product Code #04118 Radial, non-directional tread for traction and long/even tread wear in General applications. Cut and impact resistant. Width over tire measurement = 2300mm (91")		\$6,240
---	----------	---	--	---------

TIRES AVAILABLE FROM BRIDGESTONE WITH 3 PIECE RIMS

P	561-3273	TIRES, 17.5-25, BS, L-3 RL 16P 0 Bridgestone Product Code # IPC 425605 Bias tire L-3 RL E2A 16 ply rating Non-directional pattern for outstanding rough terrain traction Width over tire measurement = 2234 mm (88-)		NC
---	----------	--	--	----

GUARDS

HYDRAULIC GUARDS

Required when ordering a Canopy with 3 or 4 valve hydraulics.
 CANNOT BE USED WITH: 463-2090 or 463-2092 CAB

NOTE: When ordering Third and Fourth valve, you MUST order Third and Fourth Hose Guards.

L	426-1433	GUARD, HOSE, 3 VALVE 0 Provides hydraulic hose guard. FOR USE WITH: 470-6214 HYDRAULICS, 3V/1L, STD LIFT 470-6220 HYDRAULICS, 3V/2L, STD LIFT 470-6226 HYDRAULICS, 3V/2L, HI LIFT		NC
L	469-7439	GUARD, HOSE, 4 VALVE, HIGH LIFT 0 Provides hydraulic hose guard. FOR USE WITH: 470-6216 HYDRAULICS, 4V/1L, STD LIFT, HF, WT WIRING 470-6222 HYDRAULICS, 4V/2L, HI LIFT		NC
L	435-0851	GUARD, HOSE, 3 VALVE, HIGH LIFT 0 Provides hydraulic hose guard. ONLY FOR USE WITH: CANOPY & 470-6224 HYDRAULICS, 3V/1L, HI LIFT 470-6226 HYDRAULICS, 3V/2L, HI LIFT		\$99

CATERPILLAR MACHINE PRICE LIST

914M

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

GUARDS (CONT.)

COUPLER HOSE GUARDS

Required when ordering a Canopy and a loader arrangement with coupler.
 CANNOT BE USED WITH: 467-0398 & 462-7441

L	435-0809	GUARD, COUPLER HOSE, STD LIFT 0 FOR USE WITH: 462-7433 LOADER ARR, STD CPLR, STD LIFT 462-7440 LOADER ARR, WIDE CPLR, STD LIFT		\$99
L	435-0853	GUARD, COUPLER HOSE, HI LIFT 0 FOR USE WITH: 467-0402 LOADER ARR, STD CPLR, STD LIFT 462-7447 LOADER ARR, WIDE CPLR, STD LIFT		\$99

OTHER ATTACHMENTS

FENDERS

L	469-5852	FENDERS, EXTENDED COVER 0 Provides non-metalic front fenders to help keep the windshield clean. Rear tires have non-metalic fender extensions around the front side and rear side of the tire to help keep both machine and access ladder clean. Recommended for applications that include roading or long load and carry.		\$418
L	469-5853	FENDERS, FULL COVER 0 Provides non-metalic front fenders with mud flaps to keep the windshield clean. Rear tires have non-metalic fender extensions around the front side and rear side of the tire with mud flaps to keep both machine and access ladder clean. Recommended for applications such as snow removal and extremely muddy conditions.		\$625
L	504-4713	FENDER, DEFLECTORS 0 Provides partial coverage metal front fender deflectors that provides protection to hitch, ladder, and cab from debris thrown up or stuck in the front tires. Removes all fender extensions around the rear tire. Recommended for applications such as Industrial & Waste where fenders and extensions would be a high risk of impact and damage. Recommended: 443-7885 TIRES, 17.5X25, FLEX, SOLID		\$-318

FLUIDS

ENGINE COOLANT

L	450-5406	ENGINE COOLANT, STANDARD 0 Provides protection to -34C (-29F) with 50% Cat Extended Life Coolant and 50% deionized water.		\$208
L	444-1001	ENG COOLNT,A/FREEZE(-50C/-58F) 0 Provides protection to -50C (-58F) with 70% Cat Extended Life Coolant and 30% deionized water.		\$312

HYDRAULIC OIL

L	450-5405	HYDRAULIC OIL, STANDARD 0		\$1, 135
L	444-1000	HYDRAULIC OIL, BIODEGRADABLE 0		\$1, 245

CATERPILLAR MACHINE PRICE LIST

914M

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

DOCUMENTATION

DECAL PACKAGES

L	476-2741	INSTRUCTIONS, ANSI 0 This package includes picto decals as required for the USA. (excl. Canada)		NC
---	----------	---	--	----

INSTRUCTIONS

INSTRUCTIONS AND OPERATION MANUALS

	421-8926	SERIALIZED TECHNICAL MEDIA KIT 0 Kit will include instructions and parts CD in the legally required language, based on the shipping address. Any additional media such as a paper parts manual, not included in the kit, can be ordered through the media website. https://oos.midlandcorp.com/CAT/Default.aspx		NC
--	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

914M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

NOTE

LANE 2/ LANE 3 OPTIONAL SELECTIONS

STARTERS, BATTERIES, & ALTERNATORS

STARTING AIDS

P	474-1982	HEATER, ENGINE COOLANT, 120V 0		\$198
		For additional cold weather startability		
P	474-1981	HEATER, ENGINE COOLANT, 240V 0		\$198

ELECTRICAL

LIGHTS

P	260-5501	BEACON, ROTATING 0		\$389
		Includes magnetic rotating beacon with Britex connector, on/off switch, wiring, and mounting.		
P	448-9539	LIGHTS, CAB, WORKING HALOGEN 0		\$600
		Four halogen floodlights mounted beneath cab roof, two front, two rear.		
P	496-9971	LIGHTS, CAB, WORKING LED 0		\$820
		Four LED floodlights mounted beneath cab roof, two front, two rear.		

ACCESSORY EQUIPMENT

L	471-6212	WORKTOOL, WIRING 0		\$360
		Supplies electrical power for valves on selected Work Tools. CANNOT BE USED WITH: 470-6212 HYD, 2V & 470-6216 HYD, 4V		

BACK-UP ALARM

L	474-1980	ALARM, BACK-UP 0		\$197
		Required for machines sold into North America		

OPERATOR ENVIRONMENT

AXLE OSCALATING LIMITER

L	426-1506	LIMITER, AXLE OSCILLATION 0		\$94
		Restricts the rear axle oscillation from 11 degrees on each side to 9 degrees. When winter tire chains are installed, the axles should be equipped with Axle Oscillations Limiters to prevent contact between the tire chains and the chassis. Bolt-on design REQUIRED BY:TIRES 420-3893 & 385-5821		

RADIO PACKAGES

P	541-4413	RADIO, AM/FM BLUETOOTH 0		\$550
		Cat FM Radio with bluetooth, aux input & microphone. CANNOT BE USED WITH: CANOPY		

CATERPILLAR MACHINE PRICE LIST

914M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

ACCESSORY EQUIPMENT

P	279-0643	BLIND, REAR 0 Retractable blind reduces glare and radiant heat. Semi-transparent for rear visibility CANNOT BE USED WITH: CANOPY 463-2089 OR 463-2091		\$305
P	471-6921	TOOL BOX 0 Fabricated, heavy duty tool box is suitable for storing grease guns. Mounted externally on the chassis behind the right side ladder CANNOT BE USED WITH: 525-4951 CTWT		\$615
P	450-4690	PLATE, LICENSE 0 CANNOT BE USED WITH: 471-0856 CONVERSION, TUV ROADING, 40KPH 470-6188 CONVERSION, ITALIAN ROADING		\$262

GUARDS

L	539-1319	GUARD, DRIVESHAFT 0 Mounts underneath machine to provide front drive shaft protection.		\$615
L	539-1321	GUARD, CRANKCASE 0 Mounts underneath machine to provide protection to the engine components		\$414
L	539-1317	GUARD, HITCH 0 Provides protection to hitch area of the rear frame and front frame, preventing debris from entering while allowing visibility to service points.		\$690
L	539-1318	GUARD, POWERTRAIN 0 Mounts underneath machine to provide protection for the transmission components. Includes service access panel for oil changes.		\$985

OTHER ATTACHMENTS

CUSTOM COLOR

L	549-8076	CUSTOM COLOR 0 Please contact ORDER ENTRY GROUP before placing CUSTOM COLOR requests. Black components remain black. REQUIRES: 4 digit RAL colour specification ONLY FOR USE WITH: LANE 3		\$4,450 NET
---	----------	--	--	-------------

ACCESSORY EQUIPMENT

L	533-3604	GUARD, FRONT LIGHTS 0		\$376
P	468-3869	WHEEL CHOCK 0 CANNOT BE USED WITH: 471-0854 CONVERSION, TUV ROADING, 20KPH 471-0856 CONVERSION, TUV ROADING, 40KPH		\$650

CATERPILLAR MACHINE PRICE LIST

914M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

BUCKETS

WORKTOOLS

First worktool must ordered as installed,no packing reference required
 Additional buckets must be ordered as 'not installed' and should include packing reference **OG-3281**

Performance Series buckets feature a wider moldboard opening angle, longer floor and forward curving (convex) sidebars. These aggressive buckets load easier and retain material better for faster cycle times.

Offered with:

- 1) Bolt-on, reversible cutting edges for maximum durability and smooth grading.
- 2) Bolt-on teeth with pin-on tooth tips for maximum penetration and digging

All 910/914 PS General Buckets share the following characteristics:
 Single piece bolt-on cutting edge = 2400mm / 95" wide
 8x bolt on adaptors & long tips = 2430mm / 95" wide
 Performance Fill Factor = 110% (or 0.1cum/0.2cyd) of stated capacity.
 For correct bucket selection see OMM/specalog which shows max material densities per machine configuration per bucket size

PIN ON BUCKETS

P	481-9759	BUCKET, GP, 1.8 YD3, PO, BOT	1,184 1,184	\$6,475 \$6,475 NI
		FOR USE WITH: 467-0398 OR 462-7441 LOADER ARR		
P	472-6537	BUCKET, GP, 1.8 YD3, PO, BOCE	1,276 1,276	\$5,751 \$5,751 NI
		FOR USE WITH: 467-0398 OR 462-7441 LOADER ARR		
P	481-9763	BUCKET, GP, 2.0 YD3, PO, BOT	1,270 1,270	\$6,747 \$6,747 NI
		FOR USE WITH: 467-0398 OR 462-7441 LOADER ARR		
P	472-6542	BUCKET, GP, 2.0 YD3, PO, BOCE	1,342 1,342	\$6,024 \$6,024 NI
		FOR USE WITH: 467-0398 OR 462-7441 LOADER ARR		
P	481-9766	BUCKET, GP, 2.3 YD3, PO, BOT	1,358 1,358	\$7,106 \$7,106 NI
		FOR USE WITH: 467-0398 OR 462-7441 LOADER ARR		
P	415-5961	BUCKET, GP, 2.3 YD3, PO, BOCE	1,450 1,450	\$6,382 \$6,382 NI
		FOR USE WITH: 467-0398 OR 462-7441 LOADER ARR		
P	481-9767	BUCKET, GP, 2.4 YD3, PO, BOT	1,398 1,398	\$7,318 \$7,318 NI
		FOR USE WITH: 467-0398 OR 462-7441 LOADER ARR		
P	415-5927	BUCKET, GP, 2.4 YD3, PO, BOCE	1,490 1,490	\$6,594 \$6,594 NI
		FOR USE WITH: 467-0398 OR 462-7441 LOADER ARR		

CATERPILLAR MACHINE PRICE LIST

914M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

BUCKETS (CONT.)

PIN ON BUCKETS (Cont.)

P	498-0033	BUCKET, LM, 3.3YD3, PO, BOCE	816 816	\$8,429 \$8,429 NI
		Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 2.5 m3 (3.3 yd3), fill factor 100% FOR USE WITH: 467-0398 OR 462-7441 LOADER ARR		
P	498-0036	BUCKET, LM, 3.9YD3, PO, BOCE	878 878	\$9,144 \$9,144 NI
		Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 3.0 m3 (3.9 yd3), fill factor 100% FOR USE WITH: 467-0398 OR 462-7441 LOADER ARR		
P	498-0039	BUCKET, LM, 4.6YD3, PO, BOCE	938 938	\$9,853 \$9,853 NI
		Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 3.5 m3 (4.6 yd3), fill factor 100% FOR USE WITH: 467-0398 OR 462-7441 LOADER ARR		

IT STD COUPLER BUCKETS

P	481-9755	BUCKET, GP, 1.7 YD3, IT, BOT	1,129 1,129	\$6,297 \$6,297 NI
		FOR USE WITH: 462-7433 OR 467-0402 LOADER ARR		
P	472-6534	BUCKET, GP, 1.7 YD3, IT, BOCE	1,221 1,221	\$5,574 \$5,574 NI
		FOR USE WITH: 462-7433 OR 467-0402 LOADER ARR		
P	481-9760	BUCKET, GP, 1.9 YD3, IT, BOT	1,173 1,173	\$6,647 \$6,647 NI
		FOR USE WITH: 462-7433 OR 467-0402 LOADER ARR		
P	472-6539	BUCKET, GP, 1.9 YD3, IT, BOCE	1,265 1,265	\$5,924 \$5,924 NI
		FOR USE WITH: 462-7433 OR 467-0402 LOADER ARR		
P	481-9762	BUCKET, GP, 2.0 YD3, IT, BOT	1,250 1,250	\$6,747 \$6,747 NI
		FOR USE WITH: 462-7433 OR 467-0402 LOADER ARR		
P	472-6541	BUCKET, GP, 2.0 YD3, IT, BOCE	1,362 1,362	\$6,024 \$6,024 NI
		FOR USE WITH: 462-7433 OR 467-0402 LOADER ARR		
P	481-9764	BUCKET, GP, 2.2 YD3, IT, BOT	1,301 1,301	\$6,886 \$6,886 NI
		FOR USE WITH: 462-7433 OR 467-0402 LOADER ARR		
P	390-8219	BUCKET, GP, 2.2 YD3, IT, BOCE	1,393 1,393	\$6,163 \$6,163 NI
		FOR USE WITH: 462-7433 OR 467-0402 LOADER ARR		
P	492-2491	BUCKET, GP, 2.4 YD3, IT, BOCE	1,470 1,470	\$6,594 \$6,594 NI
		FOR USE WITH: 462-7433 OR 467-0402 LOADER ARR		
P	498-0031	BUCKET, LM, 3.3YD3, IT, BOCE	792 792	\$8,429 \$8,429 NI
		Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 2.5 m3 (3.3 yd3), fill factor 100% FOR USE WITH: 462-7433 OR 467-0402 LOADER ARR		

CATERPILLAR MACHINE PRICE LIST

914M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
BUCKETS (CONT.)				
<i>IT STD COUPLER BUCKETS (Cont.)</i>				
P	498-0034	BUCKET, LM, 3.9YD3, IT, BOCE	854	\$9,144
		Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 3.0 m3 (3.9 yd3), fill factor 100% FOR USE WITH: 462-7433 OR 467-0402 LOADER ARR	854	\$9,144 NI
P	498-0037	BUCKET, LM, 4.6YD3, IT, BOCE	914	\$9,853
		Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 3.5 m3 (4.6 yd3), fill factor 100% FOR USE WITH: 462-7433 OR 467-0402 LOADER ARR	914	\$9,853 NI
<i>ISO WIDE COUPLER BUCKETS</i>				
P	481-9756	BUCKET, GP, 1.7 YD3, ISO, BOT	1,169	\$6,297
		FOR USE WITH: 462-7440 OR 462-7447 LOADER ARR	1,169	\$6,297 NI
P	472-6535	BUCKET, GP, 1.7 YD3, ISO, BOCE	1,261	\$5,574
		FOR USE WITH: 462-7440 OR 462-7447 LOADER ARR	1,261	\$5,574 NI
P	481-9761	BUCKET, GP, 1.9 YD3, ISO, BOT	1,213	\$6,647
		FOR USE WITH: 462-7440 OR 462-7447 LOADER ARR	1,213	\$6,647 NI
P	472-6540	BUCKET, GP, 1.9 YD3, ISO, BOCE	1,305	\$5,924
		FOR USE WITH: 462-7440 OR 462-7447 LOADER ARR	1,305	\$5,924 NI
P	481-9765	BUCKET, GP, 2.2 YD3, ISO, BOT	1,341	\$6,886
		FOR USE WITH: 462-7440 OR 462-7447 LOADER ARR	1,341	\$6,886 NI
P	415-5957	BUCKET, GP, 2.2 YD3, ISO, BOCE	1,433	\$6,163
		FOR USE WITH: 462-7440 OR 462-7447 LOADER ARR	1,433	\$6,163 NI
P	492-2492	BUCKET, GP, 2.4 YD3, ISO, BOCE	1,470	\$6,594
		FOR USE WITH: 462-7440 OR 462-7447 LOADER ARR	1,470	\$6,594 NI
P	498-0032	BUCKET, LM, 3.3YD3, ISO, BOCE	804	\$8,429
		Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 2.5 m3 (3.3 yd3), fill factor 100% FOR USE WITH: 462-7440 OR 462-7447 LOADER ARR	804	\$8,429 NI
P	498-0035	BUCKET, LM, 3.9YD3, ISO, BOCE	866	\$9,144
		Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 3.0 m3 (3.9 yd3), fill factor 100% FOR USE WITH: 462-7440 OR 462-7447 LOADER ARR	866	\$9,144 NI
P	498-0038	BUCKET, LM, 4.6YD3, ISO, BOCE	926	\$9,853
		Light Material bucket. Width 2550mm (100"). Incl. Bolt-on-cutting-edge Capacity: 3.5 m3 (4.6 yd3), fill factor 100% FOR USE WITH: 462-7440 OR 462-7447 LOADER ARR	926	\$9,853 NI

CATERPILLAR MACHINE PRICE LIST

914M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

BUCKETS (CONT.)

ISO WIDE COUPLER BUCKETS (Flat floor)

P	488-7005	BUCKET, FF, 1.8 YD3, ISO, WOT	1,490 1,490	\$7,608 \$7,608 NI
		FOR USE WITH: 462-7440 OR 462-7447 LOADER ARR		
P	468-4749	BUCKET, FF, 1.9 YD3, ISO, BOCE	1,492 1,492	\$6,663 \$6,663 NI
		FOR USE WITH: 462-7440 OR 462-7447 LOADER ARR		
P	488-7006	BUCKET, FF, 1.9 YD3, ISO, WOT	1,378 1,378	\$8,160 \$8,160 NI
		FOR USE WITH: 462-7440 OR 462-7447 LOADER ARR		
P	468-4750	BUCKET, FF, 2.0 YD3, ISO, BOCE	1,525 1,525	\$7,213 \$7,213 NI
		FOR USE WITH: 462-7440 OR 462-7447 LOADER ARR		
P	488-7007	BUCKET, FF, 2.2 YD3, ISO, WOT	1,490 1,490	\$8,775 \$8,775 NI
		FOR USE WITH: 462-7440 OR 462-7447 LOADER ARR		
P	468-4751	BUCKET, FF, 2.3 YD3, ISO, BOCE	1,436 1,436	\$7,828 \$7,828 NI
		FOR USE WITH: 462-7440 OR 462-7447 LOADER ARR		

FORK CARRIAGES

Please add the packing reference 0G-3280 if ordered 'Not-Installed'.

P	390-8288	CARRIAGE, STANDARD COUPLER.	539	\$2,386 NI
		1550mm wide carriage. Does not include fork tines. Requires machine to be equipped with standard width 'IT' quick coupler		
		ONLY FOR USE WITH: STANDARD COUPLER LOADER ARRANGEMENTS.		
P	428-2109	CARRIAGE, WIDE COUPLER.	535	\$2,386 NI
		1550mm wide carriage. Does not include fork tines. Requires machine to be equipped with wide (Volvo) coupler		
		ONLY FOR USE WITH: WIDE COUPLER LOADER ARRANGEMENTS.		

FORK TINES

ORDER QUANTITY OF TWO

Please add the packing reference 0G-3304 if ordered 'Not-Installed'.

P	6W-8900	FORK TINES, 2" X 5" X 48"	251	\$718 NI
		REQUIRES: Fork Carriage		
P	6W-9739	FORK TINES, 2" X 5" X 53"	343	\$743 NI
		REQUIRES: Fork Carriage		
P	241-0921	FORK TINE, 2X5X48 OFFSET, RIGHT	207	\$1,572 NI
		REQUIRES: Fork Carriage		
P	241-0922	FORK TINE, 2X5X48 OFFSET, LEFT	207	\$1,572 NI
		REQUIRES: Fork Carriage		

CATERPILLAR MACHINE PRICE LIST

914M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS

KITS AVAILABLE ONLY FROM SUPERTRAK

FOB: Punta Gorda, Florida, USA

Order the following kits directly from Supertrak
 800.446.9858 --- 941.505.7800 --- www.Supertrak.com
 Supertrak is responsible for the sales, parts, support and warranty.
 All dealer net prices below are for reference only, and are subject to change by Supertrak.
 Additional information and pictures are located on DEALER.CAT.COM in the Compact Wheel Loader area.

Note: Reference application specific OSHA requirements (e.g. window mesh spacing standards), particularly in forestry applications.

CT2026-008 KIT, REAR WINDOW GUARD. 3769.92 USD NET
 Guards provide protection for rear lights, rear window, and rear side corner windows. 3" (75mm) mesh opening with 1/4" (6mm) wire diameter can be customized to meet the application requirements. Side and corner guards open with latches for easy cleaning. Rear center portion is fixed, yet cleaning clearance is provided. Some light welding is required.
 Estimated installation time: 5 hrs.

CT2026-005 KIT, FRONT WINDOW GUARD. 2650 USD NET
 Bolt-on kit provides upper and lower front window protection along with upper cab light guarding. 3" (75mm) mesh opening with 1/4" (6mm) wire diameter can be customized to meet the application requirements. Upper window guard opens with overcenter latches for easy window cleaning.
 Estimated installation time: 3 hrs

CT2026-009 KIT, CAB DOOR SCREENS. 1652.65 USD NET
 Guards protect the door glass from top to bottom on both side. The guards are hinged for cleaning with bolts for fasteners. 3" (75mm) mesh opening with 1/4" (6mm) wire diameter can be customized to meet the application requirements. Some light welding required.
 Estimated installation time: 2.5 hrs

CT2026-007 KIT, LAMP COVER GUARD. 699.97 USD NET
 Bolt-on lamp guards are reversible from side to side and allow some lamp positioning adjustment. Mesh design incorporates 1" (25mm) squares.
 Estimated installation time: 0.5 hrs

CATERPILLAR MACHINE PRICE LIST

914M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
PACKING				
	0G-3117	RORO W/RIMS W/TIRES. 0 Mandatory selection for all non-European shipments. CANNOT BE USED WITH: EU LAST MILE DEALERS		\$315 NET
	0G-3281	PACK - BUCKET GROUP (WHL) 0		\$123 NET
	423-6175	TRANSPORT GROUP. 0 Required to ship a machine not fitted with either a coupler or an installed pin-on bucket. ONLY FOR USE WITH: LOADER ARRANGEMENTS 467-0398 & 462-7441		NC
	0G-3273	RUST PREVENTATIVE APPLICATOR. 0 Preparation for shipment - Silix applicators for shipment by sea Please note: This selection is mandatory for some regions including USA & Canada.		\$110 NET
	0G-3280	PACK, MISCELLANEOUS MATERIAL 0		\$212 NET
	0G-3304	PACKING FOR FORK /HOOKS/TINES 0		NC