

CATERPILLAR MACHINE PRICE LIST

926M926M WHEEL LOADER
CLAYTON, NC, USAShip Weight
lbsLIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

Axle seal guards
 Auto Idle shut down feature
 Cat C7.1 ACERT engine
 -Power modes (standard and performance)
 -Power by range (high power in range 4)
 -Tier 4 final/Stage IV compliant
 -Turbocharged and aftercooled
 -Filtered crankcase breather
 -Diesel particulate filter
 -Selective catalyst reduction
 Coolant protection to -34C (-29F)
 Differential lock in front axle
 Dry type air cleaner
 Enclosed wet disc full hydraulic brakes
 Fuel priming pump, automatic
 Fuel water separator
 Hydraulically driven demand cooling fan
 Hydrostatic transmission with electronic control
 -Operator modes (default, TC, hystat and ice)
 -Directional shift aggressiveness (fast, medium, Slow)
 -Rimpull control, adjust wheel torque
 -Creeper control, adjust ground speed
 Lubed for life driveshafts
 Parking brake, electric
 Single plane cooling package wide 6 fins per inch density
 S-O-S port, engine, coolant, transmission oil

HYDRAULICS

Automatic lift and bucket kickouts, adjustable in-cab
 Bucket and fork modes, adjustable in-cab
 Cylinder damping at kickout and mechanical end stops
 Fine mode control (fast, medium, slow) in Fork Mode
 Hydraulic response setting (fast, medium, slow)
 Hydraulic diagnostic connectors and S-O-S ports
 Hydraulic sight gauge, visible
 Load sensing hydraulics and steering
 Seat mounted hydraulic joystick controls

ELECTRICAL

Alternator, 115-amp, heavy duty
 12V power supply in cab (2)
 Batteries, 1,000 CCA (2) 24 volt system, disconnect switch
 Back up alarm

Emergency shutdown switch
 LED rear stop and turn lights
 Heavy duty gear reduction starter
 Product Link
 Remote jump start post
 Resettable main and critical function breakers
 Roading lights front and rear

OPERATOR ENVIRONMENT

75 mm (3 in) retractable seatbelt
 Automatic temperature control
 Cab, enclosed ROPS/FOPS pressurized and sound suppressed
 Cup holders
 External heated mirrors with lower parabolic
 Ground level cab door release
 Gauges
 -Digital hour meter, odometer and tachometer
 -Digital ground speedometer and direction indicator
 -Engine coolant temperature gauge
 -Fuel and diesel exhaust fluid level indicator
 -Hydraulic oil temperature gauge
 Hydraulic control lockout
 Interior cab lighting, door and dome
 Interior rearview mirrors (2)
 Lunch box storage
 Operator warning system indicators
 Radio ready speakers
 Rear window defrost, electric
 Seat mounted electronic implement controls, adjustable
 Sliding glass on the side windows
 Column mounted multi function control -lights, wipers, turn signal
 Suspension seat, fabric
 Tilt and telescope steering wheel
 Tinted front glass
 Wet arm wiper/washer, 2-speed and intermittent, front
 Wet arm wiper washer, rear

OTHER STANDARD EQUIPMENT

Large-access enclosure doors with adjustable close/open force
 Parallel lift loader linkage
 Recovery hitch with pin
 Remote mounted lubrication points
 Vandalism protection-lockable compartments

CATERPILLAR MACHINE PRICE LIST

926M

926M WHEEL LOADER CLAYTON, NC, USA	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------------	--------------------	-------------------------

**Lane 2 is reserved for the Base Order Management Program
 Please use Lane 2 when placing orders that are part of the Base Order
 Management program**

521-3601	926M WHEEL LOADER DCA1 0 LANE 1 - AVAILABLE FROM CLAYTON PDC	\$195,830
-----------------	--	------------------

- INCLUDES:
- 430-2805 926M WHEEL LOADER
 - 430-2945 PREP PACK, NORTH AMERICA
 - 430-2823 HYD,3V,COUPLER READY,STD LIFT
 - 430-2996 STEERING, STANDARD
 - 333-6528 DIFFERENTIAL, OPEN REAR
 - 430-2855 ENVIRONMENT, STANDARD
 - 454-0609 WEATHER, STANDARD
 - 521-3244 CAB, DELUXE
 - 423-7201 SEAT, DELUXE
 - 372-1868 RADIO, BLUETOOTH, AUX, MIC
 - 366-8148 FENDERS, STANDARD
 - 348-2579 COUNTERWEIGHT, HEAVY
 - 430-2859 RIDE CONTROL
 - 377-5635 CAMERA, REAR VIEW
 - 430-2977 QUICK COUPLER, FUSION
 - 430-3038 ENGINE AR
 - 454-0589 PRODUCT LINK, CELLULAR PL641
 - 488-1113 LIGHTS, AUX, HALOGEN
 - 519-8081 TOOLBOX AUX, NONE

NOTE: Please refer to the Lane 1 section to complete your order.

CATERPILLAR MACHINE PRICE LIST

926M

926M WHEEL LOADER CLAYTON, NC, USA	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------------	--------------------	-------------------------

521-3602	926M WHEEL LOADER DCA2 0	\$201,530
	LANE 1 - AVAILABLE FROM CLAYTON PDC	

- INCLUDES:
- 430-2805 926M WHEEL LOADER
 - 430-2945 PREP PACK, NORTH AMERICA
 - 430-2823 HYD,3V,COUPLER READY,STD LIFT
 - 430-2996 STEERING, STANDARD
 - 333-6526 DIFFERENTIAL,LIMITED SLIP REAR
 - 430-2855 ENVIRONMENT, STANDARD
 - 454-0610 WEATHER, COLD START 120V
 - 521-3244 CAB, DELUXE
 - 423-7201 SEAT, DELUXE
 - 372-1868 RADIO, BLUETOOTH, AUX, MIC
 - 366-8148 FENDERS, STANDARD
 - 348-2579 COUNTERWEIGHT, HEAVY
 - 430-2859 RIDE CONTROL
 - 377-5635 CAMERA, REAR VIEW
 - 430-2977 QUICK COUPLER, FUSION
 - 430-3038 ENGINE AR
 - 454-0589 PRODUCT LINK, CELLULAR PL641
 - 488-1113 LIGHTS, AUX HALOGEN
 - 491-7922 TOOLBOX, AUX

NOTE: Please refer to the Lane 1 section to complete your order.

521-3603	926M WHEEL LOADER DCA3 0	\$211,390
	LANE 1 - AVAILABLE FROM CLAYTON PDC	

- INCLUDES:
- 430-2805 926M WHEEL LOADER
 - 430-2945 PREP PACK, NORTH AMERICA
 - 430-2853 HYD,3V,COUPLER READY,HIGH LIFT
 - 430-2996 STEERING, STANDARD
 - 333-6526 DIFFERENTIAL,LIMITED SLIP REAR
 - 430-2875 ENVIRONMENT, HIGH DEBRIS
 - 454-0610 WEATHER, COLD START 120V
 - 521-3244 CAB, DELUXE
 - 423-7201 SEAT, DELUXE
 - 372-1868 RADIO, BLUETOOTH, AUX, MIC
 - 366-8148 FENDERS, STANDARD
 - 348-2579 COUNTERWEIGHT, HEAVY
 - 430-2859 RIDE CONTROL
 - 377-5635 CAMERA, REAR VIEW
 - 430-2977 QUICK COUPLER, FUSION
 - 430-3038 ENGINE AR
 - 454-0589 PRODUCT LINK, CELLULAR PL641
 - 488-1113 LIGHTS, AUX HALOGEN
 - 519-8081 TOOLBOX AUX, NONE

NOTE: Please refer to the Lane 1 section to complete your order.

430-2805	926M WHEEL LOADER 0	\$178,520
	LANE 2 - AVAILABLE FROM CLAYTON FACTORY	

CATERPILLAR MACHINE PRICE LIST

926M

926M WHEEL LOADER CLAYTON, NC, USA		Ship Weight lbs	LIST PRICE AT DEALER
536-5300	926M WHEEL LOADER 0 LANE 3 - AVAILABLE FROM CLAYTON FACTORY		\$179,530
0P-3536	926M MISC MATERIAL 0 ONLY AVAILABLE FROM WACO PARTS SERVICE Use this top level reference when ordering miscellaneous kits located in the Alternate Sourced Attachments section.		NC

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

LANE SELECTION

	OP-9001	LANE 1 ORDER	0	NC
--	---------	------------------------	---	----

TIRES

Due to industry-wide tire availability, tires may change based on availability. Tire changes are available on a limited basis through Lane 1 using OP-4218 and may extend delivery time of a DCA arrangement based on target tire arrangement availability. For any Lane 1 tire offering with a use type of C, please check with factory before placing order to confirm tire availability.

P	366-6895	TIRES, 20.5R25 MX XTLA * L2 Michelin;Radial;XTLA;L2;3 pc rim Non directional tread;Includes axle oscillation stops	0	\$13,150
---	----------	--	---	----------

OPERATION AND MAINTENANCE MANUAL

	OP-2491	KIT,SERIALIZED TECHNICAL MEDIA The technical media kit will include the Operations & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com	0	NC
--	---------	---	---	----

DECAL PACKAGES

P	430-2963	INSTRUCTIONS, ANSI, US This package includes picto decals as required for North America except for Canada.	0	NC
P	430-2964	INSTRUCTIONS, ISO, CANADA This package includes picto decals as required for Canada.	0	NC

PROTECTION

	OP-2266	SHIPPING/STORAGE PROTECTION Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.	0	\$207 NET
--	---------	---	---	-----------

PACKING

	OP-0210	PACK, DOMESTIC TRUCK	0	NC
--	---------	--------------------------------	---	----

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

SPECIAL ARRANGEMENTS - FINISH TO ORDER

NEW!!! Additional attachments that can be added to PDC machines to allow quick ship and configuration flexibility.
NO RETURNS accepted for kit components not used or for parts removed from machine during kit installation.
FOR USE WITH ALL DCA'S UNLESS OTHERWISE STATED.

OPTIONS

P	374-5842	KIT, GUARD, DRIVESHAFT 0 Kit provides drive shaft guard that mounts underneath the front frame.		\$613
P	374-5844	KIT, GUARD, POWERTRAIN, LOWER 0 Kit provides lower transmission guard that mounts underneath the rear frame.		\$1,408
P	374-5845	KIT, GUARD, CRANKCASE 0 Kit provides engine crankcase guard that mounts underneath the rear frame.		\$965
P	467-7992	KIT, COUNTERWEIGHT, LOGGER/AGG 0 Kit converts a heavy counterweight machine to a Logger/Agg counterweight machine by additional frame mounted counterweight for use in applications such as Log and Lumber, Aggregate Handling, Auto Re-Handling and heavy material handling. NOT recommended for general construction machines. NOT compatible for High Lift Linkage configurations. CANNOT BE USED WITH: Brawler Tires		\$3,536
P	370-7008	KIT, WARNING,BEACON,LED STROBE 0 Kit provides hard mounted LED strobe beacon on hinged (breakaway) bracket mounted to the rear of the cab structure.		\$222
P	441-3368	KIT, JUMPER LINES,3RD FUNCTION 0 Kit provides 3rd function jumper lines and threaded flat face connect under pressure quick disconnects mounted to the coupler. Recommended for use with 3rd function work tools. Provides a kit to add 3rd function jumper line. For use with machines before serial number LTE06550.		\$583

TIRES

	0P-4218	TIRE ARR, CHANGE 0 Charge to cover the costs of completing a tire arrangement change including hardware, oscillation stops, fender adjustments and time to complete the work. Tire changes are available on a limited basis and may extend delivery time of a DCA arrangement based on target tire arrangement availability. For any Lane 1 tire offering with a use type of C, please check with factory before placing order to confirm tire availability.		\$530 NET
P	357-8888	TIRES, 20.5R25 YK RB31 * L3 0 Yokohama;Radial;RB31;L3;3 pcs Includes axle oscillation stops. REQUIRES: 0P4218 TIRE ARR, CHANGE		\$14,990

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS (CONT.)

WORK TOOLS

GENERAL PURPOSE BUCKETS

P	360-3321	BUCKET, GP, 2.7YD3, FUS, BOCE	2,101	\$8,210
		Includes: BUCKET-GP, HO Cutting Edge, Bolt On (4 Piece) 2550mm (100") width General Purpose Bucket		
P	360-3323	BUCKET, GP, 3.0YD3, FUS, BOCE	2,141	\$9,165
		Includes: BUCKET-GP, HO Cutting Edge, Bolt On (4 Piece) 2550mm width (100") General Purpose Bucket		
P	417-4925	BUCKET, GP, 3.2YD3, FUS, BOCE	2,403	\$10,115
		Includes: BUCKET-GP, HO Cutting Edge, Bolt On (4 Piece) 2550mm (100") width General Purpose Bucket		
P	417-4355	BUCKET, GP, 3.2YD3, FUS, BOCE	2,430	\$10,354 NI
		Includes: BUCKET-GP, HO Cutting Edge, Bolt On (4 Piece) 2750mm (108") width General Purpose Bucket		
P	345-2427	BUCKET, GP, 3.5YD3, FUS, BOCE	2,519	\$10,864 NI
		Includes: BUCKET-GP, HO Cutting Edge, Bolt On (4 Piece) 2750mm (108") width General Purpose Bucket		
P	417-4929	BUCKET, GP, 3.8YD3, FUS, BOCE	2,601	\$11,372 NI
		Includes: BUCKET-GP, HO Cutting Edge, Bolt On (4 Piece) 2750mm (108") width General Purpose Bucket		

LIGHT MATERIAL BUCKETS

P	417-4935	BUCKET, LM, 4.5YD3, FUS, BOCE	2,873	\$10,896 NI
		Includes: BUCKET-LM, HO Cutting Edge, Bolt On (1 Piece) 2750mm (108") width Light Materials Bucket		

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS (CONT.)

WORK TOOLS (Cont.)

P	417-4342	BUCKET, LM, 5.5YD3, FUS, BOCE	3,172	\$12,594 NI
		Includes: BUCKET-LM, HO Cutting Edge, Bolt On (1 Piece) 2750mm (108") width Light Materials Bucket		

CARRIAGE & FORKS

P	452-6545	FORKS, 54" PALLET	1,423	\$4,582
		60" wide carriage with 54" Pallet tines		
P	452-6546	FORKS, 60" CONSTRUCTION	2,081	\$9,594
		96" wide carriage with 60" Construction tines		
P	452-6547	FORKS, 72" CONSTRUCTION	2,178	\$10,640
		96" wide carriage with 72" Construction tines		

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
OP-9003	LANE 3 ORDER	0	NC

REGIONAL PACKAGES

L	430-2943	PREP PACK, UNITED STATES	0	NC
		Includes ANSI Decals and right hand dip lights.		

FEATURE PACKAGES

CONTROLS

L	430-2996	STEERING, STANDARD	0	NC
L	430-2997	STEERING, STANDARD, DUAL MODE	0	\$1,185
		Adds the ability to enable Dual Mode Steering (Quick Steer) to minimize operator efforts in repetitive cycles.		
		REQUIRES: 536-5318 AUX ECM (LANE 3 ONLY)		
L	430-2998	STEERING, SECONDARY	0	\$3,080
		Provides limited steering control in the event of a loss of power or a loss of hydraulic flow.		
		Includes operator warning system indicator and operator alarm		
L	430-2999	STEERING, SECONDARY, DUAL MODE	0	\$4,255
		Adds the ability to enable Dual Mode Steering (Quick Steer) and provides a secondary back-up steering system		
		REQUIRES: 536-5318 AUX ECM (LANE 3 ONLY)		

REAR AXLE

L	333-6528	DIFFERENTIAL, OPEN REAR	0	NC
		Open rear differential (without a traction aid) in addition to the standard front axle diff-lock.		
L	333-6526	DIFFERENTIAL,LIMITED SLIP REAR	0	\$3,070
		Adds a rear limited slip traction aid in addition to the standard front axle diff-lock.		

SPECIAL ARRANGEMENTS

ENVIRONMENTAL PACKAGES

L	430-2855	ENVIRONMENT, STANDARD	0	NC
		FOR USE IN LANE 2 ONLY		
		Contains dustbowl precleaner, standard fan and standard 115 amp alternator.		
L	536-5320	ENVIRONMENT, STANDARD	0	NC
		FOR USE IN LANE 3 ONLY		
		Contains dustbowl precleaner, standard fan and standard 115 amp alternator.		

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

SPECIAL ARRANGEMENTS (CONT.)

ENVIRONMENTAL PACKAGES (Cont.)

L	430-2865	ENVIRONMENT, MEDIUM DEBRIS 0 FOR USE IN LANE 2 ONLY Adds Sy-Klone engine pre-cleaner and reversing fan but maintains 115 amp alternator.		\$2,530
L	536-5340	ENVIRONMENT, MEDIUM DEBRIS 0 FOR USE IN LANE 3 ONLY Adds Sy-Klone engine pre-cleaner and reversing fan but maintains 115 amp alternator.		\$2,530
L	536-5350	ENVIRONMENT, HIGH DEBRIS 0 FOR USE IN LANE 3 ONLY Adds Sy-Klone engine pre-cleaner and reversing fan and upgrades to a brushless, filtered 150 amp alternator.		\$3,900

COLD WEATHER PACKAGES

L	454-0609	WEATHER, STANDARD 0 Appropriate at temperatures above -10 Celsius (15 Fahrenheit) and altitude below 1500 meters (5000 feet)		NC
L	454-0610	WEATHER, COLD START 120V 0 Adds ether starting aid, 120V block heater and two additional batteries on the machine right (in place of standard toolbox) for better cold starting.		\$2,130
L	452-0878	WEATHER, THERMAL BYPASS 120V 0 FOR USE IN LANE 3 ONLY Adds the cold start package of ether starting aid, 120V block heater and two additional batteries on the machine right (in place of standard toolbox) along with a thermal bypass valve that allows hydraulic oil to bypass the cooler and quickly warm up. Recommended for use in extreme cold climates for better cold starting and hydraulic performance.		\$2,530

ENGINE

L	430-3038	ENGINE AR. 0		NC
---	----------	----------------------	--	----

HYDRAULICS

LINKAGE/HYDRAULICS/VALVES

L	430-2821	HYD,2V,PIN-ON,STD LIFT 0 FOR USE IN LANE 2 ONLY Standard Lift, 2 function hydraulics, For use with pin-on attachments DOES NOT ALLOW INSTALLATION OF QUICK COUPLER.		NC
---	----------	---	--	----

Supersedes 02JAN2018
Caterpillar: Confidential Green
US-A-19-01 A

Subject to change without notice
Printed in USA
U. S. DOLLAR CURRENCY

Effective 02JAN2019
926M-010

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

LINKAGE/HYDRAULICS/VALVES (Cont.)

L	536-5321	HYDRAULICS, 2V, PIN-ON, SL 0 FOR USE IN LANE 3 ONLY Standard Lift, 2 function hydraulics, For use with pin-on attachments DOES NOT ALLOW INSTALLATION OF QUICK COUPLER.		NC
L	430-2822	HYD,2V,COUPLER READY,STD LIFT 0 FOR USE IN LANE 2 ONLY Standard Lift, 2 function hydraulics, coupler ready. Coupler and cab switch not included.		\$545
L	536-5322	HYDRAULICS, 2V, CPLR READY, SL 0 FOR USE IN LANE 3 ONLY Standard Lift, 2 function hydraulics, coupler ready. Coupler not included.		\$545
L	430-2823	HYD,3V,COUPLER READY,STD LIFT 0 FOR USE IN LANE 2 ONLY Standard Lift, 3 function hydraulics, coupler ready. Coupler and cab switch not included.		\$2,695
L	536-5323	HYDRAULICS, 3V, CPLR READY, SL 0 FOR USE IN LANE 3 ONLY Standard Lift, 3 function hydraulics, coupler ready. Coupler not included. Does NOT include auxiliary 3rd function hydraulic lines down the lift arm or jumper lines to coupler with quick disconnects.		\$2,385
L	536-5324	HYDRAULICS, 4V, CPLR READY, SL 0 FOR USE IN LANE 3 ONLY Standard Lift, 4 function hydraulics, coupler ready. Coupler not included. Auxiliary 4th function lines terminate mid way down the lift arm. REQUIRES: Auxiliary 3rd function hydraulic lines for standard lift Auxiliary ECM for control of 4th function hydraulics		\$4,540
L	430-2851	HYD,2V,PIN-ON,HIGH LIFT 0 FOR USE IN LANE 2 ONLY High Lift, 2 function hydraulics, for use with pin-on attachments DOES NOT ALLOW INSTALLATION OF QUICK COUPLER.		\$6,460
L	549-0411	HYDRAULICS, 2V, PIN-ON, HL 0 FOR USE IN LANE 3 ONLY High Lift, 2 function hydraulics, for use with pin-on attachments DOES NOT ALLOW INSTALLATION OF QUICK COUPLER.		\$6,460
L	430-2852	HYD,2V,COUPLER READY,HIGH LIFT 0 FOR USE IN LANE 2 ONLY High Lift, 2 function hydraulics, coupler ready. Coupler and cab switch not included.		\$7,000
L	549-0412	HYDRAULICS, 2V, CPLR READY, HL 0 FOR USE IN LANE 3 ONLY High Lift, 2 function hydraulics, coupler ready. Coupler not included.		\$7,000
L	430-2853	HYD,3V,COUPLER READY,HIGH LIFT 0 FOR USE IN LANE 2 ONLY High Lift, 3 function hydraulics, coupler ready. Coupler and cab switch not included.		\$9,160

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

LINKAGE/HYDRAULICS/VALVES (Cont.)

L	549-0413	HYDRAULICS, 3V, CPLR READY, HL 0 FOR USE IN LANE 3 ONLY High Lift, 3 function hydraulics, coupler ready. Coupler not included. Does NOT include auxiliary 3rd function hydraulic lines down the lift arm or jumper lines to coupler with quick disconnects.		\$9,160
L	549-0414	HYDRAULICS, 4V, CPLR READY, HL 0 FOR USE IN LANE 3 ONLY High Lift, 4 function hydraulics, coupler ready. Coupler not included. Auxiliary 4th function lines terminate mid way down the lift arm. REQUIRES: Auxiliary 3rd function hydraulic lines for high lift Auxiliary ECM for control of 4th function hydraulics		\$11,310

LOAD CHECK VALVES

L	536-5282	HYDRAULICS, STANDARD 0 FOR USE IN LANE 3 ONLY Hydraulic lines to lift and tilt cylinders that do NOT include load check valves.		NC
L	536-5286	HYDRAULICS, LOAD CHECK VALVES 0 FOR USE IN LANE 3 ONLY Hydraulic lines to lift and tilt cylinders that include load check valves. REQUIRES: Ride Control CANNOT BE USED WITH: Tilt Cylinder Guard		\$7,570

AUX 3RD HYDRAULIC LINES

L	536-5329	LINES, AUX 3RD, NONE 0 FOR USE IN LANE 3 ONLY Caps hydraulic 3rd function lines at a bulkhead at the top of the front frame. Does NOT include auxiliary 3rd function hydraulic lines down the lift arm.		NC
L	530-1623	LINES, AUX 3RD, STD LIFT 0 FOR USE IN LANE 3 ONLY Includes Auxiliary 3rd function hydraulic lines down the lift arm for a standard lift linkage. REQUIRES: Standard lift linkage		\$306
L	527-8860	LINES, AUX 3RD, HIGH LIFT 0 FOR USE IN LANE 3 ONLY Includes Auxiliary 3rd function hydraulic lines down the lift arm for a high lift linkage. REQUIRES: High lift linkage		\$306

JUMPER LINES 3RD

L	536-5339	JUMPER LINES, NONE 0 FOR USE IN LANE 3 ONLY Caps hydraulic 3rd function lines. Does NOT include hydraulic lines from the lift arm across to the coupler or Quick Disconnects.		NC
---	----------	--	--	----

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

JUMPER LINES 3RD (Cont.)

L	445-4725	JUMPER LINES, AUX 3RD, FUSION 0 FOR USE IN LANE 3 ONLY Provides jumper lines and flat face connect under pressure quick disconnect coupling from 3rd function auxiliary lines on the front linkage to the coupler. REQUIRES: Fusion Coupler and Auxiliary Lines 3rd		\$585
L	561-6216	JUMPER LINES, AUX 3RD, ISO 0 FOR USE IN LANE 3 ONLY Provides jumper lines and flat face connect under pressure quick disconnect coupling from 3rd function auxiliary lines on the front linkage to the coupler. REQUIRES: ISO Coupler and Auxiliary Lines 3rd		\$585

ELECTRICAL

WORK LIGHTS

L	488-1112	LIGHTS, STD HALOGEN 0 Standard machine light package consisting of two (2) forward facing, cab mounted halogen (70W) wide flood work lights, and two (2) rear door mounted halogen (70W) work/reversing lights.		NC
L	488-1118	LIGHTS, STD LED 0 FOR USE IN LANE 2 ONLY Standard machine LED light package consisting of two (2) forward facing, cab mounted LED (850 lm) wide flood work lights, and two (2) rear door mounted LED (850 lm) work/reversing lights. Plus three (3) additional LED engine enclosure lights to aid service. LED lighting provides brighter lighting and longer life.		\$263
L	559-0843	LIGHTS, STD, LED 0 FOR USE IN LANE 3 ONLY Standard machine LED light package consisting of two (2) forward facing, cab mounted LED (850 lm) wide flood work lights, and two (2) rear door mounted LED (850 lm) work/reversing lights. Plus three (3) additional LED engine enclosure lights and (1) LED Diesel Exhaust Fluid fill light to aid in service. LED lighting provides brighter lighting and longer life.		\$294
L	488-1113	LIGHTS, AUX HALOGEN 0 FOR USE IN LANE 2 ONLY Auxiliary light package consisting of four (4) forward facing, cab mounted halogen (70W) wide flood work lights, and two (2) rear facing cab mounted halogen (70W) wide flood work lights, and two (2) rear door mounted halogen (70W) work/reversing lights. Plus three (3) additional LED engine enclosure lights to aid service.		\$396
L	559-0841	LIGHTS, AUX, HALOGEN 0 FOR USE IN LANE 3 ONLY Auxiliary light package consisting of four (4) forward facing, cab mounted halogen (70W) wide flood work lights, and two (2) rear facing cab mounted halogen (70W) wide flood work lights, and two (2) rear door mounted halogen (70W) work/reversing lights. Plus three (3) additional LED engine enclosure lights and (1) LED Diesel Exhaust Fluid fill light to aid in service.		\$426

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

ELECTRICAL (CONT.)

WORK LIGHTS (Cont.)

L	488-1114	LIGHTS, AUX LED 0 FOR USE IN LANE 2 ONLY Auxiliary LED/Halogen light package consisting of two (2) forward facing, cab mounted halogen (70W) wide flood work lights, two (2) forward facing, cab mounted LED (2100 lm) low beam work lights, two (2) rear facing, cab mounted LED (850 lm) wide flood work lights, two (2) rear door mounted halogen (70W) work/reversing lights. Plus three (3) additional LED engine enclosure lights to aid service. LED lighting provides brighter lighting and longer life.		\$925
L	559-0842	LIGHTS, AUX, LED 0 FOR USE IN LANE 3 ONLY Auxiliary LED/Halogen light package consisting of two (2) forward facing, cab mounted halogen (70W) wide flood work lights, two (2) forward facing, cab mounted LED (2100 lm) low beam work lights, two (2) rear facing, cab mounted LED (850 lm) wide flood work lights, two (2) rear door mounted halogen (70W) work/reversing lights. Plus three (3) additional LED engine enclosure lights and (1) LED Diesel Exhaust Fluid fill light to aid in service. LED lighting provides brighter lighting and longer life.		\$955
L	494-7970	LIGHTS, AUX LED PREMIUM 0 FOR USE IN LANE 2 ONLY Premium auxiliary LED light package consisting of two (2) forward facing, cab mounted LED (850 lm) wide flood work lights, two (2) forward facing, cab mounted LED (2100 lm) low beam work lights, two (2) rear facing, cab mounted LED (850 lm) wide flood work lights, two (2) rear door mounted LED (850 lm) work/reversing lights. Plus three (3) additional LED engine enclosure lights to aid service. LED lighting provides brighter lighting and longer life.		\$1,000
L	559-0844	LIGHTS, AUX, LED, PREMIUM 0 FOR USE IN LANE 3 ONLY Premium auxiliary LED light package consisting of two (2) forward facing, cab mounted LED (850 lm) wide flood work lights, two (2) forward facing, cab mounted LED (2100 lm) low beam work lights, two (2) rear facing, cab mounted LED (850 lm) wide flood work lights, two (2) rear door mounted LED (850 lm) work/reversing lights. Plus three (3) additional LED engine enclosure lights and (1) LED Diesel Exhaust Fluid fill light to aid in service. LED lighting provides brighter lighting and longer life.		\$1,030

ROADING LIGHTS

L	541-3066	LIGHTS, ROADING, HALOGEN, RH 0 FOR USE IN LANE 3 ONLY Includes (2) halogen roading lights for regions that drive on the right hand side of the road.		NC
L	541-3067	LIGHTS, ROADING, LED, RH 0 FOR USE IN LANE 3 ONLY Includes (2) LED roading lights for regions that drive on the right hand side of the road. LED lighting provides brighter lighting and longer life.		\$875

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT

CAB

L	423-7152	CAB, STANDARD 0 FOR USE IN LANE 2 ONLY ROPS cab includes automatic blower control, seat mounted implement controls, two heated external mirrors, two internal mirrors and primary instrument display. Tilt and telescoping steering wheel. Includes on/off functionality of soft touch panel functions, but does not allow real time adjustments. CANNOT BE USED WITH: 4302946 PREP PACK, EU, RH DIP LIGHTS 4302947 PREP PACK, EU, LH DIP LIGHTS		NC
L	536-5308	CAB, STANDARD 0 FOR USE IN LANE 3 ONLY ROPS cab includes automatic blower control, seat mounted implement controls, two heated external mirrors, two internal mirrors, primary instrument display and storage. Tilt and telescoping steering wheel. Includes on/off functionality of soft touch panel functions, but does not allow real time adjustments. CANNOT BE USED WITH: 4302946 PREP PACK, EU, RH DIP LIGHTS 4302947 PREP PACK, EU, LH DIP LIGHTS		NC
L	521-3244	CAB, DELUXE 0 FOR USE IN LANE 2 ONLY ROPS cab includes automatic blower control, seat mounted implement controls, two heated electrically adjusted external mirrors, two internal mirrors, enhanced in cab LED lighting, front and rear sun visor, tilt and telescopic steering wheel and windshield washing access steps. Also includes the secondary touch screen display which allows real time adjustments to: rimpull; creeper speed; 3rd & 4th maximum flow; throttle lock; fork fine mode; lift & tilt response; hystat modes; directional shift response; ride control activation speed; autolube intervals; bucket float; feather catch; rack snubbing; perfect parallelism, and duals as multi camera display when configured with optional rear camera.		\$3,035
L	536-5309	CAB, DELUXE 0 FOR USE IN LANE 3 ONLY ROPS cab includes automatic blower control, seat mounted implement controls, two heated electrically adjusted external mirrors, two internal mirrors, enhanced in cab LED lighting, front and rear sun visor, tilt, telescopic steering wheel, windshield washing access steps and storage. Also includes the secondary touch screen display which allows real time adjustments to: rimpull; creeper speed; 3rd & 4th maximum flow; throttle lock; fork fine mode; lift & tilt response; hystat modes; directional shift response; ride control activation speed; autolube intervals; bucket float; feather catch; rack snubbing; perfect parallelism, and duals as multi camera display when configured with optional rear camera.		\$3,035

SEAT

L	423-7200	SEAT, STANDARD 0 FOR USE IN LANE 2 ONLY Fully adjustable fabric covered mechanical suspension seat with mid backrest, armrests and 3 inch (75 mm) retractable seat belt.		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

SEAT (Cont.)

L	563-5966	SEAT, STANDARD 0 FOR USE IN LANE 3 ONLY Fully adjustable fabric covered mechanical suspension seat with mid backrest, headrest, armrests and 3 inch (75 mm) retractable high visibility orange seat belt.		NC
L	423-7201	SEAT, DELUXE 0 FOR USE IN LANE 2 ONLY Fully adjustable fabric covered AIR suspension seat with mid backrest, mechanical lumbar support, armrests and 3 inch (75 mm) retractable seat belt.		\$1,075
L	563-5967	SEAT, DELUXE 0 FOR USE IN LANE 3 ONLY Fully adjustable fabric covered AIR suspension seat with mid backrest, headrest, mechanical lumbar support, armrests, cushion tilt and extend along with 3 inch (75 mm) retractable high visibility orange seat belt		\$1,075
L	423-7202	SEAT, PREMIUM 0 FOR USE IN LANE 2 ONLY Fully adjustable LEATHER & Fabric AIR suspension seat with HIGH backrest, AIR LUMBAR support, armrests and 3 inch (75 mm) retractable seat belt. Seat is HEATED and COOLED through bottom cushion and backrest.		\$2,425
L	563-5968	SEAT, PREMIUM 0 FOR USE IN LANE 3 ONLY Fully adjustable LEATHER & Fabric AIR suspension set with HIGH backrest, headrest, AIR LUMBAR support, armrests, cushion tilt and extend along with 3 inch (75 mm) retractable high visibility orange seat belt. Seat is HEATED and COOLED through bottom cushion and backrest.		\$2,425

RADIO

Bluetooth radio technology enables the use of a hands free function such as listening to music and making phone calls. Authorization varies by country, please contact your Cat marketing representative with questions or click on the link below:
<https://dealer.cat.com/en/products/technology.html>

L	342-0130	RADIO, READY 0 Provides installed speakers and wiring for easy radio installation.		NC
L	378-0951	RADIO READY, BLUETOOTH, MIC, AUX 0 Provides installed speakers and wiring for easy radio installation. Includes Bluetooth interface, a microphone and aux inputs for powering MP3 players, etc.		\$545
L	372-1868	RADIO, BLUETOOTH, AUX, MIC 0 Provides a factory installed AM/FM radio with Bluetooth interface, microphone, and aux inputs for powering MP3 players, etc.		\$745

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

RADIO (Cont.)

L	333-1369	RADIO, CD, DELUXE 0		\$970
		Provides a factory installed AM/FM radio with weatherband and CD player designed for off road equipment. Includes Bluetooth interface, a microphone and aux inputs for powering MP3 players, etc.		

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation and condition of your equipment. Efficiently and effectively monitor the performance of your assets to help keep your jobs on schedule, maintain equipment condition and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Caterpillar marketing representative with questions.

L	454-0589	PRODUCT LINK, CELLULAR PL641 0		NC
		Product Link Pro series PL641 offers expanded coverage including 3G UMTS and CDMA2000 as well as 2G GSM and CDMA cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		
L	454-0590	PRODUCT LINK, SATELLITE PL631 0		\$432
		Product Link Pro series PL631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage.		
L	520-1720	PRODUCT LINK, CELLULAR PLE641 0		\$367
		Product Link Elite series PLE641 offers expanded coverage including 3G UMTS and CDMA2000 as well as 2G GSM and CDMA cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		
L	520-1721	PRODUCT LINK, SATELLITE PLE631 0		\$799
		Product Link Elite series PLE631 uses a satellite network to transmit location, utilization and health information for viewing in Product Link user applications. For use in areas with poor or no cellular coverage.		

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice. However, if the tire type cannot be supplied we will contact the dealer to propose alternatives. The dealer needs to choose between an alternative tire or a "rims only" option (where available) within 72 hours. If no response is provided by the deadline, the order will default to the alternative tire and will be changed at that point. As a consequence of a possible tire change, the total machine price will be decreased or increased depending on the price of the new tire.

For any tire with a Use type of C, please check with factory before placing order to confirm tire availability.

TIRES AVAILABLE FROM ALLIANCE

C	376-0794	TIRES,28L/26 AN 26PR LS-2 1 PC	0	\$19,140
		FOR USE IN LANE 3 ONLY Alliance;Forestry;28L-26;LS-2 High traction and robust lugs. Includes oscillation stops and fender extension brackets.		

TIRES AVAILABLE FROM MICHELIN

C	376-0874	TIRES,20.5R25 MX XMINE D2** L5	0	\$33,120
		FOR USE IN LANE 3 ONLY Michelin;Radial;XMINE D2;L5 Non directional tread;Includes axle oscillation stops		
C	376-0873	TIRES,17.5R25MX XMINED2**L53PC	0	\$21,010
		FOR USE IN LANE 3 ONLY Michelin;Radial;XMINE D2;L5		
C	373-7312	TIRES,750/65R26 MXMEGAXBIB* AG	0	\$19,480
		FOR USE IN LANE 3 ONLY Michelin;Radial;MegaXbib;Ag Includes axle oscillation stops REQUIRES: 366-8198 Fenders, Extended Cover to meet roading regulations in the EU		
C	373-7310	TIRES,620/75R26 MXMEGAXBIB* AG	0	\$16,490
		FOR USE IN LANE 3 ONLY Michelin;Radial;MegaXbib;Ag Directional tread;Includes axle oscillation stops		
C	366-6891	TIRES,20.5R25 MX XSNOPPLUS * L2	0	\$16,070
		Michelin;Radial;XSNOPPLUS;L2 Snow Non directional tread;Includes axle oscillation stops		
C	366-6899	TIRES, 550/65R25 MX XLD * L3	0	\$15,510
		FOR USE IN LANE 3 ONLY Michelin;Radial;XLD;L3 Low profile;Includes axle oscillation stops		
P	366-6879	TIRES,20.5R25 MX XHA2 * L3	0	\$15,390
		Michelin;Radial;XHA2;L3;3 pc rim Non directional tread;Includes axle oscillation stops		

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS (CONT.)

TIRES AVAILABLE FROM MICHELIN (Cont.)

P	366-6895	TIRES, 20.5R25 MX XTLA * L2 0 Michelin;Radial;XTLA;L2;3 pc rim Non directional tread;Includes axle oscillation stops		\$13,150
P	522-8582	TIRES,17.5R25 MX XHA2 * L3 3PC 0 FOR USE IN LANE 3 ONLY Michelin;Radial;XHA;L3;3 pc rim;Wide lug Non directional tread for lateral traction Heavy shoulder and protected sidewall		\$12,960
P	522-8583	TIRES,17.5R25 MX XHA2 * L3 1PC 0 FOR USE IN LANE 3 ONLY Michelin;Radial;XHA;L3;1 pc rim;Wide lug Non directional tread for lateral traction Heavy shoulder and protected sidewall		\$10,240

TIRES AVAILABLE FROM TITAN

P	376-0827	TIRES, 20.5R25 TI MXL * L3 0 Titan;Radial;MXL;L3;3 pc rim Aggressive non directional tread;Includes axle oscillation stops		\$10,300
---	----------	--	--	----------

TIRES AVAILABLE FROM TRELLEBORG

C	522-9071	TIRES,20.5R25 TL BRAWLER, SM 0 FOR USE IN LANE 3 ONLY Trelleborg;Brawler;20.5-25;Press on smooth solid tires CANNOT BE USED WITH: 467-7988 COUNTERWEIGHT, LOGGER/AGG 492-6480 TIRE, PRESSURE MONITOR The following EU arrangements: 430-2975 CONVERSION, TUV ROADING 430-2976 CONVERSION, TUV ROADING 20 KPH 472-6119 CONVERSION, IRH 472-6120 CONVERSION, IRH, ROADING, STD		\$44,080
C	522-9075	TIRES,20.5R25 TL BRAWLER, TR 0 FOR USE IN LANE 3 ONLY Trelleborg;Brawler;20.5-25 Press On Traction Solid Tires CANNOT BE USED WITH: 467-7988 COUNTERWEIGHT, LOGGER/AGG 492-6480 TIRE, PRESSURE MONITOR The following EU arrangements: 430-2975 CONVERSION, TUV ROADING 430-2976 CONVERSION, TUV ROADING 20 KPH 472-6119 CONVERSION, IRH 472-6121 CONVERSION, IRH, HIGH LIFT		\$43,000

TIRES AVAILABLE FROM TRIANGLE

C	376-0816	TIRES,20.5R25TR TL538S+ *** L5. 0 Triangle;Radial;TL538S+;***,L5		\$8,550
---	----------	---	--	---------

TIRES AVAILABLE FROM YOKOHAMA

P	357-8888	TIRES, 20.5R25 YK RB31 * L3 0 FOR USE IN LANE 3 ONLY Yokohama;Radial;RB31;L3;3 pcs Includes axle oscillation stops.		\$14,990
---	----------	--	--	----------

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS (CONT.)

RIMS ONLY

EAME DEALERS WHEN ORDERING WILL USE MAFI TRANSPORT (0P2489)

L	376-0833	RIMS, 20.5, 3 PCS, NO TIRES 0 FOR USE IN LANE 3 ONLY CANNOT BE USED WITH: The following EU arrangements: 430-2975 CONVERSION, TUV ROADING 430-2976 CONVERSION, TUV ROADING 20 KPH 472-6119 CONVERSION, IRH 472-6121 CONVERSION, IRH, HIGH LIFT		\$990
L	376-0832	RIMS, 17.5, 3 PC, NO TIRES 0 FOR USE IN LANE 3 ONLY CANNOT BE USED WITH: The following EU arrangements: 430-2975 CONVERSION, TUV ROADING 430-2976 CONVERSION, TUV ROADING 20 KPH 472-6119 CONVERSION, IRH 472-6121 CONVERSION, IRH, HIGH LIFT		\$880
L	376-0831	RIMS, 17.5, 1 PC, NO TIRES 0 FOR USE IN LANE 3 ONLY CANNOT BE USED WITH: The following EU arrangements: 430-2975 CONVERSION, TUV ROADING 430-2976 CONVERSION, TUV ROADING 20 KPH 472-6119 CONVERSION, IRH 472-6121 CONVERSION, IRH, HIGH LIFT		\$-960

NO TIRES / NO RIMS

	0P-2755	NO TIRES / NO RIMS 0 FOR USE IN LANE 3 ONLY CANNOT BE USED WITH: The following EU arrangements: 430-2975 CONVERSION, TUV ROADING 430-2976 CONVERSION, TUV ROADING 20 KPH 472-6119 CONVERSION, IRH 472-6121 CONVERSION, IRH, HIGH LIFT		\$-1,945
--	---------	---	--	----------

OTHER ATTACHMENTS

FENDERS

L	366-8148	FENDERS, STANDARD 0 Provides black, non-metallic front fenders and partial coverage rear fenders. CANNOT BE USED WITH: 430-2975 CONVERSION, TUV ROADING 430-2976 CONVERSION, TUV ROADING 20 KPH 472-6119 CONVERSION, IRH 472-6121 CONVERSION, IRH, HIGH LIFT 430-2982 CONVERSION, UK ROADING		NC
L	366-8149	FENDERS, EXTENDED COVER 0 Provides yellow, non-metallic front fenders and extended coverage rear fenders. Recommended for applications that include roading or long load and carry.		\$2,150

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

FENDERS (Cont.)

L	430-2849	FENDERS, FULL COVER 0 Provides yellow, non-metallic front fenders and full coverage rear fenders along with mud flaps on the back side of both front and rear tires. Recommended for applications such as snow removal and extremely muddy conditions.		\$2,695
L	366-8198	FENDERS, EXTENDED COVER 0 Recommended for use with 750/65R26 agriculture tires to provide full width coverage.		\$2,150
L	419-8850	FENDERS, DEFLECTORS 0 ONLY FOR USE WITH: 373-7312 Tires, 750/65R26 MX MEGAXBIB* AG Provides yellow, metal front deflectors that provides protection to hitch, ladder, and cab from debris thrown up or stuck in the front tires.		\$485

COUNTERWEIGHTS

L	348-2579	COUNTERWEIGHT, HEAVY 0 Standard Counterweight		NC
L	467-7988	COUNTERWEIGHT, LOGGER/AGG 0 Additional frame mounted counterweights This is NOT recommended for general construction machines and NOT compatible with high lift linkage configurations. Recommended for use with machines configured for segment markets such as Log and Lumber, Aggregate Handling, and Auto Re-Handling. CANNOT BE USED WITH: High Lift Linkage 522-9071 & 522-9075 Brawler Tires		\$3,535

TOOLBOX

L	519-8081	TOOLBOX AUX, NONE 0 Provides cosmetic cover over optional tool box location but does not include a tool box.		NC
L	491-7922	TOOLBOX AUX 0 Provides lockable tool box that mounts under the left side of the cab.		\$505

INSTRUCTIONS

OPERATION AND MAINTENANCE MANUAL

	0P-2491	KIT,SERIALIZED TECHNICAL MEDIA 0 The technical media kit will include the Operations & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com		NC
--	---------	---	--	----

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	--------------------	-------------------------

HYDRAULICS

ELECTRONIC CONTROL MODULE

L	536-5318	AUX ECM. 0 ONLY FOR USE IN LANE 3 Additional Electronic Control Module (ECM) to control 4th function hydraulics and/or dual mode steering. REQUIRES: 4 function hydraulics and/or dual mode steering	NC
---	----------	--	----

Supersedes 02JAN2018

Caterpillar: Confidential Green

US-A-19-01 A

Subject to change without notice

Printed in USA

U. S. DOLLAR CURRENCY

Effective 02JAN2019

926M-022

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

OPERATOR ENVIRONMENT

RIDE CONTROL

L	430-2859	RIDE CONTROL 0 Improves ride quality when travelling. In "Automatic" mode, Ride Control is set to activate above 6 mph. System is programmable between 1.6 km/h (1 mph) and 14.5 km/h (9 mph). Includes system active indicator on dash.		\$4,065
---	----------	---	--	---------

CAB FILTRATION

L	423-7157	PRECLEANER, CAB, RESPA 0 FOR USE IN LANE 3 ONLY Powered cab air precleaner improves operator air quality and cab pressurization. Includes cab pressure sensor.		\$3,230
---	----------	---	--	---------

WASHING ACCESS STEPS

L	469-0647	WINDSHIELD ACCESS STEPS 0 Provides right hand side front frame mounted steps and hand rail to facilitate access for an operator to clean the front windshield. CANNOT BE USED WITH: CAB, DELUXE		\$640
---	----------	--	--	-------

CAMERA

L	377-5635	CAMERA, REAR VIEW 0 Provides a wide angle (115 degree) rear view camera system. Requires the secondary display in the cab. Secondary display is included in Deluxe cab. ONLY FOR USE WITH: CAB, DELUXE CANNOT BE USED WITH: 430-2946 PREP PACK, EU, RH DIP LIGHTS 430-2947 PREP PACK, EU, LH DIP LIGHTS		\$1,075
---	----------	--	--	---------

INTEGRATED OBJECT DETECTION SYSTEM

For a list of countries that RF radar is approved for use in, visit <https://dealer.cat.com/detect>

L	377-5660	DETECTION, OBJECT (RADAR) 0 The Cat Integrated Object Detection System combines a camera, radar, and alarms to notify the operator when something is close to the rear of the machine. The system is configured with zones and objects in those zones trigger various levels of alarms. A display screen in the cab provides visual confirmation of the objects detected by the radar, so operators can make informed decisions. NOTE: Not available in all regions depending on radar approval. For a list of countries that the C6 radar is approved in please visit: https://dealer.cat.com/detect Object Detection - Approved Country Listing REQUIRES: CAB, DELUXE 377-5635 CAMERA, REAR VIEW		\$3,535
---	----------	--	--	---------

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

LIGHTS

L	333-1425	WARNING, BEACON, LED STROBE 0		\$267
		Provides hard mounted strobe beacon on hinged (breakaway) bracket mounted to the rear of the cab structure.		

MIRROR

L	482-5167	SIDE MIRROR, RH 0		\$94
		Provides a look down mirror mounted to the top right hand side of the cab.		

TECHNOLOGY PRODUCTS

CAT PRODUCTION MEASUREMENT (CPM) PAYLOAD WEIGHING SYSTEM

Cat M-series Small Wheel Loaders are available with the Cat Production Measurement (CPM) that includes an integrated onboard payload weighing scale. This measures and/or records:

- Payload weight, material ID, truck ID, cycle (bucket dumps) count and fuel consumption
- Allows on-the-go weighing of the bucket payload during the lift cycle
- Daily payload total (tonnes/tons), productivity (tonnes/hour or tons/hour) and efficiency (tonnes/liter or tons/gal) data is reported wirelessly via Product Link to the VisionLink fleet management web portal (Cat Essentials Product Link subscription required).
- Detailed payload, productivity and efficiency data can be downloaded to a laptop computer for analysis in the optional VIMSpC software (VIMSpC and VIMS data cable are required, but VIMS is NOT required).
- Payload tickets can be printed with an optional printer. Refer to the Cat Connect Payload Technologies intranet page (<https://dealer.cat.com/payload>) for complete technical specifications; operation, sales, marketing and technical support publications.

CALIBRATION INSTRUCTIONS

This requires calibration and set-up by either the dealer or customer. Refer to the Systems Operation Test & Adjust manual for system calibration, material and truck ID lists set-up and operation instructions.

L	566-4597	CONTROL GP,PAYLOAD,DEMO 250 HR 0		\$565
		FOR USE IN LANE 3 ONLY Includes sensors and 250 hours of demonstration time for Cat Production Measurement (CPM). See note above for calibration instructions. The 250 hours of demonstration time can be activated via the secondary display and will remind the operator when time is close to expiring. A permanent software license for Cat Production Measurement (CPM) will be a separate charge. Purchase software license from https://fps.cat.com (Use Reason Code #149). Requires SEA 518-3210 for permanent activation. REQUIRES: 536-5309 CAB, DELUXE 520-1720 PRODUCT LINK, CELLULAR PLE641 or 520-1721 PRODUCT LINK, SATELLITE PLE631		

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

CAT PRODUCTION MEASUREMENT (CPM) PAYLOAD WEIGHING SYSTEM (Cont.)

L	492-6471	CONTROL GP, PAYLOAD 0 Includes sensors, software license for Cat Production Measurement(CPM) Software is factory enabled, but the system must be calibrated prior to customer use. See note above for calibration instructions. REQUIRES: CAB, DELUXE 520-1720 PRODUCT LINK, CELLULAR PLE641 OR 520-1721 PRODUCT LINK, SATELLITE PLE631		\$4,945
L	494-7948	CONT GP, PRINTER 0 Provides onboard ticket printing capability for Cat Production Measurement (CPM). Printer mounts in rear right corner of cab. REQUIRES: 492-6471 CONTROL GP, PAYLOAD or 566-4597 CONTROL GP,PAYLOAD,DEMO READY		\$1,680

TIRE PRESSURE MONITORING

L	492-6480	MONITOR, TIRE PRESSURE 0 Provides four sensors that mount to the valve stem of each tire along with a receiver module that monitors both pressure and temperature in each tire. Tire pressure and temperature information is shared with the operator via the secondary display. Warnings are provided via the secondary display and through Unified Fleet if pressure is outside of a configurable target range. REQUIRES: CAB, DELUXE CANNOT BE USED WITH: 522-9071 TIRES,20.5R25 TL BRAWLER, SM 522-9075 TIRES,20.5R25 TL BRAWLER, TR		\$1,635
---	----------	--	--	---------

GUARDS

UPPER GUARDS

L	342-0250	GUARD, WINDSHIELD 0 Provides protection to the front windshield from falling debris in waste, forestry, agriculture etc. while allowing excellent visibility to the ground and worktool.		\$3,230
L	377-1530	GUARD, FRONT LIGHTS 0 Provides two (2) front light guards that mount over the headlights. CANNOT BE USED WITH: The following EU arrangements: 430-2975 CONVERSION, TUV ROADING 430-2976 CONVERSION, TUV ROADING 20 KPH 472-6119 CONVERSION, IRH 472-6121 CONVERSION, IRH, HIGHT LIFT 430-2982 CONVERSION, UK ROADING		\$378
L	377-1547	GUARD, REAR LIGHTS 0 Provides two (2) rear light guards that mount over the tail lights. Not compatible with Heavy Duty Rear Guard. CANNOT BE USED WITH: The following EU arrangements: 430-2975 CONVERSION, TUV ROADING 430-2976 CONVERSION, TUV ROADING 20 KPH 472-6119 CONVERSION, IRH 472-6121 CONVERSION, IRH, HIGHT LIFT 430-2982 CONVERSION, UK ROADING		\$430

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

GUARDS (CONT.)

UPPER GUARDS (Cont.)

L	433-9755	GUARD, TILT CYLINDER, STD LIFT 0 Provides protection to the tilt cylinder, preventing damage to the rod, hoses and cylinder seal. Cannot be used with endorsed check valve option.		\$775
L	433-9758	GUARD, TILT CYLINDER,HIGH LIFT 0 Provides protection to the tilt cylinder, preventing damage to the rod, hoses and cylinder seal. Cannot be used with endorsed check valve option.		\$870

LOWER GUARDS

L	349-8165	GUARD, POWERTRAIN, LOWER 0 Mounts underneath machine to provide protection for the transmission components		\$1,405
L	425-1425	GUARD, POWERTRAIN, SIDE 0 Mounts on side of machine to provide protection for the transmission components		\$545
L	349-8163	GUARD, CRANKCASE 0 Mounts underneath machine to provide protection to the engine components		\$965
L	349-7940	GUARD, DRIVESHAFT 0 Mounts underneath machine to provide front drive shaft protection.		\$615
L	430-2916	GUARD, STEERING CYLINDER 0 Provides protection to both steering cylinders, preventing damage to rods and cylinder seals.		\$750
L	391-1990	GUARD, HITCH 0 Provides protection to hitch area of the rear frame, preventing debris from entering the frame, while allowing visibility to service points.		\$690

OTHER ATTACHMENTS

DECALS

L	387-4096	FILM GP, WASTE HANDLER 0 REQUIRES: 349-7940 Guard, Driveshaft 349-8163 Guard, Crankcase 349-8165 Guard, Powertrain, Lower or all the following guards: 342-0250 Guard, Windshield 377-1530 Guard, Front Lights		\$61
L	387-4097	FILM GP, AGGREGATE 0 REQUIRES: 467-7988 Counterweight, Logger/Agg		\$61

REMOTE AXLE AND GEARBOX BREATHER

L	468-9772	BREATHER GROUP 0 Provides remote mounted breathers for both axles and hystat gearbox, used when machines enter deep water.		\$372
---	----------	--	--	-------

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

AUTOLUBE ARRANGEMENT

L	454-5890	AUTOLUBE 0 FOR USE IN LANE 2 ONLY Provides Caterpillar Autolube System for automatic lubrication of machine pin joints requiring daily lubrication: Linkage pin joints, including bucket pins, articulation hitch, steering cylinders and axle trunnions. System is accessed through the Secondary Display to adjust lubrication frequency and provide low reservoir alert. REQUIRES: 521-3244 CAB, DELUXE		\$6,620
L	536-5349	AUTOLUBE 0 FOR USE IN LANE 3 ONLY Provides Caterpillar Autolube System for automatic lubrication of machine pin joints requiring daily lubrication: Linkage pin joints, including bucket pins, articulation hitch, steering cylinders and axle trunnions. System is accessed through the Secondary Display to adjust lubrication frequency and provide low reservoir alert. REQUIRES: 536-5309 CAB, DELUXE		\$6,620

QUICK COUPLERS

COUPLERS

RECOMMENDED TO ALSO INSTALL COUNTERWEIGHT, HEAVY

L	430-2977	QUICK COUPLER, FUSION 0 FOR USE IN LANE 2 ONLY Includes an electro-hydraulic coupler actuation system activated from the cab. Includes constant pressure coupler wedges. REQUIRES COUPLER READY MACHINE		\$4,220
L	536-5313	QUICK COUPLER, FUSION 0 FOR USE IN LANE 3 ONLY Includes a cast coupler frame, and electro-hydraulic coupler actuation system activated from the cab. Includes constant pressure coupler wedges. REQUIRES COUPLER READY MACHINE		\$4,220
L	504-5752	QUICK COUPLER, ISO 23727 0 FOR USE IN LANE 2 ONLY Includes an electro-hydraulic cast coupler actuation system, activated from the cab. Includes lock valve cylinder. Compatible with many competitive worktools, ISO Standard coupler interface is also used by Volvo. REQUIRES COUPLER READY MACHINE		\$5,310
L	536-5315	QUICK COUPLER, ISO 23727 0 FOR USE IN LANE 3 ONLY Includes an electro-hydraulic cast coupler actuation system, activated from the cab. Includes lock valve cylinder. Compatible with many competitive worktools, ISO Standard coupler interface is also used by Volvo. REQUIRES COUPLER READY MACHINE		\$5,310
L	387-2859	TRANSPORT GROUP 0 Required when a machine is ordered without a coupler or Pin-On Bucket		\$545
L	492-1229	TRANSPORT GROUP 0 Required when a machine is ordered without a coupler and a Pin-On Bucket with a width of 108" or above (Not Installed)		\$545

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

QUICK COUPLERS (CONT.)

JUMPER LINES

L	441-3367	JUMPER LINES, 3RD FUNCTION 0 FOR USE IN LANE 2 ONLY Provides jumper lines and flat face connect under pressure quick disconnect coupling from 3rd function lines on the front linkage to the coupler. Requires either a Fusion or ISO Coupler.		\$585
---	----------	---	--	-------

WORK TOOLS

For European Dealers: For Lane 2 and Lane 3 orders no work tools can be ordered ex Factory (except for quick couplers). Please see WT-SWL price list for available work tools and order through Antares.

FORK CARRIAGE, FUSION COUPLER ONLY

P	345-2417	CARRIAGE, PALLET FORK 60" 781 FOR USE IN LANE 2 ONLY 1524mm width (60") Does not include tines. For Use With: Forks listed in the Fork Tines section below. REQUIRES: Fusion Coupler		\$2,610
P	532-8222	CARRIAGE, PAL C3/4, 62", FUS 711 FOR USE IN LANE 3 ONLY 1524mm width (60") Does not include tines. For Use With: Forks listed in the Fork Tines section below. REQUIRES: Fusion Coupler		\$2,610
P	345-2740	FORK, 60" CONSTRUCTION 2,081 FOR USE IN LANE 2 ONLY Construction forks, carriage, and tines 2435mm width (96") Includes 1524mm tines (60") REQUIRES: Fusion Coupler		\$9,594
P	538-3866	CARRIAGE FUS, FORK, 60", CON 0 FOR USE IN LANE 3 ONLY Construction forks, carriage, and tines 2435mm width (96") Includes 1524mm tines (60") REQUIRES: Fusion Coupler		\$9,594
P	345-2750	FORK, 72" CONSTRUCTION 2,178 FOR USE IN LANE 2 ONLY Construction forks, carriage, and tines 2435mm width (96") Includes 1829mm tines (72") REQUIRES: Fusion Coupler		\$10,640
P	538-3867	CARRIAGE FUS, FORK, 72", CON 0 FOR USE IN LANE 3 ONLY Construction forks, carriage, and tines 2435mm width (96") Includes 1829mm tines (72") REQUIRES: Fusion Coupler		\$10,640

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

WORK TOOLS (CONT.)

FORK TINES STRAIGHT

NOTE: Price is for a quantity of one (1). Must order a quantity of two (2).

P	371-2348	FORK TINE, 2.25" X 6" X 48"	297	\$918
		REQUIRES: CARRIAGE 345-2417 or 532-8222		
P	371-2354	FORK TINE, 2.25" X 6" X 54"	321	\$986
		REQUIRES: CARRIAGE 345-2417 or 532-8222		
P	371-2360	FORK TINE, 2.25" X 6" X 60"	345	\$1,019
		REQUIRES: CARRIAGE 345-2417 or 532-8222		

FORK TINES HIGH VISIBILITY (OFFSET)

(MUST ORDER BOTH RIGHT AND LEFT FORKS)

P	371-2374	FORK TINE, 2.25"X6"X48", RIGHT	301	\$1,072
		High visibility forks recommended for enhanced line of site to fork tips		
		REQUIRES: Carriage 345-2417 or 532-8222 and 371-2375 FORK TINE, 2.25"X6"X48", LEFT		
P	371-2375	FORK TINE, 2.25"X6"X48", LEFT	301	\$1,072
		High visibility forks recommended for enhanced line of site to fork tips		
		REQUIRES: Carriage 345-2417 or 532-8222 and 371-2374 FORK TINE, 2.25"X6"X48", RIGHT		
P	360-3354	FORK TINE, 2.25"X6"X54", LEFT	323	\$1,122
		High visibility forks recommended for enhanced line of site to fork tips		
		REQUIRES: Carriage 345-2417 or 532-8222 and 360-3355 FORK TINE, 2.25"X6"X54", RIGHT		
P	360-3355	FORK TINE, 2.25"X6"X54", RIGHT	323	\$1,122
		High visibility forks recommended for enhanced line of site to fork tips		
		REQUIRES: Carriage 345-2417 or 532-8222 and 360-3354 FORK TINE, 2.25"X6"X54", LEFT		
P	371-2377	FORK TINE, 2.25"X6"X60", RIGHT	348	\$1,172
		High visibility forks recommended for enhanced line of site to fork tips		
		REQUIRES: Carriage 345-2417 or 532-8222 and 371-2376 FORK TINE, 2.25"X6"x60", LEFT		
P	371-2376	FORK TINE, 2.25"X6"X60", LEFT	348	\$1,172
		High visibility forks recommended for enhanced line of site to fork tips		
		REQUIRES: Carriage 345-2417 or 532-8222 and 371-2377 FORK TINE, 2.25"X6"x60", RIGHT		

MATERIAL HANDLING ARM

P	360-3300	ARM, MATERIAL HANDLING	1,071	\$5,361 NI
		FOR USE IN LANE 2 ONLY		
		Four positions, one fixed, three manually adjustable.		
		REQUIRES: Fusion Coupler		
P	510-5071	ARM, MATERIAL HANDLING	0	\$5,632 NI
		FOR USE IN LANE 3 ONLY		
		Four positions, one fixed, three manually adjustable.		
		REQUIRES: Fusion Coupler		

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

BUCKETS

ALL BUCKETS LISTED HERE ARE "PERFORMANCE SERIES" BUCKETS OFFERING IMPROVED PENETRATION AND INCREASED FILL FACTOR

EAME DEALERS, PLEASE SEE WT-SWL PRICE LIST.

BUCKETS, GENERAL PURPOSE (FUSION)

P	345-2418	BUCKET, GP, 2.5YD3, FUS 1,705 2550mm (100") width General Purpose Bucket Capacities: 1.8 m3 (2.4 yd3) w/bolt-on adapters 1.9 m3 (2.5 yd3) w/bolt-on adapters and segments 1.9 m3 (2.5 yd3) w/bolt-on cutting edge		\$6,783
P	360-3320	BUCKET, GP, 2.7YD3, FUS 1,819 2550mm (100") width General Purpose Bucket Capacities: 2.0 m3 (2.6 yd3) w/bolt-on adapters 2.1 m3 (2.7 yd3) w/bolt-on adapters and segments 2.1 m3 (2.7 yd3) w/bolt-on cutting edge		\$7,421
P	360-3322	BUCKET, GP, 3.0YD3, FUS 1,901 2550mm (100") width General Purpose Bucket Capacities: 2.2 m3 (2.9 yd3) w/bolt-on adapters 2.3 m3 (3.0 yd3) w/bolt-on adapters and segments 2.3 m3 (3.0 yd3) w/bolt-on cutting edge		\$8,376
P	345-2424	BUCKET, GP, 3.2YD3, FUS 2,119 2550mm (100") width General Purpose Bucket Capacities: 2.4 m3 (3.1 yd3) w/bolt-on adapters 2.5 m3 (3.2 yd3) w/bolt-on adapters and segments 2.5 m3 (3.2 yd3) w/bolt-on cutting edge		\$9,326
P	345-2784	BUCKET, GP, 3.2YD3, FUS 2,121 2750mm (108") width General Purpose Bucket Capacities: 2.4 m3 (3.1 yd3) w/bolt-on adapters 2.5 m3 (3.2 yd3) w/bolt-on adapters and segments 2.5 m3 (3.2 yd3) w/bolt-on cutting edge		\$9,438 NI
P	345-2426	BUCKET, GP, 3.5YD3, FUS 2,215 2750mm (108") width General Purpose Bucket Capacities: 2.6 m3 (3.4 yd3) w/bolt-on adapters 2.7 m3 (3.5 yd3) w/bolt-on adapters and segments 2.7 m3 (3.5 yd3) w/bolt-on cutting edge		\$9,947 NI

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

BUCKETS (CONT.)

BUCKETS, GENERAL PURPOSE (FUSION) (Cont.)

P	345-2428	BUCKET, GP, 3.8 YD3, FUS	2,292	\$10,456 NI
		2750mm (108") width General Purpose Bucket Capacities: 2.8 m3 (3.7 yd3) w/bolt-on adapters 2.9 m3 (3.8 yd3) w/bolt-on adapters and segments 2.9 m3 (3.8 yd3) w/bolt-on cutting edge		

BUCKETS, GENERAL PURPOSE (PIN-ON)

P	345-2818	BUCKET, GP, 2.5YD3, PO	1,786	\$6,783
		FOR USE IN LANE 3 ONLY 2550mm (100") width General Purpose Bucket Capacities: 1.8 m3 (2.4 yd3) w/bolt-on adapters 1.9 m3 (2.5 yd3) w/bolt-on adapters and segments 1.9 m3 (2.5 yd3) w/bolt-on cutting edge		
P	345-2820	BUCKET, GP, 2.7YD3, PO	1,883	\$7,421
		2550mm (100") width General Purpose Bucket Capacities: 2.0 m3 (2.6 yd3) w/bolt-on adapters 2.1 m3 (2.7 yd3) w/bolt-on adapters and segments 2.1 m3 (2.7 yd3) w/bolt-on cutting edge		
P	345-2822	BUCKET, GP, 3.0YD3, PO	1,965	\$8,376
		2550mm (100") width General Purpose Bucket Capacities: 2.2 m3 (2.9 yd3) w/bolt-on adapters 2.3 m3 (3.0 yd3) w/bolt-on adapters and segments 2.3 m3 (3.0 yd3) w/bolt-on cutting edge		
P	345-2824	BUCKET, GP, 3.2YD3, PO	2,154	\$9,326
		FOR USE IN LANE 3 ONLY 2550mm (100") width General Purpose Bucket Capacities: 2.4 m3 (3.1 yd3) w/bolt-on adapters 2.5 m3 (3.2 yd3) w/bolt-on adapters and segments 2.5 m3 (3.2 yd3) w/bolt-on cutting edge		

BUCKETS, FLAT FLOOR (FUSION)

Recommended for fine grading and back drag applications. This bucket features a flat floor that helps operators create a finished grade.

P	491-0515	BUCKET, FF, 3.0 YD3, FUS, BOCE	2,370	\$10,608
		FOR USE IN LANE 3 ONLY Width 2550 mm (100"). Includes BOCE. Flat Floor Bucket Capacity: 2.3 m3 (3.0 yd3) fill factor 100%		

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

BUCKETS (CONT.)

BUCKETS, FLAT FLOOR (PIN ON)

Recommended for fine grading and back drag applications. This bucket features a flat floor that helps operators create a finished grade.

P	490-3050	BUCKET, FF, 3.0 YD3, PO, BOCE	2,445	\$10,608
		FOR USE IN LANE 3 ONLY		
		Width 2550 mm (100"). Includes BOCE.		
		Flat Floor Bucket		
		Capacity: 2.3 m3 (3.0 yd3) fill factor 100%		

BUCKETS, SAND & GRAVEL (FUSION)

Recommended for aggregate handling applications. This bucket includes additional wear plates for improved life when handling abrasive materials.

P	451-1403	BUCKET, S&G, 3.2 YD3, FUS	2,228	\$10,549 NI
		2750mm (108") width		
		Aggregate Bucket		
		Capacities:		
		2.4 m3 (3.1 yd3) w/bolt-on adapters		
		2.5 m3 (3.2 yd3) w/bolt-on adapters and segments		
		2.5 m3 (3.2 yd3) w/bolt-on cutting edge		

P	469-0191	BUCKET, S&G, 3.8 YD3, FUS	0	\$11,567 NI
		2750mm (108") width		
		Aggregate Bucket		
		Capacities:		
		2.8 m3 (3.7 yd3) w/bolt-on adapters		
		2.9 m3 (3.8 yd3) w/bolt-on adapters and segments		
		2.9 m3 (3.8 yd3) w/bolt-on cutting edge		

BUCKETS, SAND & GRAVEL (PIN-ON)

Recommended for aggregate handling applications. This bucket includes additional wear plates for improved life when handling abrasive materials.

P	430-3300	BUCKET, S&G, 3.2 YD3, PO	2,261	\$10,549 NI
		2750mm (108") width		
		Aggregate Bucket		
		Capacities:		
		2.3 m3 (3.1 yd3) w/bolt-on adapters		
		2.4 m3 (3.2 yd3) w/bolt-on adapters and segments		
		2.4 m3 (3.2 yd3) w/bolt-on cutting edge		

BUCKETS, LIGHT MATERIAL (FUSION)

P	441-4460	BUCKET, LM, 4.1YD3, FUS	2,370	\$9,299 NI
		2750mm (108") width		
		Light Materials Bucket		
		Capacities:		
		3.0 m3 (4.0 yd3) w/bolt-on adapters		
		3.1 m3 (4.1 yd3) w/bolt-on adapters and segments		
		3.1 m3 (4.1 yd3) w/bolt-on cutting edge		

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

BUCKETS (CONT.)

BUCKETS, LIGHT MATERIAL (FUSION) (Cont.)

P	345-2760	BUCKET, LM, 4.5YD3, FUS	2,554	\$9,979 NI
		2750mm (108") width Light Materials Bucket Capacities: 3.4 m3 (4.4 yd3) w/bolt-on adapters 3.5 m3 (4.5 yd3) w/bolt-on adapters and segments 3.5 m3 (4.5 yd3) w/bolt-on cutting edge		
P	441-4475	BUCKET, LM, 5.1YD3, FUS	2,696	\$10,999 NI
		2750mm (108") width Light Materials Bucket Capacities: 3.7 m3 (5.0 yd3) w/bolt-on adapters 3.8 m3 (5.1 yd3) w/bolt-on adapters and segments 3.8 m3 (5.1 yd3) w/bolt-on cutting edge		
P	345-2768	BUCKET, LM, 5.5YD3, FUS	2,853	\$11,678 NI
		2750mm (108") width Light Materials Bucket Include visibility windows Capacities: 4.1 m3 (5.4 yd3) w/bolt-on adapters 4.2 m3 (5.5 yd3) w/bolt-on adapters and segments 4.2 m3 (5.5 yd3) w/bolt-on cutting edge		
P	345-2762	BUCKET, LM, 6.5YD3, FUS	2,992	\$13,376 NI
		2750mm (108") width Light Materials Bucket Include visibility windows Capacities: 4.9 m3 (6.4 yd3) w/bolt-on adapters 5.0 m3 (6.5 yd3) w/bolt-on adapters and segments 5.0 m3 (6.5 yd3) w/bolt-on cutting edge		

BUCKETS, LIGHT MATERIAL (PIN-ON)

P	441-4450	BUCKET, LM, 4.00YD3, PO	2,411	\$9,129 NI
		2750mm (108") width Light Materials Bucket Capacities: 2.9 m3 (3.9 yd3) w/bolt-on adapters 3.0 m3 (4.0 yd3) w/bolt-on adapters and segments 3.0 m3 (4.0 yd3) w/bolt-on cutting edge		
P	345-2764	BUCKET, LM, 4.5YD3, PO	2,598	\$9,979 NI
		2750mm (108") width Light Materials Bucket Capacities: 3.4 m3 (4.4 yd3) w/bolt-on adapters 3.5 m3 (4.5 yd3) w/bolt-on adapters and segments 3.5 m3 (4.5 yd3) w/bolt-on cutting edge		

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

BUCKETS (CONT.)

BUCKETS, LIGHT MATERIAL (PIN-ON) (Cont.)

P	441-4465	BUCKET, LM, 5.1YD3, PO 2,743 2750mm (108") width Light Materials Bucket Capacities: 3.8 m3 (5.0 yd3) w/bolt-on adapters 3.9 m3 (5.1 yd3) w/bolt-on adapters and segments 3.9 m3 (5.1 yd3) w/bolt-on cutting edge		\$10,999 NI
P	345-2770	BUCKET, LM, 5.5YD3, PO 2,893 2750mm (108") width Light Materials Bucket Include visibility windows Capacities: 4.1 m3 (5.4 yd3) w/bolt-on adapters 4.2 m3 (5.5 yd3) w/bolt-on adapters and segments 4.2 m3 (5.5 yd3) w/bolt-on cutting edge		\$11,678 NI
P	345-2766	BUCKET, LM, 6.5YD3, PO 3,043 FOR USE IN LANE 3 ONLY 2750mm (108") width Light Materials Bucket Include visibility windows Capacities: 4.9 m3 (6.4 yd3) w/bolt-on adapters 5.0 m3 (6.5 yd3) w/bolt-on adapters and segments 5.0 m3 (6.5 yd3) w/bolt-on cutting edge		\$13,376 NI

BUCKET ATTACHMENTS, 2550mm (100") BUCKET

P	8E-4566	CUTTING EDGE, BOLT ON(4 PIECE) 365		\$789
P	8E-4568	SEGMENTS, BOLT ON 205 REQUIRES: 116-9713 adapter group and One tip selection		\$540
P	251-5418	CUTTING EDGE GP, RUBBER, 100" 455 FOR USE IN LANE 3 ONLY Provides a two-section rubber cutting edge.		\$3,017

BUCKET ATTACHMENTS, 2750mm (108") BUCKET

P	345-2758	CUTTING EDGE, BOLT ON, 4 PIECE 319		\$917
P	7T-9326	SEGMENTS, BOLT ON, SET OF 7 205 25mm Thick (1 req'd) REQUIRES: 116-9713 adapter group and One tip selection		\$601
P	444-1522	CUTTING EDGE GP, RUBBER, 108" 493 Provides a two-section rubber cutting edge.		\$3,167

BUCKET ATTACHMENTS, ADAPTERS & TIPS

P	116-9713	ADAPTERS, BOLT ON, SET OF 8 346 REQUIRES: Segments Tips		\$1,318
P	9W-8142	TIPS, LONG, SET OF 8 55 REQUIRES: Segments Adapters		\$645

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

BUCKETS (CONT.)

BUCKET ATTACHMENTS, ADAPTERS & TIPS (Cont.)

P	9W-8143	TIPS, SHORT, SET OF 8	40	\$645
		REQUIRES: Segments Adapters		

FLUIDS

	OP-2407	ANTIFREEZE, -50C (-58F)	0	\$251 NET
		For use where there is a possibility ambient temperatures may fall below -37C (-34F) and down to a minimum of -52C (-62F)		
	430-2981	HYDRAULIC OIL, BIODEGRADABLE	0	\$2,345

ALTERNATE SOURCED ATTACHMENTS

Available through ANTARES Parts Ordering
NOTE: US & Canada ONLY may place orders in CMOPS to be transferred via the bridge to ANTARES Parts Ordering.
 When ordering via CMOPS include top level reference numbers (0P3536) and OP number for packing.

NO RETURNS will be accepted for kit components not used or parts removed from machines during kit installation.

KIT ORDERS MUST BE ORDERED SEPARATELY FROM A MACHINE ORDER.

P	370-7008	KIT, WARNING, BEACON, LED STROBE	0	\$190 NI
		Kit provides hard mounted LED strobe beacon on hinged (breakaway) bracket mounted to the rear of the cab structure.		
P	374-5868	KIT, LIGHTS, AUX, HALOGEN	0	\$253 NI
		Kit provides two (2) additional forward facing, cab mounted halogen (70W) wide flood work lights, and two (2) rear facing cab mounted halogen (70W) wide flood work lights.		
P	452-0853	KIT, LIGHTS, AUX, LED	0	\$840 NI
		Kit provides two (2) additional forward facing, cab mounted LED (2100 lm) low beam work lights, two (2) rear facing, cab mounted LED (850 lm) wide flood work lights. LED lighting provides brighter lighting and longer life.		
P	441-4005	KIT, QUICK DISCONNECTS	0	\$369 NI
		Kit provides a set (male & female) of flat face connect under pressure quick disconnects. Recommended to adapt existing work tools to the new improved SWL quick disconnects. For use with machines before serial number LTE06550.		
P	463-3793	KIT, REAR VIEW CAMERA	0	\$1,261 NI
		Kit provides rear view camera that mounts to rear door and harness. Requires secondary display.		

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)

P	463-3794	KIT, MONITOR, SECONDARY DISPLAY 0 Kit provides a secondary display which allows real time adjustments to rimpull, creeper speed, 3rd function flow, throttle lock, and duals as a rear camera display (camera not included). For use with machines before serial number LTE03500		\$1,939 NI
P	494-7956	KIT, MONITOR, SECONDARY DISPLAY 0 Kit provides a secondary touch screen display which allows real time adjustments to rimpull, creeper speed, 3rd function flow, throttle lock, and duals as a rear camera display (camera not included)		\$1,874 NI
P	463-3795	KIT, LIGHTS, LED, ENGINE 0 Kit provides three (3) additional LED engine enclosure lights to illuminate the way for checking oil and coolant levels along with refueling the machine in dark conditions. For use with machines before serial number LTE06550.		\$257 NI
P	463-3801	KIT, OBJECT DETECTION, RADAR 0 Kit provides a rear door mounted radar system to warn the operator visually and audibly of close-by objects to the rear of the machine. Requires secondary display and rear camera.		\$4,172 NI
P	441-3368	KIT, JUMPER LINES, 3RD FUNCTION 0 Kit provides 3rd function jumper lines and threaded flat face connect under pressure quick disconnects mounted to the coupler. Recommended for use with 3rd function work tools. Provides a kit to add 3rd function jumper line. For use with machines before serial number LTE06550.		\$679 NI
P	376-5324	KIT, PRECLEANER, CAB AIR-RESPA 0 Provides a powered cab air pre cleaner, mounting brackets, and interior cab pressure sensor. Improves operator air quality and cab pressurization. Recommended for high debris environments.		\$2,219 NI
P	376-4390	KIT, PRECLEANER, TURBINE 0 Kit provides turbine precleaner for the engine that ejects particles before intake. Recommended for high debris environments.		\$593 NI
P	467-7992	KIT, COUNTERWEIGHT, LOGGER/AGG 0 Kit converts a heavy counterweight machine to a Logger/Agg counterweight machine by additional frame mounted counterweight for use in applications such as Log and Lumber, Aggregate Handling, Auto Re-Handling and heavy material handling. NOT recommended for general construction machines. NOT compatible for High Lift Linkage configurations. CANNOT BE USED WITH: Brawler Tires		\$4,294 NI
P	447-4893	KIT, COUPLER READY 0 Kit provides coupler valve and hydraulic lines to convert a 2V pin on STD lift machine into a 2V coupler ready machine For use with machines before serial number LTE06550.		\$888 NI
P	374-5793	KIT, QUICK COUPLER, ISO 23727 0 Kit provides an electro-hydraulic coupler actuation system activated from the cab. Includes lock valve cylinder. Compatible with many competitive work tools, ISO standard coupler interface is also used by Volvo. Requires Coupler Ready Machine. Recommend to also install Counterweight, Heavy		\$6,189 NI

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)

P	545-5498	KIT, QUICK COUPLER, ISO 23727 0 Kit provides an electro-hydraulic Cast ISO Interface coupler actuation system activated from the cab. Includes lock valve cylinder. Compatible with many competitive work tools, ISO standard coupler interface is also used by Volvo. Requires Coupler Ready Machine. Recommend to also install Counterweight, Heavy For use with machines before serial number LTE06550.		\$6,189 NI
P	374-5790	KIT, QUICK COUPLER, FUSION 0 Kit provides an electro-hydraulic coupler actuation system activated from the cab. Includes constant pressure coupler wedges. Requires Coupler Ready Machine. Recommend to also install Counterweight, Heavy For use with machines before serial number LTE06550.		\$4,929 NI
P	377-4149	ADAPTER FUSION CONVERTER 499 Provides adaptor bracket with fusion hooks on the back and manually engaged IT pins on the front allowing it to interface with IT coupler tools. Recommended for mixed fleet customers. Adaptor pushes attachment away from machine resulting in decreased lift and tilt capacity.		\$2,665 NI
P	371-2400	KIT, FUSION, FLATBACK HOOKS 330 Provides brackets with Fusion hooks on the back and a flat interface on the front allowing it to be welded to existing SWL work tools. Recommended for customers who want to re-hinge existing non Fusion tools or competitive tools to a Fusion interface.		\$1,049 NI
P	471-7009	KIT, FNR, COLUMN 0 Kit provides a FNR shifter lever, wiring harness, mounting bracket and templates to modify the existing bracket and covers to install the shifter on the left hand (LH) side of the steering column. The multi-function stalk switch is relocated to the right hand (RH) side of the column.		\$403 NI
P	374-5855	KIT, BLOCK HEATER, 120V 0 Kit provides 120V block heater to improve cold start performance.		\$299 NI
P	374-5856	KIT, BLOCK HEATER, 240V 0 Kit provides 240V block heater to improve cold start performance.		\$299 NI
P	374-5854	KIT, ETHER START 0 Kit provides ether starting aid to improve cold start performance.		\$454 NI
P	370-7007	KIT, START, HEAVY DUTY 0 Kit provides battery box for installation of 2 additional batteries (in place of standard tool box), along with cables and battery tie-downs (batteries not included).		\$1,363 NI
P	387-4189	KIT, ALTERNATOR HEAVY DUTY 0		\$1,599 NI
P	452-0855	KIT, RIDE CONTROL 0 Kit provides multi-accumulator system to absorb shock and reduce machine bounce when traveling. For use with machines before serial number LTE06550.		\$4,746 NI

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)

P	374-5859	KIT, STEERING, SECONDARY 0 Kit provides a combined electric motor / hydraulic pump along with required lines to add a secondary back-up steering system for increased safety. Required in some countries and some locations by OSHA/MSHA.		\$3,589 NI
P	374-5857	KIT, FENDERS, EXTENDED COVER 0 Kit provides yellow, non-metallic front fenders and extended coverage rear fenders. Kit converts standard fender group to extended cover. Recommended for applications that include long load and carry.		\$2,515 NI
P	562-5684	KIT, GLASS, FRONT, POLY 0 Kit provides optical grade, fretted anti-glare tinted and anti-scratch coated polycarbonate front upper windshield, lower left and right window panels. Each panel is individually serviceable and will provide improved impact resistance from falling debris in various applications such as waste, recycling, forestry and agriculture while allowing unobstructed visibility to the ground and work tool. The polycarbonate kit is compatible with KIT, GUARD, WINDSHIELD for additional protection.		\$2,033 NI
P	387-4190	KIT, GUARD, WINDSHIELD 0 Kit provides protection to the front windshield from falling debris in waste, forestry, agriculture, etc. while allowing excellent visibility to the ground and worktool.		\$3,772 NI
P	374-5861	KIT, GUARD, FRONT LIGHTS 0 Kit provides two (2) front light guards that mount over the headlights. CANNOT BE USED WITH: 430-2975 CONVERSION, TUV ROADING 430-2976 CONVERSION, TUV ROADING 20 KPH 472-6119 CONVERSION, IRH 472-6121 CONVERSION, IRH, HIGHT LIFT 430-2982 CONVERSION, UK ROADING		\$442 NI
P	374-5862	KIT, GUARD, REAR LIGHTS 0 Kit provides two (2) rear light guards that mount over the tail lights. For use with machines before serial # break LTE02948. Not compatible with Heavy Duty Rear Guard. CANNOT BE USED WITH: 430-2975 CONVERSION, TUV ROADING 430-2976 CONVERSION, TUV ROADING 20 KPHG 472-6119 CONVERSION, IRH 472-6121 CONVERSION, IRH, HIGHT LIFT 430-2982 CONVERSION, UK ROADING		\$503 NI
P	512-9616	KIT, GUARD, REAR LIGHTS 0 Kit provides two (2) rear light guards that mount over the tail lights. For use with machines after serial # break LTE02948. Not compatible with Heavy Duty Rear Guard. CANNOT BE USED WITH: 430-2975 CONVERSION, TUV ROADING 430-2976 CONVERSION, TUV ROADING 20 KPHG 472-6119 CONVERSION, IRH 472-6121 CONVERSION, IRH, HIGHT LIFT 430-2982 CONVERSION, UK ROADING		\$503 NI
P	374-5842	KIT, GUARD, DRIVESHAFT 0 Kit provides drive shaft guard that mounts underneath the front frame.		\$724 NI

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)

P	452-0857	KIT, GUARD, POWERTRAIN, SIDE 0 Kit provides two (2) side transmission guards that mount to both sides of the rear frame.		\$635 NI
P	374-5844	KIT, GUARD, POWERTRAIN, LOWER 0 Kit provides lower transmission guard that mounts underneath the rear frame.		\$1,657 NI
P	374-5845	KIT, GUARD, CRANKCASE 0 Kit provides engine crankcase guard that mounts underneath the rear frame.		\$1,126 NI
P	437-8603	KIT, GUARD, FENDERS, WASTE 0 Provides yellow, metal front deflectors that provides protection to hitch, ladder, and cab from debris thrown up or stuck in the front tires.		\$592 NI
P	377-1594	KIT, GUARD, STEERING CYLINDER 0 Provides protection to both steering cylinders, preventing damage to rods and cylinder seals.		\$881 NI
P	433-2002	KIT, GUARD, HITCH 0 Provides protection to hitch area of the rear frame, preventing debris from entering the frame, while allowing visibility to service points.		\$799 NI
P	437-1878	KIT, GUARD, TILT CYL, STD LIFT 0 Provides protection to the tilt cylinder, preventing damage to the rod, hoses and cylinder seal. Cannot be used with endorsed check valve option.		\$903 NI
P	437-1879	KIT, GUARD, TILT CYL,HIGH LIFT 0 Provides protection to the tilt cylinder, preventing damage to the rod, hoses and cylinder seal. Cannot be used with endorsed check valve option.		\$1,014 NI
P	457-0939	KIT, 2V2L 0 Kit provides 2 valve single axis lift and tilt levers with console mounted FNR, diff lock and horn switches		\$1,465 NI
P	387-4021	KIT, 3RD VALVE, STANDARD LIFT 0 Kit provides implement valve section, joystick and hydraulic lines to convert a 2 valve (2V) Standard Lift machine to 3 valve (3V) For use with machines before serial number LTE03500		\$2,701 NI
P	527-8436	KIT, 3RD VALVE, STANDARD LIFT 0 Kit provides implement valve section, joystick and hydraulic lines to convert a 2 valve (2V) Standard Lift machine to 3 valve (3V) For use with machines after serial number LTE03500 and before LTE06550		\$2,701 NI
P	420-4331	KIT, 3RD VALVE, HIGH LIFT 0 Kit provides implement valve section, joystick and hydraulic lines to convert a 2V High Lift machine to 3 Valve. For use with machines before serial number LTE06550.		\$2,996 NI
P	452-0862	KIT, 4TH VALVE, STANDARD LIFT 0 Kit provides implement valve section, joystick, ECM and hydraulic lines to convert a 3 valve (3V) STD Lift machine to 4 valve (4V) For use with machines before serial number LTE06550.		\$2,517 NI

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
ALTERNATE SOURCED ATTACHMENTS (CONT.)				
P	452-0858	KIT, REVERSING FAN 0 Kit provides a hydraulically operated demand fan with reversing option. Includes automatic and manual controls for fan reversal. Recommended for applications with a high content of airborne debris. For use with machines before serial number LTE06550.		\$2,331 NI
P	452-0859	KIT, FULL COVER, MUD FLAPS 0 Kit provides mud flaps and extended coverage to front of rear tires. Kit converts extended cover fender group to full cover. Not for use with 366-8148 Fenders, Standard.		\$635 NI
P	372-1949	KIT, VISION MONITOR (WAVS) 0 Kit provides a dedicated rear vision monitor mounted high on the cab A post. Required in some EU countries where a rear view needs to be on permanent display. Can be used with any NTSC or PAL camera located elsewhere on the machine.		\$1,701 NI
P	370-7004	KIT, SECURITY SYSTEM, CAT MSS 0 Kit provides a programmable system to manage access to machine. Includes 2 special MSS keys.		\$1,175 NI
P	416-1179	KIT, RADIO, CD, DELUXE 0 Provides a AM/FM radio with weatherband and CD player, includes Bluetooth, Aux & USB capability		\$1,133 NI
P	372-1871	KIT, RADIO AM/FM 0 Kit provides a AM/FM radio with Bluetooth, Aux & USB capability		\$624 NI
P	472-6125	KIT, CONV, 20 KPH SPEED LIMITER 0 Kit provides 20 kph speed labels and electronically limits speed to 20 kph. CANNOT BE USED WITH: 472-6123 KIT, CONV, TUV ROADING 20 KPH		\$21 NI NET
P	374-5865	KIT, LICENSE PLATE 0 Kit provides illuminated license plate holder that mounts to the rear door.		\$253 NI
P	363-4245	KIT, DRAIN, ECO FUEL 0 Kit provides an ecology drain plug and tube for the fuel tank.		\$485 NI
P	416-1958	KIT, FILM, WASTE HANDLER 0		\$29 NI
P	416-1959	KIT, FILM, AGGREGATE 0		\$29 NI
P	416-1960	KIT, FILM, FOREST HANDLER 0		\$29 NI
P	452-0861	KIT, STARTING, HIGH ALTITUDE 0 Kit provides a hydraulic fan bypass valve to improve cold starting in cold weather high altitude conditions.		\$888 NI
P	387-4185	KIT, STEERING, DUAL MODE 0		\$1,383 NI
P	419-7164	KIT, BREATHER GROUP 0 0 Provides remote mounted breathers for both axles and hystat gearbox, used when machines enter deep water.		\$447 \$319 NI

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)

P	522-0264	KIT, AUTOLUBE 0 Kit includes Caterpillar Autolube System for automatic lubrication of machine pin joints requiring daily lubrication: Linkage pin joints, including bucket pins, articulation hitch, steering cylinders and rear axle trunnions. System is accessed through the Secondary Display to adjust lubrication frequency and provide low reservoir alert. Kit is compatible with both standard lift & high lift machine configurations. For use with machines after serial number LTE03500 and before LTE06550		\$5,531 NI
P	450-0490	KIT, THERMAL BYPASS 0 Kit provides a cold oil cooler bypass valve for machines that continuously operate in ambient temperatures lower than -5 Deg C and enables oil to quickly warm up to 50 Deg C		\$600 NI
P	445-2010	KIT, WINDSHIELD ACCESS STEPS 0 Kit provides right hand side front frame mounted steps and hand rail to facilitate access for an operator to clean the front windshield.		\$763 NI
P	502-4860	KIT, SERVICE TIE OFF 0 Kit provides service tie off on left rear corner of cab that is a weld on dealer attachment.		\$140 NI
P	418-4190	KIT, FUEL DOOR 0 Kit provides an elevated fuel fill location along with an access door for fueling the machine through the large right side service door without opening it.		\$624 NI
P	460-2752	KIT, RIM 17X25 3PC X4 0 Kit provides a set of 4 three piece rims for use with 20.5R25 tires. Enables easier switching between different types of tires in the field		\$4,683 NI
P	494-8000	KIT, ELITE, NETWORK MANAGER 0 Kit includes Network Manager for conversion of Product Link Pro to Product Link Elite. Required to field install Cat Production Measurement kit 494-7590		\$419 NI
P	494-7950	KIT, CONTROL GP, PAYLOAD 0 Kit includes sensors and hardware. Software license for Cat Production Measurement (CPM) will be a separate charge. Requires secondary display and Product Link Elite (Network Manager). Requires purchase of software license from https://fps.cat.com (Use Reason Code #149). Requires SEA 518-3210 for permanent activation. For use with Clayton, North Carolina sourced machines containing serial numbers greater than LTE03500.		\$574 NI
P	494-7947	KIT, MONITOR, TIRE PRESSURE 0 Kit includes four sensors that mount to the valve stem of each tire along with a receiver module that monitors both pressure & temperature in each tire. Tire pressure & temperature information is shared with the operator via the secondary display. Warnings are provided via the secondary display and through Unified Fleet if pressure is outside of a configurable target range. Software license for Cat Tire Pressure Monitoring (TPM) will be a separate charge. Requires secondary touch screen display. Requires SEA 518-3231 for permanent activation. For use with Clayton, North Carolina sourced machines containing serial numbers greater than LTE03500.		\$1,911 NI

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------------	--------------------	-------------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)

P	494-8001	KIT, CONT GP, PRINTER 0 Kit includes printer for onboard ticket printing capability for Cat Production Measurement (CPM). Printer mounts in rear right corner of cab. REQUIRES: 492-6471 Control GP Payload or kit 494-7950	0	\$1,967 NI
---	----------	--	---	-------------------

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)

ENDORSED FIELD INSTALLED ATTACHMENTS

Caterpillar does not warrant, service, or assume responsibility for these attachments.

All orders, pricing confirmation, and other communication for these attachments must be directed to the listed manufacturer.

SAS AUTO HANDLING CARRIAGE & 15FT FORKS

15 ft. fixed width forks, specifically designed for moving cars and light trucks from the front with a high level of stability. High visibility carriage with forks designed for easy, damage free loading.

SAS AUTO HANDLING CARRIAGE & 7FT CAR BODY FORKS

7 ft. fixed width forks specifically designed for moving cars and light trucks from the side. High visibility carriage with forks designed for easy, damage free loading.

SAS AUTO HANDLING CARRIAGE & 6FT CRUSHING FORKS

6 ft. fixed width crushing forks specifically designed for crushing car roofs, moving stacks of cars, and loading car crushers.

SAS AUTO RECYCLER SCORPION ENGING PULLER

Multi-purpose design allows for quick removal of engines and transmissions from salvage cars, center plow blade for clean up, and 7 ft. forks for loading and unloading. Note: additional machine modifications required for work tool hydraulic integration.

All SAS Auto Handling attachments above are available with the following coupler interfaces: Fusion, Versa Link, ISO, Pin-On

Contact: Adam Lindley or Paul Secker

Phone: 1-877-727-3675 or 1-920-845-2198

Email: adam@sasforks.com/paul@sasforks.com

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	----------------------------	--------------------	-------------------------

ALTERNATE SOURCED ATTACHMENTS (CONT.)**FIRE SUPPRESSION SYSTEM**

System to protect engine installation, hydraulic pumps, and transmission from a thermal incident. Fully integrated system which includes an in cab monitor of machine enclosure temperatures and focused foam based suppression system. Activates automatically as well as manually, from the cab or from the outside of the machine.

For use when machine is in application or environments with potentially flammable air borne debris or waste materials.

CONTACT YOUR DEALER OR AFEY FOR PRICING AND TERMS

Steve Payne
spayne@afexsystems.com
(919)-781-6610 Tel
(919)-787-3915 Fax
www.afexsystems.com

CATERPILLAR MACHINE PRICE LIST

926M

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
PACKING				
	OG-8010	PACKING, PHYTO-SANITARY WOOD 0 All wood or wood derivative packaging material with this shipment requires Phytosanitary Certificate. If all packing material is wood-free (metal or plastic), this shipment requires a Declaration of No Wood Packing Material.		NC
	OP-2266	SHIPPING/STORAGE PROTECTION 0 Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.		\$207 NET
	398-6472	TRANSPORT PROTECTION 0 Provides protection against corrosion during transport and storage, with particular emphasis on plated fasteners, engine components, and hydraulic cylinders. Includes OP2266 PROTECTION,SHIP&STORE STANDARD		\$443
	OG-6022	CERTIFICATE OF ORIGIN, ENGLISH 0		\$10 NET
	OP-0210	PACK, DOMESTIC TRUCK 0		NC
	OP-2160	PACK, MISCELLANEOUS MATERIAL 0 Exfactory Kits, Freight Collect		NC
	OP-2161	PACKING, KIT (RUSH) 0 Exfactory Kits, Freight Collect, Expedite Shipment		\$139 NET