

CATERPILLAR MACHINE PRICE LIST

**930M**

930M WHEEL LOADER  
 CLAYTON, NC, USA

Ship Weight  
 lbs

LIST PRICE  
 AT DEALER

Standard Equipment:

**POWERTRAIN**

- Axle seal guards
- Auto idle shut down feature
- Cat C7.1ACERT engine
- Power modes (standard and performance)
- Power by range (high Power in range 4)
- Tier 4 Final/Stage IV compliant
- Turbocharged and aftercooled
- Filtered crankcase breather
- Diesel particulate filter
- Selective catalyst reduction
- Coolant protection to -34C (-29F)
- Differential lock in front axle
- Dry type air cleaner
- Enclosed wet disc full hydraulic brakes
- Fuel priming pump, automatic
- Fuel water separator
- Hydraulically driven demand cooling fan
- Hydrostatic transmission with electronic control
- Operator modes (default, TC, hystat and ice)
- Directional shift aggressiveness (fast, medium, slow)
- Rimpull control, adjust wheel torque
- Creeper control, adjust ground speed
- Lubed for life driveshafts
- Parking brake, electric
- Single plane cooling package wide 6 fins per inch density
- S-O-S port, engine, coolant, transmission oil

**HYDRAULICS**

- Automatic lift and bucket kickouts, adjustable in-cab
- Bucket and fork modes, adjustable in-cab
- Cylinder damping at kickout and mechanical end stops
- Fine mode control (fast, medium, slow) in fork mode
- Hydraulic response setting (fast, medium, slow)
- Hydraulic diagnostic connectors and S-O-S ports
- Hydraulic sight gauge, visible
- Load sensing hydraulics and steering
- Seat mounted hydraulic joystick controls

**ELECTRICAL**

- Alternator, 115-amp, heavy duty
- 12V power supply in cab (2)
- Batteries, 1,000 CCA (2) 24 volt system, disconnect switch
- Back up alarm

- Emergency shutdown switch
- LED rear stop and turn lights
- Heavy duty gear reduction starter
- Product Link
- Remote jump start post
- Resettable main and critical function breakers
- Rooding lights front and rear

**OPERATOR ENVIRONMENT**

- 75 mm (3 in) retractable seatbelt
- Automatic temperature control
- Cab, enclosed ROPS/FOPS pressurized and sound suppressed
- Cup holders
- External heated mirrors with lower parabolic
- Ground level cab door release
- Gauges
- Digital hour meter, odometer and tachometer
- Digital ground speedometer and direction indicator
- Engine coolant temperature gauge
- Fuel and diesel exhaust fluid level indicator
- Hydraulic oil temperature gauge
- Hydraulic control lockout
- Interior cab lighting, door and dome
- Interior rearview mirrors (2)
- Lunch box storage
- Operator warning system indicators
- Radio ready speakers
- Rear window defrost, electric
- Seat mounted electronic implement controls, adjustable
- Sliding glass on the side windows
- Column mounted multi function control -lights, wipers, turn signal
- Suspension seat, fabric
- Tilt and telescope steering wheel
- Tinted front glass
- Wet arm wiper/washer, 2-speed and intermittent, front
- Wet arm wiper washer, rear

**OTHER STANDARD EQUIPMENT**

- Large-access enclosure doors with adjustable close/open force
- Parallel lift loader linkage
- Recovery hitch with pin
- Remote mounted lubrication points
- Vandalism protection-lockable compartments

CATERPILLAR MACHINE PRICE LIST

**930M**

930M WHEEL LOADER CLAYTON, NC, USA	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------------	--------------------	-------------------------

**Lane 2 is reserved for the Base Order Management Program  
 Please use Lane 2 when placing orders that are part of the Base Order  
 Management program**

<b>521-3604</b>	<b>930M WHEEL LOADER DCA1</b> .....0 LANE 1 - AVAILABLE FROM CLAYTON PDC	<b>\$223,340</b>
-----------------	---	------------------

- INCLUDES:
- 430-2806 930M WHEEL LOADER
  - 430-2945 PREP PACK, NORTH AMERICA
  - 430-2833 HYD,3V,COUPLER READY,STD LIFT
  - 333-6850 STEERING, STANDARD
  - 333-6529 DIFFERENTIAL, OPEN REAR
  - 430-2855 ENVIRONMENT, STANDARD
  - 454-0609 WEATHER STANDARD
  - 521-3244 CAB, DELUXE
  - 423-7201 SEAT, DELUXE
  - 372-1868 RADIO, BLUETOOTH, AUX, MIC
  - 366-8148 FENDERS, STANDARD
  - 333-6691 COUNTERWEIGHT, HEAVY
  - 377-5635 CAMERA, REAR VIEW
  - 430-2860 RIDE CONTROL
  - 430-2977 QUICK COUPLER, FUSION
  - 430-3038 ENGINE AR
  - 454-0589 PRODUCT LINK, CELLULAR PL641
  - 488-1113 LIGHTS, AUX HALOGEN
  - 519-8081 TOOLBOX AUX, NONE

NOTE: Please refer to the Lane 1 section to complete your order.

CATERPILLAR MACHINE PRICE LIST

**930M**

930M WHEEL LOADER CLAYTON, NC, USA	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------------	--------------------	-------------------------

<b>521-3605</b> <b>930M WHEEL LOADER DCA2</b> ..... 0 LANE 1 - AVAILABLE FROM CLAYTON PDC	<b>\$229,050</b>
---	------------------

- INCLUDES:
- 430-2806 930M WHEEL LOADER
  - 430-2945 PREP PACK, NORTH AMERICA
  - 430-2833 HYD,3V,COUPLER READY,STD LIFT
  - 333-6850 STEERING, STANDARD
  - 333-6527 DIFFERENTIAL,LIMITED SLIP REAR
  - 430-2855 ENVIRONMENT, STANDARD
  - 454-0610 WEATHER, COLD START 120V
  - 521-3244 CAB, DELUXE
  - 423-7201 SEAT, DELUXE
  - 372-1868 RADIO, BLUETOOTH, AUX, MIC
  - 366-8148 FENDERS, STANDARD
  - 333-6691 COUNTERWEIGHT, HEAVY
  - 430-2860 RIDE CONTROL
  - 377-5635 CAMERA, REAR VIEW
  - 430-2977 QUICK COUPLER, FUSION
  - 430-3038 ENGINE AR
  - 454-0589 PRODUCT LINK, CELLULAR PL641
  - 488-1113 LIGHTS, AUX HALOGEN
  - 491-7922 TOOLBOX AUX

NOTE: Please refer to the Lane 1 section to complete your order.

<b>521-3606</b> <b>930M WHEEL LOADER DCA3</b> ..... 0 LANE 1 - AVAILABLE FROM CLAYTON PDC	<b>\$238,910</b>
---	------------------

- INCLUDES:
- 430-2806 930M WHEEL LOADER
  - 430-2945 PREP PACK, NORTH AMERICA
  - 430-2863 HYD,3V,COUPLER READY,HIGH LIFT
  - 333-6850 STEERING, STANDARD
  - 333-6527 DIFFERENTIAL,LIMITED SLIP REAR
  - 430-2875 ENVIRONMENT, HIGH DEBRIS
  - 454-0610 WEATHER, COLD START 120V
  - 521-3244 CAB, DELUXE
  - 423-7201 SEAT, DELUXE
  - 372-1868 RADIO, BLUETOOTH, AUX, MIC
  - 366-8148 FENDERS, STANDARD
  - 333-6691 COUNTERWEIGHT, HEAVY
  - 430-2860 RIDE CONTROL
  - 377-5635 CAMERA, REAR VIEW
  - 430-2977 QUICK COUPLER, FUSION
  - 430-3038 ENGINE AR
  - 454-0589 PRODUCT LINK, CELLULAR PL641
  - 488-1113 LIGHTS, AUX, HALOGEN
  - 519-8081 TOOLBOX AUX, NONE

NOTE: Please refer to the Lane 1 section to complete your order.

CATERPILLAR MACHINE PRICE LIST

**930M**

930M WHEEL LOADER CLAYTON, NC, USA	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------------	--------------------	-------------------------

<b>521-3600</b>	<b>930M WHEEL LOADER DCA4</b> . . . . . 0	<b>\$232, 650</b>
	LANE 1 - AVAILABLE FROM CLAYTON PDC	

- INCLUDES:  
 513-2577 930M SWL AG HANDLER  
 430-2945 PREP PACK, NORTH AMERICA  
 513-2583 HYD,3V,COUPLER READY,HIGH LIFT  
 333-6850 STEERING, STANDARD  
 333-6527 DIFFERENTIAL,LIMITED SLIP REAR  
 430-2865 ENVIRONMENT, MEDIUM DEBRIS  
 454-0610 WEATHER, COLD START 120V  
 521-3244 CAB, DELUXE  
 423-7201 SEAT, DELUXE  
 372-1868 RADIO, BLUETOOTH, AUX, MIC  
 366-8148 FENDERS, STANDARD  
 467-7989 COUNTERWEIGHT, LOGGER/AGG  
 430-2860 RIDE CONTROL  
 377-5635 CAMERA, REAR VIEW  
 430-2977 QUICK COUPLER, FUSION  
 430-3038 ENGINE AR  
 454-0589 PRODUCT LINK, CELLULAR PL641  
 488-1113 LIGHTS, AUX HALOGEN  
 491-7922 TOOLBOX AUX  
 333-1425 WARNING, BEACON, LED STROBE  
 441-3367 JUMPER LINES, 3RD FUNCTION

NOTE: Please refer to the Lane 1 section to complete your order.

<b>430-2806</b>	<b>930M WHEEL LOADER</b> . . . . . 0	<b>\$203, 340</b>
	LANE 2 - AVAILABLE FROM CLAYTON FACTORY	

<b>536-5301</b>	<b>930M WHEEL LOADER</b> . . . . . 0	<b>\$204, 480</b>
	LANE 3 - AVAILABLE FROM CLAYTON FACTORY	

<b>513-2577</b>	<b>930M SWL AG HANDLER</b> . . . . . 0	<b>\$193, 560</b>
	LANE 2 - AVAILABLE FROM CLAYTON FACTORY	

Machine arrangement includes an Ag Handler decal along with quick cycle times and higher working pressures to meet the needs of agriculture environments.

REQUIRES: 467-7989 COUNTERWEIGHT, LOGGER/AGG

<b>536-5302</b>	<b>930M SWL AG HANDLER</b> . . . . . 0	<b>\$194, 700</b>
	LANE 3 - AVAILABLE FROM CLAYTON FACTORY	

Machine arrangement includes an Ag Handler decal along with quick cycle times and higher working pressures to meet the needs of agriculture environments.

REQUIRES: 467-7989 COUNTERWEIGHT, LOGGER/AGG

<b>OP-3537</b>	<b>930M MISC MATERIAL</b> . . . . . 0	<b>NC</b>
	ONLY AVAILABLE FROM WACO PARTS SERVICE	

Use this top level reference when ordering miscellaneous kits located in the Alternate Sourced Attachments section.

CATERPILLAR MACHINE PRICE LIST

**930M**

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

**LANE 1 AM-NORTH MANDATORY ATTACHMENTS**

**LANE SELECTION**

OP-9001	LANE 1 ORDER . . . . .	0	NC
---------	------------------------	---	----

**TIRES**

Due to industry-wide tire availability, tires may change based on availability. Tire changes are available on a limited basis through Lane 1 using OP-4218 and may extend delivery time of a DCA arrangement based on target tire arrangement availability. For any Lane 1 tire offering with a use type of C, please check with factory before placing order to confirm tire availability.

P	376-0786	TIRES, 20.5R25 YK RB31 * L3 . . . . . Yokohama;Radial;RB31;L3;3 pcs Includes axle oscillation stops. ONLY FOR USE WITH: DCA1, DCA2 and DCA3	0	\$14,990
P	366-6880	TIRES,20.5R25 MX XHA2 * L3 . . . . . Michelin;Radial;XHA2;L3;3 pc rim Non directional tread;Includes axle oscillation stops ONLY FOR USE WITH: DCA4	0	\$15,390

**OPERATION AND MAINTENANCE MANUAL**

OP-2491	KIT,SERIALIZED TECHNICAL MEDIA . . . . . The technical media kit will include the Operations & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com	0	NC
---------	--	---	----

**DECAL PACKAGES**

P	430-2963	INSTRUCTIONS, ANSI, US . . . . . This package includes picto decals as required for North America except for Canada.	0	NC
P	430-2964	INSTRUCTIONS, ISO, CANADA . . . . . This package includes picto decals as required for Canada.	0	NC

**PROTECTION**

OP-2266	SHIPPING/STORAGE PROTECTION . . . . . Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.	0	\$207 NET
---------	--	---	-----------

**PACKING**

OP-0210	PACK, DOMESTIC TRUCK . . . . .	0	NC
---------	--------------------------------	---	----

CATERPILLAR MACHINE PRICE LIST

**930M**

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

**LANE 1 AM-NORTH OPTIONAL ATTACHMENTS**

**SPECIAL ARRANGEMENTS - FINISH TO ORDER**

NEW!!! Additional attachments that can be added to PDC machines to allow quick ship and configuration flexibility.  
 NO RETURNS accepted for kit components not used or for parts removed from machine during kit installation.  
 FOR USE WITH ALL DCA'S UNLESS OTHERWISE STATED.

**OPTIONS**

L	452-0857	<b>KIT, GUARD, POWERTRAIN, SIDE</b> . . . . . 0 Kit provides two (2) side transmission guards that mount to both sides of the rear frame.		\$539
L	374-5842	<b>KIT, GUARD, DRIVESHAFT</b> . . . . . 0 Kit provides drive shaft guard that mounts underneath the front frame.		\$613
L	374-5844	<b>KIT, GUARD, POWERTRAIN, LOWER</b> . . . . . 0 Kit provides lower transmission guard that mounts underneath the rear frame.		\$1,408
P	374-5845	<b>KIT, GUARD, CRANKCASE</b> . . . . . 0 Kit provides engine crankcase guard that mounts underneath the rear frame.		\$965
P	467-7992	<b>KIT, COUNTERWEIGHT, LOGGER/AGG</b> . . . . . 0 Kit converts a heavy counterweight machine to a Logger/Agg counterweight machine by additional frame mounted counterweight for use in applications such as Log and Lumber, Aggregate Handling, Auto Re-Handling and heavy material handling. NOT recommended for general construction machines. NOT compatible for High Lift Linkage configurations. CANNOT BE USED WITH: Brawler Tires		\$3,536
L	370-7008	<b>KIT, WARNING, BEACON, LED STROBE</b> . . . . . 0 Kit provides hard mounted strobe beacon on hinged (breakaway) bracket mounted to the rear of the cab structure.		\$222
P	441-3368	<b>KIT, JUMPER LINES, 3RD FUNCTION</b> . . . . . 0 Kit provides 3rd function jumper lines and threaded flat face connect under pressure quick disconnects mounted to the coupler. Recommended for use with 3rd function work tools. Provides a kit to add 3rd function jumper line. For use with machines before serial number KTG05000 For use with machines before serial number HEY00550 CANNOT BE USED WITH: DCA4		\$583

**TIRES**

	0P-4218	<b>TIRE ARR, CHANGE</b> . . . . . 0 Charge to cover the costs of completing a tire arrangement change including hardware, oscillation stops, fender adjustments and time to complete the work. Tire changes are available on a limited basis and may extend delivery time of a DCA arrangement based on target tire arrangement availability. For any Lane 1 tire offering with a use type of C, please check with factory before placing order to confirm tire availability.		\$530 NET
--	---------	--	--	-----------

CATERPILLAR MACHINE PRICE LIST

**930M**

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

**LANE 1 AM-NORTH OPTIONAL ATTACHMENTS (CONT.)**

**SPECIAL ARRANGEMENTS - FINISH TO ORDER (Cont.)**

P	376-0786	TIRES, 20.5R25 YK RB31 * L3 . . . . . 0 Yokohama;Radial;RB31;L3;3 pcs Includes axle oscillation stops. REQUIRES: 0P4218 TIRE ARR, CHANGE ONLY FOR USE WITH: DCA4		\$14,990
---	----------	--	--	----------

**WORK TOOLS**

**GENERAL PURPOSE BUCKETS**

P	360-3321	BUCKET, GP, 2.7YD3, FUS, BOCE . . . . . 2,101 Includes: BUCKET-GP, HO Cutting Edge, Bolt On (4 Piece) 2550mm (100") width General Purpose Bucket		\$8,210
P	360-3323	BUCKET, GP, 3.0YD3, FUS, BOCE . . . . . 2,141 Includes: BUCKET-GP, HO Cutting Edge, Bolt On (4 Piece) 2550mm (100") width General Purpose Bucket		\$9,165
P	417-4925	BUCKET, GP, 3.2YD3, FUS, BOCE . . . . . 2,403 Includes: BUCKET-GP, HO Cutting Edge, Bolt On (4 Piece) 2550mm (100") width General Purpose Bucket		\$10,115
P	417-4355	BUCKET, GP, 3.2YD3, FUS, BOCE . . . . . 2,430 Includes: BUCKET-GP, HO Cutting Edge, Bolt On (4 Piece) 2750mm (108") width General Purpose Bucket		\$10,354 NI
P	345-2427	BUCKET, GP, 3.5YD3, FUS, BOCE . . . . . 2,519 Includes: BUCKET-GP, HO Cutting Edge, Bolt On (4 Piece) 2750mm (108") width General Purpose Bucket		\$10,864 NI
P	417-4929	BUCKET, GP, 3.8YD3, FUS, BOCE . . . . . 2,601 Includes: BUCKET-GP, HO Cutting Edge, Bolt On (4 Piece) 2750mm (108") width General Purpose Bucket		\$11,372 NI

**LIGHT MATERIAL BUCKETS**

CATERPILLAR MACHINE PRICE LIST

**930M**

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

**LANE 1 AM-NORTH OPTIONAL ATTACHMENTS (CONT.)**

**WORK TOOLS (Cont.)**

P	417-4935	BUCKET, LM, 4.5YD3, FUS, BOCE . . . . .	2,873	\$10,896 NI
		Includes: BUCKET-LM, HO Cutting Edge, Bolt On (1 Piece) 2750mm (108") width Light Materials Bucket		
P	417-4342	BUCKET, LM, 5.5YD3, FUS, BOCE . . . . .	3,172	\$12,594 NI
		Includes: BUCKET-LM, HO Cutting Edge, Bolt On (1 Piece) 2750mm (108") width Light Materials Bucket		

**CARRIAGE & FORKS**

P	452-6545	FORKS, 54" PALLET . . . . .	1,423	\$4,582
		60" wide carriage with 54" Pallet tines		
P	452-6546	FORKS, 60" CONSTRUCTION . . . . .	2,081	\$9,594
		96" wide carriage with 60" Construction tines		
P	452-6547	FORKS, 72" CONSTRUCTION . . . . .	2,178	\$10,640
		96" wide carriage with 72" Construction tines		



CATERPILLAR MACHINE PRICE LIST

**930M**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**LANE SELECTION**

OP-9002	<b>LANE 2 ORDER</b> . . . . .	0	<b>NC</b>
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
OP-9003	<b>LANE 3 ORDER</b> . . . . .	0	<b>NC</b>

**REGIONAL PACKAGES**

L	430-2943 <b>PREP PACK, UNITED STATES</b> . . . . .	0	<b>NC</b>
	Includes ANSI Decals and right hand dip lights.		

**FEATURE PACKAGES**

**CONTROLS**

L	333-6850 <b>STEERING, STANDARD</b> . . . . .	0	<b>NC</b>
L	333-6856 <b>STEERING, STANDARD, DUAL MODE</b> . . . . .	0	<b>\$1,185</b>
	Adds the ability to enable Dual Mode Steering (Quick Steer) to minimize operator efforts in repetitive cycles. REQUIRES: 536-5318 AUX ECM (LANE 3 ONLY)		
L	333-6854 <b>STEERING, SECONDARY</b> . . . . .	0	<b>\$3,080</b>
	Provides limited steering control in the event of a loss of power or a loss of hydraulic flow. Includes operator warning system indicator and operator alarm		
L	366-7954 <b>STEERING, SECONDARY, DUAL MODE</b> . . . . .	0	<b>\$4,255</b>
	Adds the ability to enable Dual Mode Steering (Quick Steer) and provides a secondary back-up steering system. REQUIRES: 536-5318 AUX ECM (LANE 3 ONLY)		

**REAR AXLE**

L	333-6529 <b>DIFFERENTIAL, OPEN REAR</b> . . . . .	0	<b>NC</b>
	Open rear differential (without a traction aid) in addition to the standard front axle diff-lock.		
L	333-6527 <b>DIFFERENTIAL,LIMITED SLIP REAR</b> . . . . .	0	<b>\$3,070</b>
	Adds a rear limited slip traction aid in addition to the standard front axle diff-lock.		

**SPECIAL ARRANGEMENTS**

**ENVIRONMENT PACKAGES**

L	430-2855 <b>ENVIRONMENT, STANDARD</b> . . . . .	0	<b>NC</b>
	FOR USE IN LANE 2 ONLY Contains dustbowl precleaner, standard fan and standard 115 amp alternator. CANNOT BE USED WITH: 513-2577 930M SWL AG HANDLER		

CATERPILLAR MACHINE PRICE LIST

**930M**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**SPECIAL ARRANGEMENTS (CONT.)**

**ENVIRONMENT PACKAGES (Cont.)**

L	536-5320	<b>ENVIRONMENT, STANDARD</b> . . . . . 0 FOR USE IN LANE 3 ONLY Contains dustbowl precleaner, standard fan and standard 115 amp alternator. CANNOT BE USED WITH: 536-5302 930M SWL AG HANDLER		NC
L	430-2865	<b>ENVIRONMENT, MEDIUM DEBRIS</b> . . . . . 0 FOR USE IN LANE 2 ONLY Adds Sy-Klone engine pre-cleaner and reversing fan but maintains 115 amp alternator.		\$2,530
L	536-5340	<b>ENVIRONMENT, MEDIUM DEBRIS</b> . . . . . 0 FOR USE IN LANE 3 ONLY Adds Sy-Klone engine pre-cleaner and reversing fan but maintains 115 amp alternator.		\$2,530
L	536-5350	<b>ENVIRONMENT, HIGH DEBRIS</b> . . . . . 0 FOR USE IN LANE 3 ONLY Adds Sy-Klone engine pre-cleaner and reversing fan and upgrades to a brushless, filtered 150 amp alternator.		\$3,900

**COLD WEATHER PACKAGES**

L	454-0609	<b>WEATHER, STANDARD</b> . . . . . 0 Appropriate at temperatures above -10 Celsius (15 Fahrenheit) and altitude below 1500 meters (5000 feet)		NC
L	454-0610	<b>WEATHER, COLD START 120V</b> . . . . . 0 Adds ether starting aid, 120V block heater and two additional batteries on the machine right (in place of standard toolbox) for better cold starting.		\$2,130
L	452-0878	<b>WEATHER, THERMAL BYPASS 120V</b> . . . . . 0 FOR USE IN LANE 3 ONLY Adds the cold start package of ether starting aid, 120V block heater and two additional batteries on the machine right (in place of standard toolbox) along with a thermal bypass valve that allows hydraulic oil to bypass the cooler and quickly warm up. Recommended for use in extreme cold climates for better cold starting and hydraulic performance.		\$2,530

**ENGINE**

L	430-3038	<b>ENGINE AR.</b> . . . . . 0		NC
---	----------	-------------------------------	--	----

**HYDRAULICS**

**LINKAGE/HYDRAULICS/VALVES**

For Use With 430-2806 Wheel Loader in Lane 2 OR  
 For Use With 536-5301 Wheel Loader in Lane 3 as noted

CATERPILLAR MACHINE PRICE LIST

**930M**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**HYDRAULICS (CONT.)**

**LINKAGE/HYDRAULICS/VALVES (Cont.)**

L	430-2831	HYD,2V,PIN-ON,STD LIFT . . . . . 0 FOR USE IN LANE 2 ONLY Standard Lift, 2 function hydraulics For use with pin-on attachments DOES NOT ALLOW INSTALLATION OF QUICK COUPLER.		NC
L	536-5331	HYDRAULICS, 2V, PIN-ON, SL . . . . . 0 FOR USE IN LANE 3 ONLY Standard Lift, 2 function hydraulics, For use with pin-on attachments DOES NOT ALLOW INSTALLATION OF QUICK COUPLER.		NC
L	430-2832	HYD,2V,COUPLER READY,STD LIFT . . . . . 0 FOR USE IN LANE 2 ONLY Standard Lift, 2 function hydraulics, coupler ready. Coupler and cab switch not included.		\$545
L	536-5332	HYDRAULICS, 2V, CPLR READY, SL . . . . . 0 FOR USE IN LANE 3 ONLY Standard Lift, 2 function hydraulics, coupler ready. Coupler not included.		\$545
L	430-2833	HYD,3V,COUPLER READY,STD LIFT . . . . . 0 FOR USE IN LANE 2 ONLY Standard Lift, 3 function hydraulics, coupler ready. Coupler and cab switch not included.		\$2,695
L	536-5333	HYDRAULICS, 3V, CPLR READY, SL . . . . . 0 FOR USE IN LANE 3 ONLY Standard Lift, 3 function hydraulics, coupler ready. Coupler not included. Does NOT include auxiliary 3rd function hydraulic lines down the lift arm or jumper lines to coupler with quick disconnects.		\$2,385
L	536-5334	HYDRAULICS, 4V, CPLR READY, SL . . . . . 0 FOR USE IN LANE 3 ONLY Standard Lift, 4 function hydraulics, coupler ready. Coupler not included. Auxiliary 4th function lines terminate mid way down the lift arm. REQUIRES: Auxiliary 3rd function hydraulic lines for standard lift Auxiliary ECM for control of 4th function hydraulics		\$4,540
L	430-2861	HYD,2V,PIN-ON,HIGH LIFT . . . . . 0 FOR USE IN LANE 2 ONLY High Lift, 2 function hydraulics For use with pin-on attachments DOES NOT ALLOW INSTALLATION OF QUICK COUPLER.		\$6,460
L	549-0421	HYDRAULICS, 2V, PIN-ON, HL . . . . . 0 FOR USE IN LANE 3 ONLY High Lift, 2 function hydraulics, for use with pin-on attachments DOES NOT ALLOW INSTALLATION OF QUICK COUPLER.		\$6,460
L	430-2862	HYD,2V,COUPLER READY,HIGH LIFT . . . . . 0 FOR USE IN LANE 2 ONLY High Lift, 2 function hydraulics, coupler ready. Coupler and cab switch not included.		\$7,000
L	549-0422	HYDRAULICS, 2V, CPLR READY, HL . . . . . 0 FOR USE IN LANE 3 ONLY High Lift, 2 function hydraulics, coupler ready. Coupler not included.		\$7,000

CATERPILLAR MACHINE PRICE LIST

**930M**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**HYDRAULICS (CONT.)**

**LINKAGE/HYDRAULICS/VALVES (Cont.)**

L	430-2863	HYD,3V,COUPLER READY,HIGH LIFT ..... 0 FOR USE IN LANE 2 ONLY High Lift, 3 function hydraulics, coupler ready. Coupler and cab switch not included.		\$9,160
L	549-0423	HYDRAULICS, 3V, CPLR READY, HL ..... 0 FOR USE IN LANE 3 ONLY High Lift, 3 function hydraulics, coupler ready. Coupler not included. Does NOT include auxiliary 3rd function hydraulic lines down the lift arm or jumper lines to coupler with quick disconnects.		\$8,850
L	549-0424	HYDRAULICS, 4V, CPLR READY, HL ..... 0 FOR USE IN LANE 3 ONLY High Lift, 4 function hydraulics, coupler ready. Coupler not included. Auxiliary 4th function lines terminate mid way down the lift arm. REQUIRES: Auxiliary 3rd function hydraulic lines for standard lift Auxiliary ECM for control of 4th function hydraulics		\$11,010

**LINKAGE/HYDRAULICS/VALVES**

For Use With 513-2577 930M SWL AG HANDLER in Lane 2 OR  
 For Use With 536-5302 930M SWL AG HANDLER in Lane 3

L	513-2581	HYD,2V,PIN-ON,HIGH LIFT ..... 0 FOR USE IN LANE 2 ONLY High Lift, 2 function hydraulics, For use with pin-on attachments, Does not allow installation of quick coupler.		\$6,460
L	549-0431	HYDRAULICS, 2V, PIN-ON, HL ..... 0 FOR USE IN LANE 3 ONLY High Lift, 2 function hydraulics, For use with pin-on attachments, Does not allow installation of quick coupler.		\$6,460
L	513-2582	HYD,2V,COUPLER READY,HIGH LIFT ..... 0 FOR USE IN LANE 2 ONLY High Lift, 2 function hydraulics, coupler ready. Coupler and cab switch not included.		\$7,000
L	549-0432	HYDRAULICS, 2V, CPLR READY, HL ..... 0 FOR USE IN LANE 3 ONLY High Lift, 2 function hydraulics, coupler ready. Coupler not included.		\$7,000
L	513-2583	HYD,3V,COUPLER READY,HIGH LIFT ..... 0 FOR USE IN LANE 2 ONLY High Lift, 3 function hydraulics, coupler ready. Coupler and cab switch not included.		\$9,160
L	549-0433	HYDRAULICS, 3V, CPLR READY, HL ..... 0 FOR USE IN LANE 3 ONLY High Lift, 3 function hydraulics, coupler ready. Coupler not included. Does NOT include Auxiliary 3rd function hydraulic lines down the lift arm or Jumper Lines to coupler with Quick disconnects.		\$8,850
L	513-2584	HYD,4V,COUPLER READY,HIGH LIFT ..... 0 FOR USE IN LANE 2 ONLY High Lift, 4 function hydraulics, coupler ready. Coupler and cab switch not included.		\$11,310

CATERPILLAR MACHINE PRICE LIST

**930M**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**HYDRAULICS (CONT.)**

**LINKAGE/HYDRAULICS/VALVES (Cont.)**

L	549-0434	HYDRAULICS, 4V, CPLR READY, HL . . . . . 0 FOR USE IN LANE 3 ONLY High Lift, 4 function hydraulics, coupler ready. Coupler not included. switch not included. Auxiliary 4th function lines terminate mid way down the lift arm. REQUIRES: Auxiliary 3rd function hydraulic lines for high lift Auxiliary ECM for control of 4th function hydraulics		\$11,010
---	----------	---	--	----------

**LOAD CHECK VALVES**

L	536-5283	HYDRAULICS, STANDARD . . . . . 0 FOR USE IN LANE 3 ONLY Hydraulic lines to lift and tilt cylinders that do NOT include load check valves. ONLY FOR USE WITH: 536-5301 930M WHEEL LOADER		NC
L	536-5280	HYDRAULICS, STANDARD . . . . . 0 FOR USE IN LANE 3 ONLY Hydraulic lines to lift and tilt cylinders that do NOT include load check valves. ONLY FOR USE WITH: 536-5302 930M SWL AG HANDLER		NC
L	536-5287	HYDRAULICS, LOAD CHECK VALVES . . . . . 0 FOR USE IN LANE 3 ONLY Hydraulic lines to lift and tilt cylinders that include load check valves. REQUIRES: Ride Control ONLY FOR USE WITH: 536-5301 930M WHEEL LOADER CANNOT BE USED WITH: Tilt Cylinder Guard		\$7,570

**AUX 3RD HYDRAULIC LINES**

L	536-5329	LINES, AUX 3RD, NONE . . . . . 0 FOR USE IN LANE 3 ONLY Caps hydraulic 3rd function lines at a bulkhead at the top of the front frame. Does NOT include auxiliary 3rd function hydraulic lines down the lift arm.		NC
L	530-1623	LINES, AUX 3RD, STD LIFT . . . . . 0 FOR USE IN LANE 3 ONLY Includes Auxiliary 3rd function hydraulic lines down the lift arm for a standard lift linkage. REQUIRES: Standard lift linkage		\$306
L	527-8880	LINES, AUX 3RD, HIGH LIFT . . . . . 0 FOR USE IN LANE 3 ONLY Includes Auxiliary 3rd function hydraulic lines down the lift arm for a high lift linkage. REQUIRES: High lift linkage ONLY FOR USE WITH: 536-5301 930M WHEEL LOADER		\$306
L	527-8860	LINES, AUX 3RD, HIGH LIFT . . . . . 0 FOR USE IN LANE 3 ONLY Includes Auxiliary 3rd function hydraulic lines down the lift arm for a high lift linkage. REQUIRES: High lift linkage ONLY FOR USE WITH: 536-5302 930M SWL AG HANDLER		\$306

Supersedes 02JAN2018  
 Caterpillar: Confidential Green  
 US-A-19-01 A

Subject to change without notice  
 Printed in USA  
 U. S. DOLLAR CURRENCY

Effective 02JAN2019  
 930M-013

CATERPILLAR MACHINE PRICE LIST

**930M**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**HYDRAULICS (CONT.)**

**JUMPER LINES 3RD**

L	536-5339	<b>JUMPER LINES, NONE</b> . . . . . 0 FOR USE IN LANE 3 ONLY Caps hydraulic 3rd function lines. Does NOT include hydraulic lines from the lift arm across to the coupler or Quick Disconnects.		NC
L	445-4725	<b>JUMPER LINES, AUX 3RD, FUSION</b> . . . . . 0 FOR USE IN LANE 3 ONLY Provides jumper lines and flat face connect under pressure quick disconnect coupling from 3rd function auxiliary lines on the front linkage to the coupler. REQUIRES: Fusion Coupler and Auxiliary Lines 3rd		\$585
L	561-6216	<b>JUMPER LINES, AUX 3RD, ISO</b> . . . . . 0 FOR USE IN LANE 3 ONLY Provides jumper lines and flat face connect under pressure quick disconnect coupling from 3rd function auxiliary lines on the front linkage to the coupler. REQUIRES: ISO Coupler and Auxiliary Lines 3rd		\$585

**ELECTRICAL**

**WORK LIGHTS**

L	488-1112	<b>LIGHTS, STD HALOGEN</b> . . . . . 0 Standard machine light package consisting of two (2) forward facing, cab mounted halogen (70W) wide flood work lights, and two (2) rear door mounted halogen (70W) work/reversing lights.		NC
L	488-1118	<b>LIGHTS, STD LED</b> . . . . . 0 Standard machine LED light package consisting of two (2) forward facing, cab mounted LED (850 lm) wide flood work lights, and two (2) rear door mounted LED (850 lm) work/reversing lights. Plus three (3) additional LED engine enclosure lights to aid service. LED lighting provides brighter lighting and longer life.		\$263
L	559-0843	<b>LIGHTS, STD, LED</b> . . . . . 0 FOR USE IN LANE 3 ONLY Standard machine LED light package consisting of two (2) forward facing, cab mounted LED (850 lm) wide flood work lights, and two (2) rear door mounted LED (850 lm) work/reversing lights. Plus three (3) additional LED engine enclosure lights and (1) LED Diesel Exhaust Fluid fill light to aid in service. LED lighting provides brighter lighting and longer life.		\$294
L	488-1113	<b>LIGHTS, AUX HALOGEN</b> . . . . . 0 Auxiliary light package consisting of four (4) forward facing, cab mounted halogen (70W) wide flood work lights, and two (2) rear facing cab mounted halogen (70W) wide flood work lights, and two (2) rear door mounted halogen (70W) work/reversing lights. Plus three (3) additional LED engine enclosure lights to aid service.		\$396
L	559-0841	<b>LIGHTS, AUX, HALOGEN</b> . . . . . 0 FOR USE IN LANE 3 ONLY Auxiliary light package consisting of four (4) forward facing, cab mounted halogen (70W) wide flood work lights, and two (2) rear facing cab mounted halogen (70W) wide flood work lights, and two (2) rear door mounted halogen (70W) work/reversing lights. Plus three (3) additional LED engine enclosure lights and (1) LED Diesel Exhaust Fluid fill light to aid in service.		\$426

CATERPILLAR MACHINE PRICE LIST

**930M**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**ELECTRICAL (CONT.)**

**WORK LIGHTS (Cont.)**

L	488-1114	<b>LIGHTS, AUX LED</b> . . . . . 0 Auxiliary LED/Halogen light package consisting of two (2) forward facing, cab mounted halogen (70W) wide flood work lights, two (2) forward facing, cab mounted LED (2100 lm) low beam work lights, two (2) rear facing, cab mounted LED (850 lm) wide flood work lights, two (2) rear door mounted halogen (70W) work/reversing lights. Plus three (3) additional LED engine enclosure lights to aid service. LED lighting provides brighter lighting and longer life.		\$925
L	559-0842	<b>LIGHTS, AUX, LED</b> . . . . . 0 FOR USE IN LANE 3 ONLY Auxiliary LED/Halogen light package consisting of two (2) forward facing, cab mounted halogen (70W) wide flood work lights, two (2) forward facing, cab mounted LED (2100 lm) low beam work lights, two (2) rear facing, cab mounted LED (850 lm) wide flood work lights, two (2) rear door mounted halogen (70W) work/reversing lights. Plus three (3) additional LED engine enclosure lights and (1) LED Diesel Exhaust Fluid fill light to aid in service. LED lighting provides brighter lighting and longer life.		\$955
L	494-7970	<b>LIGHTS, AUX LED PREMIUM</b> . . . . . 0 Premium auxiliary LED light package consisting of two (2) forward facing, cab mounted LED (850 lm) wide flood work lights, two (2) forward facing, cab mounted LED (2100 lm) low beam work lights, two (2) rear facing, cab mounted LED (850 lm) wide flood work lights, two (2) rear door mounted LED (850 lm) work/reversing lights. Plus three (3) additional LED engine enclosure lights to aid service. LED lighting provides brighter lighting and longer life.		\$1,000
L	559-0844	<b>LIGHTS, AUX, LED, PREMIUM</b> . . . . . 0 FOR USE IN LANE 3 ONLY Premium auxiliary LED light package consisting of two (2) forward facing, cab mounted LED (850 lm) wide flood work lights, two (2) forward facing, cab mounted LED (2100 lm) low beam work lights, two (2) rear facing, cab mounted LED (850 lm) wide flood work lights, two (2) rear door mounted LED (850 lm) work/reversing lights. Plus three (3) additional LED engine enclosure lights and (1) LED Diesel Exhaust Fluid fill light to aid in service. LED lighting provides brighter lighting and longer life.		\$1,030

**ROADING LIGHTS**

L	541-3066	<b>LIGHTS, ROADING, HALOGEN, RH</b> . . . . . 0 FOR USE IN LANE 3 ONLY Includes (2) halogen roading lights for regions that drive on the right hand side of the road.		NC
L	541-3067	<b>LIGHTS, ROADING, LED, RH</b> . . . . . 0 FOR USE IN LANE 3 ONLY Includes (2) LED roading lights for regions that drive on the right hand side of the road. LED lighting provides brighter lighting and longer life.		\$875

CATERPILLAR MACHINE PRICE LIST

**930M**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT**

**CAB**

L	423-7152	<b>CAB, STANDARD</b> . . . . . 0 FOR USE IN LANE 2 ONLY ROPS cab includes automatic blower control, seat mounted implement controls, two heated external mirrors, two internal mirrors and primary instrument display. Tilt and telescoping steering wheel. Includes on/off functionality of soft touch panel functions, but does not allow real time adjustments. CANNOT BE USED WITH: 4302946 PREP PACK, EU, RH DIP LIGHTS 4302947 PREP PACK, EU, LH DIP LIGHTS		NC
L	536-5308	<b>CAB, STANDARD</b> . . . . . 0 FOR USE IN LANE 3 ONLY ROPS cab includes automatic blower control, seat mounted implement controls, two heated external mirrors, two internal mirrors, primary instrument display and storage. Tilt and telescoping steering wheel. Includes on/off functionality of soft touch panel functions, but does not allow real time adjustments. CANNOT BE USED WITH: 4302946 PREP PACK, EU, RH DIP LIGHTS 4302947 PREP PACK, EU, LH DIP LIGHTS		NC
L	521-3244	<b>CAB, DELUXE</b> . . . . . 0 FOR USE IN LANE 2 ONLY ROPS cab includes automatic blower control, seat mounted implement controls, two heated electrically adjusted external mirrors, two internal mirrors, enhanced in cab LED lighting, front and rear sun visor, tilt and telescopic steering wheel and windshield washing access steps. Also includes the secondary touch screen display which allows real time adjustments to: rimpull; creeper speed; 3rd & 4th maximum flow; throttle lock; fork fine mode; lift & tilt response; hystat modes; directional shift response; ride control activation speed; autolube intervals; bucket float; feather catch; rack snubbing; perfect parallelism, and duals as multi camera display when configured with optional rear camera.		\$3,035
L	536-5309	<b>CAB, DELUXE</b> . . . . . 0 FOR USE IN LANE 3 ONLY ROPS cab includes automatic blower control, seat mounted implement controls, two heated electrically adjusted external mirrors, two internal mirrors, enhanced in cab LED lighting, front and rear sun visor, tilt, telescopic steering wheel, windshield washing access steps and storage. Also includes the secondary touch screen display which allows real time adjustments to: rimpull; creeper speed; 3rd & 4th maximum flow; throttle lock; fork fine mode; lift & tilt response; hystat modes; directional shift response; ride control activation speed; autolube intervals; bucket float; feather catch; rack snubbing; perfect parallelism, and duals as multi camera display when configured with optional rear camera.		\$3,035

**SEAT**

L	423-7200	<b>SEAT, STANDARD</b> . . . . . 0 FOR USE IN LANE 2 ONLY Fully adjustable fabric covered mechanical suspension seat with mid backrest, armrests and 3 inch (75 mm) retractable seat belt.		NC
---	----------	---	--	----



CATERPILLAR MACHINE PRICE LIST

**930M**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**SEAT (Cont.)**

L	563-5966	<b>SEAT, STANDARD</b> . . . . . 0 FOR USE IN LANE 3 ONLY Fully adjustable fabric covered mechanical suspension seat with mid backrest, headrest, armrests and 3 inch (75 mm) retractable high visibility orange seat belt.		NC
L	423-7201	<b>SEAT, DELUXE</b> . . . . . 0 FOR USE IN LANE 2 ONLY Fully adjustable fabric covered AIR suspension seat with mid backrest, mechanical lumbar support, armrests and 3 inch (75 mm) retractable seat belt.		\$1,075
L	563-5967	<b>SEAT, DELUXE</b> . . . . . 0 FOR USE IN LANE 3 ONLY Fully adjustable fabric covered AIR suspension seat with mid backrest, headrest, mechanical lumbar support, armrests, cushion tilt and extend along with 3 inch (75 mm) retractable high visibility orange seat belt		\$1,075
L	423-7202	<b>SEAT, PREMIUM</b> . . . . . 0 FOR USE IN LANE 2 ONLY Fully adjustable LEATHER & Fabric AIR suspension seat with HIGH backrest, AIR LUMBAR support, armrests and 3 inch (75 mm) retractable seat belt. Seat is HEATED and COOLED through bottom cushion and backrest.		\$2,425
L	563-5968	<b>SEAT, PREMIUM</b> . . . . . 0 FOR USE IN LANE 3 ONLY Fully adjustable LEATHER & Fabric AIR suspension set with HIGH backrest, headrest, AIR LUMBAR support, armrests, cushion tilt and extend along with 3 inch (75 mm) retractable high visibility orange seat belt. Seat is HEATED and COOLED through bottom cushion and backrest.		\$2,425

**RADIO**

Bluetooth radio technology enables the use of a hands free function such as listening to music and making phone calls. Authorization varies by country, please contact your Cat marketing representative with questions or click on the link below:  
<https://dealer.cat.com/en/products/technology.html>

L	342-0130	<b>RADIO, READY</b> . . . . . 0 Provides installed speakers and wiring for easy radio installation.		NC
L	378-0951	<b>RADIO READY, BLUETOOTH,MIC,AUX</b> . . . . . 0 Provides installed speakers and wiring for easy radio installation. Includes Bluetooth interface, a microphone and aux inputs for powering MP3 players, etc.		\$545
L	372-1868	<b>RADIO, BLUETOOTH, AUX, MIC</b> . . . . . 0 Provides a factory installed AM/FM radio with Bluetooth interface, microphone, and aux inputs for powering MP3 players, etc.		\$745

CATERPILLAR MACHINE PRICE LIST

**930M**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**RADIO (Cont.)**

L	333-1369	<b>RADIO, CD, DELUXE</b> . . . . . 0		<b>\$970</b>
		Provides a factory installed AM/FM radio with weatherband and CD player designed for off road equipment. Includes Bluetooth interface, a microphone and aux inputs for powering MP3 players, etc.		

**TECHNOLOGY PRODUCTS**

**PRODUCT LINK**

Product Link enables the remote transmission of information about the location, operation and condition of your equipment. Efficiently and effectively monitor the performance of your assets to help keep your jobs on schedule, maintain equipment condition and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Caterpillar marketing representative with questions.

L	454-0589	<b>PRODUCT LINK, CELLULAR PL641</b> . . . . . 0		<b>NC</b>
		Product Link Pro series PL641 offers expanded coverage including 3G UMTS and CDMA2000 as well as 2G GSM and CDMA cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		
L	454-0590	<b>PRODUCT LINK, SATELLITE PL631</b> . . . . . 0		<b>\$432</b>
		Product Link Pro series PL631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage.		
L	520-1720	<b>PRODUCT LINK, CELLULAR PLE641</b> . . . . . 0		<b>\$367</b>
		Product Link Elite series PLE641 offers expanded coverage including 3G UMTS and CDMA2000 as well as 2G GSM and CDMA cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		
L	520-1721	<b>PRODUCT LINK, SATELLITE PLE631</b> . . . . . 0		<b>\$799</b>
		Product Link Elite series PLE631 uses a satellite network to transmit location, utilization and health information for viewing in Product Link user applications. For use in areas with poor or no cellular coverage.		

CATERPILLAR MACHINE PRICE LIST

**930M**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**TIRES, RIMS, AND WHEELS**

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice. However, if the tire type cannot be supplied we will contact the dealer to propose alternatives. The dealer needs to choose between an alternative tire or a "rims only" option (where available) within 72 hours. If no response is provided by the deadline, the order will default to the alternative tire and will be changed at that point. As a consequence of a possible tire change, the total machine price will be decreased or increased depending on the price of the new tire.

**For any tire with a Use type of C, please check with factory before placing order to confirm tire availability.**

***TIRES AVAILABLE FROM ALLIANCE***

C	376-0795	TIRES,28L/26 AN 26PR LS-2 1 PC . . . . . 0 FOR USE IN LANE 3 ONLY Alliance;Forestry;28L-26;LS-2 High traction and robust lugs. Includes oscillation stops and fender extension brackets.		\$19,050
---	----------	---	--	----------

***TIRES AVAILABLE FROM MICHELIN***

C	376-0875	TIRES,20.5R25 MX XMINE D2** L5 . . . . . 0 FOR USE IN LANE 3 ONLY Michelin;Radial;XMINE D2;L5 Non directional tread;Includes axle oscillation stops CANNOT BE USED WITH: 513-2577 930M SWL AG HANDLER		\$33,120
C	376-0803	TIRES,650/65R25 MX XLD*L3 3PC . . . . . 0 FOR USE IN LANE 3 ONLY Michelin;Radial;XLD;L3;Low Profile Includes axle oscillation stops.		\$23,670
C	376-0873	TIRES,17.5R25MX XMINE D2** L53PC . . . . . 0 FOR USE IN LANE 3 ONLY Michelin;Radial;XMINE D2;L5 CANNOT BE USED WITH: 513-2577 930M SWL AG HANDLER		\$21,010
C	373-7313	TIRES,750/65R26 MXMEGAXBIB* AG . . . . . 0 FOR USE IN LANE 3 ONLY Michelin;Radial;MegaXbib;Ag Includes axle oscillation stops REQUIRES: 366-8198 Fenders, Extended Cover to meet roading regulations in the EU		\$19,480
C	373-7310	TIRES,620/75R26 MXMEGAXBIB* AG . . . . . 0 FOR USE IN LANE 3 ONLY Michelin;Radial;MegaXbib;Ag Directional tread;Includes axle oscillation stops		\$16,490
C	366-6892	TIRES,20.5R25 MX XSNOPPLUS * L2 . . . . . 0 Michelin;Radial;XSNOPPLUS;L2 Snow Non directional tread;Includes axle oscillation stops		\$16,070

CATERPILLAR MACHINE PRICE LIST

**930M**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**TIRES, RIMS, AND WHEELS (CONT.)**

**TIRES AVAILABLE FROM MICHELIN (Cont.)**

P	366-6880	TIRES,20.5R25 MX XHA2 * L3 . . . . . 0 Michelin;Radial;XHA2;L3;3 pc rim Non directional tread;Includes axle oscillation stops		\$15,390
C	366-6900	TIRES, 550/65R25 MX XLD * L3 . . . . . 0 FOR USE IN LANE 3 ONLY Michelin;Radial;XLD;L3 Low profile;Includes axle oscillation stops		\$14,950
P	366-6896	TIRES, 20.5R25 MX XTLA * L2 . . . . . 0 Michelin;Radial;XTLA;L2;3 pc rim Non directional tread;Includes axle oscillation stops		\$13,150

**TIRES AVAILABLE FROM TITAN**

P	376-0828	TIRES, 20.5R25 TI MXL * L3 . . . . . 0 Titan;Radial;MXL;L3;3 pc rim Aggressive non directional tread;Includes axle oscillation stops		\$10,300
---	----------	--	--	----------

**TIRES AVAILABLE FROM TRELLEBORG**

C	522-9072	TIRES,20.5R25 TL BRAWLER, SM . . . . . 0 FOR USE IN LANE 3 ONLY Trelleborg;Brawler;20.5-25 Press on smooth solid tires CANNOT BE USED WITH: 333-6691 COUNTERWEIGHT, HEAVY 467-7989 COUNTERWEIGHT, LOGGER/AGG 492-6480 TIRE, PRESSURE MONITOR 513-2577 930M SWL AG HANDLER The following EU arrangements: 430-2975 CONVERSION, TUV ROADING 430-2976 CONVERSION, TUV ROADING 20 KPH 472-6119 CONVERSION, IRH 472-6120 CONVERSION, IRH, ROADING, STD		\$44,080
C	522-9076	TIRES,20.5R25 TL BRAWLER, TR . . . . . 0 FOR USE IN LANE 3 ONLY Trelleborg;Brawler;20.5-25 Press On Traction Solid Tires CANNOT BE USED WITH: 467-7989 COUNTERWEIGHT, LOGGER/AGG 333-6691 COUNTERWEIGHT, HEAVY 492-6480 TIRE, PRESSURE MONITOR 513-2577 930M SWL AG HANDLER The following EU arrangements: 430-2975 CONVERSION, TUV ROADING 430-2976 CONVERSION, TUV ROADING 20 KPH 472-6119 CONVERSION, IRH 472-6121 CONVERSION, IRH, HIGH LIFT		\$43,000

**TIRES AVAILABLE FROM TRIANGE**

C	376-0817	TIRES,20.5R25TR TL538S+ *** L5 . . . . . 0 Triangle;Radial;TL538S+;***,L5 CANNOT BE USED WITH: 513-2577 930M SWL AG HANDLER		\$8,550
---	----------	---	--	---------

CATERPILLAR MACHINE PRICE LIST

**930M**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**TIRES, RIMS, AND WHEELS (CONT.)**

**TIRES AVAILABLE FROM YOKOHAMA**

P	376-0786	TIRES, 20.5R25 YK RB31 * L3 . . . . . 0 FOR USE IN LANE 3 ONLY Yokohama;Radial;RB31;L3;3 pcs Includes axle oscillation stops.		\$14,990
---	----------	--	--	----------

**RIMS ONLY**

EAME DEALERS WHEN ORDERING WILL USE MAFI TRANSPORT (0P2489)

L	376-0834	RIMS, 20.5, 3 PC, NO TIRES . . . . . 0 FOR USE IN LANE 3 ONLY CANNOT BE USED WITH: The following EU arrangements: 430-2975 CONVERSION, TUV ROADING 430-2976 CONVERSION, TUV ROADING 20 KPH 472-6119 CONVERSION, IRH 472-6121 CONVERSION, IRH, HIGH LIFT		\$990
---	----------	---	--	-------

**NO TIRES / NO RIMS**

	0P-2755	NO TIRES / NO RIMS . . . . . 0 FOR USE IN LANE 3 ONLY CANNOT BE USED WITH: The following EU arrangements: 430-2975 CONVERSION, TUV ROADING 430-2976 CONVERSION, TUV ROADING 20 KPH 472-6119 CONVERSION, IRH 472-6121 CONVERSION, IRH, HIGH LIFT		\$-1,945
--	---------	---	--	----------

**OTHER ATTACHMENTS**

**FENDERS**

L	366-8148	FENDERS, STANDARD . . . . . 0 Provides black, non-metallic front fenders and partial coverage rear fenders. CANNOT BE USED WITH: The following EU arrangements: 430-2975 CONVERSION, TUV ROADING 430-2976 CONVERSION, TUV ROADING 20 KPH 472-6119 CONVERSION, IRH 472-6121 CONVERSION, IRH, HIGH LIFT 430-2982 CONVERSION, UK ROADING		NC
L	366-8149	FENDERS, EXTENDED COVER . . . . . 0 Provides yellow, non-metallic front fenders and extended coverage rear fenders. Recommended for applications that include roading or long load and carry.		\$2,150
L	430-2849	FENDERS, FULL COVER . . . . . 0 Provides yellow, non-metallic front fenders and full coverage rear fenders along with mud flaps on the back side of both front and rear tires. Recommended for applications such as snow removal and extrememly muddy conditions.		\$2,695
L	419-8850	FENDERS, DEFLECTORS . . . . . 0 Provides yellow, metal front deflectors that provides protection to hitch, ladder, and cab from debris thrown up or stuck in the front tires. CANNOT BE USED WITH: 513-2577 930M SWL AG HANDLER		\$485

CATERPILLAR MACHINE PRICE LIST

**930M**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OTHER ATTACHMENTS (CONT.)**

**FENDERS (Cont.)**

L	366-8198	FENDERS, EXTENDED COVER . . . . . 0 Recommended for use with 750/65R26 agriculture tires to provide full width coverage. ONLY FOR USE WITH: 373-7313 Tires, 750/65R26 MX MEGAXBIB* AG		\$2,150
---	----------	---	--	---------

**COUNTERWEIGHTS**

L	346-1558	COUNTERWEIGHT, STANDARD . . . . . 0 Standard Counterweight CANNOT BE USED WITH: 513-2577 930M SWL AG HANDLER		NC
L	333-6691	COUNTERWEIGHT, HEAVY . . . . . 0 Additional frame mounted counterweights Recommended for use with Coupler CANNOT BE USED WITH: 522-9072 & 522-9076 Brawler Tires CANNOT BE USED WITH: 513-2577 930M SWL AG HANDLER		\$2,695
L	467-7989	COUNTERWEIGHT, LOGGER/AGG . . . . . 0 Heavy counterweight Plus additional frame mounted counterweight for use in applications such as Log & Lumber, Aggregate Handling, Auto Re-Handling, Heavy metal handling and on Ag Handler configuration. NOT recommended for general construction machines NOT compatible with High Lift Linkage configurations except on Ag Handler CANNOT BE USED WITH: 522-9072 & 522-9076 Brawler Tires		\$6,230

**TOOLBOX**

L	519-8081	TOOLBOX AUX, NONE . . . . . 0 Provides cosmetic cover over optional tool box location but does not include a tool box.		NC
L	491-7922	TOOLBOX AUX . . . . . 0 Provides lockable tool box that mounts under the left side of the cab.		\$505

**INSTRUCTIONS**

**OPERATION AND MAINTENANCE MANUAL**

	OP-2491	KIT,SERIALIZED TECHNICAL MEDIA . . . . . 0 The technical media kit will include the Operations & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com		NC
--	---------	--	--	----

CATERPILLAR MACHINE PRICE LIST

**930M**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**HYDRAULICS**

***ELECTRONIC CONTROL MODULE***

L	536-5318	AUX ECM. . . . . 0		NC
		ONLY FOR USE IN LANE 3		
		Additional Electronic Control Module (ECM) to control 4th function hydraulics and/or dual mode steering.		
		REQUIRES: 4 function hydraulics and/or dual mode steering		

CATERPILLAR MACHINE PRICE LIST

**930M**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT**

**RIDE CONTROL**

L	430-2860	<b>RIDE CONTROL</b> . . . . . 0 Improves ride quality when travelling. In "Automatic" mode, Ride Control is set to activate above 6 mph. System is programmable between 1.6 km/h (1 mph) and 14.5 km/h (9 mph). Includes system active indicator on dash.		\$4,065
---	----------	---	--	---------

**CAB FILTRATION**

L	423-7157	<b>PRECLEANER, CAB, RESPA</b> . . . . . 0 FOR USE IN LANE 3 ONLY Powered cab air precleaner improves operator air quality and cab pressurization. Includes cab pressure sensor.		\$3,230
---	----------	---	--	---------

**WASHING ACCESS STEPS**

L	469-0647	<b>WINDSHIELD ACCESS STEPS</b> . . . . . 0 Provides right hand side front frame mounted steps and hand rail to facilitate access for an operator to clean the front windshield. CANNOT BE USED WITH: CAB, DELUXE		\$640
---	----------	--	--	-------

**CAMERA**

L	377-5635	<b>CAMERA, REAR VIEW</b> . . . . . 0 Provides a wide angle (115 degree) rear view camera system. Requires the secondary display in the cab. Secondary display is included in Deluxe cab. ONLY FOR USE WITH: Cab, Deluxe CANNOT BE USED WITH: 4302946 PREP PACK, EU, RH DIP LIGHTS 4302947 PREP PACK, EU, LH DIP LIGHTS		\$1,075
---	----------	--	--	---------

**INTEGRATED OBJECT DETECTION SYSTEM**

For a list of countries that RF radar is approved for use in, visit <https://dealer.cat.com/detect>

L	377-5660	<b>DETECTION, OBJECT (RADAR)</b> . . . . . 0 The Cat Integrated Object Detection System combines a camera, radar, and alarms to notify the operator when something is close to the rear of the machine. The system is configured with zones and objects in those zones trigger various levels of alarms. A display screen in the cab provides visual confirmation of the objects detected by the radar, so operators can make informed decisions. NOTE: Not available in all regions depending on radar approval. For a list of countries that the C6 radar is approved in please visit: <a href="https://dealer.cat.com/detect">https://dealer.cat.com/detect</a> Object Detection - Approved Country Listing REQUIRES: CAB, DELUXE 377-5635 CAMERA, REAR VIEW CANNOT BE USED WITH: 430-2930 GUARD, REAR RADIATOR		\$3,535
---	----------	--	--	---------



CATERPILLAR MACHINE PRICE LIST

**930M**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**LIGHTS**

L	333-1425	<b>WARNING, BEACON, LED STROBE</b> . . . . . 0		<b>\$267</b>
		Provides hard mounted strobe beacon on hinged (breakaway) bracket mounted to the rear of the cab structure.		

**MIRROR**

L	482-5167	<b>SIDE MIRROR, RH</b> . . . . . 0		<b>\$94</b>
		Provides a look down mirror mounted to the top right hand side of the cab.		

**TECHNOLOGY PRODUCTS**

**CAT PRODUCTION MEASUREMENT (CPM) PAYLOAD WEIGHING SYSTEM**

Cat M-series Small Wheel Loaders are available with the Cat Production Measurement (CPM) that includes an integrated onboard payload weighing scale. This measures and/or records:

- Payload weight, material ID, truck ID, cycle (bucket dumps) count and fuel consumption
- Allows on-the-go weighing of the bucket payload during the lift cycle
- Daily payload total (tonnes/tons), productivity (tonnes/hour or tons/hour) and efficiency (tonnes/liter or tons/gal) data is reported wirelessly via Product Link to the VisionLink fleet management web portal (Cat Essentials Product Link subscription required).
- Detailed payload, productivity and efficiency data can be downloaded to a laptop computer for analysis in the optional VIMSpC software (VIMSpC and VIMS data cable are required, but VIMS is NOT required).
- Payload tickets can be printed with an optional printer. Refer to the Cat Connect Payload Technologies intranet page (<https://dealer.cat.com/payload>) for complete technical specifications; operation, sales, marketing and technical support publications.

**CALIBRATION INSTRUCTIONS**

This requires calibration and set-up by either the dealer or customer. Refer to the Systems Operation Test & Adjust manual for system calibration, material and truck ID lists set-up and operation instructions.

L	566-4597	<b>CONTROL GP,PAYLOAD,DEMO 250 HR</b> . . . . . 0		<b>\$565</b>
		FOR USE IN LANE 3 ONLY Includes sensors and 250 hours of demonstration time for Cat Production Measurement (CPM). See note above for calibration instructions. The 250 hours of demonstration time can be activated via the secondary display and will remind the operator when time is close to expiring. A permanent software license for Cat Production Measurement (CPM) will be a separate charge. Purchase software license from <a href="https://fps.cat.com">https://fps.cat.com</a> (Use Reason Code #149). Requires SEA 518-3210 for permanent activation. REQUIRES: 536-5309 CAB, DELUXE 520-1720 PRODUCT LINK, CELLULAR PLE641 or 520-1721 PRODUCT LINK, SATELLITE PLE631		

CATERPILLAR MACHINE PRICE LIST

**930M**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**TECHNOLOGY PRODUCTS (CONT.)**

**CAT PRODUCTION MEASUREMENT (CPM) PAYLOAD WEIGHING SYSTEM (Cont.)**

L	492-6471	<b>CONTROL GP, PAYLOAD</b> ..... 0 Includes sensors, software license for Cat Production Measurement(CPM) Software is factory enabled, but the system must be calibrated prior to customer use. See note above for calibration instructions. REQUIRES: CAB, DELUXE 520-1720 PRODUCT LINK, CELLULAR PLE641 OR 520-1721 PRODUCT LINK, SATELLITE PLE631		\$4,945
L	494-7948	<b>CONT GP, PRINTER</b> ..... 0 Provides onboard ticket printing capability for Cat Production Measurement (CPM). Printer mounts in rear right corner of cab. REQUIRES: 492-6471 CONTROL GP, PAYLOAD or 566-4597 CONTROL GP,PAYLOAD,DEMO 250 HR		\$1,680

**TIRE PRESSURE MONITORING**

L	492-6480	<b>MONITOR, TIRE PRESSURE</b> ..... 0 Provides four sensors that mount to the valve stem of each tire along with a receiver module that monitors both pressure and temperature in each tire. Tire pressure and temperature information is shared with the operator via the secondary display. Warnings are provided via the secondary display and through Unified Fleet if pressure is outside of a configurable target range. REQUIRES: CAB, DELUXE CANNOT BE USED WITH: 522-9072 TIRES,20.5R25 TL BRAWLER, SM 522-9076 TIRES,20.5R25 TL BRAWLER, TR		\$1,635
L	522-4591	<b>VALVE STEM ADAPTER</b> ..... 0 Provides adapters to allow tire arrangements with large diameter valve stems to be compatible with Tire Pressure Monitoring sensors REQUIRES: 492-6480 MONITOR, TIRE PRESSURE ONLY FOR USE WITH: 376-0803 TIRES,650/65R25 MX XLD*L3 3PC		\$22

**GUARDS**

**UPPER GUARDS**

L	342-0250	<b>GUARD, WINDSHIELD</b> ..... 0 Provides protection to the front windshield from falling debris in waste, forestry, agriculture etc. while allowing excellent visibility to the ground and worktool. CANNOT BE USED WITH: 513-2577 930M SWL AG HANDLER		\$3,230
L	377-1530	<b>GUARD, FRONT LIGHTS</b> ..... 0 Provides two (2) front light guards that mount over the headlights. CANNOT BE USED WITH: The following EU arrangements: 430-2975 CONVERSION, TUV ROADING 430-2976 CONVERSION, TUV ROADING 20 KPH 472-6119 CONVERSION, IRH 472-6121 CONVERSION, IRH, HIGHT LIFT 430-2982 CONVERSION, UK ROADING		\$378

CATERPILLAR MACHINE PRICE LIST

**930M**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**GUARDS (CONT.)**

**UPPER GUARDS (Cont.)**

L	377-1540	<b>GUARD, REAR LIGHTS</b> . . . . . 0 Provides two (2) rear light guards that mount over the tail lights. Not compatible with Heavy Duty Rear Guard. CANNOT BE USED WITH: 430-2930 GUARD, REAR RADIATOR The following EU arrangements: 430-2975 CONVERSION, TUV ROADING 430-2976 CONVERSION, TUV ROADING 20 KPH 472-6119 CONVERSION, IRH 472-6121 CONVERSION, IRH, HIGHT LIFT 430-2982 CONVERSION, UK ROADING		\$430
L	433-9751	<b>GUARD, TILT CYLINDER, STD LIFT</b> . . . . . 0 Provides protection to the tilt cylinder, preventing damage to the rod, hoses and cylinder seal. Cannot be used with endorsed check valve option. CANNOT BE USED WITH: 930M SWL AG HANDLER		\$775
L	418-8602	<b>GUARD, TILT CYLINDER,HIGH LIFT</b> . . . . . 0 Provides protection to the tilt cylinder, preventing damage to the rod, hoses and cylinder seal. Cannot be used with endorsed check valve option. CANNOT BE USED WITH: 930M SWL AG HANDLER		\$870
L	430-2930	<b>GUARD, REAR RADIATOR</b> . . . . . 0 FOR USE IN LANE 3 ONLY Provides protection to rear of the machine and cooling package. Includes swing out guard for cooling access and mounting for rear camera. CANNOT BE USED WITH: 377-1540 GUARD, REAR LIGHTS 377-5660 DETECTION, OBJECT (RADAR) 930M SWL AG HANDLER 370-6579 CONVERSION, LICENSE PLATE		\$5,000

**LOWER GUARDS**

L	349-8165	<b>GUARD, POWERTRAIN, LOWER</b> . . . . . 0 Mounts underneath machine to provide protection for the transmission components		\$1,405
L	425-1425	<b>GUARD, POWERTRAIN, SIDE</b> . . . . . 0 Mounts on side of machine to provide protection for the transmission components		\$545
L	349-8163	<b>GUARD, CRANKCASE</b> . . . . . 0 Mounts underneath machine to provide protection to the engine components		\$965
L	349-7940	<b>GUARD, DRIVESHAFT</b> . . . . . 0 Mounts underneath machine to provide front drive shaft protection.		\$615
L	430-2916	<b>GUARD, STEERING CYLINDER</b> . . . . . 0 Provides protection to both steering cylinders, preventing damage to rods and cylinder seals. CANNOT BE USED WITH: 930M SWL AG HANDLER		\$750
L	391-1990	<b>GUARD, HITCH</b> . . . . . 0 Provides protection to hitch area of the rear frame, preventing debris from entering the frame, while allowing visibility to service points. CANNOT BE USED WITH: 930M SWL AG HANDLER		\$690

CATERPILLAR MACHINE PRICE LIST

**930M**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**OTHER ATTACHMENTS**

**DECALS**

L	387-4096	<b>FILM GP, WASTE HANDLER</b> ..... 0 REQUIRES: 349-7940 Guard, Driveshaft 349-8163 Guard, Crankcase 349-8165 Guard, Powertrain, Lower or all the following guards: 342-0250 Guard, Windshield 377-1530 Guard, Front Lights CANNOT BE USED WITH: 930M SWL AG HANDLER		\$61
L	387-4097	<b>FILM GP, AGGREGATE</b> ..... 0 REQUIRES: 467-7989 Counterweight, Logger/Agg and one of the following buckets: 360-3309 S&G 3.5 CYP PO 451-1404 S&G 3.5 CYD HO CANNOT BE USED WITH: 930M SWL AG HANDLER		\$61
L	387-4098	<b>FILM GP, FOREST HANDLER</b> ..... 0 REQUIRES: 467-7989 Counterweight, Logger/Agg CANNOT BE USED WITH: 930M SWL AG HANDLER		\$61

**REMOTE AXLE AND GEARBOX BREATHERS**

L	468-9772	<b>BREATHER GROUP</b> ..... 0 Provides remote mounted breathers for both axles and hystat gearbox, used when machines enter deep water.		\$372
---	----------	---	--	-------

**AUTOLUBE ARRANGEMENT**

L	454-5890	<b>AUTOLUBE</b> ..... 0 FOR USE IN LANE 2 ONLY Provides Caterpillar Autolube System for automatic lubrication of machine pin joints requiring daily lubrication: Linkage pin joints, including bucket pins, articulation hitch, steering cylinders and axle trunnions. System is accessed through the Secondary Display to adjust lubrication frequency and provide low reservoir alert. REQUIRES: 521-3244 CAB, DELUXE		\$6,620
L	536-5349	<b>AUTOLUBE</b> ..... 0 FOR USE IN LANE 3 ONLY Provides Caterpillar Autolube System for automatic lubrication of machine pin joints requiring daily lubrication: Linkage pin joints, including bucket pins, articulation hitch, steering cylinders and axle trunnions. System is accessed through the Secondary Display to adjust lubrication frequency and provide low reservoir alert. REQUIRES: 536-5309 CAB, DELUXE		\$6,620

**QUICK COUPLERS**

**COUPLERS**

RECOMMENDED TO ALSO INSTALL COUNTERWEIGHT, HEAVY

L	430-2977	<b>QUICK COUPLER, FUSION</b> ..... 0 FOR USE IN LANE 2 ONLY Includes an electro-hydraulic coupler actuation system activated from the cab. Includes constant pressure coupler wedges. REQUIRES COUPLER READY MACHINE		\$4,220
---	----------	---	--	---------

CATERPILLAR MACHINE PRICE LIST

**930M**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**QUICK COUPLERS (CONT.)**

**COUPLERS (Cont.)**

L	536-5313	<b>QUICK COUPLER, FUSION</b> . . . . . 0 FOR USE IN LANE 3 ONLY Includes a cast coupler frame, and electro-hydraulic coupler actuation system activated from the cab. Includes constant pressure coupler wedges. REQUIRES COUPLER READY MACHINE		\$4,220
L	504-5752	<b>QUICK COUPLER, ISO 23727</b> . . . . . 0 FOR USE IN LANE 2 ONLY Includes an electro-hydraulic cast coupler actuation system, activated from the cab. Includes lock valve cylinder. Compatible with many competitive worktools, ISO Standard coupler interface is also used by Volvo. REQUIRES COUPLER READY MACHINE		\$5,310
L	536-5315	<b>QUICK COUPLER, ISO 23727</b> . . . . . 0 FOR USE IN LANE 3 ONLY Includes an electro-hydraulic cast coupler actuation system, activated from the cab. Includes lock valve cylinder. Compatible with many competitive worktools, ISO Standard coupler interface is also used by Volvo. REQUIRES COUPLER READY MACHINE		\$5,310
L	387-2859	<b>TRANSPORT GROUP</b> . . . . . 0 Required when a machine is ordered without a coupler or Pin-On Bucket		\$545
L	492-1229	<b>TRANSPORT GROUP</b> . . . . . 0 Required when a machine is ordered without a coupler and a Pin-On Bucket with a width of 108" or above (Not Installed)		\$545

**JUMPER LINES**

L	441-3367	<b>JUMPER LINES, 3RD FUNCTION</b> . . . . . 0 FOR USE IN LANE 2 ONLY Provides 3rd function jumper lines and threaded flat face connect under pressure quick disconnect coupling from 3rd function lines on the front linkage to the coupler. Requires either a Fusion or ISO Coupler.		\$585
---	----------	---	--	-------

**WORK TOOLS**

**For European Dealers: For Lane 2 and Lane 3 orders no work tools can be ordered ex Factory (except for quick couplers). Please see WT-SWL price list for available work tools and order through Antares.**

CATERPILLAR MACHINE PRICE LIST

**930M**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**WORK TOOLS (CONT.)**

***FORK CARRIAGE, FUSION COUPLER ONLY***

P	345-2417	<b>CARRIAGE, PALLET FORK 60"</b> ..... 781 FOR USE IN LANE 2 ONLY 1524mm width (60"). Does not include tines. For Use With: Forks listed in the Fork Tines section below. REQUIRES: Fusion Coupler		<b>\$2,610</b>
P	532-8222	<b>CARRIAGE, PAL C3/4, 62", FUS</b> ..... 711 FOR USE IN LANE 3 ONLY 1524mm width (60") Does not include tines. For Use With: Forks listed in the Fork Tines section below. REQUIRES: Fusion Coupler		<b>\$2,610</b>
P	345-2740	<b>FORK, 60" CONSTRUCTION</b> ..... 2,081 FOR USE IN LANE 2 ONLY Construction forks, carriage, and tines 2435mm width (96") Includes 1524mm (60") tines REQUIRES: Fusion Coupler		<b>\$9,594</b>
P	538-3866	<b>CARRIAGE FUS, FORK, 60", CON</b> ..... 0 FOR USE IN LANE 3 ONLY Construction forks, carriage, and tines 2435mm width (96") Includes 1524mm tines (60") REQUIRES: Fusion Coupler		<b>\$9,594</b>
P	345-2750	<b>FORK, 72" CONSTRUCTION</b> ..... 2,178 FOR USE IN LANE 2 ONLY Construction forks, carriage, and tines 2435mm width (96") Includes 1829mm (72") tines REQUIRES: Fusion Coupler		<b>\$10,640</b>
P	538-3867	<b>CARRIAGE FUS, FORK, 72", CON</b> ..... 0 FOR USE IN LANE 3 ONLY Construction forks, carriage, and tines 2435mm width (96") Includes 1829mm tines (72") REQUIRES: Fusion Coupler		<b>\$10,640</b>

***FORK TINES STRAIGHT***

NOTE: Price is for a quantity of one (1). Must order a quantity of two (2).

P	371-2348	<b>FORK TINE, 2.25" X 6" X 48"</b> ..... 297 REQUIRES: CARRIAGE 345-2417 or 532-8222		<b>\$918</b>
P	371-2354	<b>FORK TINE, 2.25" X 6" X 54"</b> ..... 321 REQUIRES: CARRIAGE 345-2417 or 532-8222		<b>\$986</b>
P	371-2360	<b>FORK TINE, 2.25" X 6" X 60"</b> ..... 345 REQUIRES: CARRIAGE 345-2417 or 532-8222		<b>\$1,019</b>

CATERPILLAR MACHINE PRICE LIST

**930M**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**WORK TOOLS (CONT.)**

**FORK TINES HIGH VISIBILITY (OFFSET)**

(MUST ORDER BOTH RIGHT AND LEFT FORKS)

P	371-2374	<b>FORK TINE,2.25"X6"X48", RIGHT</b> . . . . . 301 High visibility forks recommended for enhanced line of site to fork tips REQUIRES: Carriage 345-2417 or 532-8222 and 371-2375 FORK TINE,2.25"X6"X48", LEFT		\$1,072
P	371-2375	<b>FORK TINE,2.25"X6"X48", LEFT</b> . . . . . 301 High visibility forks recommended for enhanced line of site to fork tips REQUIRES: Carriage 345-2417 OR 532-8222 and 371-2374 FORK TINE,2.25"X6"X48", RIGHT		\$1,072
P	360-3354	<b>FORK TINE,2.25"X6"X54", LEFT</b> . . . . . 323 High visibility forks recommended for enhanced line of site to fork tips REQUIRES: Carriage 345-2417 or 532-8222 and 360-3355 FORK TINE,2.25"X6"X54", RIGHT		\$1,122
P	360-3355	<b>FORK TINE,2.25"X6"X54", RIGHT</b> . . . . . 323 High visibility forks recommended for enhanced line of site to fork tips REQUIRES: Carriage 345-2417 or 532-8222 and 360-3354 FORK TINE,2.25"X6"X54", LEFT		\$1,122
P	371-2377	<b>FORK TINE,2.25"X6"X60", RIGHT</b> . . . . . 348 High visibility forks recommended for enhanced line of site to fork tips REQUIRES: Carriage 345-2417 or 532-8222 and 371-2376 FORK TINE,2.25"X6"x60", LEFT		\$1,172
P	371-2376	<b>FORK TINE,2.25"X6"X60", LEFT</b> . . . . . 348 High visibility forks recommended for enhanced line of site to fork tips REQUIRES: Carriage 345-2417 or 532-8222 and 371-2377 FORK TINE,2.25"X6"x60", RIGHT		\$1,172

**MATERIAL HANDLING ARM**

P	360-3300	<b>ARM, MATERIAL HANDLING</b> . . . . . 1,071 FOR USE IN LANE 2 ONLY Four positions, one fixed, three manually adjustable. REQUIRES: Fusion Coupler		\$5,361 NI
P	510-5071	<b>ARM, MATERIAL HANDLING</b> . . . . . 0 FOR USE IN LANE 3 ONLY Four positions, one fixed, three manually adjustable. REQUIRES: Fusion Coupler		\$5,632 NI

**BUCKETS**

**ALL BUCKETS LISTED HERE ARE "PERFORMANCE SERIES" BUCKETS OFFERING IMPROVED PENETRATION AND INCREASED FILL FACTOR**

CATERPILLAR MACHINE PRICE LIST

**930M**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**BUCKETS (CONT.)**  
 EAME DEALERS, PLEASE SEE WT-SWL PRICE LIST.

**BUCKETS, GENERAL PURPOSE (FUSION)**

P	360-3320	BUCKET, GP, 2.7YD3, FUS . . . . .	1,819	\$7,421
		2550mm (100") width General Purpose Bucket Capacities: 2.0 m3 (2.6 yd3) w/bolt-on adapters 2.1 m3 (2.7 yd3) w/bolt-on adapters and segments 2.1 m3 (2.7 yd3) w/bolt-on cutting edge		
P	360-3322	BUCKET, GP, 3.0YD3, FUS . . . . .	1,901	\$8,376
		2550mm (100") width General Purpose Bucket Capacities: 2.2 m3 (2.9 yd3) w/bolt-on adapters 2.3 m3 (3.0 yd3) w/bolt-on adapters and segments 2.3 m3 (3.0 yd3) w/bolt-on cutting edge		
P	345-2424	BUCKET, GP, 3.2YD3, FUS . . . . .	2,119	\$9,326
		2550mm (100") width General Purpose Bucket Capacities: 2.4 m3 (3.1 yd3) w/bolt-on adapters 2.5 m3 (3.2 yd3) w/bolt-on adapters and segments 2.5 m3 (3.2 yd3) w/bolt-on cutting edge		
P	345-2784	BUCKET, GP, 3.2YD3, FUS . . . . .	2,121	\$9,438 NI
		2750mm (108") width General Purpose Bucket Capacities: 2.4 m3 (3.1 yd3) w/bolt-on adapters 2.5 m3 (3.2 yd3) w/bolt-on adapters and segments 2.5 m3 (3.2 yd3) w/bolt-on cutting edge		
P	345-2426	BUCKET, GP, 3.5YD3, FUS . . . . .	2,215	\$9,947 NI
		2750mm (108") width General Purpose Bucket Capacities: 2.6 m3 (3.4 yd3) w/bolt-on adapters 2.7 m3 (3.5 yd3) w/bolt-on adapters and segments 2.7 m3 (3.5 yd3) w/bolt-on cutting edge		
P	345-2428	BUCKET, GP, 3.8 YD3, FUS . . . . .	2,292	\$10,456 NI
		2750mm (108") width General Purpose Bucket Capacities: 2.8 m3 (3.7 yd3) w/bolt-on adapters 2.9 m3 (3.8 yd3) w/bolt-on adapters and segments 2.9 m3 (3.8 yd3) w/bolt-on cutting edge		



CATERPILLAR MACHINE PRICE LIST

**930M**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**BUCKETS (CONT.)**

**BUCKETS, GENERAL PURPOSE (PIN-ON)**

P	345-2820	BUCKET, GP, 2.7YD3, PO FOR USE IN LANE 3 ONLY 2550mm (100") width General Purpose Bucket Capacities: 2.0 m3 (2.6 yd3) w/bolt-on adapters 2.1 m3 (2.7 yd3) w/bolt-on adapters and segments 2.1 m3 (2.7 yd3) w/bolt-on cutting edge	1,883	\$7,421
P	345-2822	BUCKET, GP, 3.0YD3, PO 2550mm (100") width General Purpose Bucket Capacities: 2.2 m3 (2.9 yd3) w/bolt-on adapters 2.3 m3 (3.0 yd3) w/bolt-on adapters and segments 2.3 m3 (3.0 yd3) w/bolt-on cutting edge	1,965	\$8,376
P	345-2824	BUCKET, GP, 3.2YD3, PO 2550mm (100") width General Purpose Bucket Capacities: 2.4 m3 (3.1 yd3) w/bolt-on adapters 2.5 m3 (3.2 yd3) w/bolt-on adapters and segments 2.5 m3 (3.2 yd3) w/bolt-on cutting edge	2,154	\$9,326

**BUCKETS, FLAT FLOOR (FUSION)**

Recommended for fine grading and back drag applications. This bucket features a flat floor that helps operators create a finished grade.

P	491-0515	BUCKET, FF, 3.0 YD3, FUS, BOCE FOR USE IN LANE 3 ONLY Width 2550 mm (100"). Includes BOCE. Flat Floor Bucket Capacity: 2.3 m3 (3.0 yd3) fill factor 100%	2,370	\$10,608
P	491-0525	BUCKET, FF, 3.2 YD3, FUS, BOCE FOR USE IN LANE 3 ONLY Width 2750 mm (108"). Includes BOCE. Flat Floor Bucket Capacity: 2.5 m3 (3.2 yd3) fill factor 100%	2,621	\$11,743 NI

**BUCKETS, FLAT FLOOR (PIN-ON)**

Recommended for fine grading and back drag applications. This bucket features a flat floor that helps operators create a finished grade.

P	490-3050	BUCKET, FF, 3.0 YD3, PO, BOCE FOR USE IN LANE 3 ONLY Width 2550 mm (100"). Includes BOCE. Flat Floor Bucket Capacity: 2.3 m3 (3.0 yd3) fill factor 100%	2,445	\$10,608
P	490-3060	BUCKET, FF, 3.2 YD3, PO, BOCE FOR USE IN LANE 3 ONLY Width 2750 mm (108"). Includes BOCE. Flat Floor Bucket Capacity: 2.5 m3 (3.2 yd3) fill factor 100%	2,663	\$11,743 NI

CATERPILLAR MACHINE PRICE LIST

**930M**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**BUCKETS (CONT.)**

**BUCKETS, SAND & GRAVEL (FUSION)**

Recommended for aggregate handling applications. This bucket includes additional wear plates for improved life when handling abrasive materials.

P	451-1403	BUCKET, S&G, 3.2 YD3, FUS . . . . .	2,228	\$10,549 NI
		2750mm (108") width Aggregate Bucket Capacities: 2.4 m3 (3.1 yd3) w/bolt-on adapters 2.5 m3 (3.2 yd3) w/bolt-on adapters and segments 2.5 m3 (3.2 yd3) w/bolt-on cutting edge CANNOT BE USED WITH: 513-2577 930M SWL AG HANDLER		
P	451-1404	BUCKET, S&G, 3.5, YD3, FUS . . . . .	2,335	\$11,058 NI
		2750mm (108") width Aggregate Bucket Capacities: 2.6 m3 (3.4 yd3) w/bolt-on adapters 2.7 m3 (3.5 yd3) w/bolt-on adapters and segments 2.7 m3 (3.5 yd3) w/bolt-on cutting edge CANNOT BE USED WITH: 513-2577 930M SWL AG HANDLER		
P	469-0191	BUCKET, S&G, 3.8 YD3, FUS . . . . .	0	\$11,567 NI
		2750mm (108") width Aggregate Bucket Capacities: 2.8 m3 (3.7 yd3) w/bolt-on adapters 2.9 m3 (3.8 yd3) w/bolt-on adapters and segments 2.9 m3 (3.8 yd3) w/bolt-on cutting edge CANNOT BE USED WITH: 513-2577 930M SWL AG HANDLER		

**BUCKETS, SAND & GRAVEL (PIN-ON)**

Recommended for aggregate handling applications. This bucket includes additional wear plates for improved life when handling abrasive materials.

P	430-3300	BUCKET, S&G, 3.2 YD3, PO . . . . .	2,261	\$10,549 NI
		2750mm (108") width Aggregate Bucket Capacities: 2.3 m3 (3.1 yd3) w/bolt-on adapters 2.4 m3 (3.2 yd3) w/bolt-on adapters and segments 2.4 m3 (3.2 yd3) w/bolt-on cutting edge CANNOT BE USED WITH: 513-2577 930M SWL AG HANDLER		
P	360-3309	BUCKET, S&G, 3.5, YD3, PO . . . . .	2,347	\$11,058 NI
		2750mm (108") width Aggregate Bucket Capacities: 2.6 m3 (3.4 yd3) w/bolt-on adapters 2.7 m3 (3.5 yd3) w/bolt-on adapters and segments 2.7 m3 (3.5 yd3) w/bolt-on cutting edge CANNOT BE USED WITH: 513-2577 930M SWL AG HANDLER		

CATERPILLAR MACHINE PRICE LIST

**930M**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**BUCKETS (CONT.)**

***BUCKETS, LIGHT MATERIAL (FUSION)***

P	441-4460	BUCKET, LM, 4.1YD3, FUS ..... 2,370 2750mm (108") width Light Materials Bucket Capacities: 3.0 m3 (4.0 yd3) w/bolt-on adapters 3.1 m3 (4.1 yd3) w/bolt-on adapters and segments 3.1 m3 (4.1 yd3) w/bolt-on cutting edge		\$9,299 NI
P	345-2760	BUCKET, LM, 4.5YD3, FUS ..... 2,554 2750mm (108") width Light Materials Bucket Capacities: 3.4 m3 (4.4 yd3) w/bolt-on adapters 3.5 m3 (4.5 yd3) w/bolt-on adapters and segments 3.5 m3 (4.5 yd3) w/bolt-on cutting edge		\$9,979 NI
P	441-4475	BUCKET, LM, 5.1YD3, FUS ..... 2,696 2750mm (108") width Light Materials Bucket Capacities: 3.7 m3 (5.0 yd3) w/bolt-on adapters 3.8 m3 (5.1 yd3) w/bolt-on adapters and segments 3.8 m3 (5.1 yd3) w/bolt-on cutting edge		\$10,999 NI
P	345-2768	BUCKET, LM, 5.5YD3, FUS ..... 2,853 2750mm (108") width Light Materials Bucket Include visibility windows Capacities: 4.1 m3 (5.4 yd3) w/bolt-on adapters 4.2 m3 (5.5 yd3) w/bolt-on adapters and segments 4.2 m3 (5.5 yd3) w/bolt-on cutting edge		\$11,678 NI
P	345-2762	BUCKET, LM, 6.5YD3, FUS ..... 2,992 2750mm (108") width Light Materials Bucket Include visibility windows Capacities: 4.9 m3 (6.4 yd3) w/bolt-on adapters 5.0 m3 (6.5 yd3) w/bolt-on adapters and segments 5.0 m3 (6.5 yd3) w/bolt-on cutting edge		\$13,376 NI

***BUCKETS, LIGHT MATERIAL (PIN-ON)***

P	441-4450	BUCKET, LM, 4.00YD3, PO ..... 2,411 2750mm (108") width Light Materials Bucket Capacities: 2.9 m3 (3.9 yd3) w/bolt-on adapters 3.0 m3 (4.0 yd3) w/bolt-on adapters and segments 3.0 m3 (4.0 yd3) w/bolt-on cutting edge		\$9,129 NI
---	----------	---	--	------------

CATERPILLAR MACHINE PRICE LIST

**930M**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**BUCKETS (CONT.)**

***BUCKETS, LIGHT MATERIAL (PIN-ON) (Cont.)***

P	345-2764	BUCKET, LM, 4.5YD3, PO ..... 2,598 2750mm (108") width Light Materials Bucket Capacities: 4.4 CYD w/bolt-on adapters 4.5 CYD w/bolt-on adapters & segments 4.5 CYD w/bolt-on cutting edge	2,598	\$9,979 NI
P	441-4465	BUCKET, LM, 5.1YD3, PO ..... 2,743 2750mm (108") width Light Materials Bucket Capacities: 3.8 m3 (5.0 yd3) w/bolt-on adapters 3.9 m3 (5.1 yd3) w/bolt-on adapters and segments 3.9 m3 (5.1 yd3) w/bolt-on cutting edge	2,743	\$10,999 NI
P	345-2770	BUCKET, LM, 5.5YD3, PO ..... 2,893 2750mm (108") width Light Materials Bucket Include visibility windows Capacities: 4.1 m3 (5.4 yd3) w/bolt-on adapters 4.2 m3 (5.5 yd3) w/bolt-on adapters and segments 4.2 m3 (5.5 yd3) w/bolt-on cutting edge	2,893	\$11,678 NI
P	345-2766	BUCKET, LM, 6.5YD3, PO ..... 3,043 FOR USE IN LANE 3 ONLY 2750mm (108") width Light Materials Bucket Include visibility windows Capacities: 4.9 m3 (6.4 yd3) w/bolt-on adapters 5.0 m3 (6.5 yd3) w/bolt-on adapters and segments 5.0 m3 (6.5 yd3) w/bolt-on cutting edge	3,043	\$13,376 NI

***BUCKET ATTACHMENTS, 2550mm (100") BUCKET***

P	8E-4566	CUTTING EDGE, BOLT ON(4 PIECE) ..... 365	365	\$789
P	8E-4568	SEGMENTS, BOLT ON ..... 205 REQUIRES: 116-9713 adapter group and One tip selection	205	\$540
P	251-5418	CUTTING EDGE GP, RUBBER, 100" ..... 455 FOR USE IN LANE 3 ONLY Provides a two-section rubber cutting edge.	455	\$3,017

***BUCKET ATTACHMENTS, 2750mm (108") BUCKET***

P	345-2758	CUTTING EDGE, BOLT ON, 4 PIECE ..... 319	319	\$917
P	7T-9326	SEGMENTS, BOLT ON, SET OF 7 ..... 205 25mm Thick (1 req'd) REQUIRES: 116-9713 adapter group and One tip selection	205	\$601
P	444-1522	CUTTING EDGE GP, RUBBER, 108" ..... 493 Provides a two-section rubber cutting edge.	493	\$3,167

CATERPILLAR MACHINE PRICE LIST

**930M**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**BUCKETS (CONT.)**

**BUCKET ATTACHMENTS, ADAPTERS & TIPS**

P	116-9713	ADAPTERS, BOLT ON, SET OF 8 . . . . .	346	\$1,318
		REQUIRES: Segments Tips		
P	9W-8142	TIPS, LONG, SET OF 8 . . . . .	55	\$645
		REQUIRES: Segments Adapters		
P	9W-8143	TIPS, SHORT, SET OF 8 . . . . .	40	\$645
		REQUIRES: Segments Adapters		

**FLUIDS**

	OP-2407	ANTIFREEZE, -50C (-58F) . . . . .	0	\$251 NET
		For use where there is a possibility ambient temperatures may fall below -37C (-34F) and down to a minimum of -52C (-62F)		
	430-2981	HYDRAULIC OIL, BIODEGRADABLE . . . . .	0	\$2,345

**ALTERNATE SOURCED ATTACHMENTS**

Available through ANTARES Parts Ordering  
**NOTE: US & Canada ONLY** may place orders in CMOPS to be transferred via the bridge to ANTARES Parts Ordering.  
 When ordering via CMOPS include top level reference numbers (OP3537) and OP number for packing.

**NO RETURNS** will be accepted for kit components not used or parts removed from machines during kit installation.

**KIT ORDERS MUST BE ORDERED SEPARATELY FROM A MACHINE ORDER.**

P	370-7008	KIT, WARNING, BEACON, LED STROBE . . . . .	0	\$190 NI
		Kit provides hard mounted LED strobe beacon on hinged (breakaway) bracket mounted to the rear of the cab structure.		
P	374-5868	KIT, LIGHTS, AUX, HALOGEN . . . . .	0	\$253 NI
		Kit provides two (2) additional forward facing cab mounted halogen (70W) wide flood work lights, and two (2) rear facing cab mounted halogen (70W) wide flood work lights.		
P	452-0853	KIT, LIGHTS, AUX, LED . . . . .	0	\$840 NI
		Kit provides two (2) additional forward facing, cab mounted LED (2100 lm) low beam work lights, two (2) rear facing, cab mounted LED (850 lm) wide flood work lights. LED lighting provides brighter lighting and longer life.		

CATERPILLAR MACHINE PRICE LIST

**930M**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**ALTERNATE SOURCED ATTACHMENTS (CONT.)**

P	463-3795	<b>KIT, LIGHTS, LED, ENGINE</b> . . . . . 0 Kit provides three (3) additional LED engine enclosure lights to illuminate the way for checking oil and coolant levels along with refueling the machine in dark conditions.		\$257 NI
P	376-5324	<b>KIT, PRECLEANER, CAB AIR-RESPA</b> . . . . . 0 Provides a powered cab air pre cleaner, mounting brackets, and interior cab pressure sensor. Improves operator air quality and cab pressurization. Recommended for high debris environments.		\$2,219 NI
P	376-4390	<b>KIT, PRECLEANER, TURBINE</b> . . . . . 0 Kit provides turbine precleaner for the engine that ejects particles before intake. Recommended for high debris environments.		\$593 NI
P	467-7992	<b>KIT, COUNTERWEIGHT, LOGGER/AGG</b> . . . . . 0 Kit converts a heavy counterweight machine to a Logger/Agg counterweight machine by additional frame mounted counterweight for use in applications such as Log and Lumber, Aggregate Handling, Auto Re-Handling and heavy material handling. NOT recommended for general construction machines. NOT compatible for High Lift Linkage configurations. CANNOT BE USED WITH: Flexport Tires		\$4,294 NI
P	447-4893	<b>KIT, COUPLER READY</b> . . . . . 0 Kit provides coupler valve and hydraulic lines to convert a 2V pin on STD lift machine into a 2V coupler ready machine For use with machines before serial number KTG05000 For use with machines before serial number HEY00550		\$888 NI
P	374-5793	<b>KIT, QUICK COUPLER, ISO 23727</b> . . . . . 0 Kit provides an electro-hydraulic coupler actuation system activated from the cab. Includes lock valve cylinder. Compatible with many competitive work tools, ISO standard coupler interface is also used by Volvo. Requires Coupler Ready Machine. Recommend to also install Counterweight, Heavy		\$6,189 NI
P	545-5498	<b>KIT, QUICK COUPLER, ISO 23727</b> . . . . . 0 Kit provides an electro-hydraulic Cast ISO Interface coupler actuation system activated from the cab. Includes lock valve cylinder. Compatible with many competitive work tools, ISO standard coupler interface is also used by Volvo. Requires Coupler Ready Machine. Recommend to also install Counterweight, Heavy For use with machines before serial number KTG05000 For use with machines before serial number HEY00550		\$6,189 NI
P	374-5790	<b>KIT, QUICK COUPLER, FUSION</b> . . . . . 0 Kit provides an electro-hydraulic coupler actuation system activated from the cab. Includes constant pressure coupler wedges. Requires Coupler Ready Machine. Recommend to also install Counterweight, Heavy For use with machines before serial number KTG05000 For use with machines before serial number HEY00550		\$4,929 NI
P	463-3793	<b>KIT, REAR VIEW CAMERA</b> . . . . . 0 Kit provides rear view camera that mounts to rear door and harness. Requires secondary display.		\$1,261 NI

CATERPILLAR MACHINE PRICE LIST

**930M**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
<b>ALTERNATE SOURCED ATTACHMENTS (CONT.)</b>				
P	463-3794	<b>KIT, MONITOR, SECONDARY DISPLAY</b> ..... 0 Kit provides a secondary display which allows real time adjustments to rimpull, creeper speed, 3rd function flow, throttle lock, and duals as a rear camera display (camera not included). For use with machines before serial number KTG03000		\$1,939 NI
P	494-7956	<b>KIT, MONITOR, SECONDARY DISPLAY</b> ..... 0 Kit provides a secondary touch screen display which allows real time adjustments to rimpull, creeper speed, 3rd function flow, throttle lock, and duals as a rear camera display (camera not included)		\$1,874 NI
P	463-3801	<b>KIT, OBJECT DETECTION, RADAR</b> ..... 0 Kit provides a rear door mounted radar system to warn the operator visually and audibly of close-by objects to the rear of the machine. Requires secondary display and rear camera.		\$4,172 NI
P	441-4005	<b>KIT, QUICK DISCONNECTS</b> ..... 0 Kit provides a set (male & female) of flat face connect under pressure quick disconnects. Recommended to adapt existing work tools to the new improved SWL quick disconnects. For use with machines before serial number KTG05000 For use with machines before serial number HEY00550		\$369 NI
P	441-3368	<b>KIT, JUMPER LINES, 3RD FUNCTION</b> ..... 0 Kit provides 3rd function jumper lines and threaded flat face connect under pressure quick disconnects mounted to the coupler. Recommended for use with 3rd function work tools. For use with machines before serial number KTG05000 For use with machines before serial number HEY00550		\$679 NI
P	457-0939	<b>KIT, 2V2L</b> ..... 0 Kit provides 2 valve single axis lift and tilt levers with console mounted FNR, diff lock and horn switches		\$1,465 NI
P	387-4021	<b>KIT, 3RD VALVE, STANDARD LIFT</b> ..... 0 Kit provides implement valve section, joystick and hydraulic lines to convert a 2 valve (2V) Standard Lift machine to 3 valve (3V) For use with machines before serial number KTG03000		\$2,701 NI
P	527-8436	<b>KIT, 3RD VALVE, STANDARD LIFT</b> ..... 0 Kit provides implement valve section, joystick and hydraulic lines to convert a 2 valve (2V) Standard Lift machine to 3 valve (3V) For use with machines after serial number KTG03000 and before KTG05000		\$2,701 NI
P	420-4333	<b>KIT, 3RD VALVE, HIGH LIFT</b> ..... 0 For use with machines before serial number KTG05000 Kit provides implement valve section, joystick and hydraulic lines to convert a 2V High Lift machine to 3 Valve. For use with machines before serial number KTG05000 For use with machines before serial number HEY00550		\$2,996 NI
P	452-0862	<b>KIT, 4TH VALVE, STANDARD LIFT</b> ..... 0 Kit provides implement valve section, joystick, ECM and hydraulic lines to convert a 3 valve (3V) STD Lift machine to 4 valve (4V)		\$2,517 NI
P	374-5858	<b>KIT, CTWT, HEAVY 705LBS</b> ..... 0 Kit provides additional frame mounted counterweights +320KG (705lbs). Kit converts standard counterweight group to heavy.		\$3,143 NI

CATERPILLAR MACHINE PRICE LIST

**930M**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**ALTERNATE SOURCED ATTACHMENTS (CONT.)**

P	377-4149	<b>ADAPTER FUSION CONVERTER</b> . . . . . 499 Provides adaptor bracket with fusion hooks on the back and manually engaged IT pins on the front allowing it to interface with IT coupler tools. Recommended for mixed fleet customers. Adaptor pushes attachment away from machine resulting in decreased lift and tilt capacity.		<b>\$2,665 NI</b>
P	471-7009	<b>KIT, FNR, COLUMN</b> . . . . . 0 Kit provides a FNR shifter lever, wiring harness, mounting bracket and templates to modify the existing bracket and covers to install the shifter on the left hand (LH) side of the steering column. The multi-function stalk switch is relocated to the right hand (RH) side of the column.		<b>\$403 NI</b>
P	371-2400	<b>KIT, FUSION, FLATBACK HOOKS</b> . . . . . 330 Provides brackets with Fusion hooks on the back and a flat interface on the front allowing it to be welded to existing SWL work tools. Recommended for customers who want to re-hinge existing non Fusion tools or competitive tools to a Fusion interface.		<b>\$1,049 NI</b>
P	374-5855	<b>KIT, BLOCK HEATER, 120V</b> . . . . . 0 Kit provides 120V block heater to improve cold start performance.		<b>\$299 NI</b>
P	374-5856	<b>KIT, BLOCK HEATER, 240V</b> . . . . . 0 Kit provides 240V block heater to improve cold start performance.		<b>\$299 NI</b>
P	374-5854	<b>KIT, ETHER START</b> . . . . . 0 Kit provides ether starting aid to improve cold start performance.		<b>\$454 NI</b>
P	370-7007	<b>KIT, START, HEAVY DUTY</b> . . . . . 0 Kit provides battery box for installation of 2 additional batteries (in place of standard tool box), along with cables and battery tie-downs (batteries not included).		<b>\$1,363 NI</b>
P	387-4189	<b>KIT, ALTERNATOR HEAVY DUTY</b> . . . . . 0		<b>\$1,599 NI</b>
P	452-0856	<b>KIT, RIDE CONTROL</b> . . . . . 0 Kit provides multi-accumulator system to absorb shock and reduce machine bounce when traveling. For use with machines before serial number KTG05000 For use with machines before serial number HEY00550		<b>\$4,746 NI</b>
P	374-5859	<b>KIT, STEERING, SECONDARY</b> . . . . . 0 Kit provides a combined electric motor / hydraulic pump along with required lines to add a secondary back-up steering system for increased safety. Required in some countries and some locations by OSHA/MSHA.		<b>\$3,589 NI</b>
P	374-5857	<b>KIT, FENDERS, EXTENDED COVER</b> . . . . . 0 Kit provides yellow, non-metalic front fenders and extended coverage rear fenders. Kit converts standard fender group to extended cover. Recommended for applications that include long load and carry.		<b>\$2,515 NI</b>



CATERPILLAR MACHINE PRICE LIST

**930M**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**ALTERNATE SOURCED ATTACHMENTS (CONT.)**

P	562-5684	<b>KIT, GLASS, FRONT, POLY</b> . . . . . 0 Kit provides optical grade, fretted anti-glare tinted and anti-scratch coated polycarbonate front upper windshield, lower left and right window panels. Each panel is individually serviceable and will provide improved impact resistance from falling debris in various applications such as waste, recycling, forestry and agriculture while allowing unobstructed visibility to the ground and work tool. The polycarbonate kit is compatible with KIT, GUARD, WINDSHIELD for additional protection.		\$2,033 NI
P	387-4190	<b>KIT, GUARD, WINDSHIELD</b> . . . . . 0 Kit provides protection to the front windshield from falling debris in waste, forestry, agriculture, etc. while allowing excellent visibility to the ground and worktool.		\$3,772 NI
P	374-5861	<b>KIT, GUARD, FRONT LIGHTS</b> . . . . . 0 Kit provides two (2) front light guards that mount over the headlights. CANNOT BE USED WITH: 430-2975 CONVERSION, TUV ROADING 430-2976 CONVERSION, TUV ROADING 20 KPH 472-6119 CONVERSION, IRH 472-6121 CONVERSION, IRH, HIGHT LIFT 430-2982 CONVERSION, UK ROADING		\$442 NI
P	374-5863	<b>KIT, GUARD, REAR LIGHTS</b> . . . . . 0 Kit provides two (2) rear light guards that mount over the tail lights. Not compatible with Heavy Duty Rear Guard. CANNOT BE USED WITH: 430-2975 CONVERSION, TUV ROADING 430-2976 CONVERSION, TUV ROADING 20 KPH 472-6119 CONVERSION, IRH 472-6121 CONVERSION, IRH, HIGHT LIFT 430-2982 CONVERSION, UK ROADING		\$503 NI
P	437-1880	<b>KIT, GUARD, TILT CYL, STD LIFT</b> . . . . . 0 Provides protection to the tilt cylinder, preventing damage to the rod, hoses and cylinder seal. Cannot be used with endorsed check valve option.		\$903 NI
P	437-1881	<b>KIT, GUARD, TILT CYL,HIGH LIFT</b> . . . . . 0 Provides protection to the tilt cylinder, preventing damage to the rod, hoses and cylinder seal. Cannot be used with endorsed check valve option.		\$1,014 NI
P	452-0858	<b>KIT, REVERSING FAN</b> . . . . . 0 Kit provides a hydraulically operated demand fan with reversing option. Includes automatic and manual controls for fan reversal. Recommended for applications with a high content of airborne debris.		\$2,331 NI
P	452-0859	<b>KIT, FULL COVER, MUD FLAPS</b> . . . . . 0 Kit provides mud flaps and extended coverage to front of rear tires. Kit converts extended cover fender group to full cover. Not for use with 366-8148 Fenders, Standard.		\$635 NI
P	374-5842	<b>KIT, GUARD, DRIVESHAFT</b> . . . . . 0 Kit provides drive shaft guard that mounts underneath the front frame.		\$724 NI
P	452-0857	<b>KIT, GUARD, POWERTRAIN, SIDE</b> . . . . . 0 Kit provides two (2) side transmission guards that mount to both sides of the rear frame.		\$635 NI

CATERPILLAR MACHINE PRICE LIST

**930M**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**ALTERNATE SOURCED ATTACHMENTS (CONT.)**

P	374-5844	<b>KIT, GUARD, POWERTRAIN, LOWER</b> . . . . . 0 Kit provides lower transmission guard that mounts underneath the rear frame.		\$1,657 NI
P	374-5845	<b>KIT, GUARD, CRANKCASE</b> . . . . . 0 Kit provides engine crankcase guard that mounts underneath the rear frame.		\$1,126 NI
P	437-8603	<b>KIT, GUARD, FENDERS, WASTE</b> . . . . . 0 Provides protection to both steering cylinders, preventing damage to rods and cylinder seals. Provides yellow, metal front deflectors that provides protection to hitch, ladder, and cab from debris thrown up or stuck in the front tires.		\$592 NI
P	377-1594	<b>KIT, GUARD, STEERING CYLINDER</b> . . . . . 0 Provides protection to both steering cylinders, preventing damage to rods and cylinder seals.		\$881 NI
P	433-2002	<b>KIT, GUARD, HITCH</b> . . . . . 0 Provides protection to hitch area of the rear frame, preventing debris from entering the frame, while allowing visibility to service points.		\$799 NI
P	377-4109	<b>KIT, GUARD, REAR RADIATOR</b> . . . . . 0 Kit provides protection to rear of the machine and cooling package. Includes swing out guard for cooling access and mounting for rear camera. CANNOT BE USED WITH: 374-5863 KIT, GUARD, REAR LIGHTS 430-2975 CONVERSION, TUV ROADING 430-2976 CONVERSION, TUV ROADING 20 KPH 472-6119 CONVERSION, IRH 472-6121 CONVERSION, IRH, HIGHT LIFT 430-2982 CONVERSION, UK ROADING 463-3801 KIT, OBJECT DETECTION, RADAR		\$5,849 NI
P	372-1949	<b>KIT, VISION MONITOR (WAVS)</b> . . . . . 0 Kit provides a dedicated rear vision monitor mounted high on the cab A post. Required in some EU countries where a rear view needs to be on permanent display. Can be used with any NTSC or PAL camera located elsewhere on the machine.		\$1,701 NI
P	370-7004	<b>KIT, SECURITY SYSTEM, CAT MSS</b> . . . . . 0 Kit provides a programmable system to manage access to machine. Includes 2 special MSS keys.		\$1,175 NI
P	416-1179	<b>KIT, RADIO, CD, DELUXE</b> . . . . . 0 Provides a AM/FM radio with weatherband and CD player, includes Bluetooth, Aux & USB capability		\$1,133 NI
P	372-1871	<b>KIT, RADIO AM/FM</b> . . . . . 0 Provides a AM/FM radio with Bluetooth, Aux & USB capability		\$624 NI
P	472-6125	<b>KIT, CONV,20 KPH SPEED LIMITER</b> . . . . . 0 Kit provides 20 kph speed labels and electronically limits speed to 20 kph. CANNOT BE USED WITH: 472-6123 KIT, CONV, TUV ROADING 20 KPH		\$21 NI NET

CATERPILLAR MACHINE PRICE LIST

**930M**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**ALTERNATE SOURCED ATTACHMENTS (CONT.)**

P	374-5865	<b>KIT, LICENSE PLATE</b> . . . . . 0 Kit provides illuminated license plate holder that mounts to the rear door.		\$253 NI
P	363-4245	<b>KIT, DRAIN, ECO FUEL</b> . . . . . 0 Kit provides an ecology drain plug and tube for the fuel tank.		\$485 NI
P	419-7164	<b>KIT, BREATHER GROUP</b> . . . . . 0 Provides remote mounted breathers for both axles and hystat gearbox, used when machines enter deep water.		\$319 NI
P	416-1958	<b>KIT, FILM, WASTE HANDLER</b> . . . . . 0		\$29 NI
P	416-1959	<b>KIT, FILM, AGGREGATE</b> . . . . . 0		\$29 NI
P	416-1960	<b>KIT, FILM, FOREST HANDLER</b> . . . . . 0		\$29 NI
P	452-0861	<b>KIT, STARTING, HIGH ALTITUDE</b> . . . . . 0 Kit provides a hydraulic fan bypass valve to improve cold starting in cold weather high altitude conditions.		\$888 NI
P	387-4185	<b>KIT, STEERING, DUAL MODE</b> . . . . . 0		\$1,383 NI
P	522-0264	<b>KIT, AUTOLUBE</b> . . . . . 0 Kit includes Caterpillar Autolube System for automatic lubrication of machine pin joints requiring daily lubrication: Linkage pin joints, including bucket pins, articulation hitch, steering cylinders and rear axle trunnions. System is accessed through the Secondary Display to adjust lubrication frequency and provide low reservoir alert. Kit is compatible with both standard lift & high lift machine configurations. For use with machines containing serial numbers greater than KTG03000.		\$5,531 NI
P	450-0490	<b>KIT, THERMAL BYPASS</b> . . . . . 0 Kit provides a cold oil cooler bypass valve for machines that continuously operate in ambient temperatures lower than -5 Deg C and enables oil to quickly warm up to 50 Deg C		\$600 NI
P	445-2010	<b>KIT, WINDSHIELD ACCESS STEPS</b> . . . . . 0 Kit provides right hand side front frame mounted steps and hand rail to facilitate access for an operator to clean the front windshield.		\$763 NI
P	502-4860	<b>KIT, SERVICE TIE OFF</b> . . . . . 0 Kit provides a service tie off on left rear corner of cab that is a weld on dealer attachment.		\$140 NI
P	418-4190	<b>KIT, FUEL DOOR</b> . . . . . 0 Kit provides an elevated fuel fill location along with an access door for fueling the machine through the large right side service door without opening it.		\$624 NI
P	460-2751	<b>KIT, RIM 17X25 3PC X4</b> . . . . . 0 Kit provides a set of 4 three piece rims for use with 20.5R25 tires. Enables easier switching between different types of tires in the field		\$4,683 NI
P	494-8000	<b>KIT, ELITE, NETWORK MANAGER</b> . . . . . 0 Kit includes Network Manager for conversion of Product Link Pro to Product Link Elite. Required to field install Cat Production Measurement kit 494-7590		\$419 NI

CATERPILLAR MACHINE PRICE LIST

**930M**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**ALTERNATE SOURCED ATTACHMENTS (CONT.)**

P	494-7950	<b>KIT, CONTROL GP, PAYLOAD</b> ..... 0 Kit includes sensors and hardware. Software license for Cat Production Measurement (CPM) will be a separate charge. Requires secondary display and Product Link Elite (Network Manager). Requires purchase of software license from <a href="https://fps.cat.com">https://fps.cat.com</a> (Use Reason Code #149). Requires SEA 518-3210 for permanent activation. For use with Clayton, North Carolina sourced machines containing serial numbers greater than KTG03000.		<b>\$574 NI</b>
P	494-7947	<b>KIT, MONITOR, TIRE PRESSURE</b> ..... 0 Kit includes four sensors that mount to the valve stem of each tire along with a receiver module that monitors both pressure & temperature in each tire. Tire pressure & temperature information is shared with the operator via the secondary display. Warnings are provided via the secondary display and through Unified Fleet if pressure is outside of a configurable target range. Software license for Cat Tire Pressure Monitoring (TPM) will be a separate charge. Requires secondary touch screen display. Requires SEA 518-3231 for permanent activation. For use with Clayton, North Carolina sourced machines containing serial numbers greater than KTG03000.		<b>\$1,911 NI</b>
P	494-8001	<b>KIT, CONT GP, PRINTER</b> ..... 0 Kit includes printer for onboard ticket printing capability for Cat Production Measurement (CPM). Printer mounts in rear right corner of cab. REQUIRES: 492-6471 Control GP Payload or kit 494-7950		<b>\$1,967 NI</b>

CATERPILLAR MACHINE PRICE LIST

**930M**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**ALTERNATE SOURCED ATTACHMENTS (CONT.)**

**ENDORSED FIELD INSTALLED ATTACHMENTS**

Caterpillar does not warrant, service, or assume responsibility for these attachments.

All orders, pricing confirmation, and other communication for these attachments must be directed to the listed manufacturer.

**SAS AUTO HANDLING CARRIAGE AND 15FT FORKS**

15 ft. fixed width forks specifically designed for moving cars and light trucks from the front with a high level of stability. High visibility carriage with forks designed for easy, damage free loading. forks while loading and fork design allows for easy and damage

**SAS AUTO HANDLING CARRIAGE & 7FT CAR BODY FORKS**

Interface and 7 ft. fixed width forks specifically designed for moving cars and light trucks from the side. High visibility carriage with forks designed for easy, damage free loading.

**SAS AUTO HANDLING CARRIAGE & 6FT CRUSHING FORKS**

6 ft. fixed width crushing forks specifically designed for crushing car roofs, moving stacks of cars, and loading car crushers.

**SAS AUTO RECYCLER SCORPION ENGINE PULLER**

Multi-purpose design allows for quick removal of engines and transmissions from salvage cars, center plow blade for clean up, and 7 ft. forks for loading and unloading. Note: additional machine modifications required for work tool hydraulic integration.

All SAS Auto Handling attachments above are available with the following coupler interfaces: Fusion, Versa Link, ISO, Pin-On

Contact: Adam Lindley or Paul Secker

Phone: 1-877-727-3675 or 1-920-845-2198

Email: adam@sasforks.com/paul@sasforks.com

CATERPILLAR MACHINE PRICE LIST

**930M**

---

USE	REF NO.	<b>LANE 2 / 3 OPTIONAL</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	----------------------------	--------------------	-------------------------

---

**ALTERNATE SOURCED ATTACHMENTS (CONT.)**

**FIRE SUPPRESSION SYSTEM**

System to protect engine installation, hydraulic pumps, and transmission from a thermal incident. Fully integrated system which includes an in cab monitor of machine enclosure temperatures and focused foam based suppression system. Activates automatically as well as manually, from the cab or from the outside of the machine.

For use when machine is in application or environments with potentially flammable air borne debris or waste materials.

CONTACT YOUR DEALER OR AFEX FOR PRICING AND TERMS

Steve Payne  
spayne@afexsystems.com  
(919)-781-6610 Tel  
(919)-787-3915 Fax  
www.afexsystems.com

CATERPILLAR MACHINE PRICE LIST

**930M**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
<b>PACKING</b>				
	0G-8010	<b>PACKING, PHYTO-SANITARY WOOD</b> . . . . . 0 All wood or wood derivative packaging material with this shipment requires Phytosanitary Certificate. If all packing material is wood-free (metal or plastic), this shipment requires a Declaration of No Wood Packing Material.		<b>NC</b>
	0P-2266	<b>SHIPPING/STORAGE PROTECTION</b> . . . . . 0 Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.		<b>\$207 NET</b>
	0G-6022	<b>CERTIFICATE OF ORIGIN, ENGLISH</b> . . . . . 0		<b>\$10 NET</b>
	0P-0210	<b>PACK, DOMESTIC TRUCK</b> . . . . . 0		<b>NC</b>
	0P-2160	<b>PACK, MISCELLANEOUS MATERIAL</b> . . . . . 0 Exfactory Kits, Freight Collect		<b>NC</b>
	0P-2161	<b>PACKING, KIT (RUSH)</b> . . . . . 0 Exfactory Kits, Freight Collect, Expedite Shipment		<b>\$139 NET</b>