

CATERPILLAR MACHINE PRICE LIST

# 950M-BR

950M WHEEL LOADER  
PIRACICABA, BRAZIL

Ship Weight  
lbs

LIST PRICE  
AT DEALER

Standard Equipment:

### POWERTRAIN

Engine, Cat C7.1 ACERT  
Torque converter, with lock-up clutch free wheel stator  
Transmission countershaft, automatic, powershift (5F/3R)  
Pump transmission, split flow  
Productive Economy Mode (fuel consumption optimization)  
Brakes, full hydraulic enclosed wet-disc with Integrated Braking System (IBS)  
Brake wear indicators  
Fan drive hydraulic, electronically controlled, temperature sensing, on demand  
Fuel priming pump (electric)  
Fuel/Water separator  
Engine air intake with strata-tubes  
Parking Brake, disk & caliper

### HYDRAULICS

Load sensing system with variable displacement piston pump.  
Hoses, Caterpillar XT  
Couplings, Caterpillar O-ring face seal  
Hydraulic oil cooler (swing out)  
Oil sampling valves  
Remote diagnostic pressure taps  
Hydraulic Service Center

### ELECTRICAL

Batteries (2), maintenance free 1400CCA  
Starting and charging system (24V)  
Alternator, 115-amp brushed  
Alarm, back-up  
Ignition key; start/stop switch  
Main disconnect switch  
Receptacle remote start (cables not included)  
Starter, electric, heavy duty  
Emergency shut-off switch  
Rear camera  
Electrical Service Center

### OPERATOR ENVIRONMENT

A-Post mounted membrane 16 switch keypad  
Climate control  
Bucket/Work tool function lockout  
EH Parking Brake  
Intermittent front wiper control  
Horn, electric  
Lights, cab dome (2)  
Radio ready (entertainment) includes antenna, speaker & converters (12V 10A)  
3 receptacles, 12V

Beverage holders (2) with storage compartment for cell phone/MP3 player  
Coat hooks (2)  
Sliding window  
Ergonomic Cab Access  
Sun visor, front  
Computerized monitoring system  
Front dash information display with:  
-Speedometer/Tachometer  
-Digital gear indicator  
-Temperatures: engine coolant, hydraulic oil, transmission oil  
-Fuel level  
Warning Indicators:  
-Temperatures: axle oil, engine intake manifold  
-Pressures: engine oil, fuel pressure  
Hi/Low, primary steering oil, service brake oil  
-Battery voltage Hi/Low  
-Engine air filter restriction  
-Hydraulic oil filter restriction  
-Hydraulic oil level low  
-Parking brake  
-Transmission filter bypass  
Multi-function monitor:  
-180mm(7") color LCD touch-screen display  
-Rear-view camera image display (reverse travel activated)  
Machine utilization information:  
-Total fuel consumption  
-Average fuel burn rate  
-Engine fuel consumption  
-Total idle time  
-Total operating hours  
-Travel distance (odometer)  
-Total idle fuel  
-Total operating hours, neutral  
-Total operating hours with hydraulic filter in bypass

### OTHER STANDARD EQUIPMENT

Engine idle management system and auto idle shutdown  
Filters: fuel, engine air, engine oil, hydraulic oil, transmission  
Hitch, drawbar  
Kickout, lift & tilt, automatic (adjustable)  
Sight gauges: engine coolant, hydraulic oil, and transmission oil level  
Lift and tie down points  
Articulation locking bar  
Parallel Z-bar lifting

CATERPILLAR MACHINE PRICE LIST

# 950M-BR

950M WHEEL LOADER PIRACICABA, BRAZIL	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

**Lane 2 is reserved for the Base Order Management Program.  
 Please use Lane 2 when placing orders that are part of the Base Order  
 Management Program.**

<b>513-5376</b>	<b>950M WHEEL LOADER AM-N DCA9</b> ..... 0 LANE 1 - AVAILABLE FROM GALVESTON DISTRIBUTION CENTER	<b>\$315,450</b>
-----------------	---	------------------

- INCLUDES:
- 464-2600 950M WHEEL LOADER
  - 336-0000 HOOD, NON-METALLIC
  - 364-9807 COOLING CORES, 9 FPI
  - 365-0112 AIR INLET STANDARD, RAIN CAP
  - 366-9903 AXLES, LOCK/OPEN, ED
  - 366-9912 HYDRAULIC OIL, STANDARD
  - 367-9027 GUARD, POWERTRAIN
  - 371-7064 ANTIFREEZE, -34C (-29F)
  - 373-3900 QUICK COUPLER READY, STD LIFT
  - 373-3911 STARTING, COLD (120V)
  - 393-0072 COUNTERWEIGHT, 1460KG
  - 434-0690 NETWORK MANAGER ONLY
  - 464-6672 FENDERS, BASIC +
  - 465-6576 SOUND SUPPRESSION, STANDARD
  - 384-7009 STEERING, WHEEL HMU
  - 384-7006 MANUAL DIFF, HMU
  - 486-2311 LIGHTS, HALOGEN
  - 495-7493 LUBRICATION, MANUAL, STD/LOG
  - 503-6412 FAN, STANDARD
  - 505-1505 STANDARD PACKAGE
  - 505-1528 CAB, DELUXE
  - 505-1552 LINKAGE, STANDARD LIFT
  - 506-3495 REGIONAL PACKAGE, AM-N
  - 506-3506 HYDRAULICS, 2V RC (3V READY)
  - 511-0755 AUTODIG & CPM PAYLOAD READY

NOTE: Please refer to the Lane 1 section to complete your order.

CATERPILLAR MACHINE PRICE LIST

# 950M-BR

950M WHEEL LOADER PIRACICABA, BRAZIL	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

<b>513-5377</b>	<b>950M WHEEL LOADER AM-N DCA10</b> ..... 0 LANE 1 - AVAILABLE FROM GALVESTON DISTRIBUTION CENTER	<b>\$329,690</b>
-----------------	--	------------------

- INCLUDES:
- 464-2600 950M WHEEL LOADER
  - 506-3495 REGIONAL PACKAGE, AM-N
  - 505-1505 STANDARD PACKAGE
  - 505-1552 LINKAGE, STANDARD LIFT
  - 393-0072 COUNTERWEIGHT, 1460KG
  - 366-9908 AXLES, AUTO DIFF F/R, ED
  - 500-2566 HYDRAULICS, 3V RC, STD/LOGGER
  - 366-9912 HYDRAULIC OIL, STANDARD
  - 373-3911 STARTING, COLD (120V)
  - 506-3489 LIGHTS, LED, PREMIUM
  - 505-1528 CAB, DELUXE
  - 384-7009 STEERING, WHEEL HMU
  - 384-7005 AUTO DIFF, HMU
  - 434-0690 NETWORK MANAGER ONLY
  - 364-9807 COOLING CORES, 9 FPI
  - 503-6412 FAN, STANDARD
  - 371-7064 ANTIFREEZE, -34C (-29F)
  - 367-9027 GUARD, POWERTRAIN
  - 373-3900 QUICK COUPLER READY, STD LIFT
  - 365-0112 AIR INLET STANDARD, RAIN CAP
  - 336-0000 HOOD, NON-METALLIC
  - 464-6672 FENDERS, BASIC +
  - 465-6576 SOUND SUPPRESSION, STANDARD
  - 495-7493 LUBRICATION, MANUAL, STD/LOG
  - 511-0755 AUTODIG & CPM PAYLOAD READY

NOTE: Please refer to the Lane 1 section to complete your order.

CATERPILLAR MACHINE PRICE LIST

# 950M-BR

950M WHEEL LOADER PIRACICABA, BRAZIL	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

<b>513-5378</b>	<b>950M WHEEL LOADER AM-N DCA11</b> ..... 0 LANE 1 - AVAILABLE FROM GALVESTON DISTRIBUTION CENTER	<b>\$324,550</b>
-----------------	--	------------------

- INCLUDES:
- 464-2600 950M WHEEL LOADER
  - 506-3495 REGIONAL PACKAGE, AM-N
  - 505-1505 STANDARD PACKAGE
  - 505-1552 LINKAGE, STANDARD LIFT
  - 393-0072 COUNTERWEIGHT, 1460KG
  - 366-9908 AXLES, AUTO DIFF F/R, ED
  - 506-3506 HYDRAULICS, 2V RC (3V READY)
  - 366-9912 HYDRAULIC OIL, STANDARD
  - 373-3911 STARTING, COLD (120V)
  - 506-3489 LIGHTS, LED, PREMIUM
  - 505-1528 CAB, DELUXE
  - 384-7009 STEERING, WHEEL HMU
  - 384-7005 AUTO DIFF, HMU
  - 434-0690 NETWORK MANAGER ONLY
  - 364-9807 COOLING CORES, 9 FPI
  - 503-6412 FAN, STANDARD
  - 371-7064 ANTIFREEZE, -34C (-29F)
  - 367-9027 GUARD, POWERTRAIN
  - 373-3900 QUICK COUPLER READY, STD LIFT
  - 365-0112 AIR INLET STANDARD, RAIN CAP
  - 336-0000 HOOD, NON-METALLIC
  - 464-6674 FENDERS, BASIC +, LOW PROFILE
  - 465-6576 SOUND SUPPRESSION, STANDARD
  - 495-7493 LUBRICATION, MANUAL, STD/LOG
  - 511-0755 AUTODIG & CPM PAYLOAD READY

NOTE: Please refer to the Lane 1 section to complete your order.

<b>464-2600</b>	<b>950M WHEEL LOADER</b> ..... 0 LANE 2 - AVAILABLE FROM PIRACICABA FACTORY LANE 3 - AVAILABLE FROM PIRACICABA FACTORY	<b>\$304,530</b>
-----------------	--	------------------

CATERPILLAR MACHINE PRICE LIST

**950M-BR**

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**LANE 1 AM-NORTH MANDATORY ATTACHMENTS**

**LANE SELECTION**

OP-9001	LANE 1 ORDER	0	NC
---------	--------------	---	----

**IMPLEMENT CONTROLS**

L	495-0867	SAL W/FNR, 2V	0	NC
		ONLY FOR USE WITH: 513-5376 950M WHEEL LOADER AM-N DCA9		
		513-5378 950M WHEEL LOADER AM-N DCA11		
L	495-0868	SAL W/FNR, 3V	0	NC
		ONLY FOR USE WITH: 513-5377 950M WHEEL LOADER AM-N DCA10		

**PRODUCT LINK**

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet.

Authorization varies by country, please contact your Cat marketing representative with questions or click on the link below:  
[HTTPS://DEALER.CAT.COM/en/bt/otd/machine-price-list.html](https://dealer.cat.com/en/bt/otd/machine-price-list.html)  
 From there click on the "PRODUCT LINK Hardware Certification" link.

L	434-0695	PRODUCT LINK, CELLULAR PLE641	0	NC
		Product Link Elite series PLE641 offers expanded coverage including 3G UMTS and CDMA2000 as well as 2G GSM and CDMA cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		

**TIRES**

**Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice. However, if the tire type cannot be supplied we will contact the dealer to propose alternatives. The dealer needs to choose between an alternative tire or a "rims only" option (where available) within 72 hours. If no response is provided by the deadline, the order will default to the alternative tire and will be changed at that point. As a consequence of a possible tire change, the total machine price will be decreased or increased depending on the price of the new tire.**

**TIRES AVAILABLE FOR MICHELIN**

P	373-4052	TIRES, 23.5R25 MX XHA2 * L3	0	\$-3,240
		ONLY FOR USE WITH: 513-5376 950M WHEEL LOADER AM-N DCA9		
		513-5377 950M WHEEL LOADER AM-N DCA 10		

CATERPILLAR MACHINE PRICE LIST

**950M-BR**

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)**

***TIRES (Cont.)***

**TIRES AVAILABLE FOR BRIDGESTONE**

P	509-1481	TIRES, 750/65R25 BS VTS * L3 . . . . . 0 ONLY FOR USE WITH: 513-5378 950M WHEEL LOADER AM-N DCA11		\$7,490
---	----------	--	--	---------

***PACKING***

	0P-6619	ROLL ON-ROLL OFF . . . . . 0 Machine is in mobile condition and all attachments are installed unless specified.		\$259 NET
--	---------	--	--	-----------

**CYLINDER PROTECTION**

	0P-3940	PROTECTION, CYLINDER ROD . . . . . 0		NC
--	---------	--------------------------------------	--	----

***OPERATION AND MAINTENANCE MANUAL***

NOTE: Operation and maintenance Manual will be included in language requested below.

	0P-3380	INSTRUCTIONS, ENGLISH . . . . . 0		NC
	0P-3389	INSTRUCTIONS, FRENCH . . . . . 0		NC

***FLUIDS***

	0P-1939	ANTIFREEZE WINDSHIELD WASHER . . . . . 0 For use with machines with cab.		NC
--	---------	---	--	----

**FUEL ANTIFREEZE**

	0P-3978	FUEL ANTIFREEZE, -25C (-13F) . . . . . 0 Provides fuel (diesel) antifreeze protection down to -45C (-50F)		NC
--	---------	--	--	----

***INSTRUCTIONS***

**FILMS**

P	386-7389	FILM, CPM . . . . . 0 REQUIRED BY: Canada		NC
	0P-3507	FILMS, ISO . . . . . 0 REQUIRED BY: Quebec		NC

CATERPILLAR MACHINE PRICE LIST

**950M-BR**

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**LANE 1 AM-NORTH OPTIONAL ATTACHMENTS**

***COOLANT***

P	0P-3506	ANTIFREEZE, -50C (-58F) ..... 0 Premix Antifreeze, -50C or -58F		<b>\$251 NET</b>
---	---------	--	--	------------------

CATERPILLAR MACHINE PRICE LIST

**950M-BR**

USE	REF NO.	LANE 1 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**LANE 1 AM-NORTH OPTIONAL ATTACHMENTS (CONT.)**

**PACKING**

**OMISSION WORKTOOL**

P	361-1437	OMISSION, WORKTOOL . . . . . 0 This is required when ordering a machine without an installed bucket or quick coupler to protect the links.		NC
---	----------	---	--	----

**STORAGE PROTECTION**

	OP-2918	STORAGE PROTECTION . . . . . 0 This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior the shipment to the customer. REQUIRED BY : ALL LANE CONFIGURATION		NC
--	---------	---	--	----



CATERPILLAR MACHINE PRICE LIST

# 950M-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**LANE SELECTION**

OP-9002	LANE 2 ORDER	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
OP-9003	LANE 3 ORDER	0	NC

**REGIONAL PACKAGES**

L	506-3495	REGIONAL PACKAGE, AM-N	0	NC
		INCLUDES:		
		-ANSI films		
		-EPA Tier 4 Final Compliant Engine		

**SPECIAL ARRANGEMENTS**

L	505-1506	INDUSTRIAL PACKAGE	0	\$10,180
		FOR USE WITH LANE 3 ONLY		
		Provides machine features required in waste transfer stations, recycling stations, green waste and scrap applications.		
		INCLUDES:		
		-Reinforced platform		
		-Carbon cab air filter		
		-Guards: hitch, bottom cab (skirt), front frame, crankcase		
		-Lift cylinder baffles		
		-Heavy duty ladder		
		RECOMMENDED:		
		434-4487 TIRES, 23.5X25 FLXPRT OFF ROAD or		
		434-4488 434-4488 TIRES, 23.5X25 FLXPRT SMOOTH and		
		505-1521 FILTRATION AR, STEEL or		
		505-1522 FILTRATION AR, STEEL CLNR AUX and		
		493-9616 WINDOWS, FLAT, RUBBER MOUNTED or		
		493-9617 WINDOWS, FLAT, RUBBER MOUNTED GRD and		
		485-4387 GUARDS, LIGHT		
		REQUIRES: 366-9906 AXLES, LOCK/OPEN, ED, SG or		
		366-9910 AXLES, AUTO DIFF F/R, ED, SG and		
		478-8371 FENDERS, NARROW and		
		488-1138 SOUND SUPPRESSION, INDUSTRIAL (NACD) or		
		465-6590 SOUND SUPPRESSION, LOW (EUR)		
		399-4332 GUARD, HINGED, POWERTRAIN and		
		360-8835 GUARD, TILT CYLINDER		

CATERPILLAR MACHINE PRICE LIST

# 950M-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**SPECIAL ARRANGEMENTS (CONT.)**

L	477-1648	<p><b>CORROSION RESISTANT PACKAGE . . . . . 0</b></p> <p>FOR USE WITH LANE 3 ONLY Minimizes the harmful effect in highly corrosive environments applications such as fertilizer handling, salt and its derivatives.</p> <p>INCLUDES: -Heavy duty alternator; -Heavy duty switch disconnect; -Silicon protection is applied on all the electric terminals, exposed connectors are treated with tube heat shrinkable; -Anticorrosion vapor capsules in closed compartments;</p> <p>REQUIRES: 365-0120 PRECLEANER, TURBINE 477-1660 WINDOW AR, CAB - CORROSION, OR 477-1659 WINDOW AR, RM - CORROSION</p> <p>RECOMMENDED: 493-2588 COOLING GP (6FPI) - CORROSION, OR 493-2588 COOLING GP (6FPI) - CORROSION, OR 493-2590 COOLING GP (9FPI) - CORROSION - Cores protected - Grease points on the radiator hinges 477-1667 HOOD AR - CORROSION 521-9198 PAINTING GROUP, CORROSION (NACD), OR 522-5231 PAINTING GROUP, CORROSION (EU) - Differentiated Painting Process - Extra Varnish protection is applied on the engine compartment, chassis internal 506-0545 PROTECTION PACKAGE, LINES Hose couplings treated with tube heat shrinkable and sealant silicone. 503-6413 FAN, VPF, ISO, OR 503-6414 FAN, VPF, ANSI 495-7494 AUTOLUBE - for 950M, OR 495-7496 AUTOLUBE - for 962M 505-1520 FILTRATION, STD, PRECLEANER</p>	0	\$6,400
L	505-0518	<p><b>LOGGER PACKAGE . . . . . 0</b></p> <p>FOR USE WITH LANE 3 ONLY Provides machine features required in forestry applications.</p> <p>INCLUDES: -Platform -Cab air filter</p> <p>REQUIRES: 505-1554 LINKAGE, LOGGER 393-0072 COUNTERWEIGHT, 1460KG</p>	0	NC
L	512-0858	<p><b>STANDARD PACKAGE . . . . . 0</b></p> <p>Provides machine features required in standard applications.</p> <p>INCLUDES: -Platform -Cab air filter -CPM Payload Ready &amp; Autodig Ready Includes hardware and 250 hour CPM demo mode only. Demo mode is dealer activated. System must be calibrated prior to use. Requires purchase of software for permanent feature activation. See the Optional Technology section for software options.</p>	0	\$230

CATERPILLAR MACHINE PRICE LIST

# 950M-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**BOOMS, STICKS, AND LINKAGES**

**LINKAGES**

L	505-1552	LINKAGE, STANDARD LIFT . . . . . 0 ONLY FOR USE WITH: 505-1505 STANDARD PACKAGE (EU) or 512-0858 STANDARD PACKAGE (AM-N) or 505-1506 INDUSTRIAL PACKAGE		NC
L	505-1553	LINKAGE, HIGH LIFT . . . . . 0 FOR USE WITH LANE 3 ONLY Provides increased dump clearance of 20" (506mm) over standard lift arms. ONLY FOR USE WITH: 505-1505 STANDARD PACKAGE (EU) or 512-0858 STANDARD PACKAGE (AM-N) or 505-1506 INDUSTRIAL PACKAGE		\$6,710
L	505-1554	LINKAGE, LOGGER . . . . . 0 FOR USE WITH LANE 3 ONLY Provide oversize tilt and lift cylinders. REQUIRES: 393-0072 COUNTERWEIGHT, AUXILIARY 500-2566 HYDRAULICS, 3V RC LOGGER 468-0173 FILM, FOREST ONLY FOR USE WITH: 505-1505 STANDARD PACKAGE (EU) or 505-0518 LOGGER PACKAGE (AM-N)		\$5,710

**COUNTERWEIGHT**

L	393-0069	COUNTERWEIGHT, 960KG . . . . . 0 ONLY FOR USE WITH: 505-1552 LINKAGE, STANDARD LIFT		NC
L	393-0072	COUNTERWEIGHT, 1460KG . . . . . 0		\$2,125
L	423-1214	COUNTERWEIGHT, REAR GUARD . . . . . 0 FOR USE WITH LANE 3 ONLY Hinged guard protecting radiator grill and cores for machine working in confined application. Provide same stability as the standard counterweight. ONLY FOR USE WITH: 505-1552 LINKAGE, STANDARD LIFT		\$10,970

**POWERTRAIN**

**ENGINE PRECLEANER**

L	365-0121	AIR INLET PRECLEANER, TRASH . . . . . 0 FOR USE WITH LANE 3 ONLY Turbine engine air inlet precleaner, to be used in extremely high dust and airborne debris environments with a grill protecting precleaner from large debris.		\$950
L	365-0112	AIR INLET STANDARD, RAIN CAP . . . . . 0 Includes standard strata tubes precleaner ejecting up to 96% of debris.		NC
L	365-0120	AIR INLET PRECLEANER, TURBINE . . . . . 0 Turbine engine air inlet precleaner, to be used in extremely high dust and airborne debris environments.		\$725

CATERPILLAR MACHINE PRICE LIST

# 950M-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**POWERTRAIN (CONT.)**

**AXLE PACKAGES**

Axle packages include a combination of traction aids, Ecology Drain (ED), Seal Guards (SG), and Axle Oil Cooler (AOC).

L	366-9903	<b>AXLES, LOCK/OPEN, ED</b> ..... 0 INCLUDES: -Manual front diff lock -Open rear differential -Ecology Drain CANNOT BE USED WITH: 505-1506 INDUSTRIAL PACKAGE		\$580
L	366-9906	<b>AXLES, LOCK/OPEN, ED, SG</b> ..... 0 FOR USE WITH LANE 3 ONLY Includes: -Manual front diff lock -Open rear differential -Ecology Drain -Seal Guards		\$2,120
L	366-9910	<b>AXLES, AUTO DIFF F/R, ED, SG</b> ..... 0 FOR USE WITH LANE 3 ONLY INCLUDES: -Automatic front and rear diff lock -Ecology Drain -Seal Guards		\$7,880
L	366-9907	<b>AXLES, LOCK/OPEN, ED, AOC</b> ..... 0 FOR USE IN LANE 3 ONLY INCLUDES: -Manual front diff lock -Open rear differential -Ecology Drain -Axle Oil Coolers Provides installed oil cooler system for front & rear axles Recommended for machines operating in high energy applications, such as extended load & carry CANNOT BE USED WITH: 505-1506 INDUSTRIAL PACKAGE		\$7,130
L	366-9908	<b>AXLES, AUTO DIFF F/R, ED</b> ..... 0 INCLUDES: -Automatic front and rear diff lock -Ecology Drain CANNOT BE USED WITH: 505-1506 INDUSTRIAL PACKAGE		\$6,340
L	366-9911	<b>AXLES, AUTO DIFF F/R, ED, AOC</b> ..... 0 FOR USE IN LANE 3 ONLY INCLUDES: -Automatic front and rear diff lock -Ecology Drain -Axle Oil Coolers Provides installed oil cooler system for front & rear axles Recommended for machines operating in high energy applications, such as extended load & carry. CANNOT BE USED WITH: 505-1506 INDUSTRIAL PACKAGE		\$12,900
L	366-9909	<b>AXLES, AUTO DIFF F/R, ED, ETS</b> ..... 0 FOR USE IN LANE 3 ONLY INCLUDES: -Automatic front and rear diff lock -Ecology Drain -Extreme Temp Seals CANNOT BE USED WITH: 505-1506 INDUSTRIAL PACKAGE		\$7,280

CATERPILLAR MACHINE PRICE LIST

# 950M-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**POWERTRAIN (CONT.)**

**AXLE PACKAGES (Cont.)**

L	366-9905	AXLES, LOCK/OPEN, ED, ETS ..... 0 FOR USE IN LANE 3 ONLY INCLUDES: -Manual front diff lock -Open rear differential -Ecology Drain -Extreme Temp Seals CANNOT BE USED WITH: 505-1506 INDUSTRIAL PACKAGE		\$1,515
---	----------	---	--	---------

**HYDRAULICS**

L	500-2567	HYDRAULICS, 4V RC, STD/LOGGER ..... 0 FOR USE WITH LANE 3 ONLY Provides 4 valve hydraulics and ride control. ONLY FOR USE WITH: 505-1552 LINKAGE, STANDARD LIFT 505-1554 LINKAGE, LOGGER		\$13,590
L	500-2571	HYDRAULICS, 4V RC, HIGH LIFT ..... 0 FOR USE WITH LANE 3 ONLY Provides 4 valve hydraulics and ride control. ONLY FOR USE WITH: 505-1553 LINKAGE, HIGH LIFT		\$13,590
L	500-2570	HYDRAULICS, 3V RC, HIGH LIFT ..... 0 FOR USE WITH LANE 3 ONLY Provides 3 valve hydraulics and ride control. ONLY FOR USE WITH: 505-1553 LINKAGE, HIGH LIFT		\$10,270
L	506-3506	HYDRAULICS, 2V RC (3V READY) ..... 0 Provides 2 valve hydraulics (3V ready) and ride control.		\$4,870
L	500-2566	HYDRAULICS, 3V RC, STD/LOGGER ..... 0 Provides 3 valve hydraulics and ride control. ONLY FOR USE WITH: 505-1552 LINKAGE, STANDARD LIFT 505-1554 LINKAGE, LOGGER 950		\$10,270
L	501-0400	HYDRAULICS, 2V RC, STD/LOG/HL ..... 0 Provides 2 valve hydraulics and ride control.		\$4,580

**HYDRAULIC OIL**

L	366-9912	HYDRAULIC OIL, STANDARD ..... 0 Cat HYDO Advanced 10 allows to extend oil change intervals up to 6000 hours with S-O-S services.		NC
---	----------	---	--	----

**STARTERS, BATTERIES, & ALTERNATORS**

**ENGINE STARTING PACKAGE**

L	373-3911	STARTING, COLD (120V) ..... 0 Provides 120V block heater, ether aid ready, transmission & fan bypass.		\$1,575
L	373-3910	STARTING, STANDARD ..... 0		NC

CATERPILLAR MACHINE PRICE LIST

**950M-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**ELECTRICAL**

**LIGHTS**

L	506-3489	<b>LIGHTS, LED, PREMIUM</b> . . . . . 0		\$3,360
		Includes: -2 LED forward roading lights (low/high beam) with LED turn signals -2 LED rear facing working lights in the hood -2 LED position/stop/turn lights -8 LED working lights on the cab		
L	486-2308	<b>LIGHTS, HALOGEN, PREMIUM</b> . . . . . 0		\$870
		Includes: -2 halogen forward roading lights (low/high beam) with halogen turn signals -2 halogen rear facing working lights in the hood -2 LED position/stop/turn lights -8 halogen working lights on the cab		
L	486-2311	<b>LIGHTS, HALOGEN</b> . . . . . 0		NC
		Provides Roading lights : - 2 forward roading lights halogen(low/high beam) with Halogen turn signal. - 2 rear LED position stop turn lights Provides Halogen Work lights : - 2 forward facing standard lights on the top of the cab - 2 rear facing standard lights on the top of the cab - 2 rear facing standard lights on the Hood		

**OPERATOR ENVIRONMENT**

**CAB PACKAGES**

Bluetooth radio technology enables the use of a hands free function such as listening to music and making phone calls. Authorization varies by country, please contact your Cat marketing representative with questions or click on the link below:  
<https://dealer.cat.com/en/products/technology.html>

L	505-1526	<b>CAB, STANDARD</b> . . . . . 0		\$1,795
		FOR USE IN LANE 2 ONLY INCLUDES: 505-1511 CAB TRIM, STANDARD -SEAT, STANDARD-HMU -MIRRORS, EXTERNAL -SUN VISOR, REAR 450-1592 SEAT BELT, 3" W/INDICATOR 493-9615 WINDOWS, STANDARD 505-1519 FILTRATION, STANDARD -CAB ROOF, NON-METALLIC -COVER, HVAC, NON-METALLIC 372-1603 RADIO, CB (READY) 372-1600 RADIO, AM/FM/USB/MP3 BLUETOOTH ONLY FOR USE WITH: 384-7009 or 384-7010 STEERING, WHEEL HMU		

CATERPILLAR MACHINE PRICE LIST

**950M-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**CAB PACKAGES (Cont.)**

L	505-1528	<b>CAB, DELUXE</b> . . . . . 0		\$2,605
		FOR USE IN LANE 2 ONLY INCLUDES: 505-1512 CAB TRIM, HEATED -SEAT, HEATED-HMU -MIRRORS, EXTERNAL, HEATED -DOOR, REMOTE OPENING SYSTEM -SUN VISOR, REAR 450-1592 SEAT BELT, 3" W/INDICATOR 493-9615 WINDOWS, STANDARD 505-1519 FILTRATION, STANDARD -CAB ROOF, NON-METALLIC -COVER, HVAC, NON-METALLIC 372-1603 RADIO, CB (READY) 372-1600 RADIO, AM/FM/USB/MP3 BLUETOOTH ONLY FOR USE WITH: 384-7009 or 384-7010 STEERING, WHEEL HMU		
L	505-1530	<b>CAB, DELUXE (LHD)</b> . . . . . 0		\$2,605
		FOR USE IN LANE 2 ONLY INCLUDES: 505-1515 CAB TRIM, HEATED (LHD) -SEAT, HEATED, LHD -MIRRORS, EXTERNAL, HEATED -DOOR, REMOTE OPENING SYSTEM -SUN VISOR, REAR 450-1592 SEAT BELT, 3" W/INDICATOR 493-9615 WINDOWS, STANDARD 505-1519 FILTRATION, STANDARD -CAB ROOF, NON-METALLIC -COVER, HVAC, NON-METALLIC 372-1603 RADIO, CB (READY) 372-1600 RADIO, AM/FM/USB/MP3 BLUETOOTH ONLY FOR USE WITH: 384-7007 or 384-7008 STEERING, LHD JOYSTICK		

**WINDOWS**

L	477-1660	<b>WINDOWS (CORROSION)</b> . . . . . 0		NC
		FOR USE WITH LANE 3 ONLY Provides a paint thickness which is more than two times the thickness of the standard paint, giving the cab extra resistance against corrosion.		
L	477-1659	<b>WINDOWS RM (CORROSION)</b> . . . . . 0		\$5,520
		FOR USE WITH LANE 3 ONLY Provides front windows mounted in rubber seals for faster replacement, with a paint thickness which is more than two times the thickness of the standard paint, giving the cab extra resistance against corrosion.		
L	493-9616	<b>WINDOWS, RUBBER MOUNTED</b> . . . . . 0		\$5,130
		FOR USE WITH LANE 3 ONLY Provides front windows mounted in rubber seals.		
L	493-9617	<b>WINDOWS, RUBBER MTD, FRONT GRD</b> . . . . . 0		\$8,710
		FOR USE IN LANE 3 ONLY Provides front windows mounted in rubber seals and a front window guard.		

Supersedes 02JAN2018  
Caterpillar: Confidential Green  
US-A-19-01 A

Subject to change without notice  
Printed in USA  
U. S. DOLLAR CURRENCY

Effective 02JAN2019  
950M-BR-015

CATERPILLAR MACHINE PRICE LIST

**950M-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**WINDOWS (Cont.)**

L	493-9619	<b>WINDOWS, STANDARD, FRONT GUARD</b> ..... 0 FOR USE IN LANE 3 ONLY Provides a front window guard.		\$3,575
L	493-9618	<b>WINDOWS, STANDARD, FULL GUARD</b> ..... 0 FOR USE IN LANE 3 ONLY Provides a full window guard.		\$12,300
L	493-9615	<b>WINDOWS, STANDARD</b> ..... 0 FOR USE IN LANE 3 ONLY		NC

**STEERING**

L	384-7007	<b>STEERING, LHD JOYSTICK</b> ..... 0 Provides an EH steering system		\$9,810
L	384-7009	<b>STEERING, WHEEL HMU</b> ..... 0 Provides an HMU steering system.		NC
L	384-7008	<b>STEERING, LHD JOYSTICK, SECOND</b> ..... 0 Provides an EH steering system & secondary steering.		\$14,230
L	384-7010	<b>STEERING, WHEEL HMU, SECOND</b> ..... 0 Provides an HMU steering system & secondary steering.		\$4,420

**IMPLEMENT SINGLE AXIS LEVERS FOR STEERING**

L	494-4377	<b>SINGLE AXIS LEVERS W/FNR, 4V</b> ..... 0 FOR USE WITH LANE 3 ONLY INCLUDES: -3 single action levers for implement lift, tilt & 3rd function controls -1 roller switch controlling the 4th function & FNR switch on implement pod ONLY FOR USE WITH: 384-7010 STEERING, WHEEL HMU, SECOND 384-7009 STEERING, WHEEL HMU		NC
L	495-0875	<b>SINGLE AXIS LEVERS, 4V, LHD</b> ..... 0 FOR USE WITH LANE 3 ONLY INCLUDES: -3 single action levers for implement lift, tilt & 3rd function controls -1 roller switch controlling the 4th function on implement pod ONLY FOR USE WITH: 384-7008 STEERING, LHD JOYSTICK, SECOND 384-7007 STEERING, LHD JOYSTICK		NC
L	495-0865	<b>SINGLE AXIS LEVERS, 2V, LHD</b> ..... 0 INCLUDES: -2 single action levers for implement lift & tilt controls ONLY FOR USE WITH: 501-0400 HYDRAULICS, 2V RC, STD/LOG/HL 434-0710 STEERING, LHD, JOYSTICK 434-0711 STEERING, LHD JOYSTICK, SECOND 384-7008 STEERING, LHD JOYSTICK, SECOND 384-7007 STEERING, LHD JOYSTICK		NC



CATERPILLAR MACHINE PRICE LIST

**950M-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**IMPLEMENT SINGLE AXIS LEVERS FOR STEERING (Cont.)**

L	495-0866	SINGLE AXIS LEVERS, 3V, LHD . . . . . 0 INCLUDES: -3 single action levers for implement lift, tilt & 3rd function ONLY FOR USE WITH: 500-2566 HYDRAULICS, 3V RC, STD/LOGGER 434-0710 STEERING, LHD JOYSTICK 434-0711 STEERING, LHD JOYSTICK, SECOND 384-7008 STEERING, LHD JOYSTICK, SECOND 384-7007 STEERING, LHD JOYSTICK		NC
L	502-0336	SINGLE AXIS LEVERS W/FNR, 2V . . . . . 0 INCLUDES: -2 single action levers for implement lift & tilt controls -FNR switch on implement pod ONLY FOR USE WITH: 501-0400 HYDRAULICS, 2V RC, STD/LOG/HL 434-0712 STEERING, WHEEL HMU 434-0713 STEERING, WHEEL HMU, SECOND 384-7010 STEERING, WHEEL HMU, SECOND 384-7009 STEERING, WHEEL HMU		NC
L	502-0337	SINGLE AXIS LEVERS W/FNR, 3V . . . . . 0 INCLUDES: -3 single action levers for implement lift, tilt & 3rd function controls -FNR switch on implement pod ONLY FOR USE WITH: 500-2566 HYDRAULICS, 3V RC, STD/LOGGER 434-0712 STEERING, WHEEL HMU 434-0713 STEERING, WHEEL HMU, SECOND 384-7010 STEERING, WHEEL HMU, SECOND 384-7009 STEERING, WHEEL HMU		NC

**IMPLEMENT JOYSTICK FOR STEERING**

L	495-0874	JOYSTICK, 4V, LHD . . . . . 0 FOR USE WITH LANE 3 ONLY INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick -2 rollers switch controlling the 3rd & 4th functions integrated in the joystick ONLY FOR USE WITH: 384-7008 STEERING, LHD JOYSTICK, SECOND 384-7007 STEERING, LHD JOYSTICK		\$1,540
L	495-0872	JOYSTICK, 2V, LHD . . . . . 0 INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick ONLY FOR USE WITH: 501-0400 HYDRAULICS, 2V RC, STD/LOG/HL 434-0710 STEERING, LHD, JOYSTICK 434-0711 STEERING, LHD JOYSTICK, SECOND 384-7008 STEERING, LHD JOYSTICK, SECOND 384-7007 STEERING, LHD JOYSTICK		\$1,085

CATERPILLAR MACHINE PRICE LIST

**950M-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**IMPLEMENT JOYSTICK FOR STEERING (Cont.)**

L	495-0873	JOYSTICK, 3V, LHD INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick -1 roller switch controlling the 3rd function integrated in the joystick ONLY FOR USE WITH: 500-2566 HYDRAULICS, 3V RC, STD/LOGGER 434-0710 STEERING, LHD JOYSTICK 434-0711 STEERING, LHD JOYSTICK, SECOND 384-7008 STEERING, LHD JOYSTICK, SECOND 384-7007 STEERING, LHD JOYSTICK	0	\$1,520
L	502-0338	JOYSTICK W/FNR, 2V INCLUDES: -Implement joystick for lift & tilt controls -Horn, FNR and kickdown trigger switches integrated in implement joystick ONLY FOR USE WITH: 501-0400 HYDRAULICS, 2V RC, STD/LOG/HL 434-0712 STEERING, WHEEL HMU 434-0713 STEERING, WHEEL HMU, SECOND	0	\$1,215
L	502-0339	JOYSTICK W/FNR, 3V INCLUDES: -Implement joystick for lift & tilt controls -Horn, FNR & kickdown trigger switches integrated in implement joystick -1 roller switch controlling the 3rd function integrated in the joystick ONLY FOR USE WITH: 500-2566 HYDRAULICS, 3V RC, STD/LOGGER 434-0712 STEERING, WHEEL HMU 434-0713 STEERING, WHEEL HMU, SECOND 384-7010 STEERING, WHEEL HMU, SECOND 384-7009 STEERING, WHEEL HMU	0	\$1,670
L	494-4380	JOYSTICK W/FNR, 4V FOR USE WITH LANE 3 ONLY INCLUDES: -Implement joystick for lift & tilt controls -Horn, FNR & kickdown trigger switches integrated in implement joystick -2 rollers switch controlling the 3rd & 4th functions integrated in the joystick ONLY FOR USE WITH: 384-7010 STEERING, WHEEL HMU, SECOND 384-7009 STEERING, WHEEL HMU	0	\$1,670

**SEAT BELT**

L	450-1592	SEAT BELT, 3" W/INDICATOR FOR USE WITH LANE 3 ONLY	0	\$102
---	----------	---	---	-------

CATERPILLAR MACHINE PRICE LIST

# 950M-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**DIFFERENTIAL**

L	384-7005	AUTO DIFF, HMU . . . . . 0		NC
		ONLY FOR USE WITH: 366-9908 AXLES, AUTO DIFF F/R, ED or 366-9910 AXLES, AUTO DIFF F/R, ED, SG or 366-9911 AXLES, AUTO DIFF F/R, ED, AOC and 434-0712 STEERING, WHEEL HMU or 434-0713 STEERING, WHEEL HMU, SECOND or 384-7009 STEERING, WHEEL HMU or 384-7010 STEERING, WHEEL HMU, SECOND		
L	384-7006	MANUAL DIFF, HMU . . . . . 0		NC
		ONLY FOR USE WITH: 366-9903 AXLES, LOCK/OPEN, ED or 366-9905 AXLES, LOCK/OPEN, ED, ETS or 366-9906 AXLES, LOCK/OPEN, ED, SG or 366-9907 AXLES, LOCK/OPEN, ED, AOC and 434-0712 STEERING, WHEEL HMU or 434-0713 STEERING, WHEEL HMU, SECOND or 384-7009 STEERING, WHEEL HMU or 384-7010 STEERING, WHEEL HMU, SECOND		
L	384-7003	AUTO DIFF, LHD JOYSTICK . . . . . 0		NC
		ONLY FOR USE WITH: 366-9908 AXLES, AUTO DIFF F/R, ED or 366-9910 AXLES, AUTO DIFF F/R, ED, SG or 366-9911 AXLES, AUTO DIFF F/R, ED, AOC and 434-0710 STEERING, LHD JOYSTICK or 434-0711 STEERING, LHD JOYSTICK, SECOND or 384-7008 STEERING, LHD JOYSTICK, SECOND or 384-7007 STEERING, LHD JOYSTICK		
L	384-7004	MANUAL DIFF, LHD JOYSTICK . . . . . 0		NC
		ONLY FOR USE WITH: 366-9903 AXLES, LOCK/OPEN, ED or 366-9905 AXLES, LOCK/OPEN, ED, ETS or 366-9906 AXLES, LOCK/OPEN, ED, SG or 366-9907 AXLES, LOCK/OPEN, ED, AOC and 434-0710 STEERING, LHD JOYSTICK or 434-0711 STEERING, LHD JOYSTICK, SECOND or 384-7008 STEERING, LHD JOYSTICK, SECOND or 384-7007 STEERING, LHD JOYSTICK		

**CAB FILTERS**

L	505-1521	FILTRATION, STEEL . . . . . 0		\$2,135
		FOR USE WITH LANE 3 ONLY INCLUDES: -CAB ROOF, STEEL -COVER, HVAC, STEEL. REQUIRED BY: STEEL MILL PACKAGE		
L	505-1519	FILTRATION, STANDARD . . . . . 0		NC
		FOR USE WITH LANE 3 ONLY INCLUDES: -CAB ROOF, NON-METALLIC -COVER, HVAC, NON-METALLIC		

CATERPILLAR MACHINE PRICE LIST

**950M-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

***CAB FILTERS (Cont.)***

L	505-1520	<b>FILTRATION, STD, PRECLEANER</b> ..... 0 FOR USE WITH LANE 3 ONLY INCLUDES: -CAB ROOF, NON-METALLIC -COVER, HVAC, NON-METALLIC -PRECLEANER, HVAC Provides a precleaner for dusty environments for cab air intake.		\$685
L	505-1522	<b>FILTRATION, STEEL, ACF PRECLNR</b> ..... 0 INCLUDES: -CAB ROOF, STEEL -COVER, HVAC, STEEL FOR ACF -ACF PRECLEANER, HVAC		\$3,480
L	505-1523	<b>FILTRATION, STD, ACF PRECLNR</b> ..... 0 INCLUDES: -CAB ROOF, NON-METALLIC -COVER, HVAC, STEEL FOR ACF -ACF PRECLEANER, HVAC		\$1,850

***TRIM ARRANGEMENT***

L	505-1511	<b>CAB TRIM, STANDARD</b> ..... 0 FOR USE WITH LANE 3 ONLY INCLUDES: -SEAT, STANDARD-HMU Provides steering wheel and standard seat. -MIRRORS, EXTERNAL -SUN VISOR, REAR Provides pull down sun screen in rear window. ONLY FOR USE WITH: 384-7010 STEERING, WHEEL HMU, SECOND or 384-7009 STEERING, WHEEL HMU or 434-0712 STEERING, WHEEL HMU or 434-0713 STEERING, WHEEL HMU, SECOND		\$68
L	505-1512	<b>CAB TRIM, HEATED</b> ..... 0 FOR USE WITH LANE 3 ONLY INCLUDES: -SEAT, HEATED-HMU Provides steering wheel and heated seat. -MIRRORS, EXTERNAL, HEATED -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window. ONLY FOR USE WITH: 384-7010 STEERING, WHEEL HMU, SECOND or 384-7009 STEERING, WHEEL HMU or 434-0712 STEERING, WHEEL HMU or 434-0713 STEERING, WHEEL HMU, SECOND		\$825

CATERPILLAR MACHINE PRICE LIST

# 950M-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**TRIM ARRANGEMENT (Cont.)**

L	505-1514	<b>CAB TRIM, STANDARD (LHD)</b> ..... 0 FOR USE WITH LANE 3 ONLY INCLUDES: -SEAT, STANDARD, LHD Provides steering joystick on left hand armrest and standard seat. -MIRRORS, EXTERNAL -SUN VISOR, REAR Provides pull down sun screen in rear window. ONLY FOR USE WITH: 384-7008 STEERING, LHD JOYSTICK, SECOND or 384-7007 STEERING, LHD JOYSTICK or 434-0710 STEERING, LHD JOYSTICK or 434-0711 STEERING, LHD JOYSTICK, SECOND		\$68
L	505-1515	<b>CAB TRIM, HEATED (LHD)</b> ..... 0 FOR USE WITH LANE 3 ONLY INCLUDES: -SEAT, HEATED, LHD Provides steering joystick on left hand armrest and heated seat. -MIRRORS, EXTERNAL, HEATED -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window. ONLY FOR USE WITH: 384-7008 STEERING, LHD JOYSTICK, SECOND or 384-7007 STEERING, LHD JOYSTICK, SECOND or 434-0710 STEERING, LHD JOYSTICK or 434-0711 STEERING, LHD JOYSTICK, SECOND		\$825
L	505-1513	<b>CAB TRIM, VENTED</b> ..... 0 FOR USE WITH LANE 3 ONLY INCLUDES: -SEAT, HEATED & VENTILATED-HMU Provides steering wheel and a heated and ventilated seat with leather trim. -MIRRORS, EXTERNAL, HEATED -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window ONLY FOR USE WITH: 384-7010 STEERING, WHEEL HMU, SECOND or 384-7009 STEERING, WHEEL HMU		\$2,605

CATERPILLAR MACHINE PRICE LIST

**950M-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**TRIM ARRANGEMENT (Cont.)**

L	505-1516	<b>CAB TRIM, VENTED (LHD)</b> . . . . . 0		<b>\$2,605</b>
		FOR USE WITH LANE 3 ONLY INCLUDES: -SEAT, HEATED & VENTILATED, LHD Provides steering joystick on left hand armrest and a heated and ventilated seat with leather trim. -MIRRORS, EXTERNAL, HEATED -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window. ONLY FOR USE WITH: 384-7008 STEERING, LHD JOYSTICK, SECOND or 384-7007 STEERING, LHD JOYSTICK		

**TECHNOLOGY PRODUCTS**

**PRODUCT LINK**

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet.

Availability varies by country, please contact your Cat marketing representative with questions or click on the link below:  
[HTTPS://DEALER.CAT.COM/en/bt/otd/machine-price-list.html](https://dealer.cat.com/en/bt/otd/machine-price-list.html)  
From there click on the "PRODUCT LINK Hardware Certification" link.

L	434-0691	<b>PRODUCT LINK, CELLULAR PLE641</b> . . . . . 0		<b>NC</b>
		Product Link Elite series PLE641 uses GSM and CDMA 3G cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		
L	434-0693	<b>PRODUCT LINK, SATELLITE PLE631</b> . . . . . 0		<b>\$432</b>
		Product Link Elite series PLE631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage.		

**COOLING**

**COOLING SYSTEM**

L	364-9808	<b>COOLING CORES, 6 FPI</b> . . . . . 0		<b>\$337</b>
		Provides cooling capability up to 43C (109F) ambient. Radiator with 6 fins per inch.		
L	364-9807	<b>COOLING CORES, 9 FPI</b> . . . . . 0		<b>NC</b>
		Provides cooling capability up to 47C (117F) ambient. Radiator with 9 fins per inch.		

CATERPILLAR MACHINE PRICE LIST

# 950M-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**COOLING (CONT.)**

**COOLING SYSTEM (Cont.)**

L	493-2588	<b>COOLING CORES 6 FPI, CORROSION</b> . . . . . 0		<b>\$2,970</b>
		FOR USE WITH LANE 3 ONLY Provides cooling capability up to 43C (109F) ambient. Radiator with 6 fins per inch. - Cores protected (painted); - Grease points on the radiator hinges.		
L	493-2590	<b>COOLING CORES 9 FPI, CORROSION</b> . . . . . 0		<b>\$2,625</b>
		FOR USE WITH LANE 3 ONLY Provides cooling capability up to 47C (117F) ambient. Radiator with 9 fins per inch. - Cores protected (painted); - Grease points on the radiator hinges.		

**COOLING FAN**

L	503-6412	<b>FAN, STANDARD</b> . . . . . 0		<b>NC</b>
		Standard load sensing hydraulically driven fan.		
L	503-6414	<b>FAN, VPF, ANSI</b> . . . . . 0		<b>\$5,170</b>
		FOR USE WITH LANE 3 ONLY Provides an attachment reversing function to the standard hydraulically driven demand fan. This provides the ability to rotate blades and to reverse the airflow direction to remove debris from the radiator and engine enclosures while the machine is still operating. Includes automatic and manual controls for airflow reversal. Recommended for applications with a high content of airborne debris. ONLY FOR USE WITH: 364-9808 COOLING CORES 6 FPI 493-2588 COOLING CORES 6 FPI, CORROSION		

**COOLANT**

L	371-7064	<b>ANTIFREEZE, -34C (-29F)</b> . . . . . 0		<b>NC</b>
		Premix Antifreeze, -34C or -29F		
L	423-2664	<b>ANTIFREEZE, -50C (-58F)</b> . . . . . 0		<b>\$251 NET</b>
		Premix Antifreeze, -50C or -58F		

CATERPILLAR MACHINE PRICE LIST

**950M-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**TIRES, RIMS, AND WHEELS**

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice. However, if the tire type cannot be supplied we will contact the dealer to propose alternatives. The dealer needs to choose between an alternative tire or a "rims only" option (where available) within 72 hours. If no response is provided by the deadline, the order will default to the alternative tire and will be changed at that point. As a consequence of a possible tire change, the total machine price will be decreased or increased depending on the price of the new tire.

NOTE: All tires include rims & come in a set of 4. Tires are tubeless & non-directional unless otherwise stated.

NOTE: Other tires are available upon request.

**TIRES AVAILABLE FROM MICHELIN**

P	373-4052	TIRES, 23.5R25 MX XHA2 * L3	0	\$-3,240
---	----------	-----------------------------	---	----------

**TIRES AVAILABLE FROM BRIDGESTONE**

P	509-1481	TIRES, 750/65R25 BS VTS * L3	0	\$7,490
---	----------	------------------------------	---	---------

**TIRES AVAILABLE FROM MAXAM**

P	547-8401	TIRES, 23.5R25 MA MS302 **E3/L3 MAXAM RADIAL; TREAD DEPTH=36.5mm; Rim=19.5"x25" 3 piece Provides reduced vibration, damage resistance, and traction in soft to rocky underfoot conditions.	0	\$-7,300
---	----------	--	---	----------

**SOLID TIRES**

P	540-4373	TIRES, 23.5X25 BR TRACTION FOR USE IN LANE 3 ONLY Brawler HPS Solidflex Traction Off-the-Road (OTR) tread solid tires pressed on to standard CAT rims. Ideal for harsh/special applications on unimproved surfaces, such as as brick, glass, and scrap yards where debris is not an issue. Machine oscillation is reduced.	0	\$16,270
---	----------	--	---	----------

P	540-4374	TIRES, 23.5X25 BR SMOOTH FOR USE IN LANE 3 ONLY Brawler HPS Solidflex Smooth tread solid tires pressed on to standard CAT rims. Ideal for harsh/special applications where debris is an issue, such as scrap yards, recycling centers and waste transfer stations. Machine oscillation is reduced.	0	\$16,970
---	----------	--	---	----------



CATERPILLAR MACHINE PRICE LIST

**950M-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**TIRES, RIMS, AND WHEELS (CONT.)**

***TIRES/RIMS, ALLOWANCE FOR OMISSION***

Dealers should contact their Application Specialist if they plan to use a tire not offered on the price list. Some tires may require axle oscillation stops or other machine modifications.

P	373-4064	RIMS ONLY, TIRES OMITTED . . . . . 0		\$-16,240
		FOR USE IN LANE 3 ONLY		
P	0P-3647	OMISSION, TIRES AND RIMS . . . . . 0		\$-19,590
		FOR USE IN LANE 3 ONLY		

**BODY**

***FENDERS***

L	464-6675	FENDERS, ROADING, LOW PROFILE . . . . . 0		\$3,025
		Provides front fenders with fender extensions and full wrap fenders for rear wheels.		
		ONLY FOR USE WITH: 509-1481 TIRES, 750/65R25 BS VTS*L3		
L	464-6672	FENDERS, BASIC +. . . . . 0		NC
		Provide non-metallic front fenders with mud flaps and short rear fender extensions covering top of wheel.		
		CANNOT BE USED WITH: 509-1481 TIRES, 750/65R25 BS VTS*L3		
L	464-6673	FENDERS, ROADING . . . . . 0		\$2,735
		Provide non-metallic front fenders with top extension, mud flaps and full wrap non-metallic rear fenders with removable mud flaps.		
		CANNOT BE USED WITH: 509-1481 TIRES, 750/65R25 BS VTS*L3		
L	464-6674	FENDERS, BASIC +, LOW PROFILE . . . . . 0		\$151
		FOR USE IN LANE 3 ONLY		
		Provide non-metallic front fenders with mud flaps and short rear fender extensions covering top of wheel.		
		ONLY FOR USE WITH: 509-1481 TIRES, 750/65R25 BS VTS*L3		
C	478-8371	FENDERS, NARROW . . . . . 0		\$2,995
		FOR USE IN LANE 3 ONLY		
		CONTACT CUSTOM PRODUCTS FOR AVAILABILITY.		
		Provides narrow steel front fenders, steel rear fender extensions and heavy duty hanging steel steps.		
		CANNOT BE USED WITH: 509-1481 TIRES, 750/65R25 BS VTS*L3		
		REQUIRED BY: 505-1509 INDUSTRIAL PACKAGE		
		505-1506 INDUSTRIAL PACKAGE		

***HOOD***

L	477-1667	HOOD - CORROSION . . . . . 0		NC
		FOR USE IN LANE 3 ONLY		
		Grease points for the articulated Hood Pins.		
		Provide sufficient greasing and normal hinge functioning in corrosive environment.		
L	336-0000	HOOD, NON-METALLIC . . . . . 0		NC

***SOUND SUPPRESSION***

L	465-6576	SOUND SUPPRESSION, STANDARD . . . . . 0		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

# 950M-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**BODY (CONT.)**

**SOUND SUPPRESSION (Cont.)**

L	488-1138	SOUND SUPPRESSION, INDUSTRIAL . . . . . 0 FOR USE WITH LANE 3 ONLY Provides steering cylinder guards for high debris applications.		\$1,070
---	----------	--	--	---------

**FLUIDS**

**LUBRICATION ARRANGEMENTS**

L	495-7493	LUBRICATION, MANUAL, STD/LOG . . . . . 0 ONLY FOR USE WITH: 505-1552 LINKAGE, STANDARD LIFT or 505-1554 LINKAGE, LOGGER		NC
L	495-7494	AUTOLUBE, STD/LOGGER . . . . . 0 Provides Caterpillar autolube system. ONLY FOR USE WITH: 505-1552 LINKAGE, STANDARD LIFT or 505-1554 LINKAGE, LOGGER		\$6,340
L	495-7497	LUBRICATION, MANUAL, HIGH LIFT . . . . . 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 505-1553 LINKAGE, HIGH LIFT		NC
L	495-7498	AUTOLUBE, HIGH LIFT . . . . . 0 FOR USE IN LANE 3 ONLY Provides Caterpillar Autolube System for high lift. ONLY FOR USE WITH: 505-1553 LINKAGE, HIGH LIFT		\$6,550

**CAB ANTIFREEZE**

	OP-1939	ANTIFREEZE WINDSHIELD WASHER . . . . . 0 For use with machines with cab.		NC
--	---------	---	--	----

**FUEL ANTIFREEZE**

	OP-3978	FUEL ANTIFREEZE, -25C (-13F) . . . . . 0 Provides fuel (diesel) antifreeze protection down to -25C (-13F)		NC
--	---------	--	--	----

**INSTRUCTIONS**

**OPERATION AND MAINTENANCE MANUAL**

NOTE: Operation and maintenance Manual will be included in language requested below.

	OP-3380	INSTRUCTIONS, ENGLISH . . . . . 0		NC
--	---------	-----------------------------------	--	----

CATERPILLAR MACHINE PRICE LIST

# 950M-BR

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT**

**RADIOS.**

**Bluetooth radio technology enables the use of a hands free function such as listening to music and making phone calls. Authorization varies by country, please contact your Cat marketing representative with questions or click on the link below: <https://dealer.cat.com/en/products/technology.html>**

P	372-1603	<b>RADIO, CB (READY)</b> . . . . . 0 FOR USE WITH LANE 3 ONLY Provides adjustable mounting brackets for two radios, a 20 amp 24V to 12V converter, a CB antenna, CB cable converter, and two separate four wire connectors that contain a ground, 12V and 24 V circuits. INCLUDED IN: 486-9205 OBJECT DETN & CB RADIO READY		<b>\$940</b>
P	372-1600	<b>RADIO, AM/FM/USB/MP3 BLUETOOTH</b> . . . . . 0 FOR USE WITH LANE 3 ONLY Provides AM/FM/MP3/WB/USB/AUX with integrated BlueTooth.		<b>\$580</b>

**INTEGRATED OBJECT DETECTION SYSTEM**

The Cat Integrated Object Detection adds radar and alarms to the standard on-board rear vision camera to notify the operator when something is close to the rear of the machine. This system is configured with zones, and objects in those zones trigger various levels of alarms. A display screen in the cab provides visual confirmation of the objects detected by the radar, so operators can make informed decisions.

NOTE: C5 radars (below) are the preferred MWL system. C6 radars are available for regions where required, and depends on radar approval.

For a list of approved countries, please visit:  
<https://dealer.cat.com/detect>

L	486-9204	<b>OBJECT DETECTION</b> . . . . . 0 FOR USE WITH LANE 3 ONLY CANNOT BE USED WITH: 423-1214 COUNTERWEIGHT, REAR GUARD		<b>\$2,755</b>
L	486-9205	<b>OBJECT DETN &amp; CB RADIO READY</b> . . . . . 0 FOR USE WITH LANE 3 ONLY INCLUDES: 486-9204 OBJECT DETECTION 372-1603 RADIO, CB (READY) CANNOT BE USED WITH: 423-1214 COUNTERWEIGHT, REAR GUARD		<b>\$3,685</b>

**VISIBILITY**

P	380-5964	<b>SECONDARY CAMERA DISPLAY</b> . . . . . 0 FOR USE WITH LANE 3 ONLY Provides full-time display dedicated to rear-view camera.		<b>\$1,730</b>
---	----------	--	--	----------------

CATERPILLAR MACHINE PRICE LIST

# 950M-BR

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**SECURITY SYSTEM**

P	372-1604	SECURITY SYSTEM, MACHINE . . . . . 0 FOR USE WITH LANE 3 ONLY Protects from vandalism and theft by preventing unauthorized personnel from starting a machine. Machines start only after a unique MSS key is inserted into the ignition. MSS keys can be programmed to start machines only certain days or hours.		\$690
---	----------	--	--	-------

**LIGHTS**

P	513-2458	LIGHTS, REVERSING STROBE . . . . . 0 Provides 2 reversing blue strobes.		\$271
P	460-7450	LIGHT, SEAT BELT WARNING . . . . . 0 Provides a seat belt warning light mounted to the rear of the cab structure.		\$227
P	491-7467	LIGHT, WARNING BEACON . . . . . 0 Provides hard mounted strobe beacon on hinged (breakaway) bracket mounted to the rear of the cab structure.		\$486

**TECHNOLOGY PRODUCTS**

**SOFTWARE ENABLED ATTACHMENTS (SEA) INSTRUCTIONS**

Technology apps are activated by Software Enabled Attachments (SEA). SEAs are available factory installed or can be purchased for dealer installation.

Refer to Information Release Memo (IRM) EES03 -01 (media number PELJ0138) in the Caterpillar Media Information Center for further explanation of SEAs. Select the Product Support tab and search for number PELJ0138. Refer to REHS1238 & REHS8401 for how to obtain a Factory Level Password. Contact FPS: Internet with Corporate Web Security (CWS) ([https:// fps.cat.com/](https://fps.cat.com/)).

CATERPILLAR MACHINE PRICE LIST

**950M-BR**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**TECHNOLOGY PRODUCTS (CONT.)**

**CAT PRODUCTION MEASUREMENT (CPM) PAYLOAD WEIGHING SYSTEM**

Cat M-series Medium Wheel Loaders are available with the Cat Production Measurement (CPM) that includes an integrated onboard payload weighing scale. This measures and/or records:

- Payload weight, material ID, truck ID, cycle (bucket dumps) count and fuel consumption
- Allows on-the-go weighing of the bucket payload during the lift cycle
- Daily payload total (tonnes/tons), productivity (tonnes/hour or tons/hour) and efficiency (tonnes/liter or tons/gal) data is reported wirelessly via Product Link to the VisionLink fleet management web portal (Cat Essentials Product Link subscription required).
- Detailed payload, productivity and efficiency data can be downloaded to a laptop computer for analysis in the optional VIMSpC software (VIMSpC and VIMS data cable are required, but VIMS is NOT required).
- Payload tickets can be printed with an optional printer

Refer to the Cat Connect Payload Technologies intranet page (<https://dealer.cat.com/payload>) for complete technical specifications; operation, sales, marketing and technical support publications.

**NOTES:**

- 1) Permanent software is available from the factory below.
- 2) For field installation, permanent software can be purchased through the Caterpillar Feature Protection System and enabled by a dealer technician with Cat ET and an SEA password. SEA p/n 517-4683. Consult ANTARES parts distribution system for latest SEA price.
- 3) Both demo and permanent software require calibration prior to customer use.

**CALIBRATION INSTRUCTIONS**

This requires calibration and set-up by either the dealer or customer. Refer to the Systems Operation Test & Adjust manual UENR7119 for system calibration, material and truck ID lists set-up and operation instructions.

<b>P</b>	<b>370-3813</b>	<b>CPM PAYLOAD WEIGHING READY</b> . . . . . 0	<b>\$227</b>
		Includes CPM hardware and demo software for up to 250 hours. Demo software must be dealer enabled. Permanent activation requires software purchase and calibration. See notes 2 & 3 above. CANNOT BE USED WITH: 512-0858 STANDARD PACKAGE	
<b>P</b>	<b>517-7123</b>	<b>CPM PAYLOAD SOFTWARE</b> . . . . . 0	<b>\$4,960</b>
		FOR USE WITH LANE 3 ONLY Includes hardware and permanent software for CPM. Software is factory enabled, but the system must be calibrated prior to customer use. See note above for calibration instructions. REQUIRES: 478-1336 AUTODIG & CPM PAYLOAD, ARO ONLY FOR USE WITH: 370-3813 CPM PAYLOAD WEIGHING READY 512-0858 STANDARD PACKAGE CANNOT BE USED WITH: 517-7122 AUTODIG + CPM PAYLOAD	

CATERPILLAR MACHINE PRICE LIST

# 950M-BR

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**TECHNOLOGY PRODUCTS (CONT.)**

**AUTODIG**

P	453-3250	<b>AUTODIG SOFTWARE</b> . . . . . 0 FOR USE WITH LANE 3 ONLY Includes software for Aggregate Autodig. NOT RECOMMENDED for hardbank or large rock loading. REQUIRES: 478-1336 AUTODIG & CPM PAYLOAD, ARO		\$1,430
---	----------	---	--	---------

**GUARDS**

P	485-4387	<b>GUARDS, LIGHT</b> . . . . . 0 FOR USE IN LANE 3 ONLY Provide protection guard for lights installed on the cab and counterweight.		\$1,565
L	360-8835	<b>GUARD, TILT CYLINDER</b> . . . . . 0 FOR USE WITH LANE 3 ONLY CANNOT BE USED WITH: 505-1554 LINKAGE, LOGGER 950 REQUIRED BY: INDUSTRIAL PACKAGE		\$1,395
L	367-9027	<b>GUARD, POWERTRAIN</b> . . . . . 0		\$1,500
L	399-4332	<b>GUARD, HINGED, POWERTRAIN</b> . . . . . 0 FOR USE WITH LANE 3 ONLY Provides heavy duty guard to protect the bottom of the transmission; hinged for service. ONLY FOR USE WITH: INDUSTRIAL PACKAGE REQUIRED BY: INDUSTRIAL PACKAGE		\$3,265

**OTHER ATTACHMENTS**

P	506-4369	<b>WHEEL CHOCKS</b> . . . . . 0 Provides wheel chocks that mount to the frame.		\$491
P	503-4735	<b>OIL CHANGE SYSTEM, HIGH SPEED</b> . . . . . 0 FOR USE WITH LANE 3 ONLY Easy access drain line and Wiggins connector for remote engine oil drain. Provides quick, clean, and easy engine oil change without having to climb under the machine to access a gravity drain.		\$287

**CORROSION RESISTANT OPTIONS**

L	506-0545	<b>PROTECTION PACKAGE, LINES</b> . . . . . 0 FOR USE WITH LANE 3 ONLY Hoses treated with tube heat shrinkable and sealant silicone.		\$4,725
L	521-9198	<b>PAINTING GROUP, CORROSION</b> . . . . . 0 FOR USE IN LANE 3 ONLY Provides a paint thickness which is more than two times the thickness of the standard paint, giving the machine extra resistance against corrosion.		\$4,890

CATERPILLAR MACHINE PRICE LIST

# 950M-BR

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**QUICK COUPLERS**

P	373-3904	<b>QUICK COUPLER READY, HIGH LIFT</b> . . . . . 0 FOR USE WITH LANE 3 ONLY ONLY FOR USE WITH: 505-1553 LINKAGE, HIGH LIFT REQUIRED BY: AM-N Dealers		\$3,685
P	373-3900	<b>QUICK COUPLER READY, STD LIFT</b> . . . . . 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Factory installed Caterpillar Work Tools & Services (CWTS) fusion style coupler. ONLY FOR USE WITH: 505-1552 LINKAGE, STANDARD LIFT 505-1554 LINKAGE, LOGGER REQUIRED BY: AM-N Dealers		\$3,685
P	378-8421	<b>LINES GP-IMPLEMENT 3V (QC)</b> . . . . . 22 FOR USE WITH LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER REQUIRES: 500-2566 or 500-2570 HYDRAULICS, 3V 349-5246 QUICK COUPLER, FUSION		\$543
L	378-8422	<b>LINES GP-IMPLEMENT 3V&amp;4V (QC)</b> . . . . . 44 FOR USE WITH LANE 3 ONLY REQUIRES: 373-3894 or 373-3898 HYDRAULICS, 4V 349-5246 QUICK COUPLER, FUSION		\$1,085
L	349-5246	<b>QUICK COUPLER, FUSION</b> . . . . . 1,248 FOR USE WITH LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER Factory installed Caterpillar Work Tools & Services (CWTS) Fusion style coupler. Requires 378-8421 Lines if ordering 3V hydraulics. ONLY FOR USE WITH: 373-3900 QUICK COUPLER READY, STD LIFT OR 373-3904 QUICK COUPLER READY, HIGH LIFT	1,248 1,248	\$6,579 \$6,579 NI

**QUICK COUPLER WORKTOOLS LITERATURE**

P	0P-4108	<b>WORKTOOL'S LITERATURE</b> . . . . . 0 (SEBP5193) REQUIRED BY: 349-5246 QUICK COUPLER, FUSION		NC
---	---------	---	--	----

**WORK TOOLS**

**OMISSION WORK TOOL**

P	361-1437	<b>OMISSION, WORKTOOL</b> . . . . . 0 Required in orders configured without a work tool or QC in order to prevent from damages on the linkage.		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

**950M-BR**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**BUCKETS**

Buckets must be ordered Installed on a Machine Order.  
For questions on buckets intended for Machine Orders please contact your Marketing Subsidiary Machine Coordinator.

Loose buckets should be ordered on a MISC Order through Caterpillar Work Tools - Wamego using source code OP-0672.

For availability of loose buckets please email [worktools@cat.com](mailto:worktools@cat.com).  
If you are going to order a loose bucket from CWTS and a machine from Aurora and if you need them shipped at the same time then you need to cross-reference the MSO's with each other.

"GET" is NOT automatically included on bucket orders. "GET" must be entered on the order with your bucket selection, unless text for bucket states otherwise. Please make the "GET" selection from the "GET" listed immediately following the bucket listing.

Recommend use of bolt-on adapter option, adapter and segment option, or bolt-on cutting edge option for general purpose buckets and material handling buckets.

Material density will determine the appropriate capacity bucket. Refer to the Specalog. Exceeding maximum payload may cause loader instability.

ALL BUCKETS ARE ALSO AVAILABLE ON A MISCELLANEOUS ORDER

110% FILL FACTOR: This capacity is calculated considering GETs installed.

**GENERAL PURPOSE PERFORMANCE SERIES BUCKETS (PIN-ON)**

P	354-4853	BKT GP ST 114" 4.5 YD3 PO .....	3,721 3,721	\$13,854 \$13,854 NI
		PERFORMANCE SERIES BUCKET		
		CAPACITIES:		
		4.25YD3 (3.2M3) w/bolt-on adaptaters, 117" (2972mm) wide		
		4.5YD3 (3.4M3) w/bolt-on adaptaters and segment, 117" (2972mm) wide		
		4.5YD3 (3.4M3) w/bolt-on cutting edges, 114" (2894mm) wide(Bucket Tag)		
		110% FILL FACTOR:		
		4.85YD3 (3.7M3) with GETs		



CATERPILLAR MACHINE PRICE LIST

**950M-BR**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**BUCKETS (CONT.)**

**GENERAL PURPOSE PERFORMANCE SERIES BUCKETS (PIN-ON) (Cont.)**

P	354-4855	BKT GP ST 114" 4.75 YD3 PO .....	3,803	\$14,436
			3,803	\$14,436 NI

FOR USE WITH LANE 3 ONLY  
 PERFORMANCE SERIES BUCKET  
 CAPACITIES:  
 4.5YD3 (3.4M3) w/bolt-on adaptaters, 117" (2972mm) wide  
 4.75YD3 (3.6M3) w/bolt-on adaptaters and segment, 117" (2972mm) wide  
 4.75YD3 (3.6M3) w/bolt-on cutting edges, 114"(2894mm) wide(Bucket Tag)  
 110% FILL FACTOR:  
 5.25YD3 (4M3) with GETs  
 RECOMMENDED WITH : COUNTERWEIGHT, 1460KG

**GENERAL PURPOSE BUCKETS (FUSION)**

P	354-4856	BKT GP ST 114" 4.75 YD3 FUS .....	3,503	\$14,436
			3,503	\$14,436 NI

FOR USE IN LANE 3 ONLY  
 PERFORMANCE SERIES BUCKET  
 CAPACITIES:  
 4.5YD3 (3.4M3) w/bolt-on adaptaters, 117" (2972mm) wide  
 4.75YD3 (3.6M3) w/bolt-on adaptaters and segment, 117" (2972mm) wide  
 4.75YD3 (3.6M3) w/bolt-on cutting edges, 114"(2894mm)wide (Bucket Tag)  
 110% FILL FACTOR:  
 5.25YD3 (4M3) with GETs  
 RECOMMENDED WITH : COUNTERWEIGHT, 1460KG

**GROUND ENGAGING TOOLS**

**CUTTING EDGE**

P	139-9229	CUTTING EDGE, BOLT-ON .....	600	\$1,635
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Width: 2906MM		

**INSTRUCTIONS**

**FILMS**

P	468-0170	FILM, SCRAP .....	0	NC
		ONLY FOR USE WITH: 505-1509 INDUSTRIAL PACKAGE		
P	468-0171	FILM, WASTE .....	0	NC
		ONLY FOR USE WITH: 505-1509 INDUSTRIAL PACKAGE or 505-1506 INDUSTRIAL PACKAGE		
P	468-0173	FILM, FOREST .....	0	NC
		ONLY FOR USE WITH: 505-1554 LINKAGE, LOGGER		

CATERPILLAR MACHINE PRICE LIST

# 950M-BR

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**PACKING**

**EXPORT PACKING**

OP-6619	ROLL ON-ROLL OFF . . . . .	0	\$259 NET
	Machine is in mobile condition and all attachments are installed unless specified.		

**ALLOWANCE FOR OMISSION**

P	OP-4781	ALLOWANCE FOR OMISSION . . . . .	0	\$469
		REQUIRED BY: 373-4064 RIMS ONLY, TIRES OMITTED		

**STORAGE PROTECTION**

OP-2918	STORAGE PROTECTION . . . . .	0	NC
	This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior the shipment to the customer. REQUIRED BY : ALL LANE CONFIGURATION		

**SPECIAL INSTRUCTIONS**

OP-2949	EXPOSITION INSTRUCTION . . . . .	0	NC
	This special instruction must be selected whenever dealer is placing an order for a unit intended for use at expositions and/or trade fairs		

**CYLINDER PROTECTION**

OP-3940	PROTECTION, CYLINDER ROD . . . . .	0	NC
---------	------------------------------------	---	----

**AM-NORTH INFORMATION**

**REGIONAL PACKAGE**

Information only DO NOT ORDER

L	505-1505	STANDARD PACKAGE . . . . .	0	NC
		Provides machine features required in standard and forestry applications. PACKAGE INCLUDES: - Platform - Filter cab air - Standard Radiator grill INCLUDED IN: 513-5376 950M WHEEL LOADER AM-N DCA9 513-5377 950M WHEEL LOADER AM-N DCA10 513-5378 950M WHEEL LOADER AM-N DCA11		

CATERPILLAR MACHINE PRICE LIST

**950M-BR**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**AM-NORTH INFORMATION (CONT.)**

**TECHNOLOGY PRODUCTS**

L	434-0690	NETWORK MANAGER ONLY . . . . .	0	NC
		Information only DO NOT ORDER		
		INCLUDED IN: 513-5376 950M WHEEL LOADER AM-N DCA9		
		513-5377 950M WHEEL LOADER AM-N DCA10		
		513-5378 950M WHEEL LOADER AM-N DCA11		