

CATERPILLAR MACHINE PRICE LIST

**953K**

TRACK-TYPE LOADER GRENOBLE, FRANCE	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------------	--------------------	-------------------------

Standard Equipment:

**POWERTRAIN**

Modular cooling system for engine air intake, oil and water  
 Fan radiator, electronically controlled, hydraulically driven, temperature sensing, on demand  
 Electro Hydrostatic Control (EHC) for transmission  
 Engine idle shutdown  
 Auto engine speed control  
 Electric fuel pump  
 Water separator  
 Starting aid, glow plug  
 Caterpillar extended life coolant

Electronic Monitoring System with gauges  
 Mirror, rearview, inside, adjustable  
 Radio ready. Includes 24 to 12 volt converter, speakers, antenna and 12V power outlet  
 Coat hook  
 Storage compartments under left armrest  
 Document holder on right console  
 Floor mat, rubber, heavy duty  
 Windshield washers and wipers, multiple speed front and rear  
 Durable metal roof  
 Parking brake switch and "brake-on" indicator light  
 Durable metal fender

**UNDERCARRIAGE**

Caterpillar heavy duty undercarriage and tracks (37 sections), 1836mm (72.3") track gauge  
 Track guiding guards, end section  
 Track adjuster, hydraulic  
 Sprocket rims, with replaceable bolt-on tough steel segments  
 Guards, sprocket  
 6 track rollers per side, with one upper carrier roller, lifetime lubricated  
 Idlers, conventional type, lifetime lubricated  
 Oscillating track roller frames

**OTHER STANDARD EQUIPMENT**

Sound suppression, exterior  
 Z-bar loader linkage  
 Load sensing implement pump with variable displacement  
 Implement cylinders with sensors  
 Operator programmable lift and tilt kickouts  
 Engine enclosure with lockable doors  
 Radiator core 6.5fpi, debris resistant  
 Hinged radiator guard and swing out fan  
 Guards, full bottom  
 Ecology drains on hydraulic oil tank  
 Product Link ready  
 Oil sampling valves  
 Hoses, Caterpillar XT  
 HYDO Advanced 10

**ELECTRICAL**

Alternator, 24 volt, heavy duty  
 Alarm, backup  
 Horn, electric  
 2 heavy duty batteries, high output, maintenance free, 900 CCA  
 Switch, main disconnect  
 Starter, electric (heavy duty, 24 volt)  
 4 halogen lights : 2 facing forward, roof mounted, 2 facing rearward, integrated in the air conditioner unit

**OPERATOR ENVIRONMENT**

Pressurized, sound suppressed, ROPS/FOPS  
 Cab with tinted glass and right side sliding window  
 Air conditioning and heating  
 Heater / defroster with automatic temperature control  
 Armrests, adjustable  
 Electro Hydraulic, seat mounted control levers with faster processing  
 Seat belt, retractable, with buckling indicator on dash

CATERPILLAR MACHINE PRICE LIST

**953K**

TRACK-TYPE LOADER GRENOBLE, FRANCE	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------------	--------------------	-------------------------

**LANE 2 is reserved for the Base Order Management Program.  
 Please use Lane 2 when placing orders that are part of the Base  
 Order Management Program.**

**2018 YOY list price reductions will be offset by reductions in  
 discounts or merchandising support.**

<b>535-5898</b>	<b>953K TTL HD AM-N DCA1</b> . . . . . 0	<b>\$287, 210</b>
	LANE 1 - AVAILABLE FROM BALTIMORE PDC	
	LANE 1 - AVAILABLE FROM GALVESTONE PDC	

- INCLUDES:
- 471-9489 953K HRC TRACK LOADER
  - 257-4146 HYDRAULIC OIL, STANDARD
  - 308-6518 GUARD, IDLER
  - 452-6580 RADIO, AM/FM/AUX/USB/BLUETOOTH
  - 456-3981 FAN, DEMAND, REVERSING
  - 456-3994 TANK, FUEL, STANDARD
  - 456-4000 AIR INLET, STANDARD
  - 469-5039 CONSTRUCTION PACK, HD
  - 469-5052 HYDRAULIC 3V,GP JOYSTICK, PACK
  - 470-4398 COLD WEATHER, 120V
  - 470-6425 SERVICE PACKAGE, EXTENDED
  - 470-6429 REGIONAL PACKAGE ADSD-N
  - 472-0849 LINES IMPLEMENT, STANDARD
  - 508-4758 TRANSMISSION CONTROL V-LEVER
  - 508-4902 SEAT TLV2,S/S ISOLATOR,HEATED
  - 510-4109 TRACK, 19" DG, HD
  - 513-7703 CAB, DELUXE
  - 518-0006 GUARD, FRONT LIGHTS

PLEASE REFER TO THE LANE 1 SECTION TO COMPLETE YOUR ORDER

<b>471-9489</b>	<b>953K HRC TRACK LOADER</b> . . . . . 0	<b>\$272, 700</b>
	LANE 2 - AVAILABLE FROM GRENOBLE FACTORY	
	LANE 3 - AVAILABLE FROM GRENOBLE FACTORY	

- DEDICATED TO HIGHER REGULATED COUNTRIES (HRC), including:  
 INCLUDES:
- Caterpillar C7.1 diesel engine, turbo charged with ATAAC and engine mounted aftertreatment. Achieves emission levels equivalent to Environmental Protection Agency (EPA) tier 4 final / EU stage IV / Japan 2014 (tier 4 final).
  - Rear camera.
- AVAILABLE FOR: NORTHERN AMERICAN DEALERS  
 EU DEALERS  
 KOREAN DEALERS  
 AUSTRALIAN AND NEW ZEALAND DEALERS  
 JAPANESE DEALERS

CATERPILLAR MACHINE PRICE LIST

**953K**

---

TRACK-TYPE LOADER	Ship Weight	LIST PRICE
GRENOBLE, FRANCE	lbs	AT DEALER

---

<b>0G-0584</b>	<b>953K MISC MATERIAL GRENOBLE</b> ..... 0 AVAILABLE FROM GRENOBLE FACTORY	<b>NC</b>
----------------	-------------------------------------------------------------------------------	-----------

Only reference numbers that have the text  
 "ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a MISC order.

CATERPILLAR MACHINE PRICE LIST

**953K**

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**LANE 1 AM-NORTH MANDATORY ATTACHMENTS**

**LANE SELECTION**

OP-9001	LANE 1 ORDER . . . . .	0	NC
---------	------------------------	---	----

**TECHNOLOGY PRODUCTS**

L	507-5181	PRODUCT LINK, CELLULAR PL641 . . . . . Product Link Pro series PL641 offers expanded coverage including 3G UMTS and CDMA2000 as well as 2G GSM and CDMA cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.	0	NC
---	----------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---	----

**REAR ATTACHMENTS**

P	386-2890	BUMPER, STANDARD . . . . . Includes a hitch.	430	NC
---	----------	-------------------------------------------------	-----	----

**BUCKETS**

P	455-1620	BUCKET-GP, 2.4 CYD, FULL EDGE . . . . .  General Purpose bucket Includes: Full cutting edge, bolt-on. Capacity: 1.8 CUM (2.4 CYD) Width: 2454 mm (96.6") Best for granular materials (gravel, sand...), finish grading and final preparation.	2,425 2,425	\$9,870 \$9,870 NI
---	----------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------	-----------------------

**PACKING**

OG-9236	COMPLETE STORAGE PROTECTION . . . . . Machines have been sprayed with Fluid Film TM. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer. Cilix AND foam protection on all cylinders are also included in this storage protection procedure. Recommended : Sea and all type or long distance shipment	0	\$242 NET
---------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---	-----------

CATERPILLAR MACHINE PRICE LIST

**953K**

USE	REF NO.	LANE 1 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**LANE 1 AM-NORTH OPTIONAL ATTACHMENTS**

***OTHER ATTACHMENTS***

P	256-7612	<b>RIPPER, MULTI-SHANK</b> . . . . . 1,373 ONLY AVAILABLE ON A MISCELLANEOUS ORDER Hydraulic rear-mounted radial ripper. Includes 3 curved shanks with replaceable tips. THIS REFERENCE OF RIPPER IS ONLY COMPATIBLE WITH THE D-SERIE MACHINES AND AVAILABLE FROM THE PDC INVENTORY. If you need to get a ripper for K-SERIE machines, please refer to the LANE 2/3 MANDATORY section of this price list.		<b>\$10,270</b>
---	----------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-----------------

***FLUIDS***

	0G-6009	<b>ANTIFREEZE, -50C (-58F)</b> . . . . . 117 Provides cooling system antifreeze protection down to -50C.		<b>\$252 NET</b>
--	---------	-------------------------------------------------------------------------------------------------------------	--	------------------

CATERPILLAR MACHINE PRICE LIST

**953K**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**LANE SELECTION**

OP-9002	LANE 2 ORDER . . . . .	0	NC
	Only for dealers enrolled in the Base Order Management (BOM) Program.		
OP-9003	LANE 3 ORDER . . . . .	0	NC

**REGIONAL PACKAGES**

L	470-6429	REGIONAL PACKAGE ADSD-N . . . . .	0	NC
		Includes warning decals, ANSI.		

**FEATURE PACKAGES**

L	469-5038	CONSTRUCTION PKG, SYSTEMONE . . . . .	0	NC
		Construction package is designed for all types of general earthmoving tasks :cleaning, digging, stockpiling, loading and carrying, truck loading, backfilling and grading. The construction package includes standard items like final drive, hinged radiator guard and swing out fan - both bolt-locked, SystemOne undercarriage, Idler conventional type, protection for hydraulic tank and Guard for the lift lines and sensor. REQUIRES: SYSTEMONE TRACKS ONLY FOR USE WITH: 471-9489 953K HRC TRACK LOADER		
L	469-5039	CONSTRUCTION PACKAGE, HD . . . . .	0	NC
		Construction package is designed for all types of general earthmoving tasks :cleaning, digging, stockpiling, loading and carrying, truck loading, backfilling and grading. The construction package includes standard items like final drive, hinged radiator guard and swing out fan - both bolt-locked, E.salt undercarriage, Idler conventional type, protection for hydraulic tank and Guard for the lift lines and sensor. REQUIRES: HEAVY DUTY TRACKS ONLY FOR USE WITH: 471-9489 953K HRC TRACK LOADER		
L	469-5040	WASTE PACKAGE, HD . . . . .	0	\$6, 910
		Built for waste handling applications, this package features: - Undercarriage Heavy Duty - Guards for the final drives and idlers duo cone seal - Sealing between front guard and frame around hydraulic lines - Latches on rear guard and fan door for easier cleaning RECOMMENDED OPTIONS: HEAVY DUTY TRACKS WITH CENTER HOLE 497-9954 AIR PRECLEANER, CAB 502-2846 STRIKER BARS, REAR REQUIRES: 456-3981 FAN, DEMAND, REVERSING 456-4001 AIR INLET, PRECLEANER, TURBINE 308-6518 GUARD, IDLER 470-6425 SERVICE PACKAGE, EXTENDED 505-7467 WINDSHIELD PROTECTION ONLY FOR USE WITH: 471-9489 953K HRC TRACK LOADER		

CATERPILLAR MACHINE PRICE LIST

**953K**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**FEATURE PACKAGES (CONT.)**

L	516-4418	<p><b>WASTE PKG,HD,ENHANCED CLEANING</b> . . . . . 0</p> <p>FOR USE IN LANE 3 ONLY</p> <p>The package features the waste handling modifications, a wide gauge undercarriage and standard shoes enabling the waste to flow more easily between the chassis and the track roller frames which results in a huge cleaning time reduction.</p> <p>To take a full advantage of this package, one of the following track / bucket combinations must be considered:</p> <ul style="list-style-type: none"> <li>- any bucket larger than 2516mm/99" with 380mm/15" shoes with center holes. The clearance between track and chassis will be 275mm/10.8"</li> <li>- any bucket larger than 2616mm/103" with 480mm/19" shoes with center holes. The clearance between track and chassis will be 225m/8.8"</li> </ul> <p>RECOMMENDED OPTIONS: HEAVY DUTY TRACKS WITH CENTER HOLE                      517-5201 GUARD FULL LENGTH,TRACK ROLLER, HD STRIKER BARS AND / OR COUNTERWEIGHT</p> <p>REQUIRES: 456-3981 FAN, DEMAND, REVERSING                      456-4001 AIR INLET, PRECLEANER, TURBINE                      308-6518 GUARD, IDLER                      HEAVY DUTY TRACKS                      470-6425 SERVICE PACKAGE, EXTENDED                      497-9954 AIR PRECLEANER, CAB                      505-7467 WINDSHIELD PROTECTION</p> <p>ONLY FOR USE WITH: 471-9489 953K HRC TRACK LOADER</p>		\$31,540
L	515-0354	<p><b>SHIPHOLD PACKAGE, HD</b> . . . . . 0</p> <p>FOR USE IN LANE 3 ONLY</p> <p>Built for ship unloading and more generally for port handling applications, this package features:</p> <ul style="list-style-type: none"> <li>- four lifting eyes on heavy duty undercarriage and frame to lift the machine safely</li> <li>- sealing between front guard and frame around hydraulic lines</li> <li>- Latches on fan door and rear guard for easier cleaning</li> <li>- Guard, lift lines and sensor</li> </ul> <p>RECOMMENDED OPTIONS: GUARD, FRONT LIGHTS OR WINDSHIELD PROTECTION                      517-5201 GUARD FULL LENGTH,TRACK ROLLER, HD</p> <p>REQUIRES: 456-3981 FAN, DEMAND, REVERSING                      456-4001 AIR INLET, PRECLEANER, TURBINE                      324-3613 GUARD, IDLER SHIPHOLD                      HEAVY DUTY TRACKS                      513-7703 CAB, DELUXE                      470-6425 SERVICE PACKAGE, EXTENDED                      536-7933 BUMPER, STANDARD</p> <p>ONLY FOR USE WITH: 471-9489 953K HRC TRACK LOADER</p> <p>CANNOT BE USED WITH: 456-3991 RIPPER, MULTI-SHANK                      469-6093 MAST, GRADE CONTROL                      465-8893 HITCH, RIPPER                      502-2846 STRIKER BARS, REAR COUNTERWEIGHT</p>		\$11,830

CATERPILLAR MACHINE PRICE LIST

**953K**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**FEATURE PACKAGES (CONT.)**

L	513-4208	<b>LGP PACKAGE, HD</b> ..... 0 FOR USE IN LANE 3 ONLY Built for applications requiring a lower ground pressure, this package features an Heavy Duty wide gauge undercarriage that enables the installation of wide tracks 31.5" (800MM). RECOMMENDED OPTIONS: 308-6518 GUARD, IDLER RIPPER PACKAGE OR COUNTERWEIGHTS For a sufficient balance to the wide bucket. REQUIRES: 415-5684 TRACK, 800MM DG, HD 512-3178 BUCKET-GP, 2.2 CUM, WIDE ONLY FOR USE WITH: 471-9489 953K HRC TRACK LOADER		\$28,130
---	----------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	----------



CATERPILLAR MACHINE PRICE LIST

**953K**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**FEATURE PACKAGES (CONT.)**

L	508-7886	STEEL MILL PKG, HD, PARTIAL . . . . .	0	\$28,170
---	----------	---------------------------------------	---	----------

FOR USE IN LANE 3 ONLY  
 Built for dealers requiring a product base for the steel mill application.  
 This package features:  
 - Steel Mill undercarriage with high temperature seals for durability, guards for final drives duo-cone seals and equalizer bar pivots, welded side bars  
 - Rear grill and fan door equipped with latches for easier and frequent cleaning of cooling area  
 - Fire retardant oil Ecosafe  
 - Guards for lift lines  
 - Steel mill cab equipped with various thermal shields and silicone seals, sealed windows, double laminated front windshield protected by a hinged grill and a metallic screen, fire resistant floormat, additional metallic roof, metallic door handles and push button release, 8 heat resistant lights, A/C vents on both sides of operator.  
 This package DOES NOT feature:  
 All the other modifications required to allow the machine running on hot slag. Examples: steel fuel tank, heat insulated harnesses, hoses and tanks.  
 A good reference for information is the content offered on 973D/K SMA, see specalog AEHQ6071.  
 Note: Some dealers are able to provide the complement of modifications required to upgrade the machine from a partial to a full SMA. Please ask your Product & Application Specialist.  
 RECOMMENDED OPTIONS: 517-5201 GUARD FULL LENGTH, TRACK ROLLER, HD  
 559-3283 BUCKET SLAG, 1.6 CUM  
 REQUIRES: 456-3981 FAN, DEMAND, REVERSING  
 456-4001 AIR INLET, PRECLEANER, TURBINE  
 308-6518 GUARD, IDLER  
 510-4111 TRACK, 380MM DG, SEALED, HD  
 448-0286 HYDRAULIC OIL, ECOSAFE  
 472-0849 LINES IMPLEMENT, STANDARD  
 549-7556 CAB, STEEL MILL  
 470-6425 SERVICE PACKAGE, EXTENDED  
 517-1713 NO PRODUCT LINK  
 536-7933 BUMPER, STANDARD  
 ONLY FOR USE WITH: 471-9489 953K HRC TRACK LOADER  
 CANNOT BE USED WITH: QUICK COUPLER INSTALLATIONS  
 PRODUCT LINK INSTALLATIONS  
 456-3996 TANK, FUEL, REFUELING PUMP  
 456-3991 RIPPER, MULTI-SHANK  
 497-9954 AIR PRECLEANER, CAB  
 469-6093 MAST, GRADE CONTROL  
 465-8893 HITCH, RIPPER

CATERPILLAR MACHINE PRICE LIST

**953K**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**POWERTRAIN**

**RADIATOR FAN**

L	456-3980	<b>FAN, DEMAND, STANDARD</b> . . . . . 11		NC
		Electronically controlled hydraulic fan drive. Automatically adapts cooling to engine heat load. CANNOT BE USED WITH: ALL WASTE, SHIPHOLD, PARTIAL STEEL MILL PACKAGES		
L	456-3981	<b>FAN, DEMAND, REVERSING</b> . . . . . 35		\$1,880
		Electronically controlled hydraulic fan drive. Automatically adapts cooling to engine heat load. Programmable automatic and manual reverse air flow control. Recommended for applications with a risk of radiator plugging.		

**AIR INLET**

L	456-4000	<b>AIR INLET, STANDARD</b> . . . . . 2		NC
		THE AIR INLET ATTACHMENT IS INCLUDED IN ALL LRC MACHINES ONLY FOR USE WITH: 471-9489 953K HRC TRACK LOADER CANNOT BE USED WITH: ALL WASTE, SHIPHOLD, PARTIAL STEEL MILL PACKAGES		
L	456-4001	<b>AIR INLET, PRECLEANER, TURBINE</b> . . . . . 9		\$1,770
		For use in heavy debris applications. May improve filter life. OPTIMAX dual-stage precleaner powered by engine's intake and exhaust air flows. Intake air is spun by flow-driven impeller. Debris stratify along outer wall and are ejected back into the environment. THE AIR INLET ATTACHMENT IS INCLUDED IN ALL LRC MACHINES ONLY FOR USE WITH: 471-9489 953K HRC TRACK LOADER		

**UNDERCARRIAGE**

**IDLER**

L	308-6189	<b>SCRAPER, IDLER.</b> . . . . . 15		NC
		Provides an idler scraper bolted on the tension arm. CANNOT BE USED WITH: ALL WASTE, SHIPHOLD, PARTIAL STEEL MILL PACKAGES		
L	308-6518	<b>GUARD, IDLER.</b> . . . . . 190		\$770
		Provides a guard to protect the tension system from mud and debris. Also includes an idler scraper. CANNOT BE USED WITH: SHIPHOLD PACKAGE, HD		
L	324-3613	<b>GUARD, IDLER SHIPHOLD</b> . . . . . 0		\$1,160
		FOR USE IN LANE 3 ONLY Provides a guard to protect the tension system from mud and debris. Also includes an idler scraper. Specifically designed and required by Shiphold configuration. ONLY FOR USE WITH: SHIPHOLD PACKAGE, HD		

CATERPILLAR MACHINE PRICE LIST

**953K**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**UNDERCARRIAGE (CONT.)**

**TRACKS**

**TRACKS, SYSTEMONE**

L	415-5666	TRACK, 15" DG, SYSTEMONE . . . . . 4,226 FOR USE IN LANE 3 ONLY Double Grouser track Shoes, SystemOne ONLY FOR USE WITH: 471-9489 953K HRC TRACK LOADER 469-5038 CONSTRUCTION PKG, SYSTEMONE		\$5,400
L	415-5670	TRACK, 19" DG, SYSTEMONE . . . . . 4,868 Double Grouser track Shoes, SystemOne. ONLY FOR USE WITH: 471-9489 953K HRC TRACK LOADER 469-5038 CONSTRUCTION PKG, SYSTEMONE		\$4,830

**TRACKS, HEAVY DUTY**

L	510-4108	TRACK, 15" DG, HD . . . . . 0 FOR USE IN LANE 3 ONLY Double Grouser Narrow track Shoes ONLY FOR USE WITH: HEAVY DUTY APPLICATION PACKAGES CANNOT BE USED WITH: LGP AND PARTIAL STEEL MILL PACKAGES, HD		\$565
L	510-4109	TRACK, 19" DG, HD . . . . . 0 Double Grouser track Shoes, Heavy Duty ONLY FOR USE WITH: HEAVY DUTY APPLICATION PACKAGES CANNOT BE USED WITH: LGP AND PARTIAL STEEL MILL PACKAGES, HD		NC
L	510-4110	TRACK, 19" DG, CTR HOLE, HD . . . . . 0 Double Grouser track Shoes, Heavy Duty with center hole. This center holes prevent the increase of track wear due to debris packing underneath the track shoes. RECOMMENDED FOR WASTE APPLICATIONS ONLY FOR USE WITH: ALL WASTE PACKAGES, HD		\$1,370
L	415-5684	TRACK, 31.5" DG, HD . . . . . 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 471-9489 953K HRC TRACK LOADER 513-4208 LGP PACKAGE, HEAVY DUTY		\$2,715
L	510-4111	TRACK, 15" DG, SEALED, HD . . . . . 0 Heavy duty and Sealed tracks (no lubrication) 15"/ 380mm Double Grousers shoes ONLY FOR USE WITH: PARTIAL STEEL MILL PACKAGE, HD		NC

CATERPILLAR MACHINE PRICE LIST

**953K**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**HYDRAULICS**

**HYDRAULIC OIL**

L	257-4146	<b>HYDRAULIC OIL, STANDARD</b> . . . . . 220 Standard hydraulic oil. Factory filled. For the implement and transmission hydraulic systems. CANNOT BE USED WITH: STEEL MILL PKG, HD, PARTIAL		NC
L	258-9893	<b>HYDRAULIC OIL, BIODEGRADABLE</b> . . . . . 220 FOR USE IN LANE 3 ONLY This Hydraulic Environmental Ester Synthetic oil is recommended when required for environmental compliance. Factory filled. For the implement and differential steering hydraulic systems. ONLY FOR USE WITH: 471-9489 953K HRC TRACK LOADER CANNOT BE USED WITH: 508-7886 STEEL MILL PKG, HD, PARTIAL		\$2,990
L	448-0286	<b>HYDRAULIC OIL, ECOSAFE</b> . . . . . 0 Fire resistant hydraulic oil - Ecosafe FR46. ONLY FOR USE WITH: STEEL MILL PKG, HD, PARTIAL		NC

**LINE GROUPS**

L	472-0849	<b>LINES IMPLEMENT, STANDARD</b> . . . . . 141 Hydraulic lines for the implement.		NC
L	511-7688	<b>LINES IMPLEMENT, QUICK COUPLER</b> . . . . . 0 FOR USE IN LANE 3 ONLY Hydraulic lines for the implement and quick coupler. For balance considerations, these lines for a quick coupler usage do require a heavy counterweight, such as a ripper, a waste package or counterweights (light + additional). REQUIRES: 507-2021 QUICK COUPLER LINES, MP CANNOT BE USED WITH: STEEL MILL PKG, HD, PARTIAL		NC

**OPERATOR ENVIRONMENT**

**CAB**

L	513-7702	<b>CAB</b> . . . . . 0 INCLUDES: - right rear side sliding window - 4 halogen lights (two facing forward, roof mounted; two facing rearward integrated in A/C unit) CANNOT BE USED WITH: SHIPHOLD PACKAGE, HD STEEL MILL PKG, HD, PARTIAL		NC
---	----------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	----

CATERPILLAR MACHINE PRICE LIST

**953K**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**CAB (Cont.)**

L	513-7703	<b>CAB, DELUXE</b> ..... 0 Highly equipped version of the cab. INCLUDES: - both rear sides sliding windows - pre-installed microphone for the Bluetooth radio - 8 LED lights (four facing forward, two facing sideways and two facing rearward integrated in A/C unit) CANNOT BE USED WITH: STEEL MILL PKG, HD, PARTIAL REQUIRED BY: SHIPHOLD PACKAGE, HD		\$3,155
L	549-7556	<b>CAB, STEEL MILL</b> ..... 0 FOR USE IN LANE 3 ONLY Version of the cab modified to work in slag handling applications where additional thermal protections are required. INCLUDES: - all sealed windows - Windshield and front light protection - pre-installed microphone for the Bluetooth radio - 8 halogen lights (four facing forward, two facing sideways and two facing rearward integrated in A/C unit) ONLY FOR USE WITH: STEEL MILL PKG, HD, PARTIAL		\$3,155

**SEAT**

All seats are TLV2: Toggle Link Vertical 2d generation seats, with reinforced air suspension.

L	508-4901	<b>SEAT, BASIC</b> ..... 0 FOR USE IN LANE 3 ONLY INCLUDES: - cloth-covered seat - removable headrest - 76mm / 3" retractable, 2 point seat belt		NC
L	508-4902	<b>SEAT, COMFORT</b> ..... 0 INCLUDES: - cloth-covered seat - removable headrest - 76mm / 3" retractable, 2 point seat belt - lockable side-to-side isolator - heated seat pan and back rest		\$720
L	546-0888	<b>SEAT, DELUXE</b> ..... 0 FOR USE IN LANE 3 ONLY INCLUDES: - cloth and leather-covered seat - removable headrest - 76mm / 3" retractable, 2 point (4 point compatible) seat belt - lockable side-to-side isolator - heated and ventilated seat pan and back rest - high back rest		\$2,040

CATERPILLAR MACHINE PRICE LIST

**953K**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**TRANSMISSION**

L	508-4758	<b>TRANSMISSION CONTROL V-LEVER</b> . . . . . 0 This package includes V-lever for speed and direction control and steering pedals.		NC
L	508-4756	<b>TRANSMISSION CONTROL, JOYSTICK</b> . . . . . 0 This package includes one joystick for speed, direction and steering control on the left hand console. The machine is controlled like a MTL/SSL.		NC

NOTE: "For machines equipped with a Transmission/Hystat Joystick, there are 2 steering patterns available.  
 The default S-Pattern is like a CAT Skid Steer.  
 The alternate C-Steer pattern is like a CAT tractor.  
 The machine can not be shipped from the factory with the alternate pattern activated. A CAT service tol (ET) is required to make the change. See your Service department for details."

**HYDRAULICS PACKAGES**

L	521-6411	<b>HYDRAULIC 2V,GP 2 LEVERS, PACK</b> . . . . . 0 This configuration includes 2 functions valve and electro bucket control two levers for GP bucket. CANNOT BE USED WITH: 456-3991 RIPPER, MULTI-SHANK MP BUCKETS		NC
L	521-6412	<b>HYDRAULIC 3V,GP 2 LEVERS, PACK</b> . . . . . 0 This configuration includes rear hydraulic lines and electro-hydraulic bucket control two levers for GP bucket and a ripper control lever. CANNOT BE USED WITH: SHIPHOLD PACKAGE, HD STEEL MILL PKG, HD, PARTIAL MP BUCKETS		\$5,190
L	469-5049	<b>HYDRAULIC 2V,GP JOYSTICK, PACK</b> . . . . . 0 This configuration includes 2 functions valve and joystick control for GP buckets. CANNOT BE USED WITH: 456-3991 RIPPER, MULTI-SHANK MP BUCKETS		NC
L	469-5052	<b>HYDRAULIC 3V,GP JOYSTICK, PACK</b> . . . . . 0 This configuration includes rear hydraulic lines, a joystick control for GP bucket and a ripper control lever. CANNOT BE USED WITH: SHIPHOLD PACKAGE, HD STEEL MILL PKG, HD, PARTIAL MP BUCKETS		\$5,190
L	469-5050	<b>HYDRAULIC 3V,MP JOYSTICK, PACK</b> . . . . . 0 This configuration includes front hydraulic lines and joystick control for MP bucket. CANNOT BE USED WITH: 456-3991 RIPPER, MULTI-SHANK		\$5,190

CATERPILLAR MACHINE PRICE LIST

**953K**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**HYDRAULICS PACKAGES (Cont.)**

L	471-9497	HYDRAULIC 4V,MP JOYSTICK, PACK . . . . . 0		\$8,680
		This configuration includes 4 functions valve, front and rear hydraulic lines, an electro-hydraulic bucket control with MP bucket proportional control slider, a ripper control lever. CANNOT BE USED WITH: SHIPHOLD PACKAGE, HD STEEL MILL PKG, HD, PARTIAL		

**SERVICE PACKAGES**

L	470-6424	SERVICE PACKAGE, STANDARD . . . . . 0		NC
		This package features a locking bar that holds the cab at 30 degrees safety (a crane is required to tilt the cab) and front windshield glued. CANNOT BE USED WITH: ALL WASTE PACKAGES, HD SHIPHOLD PACKAGE, HD STEEL MILL PKG, HD, PARTIAL		
L	470-6425	SERVICE PACKAGE, EXTENDED . . . . . 0		\$1,800
		This package features a manual hydraulic pump enabling the cab tilt cylinder installed under the cab.		

**TECHNOLOGY PRODUCTS**

**PRODUCT LINK**

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries.  
 Please contact your Cat marketing representative with questions.

L	517-1714	PRODUCT LINK, SATELLITE PL631 . . . . . 0		\$432
		Product Link Pro series PL631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage. CANNOT BE USED WITH: STEEL MILL PKG, HD, PARTIAL		
L	507-5181	PRODUCT LINK, CELLULAR PL641 . . . . . 0		NC
		Product Link Pro series PL641 offers expanded coverage including 3G UMTS and CDMA2000 as well as 2G GSM and CDMA cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data. CANNOT BE USED WITH: STEEL MILL PKG, HD, PARTIAL		

CATERPILLAR MACHINE PRICE LIST

**953K**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**TECHNOLOGY PRODUCTS (CONT.)**

**PRODUCT LINK (Cont.)**

L	517-1713	NO PRODUCT LINK . . . . . 0 FOR USE IN LANE 3 ONLY REQUIRED BY: STEEL MILL PKG, HD, PARTIAL		NC
---	----------	---------------------------------------------------------------------------------------------------	--	----

**FUEL SYSTEMS**

**FUEL TANK**

L	456-3994	TANK, FUEL, STANDARD . . . . . 77		NC
L	456-3995	TANK, FUEL, FAST FILL . . . . . 99 FOR USE IN LANE 3 ONLY Fuel tank with fast fill system. ONLY FOR USE WITH: 471-9489 953K HRC TRACK LOADER		\$3,315
L	456-3996	TANK, FUEL, REFUELING PUMP . . . . . 0 Fuel tank with refilling fuel pump. CANNOT BE USED WITH: STEEL MILL PKG, HD, PARTIAL		\$1,955

**OTHER ATTACHMENTS**

**REAR ATTACHMENTS**

P	536-7933	BUMPER, STANDARD . . . . . 0 Includes a hitch. REQUIRED BY: SHIPHOLD PACKAGE, HD STEEL MILL PKG, HD, PARTIAL		NC
P	456-3991	RIPPER, MULTI-SHANK . . . . . 1,373 0 AVAILABLE INSTALLED OR NOT INSTALLED ALSO AVAILABLE ON A MISCELLANEOUS ORDER Hydraulic rear-mounted radial ripper. Includes 3 curved shanks with replaceable tips. ONLY FOR USE WITH: 521-6412 HYDRAULIC 3V,GP 2 LEVERS, PACK 469-5052 HYDRAULIC 3V,GP JOYSTICK, PACK 471-9497 HYDRAULIC 4V,MP JOYSTICK, PACK CANNOT BE USED WITH: SHIPHOLD PACKAGE, HD STEEL MILL PKG, HD, PARTIAL 502-2846 STRIKER BARS, REAR 502-2844 COUNTERWEIGHT, LIGHT, 230KG 502-2845 COUNTERWEIGHT, ADDITIONAL, 220KG		\$10,270 \$9,690 NI



CATERPILLAR MACHINE PRICE LIST

**953K**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**BUCKETS**

**BUCKET PACKAGE**

ALL BUCKETS AVAILABLE INSTALLED OR NOT INSTALLED  
 ALSO AVAILABLE ON A MISCELLANEOUS ORDER

**GENERAL PURPOSE PERFORMANCE SERIES BUCKET (PIN-ON)**

P	508-3230	BUCKET-GP, 2.7 CYD, PERF .....	0	\$13,720
			0	\$13,720 NI
		Performance series Bucket Includes : Bolt-on cutting edges (set of 7) Bolt-on teeth, K80 General Duty tips (set of 8) Capacity: 2.1 CUM (2.7 CYD) 110% Fill Factor: 2.3 CUM (3.0 CYD) Width: 2536 mm (99.8") Recommended for loading and applications requiring better tracks coverage. COUNTERWEIGHTS OR RIPPER ARE RECOMMENDED FOR OVERALL MACHINE BALANCE.		

**GENERAL PURPOSE SERIES BUCKETS (PIN-ON)**

P	357-7624	BUCKET-GP, 2.4 CYD, PACKAGE .....	2,681	\$11,970
			2,681	\$11,970 NI
		General Purpose bucket Includes: Bolt-on cutting edges (set of 7), Bolt-on teeth, K80 General duty tips (set of 8). Capacity: 1.8 CUM (2.4 CYD) Width: 2485 mm (97.8")		
P	357-7625	BUCKET-GP, 2.4 CYD, HD PACK .....	0	\$12,360
			0	\$12,360 NI
		General Purpose bucket Includes : Bolt-on cutting edges (set of 7). Bolt-on teeth, K80 Extra duty tips (set of 8): provides 36% more wear material. Capacity: 1.8 CUM (2.4 CYD) Width: 2485 mm (97.8") Recommended for heavy duty applications.		

CATERPILLAR MACHINE PRICE LIST

**953K**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**BUCKETS (CONT.)**

**GENERAL PURPOSE SERIES BUCKETS (PIN-ON) (Cont.)**

P	455-1620	BUCKET-GP, 2.4 CYD, FULL EDGE . . . . .	2,425 2,425	\$9,870 \$9,870 NI
		General Purpose bucket Includes: Full cutting edge, bolt-on. Capacity: 1.8 CUM (2.4 CYD) Width: 2454 mm (96.6") Best for granular materials (gravel, sand...), finish grading and final preparation.		
P	357-7626	BUCKET-GP, 2.2 CYD, FLUSH PACK . . . . .	2,403 2,403	\$11,550 \$11,550 NI
		Flat bottom Bucket Includes : Welded flush adapters, K80 General Duty tips (set of 8). Capacity: 1.7 CUM (2.25 CYD) Width: 2438 mm (96") Recommended for fine grading application.		

**WASTE HANDLING BUCKET (PIN-ON)**

P	357-7628	BUCKET 3.0CYD LANDFILL,HD PACK . . . . .	3,146 3,146	\$18,520 \$18,520 NI
		General Purpose, Landfill bucket. Includes : Bolt-on cutting edges (set of 7), Bolt-on teeth, K80 Extra duty tips (set of 8): provides 36% more wear material. Capacity : 2.3 CUM (3.0 CYD) Width: 2485 mm (97.8") Bucket equipped with a heavy duty trash shield and flat bottom. STRIKER BARS WITH COUNTERWEIGHTS, OR RIPPER ARE RECOMMENDED FOR OVERALL MACHINE BALANCE.		

**MULTI PURPOSE SERIES BUCKETS (PIN-ON)**

P	514-1415	BUCKET-MP, 2.1 CYD, PACKAGE . . . . .	0 0	\$25,530 \$25,530 NI
		Bucket Multi-Purpose Includes : Bolt-on cutting edges (set of 7). Bolt-on teeth, K80 General duty tips (set of 8). Strap adapters (set of 2). Capacity : 1.6 CUM (2.1 CYD) Width : 2471 mm (97.3") COUNTERWEIGHTS OR RIPPER ARE RECOMMENDED FOR OVERALL MACHINE BALANCE. ONLY FOR USE WITH: 469-5050 HYDRAULIC 3V,MP JOYSTICK, PACK 471-9497 HYDRAULIC 4V,MP JOYSTICK, PACK		

CATERPILLAR MACHINE PRICE LIST

**953K**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**BUCKETS (CONT.)**

**MULTI PURPOSE SERIES BUCKETS (PIN-ON) (Cont.)**

P	514-1416	BUCKET-MP, 2.7CYD LANDFILL, HD .....	0	\$30,240
			0	\$30,240 NI
		Multi Purpose, Landfill bucket. Includes : Bolt-on cutting edges (set of 7), Bolt-on teeth, K80 Extra duty tips (set of 8): provides 36% more wear material. Capacity : 2.1 CUM (2.7 CYD) Width : 2471 mm (97.3") Bucket equipped with a heavy duty trash shield and flat bottom. COUNTERWEIGHTS OR RIPPER ARE RECOMMENDED FOR OVERALL MACHINE BALANCE. ONLY FOR USE WITH: 469-5050 HYDRAULIC 3V,MP JOYSTICK, PACK 471-9497 HYDRAULIC 4V,MP JOYSTICK, PACK		

**WIDE BUCKET (PIN-ON)**

P	512-3178	BUCKET-GP, 2.9 CYD, WIDE FLUSH .....	0	\$13,840
			0	\$13,840 NI
		FOR USE IN LANE 3 ONLY General Purpose bucket Includes : Welded cutting edge. Welded flush adapters, K80 General Duty tips (set of 8). Capacity : 2.2 CUM (2.9 CYD) Width: 2994 mm (117.9") COUNTERWEIGHTS OR RIPPER ARE RECOMMENDED FOR OVERALL MACHINE BALANCE. REQUIRED BY: 513-4208 LGP PACKAGE, HD		

**GENERAL PURPOSE SERIES BUCKETS (FUSION)**

P	509-6642	BUCKET-GP, 2.4 CYD, QC FUSION .....	0	\$11,970
			0	\$11,970 NI
		General Purpose bucket Bolt-on cutting edges (set of 7) Bolt-on teeth, K80 General Duty tips (set of 8) Capacity: 1.8 CUM (2.4CYD) Width: 2536 mm (99.8") COUNTERWEIGHTS OR RIPPER ARE RECOMMENDED FOR OVERALL MACHINE BALANCE. REQUIRES: 507-2021 QUICK COUPLER LINES, MP 539-4583 QUICK COUPLER, HYDRAULIC ONLY FOR USE WITH: 511-7688 LINES IMPLEMENT, QUICK COUPLER		

CATERPILLAR MACHINE PRICE LIST

**953K**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**BUCKETS (CONT.)**

**STEEL MILL BUCKET (PIN-ON)**

P	559-3283	BUCKET SLAG, 2.1 CYD .....	0	\$36,170
			0	\$36,170 NI
		FOR USE IN LANE 3 ONLY		
		Includes:		
		Welded half arrow segments (set of 4),		
		Welded teeth adaptors, J550, and J550 TIP long (set of 5)		
		Floating pins		
		Capacity: 1.6CUM (2.1CYD)		
		Width: 2416MM (95.1")		
		Bucket designed for extended wear resistance in high temperature applications.		
		RECOMMENDED WITH STEEL MILL PKG, HD, PARTIAL		

**NO BUCKET**

L	357-9620	NO BUCKET .....	0	NC
---	----------	-----------------	---	----

**ADDITIONAL GROUND ENGAGING TOOLS**

For bucket teeth and cutting edge combinations not shown in this price list, please order desired GET through CATERPILLAR WORK TOOLS or PARTS DISTRIBUTION.

CATERPILLAR MACHINE PRICE LIST

**953K**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**BUCKETS (CONT.)**

**ADDITIONAL WORK TOOLS**

Caterpillar offers a complete line of Track Type Loader buckets and tools including:

- Quick Coupler
- Blades
- Forks
- Material Handling Arms
- Rakes

For America North, please refer to the WT-TTL Price List (Work Tool Track Type Loaders) for any loose work tools that you may want to order on a Misc (CMOPS) order. Please use the misc work tool OP-0599 number listed in the WT-TTL Price list for any loose misc orders. Pack code required is OP-0210 for US Domestic orders or OP-5812 for Export orders.

For Europe, the WT-TTL Price List is not yet available. Please contact your Caterpillar Work Tools Account Coordinator at: Phone: (31) 736.399.777 or Fax: (31) 736.428.105, or E-mail: Worktools@Cat.com

**PACKING**

**EXPORT PACKING**

<p><b>OG-9236</b></p>	<p><b>COMPLETE STORAGE PROTECTION</b> . . . . . 0</p> <p>Machines have been sprayed with Fluid Film TM.                  This product is added for corrosion protection while shipping and for extended storage periods.                  This product will need to be power washed with soapy water prior to shipment to the customer.                  Cilix AND foam protection on all cylinders are also included in this storage protection procedure.                  Recommended : Sea and all type or long distance shipment</p>	<p><b>\$242 NET</b></p>
-----------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------

CATERPILLAR MACHINE PRICE LIST

**953K**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**STARTERS, BATTERIES, & ALTERNATORS**

L	470-4398	<b>COLD WEATHER, 120V</b> . . . . . 0 Two 12-Volt batteries, 1400 CCA, replacing standard batteries. recommended in cold ambient temperature environments. INCLUDES: Heater, engine coolant, 120V Ether starting aid ONLY FOR USE WITH: 471-9489 953K HRC TRACK LOADER		<b>\$254</b>
---	----------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--------------

**ELECTRICAL**

L	389-2415	<b>BEACON, ROTATING</b> . . . . . 2 Rotating beacon with magnetic installation.		<b>\$555</b>
---	----------	------------------------------------------------------------------------------------	--	--------------

**OPERATOR ENVIRONMENT**

	452-6580	<b>RADIO, AM/FM/AUX/USB/BLUETOOTH</b> . . . . . 4 12V AM/FM Stereo with Bluetooth technology and USB connection. Includes individual bass/treble controls, loudness adjustment and station pre-set capability. Pre-set memory is maintained by internal battery.		<b>\$545</b>
L	469-6095	<b>EASY ACCESS PACKAGE</b> . . . . . 0 This option provides additional grab irons and one step for an access to the rear-left side of the machine.		<b>\$274</b>
L	497-9954	<b>AIR PRECLEANER, CAB</b> . . . . . 0 Provides an external and extended precleaner installation to the cab to optimize its pressurization and filtration conditions. RECOMMENDED in high debris applications. CANNOT BE USED WITH: STEEL MILL PKG, HD, PARTIAL REQUIRED BY: 516-4418 WASTE PKG, HD, ENHANCED CLEANING		<b>\$2,260</b>

**TECHNOLOGY PRODUCTS**

**MACHINE CONTROL OPTIONS**

L	469-6093	<b>MAST, GRADE CONTROL</b> . . . . . 0 FOR USE IN LANE 3 ONLY Includes mast and brackets to equip your machine with grading assistance device. CANNOT BE USED WITH: SHIPHOLD PACKAGE, HD STEEL MILL PKG, HD, PARTIAL		<b>\$745</b>
---	----------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--------------

CATERPILLAR MACHINE PRICE LIST

**953K**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**GUARDS**

**CAB GUARDS**

L	518-0006	<b>GUARD, FRONT LIGHTS</b> . . . . . 0 2 Additional guards for the cab front lights. RECOMMENDED WITH THE SHIPHOLD PACKAGE CANNOT BE USED WITH: ALL WASTE PACKAGES PARTIAL STEEL MILL PACKAGE, HD 507-9474 WINDSHIELD PROTECTION		\$198
L	507-9474	<b>WINDSHIELD PROTECTION</b> . . . . . 0 Hinged heavy duty with hand operated latches. Protects cab windshield and lower door window panes, while still allowing easy access for cleaning. RECOMMENDED WITH THE SHIPHOLD PACKAGE CANNOT BE USED WITH: PARTIAL STEEL MILL PACKAGE, HD 518-0006 GUARD, FRONT LIGHTS REQUIRED BY: ALL WASTE PACKAGES		\$2,770

**TRACK GUIDING GUARDS**

Full length track roller guards provide track guiding for sideslopping applications. It also provides protection against rocks and debris entering into roller areas.  
 RECOMMENDED IN WASTE, SHIPHOLD AND PARTIAL STEEL MILL APPLICATIONS

L	254-5287	<b>GUARD FULL LENGTH, TRACK ROLLER</b> . . . . . 265 This full length track roller guide provides track guiding for sideslopping applications. It also provides protection against rocks and debris entering into roller areas. ONLY FOR USE WITH: SYSTEMONE UNDERCARRIAGES AND TRACKS		\$2,260
L	517-5201	<b>GUARD FULL LENGTH, TRACK HD</b> . . . . . 0 This full length track roller guide provides track guiding for sideslopping applications. It also provides protection against rocks and debris entering into roller areas. ONLY FOR USE WITH: HEAVY DUTY UNDERCARRIAGES AND TRACKS		\$2,260

**OTHER ATTACHMENTS**

**REAR ATTACHMENTS**

L	465-8893	<b>HITCH, RIPPER</b> . . . . . 126 Mandatory reference to install a hitch on a machine equipped with the ripper. Hitch is included in case of a bumper. REQUIRED BY: 456-3991 RIPPER, MULTI-SHANK		\$680
---	----------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-------

CATERPILLAR MACHINE PRICE LIST

**953K**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**OTHER ATTACHMENTS (CONT.)**

**REAR ATTACHMENTS (Cont.)**

L	502-2846	<b>STRIKER BARS, REAR</b> . . . . .	0	\$6,060
		Mounted to the rear of the main frame. Striker bars keep trash from climbing the tracks and damaging the fenders. COUNTERWEIGHTS CAN BE ADDED RECOMMENDED IN WASTE HANDLING APPLICATIONS CANNOT BE USED WITH: SHIPHOLD PACKAGE, HD 456-3991 RIPPER, MULTI-SHANK		

**COUNTERWEIGHTS**

P	502-2844	<b>COUNTERWEIGHT, LIGHT, 230KG</b> . . . . .	0	\$3,090
		AVAILABLE INSTALLED ONLY ALSO AVAILABLE AS MISCELLANEOUS ORDER RECOMMENDED IN LGP APPLICATIONS CANNOT BE USED WITH: SHIPHOLD PACKAGE, HD 456-3991 RIPPER, MULTI-SHANK	0	\$3,090 NI

P	502-2845	<b>COUNTERWEIGHT, ADDITIONAL, 220KG</b> . . . . .	0	\$1,870
		AVAILABLE INSTALLED ONLY ALSO AVAILABLE AS MISCELLANEOUS ORDER, WITH COUNTERWEIGHT, LIGHT Additional plates, total : 220 kg / 485 lb RECOMMENDED IN LGP APPLICATIONS REQUIRES: 502-2844 COUNTERWEIGHT, LIGHT, 230KG	0	\$1,870 NI

**MAINTENANCE AND RELATED ATTACHMENTS**

L	348-5135	<b>OIL CHANGE SYSTEM, HIGH SPEED</b> . . . . .	7	\$327
		Easy access drain line and Wiggins connector for remote engine oil drain. Provides quick, clean and easy engine oil change without having to climb under the machine to access a gravity drain.		
L	456-4011	<b>SEDIMENT PUMP, FUEL TANK</b> . . . . .	0	\$670
		Extract all sediments from the fuel tank.		



CATERPILLAR MACHINE PRICE LIST

**953K**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**QUICK COUPLERS**

**QUICK COUPLER INSTALLATIONS**

The following attachments enable the installation of fusion buckets.  
 For balance considerations, the quick coupler requires either a ripper or waste ES package or counterweights (light + additional).

L	507-2021	<b>QUICK COUPLER LINES, MP</b> . . . . . 0 FOR USE IN LANE 3 ONLY Medium Pressure lines to be mandatorily added to the implement lines for an hydraulic preparation of the quick coupler configuration (quick coupler-ready machine). REQUIRES: 511-7688 LINES IMPLEMENT, QUICK COUPLER CANNOT BE USED WITH: STEEL MILL PKG, HD, PARTIAL		\$3,410
L	539-4583	<b>QUICK COUPLER, HYDRAULIC</b> . . . . . 1,353 FOR USE IN LANE 3 ONLY Fusion quick coupler. Can be added to the hydraulic preparation, alone or with a fusion bucket for a complete offer from factory. REQUIRES: 507-2021 QUICK COUPLER LINES, MP ONLY FOR USE WITH: 509-6642 BUCKET-GP, 1.8 CUM, QC FUSION 357-9620 NO BUCKET		\$7,885

**FLUIDS**

	0G-6009	<b>ANTIFREEZE, -50C (-58F)</b> . . . . . 117 Provides cooling system antifreeze protection down to -50C		\$252 NET
--	---------	------------------------------------------------------------------------------------------------------------	--	-----------

**FIELD INSTALLED ATTACHMENTS**

**AVAILABLE FROM PARTS DISTRIBUTION**

NOTE: PLEASE CONTACT PARTS DISTRIBUTION FOR CURRENT PRICES. ARRANGEMENTS MAY NOT BE AVAILABLE AS KITS, SO MAY REQUIRE ORDERING SEPARATE PARTS.

288-1744 RADIO, AM/FM  
 12V AM/FM Stereo with Bluetooth technology and USB connexion.  
 Includes individual bass/treble controls, loudness adjustment and station pre-set capability.  
 Pre-set memory is maintained by internal battery.

294-0990 RADIO, AM/FM  
 12V AM/FM Stereo with Bluetooth technology, USB and CD player.  
 Includes individual bass/treble controls, loudness adjustment and station pre-set capability.  
 Pre-set memory is maintained by internal battery.  
 FOR USA AND CANADA REGIONS.

**508-4756 TRANSMISSION CONTROL, JOYSTICK**  
 This package includes one joystick for speed, direction and steering control on the left hand console.  
 The machine is controlled like a MTL/SSL.

CATERPILLAR MACHINE PRICE LIST

**953K**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**DOCUMENTATION**

0P-2046	<b>PREPARATION FOR INSPECTION . . . . .</b>	0	<b>\$406 NET</b>
	Inspector is sent by dealer to review the machine. Plant must be contacted 2 weeks before the CSD date.		

**PACKING**

0G-3258	<b>PACK-N.I. BUCKET OR DISMOUNTED . . . . .</b>	0	<b>\$105 NET</b>
	To be selected when a bucket is ordered as Not Installed attachment or as MISCellaneous order.		
0G-3257	<b>PACK-NOT INSTALLED RIPPER . . . . .</b>	0	<b>\$262 NET</b>
	To be selected when a ripper is ordered as Not Installed attachment or as MISCellaneous order.		
0G-0319	<b>PACK-N.I. COUNTERWEIGHT . . . . .</b>	0	<b>\$105 NET</b>
	To be selected when a counterweight is ordered as MISCellaneous order.		
0G-3554	<b>SPECIAL PROTECTION PACKAGE . . . . .</b>	0	<b>\$1,350 NET</b>
	All easily stolen items are removed from the machine and protected for a safe transport.		