

CATERPILLAR MACHINE PRICE LIST

# 962M-BR

962M WHEEL LOADER  
 PIRACICABA, BRAZIL

Ship Weight  
 lbs

LIST PRICE  
 AT DEALER

Standard Equipment:

**POWERTRAIN**

Engine, Cat C7.1 ACERT  
 Torque converter, with lock-up clutch  
 free wheel stator  
 Transmission countershaft, automatic,  
 powershift (5F/3R)  
 Pump transmission, split flow  
 Productive Economy Mode (fuel  
 consumption optimization)  
 Brakes, full hydraulic enclosed wet-disc  
 with Integrated Braking System (IBS)  
 Brake wear indicators  
 Fan drive hydraulic, electronically  
 controlled, temperature sensing,  
 on demand  
 Fuel priming pump (electric)  
 Fuel/Water separator  
 Engine air intake with strata-tubes  
 Parking Brake, disk & caliper

**HYDRAULICS**

Load sensing system with variable  
 displacement piston pump.  
 Hoses, Caterpillar XT  
 Couplings, Caterpillar O-ring face seal  
 Hydraulic oil cooler (swing out)  
 Oil sampling valves  
 Remote diagnostic pressure taps  
 Hydraulic Service Center

**ELECTRICAL**

Batteries (2), maintenance free 1400CCA  
 Starting and charging system (24V)  
 Alternator, 115-amp brushed  
 Alarm, back-up  
 Ignition key; start/stop switch  
 Main disconnect switch  
 Receptacle remote start w/o cables  
 Starter, electric, heavy duty  
 Emergency shut-off switch  
 Rear camera  
 Electrical Service Center

**OPERATOR ENVIRONMENT**

A-Post mounted membrane 16 switch keypad  
 Climate Control  
 Bucket/Work tool function lockout  
 EH Parking Brake  
 Intermittent front wiper control  
 Horn, electric  
 Lights, cab dome (2)  
 Radio ready (entertainment) includes  
 antenna, speaker & converters (12V-  
 10amp)  
 3 receptacles, 12V

Beverage holders (2) with storage  
 compartment for cell phone/MP3 player  
 Coat hooks (2)  
 Sliding Window  
 Ergonomic Cab access  
 Sun visor, front  
 Computerized monitoring system  
 Front dash information display with :  
 -Speedometer/Tachometer  
 -Digital gear indicator  
 -Temperatures: engine coolant,  
 hydraulic oil, transmission oil  
 -Fuel level  
 Warning Indicators:  
 -Temperatures: axle oil, engine intake  
 manifold  
 -Pressures: engine oil, fuel pressure  
 Hi/Low, primary steering oil,  
 service brake oil  
 -Battery voltage Hi/Low  
 -Engine air filter restriction  
 -Hydraulic oil filter restriction  
 -Hydraulic oil level low  
 -Parking brake  
 -Transmission filter bypass  
 Multi-function monitor:  
 -180mm(7") color LCD touch-screen  
 display  
 -Rear-view camera image display  
 (reverse travel activated)  
 Machine utilization information :  
 -Total fuel consumption  
 -Average fuel burn rate  
 -Engine fuel consumption  
 -Total idle time  
 -Total operating hours  
 -Travel distance (odometer)  
 -Total idle fuel  
 -Total operating hours, neutral  
 -Total operating hours with hydraulic  
 filter in bypass

**OTHER STANDARD EQUIPMENT**

Engine idle management system and auto  
 idle shutdown  
 Filters: fuel, engine air, engine oil,  
 hydraulic oil, transmission  
 Hitch, drawbar  
 Kickout, lift & tilt, automatic  
 (adjustable)  
 Sight gauges: engine coolant, hydraulic  
 oil, and transmission oil level  
 Lift and tie down points  
 Articulation locking bar  
 Parallel Z-bar lifting

CATERPILLAR MACHINE PRICE LIST

# 962M-BR

---

962M WHEEL LOADER PIRACICABA, BRAZIL	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

---

**Lane 2 is reserved for the Base Order Management Program.  
Please use Lane 2 when placing orders that are part of the Base Order  
Management Program.**

<b>464-2610</b>	<b>962M WHEEL LOADER</b> ..... 0 LANE 2 - AVAILABLE FROM PIRACICABA FACTORY LANE 3 - AVAILABLE FROM PIRACICABA FACTORY	<b>\$321,310</b>
-----------------	--	------------------

CATERPILLAR MACHINE PRICE LIST

**962M-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**LANE SELECTION**

	OP-9002	LANE 2 ORDER . . . . .	0	NC
		Only for dealers enrolled in the Base Orders Management (BOM) program.		
	OP-9003	LANE 3 ORDER . . . . .	0	NC

**REGIONAL PACKAGES**

L	506-3495	REGIONAL PACKAGE, AM-N . . . . .	0	NC
		INCLUDES: -ANSI films -EPA Tier 4 Final Compliant Engine		

**SPECIAL ARRANGEMENTS**

L	512-0858	STANDARD PACKAGE . . . . .	0	\$230
		Provides machine features required in standard and forestry applications. INCLUDES: -Platform -Cab air filter -CPM Payload Ready & Autodig Ready Includes hardware and 250 hour CPM demo mode only. Demo mode is dealer activated. System must be calibrated prior to use. Requires purchase of software for permanent feature activation. See the Optional Technology section for software options.		
L	505-0518	LOGGER PACKAGE . . . . .	0	NC
		Provides machine features required in forestry applications. INCLUDES: -Platform -Cab air filter REQUIRES: 506-3488 LINKAGE, LOGGER 393-0078 COUNTERWEIGHT, HL & LOGGER		

CATERPILLAR MACHINE PRICE LIST

**962M-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**SPECIAL ARRANGEMENTS (CONT.)**

L	505-1506	<b>INDUSTRIAL PACKAGE . . . . . 0</b> Provides machine features required in waste transfer stations, recycling stations, green waste and scrap applications. <b>INCLUDES:</b> -Reinforced platform -Carbon cab air filter -Guards: hitch, bottom cab (skirt), front frame, crankcase -Lift cylinder baffles -Heavy duty ladder <b>RECOMMENDED:</b> 505-1521 FILTRATION AR, STEEL, OR 505-1522 FILTRATION AR, STEEL CLNR AUX 493-9616 WINDOWS, FLAT, RUBBER MOUNTED, OR 493-9617 WINDOWS, FLAT, RUBBER MOUNTED GRD 485-4387 GUARDS, LIGHT <b>REQUIRES: 366-9906 or 366-9910 AXLES</b> 478-8371 FENDERS, NARROW or 488-1138 SOUND SUPPRESSION, INDUSTRIAL (EUR) or 465-6590 SOUND SUPPRESSION, LOW (NACD) and 399-4332 GUARD, HINGED, POWERTRAIN or 360-8835 GUARD, TILT CYLINDER		<b>\$10,180</b>
---	----------	--	--	-----------------

CATERPILLAR MACHINE PRICE LIST

**962M-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**SPECIAL ARRANGEMENTS (CONT.)**

L	477-1648	CORROSION RESISTANT PACKAGE . . . . .	0	\$6,400
---	----------	---------------------------------------	---	---------

Minimizes the harmful effect in highly corrosive environments applications such as fertilizer handling, salt and its derivatives.

**INCLUDES:**

- Heavy duty alternator;
- Heavy duty switch disconnect;
- Silicon protection is applied on all the electric terminals, exposed connectors are treated with tube heat shrinkable;
- Anticorrosion vapor capsules in closed compartments;

**REQUIRES:**

- 365-0120 PRECLEANER, TURBINE
- 477-1660 WINDOW AR, CAB - CORROSION, OR
- 477-1659 WINDOW AR, RM - CORROSION

**RECOMMENDED:**

- 493-2588 COOLING GP (6FPI) - CORROSION, OR
- 493-2588 COOLING GP (6FPI) - CORROSION, OR
- 493-2590 COOLING GP (9FPI) - CORROSION
- Cores protected
- Grease points on the radiator hinges
- 477-1667 HOOD AR - CORROSION
- 521-9198 PAINTING GROUP, CORROSION (NACD) OR
- 522-5231 PAINTING GROUP, CORROSION (EU)
- Differentiated Painting Process
- Extra Varnish protection is applied on the engine compartment, chassis internal
- 506-0545 PROTECTION PACKAGE, LINES
- Hose couplings treated with tube heat shrinkable and sealant silicone.
- 503-6413 FAN, VPF, ISO, OR
- 503-6414 FAN, VPF, ANSI
- 495-7494 AUTOLUBE - for 950M, OR
- 495-7496 AUTOLUBE - for 962M
- 505-1520 FILTRATION, STD, PRECLEANER

**BOOMS, STICKS, AND LINKAGES**

**LINKAGES**

L	506-3486	LINKAGE, STANDARD LIFT . . . . .	0	NC
L	506-3487	LINKAGE, HIGH LIFT . . . . . Provides increased dump clearance of 11" (288mm) over standard lift arms.	0	\$6,710
L	506-3488	LINKAGE, LOGGER . . . . . ONLY FOR USE WITH: 505-1508 STANDARD PACKAGE 505-0518 LOGGER PACKAGE (AM-N)	0	\$6,870

**COUNTERWEIGHT**

L	393-0075	COUNTERWEIGHT, STANDARD LIFT . . . . .	0	NC
L	393-0078	COUNTERWEIGHT, HL & LOGGER . . . . . Provide 2381KG.	0	\$3,145

CATERPILLAR MACHINE PRICE LIST

**962M-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**BOOMS, STICKS, AND LINKAGES (CONT.)**

**COUNTERWEIGHT (Cont.)**

L	455-7847	COUNTERWEIGHT, AGGREGATE . . . . . 0 Provide 2381KG.		\$3,145
---	----------	---	--	---------

**POWERTRAIN**

**ENGINE PRECLEANER**

L	365-0121	AIR INLET PRECLEANER, TRASH . . . . . 0 Turbine engine air inlet precleaner, to be used in extremely high dust and airborne debris environments with a grill protecting precleaner from large debris.		\$950
L	365-0112	AIR INLET STANDARD, RAIN CAP . . . . . 0 Includes standard strata tubes precleaner ejecting up to 96% of debris.		NC
L	365-0120	AIR INLET PRECLEANER, TURBINE . . . . . 0 Turbine engine air inlet precleaner, to be used in extremely high dust and airborne debris environments.		\$725

**AXLE PACKAGES**

Axle packages include a combination of traction aids, Ecology Drain (ED), Seal Guards (SG), and Axle Oil Cooler (AOC).

L	366-9903	AXLES, LOCK/OPEN, ED . . . . . 0 INCLUDES: -Manual front diff lock -Open rear differential -Ecology Drain CANNOT BE USED WITH: 505-1506 INDUSTRIAL PACKAGE		\$580
L	366-9905	AXLES, LOCK/OPEN, ED, ETS . . . . . 0 Axles package includes : - Manual front diff lock - Open rear differential - Ecology drain - Extreme (Arctic) Temperature Seals CANNOT BE USED WITH: 505-1506 INDUSTRIAL PACKAGE		\$1,515
L	366-9906	AXLES, LOCK/OPEN, ED, SG . . . . . 0 INCLUDES: -Manual front diff lock -Open rear differential -Ecology Drain -Seal Guards		\$2,120
L	366-9910	AXLES, AUTO DIFF F/R, ED, SG . . . . . 0 INCLUDES : -Automatic front and rear diff lock -Ecology Drain -Seal Guards		\$7,880

CATERPILLAR MACHINE PRICE LIST

# 962M-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**POWERTRAIN (CONT.)**

**AXLE PACKAGES (Cont.)**

L	366-9907	<b>AXLES, LOCK/OPEN, ED, AOC</b> ..... 0 INCLUDES: -Manual front diff lock -Open rear differential -Ecology Drain -Axle Oil Coolers Provides installed oil cooler system for front & rear axles Recommended for machines operating in high energy applications, such as extended load & carry. CANNOT BE USED WITH: 505-1506 INDUSTRIAL PACKAGE		\$7,130
L	366-9908	<b>AXLES, AUTO DIFF F/R, ED</b> ..... 0 INCLUDES: -Automatic front and rear diff lock -Ecology Drain CANNOT BE USED WITH: 505-1506 INDUSTRIAL PACKAGE		\$6,340
L	366-9909	<b>AXLES, AUTO DIFF F/R, ED, ETS</b> ..... 0 INCLUDES : -Automatic front and rear diff lock -Ecology Drain -Extreme Temp Seals CANNOT BE USED WITH: 505-1506 INDUSTRIAL PACKAGE		\$7,280
L	366-9911	<b>AXLES, AUTO DIFF F/R, ED, AOC</b> ..... 0 INCLUDES: -Automatic front and rear diff lock -Ecology Drain -Axle Oil Coolers Provides installed oil cooler system for front & rear axles Recommended for machines operating in high energy applications, such as extended load & carry. CANNOT BE USED WITH: 505-1506 INDUSTRIAL PACKAGE		\$12,900

**HYDRAULICS**

L	500-2565	<b>HYDRAULICS, 2V RC (3V READY)</b> ..... 0 Provides 2 valve hydraulics (3V ready) and ride control.		\$4,870
L	501-0400	<b>HYDRAULICS, 2V RC, STD/LOG/HL</b> ..... 0 Provides 2 valve hydraulics and ride control.		\$4,580
L	500-2568	<b>HYDRAULICS, 3V RC, STD/LOGGER</b> ..... 0 Provides 3 valve hydraulics and ride control. ONLY FOR USE WITH: 506-3486 LINKAGE, STANDARD LIFT 506-3488 LINKAGE, LOGGER		\$10,270
L	500-2570	<b>HYDRAULICS, 3V RC, HIGH LIFT</b> ..... 0 Provides 3 valve hydraulics and ride control.		\$10,270
L	500-2569	<b>HYDRAULICS, 4V RC, STD/LOGGER</b> ..... 0 Provides 4 valve hydraulics and ride control.		\$13,590
L	500-2571	<b>HYDRAULICS, 4V RC, HIGH LIFT</b> ..... 0		\$13,590

CATERPILLAR MACHINE PRICE LIST

**962M-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**HYDRAULICS (CONT.)**

**HYDRAULIC OIL**

L	366-9912	HYDRAULIC OIL, STANDARD . . . . . 0		NC
		Cat HYDO Advanced 10 allows to extend oil change intervals up to 6000 hours with S-O-S services.		

**STARTERS, BATTERIES, & ALTERNATORS**

**ENGINE STARTING PACKAGE**

L	373-3910	STARTING, STANDARD . . . . . 0		NC
L	373-3911	STARTING, COLD (120V) . . . . . 0		\$1,575
		Provides 120V block heater, ether aid ready, transmission & fan bypass.		

**ELECTRICAL**

**LIGHTS**

L	506-3489	LIGHTS, LED, PREMIUM . . . . . 0		\$3,360
		Includes: -2 LED forward roading lights (low/high beam) with LED turn signals -2 LED rear facing working lights in the hood -2 LED position/stop/turn lights -8 LED working lights on the cab		
L	486-2308	LIGHTS, HALOGEN, PREMIUM . . . . . 0		\$870
		Includes: -2 halogen forward roading lights (low/high beam) with halogen turn signals -2 halogen rear facing working lights in the hood -2 LED position/stop/turn lights -8 halogen working lights on the cab		
L	486-2311	LIGHTS, HALOGEN . . . . . 0		NC
		Provides Roading lights : - 2 forward roading lights halogen(low/high beam) with Halogen turn signal. - 2 rear LED position stop turn lights Provides Halogen Work lights : - 2 forward facing standard lights on the top of the cab - 2 rear facing standard lights on the top of the cab - 2 rear facing standard lights on the Hood		

**OPERATOR ENVIRONMENT**

**CAB PACKAGES**

Bluetooth radio technology enables the use of a hands free function such as listening to music and making phone calls. Authorization varies by country, please contact your Cat marketing representative with questions or click on the link below:  
<https://dealer.cat.com/en/products/technology.html>



CATERPILLAR MACHINE PRICE LIST

**962M-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**CAB PACKAGES (Cont.)**

L	505-1526	<b>CAB, STANDARD</b> . . . . . 0		\$1,795
		FOR USE IN LANE 2 ONLY INCLUDES: 505-1511 CAB TRIM, STANDARD -SEAT, STANDARD-HMU -MIRRORS, EXTERNAL -SUN VISOR, REAR 493-9615 WINDOWS, STANDARD 450-1592 SEAT BELT, 3" W/INDICATOR 505-1519 FILTRATION, STANDARD -CAB ROOF, NON-METALLIC -COVER, HVAC, NON-METALLIC 372-1603 RADIO, CB (READY) 372-1600 RADIO, AM/FM/USB/MP3 BLUETOOTH ONLY FOR USE WITH: 384-7009 or 384-7010 STEERING, WHEEL HMU		
L	505-1528	<b>CAB, DELUXE</b> . . . . . 0		\$2,605
		FOR USE IN LANE 2 ONLY INCLUDES: 505-1512 CAB TRIM, HEATED -SEAT, HEATED-HMU -MIRRORS, EXTERNAL, HEATED -DOOR, REMOTE OPENING SYSTEM -SUN VISOR, REAR 450-1592 SEAT BELT, 3" W/INDICATOR 493-9615 WINDOWS, STANDARD 505-1519 FILTRATION, STANDARD -CAB ROOF, NON-METALLIC -COVER, HVAC, NON-METALLIC 372-1603 RADIO, CB (READY) 372-1600 RADIO, AM/FM/USB/MP3 BLUETOOTH ONLY FOR USE WITH: 384-7009 or 384-7010 STEERING, WHEEL HMU		
L	505-1530	<b>CAB, DELUXE (LHD)</b> . . . . . 0		\$2,605
		FOR USE IN LANE 2 ONLY INCLUDES: 505-1515 CAB TRIM, HEATED (LHD) -SEAT, HEATED, LHD -MIRRORS, EXTERNAL, HEATED -DOOR, REMOTE OPENING SYSTEM -SUN VISOR, REAR 450-1592 SEAT BELT, 3" W/INDICATOR 493-9615 WINDOWS, STANDARD 505-1519 FILTRATION, STANDARD -CAB ROOF, NON-METALLIC -COVER, HVAC, NON-METALLIC 372-1603 RADIO, CB (READY) 372-1600 RADIO, AM/FM/USB/MP3 BLUETOOTH ONLY FOR USE WITH: 384-7007 or 384-7008 STEERING, LHD JOYSTICK		

**WINDOWS**

L	477-1660	<b>WINDOWS (CORROSION)</b> . . . . . 0		NC
		Provides a paint thickness which is more than two times the thickness of the standard paint, giving the cab extra resistance against corrosion.		

CATERPILLAR MACHINE PRICE LIST

**962M-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**WINDOWS (Cont.)**

L	477-1659	<b>WINDOWS RM (CORROSION)</b> . . . . . 0 Provides front windows mounted in rubber seals for faster replacement, with a paint thickness which is more than two times the thickness of the standard paint, giving the cab extra resistance against corrosion.		\$5,520
L	493-9616	<b>WINDOWS, RUBBER MOUNTED</b> . . . . . 0 Provides front windows mounted in rubber seals.		\$5,130
L	493-9617	<b>WINDOWS, RUBBER MTD, FRONT GRD</b> . . . . . 0 Provides front windows mounted in rubber seals and a front window guard.		\$8,710
L	493-9619	<b>WINDOWS, STANDARD, FRONT GUARD</b> . . . . . 0 Provides a front window guard.		\$3,575
L	493-9618	<b>WINDOWS, STANDARD, FULL GUARD</b> . . . . . 0 Provides a full window guard.		\$12,300
L	493-9615	<b>WINDOWS, STANDARD</b> . . . . . 0		NC

**STEERING**

L	384-7008	<b>STEERING, LHD JOYSTICK, SECOND</b> . . . . . 0 Provides an EH steering system & secondary steering.		\$14,230
L	384-7007	<b>STEERING, LHD JOYSTICK</b> . . . . . 0 Provides an EH steering system.		\$9,810
L	384-7009	<b>STEERING, WHEEL HMU</b> . . . . . 0 Provides an HMU steering system.		NC
L	384-7010	<b>STEERING, WHEEL HMU, SECOND</b> . . . . . 0 Provides an HMU steering system & secondary steering.		\$4,420

**IMPLEMENT SINGLE AXIS LEVERS FOR STEERING**

L	495-0875	<b>SINGLE AXIS LEVERS, 4V, LHD</b> . . . . . 0 INCLUDES: -3 single action levers for implement lift, tilt & 3rd function controls -1 roller switch controlling the 4th function on implement pod ONLY FOR USE WITH: 384-7008 STEERING, LHD JOYSTICK, SECOND 384-7007 STEERING, LHD JOYSTICK		NC
L	494-4377	<b>SINGLE AXIS LEVERS W/FNR, 4V</b> . . . . . 0 INCLUDES: -3 single action levers for implement lift, tilt and 3rd function controls -1 roller switch controlling the 4th function and FNR switch on implement pod ONLY FOR USE WITH: 384-7010 STEERING, WHEEL HMU, SECOND 384-7009 STEERING, WHEEL HMU		NC
L	495-0865	<b>SINGLE AXIS LEVERS, 2V, LHD</b> . . . . . 0 INCLUDES: -2 single action levers for implement lift and tilt controls ONLY FOR USE WITH: 501-0400 HYDRAULICS, 2V RC, STD/LOG/HL or 500-2565 HYDRAULICS, 2V RC (3V READY) and 434-0710 STEERING, LHD, JOYSTICK or 434-0711 STEERING, LHD JOYSTICK, SECOND or 384-7008 STEERING, LHD JOYSTICK, SECOND or 384-7007 STEERING, LHD JOYSTICK		NC

CATERPILLAR MACHINE PRICE LIST

**962M-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**IMPLEMENT SINGLE AXIS LEVERS FOR STEERING (Cont.)**

L	495-0866	SINGLE AXIS LEVERS, 3V, LHD . . . . . 0		NC
		INCLUDES: -3 single action levers for implement lift, tilt and 3rd function controls ONLY FOR USE WITH: 500-2566 HYDRAULICS, 3V RC, STD/LOGGER or 500-2570 HYDRAULICS, 3V RC, HIGH LIFT and 434-0710 STEERING, LHD JOYSTICK or 434-0711 STEERING, LHD JOYSTICK, SECOND or 384-7008 STEERING, LHD JOYSTICK, SECOND or 384-7007 STEERING, LHD JOYSTICK		
L	502-0336	SINGLE AXIS LEVERS W/FNR, 2V . . . . . 0		NC
		INCLUDES: -2 single action levers for implement lift and tilt controls -FNR switch on implement pod ONLY FOR USE WITH: 501-0400 HYDRAULICS, 2V RC, STD/LOG/HL or 500-2565 HYDRAULICS, 2V RC, (3V READY) and 434-0712 STEERING, WHEEL HMU or 434-0713 STEERING, WHEEL HMU, SECOND or 384-7010 STEERING, WHEEL HMU, SECOND or 384-7009 STEERING, WHEEL HMU		
L	502-0337	SINGLE AXIS LEVERS W/FNR, 3V . . . . . 0		NC
		INCLUDES: -3 single action levers for implement lift, tilt and 3rd function controls -FNR switch on implement pod ONLY FOR USE WITH: 500-2566 HYDRAULICS, 3V RC, STD/LOGGER or 500-2570 HYDRAULICS, 3V RC, HIGH LIFT and 434-0712 STEERING, WHEEL HMU or 434-0713 STEERING, WHEEL HMU, SECOND or 384-7010 STEERING, WHEEL HMU, SECOND or 384-7009 STEERING, WHEEL HMU		

**IMPLEMENT JOYSTICK FOR STEERING**

L	494-4380	JOYSTICK W/FNR, 4V . . . . . 0		\$1,670
		INCLUDES: -Implement joystick for lift & tilt controls -Horn, FNR & kickdown trigger switches integrated in implement joystick -2 rollers switch controlling the 3rd & 4th functions integrated in the joystick ONLY FOR USE WITH: 384-7010 STEERING, WHEEL HMU, SECOND 384-7009 STEERING, WHEEL HMU		
L	495-0874	JOYSTICK, 4V, LHD . . . . . 0		\$1,540
		INCLUDES: -Implement joystick for lift and tilt controls -Horn and kickdown trigger switches integrated in implement joystick -2 rollers switch controlling the 3rd and 4th functions integrated in the joystick ONLY FOR USE WITH: 384-7008 STEERING, LHD JOYSTICK SECOND 384-7007 STEERING, LHD JOYSTICK		

CATERPILLAR MACHINE PRICE LIST

**962M-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**IMPLEMENT JOYSTICK FOR STEERING (Cont.)**

L	495-0872	JOYSTICK, 2V, LHD . . . . . 0		\$1,085
		INCLUDES: -Implement joystick for lift and tilt controls -Horn and kickdown trigger switches integrated in implement joystick ONLY FOR USE WITH: 501-0400 HYDRAULICS, 2V RC, STD/LOG/HL 434-0710 STEERING, LHD, JOYSTICK 434-0711 STEERING, LHD JOYSTICK, SECOND 384-7008 STEERING, LHD JOYSTICK, SECOND 384-7007 STEERING, LHD JOYSTICK		
L	495-0873	JOYSTICK, 3V, LHD . . . . . 0		\$1,520
		INCLUDES: -Implement joystick for lift and tilt controls -Horn and kickdown trigger switches integrated in implement joystick -1 roller switch controlling the 3rd function integrated in the joystick ONLY FOR USE WITH: 500-2566 HYDRAULICS, 3V RC, STD/LOGGER 434-0710 STEERING, LHD JOYSTICK 434-0711 STEERING, LHD JOYSTICK, SECOND 384-7008 STEERING, LHD JOYSTICK, SECOND 384-7007 STEERING, LHD JOYSTICK		
L	502-0338	JOYSTICK W/FNR, 2V . . . . . 0		\$1,215
		INCLUDES: -Implement joystick for lift and tilt controls -Horn, FNR and kickdown trigger switches integrated in implement joystick ONLY FOR USE WITH: 501-0400 HYDRAULICS, 2V RC, STD/LOG/HL 434-0712 STEERING, WHEEL HMU 434-0713 STEERING, WHEEL HMU, SECOND 384-7010 STEERING, WHEEL HMU, SECOND 384-7009 STEERING, WHEEL HMU		
L	502-0339	JOYSTICK W/FNR, 3V . . . . . 0		\$1,670
		INCLUDES: -Implement joystick for lift and tilt controls -Horn, FNR and kickdown trigger switches integrated in implement joystick -1 roller switch controlling the 3rd function integrated in the joystick ONLY FOR USE WITH: 500-2566 HYDRAULICS, 3V RC, STD/LOGGER 434-0712 STEERING, WHEEL HMU 434-0713 STEERING, WHEEL HMU, SECOND 384-7010 STEERING, WHEEL HMU, SECOND 384-7009 STEERING, WHEEL HMU		

**SEAT BELT**

L	450-1592	SEAT BELT, 3" W/INDICATOR . . . . . 0		\$102
---	----------	---------------------------------------	--	-------

CATERPILLAR MACHINE PRICE LIST

**962M-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**DIFERENTIAL**

L	384-7005	AUTO DIFF, HMU . . . . . 0		NC
		ONLY FOR USE WITH: 366-9908 AXLES, AUTO DIFF F/R, ED or 366-9910 AXLES, AUTO DIFF F/R, ED, SG or 366-9911 AXLES, AUTO DIFF F/R, ED, AOC and 434-0712 STEERING, WHEEL HMU or 434-0713 STEERING, WHEEL HMU, SECOND or 384-7009 STEERING, WHEEL HMU or 384-7010 STEERING, WHEEL HMU, SECOND		
L	384-7006	MANUAL DIFF, HMU . . . . . 0		NC
		ONLY FOR USE WITH: 366-9903 AXLES, LOCK/OPEN, ED or 366-9906 AXLES, LOCK/OPEN, SG or 366-9907 AXLES, LOCK/OPEN, AOC or 434-0712 STEERING, WHEEL HMU or 434-0713 STEERING, WHEEL HMU, SECOND or 384-7009 STEERING, WHEEL HMU or 384-7010 STEERING, WHEEL HMU, SECOND		
L	384-7003	AUTO DIFF, LHD JOYSTICK . . . . . 0		NC
		ONLY FOR USE WITH: 366-9908 AXLES, AUTO DIFF F/R, ED or 366-9910 AXLES, AUTO DIFF F/R, ED, SG or 366-9911 AXLES, AUTO DIFF F/R, ED, AOC and 434-0710 STEERING, LHD JOYSTICK or 434-0711 STEERING, LHD JOYSTICK, SECOND or 384-7008 STEERING, LHD JOYSTICK, SECOND or 384-7007 STEERING, LHD JOYSTICK		
L	384-7004	MANUAL DIFF, LHD JOYSTICK . . . . . 0		NC
		ONLY FOR USE WITH: 366-9903 AXLES, LOCK/OPEN, ED or 366-9906 AXLES, LOCK/OPEN, SG or 366-9907 AXLES, LOCK/OPEN, AOC and 434-0710 STEERING, LHD JOYSTICK or 434-0711 STEERING, LHD JOYSTICK, SECOND or 384-7008 STEERING, LHD JOYSTICK, SECOND or 384-7007 STEERING, LHD JOYSTICK		

**CAB FILTERS**

L	505-1521	FILTRATION, STEEL . . . . . 0		\$2,135
		INCLUDES: -CAB ROOF, STEEL -COVER, HVAC, STEEL REQUIRED BY: STEEL MILL PACKAGE		
L	505-1519	FILTRATION, STANDARD . . . . . 0		NC
		INCLUDES: -CAB ROOF, NON-METALLIC -COVER, HVAC, NON-METALLIC		
L	505-1520	FILTRATION, STD, PRECLEANER . . . . . 0		\$685
		INCLUDES: -CAB ROOF, NON-METALLIC -COVER, HVAC, NON-METALLIC -PRECLEANER, HVAC Provides a precleaner for dusty environments for cab air intake.		

CATERPILLAR MACHINE PRICE LIST

**962M-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

***CAB FILTERS (Cont.)***

L	505-1522	FILTRATION, STEEL, ACF PRECLNR . . . . . 0 INCLUDES: -CAB ROOF, STEEL -COVER, HVAC, STEEL FOR ACF -ACF PRECLEANER, HVAC		\$3,480
L	505-1523	FILTRATION, STD, ACF PRECLNR . . . . . 0 INCLUDES: -CAB ROOF, NON-METALLIC -COVER, HVAC, STEEL FOR ACF -ACF PRECLEANER, HVAC		\$1,850

***TRIM ARRANGEMENT***

L	505-1513	CAB TRIM, VENTED . . . . . 0 INCLUDES: -SEAT, HEATED & VENTILATED-HMU Provides steering wheel and a heated and ventilated seat with leather trim. -MIRRORS, EXTERNAL, HEATED -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear windowHMU OR ONLY FOR USE WITH: 384-7009 STEERING, WHEEL HMU OR 384-7010 STEERING, WHEEL HMU, SECOND		\$2,605
L	505-1516	CAB TRIM, VENTED (LHD) . . . . . 0 INCLUDES: -SEAT, HEATED & VENTILATED, LHD Provides steering joystick on left hand armrest and a heated and ventilated seat with leather trim. -MIRRORS, EXTERNAL, HEATED -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window. ONLY FOR USE WITH: 384-7007 STEERING, LHD JOYSTICK OR 384-7008 STEERING, LHD JOYSTICK, SECOND		\$2,605
L	505-1511	CAB TRIM, STANDARD . . . . . 0 INCLUDES: -SEAT, STANDARD-HMU Provides steering wheel and standard seat. -MIRRORS, EXTERNAL -SUN VISOR, REAR Provides pull down sun screen in rear window. ONLY FOR USE WITH: 384-7009 STEERING, WHEEL HMU or 384-7010 STEERING, WHEEL HMU, SECOND or 434-0712 STEERING, WHEEL HMU or 434-0713 STEERING, WHEEL HMU, SECOND		\$68

CATERPILLAR MACHINE PRICE LIST

**962M-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**TRIM ARRANGEMENT (Cont.)**

L	505-1512	<b>CAB TRIM, HEATED</b> ..... 0 INCLUDES: -SEAT, HEATED-HMU Provides steering wheel and heated seat. -MIRRORS, EXTERNAL, HEATED -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window. ONLY FOR USE WITH: 384-7009 STEERING, WHEEL HMU or 384-7010 STEERING, WHEEL HMU, SECOND or 434-0712 STEERING, WHEEL HMU or 434-0713 STEERING, WHEEL HMU, SECOND	0	\$825
L	505-1514	<b>CAB TRIM, STANDARD (LHD)</b> ..... 0 INCLUDES: -SEAT, STANDARD, LHD Provides steering joystick on left hand armrest and standard seat. -MIRRORS, EXTERNAL -SUN VISOR, REAR Provides pull down sun screen in rear window. ONLY FOR USE WITH: 384-7007 STEERING, LHD JOYSTICK or 384-7008 STEERING, LHD JOYSTICK, SECOND or 434-0710 STEERING, LHD JOYSTICK or 434-0711 STEERING, LHD JOYSTICK, SECOND	0	\$68
L	505-1515	<b>CAB TRIM, HEATED (LHD)</b> ..... 0 INCLUDES: -SEAT, HEATED, LHD Provides steering joystick on left hand armrest and heated seat. -MIRRORS, EXTERNAL, HEATED -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window ONLY FOR USE WITH: 384-7007 STEERING, LHD JOYSTICK or 384-7008 STEERING, LHD JOYSTICK, SECOND or 434-0710 STEERING, LHD JOYSTICK or 434-0711 STEERING, LHD JOYSTICK, SECOND	0	\$825

CATERPILLAR MACHINE PRICE LIST

**962M-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**TECHNOLOGY PRODUCTS**

**PRODUCT LINK**

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet.

Availability varies by country, please contact your Cat marketing representative with questions or click on the link below:  
[HTTPS://DEALER.CAT.COM/en/bt/otd/machine-price-list.html](https://dealer.cat.com/en/bt/otd/machine-price-list.html)  
 From there click on the "PRODUCT LINK Hardware Certification" link.

L	434-0691	<b>PRODUCT LINK, CELLULAR PLE641</b> . . . . . 0 Product Link Elite series PLE641 uses GSM and CDMA 3G cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		NC
L	434-0693	<b>PRODUCT LINK, SATELLITE PLE631</b> . . . . . 0 Product Link Elite series PLE631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage.		\$432

**COOLING**

**COOLING SYSTEM**

L	493-2588	<b>COOLING CORES 6 FPI, CORROSION</b> . . . . . 0 Provides cooling capability up to 43C (109F) ambient. Radiator with 6 fins per inch. - Cores protected (painted); - Grease points on the radiator hinges.		\$2,970
L	493-2590	<b>COOLING CORES 9 FPI, CORROSION</b> . . . . . 0 Provides cooling capability up to 47C (117F) ambient. Radiator with 9 fins per inch. - Cores protected (painted); - Grease points on the radiator hinges.		\$2,625
L	364-9808	<b>COOLING CORES, 6 FPI</b> . . . . . 0 Provides cooling capability up to 43C (109F) ambient. Radiator with 6 fins per inch.		\$337
L	364-9807	<b>COOLING CORES, 9 FPI</b> . . . . . 0 Provides cooling capability up to 47C (117F) ambient. Radiator with 9 fins per inch.		NC

**COOLING FAN**

L	503-6414	<b>FAN, VPF, ANSI</b> . . . . . 0 Provides an attachment reversing function to the standard hydraulically driven demand fan. This provides the ability to rotate blades and to reverse the airflow direction to remove debris from the radiator and engine enclosures while the machine is still operating. Includes automatic and manual controls for airflow reversal. Recommended for applications with a high content of airborne debris.		\$5,170
---	----------	--	--	---------



CATERPILLAR MACHINE PRICE LIST

**962M-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**COOLING (CONT.)**

**COOLING FAN (Cont.)**

L	503-6412	FAN, STANDARD . . . . .	0	NC
		Standard load sensing hydraulically driven fan.		

**COOLANT**

L	371-7064	ANTIFREEZE, -34C (-29F) . . . . .	0	NC
		Premix Antifreeze, -34C or -29F		
L	423-2664	ANTIFREEZE, -50C (-58F) . . . . .	0	\$251 NET
		Premix Antifreeze, -50C or -58F		

**TIRES, RIMS, AND WHEELS**

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice. However, if the tire type cannot be supplied we will contact the dealer to propose alternatives. The dealer needs to choose between an alternative tire or a "rims only" option (where available) within 72 hours. If no response is provided by the deadline, the order will default to the alternative tire and will be changed at that point. As a consequence of a possible tire change, the total machine price will be decreased or increased depending on the price of the new tire.

NOTE: All tires include rims & come in a set of 4. Tires are tubeless & non-directional unless otherwise stated.

NOTE: Other tires are available upon request.

**TIRES AVAILABLE FROM MICHELIN**

P	373-4052	TIRES, 23.5R25 MX XHA2 * L3 . . . . .	0	\$-3,240
---	----------	---------------------------------------	---	----------

**TIRES AVAILABLE FROM BRIDGESTONE**

P	509-1481	TIRES, 750/65R25 BS VTS * L3 . . . . .	0	\$7,490
---	----------	--	---	---------

**TIRES AVAILABLE FROM MAXAM**

P	547-8401	TIRES, 23.5R25 MA MS302 **E3/L3 . . . . .	0	\$-7,300
		MAXAM RADIAL; TREAD DEPTH=36.5mm; Rim=19.5"x25" 3 piece Provides reduced vibration, damage resistance, and traction in soft to rocky underfoot conditions.		

CATERPILLAR MACHINE PRICE LIST

**962M-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**TIRES, RIMS, AND WHEELS (CONT.)**

**SOLID TIRES**

P	540-4373	<b>TIRES, 23.5X25 BR TRACTION</b> . . . . . 0 FOR USE IN LANE 3 ONLY Brawler HPS Solidflex Traction Off-the-Road (OTR) tread solid tires pressed on to standard CAT rims. Ideal for harsh/special applications on unimproved surfaces, such as as brick, glass, and scrap yards where debris is not an issue. Machine oscillation is reduced.		\$16,270
P	540-4374	<b>TIRES, 23.5X25 BR SMOOTH</b> . . . . . 0 FOR USE IN LANE 3 ONLY Brawler HPS Solidflex Smooth tread solid tires pressed on to standard CAT rims. Ideal for harsh/special applications where debris is an is an issue, such as scrap yards, recycling centers and waste transfer stations. Machine oscillation is reduced.		\$16,970

**BODY**

**FENDERS**

L	464-6675	<b>FENDERS, ROADING, LOW PROFILE</b> . . . . . 0 Provide non-metallic front fenders with top extension, mud flaps and full wrap non-metallic rear fenders with removable mud flaps. ONLY FOR USE WITH: 509-1481 TIRES, 750/65R25 BS VTS*L3		\$3,025
L	464-6672	<b>FENDERS, BASIC +</b> . . . . . 0 Provide non-metallic front fenders with mud flaps and short rear fender extensions covering top of wheel. CANNOT BE USED WITH: 509-1481 TIRES, 750/65R25 BS VTS*L3		NC
L	464-6673	<b>FENDERS, ROADING</b> . . . . . 0 Provide non-metallic front fenders with top extension, mud flaps and full wrap non-metallic rear fenders with removable mud flaps. CANNOT BE USED WITH: 509-1481 TIRES, 750/65R25 BS VTS*L3		\$2,735
L	464-6674	<b>FENDERS, BASIC +, LOW PROFILE</b> . . . . . 0 Provide non-metallic front fenders with mud flaps and short rear fender extensions covering top of wheel. ONLY FOR USE WITH: 509-1481 TIRES, 750/65R25 BS VTS*L3		\$151
C	478-8371	<b>FENDERS, NARROW</b> . . . . . 0 CONTACT CUSTOM PRODUCTS FOR AVAILABILITY. Provides narrow steel front fenders, steel rear fender extensions and heavy duty hanging steel steps. CANNOT BE USED WITH: 509-1481 TIRES, 750/65R25 BS VTS*L3		\$2,995

**HOOD**

L	477-1667	<b>HOOD - CORROSION</b> . . . . . 0		NC
L	336-0000	<b>HOOD, NON-METALLIC</b> . . . . . 0		NC

**SOUND SUPPRESSION**

L	465-6576	<b>SOUND SUPPRESSION, STANDARD</b> . . . . . 0		NC
L	488-1138	<b>SOUND SUPPRESSION, INDUSTRIAL</b> . . . . . 0 Provides steering cylinder guards for high debris applications.		\$1,070

CATERPILLAR MACHINE PRICE LIST

**962M-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**FLUIDS**

**LUBRICATION ARRANGEMENTS**

L	495-7495	LUBRICATION, MANUAL, STD/LOG . . . . . 0 ONLY FOR USE WITH: 506-3486 LINKAGE, STANDARD LIFT or 506-3488 LINKAGE, LOGGER		NC
L	495-7496	AUTOLUBE, STD/LOGGER . . . . . 0 Provides Caterpillar autolube system. ONLY FOR USE WITH: 506-3486 LINKAGE, STANDARD LIFT or 506-3488 LINKAGE, LOGGER		\$6,340
L	495-7497	LUBRICATION, MANUAL, HIGH LIFT . . . . . 0 ONLY FOR USE WITH: 506-3487 LINKAGE, HIGH LIFT		NC
L	495-7498	AUTOLUBE, HIGH LIFT . . . . . 0 ONLY FOR USE WITH: 506-3487 LINKAGE, HIGH LIFT		\$6,550

**CAB ANTIFREEZE**

	0P-1939	ANTIFREEZE WINDSHIELD WASHER . . . . . 0 For use with machines with cab.		NC
--	---------	---	--	----

**FUEL ANTIFREEZE**

	0P-3978	FUEL ANTIFREEZE, -25C (-13F) . . . . . 0 Provides fuel (diesel) antifreeze protection down to -25C (-13F)		NC
--	---------	--	--	----

**INSTRUCTIONS**

**OPERATION AND MAINTENANCE MANUAL**

NOTE: Operation and maintenance Manual will be included in language requested below. REQUIRED BY: ALL LANE CONFIGURATION

	0P-3380	INSTRUCTIONS, ENGLISH . . . . . 0		NC
--	---------	-----------------------------------	--	----

CATERPILLAR MACHINE PRICE LIST

**962M-BR**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT**

**RADIOS.**

Bluetooth radio technology enables the use of a hands free function such as listening to music and making phone calls. Authorization varies by country, please contact your Cat marketing representative with questions or click on the link below: <https://dealer.cat.com/en/products/technology.html>

P	372-1603	<b>RADIO, CB (READY)</b> . . . . . 0 Provides adjustable mounting brackets for two radios, a 20 amp 24V to 12V converter, a CB antenna, CB cable converter, and two separate four wire connectors that contain a ground, 12V and 24 V circuits		\$940
P	372-1600	<b>RADIO, AM/FM/USB/MP3 BLUETOOTH</b> . . . . . 0 Provides AM/FM/MP3/WB/USB/AUX with integrated BlueTooth.		\$580

**INTEGRATED OBJECT DETECTION SYSTEM**

The Cat Integrated Object Detection adds radar and alarms to the standard on-board rear vision camera to notify the operator when something is close to the rear of the machine. This system is configured with zones, and objects in those zones trigger various levels of alarms. A display screen in the cab provides visual confirmation of the objects detected by the radar, so operators can make informed decisions.

NOTE: C5 radars (below) are the preferred MWL system. C6 radars are available for regions where required, and depends on radar approval. For a list of approved countries, please visit: <https://dealer.cat.com/detect>

L	486-9204	<b>OBJECT DETECTION</b> . . . . . 0 FOR USE IN LANE 3 ONLY		\$2,755
L	486-9205	<b>OBJECT DETN &amp; CB RADIO READY</b> . . . . . 0 INCLUDES: 486-9204 OBJECT DETECTION 372-1603 RADIO, CB (READY)		\$3,685

**VISIBILITY**

P	380-5964	<b>SECONDARY CAMERA DISPLAY</b> . . . . . 0 Provides full-time display dedicated to rear-view camera.		\$1,730
---	----------	--	--	---------

**SECURITY SYSTEM**

P	372-1604	<b>SECURITY SYSTEM, MACHINE</b> . . . . . 0 Protects from vandalism and theft by preventing unauthorized personnel from starting a machine. Machines start only after a unique MSS key is inserted into the ignition. MSS keys can be programmed to start machines only certain days or hours.		\$690
---	----------	---	--	-------

**LIGHTS**

P	513-2458	<b>LIGHTS, REVERSING STROBE</b> . . . . . 0 Provides 2 reversing blue strobes.		\$271
---	----------	---	--	-------

CATERPILLAR MACHINE PRICE LIST

**962M-BR**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**LIGHTS (Cont.)**

P	460-7450	<b>LIGHT, SEAT BELT WARNING</b> ..... 0 Provides a seat belt warning light mounted to the rear of the cab structure.		<b>\$227</b>
P	491-7467	<b>LIGHT, WARNING BEACON</b> ..... 0 Provides hard mounted strobe beacon on hinged (breakaway) bracket mounted to the rear of the cab structure.		<b>\$486</b>

**TECHNOLOGY PRODUCTS**

**SOFTWARE ENABLED ATTACHMENTS (SEA) INSTRUCTIONS**

Technology apps are activated by Software Enabled Attachments (SEA). SEAs are available factory installed or can be purchased for dealer installation.

Refer to Information Release Memo (IRM) EES03 -01 (media number PELJ0138) in the Caterpillar Media Information Center for further explanation of SEAs. Select the Product Support tab and search for number PELJ0138. Refer to REHS1238 & REHS8401 for how to obtain a Factory Level Password. Contact FPS: Internet with Corporate Web Security (CWS) ([https:// fps.cat.com/](https://fps.cat.com/)).

CATERPILLAR MACHINE PRICE LIST

**962M-BR**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**TECHNOLOGY PRODUCTS (CONT.)**

**CAT PRODUCTION MEASUREMENT (CPM) PAYLOAD WEIGHING SYSTEM**

Cat M-series Medium Wheel Loaders are available with the Cat Production Measurement (CPM) that includes an integrated onboard payload weighing scale. This measures and/or records:

- Payload weight, material ID, truck ID, cycle (bucket dumps) count and fuel consumption
- Allows on-the-go weighing of the bucket payload during the lift cycle
- Daily payload total (tonnes/tons), productivity (tonnes/hour or tons/hour) and efficiency (tonnes/liter or tons/gal) data is reported wirelessly via Product Link to the VisionLink fleet management web portal (Cat Essentials Product Link subscription required).
- Detailed payload, productivity and efficiency data can be downloaded to a laptop computer for analysis in the optional VIMSpC software (VIMSpC and VIMS data cable are required, but VIMS is NOT required).
- Payload tickets can be printed with an optional printer

Refer to the Cat Connect Payload Technologies intranet page (<https://dealer.cat.com/payload>) for complete technical specifications; operation, sales, marketing and technical support publications.

**NOTES:**

- 1) Permanent software is available from the factory below.
- 2) For field installation, permanent software can be purchased through the Caterpillar Feature Protection System and enabled by a dealer technician with Cat ET and an SEA password. SEA p/n 517-4683. Consult ANTARES parts distribution system for latest SEA price.
- 3) Both demo and permanent software require calibration prior to customer use.

**CALIBRATION INSTRUCTIONS**

This requires calibration and set-up by either the dealer or customer. Refer to the Systems Operation Test & Adjust manual UENR7119 for system calibration, material and truck ID lists set-up and operation instructions.

P	517-7123	<b>CPM PAYLOAD SOFTWARE</b> . . . . . 0		<b>\$4,960</b>
		Includes permanent software, PDC activated. Includes 6 mo. of prepaid Cat Advanced Productivity VisionLink subscription, with PLE641 cellular Product Link ONLY. (Not available in all countries. Contact PL Admin for details.) REQUIRES: 478-1336 AUTODIG & CPM PAYLOAD, ARO		
P	370-3813	<b>CPM PAYLOAD WEIGHING READY</b> . . . . . 0		<b>\$227</b>
		Includes hardware and demo software for CPM, dealer enabled for up to 250 hours. To activate demo software, it must be enabled by a dealer technician with Cat ET. No password is required. For permanent software activation in the field, purchase of software ONLY FOR USE WITH: Product Link Elite CANNOT BE USED WITH: 512-0858 STANDARD PACKAGE		

CATERPILLAR MACHINE PRICE LIST

**962M-BR**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**TECHNOLOGY PRODUCTS (CONT.)**

**AUTODIG**

P	453-3250	<b>AUTODIG SOFTWARE</b> . . . . . 0 Includes software for Aggregate Autodig. NOT RECOMMENDED for hardbank or large rock loading. REQUIRES: 478-1336 AUTODIG & CPM PAYLOAD, ARO		\$1,430
---	----------	---	--	---------

**GUARDS**

P	485-4387	<b>GUARDS, LIGHT</b> . . . . . 0 FOR USE IN LANE 3 ONLY Provide protection guard for lights installed on the cab and counterweight. ONLY FOR USE WITH: 505-1509 INDUSTRIAL PACKAGE or 505-1506 INDUSTRIAL PACKAGE CANNOT BE USED WITH: 486-2311 LIGHTS, HALOGEN		\$1,565
L	397-1606	<b>GUARD, TILT CYLINDER</b> . . . . . 0 CANNOT BE USED WITH: 506-3488 LINKAGE, LOGGER REQUIRED BY: 505-1506 INDUSTRIAL PACKAGE		\$1,395
P	367-9027	<b>GUARD, POWERTRAIN</b> . . . . . 0 Protects bottom of transmission.		\$1,500
L	399-4332	<b>GUARD, HINGED, POWERTRAIN</b> . . . . . 0 Provides heavy duty guard to protect the bottom of the transmission; hinged for service. ONLY FOR USE WITH: 505-1509 INDUSTRIAL PACKAGE REQUIRED BY: 505-1509 INDUSTRIAL PACKAGE		\$3,265

**OTHER ATTACHMENTS**

P	503-4735	<b>OIL CHANGE SYSTEM, HIGH SPEED</b> . . . . . 0 Easy access drain line and Wiggins connector for remote engine oil drain. Provides quick, clean, and easy engine oil change without having to climb under the machine to access a gravity drain.		\$287
L	506-4369	<b>WHEEL CHOCKS</b> . . . . . 0 Provides wheel chocks that mount to the frame.		\$491

**CORROSION RESISTANT OPTIONS**

L	506-0545	<b>PROTECTION PACKAGE, LINES</b> . . . . . 0 Hoses treated with tube heat shrinkable and sealant silicone.		\$4,725
L	521-9198	<b>PAINTING GROUP, CORROSION</b> . . . . . 0 FOR USE IN LANE 3 ONLY Provides a paint thickness which is more than two times the thickness of the standard paint, giving the machine extra resistance against corrosion.		\$4,890

CATERPILLAR MACHINE PRICE LIST

**962M-BR**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**QUICK COUPLERS**

P	373-3904	<b>QUICK COUPLER READY, HIGH LIFT</b> . . . . . 0 REQUIRED BY: 506-3487 LINKAGE, HIGH LIFT AM-N Dealers		\$3,685
P	373-3902	<b>QUICK COUPLER READY, STD LIFT</b> . . . . . 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Factory installed Caterpillar Work Tools & Services (CWTS) fusion style coupler. ONLY FOR USE WITH: 506-3486 LINKAGE, STANDARD LIFT 506-3488 LINKAGE, LOGGER REQUIRED BY: AM-N Dealers		\$3,685
L	349-5246	<b>QUICK COUPLER, FUSION</b> . . . . . 1,248 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Factory installed Caterpillar Work Tools & Services (CWTS) Fusion style coupler.		\$6,579
P	0P-4108	<b>WORKTOOL'S LITERATURE</b> . . . . . 0 (SEBP5193) REQUIRED BY: 349-5246 QUICK COUPLER, FUSION		NC

**LINES CONNECTING**

L	378-8421	<b>LINES GP-IMPLEMENT 3V (QC)</b> . . . . . 22 REQUIRES: 373-3893 or 373-3897 HYDRAULICS, 3V 349-5246 QUICK COUPLER, FUSION		\$543
L	378-8422	<b>LINES GP-IMPLEMENT 3V&amp;4V (QC)</b> . . . . . 44 REQUIRES: 373-3894 or 373-3898 HYDRAULICS, 4V 349-5246 QUICK COUPLER, FUSION		\$1,085

**WORK TOOLS**

**OMISSION WORK TOOL**

P	361-1437	<b>OMISSION, WORKTOOL</b> . . . . . 0 Required in orders configured without a work tool or QC in order to prevent from damages on the linkage.		NC
---	----------	---	--	----



CATERPILLAR MACHINE PRICE LIST

**962M-BR**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**BUCKETS**

Buckets must be ordered Installed on a Machine Order.  
 For questions on buckets intended for Machine Orders please contact your Marketing Subsidiary Machine Coordinator.

Loose buckets should be ordered on a MISC Order through Caterpillar Work Tools - Wamego using source code OP-0672.

For availability of loose buckets please email [worktools@cat.com](mailto:worktools@cat.com)  
 If you are going to order a loose bucket from CWTS and a machine from Aurora and if you need them shipped at the same time then you need to cross-reference the MSO's with each other.

"GET" is NOT automatically included on bucket orders. "GET" must be entered on the order with your bucket selection, unless text for bucket states otherwise. Please make the "GET" selection from the "GET" listed immediately following the bucket listing.

Recommend use of bolt-on adapter option, adapter and segment option, or bolt-on cutting edge option for general purpose buckets and material handling buckets.

Material density will determine the appropriate capacity bucket. Refer to the Specalog. Exceeding maximum payload may cause loader instability.

ALL BUCKETS ARE ALSO AVAILABLE ON A MISCELLANEOUS ORDER

110% FILL FACTOR: This capacity is calculated considering GETs installed.

**GENERAL PURPOSE PERFORMANCE SERIES BUCKETS (PIN-ON)**

P	354-4855	BKT GP ST 114" 4.75 YD3 PO	3,803 3,803	\$14,436 \$14,436 NI
		PERFORMANCE SERIES BUCKET		
		CAPACITIES:		
		4.5YD3 (3.4M3) w/bolt-on adaptaters, 117" (2972mm) wide		
		4.75YD3 (3.6M3) w/bolt-on adaptaters and segment, 117" (2972mm) wide		
		4.75YD3 (3.6M3) w/bolt-on cutting edges, 114"(2894mm) wide(Bucket Tag)		
		110% FILL FACTOR:		
		5.25YD3 (4M3) with GETs		
		RECOMMENDED WITH : COUNTERWEIGHT, 1460KG		

CATERPILLAR MACHINE PRICE LIST

**962M-BR**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**BUCKETS (CONT.)**

**GENERAL PURPOSE BUCKETS (FUSION)**

P	354-4856	BKT GP ST 114" 4.75 YD3 FUS .....	3,503 3,503	\$14,436 \$14,436 NI
		PERFORMANCE SERIES BUCKET		
		CAPACITIES:		
		4.5YD3 (3.4M3) w/bolt-on adaptaters, 117" (2972mm) wide		
		4.75YD3 (3.6M3) w/bolt-on adaptaters and segment, 117" (2972mm) wide		
		4.75YD3 (3.6M3) w/bolt-on cutting edges, 114"(2894mm) wide(Bucket Tag)		
		110% FILL FACTOR:		
		5.25YD3 (4M3) with GETs		
		RECOMMENDED WITH : COUNTERWEIGHT, 1460KG		

**GROUND ENGAGING TOOLS**

**CUTTING EDGE**

P	139-9229	CUTTING EDGE, BOLT-ON .....	600	\$1,635
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER		
		Width: 2906MM		

**INSTRUCTIONS**

**FILMS**

P	468-0173	FILM, FOREST .....	0	NC
		ONLY FOR USE WITH: 505-1554 LINKAGE, LOGGER		
P	468-0170	FILM, SCRAP .....	0	NC
		ONLY FOR USE WITH: INDUSTRIAL PACKAGE		
P	468-0171	FILM, WASTE .....	0	NC
		ONLY FOR USE WITH: INDUSTRIAL PACKAGE		

**PACKING**

**EXPORT PACKING**

	0P-6619	ROLL ON-ROLL OFF .....	0	\$259 NET
		Machine is in mobile condition and all attachments are installed unless specified.		

**STORAGE PROTECTION**

	0P-2918	STORAGE PROTECTION .....	0	NC
		This product is added for corrosion protection while shipping and for extended storage periods.		
		This product will need to be power washed with soapy water prior the shipment to the customer.		
		REQUIRED BY : ALL LANE CONFIGURATION		

CATERPILLAR MACHINE PRICE LIST

**962M-BR**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**PACKING (CONT.)**

**SPECIAL INSTRUCTIONS**

0P-2949	EXPOSITION INSTRUCTION . . . . .	0	NC
	This special instruction must be selected whenever dealer is placing an order for a unit intended for use at expositions and/or trade fairs		

**CYLINDER PROTECTION**

0P-3940	PROTECTION, CYLINDER ROD . . . . .	0	NC
---------	------------------------------------	---	----