

CATERPILLAR MACHINE PRICE LIST

963K

963K TRACK-TYPE LOADER
 GRENOBLE, FRANCE

Ship Weight
 lbs

LIST PRICE
 AT DEALER

Standard Equipment:

POWERTRAIN

Modular cooling system for engine air intake, oil and water
 Fan radiator, electronically controlled, hydraulically driven, temperature sensing, on demand
 Electro Hydrostatic Control (EHC) for transmission
 Engine idle shutdown
 Auto engine speed control
 Electric fuel pump
 Water separator
 Starting aid, glow plug
 Caterpillar extended life coolant

Electronic Monitoring System with gauges
 Mirror, rearview, inside, adjustable
 Radio ready. Includes 24 to 12 volt converter, speakers, antenna and 12V power outlet
 Coat hook
 Storage compartments under left armrest
 Document holder on right console
 Floor mat, rubber, heavy duty
 Windshield washers and wipers, multiple speed front and rear
 Durable metal roof
 Parking brake switch and "brake-on" indicator light
 Durable metal fender

UNDERCARRIAGE

Caterpillar heavy duty undercarriage and tracks (38 sections), 1850mm (72.8") track gauge
 Track guiding guards, end section
 Track adjuster, hydraulic
 Sprocket rims, with replaceable bolt-on tough steel segments
 Guards, sprocket
 7 track rollers per side, with two upper carrier rollers, lifetime lubricated
 Idlers, conventional type, lifetime lubricated
 Oscillating track roller frames

OTHER STANDARD EQUIPMENT

Sound suppression, exterior
 Z-bar loader linkage
 Load sensing implement pump with variable displacement
 Implement cylinders with sensors
 Operator programmable lift and tilt kickouts
 Engine enclosure with lockable doors
 Radiator core 6.5fpi, debris resistant
 Hinged radiator guard and swing out fan
 Guards, full bottom
 Ecology drains on hydraulic oil tank
 Product Link ready
 Oil sampling valves
 Hoses, Caterpillar XT
 HYDO Advanced 10

ELECTRICAL

Alternator, 24 volt, heavy duty
 Alarm, backup
 Horn, electric
 2 heavy duty batteries, high output, maintenance free, 1120 CCA
 Switch, main disconnect
 Starter, electric (heavy duty, 24 volt)
 4 halogen lights : 2 facing forward, roof mounted, 2 facing rearward, integrated in the air conditioner unit

OPERATOR ENVIRONMENT

Pressurized, sound suppressed, ROPS/FOPS
 Cab with tinted glass and right side sliding window
 Air conditioning and heating
 Heater / defroster with automatic temperature control
 Armrests, adjustable
 Electro Hydraulic, seat mounted control levers with faster processing
 Seat belt, retractable, with buckling indicator on dash

CATERPILLAR MACHINE PRICE LIST

963K

963K TRACK-TYPE LOADER GRENOBLE, FRANCE	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

**LANE 2 is reserved for the Base Order Management Program.
 Please use Lane 2 when placing orders that are part of the Base
 Order Management Program.**

**2018 YOY list price reductions will be offset by reductions in
 discounts or merchandising support.**

529-7556	963K TTL HD AM-N DCA1 0 LANE 1 - AVAILABLE FROM BALTIMORE PDC LANE 1 - AVAILABLE FROM GALVESTONE PDC	\$378,370
----------	---	------------------

INCLUDES :

- 371-8767 963K TRACK LOADER
- 454-8863 REGIONAL PACKAGE ADSD-N
- 529-7546 CONSTRUCTION PACKAGE, HD
- 442-6153 FAN, DEMAND, REVERSING
- 348-5120 AIR INLET, PRECLEANER, TURBINE
- 3W-8578 GUARD, IDLER
- 513-0455 TRACK 22" DG, HD
- 257-4147 HYDRAULIC OIL, STANDARD
- 437-4073 LINES IMPLEMENT, STANDARD
- 518-4725 CAB, DELUXE
- 508-4902 SEAT TLV2,S/S ISOLATOR,HEATED
- 508-4758 TRANSMISSION CONTROL V-LEVER
- 440-8150 HYDRAULIC 3V,GP JOYSTICK, PACK
- 454-9489 SERVICE PACKAGE, EXTENDED
- 386-2801 TANK, FUEL, STANDARD
- 518-0006 GUARD, FRONT LIGHTS
- 469-6095 EASY ACCESS PACKAGE
- 452-6580 RADIO, AM/FM/AUX/USB/BLUETOOTH
- 261-4228 GUARD, LIFT CYLINDERS

PLEASE REFER TO THE LANE 1 SECTION TO COMPLETE YOUR ORDER

371-8767	963K HRC TRACK LOADER 20,562 LANE 2 - AVAILABLE FROM GRENOBLE FACTORY LANE 3 - AVAILABLE FROM GRENOBLE FACTORY	\$358,430
----------	---	------------------

DEDICATED TO HIGHER REGULATED COUNTRIES (HRC)

INCLUDES:

- Caterpillar C7.1 diesel engine, twin turbo charged with ATAAC and engine mounted aftertreatment. Achieves emission levels equivalent to Environmental Protection Agency (EPA) tier 4 final / EU stage IV / Japan 2014 (tier 4 final).
- Rear camera.

AVAILABLE FOR: NORTHERN AMERICAN DEALERS
 EU DEALERS
 KOREAN DEALERS
 AUSTRALIAN AND NEW ZEALAND DEALERS
 JAPANESE DEALERS

CATERPILLAR MACHINE PRICE LIST

963K

963K TRACK-TYPE LOADER GRENOBLE, FRANCE	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

0G-0372	963K MISC MATERIAL GRENOBLE 0 AVAILABLE FROM GRENOBLE FACTORY	NC
----------------	---	-----------

Only reference numbers that have the text
 "ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a MISC order.

CATERPILLAR MACHINE PRICE LIST

963K

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

LANE SELECTION

OP-9001	LANE 1 ORDER	0	NC
---------	------------------------	---	----

TECHNOLOGY PRODUCTS

L	507-5181	PRODUCT LINK, CELLULAR PL641 Product Link Pro series PL641 offers expanded coverage including 3G UMTS and CDMA2000 as well as 2G GSM and CDMA cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.	0	NC
---	----------	---	---	----

REAR ATTACHMENTS

P	386-2890	BUMPER, STANDARD Includes a hitch.	430	NC
---	----------	---	-----	----

BUCKETS

P	468-1862	BUCKET-GP, 3.7 CYD, PERF Performance series Bucket Includes : Bolt-on cutting edges (set of 7), Bolt-on teeth, K90 General Duty tips (set of 8) Capacity: 2.8CUM (3.7CYD) 110% Fill Factor: 3.1CUM (4.1CYD) Width: 2712mm (106.8") Recommended for loading and applications requiring better tracks coverage. Heavy counterweight or ripper are recommended for overall machine balance.	4,299	\$18,550
---	----------	--	-------	----------

PACKING

OG-9236	COMPLETE STORAGE PROTECTION Machines have been sprayed with Fluid Film TM. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer. Cilix AND foam protection on all cylinders are also included in this storage protection procedure. Recommended : Sea and all type or long distance shipment	0	\$242 NET
---------	---	---	-----------

CATERPILLAR MACHINE PRICE LIST

963K

USE	REF NO.	LANE 1 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

OTHER ATTACHMENTS

P	389-2742	RIPPER,MULTI-SHANK. 0 ONLY AVAILABLE ON A MISCELLANEOUS ORDER Hydraulic rear-mounted radial ripper. Includes 3 curved shanks with replaceable tips.		\$16,500 NI
---	----------	--	--	-------------

FLUIDS

	OG-6009	ANTIFREEZE, -50C (-58F) 117 Provides cooling system antifreeze protection down to -50C.		\$252 NET
--	---------	--	--	-----------

CATERPILLAR MACHINE PRICE LIST

963K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0		NC
	Only for dealers enrolled in the Base Order Management (BOM) Program.			
OP-9003	LANE 3 ORDER	0		NC

REGIONAL PACKAGES

L	454-8863	REGIONAL PACKAGE ADSD-N	0	NC
		Includes warning decals, ANSI.		

FEATURE PACKAGES

L	454-4395	CONSTRUCTION PKG, SYSTEMONE	5,194	\$770
		Construction package is designed for all types of general earthmoving tasks :cleaning, digging, stockpiling, loading and carrying, truck loading, backfilling and grading. This construction package includes standard items like final drive, hinged radiator guard and swing out fan - both bolt-locked, SystemOne undercarriage, Idler conventional type, protection for hydraulic tank and Guard for the lift lines and sensor. REQUIRES: SYSTEMONE TRACKS ONLY FOR USE WITH: 371-8767 963K HRC TRACK LOADER		
L	529-7546	CONSTRUCTION PACKAGE, HD	0	\$770
		Construction package is designed for all types of general earthmoving tasks :cleaning, digging, stockpiling, loading and carrying, truck loading, backfilling and grading. This construction package includes standard items like final drive, hinged radiator guard and swing out fan - both bolt-locked, heavy duty undercarriage, Idler conventional type, protection for hydraulic tank and Guard for the lift lines and sensor. REQUIRES: HEAVY DUTY TRACKS ONLY FOR USE WITH: 371-8767 963K HRC TRACK LOADER		

CATERPILLAR MACHINE PRICE LIST

963K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

FEATURE PACKAGES (CONT.)

L	529-7547	<p>WASTE PACKAGE, HEAVY DUTY 0</p> <p>FOR USE IN LANE 3 ONLY Built for waste handling applications, this package features: - Undercarriage, heavy duty - Guards for the final drives and idlers duo cone seal - Thicker front guard for the hydraulic tank - Sealing between front guard and frame around hydraulic lines - Latches on rear guard and fan door for easier cleaning RECOMMENDED OPTIONS: 337-3082 STRIKER BARS, REAR TRACKS WITH CENTER HOLES 497-9954 AIR PRECLEANER, CAB GUARD, FINAL DRIVE ABRASION 2P OR 3P 276-0160 GUARD, TILT CYLINDER REQUIRES: 3W-8578 GUARD, IDLER 348-5120 AIR INLET, PRECLEANER, TURBINE 442-6153 FAN, DEMAND, REVERSING 454-9489 SERVICE PACKAGE, EXTENDED 261-4228 GUARD, LIFT CYLINDERS HEAVY DUTY TRACKS 507-9474 WINDSHIELD PROTECTION ONLY FOR USE WITH: 371-8767 963K HRC TRACK LOADER</p>	0	\$11,160
L	529-7548	<p>WASTE ES PACKAGE, HEAVY DUTY 0</p> <p>FOR USE IN LANE 3 ONLY The Waste Handler extreme service package provides needed attachments to work successfully in tough waste applications like transfer station and demolition. This package can be selected also to maximize the protection of the machine for a better durability. The modifications to the base machine include those from the Waste Handler Package plus the following: - Heavy duty bumper with hitch - Guards for lift cylinders - Guard tilt cylinder - Striker bars RECOMMENDED OPTIONS: TRACKS WITH CENTER HOLES BUCKETS, LANDFILL OR MULTIPURPOSE 528-6546 GUARD FULL LENGTH, TRACK, HD GUARD, FINAL DRIVE ABRASION 2P OR 3P REQUIRES: 3W-8578 GUARD, IDLER 348-5120 AIR INLET, PRECLEANER, TURBINE 442-6153 FAN, DEMAND, REVERSING 454-9489 SERVICE PACKAGE, EXTENDED 454-8991 NO BUMPER HEAVY DUTY TRACKS 497-9954 AIR PRECLEANER, CAB 507-9474 WINDSHIELD PROTECTION ONLY FOR USE WITH: 371-8767 963K HRC TRACK LOADER CANNOT BE USED WITH: 337-3082 STRIKER BARS, REAR 261-4228 GUARD, LIFT CYLINDERS 276-0160 GUARD, TILT CYLINDER 465-8893 HITCH, RIPPER COUNTERWEIGHT</p>	0	\$26,850

CATERPILLAR MACHINE PRICE LIST

963K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

FEATURE PACKAGES (CONT.)

L	538-8419	<p>WASTE PKG,HD,ENHANCED CLEANING 0</p> <p>FOR USE IN LANE 3 ONLY</p> <p>The package features the waste handling modifications, a wide gauge undercarriage and standard shoes enabling the waste to flow more easily between the chassis and the track roller frames which results in a huge cleaning time reduction.</p> <p>To take a full advantage of this package, one of the following track / bucket combinations must be considered:</p> <ul style="list-style-type: none"> - any bucket combined with 450mm/17.7" track shoes with center hole. The clearance between track and chassis will be 215mm/8.5" - bucket with a minimum width of 2650mm/103.2" (wide or performance) combined with 550mm/21.6" track shoes with center hole. The clearance between track and chassis will be 165mm/6.5" <p>Trash rack is only provided on landfill buckets. Please contact Cat Work Tools if other bucket needs.</p> <p>RECOMMENDED OPTIONS: STRIKER BARS AND / OR COUNTERWEIGHT</p> <ul style="list-style-type: none"> 276-0160 GUARD, TILT CYLINDER 528-6546 GUARD FULL LENGTH, TRACK, HD TRACKS WITH CENTER HOLE <p>REQUIRES: 348-5120 AIR INLET, PRECLEANER, TURBINE</p> <ul style="list-style-type: none"> 3W-8578 GUARD, IDLER 442-6153 FAN, DEMAND, REVERSING 454-9489 SERVICE PACKAGE, EXTENDED 497-9954 AIR PRECLEANER, CAB 507-9474 WINDSHIELD PROTECTION 261-4228 GUARD, LIFT CYLINDERS HEAVY DUTY TRACKS <p>ONLY FOR USE WITH: 371-8767 963K HRC TRACK LOADER</p> <p>CANNOT BE USED WITH: GUARD, FINAL DRIVE ABRASION 2P OR 3P</p>		\$38,130
---	----------	---	--	----------

CATERPILLAR MACHINE PRICE LIST

963K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

FEATURE PACKAGES (CONT.)

L	535-9605	<p>SHIPHOLD PACKAGE, HEAVY DUTY 0</p> <p>FOR USE IN LANE 3 ONLY Built for ship unloading and more generally for port handling applications, this package features: - four lifting eyes on hybrid undercarriage and frame to lift the machine safely - thicker front guard to protect the hydraulic tank - sealing between front guard and frame around hydraulic lines - Latches on fan door and rear guard for easier cleaning - Guards lift cylinders - Guard tilt cylinder - Guard, lift lines and sensor NOTE: The heavy duty bumper is not proposed anymore on K series Shiphold package to improve the performance of the machine and its price positioning. If you need to sell this feature, please contact your sales representative. RECOMMENDED OPTIONS : FRONT LIGHTS OR WINDSHIELD PROTECTION GUARDS 528-6546 GUARD FULL LENGTH, TRACK, HD REQUIRES: 317-8187 GUARD, IDLER, SHIPHOLD 348-5120 AIR INLET, PRECLEANER, TURBINE 442-6153 FAN, DEMAND, REVERSING 518-4725 CAB, DELUXE 454-9489 SERVICE PACKAGE, EXTENDED 386-2890 BUMPER, STANDARD HEAVY DUTY TRACKS ONLY FOR USE WITH: 371-8767 963K HRC TRACK LOADER CANNOT BE USED WITH: 261-4228 GUARD, LIFT CYLINDERS 276-0160 GUARD, TILT CYLINDER 469-6093 MAST, GRADE CONTROL 337-3082 STRIKER BARS, REAR COUNTERWEIGHT</p>	0	\$15,350
L	538-8417	<p>LGP PACKAGE, HEAVY DUTY 0</p> <p>FOR USE IN LANE 3 ONLY Built for applications requiring a lower ground pressure, this package features an Heavy Duty wide gauge undercarriage that enables the installation of wide tracks 31.5" (800MM). RECOMMENDED OPTIONS: 3W-8578 GUARD, IDLER RIPPER PACKAGE OR COUNTERWEIGHTS For a sufficient balance to the wide bucket. REQUIRES: 415-5693 TRACK 800MM DG, HD 500-4529 BUCKET-GP, 2.8 CUM, WIDE FLUSH ONLY FOR USE WITH: 371-8767 963K HRC TRACK LOADER CANNOT BE USED WITH: GUARD, FINAL DRIVE ABRASION 2P OR 3P</p>	0	\$33,300

CATERPILLAR MACHINE PRICE LIST

963K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

FEATURE PACKAGES (CONT.)

L	538-8418	<p>STEEL MILL PKG, HD, PARTIAL 0</p> <p>FOR USE IN LANE 3 ONLY Built for dealers requiring a product base for the steel mill application. This package features: - Steel Mill undercarriage with high temperature seals for durability, guards for final drives duo-cone seals and equalizer bar pivots, welded side bars - Rear grill and fan door equipped with latches for easier and frequent cleaning of cooling area - Fire retardant oil Ecosafe - Guards for lift lines - HD front guard - Steel mill cab equipped with various thermal shields and silicone seals, sealed windows, double laminated front windshield protected by a hinged grill and a metallic screen, fire resistant floor mat, additional metallic roof, metallic door handles and push button release, 8 heat resistant lights, A/C vents on both sides of operator. This package DOES NOT feature: All the other modifications required to allow the machine running on hot slag. Examples: steel fuel tank, heat insulated harnesses, hoses and tanks. A good reference for information is the content offered on 973D/K SMA, see specalog AEHQ6071. Note: Some dealers are able to provide the complement of modifications required to upgrade the machine from a partial to a full SMA. Please ask your Product & Application Specialist. OPTION: 528-6546 GUARD FULL LENGTH, TRACK, HD REQUIRES: 561-6178 TRACK 430MM TG, SEALED 482-7750 HYDRAULIC OIL, SMA 454-9489 SERVICE PACKAGE, EXTENDED 3W-8578 GUARD, IDLER 348-5120 AIR INLET, PRECLEANER, TURBINE 442-6153 FAN, DEMAND, REVERSING 549-6747 CAB, STEEL MILL 517-1713 NO PRODUCT LINK 386-2890 BUMPER, STANDARD 261-4228 GUARD, LIFT CYLINDERS 276-0160 GUARD, TILT CYLINDER ONLY FOR USE WITH: 371-8767 963K HRC TRACK LOADER CANNOT BE USED WITH: QUICK COUPLER INSTALLATIONS 497-9954 AIR PRECLEANER, CAB 469-6093 MAST, GRADE CONTROL 386-2803 TANK, FUEL, REFUELING PUMP</p>		\$22,390
---	----------	--	--	----------

POWERTRAIN

RADIATOR FAN

L	437-4086	<p>FAN, DEMAND, STANDARD 20</p> <p>Electronically controlled hydraulic fan drive. Automatically adapts cooling to engine heat load. CANNOT BE USED WITH: ALL WASTE, SHIPHOLD, PARTIAL STEEL MILL PACKAGES</p>		NC
---	----------	--	--	----

CATERPILLAR MACHINE PRICE LIST

963K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

POWERTRAIN (CONT.)

RADIATOR FAN (Cont.)

L	442-6153	FAN, DEMAND, REVERSING 44 Electronically controlled hydraulic fan drive. Automatically adapts cooling to engine heat load. Programmable automatic and manual reverse air flow control. Recommended for applications with a risk of radiator plugging.		\$1,920
---	----------	--	--	----------------

AIR INLET

L	348-5110	AIR INLET, STANDARD 57 THE AIR INLET ATTACHMENT IS INCLUDED IN ALL LRC MACHINES ONLY FOR USE WITH: 371-8767 963K HRC TRACK LOADER CANNOT BE USED WITH: ALL WASTE, SHIPHOLD, PARTIAL STEEL MILL PACKAGES		NC
L	348-5120	AIR INLET, PRECLEANER, TURBINE 84 For use in heavy debris applications May improve filter life. OPTIMAX dual-stage precleaner powered by engine's intake and exhaust air flows. Intake air is spun by flow-driven impeller. Debris stratify along outer wall and are ejected back into environment. THE AIR INLET ATTACHMENT IS INCLUDED IN ALL LRC MACHINES ONLY FOR USE WITH: 371-8767 963K HRC TRACK LOADER		\$2,140

UNDERCARRIAGE

IDLER GUARD

L	3W-8578	GUARD, IDLER 207 Includes idler scraper. CANNOT BE USED WITH: SHIPHOLD PACKAGES		\$1,115
L	317-8187	GUARD, IDLER, SHIPHOLD 207 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: SHIPHOLD PACKAGES		\$1,340
L	309-1535	NO GUARD IDLER 15 FOR USE IN LANE 3 ONLY CANNOT BE USED WITH: ALL WASTE, SHIPHOLD, PARTIAL STEEL MILL PACKAGES		NC

TRACKS

TRACKS, SYSTEMONE

L	415-5672	TRACK, 22" DG, SYSTEMONE 6,870 Double Grouser Track Shoes, SystemOne. ONLY FOR USE WITH: 371-8767 963K HRC TRACK LOADER 454-4395 CONSTRUCTION PKG, SYSTEMONE		\$6,330
---	----------	--	--	----------------

Supersedes 02JAN2018
 Caterpillar: Confidential Green
 US-A-19-01 A

Subject to change without notice
 Printed in USA
 U. S. DOLLAR CURRENCY

Effective 02JAN2019
 963K-011

CATERPILLAR MACHINE PRICE LIST

963K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

UNDERCARRIAGE (CONT.)

TRACKS (Cont.)

L	415-5673	TRACK, 18", DG NARROW, S1 6,131 FOR USE IN LANE 3 ONLY Double Grouser Narrow Track Shoes, SystemOne ONLY FOR USE WITH: 371-8767 963K HRC TRACK LOADER 454-4395 CONSTRUCTION PKG, SYSTEMONE		\$5,770
---	----------	---	--	---------

TRACKS, HEAVY DUTY

L	513-0453	TRACK 18" DG, HD 0 FOR USE IN LANE 3 ONLY Double Grouser Narrow Track Shoes, Heavy Duty ONLY FOR USE WITH: HEAVY DUTY APPLICATION PACKAGES CANNOT BE USED WITH: LGP AND PARTIAL STEEL MILL PACKAGES, HD		\$-545
L	513-0454	TRACK 18" DG, HD, CTR-HOLE 0 FOR USE IN LANE 3 ONLY Double Grouser Track Shoes with center hole. Center hole let the sprocket push out debris, to reduce packing within the track and chain. RECOMMENDED IN WASTE HANDLING APPLICATIONS ONLY FOR USE WITH: ALL WASTE AND SHIPHOLD PACKAGES, HD		\$2,040
L	513-0452	TRACK 18",S&L,SG,HD,CTR-HOLE 0 FOR USE IN LANE 3 ONLY Single Grouser Extreme Service Track Shoes with center hole. Center hole let the sprocket push out debris, to reduce packing within the track and chain. RECOMMENDED IN WASTE HANDLING APPLICATIONS ONLY FOR USE WITH: ALL WASTE PACKAGES, HD		\$3,050
L	513-0455	TRACK 22" DG, HD 0 Double Grouser Track Shoes, Heavy Duty ONLY FOR USE WITH: HEAVY DUTY APPLICATION PACKAGES CANNOT BE USED WITH: LGP AND PARTIAL STEEL MILL PACKAGES, HD		NC
L	513-0456	TRACK 22" DG, HD, CTR-HOLE 0 FOR USE IN LANE 3 ONLY Double Grouser Track Shoes with center hole. Center hole let the sprocket push out debris, to reduce packing within the track and chain. RECOMMENDED IN WASTE HANDLING APPLICATIONS ONLY FOR USE WITH: ALL WASTE AND SHIPHOLD PACKAGES, HD		\$4,310
L	513-0457	TRACK, 22", ES SG, HD 0 FOR USE IN LANE 3 ONLY Single Grouser Extreme Service Track Shoes. ONLY FOR USE WITH: HEAVY DUTY APPLICATION PACKAGES CANNOT BE USED WITH: LGP AND PARTIAL STEEL MILL PACKAGES, HD		\$1,855

CATERPILLAR MACHINE PRICE LIST

963K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

UNDERCARRIAGE (CONT.)

TRACKS (Cont.)

L	415-5693	TRACK 31" DG, HD 8,629 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 371-8767 963K HRC TRACK LOADER 538-8417 LGP PACKAGE, HEAVY DUTY		\$3,200
L	561-6178	TRACK 17" TG, SEALED, HD 0 Heavy Duty and Sealed tracks (no lubrication) 17"/ 430mm Triple Grouser shoes ONLY FOR USE WITH: PARTIAL STEEL MILL PACKAGE, HD		\$1,315

HYDRAULICS

HYDRAULIC OIL

L	257-4147	HYDRAULIC OIL, STANDARD 0 Standard hydraulic oil. Factory filled. For the implement and transmission hydraulic systems.		NC
L	258-9733	HYDRAULIC OIL, BIODEGRADABLE 0 FOR USE IN LANE 3 ONLY This Hydraulic Environmental Ester Synthetic oil is recommended when required for environmental compliance. Factory filled. For the implement and differential steering hydraulic systems. ONLY FOR USE WITH: 371-8767 963K HRC TRACK LOADER		\$3,975
L	482-7750	HYDRAULIC OIL, ECOSAFE 0 FOR USE IN LANE 3 ONLY Fire resistant hydraulic oil - Ecosafe FR46. ONLY FOR USE WITH: PARTIAL STEEL MILL PACKAGES, HD		NC

LINE GROUPS

LINES IMPLEMENT

L	437-4073	LINES IMPLEMENT, STANDARD 141 Hydraulic lines for the implement		NC
L	472-2382	LINES IMPLEMENT, QUICK COUPLER 141 FOR USE IN LANE 3 ONLY Hydraulic lines for the implement and quick coupler. For balance considerations, these lines for a quick coupler usage do require a heavy counterweight, such as a ripper, a waste package or counterweights. REQUIRES: 474-4131 QUICK COUPLER LINES, MP CANNOT BE USED WITH: PARTIAL STEEL MILL PACKAGES		NC

CATERPILLAR MACHINE PRICE LIST

963K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT

CAB

L	518-4724	CAB 0 FOR USE IN LANE 3 ONLY INCLUDES: - right rear side sliding window - 4 halogen lights (two facing forward, roof mounted; two facing rearward integrated in A/C unit) CANNOT BE USED WITH: SHIPHOLD PACKAGE, HD STEEL MILL PKG, HD, PARTIAL		NC
L	518-4725	CAB, DELUXE 0 Highly equipped version of the cab. INCLUDES: - both rear sides sliding windows - pre-installed microphone for the Bluetooth radio - 8 LED lights (four facing forward, two facing sideways and two facing rearward integrated in A/C unit) CANNOT BE USED WITH: STEEL MILL PKG, HD, PARTIAL REQUIRED BY: SHIPHOLD PACKAGE, HD		\$3,155
L	549-6747	CAB, STEEL MILL 0 FOR USE IN LANE 3 ONLY Version of the cab modified to work in slag handling applications where additional thermal protections are required. INCLUDES: - all sealed windows - Windshield and front light protection - pre-installed microphone for the Bluetooth radio - 8 halogen lights (four facing forward, two facing sideways and two facing rearward integrated in A/C unit) ONLY FOR USE WITH: STEEL MILL PKG, HD, PARTIAL		\$3,155

SEAT

All seats are TLV2: Toggle Link Vertical 2d generation seats, with reinforced air suspension.

L	508-4901	SEAT, BASIC 0 FOR USE IN LANE 3 ONLY INCLUDES: - cloth-covered seat - removable headrest - 76mm / 3" retractable, 2 point seat belt		NC
L	508-4902	SEAT, COMFORT 0 INCLUDES: - cloth-covered seat - removable headrest - 76mm / 3" retractable, 2 point seat belt - lockable side-to-side isolator - heated seat pan and back rest		\$720

CATERPILLAR MACHINE PRICE LIST

963K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

SEAT (Cont.)

L	546-0888	SEAT, DELUXE 0 FOR USE IN LANE 3 ONLY INCLUDES: - cloth and leather-covered seat - removable headrest - 76mm / 3" retractable, 2 point (4 point compatible) seat belt - lockable side-to-side isolator - heated and ventilated seat pan and back rest - high back rest		\$2,040
---	----------	--	--	---------

TRANSMISSION

L	508-4758	TRANSMISSION CONTROL V-LEVER 0 This package includes V-lever for speed and direction control and steering pedals.		NC
L	508-4756	TRANSMISSION CONTROL, JOYSTICK 0 This package includes one joystick for speed, direction and steering control on the left hand console. The machine is controlled like a MTL/SSL.		NC

For machines equipped with a Transmission/Hystat Joystick, there are 2 steering patterns available.
 The default S-Pattern is like a CAT Skid Steer.
 The alternate C-Steer pattern is like a CAT tractor.
 The machine can not be shipped from the factory with the alternate pattern activated. A CAT service tool (ET) is required to make the change. See your Service department for details.

HYDRAULIC PACKAGE

L	440-8146	HYDRAULIC 2V,GP 2 LEVERS, PACK 102 This configuration includes 2 functions valves and electro bucket control two levers for GP bucket. CANNOT BE USED WITH: 389-2742 RIPPER,MULTI-SHANK MP BUCKETS		NC
L	440-8151	HYDRAULIC 3V,GP 2 LEVERS, PACK 0 FOR USE IN LANE 3 ONLY This configuration includes rear hydraulic lines and electro-hydraulic bucket control two levers for GP bucket and a ripper control lever. CANNOT BE USED WITH: WASTE ES, SHIPHOLD, PARTIAL STEEL MILL PACKAGES MP BUCKETS		\$6,530
L	440-8147	HYDRAULIC 2V,GP JOYSTICK, PACK 103 FOR USE IN LANE 3 ONLY This configuration includes 2 functions valve and joystick control for GP buckets. CANNOT BE USED WITH: 389-2742 RIPPER,MULTI-SHANK MP BUCKETS		NC

CATERPILLAR MACHINE PRICE LIST

963K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

HYDRAULIC PACKAGE (Cont.)

L	440-8150	HYDRAULIC 3V,GP JOYSTICK, PACK 157 This configuration includes rear hydraulic lines, a joystick control for GP bucket and a ripper control lever. CANNOT BE USED WITH: WASTE ES, SHIPHOLD, PARTIAL STEEL MILL PACKAGES MP BUCKETS		\$6,530
L	440-8149	HYDRAULIC 3V,MP JOYSTICK, PACK 175 FOR USE IN LANE 3 ONLY This configuration includes front hydraulic lines and joystick control for MP bucket. CANNOT BE USED WITH: 389-2742 RIPPER,MULTI-SHANK		\$6,530
L	388-6289	HYDRAULIC 4V,MP JOYSTICK, PACK 226 FOR USE IN LANE 3 ONLY This configuration includes 4 functions valve, front and rear hydraulic lines, an electro-hydraulic bucket control with MP bucket proportional control slider, a ripper control lever. CANNOT BE USED WITH: WASTE ES, SHIPHOLD, PARTIAL STEEL MILL PACKAGES		\$10,490

SERVICE PACKAGE

L	454-9487	SERVICE PACKAGE, STANDARD 85 FOR USE IN LANE 3 ONLY This package features a locking bar that holds the cab at 30 degrees safely (a crane is required to tilt the cab) and front windshield. CANNOT BE USED WITH: ALL WASTE, SHIPHOLD, PARTIAL STEEL MILL PACKAGES		NC
L	454-9489	SERVICE PACKAGE, EXTENDED 107 This package features a manual hydraulic pump enabling the cab tilt cylinder installed under the cab.		\$1,825

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries.
 Please contact your Cat marketing representative with questions.

L	517-1714	PRODUCT LINK, SATELLITE PL631 0 FOR USE IN LANE 3 ONLY Product Link Pro series PL631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage. CANNOT BE USED WITH: STEEL MILL PKG, HD, PARTIAL		\$432
---	----------	--	--	--------------

CATERPILLAR MACHINE PRICE LIST

963K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

PRODUCT LINK (Cont.)

L	507-5181	PRODUCT LINK, CELLULAR PL641 0 Product Link Pro series PL641 offers expanded coverage including 3G UMTS and CDMA2000 as well as 2G GSM and CDMA cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data. CANNOT BE USED WITH: STEEL MILL PKG, HD, PARTIAL		NC
L	517-1713	NO PRODUCT LINK 0 FOR USE IN LANE 3 ONLY REQUIRED BY: STEEL MILL PKG, HD, PARTIAL		NC

FUEL SYSTEMS

FUEL TANK

L	386-2801	TANK, FUEL, STANDARD 77		NC
L	386-2802	TANK, FUEL, FAST FILL 99 FOR USE IN LANE 3 ONLY Fuel tank with fast fill system. ONLY FOR USE WITH: 371-8767 963K HRC TRACK LOADER		\$3,360
L	386-2803	TANK, FUEL, REFUELING PUMP 0 Fuel tank with refilling fuel pump. CANNOT BE USED WITH: PARTIAL STEEL MILL PACKAGES		\$1,985

OTHER ATTACHMENTS

REAR ATTACHMENT

P	386-2890	BUMPER, STANDARD 430 Includes a hitch. CANNOT BE USED WITH: WASTE ES PACKAGES REQUIRED BY: PARTIAL STEEL MILL PACKAGES, HD SHIPHOLD PACKAGES, HEAVY DUTY		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

963K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

REAR ATTACHMENT (Cont.)

P	389-2742	RIPPER,MULTI-SHANK.....	1,770 0	\$17,890 \$16,500 NI
AVAILABLE INSTALLED OR NOT INSTALLED ALSO AVAILABLE ON A MISCELLANEOUS ORDER Hydraulic rear-mounted radial ripper. Includes 3 curved shanks with replaceable tips. REQUIRES: 440-8151 HYDRAULIC 3V,GP 2 LEVERS, PACK 440-8150 HYDRAULIC 3V,GP JOYSTICK, PACK 388-6289 HYDRAULIC 4V,MP JOYSTICK, PACK CANNOT BE USED WITH: WASTE ES, SHIPHOLD AND PARTIAL STEEL MILL PKGS 337-3082 STRIKER BARS, REAR COUNTERWEIGHTS				
L	454-8991	NO BUMPER.....	0	NC
FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: WASTE ES PACKAGES				

BUCKETS

BUCKET PACKAGE

ALL BUCKETS AVAILABLE INSTALLED OR NOT INSTALLED
 ALSO AVAILABLE ON A MISCELLANEOUS ORDER

GENERAL PURPOSE PERFORMANCE SERIES BUCKETS (PIN-ON)

P	468-1862	BUCKET-GP, 3.7 CYD, PERF	4,299 4,299	\$18,550 \$18,550 NI
Performance series Bucket Includes : Bolt-on cutting edges (set of 7), Bolt-on teeth, K90 General Duty tips (set of 8) Capacity: 2.8CUM (3.7CYD) 110% Fill Factor: 3.1CUM (4.1CYD) Width: 2712mm (106.8") Recommended for loading and applications requiring better tracks coverage. COUNTERWEIGHTS OR RIPPER ARE RECOMMENDED FOR OVERALL MACHINE BALANCE.				

GENERAL PURPOSE SERIES BUCKETS (PIN-ON)

CATERPILLAR MACHINE PRICE LIST

963K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BUCKETS (CONT.)

BUCKET PACKAGE (Cont.)

P	357-9621	BUCKET-GP, 3.25 CYD, PACKAGE	4,167 4,167	\$16,320 \$16,320 NI
		General Purpose bucket Includes : Bolt-on cutting edges (set of 7) Bolt-on teeth, K90 General Duty tips (set of 8) Capacity: 2.5CUM (3.2CYD) Width: 2612mm (102.8") CANNOT BE USED WITH: STEEL MILL PKG, HD, PARTIAL		
P	357-9622	BUCKET-GP, 3.25 CYD, HD PACK	4,226 4,226	\$16,750 \$16,750 NI
		FOR USE IN LANE 3 ONLY General Purpose bucket Includes : Bolt-on cutting edges (set of 7), Bolt-on teeth, K90 Extra Duty tips (set of 8): provides 36% more wear material. Capacity: 2.5CUM (3.2CYD) Width: 2612mm (102.8") Recommended for heavy duty applications.		
P	455-1622	BUCKET-GP, 3.25 CYD, FULL EDGE	3,834 3,834	\$13,720 \$13,720 NI
		FOR USE IN LANE 3 ONLY General Purpose bucket Includes : Full cutting edge, bolt-on. Capacity: 2.5CUM (3.2CYD) Width: 2571mm (101.2") Best for granular materials (gravel, sand...), finish grading and final preparation. CANNOT BE USED WITH: STEEL MILL PKG, HD, PARTIAL		
P	357-9623	BUCKET-GP, 3.0 CYD, FLUSH PACK	3,519 3,519	\$15,810 \$15,810 NI
		FOR USE IN LANE 3 ONLY Flat bottom Bucket Includes : Welded flush adapters, K90 General Duty tips (set of 8). Capacity: 2.45CUM (3.2CYD) Width: 2583mm (101.6") Recommended for fine grading application. CANNOT BE USED WITH: STEEL MILL PKG, HD, PARTIAL		

WASTE HANDLING BUCKET (PIN-ON)

CATERPILLAR MACHINE PRICE LIST

963K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BUCKETS (CONT.)

BUCKET PACKAGE (Cont.)

P	357-9625	BUCKET,4.1CYD LANDFILL,HD PACK	4,491 4,491	\$24,810 \$24,810 NI
		FOR USE IN LANE 3 ONLY Includes : Bolt-on cutting edges (set of 7), Bolt-on teeth, K90 Extra Duty tips (set of 8): provides 36% more wear material. Capacity: 3.1CUM (4.1CYD) Width: 2576mm (101.4") Bucket equipped with a heavy duty trash shield. STRIKER BARS WITH COUNTERWEIGHTS, OR RIPPER ARE RECOMMENDED FOR OVERALL MACHINE BALANCE. CANNOT BE USED WITH: STEEL MILL PKG, HD, PARTIAL		

WIDE BUCKET (PIN-ON)

P	500-4529	BUCKET-GP, 3.8 CYD, WIDE FLUSH	0 0	\$17,880 \$17,880 NI
		FOR USE IN LANE 3 ONLY General Purpose bucket Includes : Welded cutting edge Welded flush adapters, K90 General Duty tips (set of 8). Capacity : 3.6 CUM (4.7 CYD) Width: 3000mm (118.1") COUNTERWEIGHTS OR RIPPER ARE RECOMMENDED FOR OVERALL MACHINE BALANCE. CANNOT BE USED WITH: STEEL MILL PKG, HD, PARTIAL REQUIRED BY: 538-8417 LGP PACKAGE, HEAVY DUTY		

MULTI PURPOSE SERIES BUCKETS (PIN-ON)

P	357-9624	BUCKET-MP, 2.6 CYD, PACKAGE	4,850 4,850	\$30,130 \$30,130 NI
		FOR USE IN LANE 3 ONLY Multi Purpose bucket Includes : Bolt-on cutting edges (set of 7), Bolt-on teeth, K80 General Duty tips (set of 8). Capacity: 2.0CUM (2.6CYD) Width: 2575mm (101.3") COUNTERWEIGHTS OR RIPPER ARE RECOMMENDED FOR OVERALL MACHINE BALANCE. REQUIRES: 440-8149 HYDRAULIC 3V,MP JOYSTICK, PACK 388-6289 HYDRAULIC 4V,MP JOYSTICK, PACK CANNOT BE USED WITH: STEEL MILL PKG, HD, PARTIAL		

CATERPILLAR MACHINE PRICE LIST

963K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BUCKETS (CONT.)

BUCKET PACKAGE (Cont.)

P	519-1786	BUCKET-MP, 2.6 CYD, HD PACKAGE	0	\$33,820
			0	\$33,820 NI
		FOR USE IN LANE 3 ONLY Extreme Service Multi-Purpose bucket Includes : Bolt-on cutting edges (set of 7), Bolt-on teeth, K80 Extra Duty tips (set of 8): provides 36% more wear material. Capacity: 2.0CUM (2.6CYD) Width: 2575mm (101.3") COUNTERWEIGHTS OR RIPPER ARE RECOMMENDED FOR OVERALL MACHINE BALANCE. REQUIRES: 440-8149 HYDRAULIC 3V,MP JOYSTICK, PACK 388-6289 HYDRAULIC 4V,MP JOYSTICK, PACK		
P	519-1784	BUCKET-MP, 3.5CYD LANDFILL, HD	0	\$36,800
			0	\$36,800 NI
		FOR USE IN LANE 3 ONLY Multi Purpose bucket Includes : Bolt-on cutting edges (set of 7), Bolt-on teeth, K80 Extra Duty tips (set of 8): provides 36% more wear material. Capacity: 2.7CUM (3.5CYD) Width: 2575mm (101.3") Bucket equipped with a HD trash rack for landfill applications. COUNTERWEIGHTS OR RIPPER ARE RECOMMENDED FOR OVERALL MACHINE BALANCE. REQUIRES: 440-8149 HYDRAULIC 3V,MP JOYSTICK, PACK 388-6289 HYDRAULIC 4V,MP JOYSTICK, PACK CANNOT BE USED WITH: STEEL MILL PKG, HD, PARTIAL		

NO BUCKET

L	357-9620	NO BUCKET	0	NC
---	----------	---------------------	---	----

ADDITIONAL GROUND ENGAGING TOOLS

For bucket teeth and cutting edge combinations not shown in this price list, please order desired GET through CATERPILLAR WORK TOOLS or PARTS DISTRIBUTION.

CATERPILLAR MACHINE PRICE LIST

963K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	-----------------	----------------------

BUCKETS (CONT.)

ADDITIONAL WORK TOOLS

Caterpillar offers a complete line of Track Type Loader buckets and tools including:

- Quick Coupler
- Blades
- Forks
- Material Handling Arms
- Rakes

For America North, please refer to the WT-TTL Price List (Work Tool Track Type Loaders) for any loose work tools that you may want to order on a Misc (CMOPS) order. Please use the misc work tool OP-0599 number listed in the WT-TTL Price list for any loose misc orders. Pack code required is OP-0210 for US Domestic orders or OP-5812 for Export orders.

For Europe, the WT-TTL Price List is not yet available. Please contact your Caterpillar Work Tools Account Coordinator at: Phone: (31) 736.399.777 or Fax: (31) 736.428.105, or E-mail: Worktools@Cat.com

PACKING

EXPORT PACKING

0G-9236	COMPLETE STORAGE PROTECTION 0 Machines have been sprayed with Fluid Film TM. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer. Cilix AND foam protection on all cylinders are also included in this storage protection procedure. Recommended : Sea and all type or long distance shipment	\$242 NET
----------------	--	------------------

CATERPILLAR MACHINE PRICE LIST

963K

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

STARTERS, BATTERIES, & ALTERNATORS

L	470-4398	COLD WEATHER, 120V 0 Two 12-Volt batteries, 1400 CCA, replacing standard batteries. recommended in cold ambient temperature environments. INCLUDES: Heater, engine coolant, 120V Ether starting aid ONLY FOR USE WITH: 371-8767 963K HRC TRACK LOADER		\$254
---	----------	--	--	-------

ELECTRICAL

L	389-2415	BEACON, ROTATING 2 FOR USE IN LANE 3 ONLY Rotating beacon with magnetic installation.		\$555
---	----------	--	--	-------

OPERATOR ENVIRONMENT

	452-6580	RADIO, AM/FM/AUX/USB/BLUETOOTH 4 12V AM/FM Stereo with Bluetooth technology and USB connection. Includes individual bass/treble controls, loudness adjustment and station pre-set capability. Pre-set memory is maintained by internal battery.		\$545
L	469-6095	EASY ACCESS PACKAGE 0 This option provides additional grab irons and one step for an access to the rear-left side of the machine.		\$274
L	497-9954	AIR PRECLEANER, CAB 0 Provides an external and extended precleaner installation to the cab to optimize its pressurization and filtration conditions. RECOMMENDED in high debris applications. REQUIRED BY WASTE ES AND WASTE ENHANCED CLEANING PACKAGES CANNOT BE USED WITH: PARTIAL STEEL MILL PACKAGE		\$2,260

TECHNOLOGY PRODUCTS

MACHINE CONTROL OPTIONS

L	469-6093	MAST, GRADE CONTROL 0 FOR USE IN LANE 3 ONLY Includes mast and brackets to equip your machine with grading assistance device. CANNOT BE USED WITH: SHIPHOLD AND PARTIAL STEEL MILL PACKAGES		\$745
---	----------	--	--	-------

CATERPILLAR MACHINE PRICE LIST

963K

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

GUARDS

CAB GUARDS

L	518-0006	GUARD, FRONT LIGHTS 0 2 Additional guards for the cab front lights. RECOMMENDED WITH THE SHIPHOLD PACKAGE CANNOT BE USED WITH: ALL WASTE PACKAGES PARTIAL STEEL MILL PACKAGE, HD 507-9474 WINDSHIELD PROTECTION		\$198
L	507-9474	WINDSHIELD PROTECTION 0 FOR USE IN LANE 3 ONLY Hinged heavy duty with hand operated latches. Protects cab windshield and lower door window panes, while still allowing easy access for cleaning. RECOMMENDED WITH THE SHIPHOLD PACKAGE CANNOT BE USED WITH: PARTIAL STEEL MILL PACKAGE, HD 518-0006 GUARD, FRONT LIGHTS REQUIRED BY: ALL WASTE PACKAGES		\$2,770

HYDRAULIC IMPLEMENT GUARDS

L	261-4228	GUARD, LIFT CYLINDERS 97 Lift cylinder tube protection. REQUIRED BY WASTE PACKAGES HD, WASTE PKG HD ENHANCED CLEANING AND PARTIAL STEEL MILL PACKAGES, HD CANNOT BE USED WITH: WASTE ES AND SHIPHOLD PACKAGES		\$745
L	276-0160	GUARD, TILT CYLINDER 99 FOR USE IN LANE 3 ONLY Provides for tilt cylinder rod protection. RECOMMENDED WITH WASTE PACKAGES HD AND WASTE PKG HD, ENHANCED CLEANING REQUIRED BY PARTIAL STEEL MILL PACKAGE CANNOT BE USED WITH: WASTE ES AND SHIPHOLD PACKAGES		\$2,565

FINAL DRIVE GUARDS

L	276-0158	GUARD, FINAL DRIVE ABRASION 2P 44 FOR USE IN LANE 3 ONLY Protects the bottom of the final drive housings in abrasive applications. RECOMMENDED WITH WASTE & WASTE ES PACKAGES, HEAVY DUTY CANNOT BE USED WITH: 276-0159 GUARD, FINAL DRIVE ABRASION 3P		\$2,800
L	276-0159	GUARD, FINAL DRIVE ABRASION 3P 141 FOR USE IN LANE 3 ONLY Protect the bottom and upper part of the final drive housings in abrasive applications. RECOMMENDED WITH WASTE & WASTE ES PACKAGES, HEAVY DUTY CANNOT BE USED WITH: 276-0158 GUARD, FINAL DRIVE ABRASION 2P WASTE PKG HD, ENHANCED CLEANING		\$3,585

CATERPILLAR MACHINE PRICE LIST

963K

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

GUARDS (CONT.)

TRACK GUIDING GUARDS

Full length track roller guards provide track guiding for sidesloping applications. It also provides protection against rocks and debris entering into roller areas.
 RECOMMENDED IN WASTE, SHIPHOLD AND PARTIAL STEEL MILL APPLICATIONS

L	253-3701	GUARD FULL LENGTH, TRACK, S1	375	\$4,095
		ONLY FOR USE WITH: SYSTEMONE UNDERCARRIAGES AND TRACKS		
L	528-6546	GUARD FULL LENGTH, TRACK, HD	0	\$4,095
		ONLY FOR USE WITH: HEAVY DUTY UNDERCARRIAGES AND TRACKS		

OTHER ATTACHMENTS

REAR ATTACHMENTS

L	465-8893	HITCH, RIPPER	126	\$680
		Mandatory reference to install a hitch on a machine equipped with the ripper. Hitch is included in case of a bumper. REQUIRED BY: 389-2742 RIPPER, MULTI-SHANK		
L	337-3082	STRIKER BARS, REAR.	280	\$3,050
		FOR USE IN LANE 3 ONLY Mounted to the rear of the main frame. Striker bars keep trash from climbing the tracks and damaging the fenders. COUNTERWEIGHTS CAN BE ADDED RECOMMENDED WITH WASTE PACKAGE, HD CANNOT BE USED WITH: WASTE ES AND SHIPHOLD PACKAGES 389-2742 RIPPER,MULTI-SHANK		

COUNTERWEIGHT

P	473-1226	COUNTERWEIGHT, LIGHT, 716 LB	0	\$3,545
		AVAILABLE INSTALLED ONLY ALSO AVAILABLE AS MISCELLANEOUS ORDER RECOMMENDED WITH WASTE ENHANCED CLEANING AND LGP PACKAGES CANNOT BE USED WITH: WASTE ES AND SHIPHOLD PACKAGES 389-2742 RIPPER,MULTI-SHANK	0	\$3,545 NI
P	464-0229	COUNTERWEIGHT, ADDITIONAL, 672LB	0	\$2,345
		AVAILABLE INSTALLED ONLY ALSO AVAILABLE AS MISCELLANEOUS ORDER, WITH COUNTERWEIGHT, LIGHT Additional plates, total : 305 kg/672 lb RECOMMENDED WITH WASTE ENHANCED CLEANING AND LGP PACKAGES REQUIRES: 473-1226 COUNTERWEIGHT, LIGHT, 325 KG	0	\$2,345 NI

CATERPILLAR MACHINE PRICE LIST

963K

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

MAINTENANCE AND RELATED ATTACHMENTS

L	348-5135	OIL CHANGE SYSTEM, HIGH SPEED 7 Easy access drain line and Wiggins connector for remote engine oil drain. Provides quick, clean and easy engine oil change without having to climb under the machine to access a gravity drain. ONLY FOR USE WITH: 371-8767 963K HRC TRACK LOADER		\$327
L	386-2819	SEDIMENT PUMP, FUEL TANK 0 Extract all sediments from the fuel tank.		\$680

QUICK COUPLERS

QUICK COUPLER INSTALLATIONS

L	474-4131	QUICK COUPLER LINES, MP 141 FOR USE IN LANE 3 ONLY Medium Pressure lines to be mandatorily added to the implement lines for an hydraulic preparation of the quick coupler configuration (quick coupler-ready machine). REQUIRES: 472-2382 LINES IMPLEMENT, QUICK COUPLER CANNOT BE USED WITH: PARTIAL STEEL MILL PACKAGES		\$3,410
---	----------	--	--	---------

FLUIDS

ANTIFREEZE

	0G-6009	ANTIFREEZE, -50C (-58F) 117 Provides cooling system antifreeze protection down to -50C		\$252 NET
--	---------	--	--	-----------

FIELD INSTALLED ATTACHMENTS

AVAILABLE FROM PARTS DISTRIBUTION

PLEASE CONTACT PARTS DISTRIBUTION FOR CURRENT PRICES. ARRANGEMENTS MAY NOT BE AVAILABLE AS KITS, SO MAY REQUIRE ORDERING SEPARATE PARTS.

	310-1676	KNEEPADS Two kneepads to be installed on the control consoles to provide smoother knee contact. Compatible with TLV1 seats only.		
	321-3446	TRANSMISSION CONTROL, JOYSTICK This package includes one joystick for speed, direction and steering control on the left hand console. Compatible with TLV1 seats only. The machine is controlled like a MTL/SSL. See REHS4339 for rework instructions.		

CATERPILLAR MACHINE PRICE LIST

963K

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

PACKING

0G-3258	PACK-N.I. BUCKET OR DISMOUNTED 0			\$105 NET
	To be selected when a bucket is ordered as Not Installed attachment or as MISCellaneous order.			
0G-3257	PACK-NOT INSTALLED RIPPER 0			\$262 NET
	To be selected when a ripper is ordered as Not Installed attachment or as MISCellaneous order.			
0G-0319	PACK-N.I. COUNTERWEIGHT 0			\$105 NET
	To be selected when a counterweight is ordered as MISCellaneous order.			
0G-3554	SPECIAL PROTECTION PACKAGE 0			\$1,350 NET
	All easily stolen items are removed from the machine and protected for a safe transport.			

CATERPILLAR MACHINE PRICE LIST

963K

USE	REF NO.	INFORMATION	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-------------	-----------------	----------------------

AM-NORTH INFORMATION

LANE 1 SPECIFIC ATTACHMENTS (FOR INFORMATION ONLY)

The following attachments were included in DCA, lane 1 machine configurations, but cancelled or offered under a different reference number in the current lane 2 or lane 3 offer. So, they are not selectable for any order configuration and listed below for information only.

L	454-4396	CONSTRUCTION PACK, E. SALT	5,194	\$770
L	415-5690	TRACK, 22" DG, E. SALT	6,870	NC
L	469-6097	CAB, DELUXE	0	\$3,155
L	471-7703	SEAT TLV2,S/S ISOLATOR,HEATED	187	\$720
L	485-4876	TRANSMISSION CONTROL V-LEVER	123	NC
L	469-4064	LIGHTS ADDITIONAL, GUARDED	0	\$1,190