

CATERPILLAR MACHINE PRICE LIST

966MXE-LR

966M XE WHEEL LOADER
LITTLE ROCK, AR, USA (SAP)

Ship Weight
lbs

LIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

Brakes, full hydraulic enclosed wet-disc with rimpull & retarding effect adjustment
 Brake wear indicators
 Engine, Cat 9.3
 Cat Clean Emissions Module (CEM) with Diesel Particulate Filter (DPF) and remote Diesel Exhaust Fluid (DEF) tank & pump
 Fan, radiator, electronically controlled, hydraulically driven, temperature sensing, on demand
 Fuel priming pump (electric)
 Fuel/Water separator
 Precleaner, engine air intake
 Parking Brake, disk & caliper
 Throttle lock
 Power split continuously variable transmission

ELECTRICAL

Alarm, back-up
 Alternator, 145-amp brushed
 Batteries (2), maintenance free 1400CCA
 Ignition key; start/stop switch
 Lighting system:
 -2 forward roading lights (low/high beam with turn signals)
 -2 rear facing working lights in hood
 -2 LED position/stop/turn lights
 -4 working lights on the cab
 Main disconnect switch
 Receptacle start (cables not included)
 Starter, electric, heavy duty
 Starting and charging system (24-volt)

OPERATOR ENVIRONMENT

Air conditioner, heater, and defroster (auto temp & fan)
 Beverage holders (2) with storage compartment for cell phone/MP3 player
 Bucket/Work tool function lockout
 Cab, pressurized and sound suppressed, (ROPS/FOPS), radio ready (entertainment) includes antenna, speakers & converter (12-volt 10-amp)
 Coat hook (2)
 EH Controls, lift and tilt function
 EH Parking Brake
 Ergonomic cab access ladders & handrails
 Horn, electric
 Light, two dome (cab)
 Mirrors, rearview external with

integrated spot mirrors
 Post mounted membrane 16 switch keypad
 3 receptacles, 12-Volt
 Seat, Cat Comfort (cloth) air suspension
 Seat belt, retractable
 Steering, speed sensing with force feedback
 Sun visor, front
 Wet-Arm wipers/washers front & rear, intermittent front wiper
 Window, sliding (left and right sides)
 Viscous mounts

COMPUTERIZED MONITORING SYSTEM

With following gauges:
 -Speedometer/Tachometer
 -Digital gear range indicator (virtual)
 -DEF (Diesel exhaust fluid) level
 -Temperature: engine coolant, hydraulic oil, transmission oil
 -Fuel level

With following Warning Indicators:

-Regeneration
 -Temperature: axle oil, engine intake manifold
 -Pressure: engine oil, fuel Pressure
 Hi/Low, primary steering oil, service brake oil
 -Battery voltage Hi/Low
 -Engine air filter restriction
 -Hydraulic oil filter restriction
 -Hydraulic oil Low
 -Parking brake
 -DEF low level
 -Transmission filter bypass

MULTI-FUNCTION MONITOR:

-18cm (7 in) color LCD touch-screen display
 -Rear-view camera image display (reverse travel activated)
 -Machine settings & health parameters
 -Max rimpull adjustment
 -Max travel speed adjustment
 CAT CONNECT (on-board, utilizing multi-function monitor)
 Core App software to monitor & display:
 -Total fuel consumption
 -Average fuel burn rate
 -Engine fuel consumption
 -Total idle time
 -Total operating hours
 -Travel distance (odometer)
 Basic App software to monitor & display:
 -Total idle fuel
 -Total operating hours, neutral

CATERPILLAR MACHINE PRICE LIST

966MXE-LR

966M XE WHEEL LOADER
LITTLE ROCK, AR, USA (SAP)

Ship Weight
lbs

LIST PRICE
AT DEALER

OPERATOR ENVIRONMENT (CONT.)

-Total operating hours with hydraulic
filter in bypass

OTHER STANDARD EQUIPMENT

Auto idle shutdown
Couplings, Caterpillar O-ring face seal
Ecology drains for engine, transmission,
and hydraulics
Ether aid ready
Filters: fuel, engine air, engine oil,
hydraulic oil, transmission
Fuel cooler
Grease zerks
Hitch, drawbar with pin
Hood, non-metallic power tilting
Hoses, Caterpillar XT
Hydraulic oil cooler (swing out)
Hydraulic System, load sensing
Kickout, lift & tilt, automatic
(adjustable in cab)
Linkage, Z-Bar, cast crosstube/tilt lever
Oil sampling valves
Platform, window washing
Radiator grill, airborne debris
Remote diagnostic pressure taps
Ride control
Service Center (electrical & hydraulic)
Sight gauges: engine coolant, hydraulic
oil, and transmission oil level
Toolbox
Vandalism protection caplocks

CATERPILLAR MACHINE PRICE LIST

966MXE-LR

966M XE WHEEL LOADER
LITTLE ROCK, AR, USA (SAP)

Ship Weight
lbs

LIST PRICE
AT DEALER

**Lane 2 is reserved for the Base Order Management program.
Please use Lane 2 when placing orders that are part of the Base Order
Management program.**

359-1849	966M XE WHEEL LOADER	0	\$473,510
	LANE 2 - AVAILABLE FROM NORTH LITTLE ROCK FACTORY		
	LANE 3 - AVAILABLE FROM NORTH LITTLE ROCK FACTORY		

CATERPILLAR MACHINE PRICE LIST

966MXE-LR

USE	REF NO.	LANE 2 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 2 AM-NORTH MANDATORY ATTACHMENTS

LANE SELECTION

OP-9002	LANE 2 ORDER	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		

REGIONAL PACKAGES

L	561-7333	REGIONAL PACKAGE, AM-N	0	\$4,930
		INCLUDES: -ANSI Films -EPA Tier 4 Final Compliant Engine		
L	561-7334	REGIONAL PACKAGE, QUEBEC	0	NC
		INCLUDES: -ISO Films -EPA Tier 4 Final Compliant Engine		

SPECIAL ARRANGEMENTS

L	510-4179	STANDARD PACKAGE	0	NC
		Provides machine features required in standard applications. INCLUDES: -Platform -Electrical & Hydraulic installation -Cab air filter -Standard radiator grill -CPM Payload Ready & Autodig Ready Includes hardware and 250 hour CPM demo mode only. Demo mode is dealer activated. System must be calibrated prior to use. Requires purchase of software for permanent feature activation. See the Optional Technology section for software options.		

BOOMS, STICKS, AND LINKAGES

LINKAGES

L	506-2533	LINKAGE, STANDARD LIFT	0	NC
---	----------	----------------------------------	---	----

COUNTERWEIGHT

L	367-2330	COUNTERWEIGHT, 1000KG	0	NC
---	----------	---------------------------------	---	----

CATERPILLAR MACHINE PRICE LIST

966MXE-LR

USE	REF NO.	LANE 2 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 2 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

BOOMS, STICKS, AND LINKAGES (Cont.)

L	372-2140	COUNTERWEIGHT, AGGREGATE 0 Provides 1600 kg counterweight to use exclusively in aggregate rehandling applications. REQUIRES: L3 or L4 TIRES BUCKETS with BOCE		\$4,485
---	----------	--	--	---------

NOTE: It is recommended to use Caterpillar production measure application with aggregate counterweights to ensure compliance with Medium Wheel Loader Payload policy.

POWERTRAIN

AXLE PACKAGES

Axle packages include a combination of traction aids, Ecology Drain (ED), Seal Guards (SG), and Axle Oil Cooler (AOC).

L	390-7608	AXLES, LOCK/OPEN, ED 0 INCLUDES: -Manual front diff lock -Open rear differential -Ecology Drain		\$570
L	372-6557	AXLES, AUTO DIFF F/R, ED 0 INCLUDES: -Automatic front and rear diff lock -Ecology Drain		\$9,010

HYDRAULICS

L	500-2558	HYDRAULICS, 2V RC, STD/HL 0 Provides 2 valve hydraulics and ride control.		NC
L	500-2772	HYDRAULICS, 2V RC (3V READY) 0 Provides 2 valve hydraulics (3V ready) and ride control. This will have the auxiliary hose and frame hardware installed. This will provide dealers with the flexibility of buying 3V kits to convert the machine into a 3 valve hydraulic configuration.		\$535
L	500-2559	HYDRAULICS, 3V RC, STD/SHORT 0 Provides 3 valve hydraulics and ride control.		\$7,100

HYDRAULIC OIL

L	396-4672	HYDRAULIC OIL, STANDARD 0 Cat HYDO Advanced 10 allows to extend oil change intervals up to 6000 hours with S-O-S services.		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

966MXE-LR

USE	REF NO.	LANE 2 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 2 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

STARTERS, BATTERIES, & ALTERNATORS

ENGINE STARTING PACKAGE

L	506-4545	STARTING, STANDARD 0 Provide 2 batteries.		NC
L	506-4548	STARTING, COLD 0 Includes ether starting aid and 4 batteries on the machine for low temperatures.		\$1, 905

ELECTRICAL

LIGHTS

L	484-0364	LIGHTS, HALOGEN 0 INCLUDES: -2 halogen forward roading lights (low/high beam) with halogen turn signals -2 halogen rear facing working lights in the hood -2 LED position/stop/turn lights -4 halogen working lights on the cab		NC
L	484-0365	LIGHTS, HALOGEN, PREMIUM 0 INCLUDES: -2 halogen forward roading lights (low/high beam) with halogen turn signals -2 halogen rear facing working lights in the hood -2 LED position/stop/turn lights -8 halogen working lights on the cab		\$865
L	561-8776	LIGHTS, LED 0 INCLUDES: -2 LED forward roading lights (low/high beam) with LED turn signals -2 LED rear facing working lights in the hood -2 LED position/stop/turn lights -4 LED working lights on the cab		\$2, 550
L	561-8777	LIGHTS, LED, PREMIUM 0 INCLUDES: -2 LED forward roading lights (low/high beam) with LED turn signals -2 LED rear facing working lights in the hood -2 LED position/stop/turn lights -8 LED working lights on the cab		\$3, 325

OPERATOR ENVIRONMENT

CAB PACKAGES

CATERPILLAR MACHINE PRICE LIST

966MXE-LR

USE	REF NO.	LANE 2 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 2 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

OPERATOR ENVIRONMENT (Cont.)

L	545-7191	CAB, STANDARD 0		\$1,795
		INCLUDES: 546-3451 CAB TRIM, STANDARD (LHD) -SEAT, STANDARD, LHD -MIRRORS, EXTERNAL -SUN VISOR, REAR 493-9621 WINDOWS, STANDARD 551-3397 SEAT BELT, 3" W/INDICATOR 505-1519 FILTRATION, STANDARD -CAB ROOF, NON-METALLIC -COVER, HVAC, NON-METALLIC 372-1603 RADIO, CB (READY) 372-1600 RADIO, AM/FM/USB/MP3 BLUETOOTH		
L	545-7192	CAB, DELUXE 0		\$2,960
		INCLUDES: 546-3452 CAB TRIM, HEATED (LHD) -SEAT, HEATED, LHD -MIRRORS, EXTERNAL, HEATED -DOOR, REMOTE OPENING SYSTEM -SUN VISOR, REAR 493-9621 WINDOWS, STANDARD 551-3397 SEAT BELT, 3" W/INDICATOR 505-1519 FILTRATION, STANDARD -CAB ROOF, NON-METALLIC -COVER, HVAC, NON-METALLIC 372-1603 RADIO, CB (READY) 372-1600 RADIO, AM/FM/USB/MP3 BLUETOOTH		

IMPLEMENT CONTROLS

L	539-6032	SINGLE AXIS LEVERS, 2V, LHD 0		NC
		Includes 2 single action levers for implement lift and tilt controls		
L	539-6042	SINGLE AXIS LEVERS, 3V, LHD 0		NC
		Includes 3 single action levers for implement lift, tilt & 3rd function controls.		
L	539-6037	JOYSTICK, 2V, LHD 0		\$1,085
		Includes: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick		
L	539-6047	JOYSTICK, 3V, LHD 0		\$1,520
		Includes: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick -1 roller switch controlling the 3rd function integrated in the joystick		

STEERING

L	372-6550	STEERING, STANDARD 0		NC
---	----------	---------------------------------------	--	----

CATERPILLAR MACHINE PRICE LIST

966MXE-LR

USE	REF NO.	LANE 2 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 2 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

OPERATOR ENVIRONMENT (Cont.)

L	371-1456	STEERING, SECONDARY	0	\$4,960
---	----------	-------------------------------	---	---------

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet.

Authorization varies by country, please contact your Cat marketing representative with questions or click on the link below:
<HTTPS://DEALER.CAT.COM/en/bt/otd/machine-price-list.html>
 From there click on the 'PRODUCT LINK Hardware Certification' link.

L	467-4622	PRODUCT LINK, CELLULAR PLE641 Product Link Elite series PLE641 offers expanded coverage including 3G UMTS and CDMA2000 as well as 2G GSM and CDMA cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.	0	NC
L	467-4623	PRODUCT LINK, SATELLITE PLE631 Product Link Elite series PLE631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage.	0	\$432

COOLING

COOLING SYSTEM

L	521-9360	COOLING CORES, 9 FPI Provides cooling capability up to 47C (117F) ambient. Radiator with 9 fins per inch.	0	NC
L	540-0608	COOLING CORES, 6 FPI Provides cooling capability up to 43C (109F) ambient. Radiator with 6 fins per inch.	0	\$333

COOLING FAN

L	524-0310	FAN, STANDARD Provides a standard load sensing hydraulically driven fan.	0	NC
---	----------	---	---	----

CATERPILLAR MACHINE PRICE LIST

966MXE-LR

USE	REF NO.	LANE 2 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 2 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

COOLING (Cont.)

COOLANT

L	371-7066	ANTIFREEZE, -34C (-29F)	0	NC
		Premix antifreeze, -34C (-29F)		
L	423-2666	ANTIFREEZE, -50C (-58F)	0	\$251 NET
		Premix antifreeze, -50C (-58F)		

TIRES, RIMS, AND WHEELS

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice. However, if the tire type cannot be supplied we will contact the dealer to propose alternatives. The dealer needs to choose between an alternative tire or a "rims only" option (where available) within 72 hours. If no response is provided by the deadline, the order will default to the alternative tire and will be changed at that point. As a consequence of a possible tire change, the total machine price will be decreased or increased depending on the price of the new tire.

NOTE: All tires include rims & come in a set of 4. Tires are tubeless & non-directional unless otherwise stated.

NOTE: Other tires are available upon request.

TIRES AVAILABLE FROM BRIDGESTONE

P	511-5379	TIRES, 775/65R29 BS VTS * L3	0	\$4,325
		Bridgestone Radial; Tread Depth=43mm (54/32"); Rim=24"x29" Provides increased stability, floatation, damage resistance, and traction in soft to rocky underfoot conditions. Machine oscillation is reduced. Recommended for sand and forestry application.		
P	475-6250	TIRES, 26.5R25 BS VJT * L3	0	\$-6,590
		Bridgestone Radial; Tread Depth=38mm (48/32"); Rim=22"x25" Provides reduced vibration, damage resistance, and traction in soft to rocky underfoot conditions.		

TIRES AVAILABLE FROM MICHELIN

P	297-3221	TIRES, 26.5R25 MX XHA2 ** L3	0	\$-4,160
		Michelin Radial; Tread Depth=41mm (52/32"); Rim=22"x25" Provides reduced vibration, damage resistance, and traction in soft to rocky underfoot conditions.		

CATERPILLAR MACHINE PRICE LIST

966MXE-LR

USE	REF NO.	LANE 2 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 2 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

TIRES, RIMS, AND WHEELS (Cont.)

TIRES AVAILABLE FROM MAXAM

P	547-8403	TIRES,26.5R25 MA MS302 **E3/L3 0 Maxam MS302 Radial; Tread Depth=39.4mm (50/32"); Rim=22"x25" 3 piece Ideally suited to higher speed applications operating on a wide variety of surfaces. Reinforced offset lugs minimize vibration at haul speeds. Excellent traction in all off-road conditions with a wide flat footprint profile for maximum stability and wear. Thick undertread for improved puncture resistance.		\$-9,560
---	----------	--	--	----------

OTHER ATTACHMENTS

ENGINE PRECLEANERS

L	324-8092	AIR INLET STANDARD, RAIN CAP 0 Includes standard strata tubes precleaner ejecting up to 96% of debris.		NC
L	365-0220	PRECLEANER, TURBINE. 0 Turbine engine air inlet precleaner, to be used in extremely high dust and airborne debris environments.		\$715

BODY

FENDERS

L	464-6677	FENDERS, BASIC +. 0 CANNOT BE USED WITH: TIRES, 775/65R29 (LOW PROFILE)		NC
L	464-6678	FENDERS, ROADING 0 CANNOT BE USED WITH: TIRES, 775/65R29 (LOW PROFILE)		\$2,865
L	464-6679	FENDERS, BASIC +, LOW PROFILE. 0 ONLY FOR USE WITH: TIRES, 775/65R29 (LOW PROFILE)		\$149
L	464-6680	FENDERS, ROADING, LOW PROFILE 0 ONLY FOR USE WITH: TIRES, 775/65R29 (LOW PROFILE)		\$3,150

HOOD

L	391-5800	HOOD, NON-METALLIC 0		NC
---	----------	--------------------------------	--	----

SOUND SUPPRESSION

L	489-3300	SOUND SUPPRESSION, STANDARD 0		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

966MXE-LR

USE	REF NO.	LANE 2 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 2 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

QUICK COUPLERS

QUICK COUPLER READY

P	0G-0386	NO QUICK COUPLER READY	0	NC
P	372-7403	QUICK COUPLER READY Includes all hydraulic lines, vertical wedge activation switch in the cab. Coupler NOT included.	0	\$3,955

FLUIDS

LUBRICATION ARRANGEMENTS

MANUAL - Requires manual greasing of pin joints according to maintenance schedule. Several fittings remote located and centralize better access.

AUTOLUBE - Greases pin joints requiring daily lubrication: linkage pin joints, including bucket pins, articulation hitch, steering cylinders and rear axle trunnions.

L	495-7506	LUBRICATION, MANUAL, STD	0	NC
L	495-7507	AUTOLUBE, STD LIFT Provides Caterpillar autolube system.	0	\$6,270

CATERPILLAR MACHINE PRICE LIST

966MXE-LR

USE	REF NO.	LANE 2 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

LANE 2 AM-NORTH OPTIONAL ATTACHMENTS

OPERATOR ENVIRONMENT

INTEGRATED OBJECT DETECTION SYSTEM

The Cat Integrated Object Detection adds radar and alarms to the standard on-board rear vision camera to notify the operator when something is close to the rear of the machine. This system is configured with zones, and objects in those zones trigger various levels of alarms. A display screen in the cab provides visual confirmation of the objects detected by the radar, so operators can make informed decisions.

NOTE: C5 radars (below) are the preferred MWL system. C6 radars are available for regions where required, and depends on radar approval. For a list of approved countries, please visit: <https://dealer.cat.com/detect>

L	512-0855	OBJECT DETECTION	0	\$2,755
---	----------	----------------------------	---	---------

LIGHTS

P	513-2458	LIGHTS, REVERSING STROBE Provides 2 reversing white strobes.	0	\$271
P	491-7467	LIGHT, WARNING BEACON Provides hard mounted strobe beacon on hinged (breakaway) bracket mounted to the rear of the cab structure.	0	\$486
P	460-7450	LIGHT, SEAT BELT WARNING Provides a seat belt warning light mounted to the rear of the cab structure.	0	\$227

TECHNOLOGY PRODUCTS

SOFTWARE ENABLED ATTACHMENTS (SEA) INSTRUCTIONS

Some dealer enabled technology products require the purchase of an activation code from Cat FPS via the Internet at <https://fps.cat.com> (requires CWS account). Refer to REHS1238 & REHS8401 for instructions.

CATERPILLAR MACHINE PRICE LIST

966MXE-LR

USE	REF NO.	LANE 2 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

LANE 2 AM-NORTH OPTIONAL ATTACHMENTS (CONT.)

TECHNOLOGY PRODUCTS (Cont.)

CAT PRODUCTION MEASUREMENT (CPM) PAYLOAD WEIGHING SYSTEM

CPM includes an integrated onboard payload weighing scale with material management, cycle count & time recording and wireless production detail reporting capability.
 -Payload & cycle totals are sent wirelessly to VisionLink. (Cat Essentials subscription required.)
 -Detailed payload reports and KPI metrics can be visualized on-line and downloaded for further analysis, with a subscription to Cat Advanced Productivity. (First 6 months included with purchase of CPM; subscription fee applies thereafter. Requires PLE641 cellular Product Link.) Payload detail may also be downloaded via a wired connection between the loader and a laptop computer for analysis in VIMSpC software (requires purchase of VIMSpC software and VIMS data cable).
 -Payload tickets can be printed with an optional printer (kit only, available through the KITS-MWL price list, part number 483-5477)

Refer to <https://dealer.cat.com/payload> for complete technical specifications; operation, sales, marketing and technical support publications.

NOTES:

- 1) Demo and permanent software are available from the factory.
- 2) For field installation, permanent software can be purchased through the Caterpillar Feature Protection System and enabled by a dealer technician with Cat ET and an SEA activation code. SEA p/n 517-4683. Consult ANTARES parts distribution system for current SEA price.
- 3) Requires calibration prior to customer use. Refer to the Systems Test & Adjust manual UENR7119.

P	517-7123	CPM PAYLOAD SOFTWARE 0		\$4,960
		Includes permanent software, factory activated. Includes 6 mo. of prepaid Cat Advanced Productivity VisionLink subscription, with PLE641 cellular Product Link ONLY. (Not available in all countries. Contact PL Admin for details.)		

AUTODIG

Autodig is a software enabled attachment that controls the implement system during the bucket loading portion of a cycle to automatically load aggregate material.
NOT RECOMMENDED for hardbank or large rock loading.

P	453-3250	AUTODIG SOFTWARE 0		\$1,430
		Includes software for Aggregate Autodig. NOT RECOMMENDED for hardbank or large rock loading.		

CATERPILLAR MACHINE PRICE LIST

966MXE-LR

USE	REF NO.	LANE 2 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

LANE 2 AM-NORTH OPTIONAL ATTACHMENTS (CONT.)

GUARDS

P	390-4967	GUARD, POWERTRAIN 0 Protects bottom of transmission.		\$1,570
---	----------	--	--	---------

OTHER ATTACHMENTS

P	365-0265	OIL CHANGE SYSTEM, HIGH SPEED 0 Easy access drain line and Wiggins connector for remote engine oil drain. Provides quick, clean, and easy engine oil change without having to climb under the machine to access a gravity drain.		\$284
P	506-4370	WHEEL CHOCKS 0 Provides wheel chocks that mount to the frame.		\$486

HEATER

P	367-7379	HEATER, 120V 0 Transmission sump and engine block heater for operation below -18C (0F) or below -10C (14F) above 1600M. ONLY FOR USE WITH: 506-4548 STARTING, COLD		\$655
P	501-1065	HEATER ACCUMULATOR 0 Required for machines that will use 0W-20 Cat Cold Transmission Oil. Allowing operation below -30C (-22F).		\$1,435

QUICK COUPLERS

FUSION QUICK COUPLER

P	310-9390	QUICK COUPLER, FUSION 1,133 Factory installed Caterpillar Work Tools & Services (CWTS) fusion style coupler. ONLY FOR USE WITH: 372-7403 or 388-7402 QUICK COUPLER READY		\$7,950
---	----------	---	--	---------

LINES CONNECTING

L	323-9292	LINES GP-IMPLEMENT 3V (QC) 21 ONLY FOR USE WITH: HYDRAULICS 3V & 310-9390 QUICK COUPLER REQUIRED BY: HYDRAULICS, 3V & 310-9390 QUICK COUPLER		\$1,050
L	394-7214	LINES GP-IMPLEMENT 3V&4V (QC) 37 ONLY FOR USE WITH: HYDRAULICS 4V & 310-9390 QUICK COUPLER REQUIRED BY: HYDRAULICS, 4V & 310-9390 QUICK COUPLER		\$1,247

CATERPILLAR MACHINE PRICE LIST

966MXE-LR

USE	REF NO.	LANE 2 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

LANE 2 AM-NORTH OPTIONAL ATTACHMENTS (CONT.)

BUCKETS

Buckets must be ordered Installed on a Machine Order.
For questions on buckets intended for Machine Orders please contact your Marketing Subsidiary Machine Coordinator.

Loose buckets should be ordered on a MISC Order through Caterpillar Work Tools - Wamego using source code 0P-0672.

For availability of loose buckets please email worktools@cat.com

If you are going to order a loose bucket from CWTS and a machine from North Little Rock and if you need them shipped at the same time then you need to cross-reference the MSO's with each other.

Material density will determine the appropriate capacity bucket. Refer to the Specalog. Exceeding maxium payload may cause loader instability.

GENERAL PURPOSE PERFORMANCE SERIES BUCKETS (PIN-ON)

P	516-1409	BKTA GP ST 126" 5.5 YD3 PO	5,421	\$19,539
		PERFORMANCE SERIES BUCKET		
		INCLUDES: BOLT-ON CUTTING EDGE (BOCE)		

GENERAL PURPOSE PERFORMANCE SERIES BUCKETS (FUSION)

P	515-5842	BKTA GP ST 126" 5.5 YD3 FUS	5,055	\$19,539
		PERFORMANCE SERIES BUCKET		
		INCLUDES: BOLT-ON CUTTING EDGE (BOCE)		

INSTRUCTIONS

FILMS

P	386-7389	FILM, CPM	0	NC
		REQUIRED BY: Canada		

PACKING

WORKTOOL OMISSION

P	361-1437	OMISSION, WORKTOOL	0	NC
		This is required when ordering a machine without an installed bucket or quick coupler to protect the links.		

CATERPILLAR MACHINE PRICE LIST

966MXE-LR

USE	REF NO.	LANE 2 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

LANE 2 AM-NORTH OPTIONAL ATTACHMENTS (CONT.)

PACKING (Cont.)

DOMESTIC PACKING

0P-0309	PACK, DOMESTIC TRUCK	0	NC
	Complete machine loaded on truck.		
0P-0313	PACK, DOMESTIC RAIL	0	\$162 NET
	Complete machine loaded on rail car.		

FREIGHT, RAIL DELIVERY

0P-3994	FREIGHT, RAIL DELIVERY	0	\$-1,555 NET
	Machine credit for rail delivery when paired with a second machine from the same source facility.		
	AVAILABLE FOR: Pre-approved US and Canadian dealers		

CATERPILLAR MACHINE PRICE LIST

966MXE-LR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE SELECTION

	OP-9003	LANE 3 ORDER	0	NC
--	---------	------------------------	---	----

REGIONAL PACKAGES

L	561-7333	REGIONAL PACKAGE, AM-N INCLUDES: -ANSI Films -EPA Tier 4 Final Compliant Engine	0	\$4,930
---	----------	--	---	---------

SPECIAL ARRANGEMENTS

L	510-4179	STANDARD PACKAGE Provides machine features required in standard applications. INCLUDES: -Platform -Electrical & Hydraulic installation -Cab air filter -CPM Payload Ready & Autodig Ready Includes hardware and 250 hour CPM demo mode only. Demo mode is dealer activated. System must be calibrated prior to use. Requires purchase of software for permanent feature activation. See the Optional Technology section for software options.	0	NC
---	----------	--	---	----

L	505-0519	LOGGER PACKAGE Provides machine features required in forestry applications. INCLUDES: -Platform -Electrical & Hydraulic installation -Cab air filter REQUIRES: 506-2535 LINKAGE, LOGGER 495-1465 COUNTERWEIGHT, 2300KG	0	NC
---	----------	---	---	----

L	506-7660	INDUSTRIAL PACKAGE Provides machine features required in waste transfer stations, recycling stations, green waste and scrap applications. INCLUDES: -Platform -Electrical & Hydraulic installation -Carbon cab air filter -Standard radiator grill -Guards: hitch, bottom cab (skirt), front frame -Baffle (lift towers) RECOMMENDED WITH: 394-3949 or 394-3950 TIRES, 26.5X25 FLXPRT and 485-4387 GUARDS, LIGHT REQUIRES: 434-3950 or 372-7194 AXLES 507-6193 STARTING, STANDARD or 507-6196 STARTING, COLD 478-8372 FENDERS, NARROW 489-3299 SOUND SUPPRESSION, LOW 380-0327 GUARD, HINGED, POWERTRAIN 430-4090 GRD, TILT CYLINDER	0	\$10,640
---	----------	---	---	----------

CATERPILLAR MACHINE PRICE LIST

966MXE-LR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

BOOMS, STICKS, AND LINKAGES

LINKAGES

L	506-2533	LINKAGE, STANDARD LIFT 0		NC
		ONLY FOR USE WITH: 510-4179 STANDARD PACKAGE 506-7660 INDUSTRIAL PACKAGE		
L	520-4475	LINKAGE, HIGH LIFT 0		\$7,550
		Provides increased dump clearance of 22" (558mm) over standard lift arms.		
L	506-2535	LINKAGE, LOGGER 0		\$7,290
		Provides linkage for forestry applications. INCLUDES: -Heavy duty lift arm -Larger tilt cylinder ONLY FOR USE WITH: 505-0519 LOGGER PACKAGE		

COUNTERWEIGHT

L	367-2330	COUNTERWEIGHT, 1000KG 0		NC
		ONLY FOR USE WITH: 506-2533 LINKAGE, STANDARD LIFT		
L	372-2140	COUNTERWEIGHT, AGGREGATE 0		\$4,485
		Provides 1600 kg counterweight to use exclusively in aggregate rehandling applications. Required to conform to the CAT Wheel Loader Payload Policy. REQUIRES: L3 or L4 TIRES BUCKETS with BOCE ONLY FOR USE WITH: 510-4179 STANDARD PACKAGE 506-2533 LINKAGE, STANDARD LIFT		
		NOTE: It is recommended to use Caterpillar production measure application with aggregate counterweights to ensure compliance with Medium Wheel Loader Payload policy.		
L	495-1465	COUNTERWEIGHT, 2300KG 0		\$6,340
		ONLY FOR USE WITH: 520-4475 LINKAGE, HIGH LIFT 506-2535 LINKAGE, LOGGER		
L	391-8903	COUNTERWEIGHT, REAR GUARD 0		\$13,270
		Hinged guard protecting radiator grill and cores for machine working in confined application. Provides same stability as the standard counterweight. ONLY FOR USE WITH: 506-2533 LINKAGE, STANDARD LIFT		

POWERTRAIN

AXLE PACKAGES

Axle packages include a combination of traction aids, Ecology Drain (ED), Seal Guards (SG), and Axle Oil Cooler (AOC).

L	390-7608	AXLES, LOCK/OPEN, ED 0		\$570
		INCLUDES: -Manual front diff lock -Open rear differential -Ecology Drain CANNOT BE USED WITH: 506-7660 INDUSTRIAL PACKAGE		

CATERPILLAR MACHINE PRICE LIST

966MXE-LR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

POWERTRAIN (CONT.)

AXLE PACKAGES (Cont.)

L	369-2716	AXLES, LOCK/OPEN, ED, ETS INCLUDES: -Manual front diff lock -Open rear differential -Ecology Drain -Extreme Temp Seals CANNOT BE USED WITH: 506-7660 INDUSTRIAL PACKAGE	0	\$1,600
L	434-3950	AXLES, LOCK/OPEN, ED, SG INCLUDES: -Manual front diff lock -Open rear differential -Ecology Drain -Seal Guards	0	\$2,270
L	418-9890	AXLES, LOCK/OPEN, ED, AOC INCLUDES: -Manual front diff lock -Open rear differential -Ecology Drain -Axle Oil Coolers Provides installed oil cooler system for front & rear axles Recommended for machines operating in high energy applications, such as extended load & carry. CANNOT BE USED WITH: 506-7660 INDUSTRIAL PACKAGE	0	\$7,790
L	372-6557	AXLES, AUTO DIFF F/R, ED INCLUDES: -Automatic front and rear diff lock -Ecology Drain CANNOT BE USED WITH: 506-7660 INDUSTRIAL PACKAGE	0	\$9,010
L	434-3952	AXLES, AUTO DIFF F/R, ED, ETS INCLUDES: -Automatic front and rear diff lock -Ecology Drain -Extreme Temp Seals CANNOT BE USED WITH: 506-7660 INDUSTRIAL PACKAGE	0	\$9,970
L	372-7194	AXLES, AUTO DIFF F/R, ED, SG INCLUDES: -Automatic front and rear diff lock -Ecology Drain -Seal Guards	0	\$10,720
L	379-5615	AXLES, AUTO DIFF F/R, ED, AOC INCLUDES: -Automatic front and rear diff lock -Ecology Drain -Axle Oil Coolers Provides installed oil cooler system for front & rear axles Recommended for machines operating in high energy applications, such as extended load & carry. CANNOT BE USED WITH: 506-7660 INDUSTRIAL PACKAGE	0	\$16,160

CATERPILLAR MACHINE PRICE LIST

966MXE-LR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

HYDRAULICS

L	500-2558	HYDRAULICS, 2V RC, STD/HL 0 Provides 2 valve hydraulics and ride control. ONLY FOR USE WITH: 506-2533 LINKAGE, STANDARD LIFT 520-4475 LINKAGE, HIGH LIFT		NC
L	500-2772	HYDRAULICS, 2V RC (3V READY) 0 Provides 2 valve hydraulics (3V ready) and ride control. This will have the auxiliary hose and frame hardware installed. This will provide dealers with the flexibility of buying 3V kits to convert the machine into a 3 valve hydraulic configuration. ONLY FOR USE WITH: 506-2533 LINKAGE, STANDARD LIFT 520-4475 LINKAGE, HIGH LIFT		\$535
L	500-2559	HYDRAULICS, 3V RC, STD/SHORT 0 Provides 3 valve hydraulics and ride control. ONLY FOR USE WITH: 506-2533 LINKAGE, STANDARD LIFT		\$7,100
L	500-2561	HYDRAULICS, 3V RC, LOGGER 0 Provides 3 valve hydraulics and ride control. ONLY FOR USE WITH: 506-2534 LINKAGE, LOGGER		\$7,320
L	500-2563	HYDRAULICS, 3V RC, HIGH LIFT 0 Provides 3 valve hydraulics and ride control. ONLY FOR USE WITH: 520-4475 LINKAGE, HIGH LIFT		\$7,320
L	500-2560	HYDRAULICS, 4V RC, STD/SHORT 0 Provides 4 valve hydraulics and ride control. ONLY FOR USE WITH: 506-2533 LINKAGE, STANDARD LIFT		\$9,100
L	500-2562	HYDRAULICS, 4V RC, LOGGER 0 Provides 4 valve hydraulics and ride control. ONLY FOR USE WITH: 506-2534 LINKAGE, LOGGER		\$9,380
L	500-2564	HYDRAULICS, 4V RC, HIGH LIFT 0 Provides 4 valve hydraulics and ride control. ONLY FOR USE WITH: 520-4475 LINKAGE, HIGH LIFT		\$9,100

HYDRAULIC OIL

L	396-4672	HYDRAULIC OIL, STANDARD 0 Cat HYDO Advanced 10 allows to extend oil change intervals up to 6000 hours with S-O-S services.		NC
---	----------	--	--	----

STARTERS, BATTERIES, & ALTERNATORS

ENGINE STARTING PACKAGE

L	506-4545	STARTING, STANDARD 0 Includes 2 batteries. ONLY FOR USE WITH: 510-4179 STANDARD PACKAGE 505-0519 LOGGER PACKAGE		NC
L	506-4548	STARTING, COLD 0 Includes ether starting aid and 4 batteries on the machine for low temperatures. ONLY FOR USE WITH: 510-4179 STANDARD PACKAGE 505-0519 LOGGER PACKAGE		\$1,905

NOTE: In this configuration, the toolbox compartment is unavailable.

CATERPILLAR MACHINE PRICE LIST

966MXE-LR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

STARTERS, BATTERIES, & ALTERNATORS (CONT.)

ENGINE STARTING PACKAGE (Cont.)

L	507-6193	STARTING, STANDARD, HD 0		\$710
		Includes 2 batteries and reinforced battery box. ONLY FOR USE WITH: 506-7660 INDUSTRIAL PACKAGE		
L	507-6196	STARTING, COLD, HD 0		\$3,330
		Includes ether starting aid, 4 batteries on the machine for low temperatures, and a reinforced battery box. ONLY FOR USE WITH: 506-7660 INDUSTRIAL PACKAGE		

NOTE: In this configuration, the toolbox compartment is unavailable.

ELECTRICAL

LIGHTS

L	484-0364	LIGHTS, HALOGEN 0		NC
		INCLUDES: -2 halogen forward roading lights (low/high beam) with halogen turn signals -2 halogen rear facing working lights in the hood -2 LED position/stop/turn lights -4 halogen working lights on the cab		
L	484-0365	LIGHTS, HALOGEN, PREMIUM 0		\$865
		INCLUDES: -2 halogen forward roading lights (low/high beam) with halogen turn signals -2 halogen rear facing working lights in the hood -2 LED position/stop/turn lights -8 halogen working lights on the cab		
L	561-8776	LIGHTS, LED 0		\$2,550
		INCLUDES: -2 LED forward roading lights (low/high beam) with LED turn signals -2 LED rear facing working lights in the hood -2 LED position/stop/turn lights -4 LED working lights on the cab		
L	561-8777	LIGHTS, LED, PREMIUM 0		\$3,325
		INCLUDES: -2 LED forward roading lights (low/high beam) with LED turn signals -2 LED rear facing working lights in the hood -2 LED position/stop/turn lights -8 LED working lights on the cab		

OPERATOR ENVIRONMENT

CAB TRIM

L	546-3451	CAB TRIM, STANDARD (LHD) 0		\$67
		INCLUDES: -SEAT, STANDARD, LHD Provides steering joystick on left hand armrest and standard seat. -MIRRORS, EXTERNAL -SUN VISOR, REAR Provides pull down sun screen in rear window.		

CATERPILLAR MACHINE PRICE LIST

966MXE-LR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

CAB TRIM (Cont.)

L	546-3452	CAB TRIM, HEATED (LHD) 0		\$1,165
		INCLUDES: -SEAT, HEATED, LHD Provides steering joystick on left hand armrest and heated seat. -MIRRORS, EXTERNAL, HEATED Provides heated & powered mirrors. -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window.		
L	546-3453	CAB TRIM, VENTED (LHD) 0		\$3,835
		INCLUDES: -SEAT, HEATED & VENTILATED, LHD Provides steering joystick on left hand armrest and a heated and ventilated seat with leather trim. -MIRRORS, EXTERNAL, HEATED Provides heated & powered mirrors. -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window.		

IMPLEMENT CONTROLS

L	539-6032	SINGLE AXIS LEVERS, 2V, LHD 0		NC
		Includes 2 single action levers for implement lift and tilt controls ONLY FOR USE WITH: 500-2558 HYDRAULICS, 2V RC, STD/HL 500-2772 HYDRAULICS, 2V RC (3V READY)		
L	539-6042	SINGLE AXIS LEVERS, 3V, LHD 0		NC
		Includes: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick -1 roller switch controlling the 3rd function integrated in the joystick Includes 3 single action levers for implement lift, tilt & 3rd function controls. ONLY FOR USE WITH: 500-2559 HYDRAULICS, 3V RC, STD/SHORT 500-2561 HYDRAULICS, 3V RC, LOGGER 500-2563 HYDRAULICS, 3V RC, HIGH LIFT		
L	539-6052	SINGLE AXIS LEVERS, 4V, LHD 0		NC
		FOR USE IN LANE 3 ONLY Includes: -3 single action levers for implement lift, tilt & 3rd function controls -1 roller switch controlling the 4th function on implement pod ONLY FOR USE WITH: 500-2560 HYDRAULICS, 4V RC, STD/SHORT 500-2562 HYDRAULICS, 4V RC, LOGGER 500-2564 HYDRAULICS, 4V RC, HIGH LIFT		

CATERPILLAR MACHINE PRICE LIST

966MXE-LR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

IMPLEMENT CONTROLS (Cont.)

L	539-6037	JOYSTICK, 2V, LHD 0 Includes: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick ONLY FOR USE WITH: 500-2558 HYDRAULICS, 2V RC, STD/HL 500-2772 HYDRAULICS, 2V RC (3V READY)		\$1,085
L	539-6047	JOYSTICK, 3V, LHD 0 Includes: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick -1 roller switch controlling the 3rd function integrated in the joystick ONLY FOR USE WITH: 500-2559 HYDRAULICS, 3V RC, STD/SHORT 500-2561 HYDRAULICS, 3V RC, LOGGER 500-2563 HYDRAULICS, 3V RC, HIGH LIFT		\$1,520
L	539-6055	JOYSTICK, 4V, LHD 0 FOR USE IN LANE 3 ONLY Includes: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick -2 rollers switch controlling the 3rd & 4th functions integrated in the joystick ONLY FOR USE WITH: 500-2560 HYDRAULICS, 4V RC, STD/SHORT 500-2562 HYDRAULICS, 4V RC, LOGGER 500-2564 HYDRAULICS, 4V RC, HIGH LIFT		\$1,520

SEAT BELT

L	551-3397	SEAT BELT, 3" W/INDICATOR 0 FOR USE IN LANE 3 ONLY		\$102
---	----------	---	--	-------

STEERING

L	372-6550	STEERING, STANDARD 0		NC
L	371-1456	STEERING, SECONDARY 0		\$4,960

CATERPILLAR MACHINE PRICE LIST

966MXE-LR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet.

Authorization varies by country, please contact your Cat marketing representative with questions or click on the link below:
[HTTPS://DEALER.CAT.COM/en/bt/otd/machine-price-list.html](https://dealer.cat.com/en/bt/otd/machine-price-list.html)
 From there click on the "PRODUCT LINK Hardware Certification" link.

L	467-4622	PRODUCT LINK, CELLULAR PLE641 0 Product Link Elite series PLE641 offers expanded coverage including 3G UMTS and CDMA2000 as well as 2G GSM and CDMA cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		NC
L	467-4623	PRODUCT LINK, SATELLITE PLE631 0 Product Link Elite series PLE631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage.		\$432

COOLING

COOLING SYSTEM

L	521-9360	COOLING CORES, 9 FPI 0 Provides cooling capability up to 47C (117F) ambient. Radiator with 9 fins per inch.		NC
L	540-0608	COOLING CORES, 6 FPI 0 Provides cooling capability up to 43C (109F) ambient. Radiator with 6 fins per inch.		\$333

COOLING FAN

L	524-0310	FAN, STANDARD 0 Provides a standard load sensing hydraulically driven fan.		NC
L	524-0311	FAN, VPF, ANSI 0 FOR USE IN LANE 3 ONLY Provides an attachment reversing function to the standard hydraulically driven demand fan. This provides the ability to rotate blades and to reverse the airflow direction to remove debris from the radiator and engine enclosures while the machine is still operating. Includes automatic and manual controls for airflow reversal. Recommended for applications with a high content of airborne debris. ONLY FOR USE WITH: 561-7333 REGIONAL PACKAGE, AM-N		\$5,540

COOLANT

L	371-7066	ANTIFREEZE, -34C (-29F) 0 Premix antifreeze, -34C (-29F)		NC
---	----------	--	--	----

CATERPILLAR MACHINE PRICE LIST

966MXE-LR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

COOLING (CONT.)

COOLANT (Cont.)

L	423-2666	ANTIFREEZE, -50C (-58F) 0		\$251 NET
		Premix antifreeze, -50C (-58F)		

TIRES, RIMS, AND WHEELS

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice. However, if the tire type cannot be supplied we will contact the dealer to propose alternatives. The dealer needs to choose between an alternative tire or a "rims only" option (where available) within 72 hours. If no response is provided by the deadline, the order will default to the alternative tire and will be changed at that point. As a consequence of a possible tire change, the total machine price will be decreased or increased depending on the price of the new tire.

NOTE: All tires include rims & come in a set of 4. Tires are tubeless & non-directional unless otherwise stated.

NOTE: Other tires are available upon request.

TIRES AVAILABLE FROM BRIDGESTONE

P	395-0534	TIRES, 26.5 R25 BS VSDL * L5 0		\$7,770
		Bridgestone Radial; Tread Depth=95.5mm (120/32"); Rim=22"x25" Suitable for severe rock environments where maximum damage protection is needed. Machine oscillation is reduced.		
		CANNOT BE USED WITH: 372-2140 COUNTERWEIGHT, AGGREGATE		
P	511-5379	TIRES, 775/65R29 BS VTS * L3 0		\$4,325
		Bridgestone Radial; Tread Depth=43mm (54/32"); Rim=24"x29" Provides increased stability, floatation, damage resistance, and traction in soft to rocky underfoot conditions. Machine oscillation is reduced. Recommended for sand and forestry application.		
P	475-6250	TIRES, 26.5R25 BS VJT * L3 0		\$-6,590
		Bridgestone Radial; Tread Depth=38mm (48/32"); Rim=22"x25" Provides reduced vibration, damage resistance, and traction in soft to rocky underfoot conditions.		

TIRES AVAILABLE FROM MICHELIN

P	541-5045	TIRES, 775/65R29 MX XHA2 * L3 0		\$4,235
		Michelin Radial; Tread Depth=44mm (55/32"); Rim=24"x29" Provides increased stability, floatation, damage resistance, and traction in soft to rocky underfoot conditions. Machine oscillation is reduced. Recommended for sand and forestry application.		
P	297-3221	TIRES, 26.5R25 MX XHA2 ** L3 0		\$-4,160
		Michelin Radial; Tread Depth=41mm (52/32"); Rim=22"x25" Provides reduced vibration, damage resistance, and traction in soft to rocky underfoot conditions.		

CATERPILLAR MACHINE PRICE LIST

966MXE-LR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS (CONT.)

TIRES AVAILABLE FROM BRAWLER

P	540-4376	TIRES, 26.5X25 BR SMOOTH 0 Brawler HPS Solidflex Smooth tread solid tires pressed on to standard CAT rims. Ideal for harsh/special applications where debris is an issue, such as scrap yards, recycling centers and waste transfer stations. Machine oscillation is reduced. CANNOT BE USED WITH: COUNTERWEIGHT, AGGREGATE FENDERS, BASIC +, LOW PROFILE FENDERS, ROADING, LOW PROFILE		\$22,080
P	540-4375	TIRES, 26.5X25 BR TRACTION 0 Brawler HPS Solidflex Traction Off-the-Road (OTR) tread solid tires pressed on to standard CAT rims. Ideal for harsh/special applications on unimproved surfaces, such as brick, glass, and scrap yards where debris is not an issue. Machine oscillation is reduced. CANNOT BE USED WITH: COUNTERWEIGHT, AGGREGATE FENDERS, BASIC +, LOW PROFILE FENDERS, ROADING, LOW PROFILE		\$21,350

TIRES AVAILABLE FROM MAXAM

P	547-8403	TIRES, 26.5R25 MA MS302 **E3/L3 0 Maxam MS302 Radial; Tread Depth=39.4mm (50/32"); Rim=22"x25" 3 piece Ideally suited to higher speed applications operating on a wide variety of surfaces. Reinforced offset lugs minimize vibration at haul speeds. Excellent traction in all off-road conditions with a wide flat footprint profile for maximum stability and wear. Thick undertread for improved puncture resistance.		\$-9,560
---	----------	--	--	----------

TIRES AVAILABLE FROM FLEXPRT

P	394-3949	TIRES, 26.5X25 FLXPRT SMOOTH 0 Smooth tread tires are ideal for special applications where debris is an issue, such as scrap yards, recycling centers and waste transfer stations. Machine oscillation is reduced.		\$13,700
P	394-3950	TIRES, 26.5X25 FLXPRT TREADED 0 Off-the-Road (OTR) tires ideal for special applications on unimproved surfaces, such as brick, glass, and scrap yards where debris is not an issue. Machine oscillation is reduced.		\$7,090

TIRES/RIMS, ALLOWANCE FOR OMISSION

Dealers should contact their Application Specialist if they plan to use a tire not offered on the price list. Some tires may require axle oscillation stops or other machine modifications.

P	297-2514	RIMS ONLY, TIRES OMITTED -2,372 CANNOT BE USED WITH: 372-2140 COUNTERWEIGHT, AGGREGATE		\$-21,960
P	0P-3648	OMISSION, TIRES AND RIMS 0 CANNOT BE USED WITH: 372-2140 COUNTERWEIGHT, AGGREGATE		\$-24,050

CATERPILLAR MACHINE PRICE LIST

966MXE-LR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

GUARDS

CAB WINDOWS AND GUARDS

L	493-9621	WINDOWS, STANDARD	0	NC
L	493-9625	WINDOWS, STANDARD, FRONT GUARD Provides a front window guard.	0	\$3,540
L	493-9623	WINDOWS, STANDARD, HD GUARD Provides a front window heavy duty guard.	0	\$9,110
L	493-9624	WINDOWS, STANDARD, FULL GUARD Provides a full window guard.	0	\$12,170
L	493-9622	WINDOWS, RUBBER MOUNTED Provides front windows mounted in rubber seals.	0	\$5,080
L	503-2427	WINDOWS, RUBBER MTD, FRONT GD Provides front windows mounted in rubber seals and front window guard.	0	\$8,610

CAB FILTRATION

L	505-1519	FILTRATION, STANDARD INCLUDES: -CAB ROOF, NON-METALLIC -COVER, HVAC, NON-METALLIC	0	NC
L	505-1520	FILTRATION, STD, PRECLEANER INCLUDES: -CAB ROOF, NON-METALLIC -COVER, HVAC, NON-METALLIC -PRECLEANER, HVAC Provides a precleaner for dusty environments for cab air intake.	0	\$685
L	505-1523	FILTRATION, STD, ACF PRECLNR INCLUDES: -CAB ROOF, NON-METALLIC -COVER, HVAC, STEEL FOR ACF -ACF PRECLEANER, HVAC	0	\$1,850
L	505-1521	FILTRATION, STEEL INCLUDES: -CAB ROOF, STEEL -COVER, HVAC, STEEL	0	\$2,135
L	505-1522	FILTRATION, STEEL, ACF PRECLNR INCLUDES: -CAB ROOF, STEEL -COVER, HVAC, STEEL FOR ACF -ACF PRECLEANER, HVAC	0	\$3,480

OTHER ATTACHMENTS

ENGINE PRECLEANERS

L	324-8092	AIR INLET STANDARD, RAIN CAP Includes standard strata tubes precleaner ejecting up to 96% of debris.	0	NC
L	365-0220	PRECLEANER, TURBINE Turbine engine air inlet precleaner, to be used in extremely high dust and airborne debris environments.	0	\$715
L	365-0221	AIR INLET PRECLEANER, TRASH Turbine engine air inlet precleaner, to be used in extremely high dust and airborne debris environments with a grill protecting precleaner from large debris.	0	\$940

CATERPILLAR MACHINE PRICE LIST

966MXE-LR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

BODY

FENDERS

L	464-6677	FENDERS, BASIC + 0 ONLY FOR USE WITH: 510-4179 STANDARD PACKAGE 505-0519 LOGGER PACKAGE CANNOT BE USED WITH: TIRES, 775/65R29 (LOW PROFILE)		NC
L	464-6678	FENDERS, ROADING 0 ONLY FOR USE WITH: 510-4179 STANDARD PACKAGE 505-0519 LOGGER PACKAGE CANNOT BE USED WITH: TIRES, 775/65R29 (LOW PROFILE)		\$2,865
L	464-6679	FENDERS, BASIC +, LOW PROFILE 0 ONLY FOR USE WITH: 510-4179 STANDARD PACKAGE 505-0519 LOGGER PACKAGE TIRES, 775/65R29 (LOW PROFILE)		\$149
L	464-6680	FENDERS, ROADING, LOW PROFILE 0 ONLY FOR USE WITH: 510-4179 STANDARD PACKAGE 505-0519 LOGGER PACKAGE TIRES, 775/65R29 (LOW PROFILE)		\$3,150
L	478-8372	FENDERS, NARROW 0 Provides narrow steel front fenders, steel rear fender extensions and heavy duty hanging steel cable steps.		\$2,965

HOOD

L	391-5800	HOOD, NON-METALLIC 0		NC
---	----------	--------------------------------	--	----

SOUND SUPPRESSION

L	489-3300	SOUND SUPPRESSION, STANDARD 0 CANNOT BE USED WITH: 506-7660 INDUSTRIAL PACKAGE		NC
L	489-3299	SOUND SUPPRESSION, LOW 0		\$2,835

QUICK COUPLERS

QUICK COUPLER READY

P	0G-0386	NO QUICK COUPLER READY 0		NC
P	372-7403	QUICK COUPLER READY 0 Includes all hydraulic lines, vertical wedge activation switch in the cab. Coupler NOT included. ONLY FOR USE WITH: 506-2533 LINKAGE, STANDARD LIFT 506-2535 LINKAGE, LOGGER		\$3,955
P	388-7402	QUICK COUPLER READY, HIGH LIFT 0 Includes all hydraulic lines, vertical wedge activation switch in the cab. Coupler NOT included. ONLY FOR USE WITH: 520-4475 LINKAGE, HIGH LIFT		\$3,955

CATERPILLAR MACHINE PRICE LIST

966MXE-LR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

FLUIDS

LUBRICATION ARRANGEMENTS

MANUAL - Requires manual greasing of pin joints according to maintenance schedule. Several fittings remote located and centralize better access.

AUTOLUBE - Greases pin joints requiring daily lubrication: linkage pin joints, including bucket pins, articulation hitch, steering cylinders and rear axle trunnions.

L	495-7506	LUBRICATION, MANUAL, STD 0		NC
		ONLY FOR USE WITH: 506-2533 LINKAGE, STANDARD LIFT		
		CANNOT BE USED WITH: 388-7402 QUICK COUPLER READY, HIGH LIFT		
L	524-0300	LUBRICATION, MANUAL, HL 0		NC
		ONLY FOR USE WITH: 520-4475 LINKAGE, HIGH LIFT		
		CANNOT BE USED WITH: 388-7402 QUICK COUPLER READY, HIGH LIFT		
		372-7403 QUICK COUPLER READY		
L	524-0302	LUBRICATION, MANUAL, HL, QC RDY 0		NC
		ONLY FOR USE WITH: 506-2534 LINKAGE, HIGH LIFT		
		388-7402 QUICK COUPLER READY, HIGH LIFT		
L	495-7514	LUBRICATION, MANUAL 0		NC
		ONLY FOR USE WITH: 506-2535 LINKAGE, LOGGER		
L	495-7507	AUTOLUBE, STD LIFT 0		\$6,270
		Provides Caterpillar autolube system.		
		ONLY FOR USE WITH: 506-2533 LINKAGE, STANDARD LIFT		
L	524-0301	AUTOLUBE, HIGH LIFT 0		\$6,490
		Provides Caterpillar Autolube System for high lift.		
		ONLY FOR USE WITH: 506-2534 LINKAGE, HIGH LIFT		
		0G-0386 NO QUICK COUPLER READY		
L	524-0303	AUTOLUBE, HIGH LIFT, QC RDY 0		\$6,490
		ONLY FOR USE WITH: 506-2534 LINKAGE, HIGH LIFT		
		388-7402 QUICK COUPLER READY, HIGH LIFT		
L	495-7515	AUTOLUBE, LOGGER/SHORT LIFT 0		\$6,270
		Provides Caterpillar autolube system.		
		ONLY FOR USE WITH: 506-2535 LINKAGE, LOGGER		

CATERPILLAR MACHINE PRICE LIST

966MXE-LR

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

NOTE

CUSTOM PRODUCTS

Please contact Dealer Order Communication Solution (DOCS) for inquiries, availability and assistance. Special attachments may affect availability.

OPERATOR ENVIRONMENT

INTEGRATED OBJECT DETECTION SYSTEM.

The Cat Integrated Object Detection adds radar and alarms to the standard on-board rear vision camera to notify the operator when something is close to the rear of the machine. This system is configured with zones, and objects in those zones trigger various levels of alarms. A display screen in the cab provides visual confirmation of the objects detected by the radar, so operators can make informed decisions.

NOTE: C5 radars (below) are the preferred MWL system. C6 radars are available for regions where required, and depends on radar approval. For a list of approved countries, please visit: <https://dealer.cat.com/detect>

L	486-9204	OBJECT DETECTION 0		\$2,755
		CANNOT BE USED WITH: 391-8903 COUNTERWEIGHT, REAR GUARD		
L	486-9205	OBJECT DETN & CB RADIO READY 0		\$3,685
		INCLUDES: 486-9204 OBJECT DETECTION 372-1603 RADIO, CB (READY) CANNOT BE USED WITH: 391-8903 COUNTERWEIGHT, REAR GUARD		

RADIOS.

P	372-1603	RADIO, CB (READY) 0		\$940
		Provides adjustable mounting brackets for two radios, a 20 amp 24V to 12V converter, a CB antenna, CB cable converter, and two separate four wire connectors that contain a ground, 12V and 24 V circuits. INCLUDED IN: 486-9205 OBJECT DETN & CB RADIO READY		
P	372-1600	RADIO, AM/FM/USB/MP3 BLUETOOTH 0		\$580
		Provides AM/FM/MP3/WB/USB/AUX with integrated BlueTooth.		

VISIBILITY.

P	380-5964	SECONDARY CAMERA DISPLAY 0		\$1,730
		Provides full-time display dedicated to rear-view camera.		

SECURITY SYSTEM.

P	372-1604	SECURITY SYSTEM, MACHINE 0		\$690
		Protects from vandalism and theft by preventing unauthorized personnel from starting a machine. Machines start only after a unique MSS key is inserted into the ignition. MSS keys can be programmed to start machines only certain days or hours.		

CATERPILLAR MACHINE PRICE LIST

966MXE-LR

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

LIGHTS.

P	513-2458	LIGHTS, REVERSING STROBE 0 Provides 2 reversing white strobes.		\$271
P	491-7467	LIGHT, WARNING BEACON 0 Provides hard mounted strobe beacon on hinged (breakaway) bracket mounted to the rear of the cab structure.		\$486
P	460-7450	LIGHT, SEAT BELT WARNING 0 Provides a seat belt warning light mounted to the rear of the cab structure.		\$227

TECHNOLOGY PRODUCTS

SOFTWARE ENABLED ATTACHMENTS (SEA) INSTRUCTIONS

Some dealer enabled technology products require the purchase of an activation code from Cat FPS via the Internet at <https://fps.cat.com> (requires CWS account). Refer to REHS1238 & REHS8401 for instructions.

CATERPILLAR MACHINE PRICE LIST

966MXE-LR

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

CAT PRODUCTION MEASUREMENT (CPM) PAYLOAD WEIGHING SYSTEM

CPM includes an integrated onboard payload weighing scale with material management, cycle count & time recording and wireless production detail reporting capability.

- Payload & cycle totals are sent wirelessly to VisionLink. (Cat Essentials subscription required.)
- Detailed payload reports and KPI metrics can be visualized on-line and downloaded for further analysis, with a subscription to Cat Advanced Productivity. (First 6 months included with purchase of CPM; subscription fee applies thereafter. Requires PLE641 cellular Product Link.) Payload detail may also be downloaded via a wired connection between the loader and a laptop computer for analysis in VIMSpC software (requires purchase of VIMSpC software and VIMS data cable).
- Payload tickets can be printed with an optional printer (kit only, available through the KITS-MWL price list, part number 483-5477)

Refer to <https://dealer.cat.com/payload> for complete technical specifications; operation, sales, marketing and technical support publications.

NOTES:

- 1) Demo and permanent software are available from the factory.
- 2) For field installation, permanent software can be purchased through the Caterpillar Feature Protection System and enabled by a dealer technician with Cat ET and an SEA activation code. SEA p/n 517-4683. Consult ANTARES parts distribution system for current SEA price.
- 3) Requires calibration prior to customer use. Refer to the Systems Test & Adjust manual UENR7119.

P	517-7123	CPM PAYLOAD SOFTWARE	0	\$4,960
		Includes permanent software, factory activated. Includes 6 mo. of prepaid Cat Advanced Productivity VisionLink subscription, with PLE641 cellular Product Link ONLY. (Not available in all countries. Contact PL Admin for details.) ONLY FOR USE WITH: 510-4179 STANDARD PACKAGE		

AUTODIG

Autodig is a software enabled attachment that controls the implement system during the bucket loading portion of a cycle to automatically load aggregate material.

NOT RECOMMENDED for hardbank or large rock loading.

P	453-3250	AUTODIG SOFTWARE	0	\$1,430
		Includes software for Aggregate Autodig. NOT RECOMMENDED for hardbank or large rock loading. ONLY FOR USE WITH: 510-4179 STANDARD PACKAGE		

CATERPILLAR MACHINE PRICE LIST

966MXE-LR

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

GUARDS

L	485-4387	GUARDS, LIGHT 0 Provide protection guard for lights installed on the cab and counterweight CANNOT BE USED WITH: 493-9623 WINDOWS, STANDARD, HD GUARD		\$1,565
L	390-4967	GUARD, POWERTRAIN 0 Protects bottom of transmission. ONLY FOR USE WITH: 510-4179 STANDARD PACKAGE 505-0519 LOGGER PACKAGE		\$1,570
L	380-0327	GUARD, HINGED, POWERTRAIN 0 Hinged heavy duty guard protecting bottom of transmission. ONLY FOR USE WITH: 506-7660 INDUSTRIAL PACKAGE REQUIRED BY: 506-7660 INDUSTRIAL PACKAGE		\$3,010
L	380-0329	ACTUATOR, HINGED BELLY GUARD 0 Provides an electric actuator and switch to raise and lower the hinged heavy duty guard. ONLY FOR USE WITH: 506-7660 INDUSTRIAL PACKAGE and 380-0327 GUARD, HINGED, POWERTRAIN		\$1,015
L	430-4090	GUARD, TILT CYLINDER 0 ONLY FOR USE WITH: 506-2533 LINKAGE, STANDARD LIFT 520-4475 LINKAGE, HIGH LIFT REQUIRED BY: 506-7660 INDUSTRIAL PACKAGE		\$1,565
L	426-1490	GUARD, TILT CYLINDER 0 ONLY FOR USE WITH: 506-2535 LINKAGE, LOGGER		\$1,565

OTHER ATTACHMENTS

P	365-0265	OIL CHANGE SYSTEM, HIGH SPEED 0 Easy access drain line and Wiggins connector for remote engine oil drain. Provides quick, clean, and easy engine oil change without having to climb under the machine to access a gravity drain.		\$284
P	506-4370	WHEEL CHOCKS 0 Provides wheel chocks that mount to the frame.		\$486

HEATER

P	367-7379	HEATER, 120V 0 Transmission sump and engine block heater for operation below -18C (0F) or below -10C (14F) above 1600M. ONLY FOR USE WITH: 506-4548 STARTING, COLD 507-6196 STARTING, COLD, HD		\$655
P	501-1065	HEATER ACCUMULATOR. 0 Required for machines that will use 0W-20 Cat Cold Transmission Oil. Allowing operation below -30C (-22F).		\$1,435

CATERPILLAR MACHINE PRICE LIST

966MXE-LR

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

QUICK COUPLERS

FUSION QUICK COUPLER

P	310-9390	QUICK COUPLER, FUSION 1,133 Factory installed Caterpillar Work Tools & Services (CWTS) fusion style coupler. ONLY FOR USE WITH: 372-7403 QUICK COUPLER READY 388-7402 QUICK COUPLER READY, HIGH LIFT		\$7,950
---	----------	---	--	---------

LINES CONNECTING

L	323-9292	LINES GP-IMPLEMENT 3V (QC) 21 ONLY FOR USE WITH: HYDRAULICS 3V & 310-9390 QUICK COUPLER REQUIRED BY: HYDRAULICS, 3V & 310-9390 QUICK COUPLER		\$1,050
L	394-7214	LINES GP-IMPLEMENT 3V&4V (QC) 37 ONLY FOR USE WITH: HYDRAULICS 4V & 310-9390 QUICK COUPLER REQUIRED BY: HYDRAULICS, 4V & 310-9390 QUICK COUPLER		\$1,247

BUCKETS

Buckets must be ordered Installed on a Machine Order.
For questions on buckets intended for Machine Orders please contact your Marketing Subsidiary Machine Coordinator.

Loose buckets should be ordered on a MISC Order through Caterpillar Work Tools - Wamego using source code 0P-0672.

For availability of loose buckets please email worktools@cat.com

If you are going to order a loose bucket from CWTS and a machine from North Little Rock and if you need them shipped at the same time then you need to cross-reference the MSO's with each other.

Material density will determine the appropriate capacity bucket. Refer to the Specalog. Exceeding maximum payload may cause loader instability.

GENERAL PURPOSE PERFORMANCE SERIES BUCKETS (PIN-ON)

P	516-2406	BKTA GP ST 127" 5.00YD3 PO 5,187 PERFORMANCE SERIES BUCKET INCLUDES: BOLT-ON CUTTING EDGE (BOCE)		\$18,146
P	516-1409	BKTA GP ST 126" 5.5 YD3 PO 5,421 PERFORMANCE SERIES BUCKET INCLUDES: BOLT-ON CUTTING EDGE (BOCE)		\$19,539

CATERPILLAR MACHINE PRICE LIST

966MXE-LR

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

BUCKETS (CONT.)

WASTE HANDLING BUCKETS (PIN-ON)

P	516-2131	BKTA WD ST 132" 8.50YD3 PO Dozing style bucket INCLUDES: BOLT-ON CUTTING EDGE (BOCE) CANNOT BE USED WITH: 426-1490 GUARD, TILT CYLINDER 430-4090 GUARD, TILT CYLINDER	7,048	\$25,350
P	516-2101	BKTA WD ST 132" 8.50YD3 PO Dozing style bucket INCLUDES: RUBBER BOLT-ON CUTTING EDGE (BOCE) CANNOT BE USED WITH: 426-1490 GUARD, TILT CYLINDER 430-4090 GUARD, TILT CYLINDER	8,647	\$27,450
P	516-2103	BKTA WLC ST 132" 9.75 YD3 PO Load and Carry style bucket INCLUDES: BOLT-ON CUTTING EDGE (BOCE)	7,513	\$30,628
P	516-2145	BKTA WLC ST 132" 9.75 YD3 PO Load and Carry style bucket INCLUDES: RUBBER BOLT-ON CUTTING EDGE (BOCE)	9,112	\$32,742

GENERAL PURPOSE PERFORMANCE SERIES BUCKETS (FUSION)

P	515-5842	BKTA GP ST 126" 5.5 YD3 FUS PERFORMANCE SERIES BUCKET INCLUDES: BOLT-ON CUTTING EDGE (BOCE) ONLY FOR USE WITH: 310-9390 QUICK COUPLER, FUSION	5,055	\$19,539
---	----------	--	-------	----------

INSTRUCTIONS

FILMS

P	468-0173	FILM, FOREST ONLY FOR USE WITH: 506-2535 LINKAGE, LOGGER	0	NC
P	468-0171	FILM, WASTE ONLY FOR USE WITH: 506-7660 INDUSTRIAL PACKAGE	0	NC
P	468-0170	FILM, SCRAP ONLY FOR USE WITH: 506-7660 INDUSTRIAL PACKAGE	0	NC

PACKING

WORKTOOL OMISSION

P	361-1437	OMISSION, WORKTOOL This is required when ordering a machine without an installed bucket or quick coupler to protect the links.	0	NC
---	----------	---	---	----

PACKING

OP-0309	PACK, DOMESTIC TRUCK Complete machine loaded on truck.	0	NC
OP-0311	PACK, DOMESTIC TRUCK LESS TIRE Machine loaded on truck with tires removed.	0	\$231 NET
OP-0313	PACK, DOMESTIC RAIL Complete machine loaded on rail car.	0	\$162 NET
OP-0314	PACK, DOMESTIC RAIL LESS TIRES Machine loaded on rail car with tires removed.	0	\$395 NET

CATERPILLAR MACHINE PRICE LIST

966MXE-LR

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	------------------------	--------------------	-------------------------

PACKING (CONT.)

FREIGHT, RAIL DELIVERY

0P-3994	FREIGHT, RAIL DELIVERY 0 Machine credit for rail delivery when paired with a second machine from the same source facility. AVAILABLE FOR: Pre-approved US and Canadian dealers	\$-1,555 NET
----------------	--	---------------------