

CATERPILLAR MACHINE PRICE LIST

972M-BR

972M WHEEL LOADER
 PIRACICABA, BRAZIL

Ship Weight
 lbs

LIST PRICE
 AT DEALER

Standard Equipment:

POWERTRAIN

Brakes, full hydraulic enclosed wet-disc with Integrated Braking System (IBS)
 Brake wear indicators
 Engine, Cat 9.3
 Fan, radiator, electronically controlled, hydraulically driven, temperature sensing, on demand
 Fan, radiator, electronically controlled, hydraulically driven, temperature sensing, on demand
 Economy mode (for fuel reduction)
 Fuel priming pump (electric)
 Fuel/Water separator
 Precleaner, engine air intake
 Parking brake, disk & caliper
 Switch, transmission neutralizer lockout
 Torque converter, locking clutch with free wheel stator
 Transmission, automatic planetary power shift (4F/4R)

Mirrors, rearview external with integrated spot mirrors
 Post mounted membrane 16 switch keypad
 2 receptacles, 12V
 Seat, Cat Comfort (cloth) air suspension
 Seat belt, retractable, 76mm (3") wide with indicator
 Steering, EH joystick, speed sensing with force feedback
 Sun visor, front
 Wet-Arm wipers/washers front & rear, intermittent front wiper
 Window, sliding (left and right sides)
 Viscous mounts
 Computerized monitoring system
 With following gauges:
 -Speedometer/Tachometer
 -Digital gear range indicator
 -Temperature: engine coolant, hydraulic oil, transmission oil
 -Fuel level

ELECTRICAL

Alarm, back-up
 Alternator, 145-amp brushed
 Batteries (2), maintenance free 1400CCA
 Ignition key; start/stop switch
 Lighting system:
 -4 halogen work lights
 -2 halogen roading lights (w/ signals)
 -2 halogen rear facing lights (hood mounted)
 Rear view camera
 Main disconnect switch
 Receptacle start (cables not included)
 Starter, electric, heavy duty
 Starting and charging system (24V)

With following warning indicators:
 -Temperature: axle oil, engine intake manifold
 -Pressure: engine oil, fuel Pressure
 Hi/Low, primary steering oil, service brake oil
 -Battery voltage Hi/Low
 -Engine air filter restriction
 -Hydraulic oil filter restriction
 -Hydraulic oil Low
 -Parking brake
 -Transmission filter bypass
 Multi-function monitor :
 -Machine settings & health parameters
 CAT CONNECT (on-board, utilizing multifunction monitor)
 -180mm(7 in) color LCD touch-screen display
 -Rear-view camera image display (reverse travel activated)
 -Machine settings & health parameters
 CAT CONNECT (on-board, utilizing multi-function monitor)
 Core app software to monitor & display:
 -Total fuel consumption
 -Average fuel burn rate
 -Engine fuel consumption
 -Total idle time
 -Total operating hours
 -Travel distance (odometer)
 Basic app software to monitor & display:
 -Total idle fuel
 -Total operating hours, neutral
 -Total operating hours with hydraulic

OPERATOR ENVIRONMENT

Air conditioner, heater, and defroster (auto temp & fan)
 Beverage holders (2) with storage compartment for cell phone/MP3 player
 Bucket/Work tool function lockout
 Cab, pressurized and sound suppressed, (ROPS/FOPS), radio ready (entertainment) includes antenna, speakers & converter (12V-10amp)
 Coat hook (2)
 EH Controls, lift and tilt function
 EH Parking Brake
 Ergonomic cab access ladders & handrails
 Horn, electric
 Light, two dome (cab)

CATERPILLAR MACHINE PRICE LIST

972M-BR

972M WHEEL LOADER PIRACICABA, BRAZIL	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

OPERATOR ENVIRONMENT (CONT.)

filter in bypass

FLUIDS

Extended life coolant with freeze protection to -34C (-29F)

OTHER STANDARD EQUIPMENT

- Auto idle shutdown
- Couplings, Caterpillar O-ring face seal
- Ecology drains for engine, transmission, and hydraulics
- Ether aid ready
- Fenders, steel front with mud-flap/rear with extension
- Filters: fuel, engine air, engine oil, hydraulic oil, transmission
- Fuel cooler
- Grease zerks
- Grill, airborne debris
- Hitch, drawbar with pin
- Hood, non-metallic power tilting with rear clamshell
- Hoses, Caterpillar XT
- Hydraulic oil cooler (swing out)
- Hydraulic System, load sensing
- Kickout, lift & tilt, automatic (adjustable in cab)
- Linkage, Z-Bar, cast crosstube/tilt lever
- Oil sampling valves
- Platform, window washing
- Remote diagnostic pressure taps
- Service center (electrical & hydraulic)
- Sight gauges: engine coolant, hydraulic oil, and transmission oil level
- Steering, load sensing
- Toolbox
- Vandalism protection caplocks
- Couplings, Caterpillar O-ring face seal
- Ecology drains for engine, transmission, and hydraulics
- Ether aid ready
- Hoses, Caterpillar XT
- Hydraulic oil cooler (swing out)
- Hydraulic System, load sensing
- Oil sampling valves
- Platform, window washing
- Remote diagnostic pressure taps
- Steering, load sensing
- Vandalism protection caplocks

CATERPILLAR MACHINE PRICE LIST

972M-BR

972M WHEEL LOADER
PIRACICABA, BRAZIL

Ship Weight
lbs

LIST PRICE
AT DEALER

**Lane 2 is reserved for the Base Order Management Program.
Please use Lane 2 when placing orders that are part of the Base Order
Management program.**

CATERPILLAR MACHINE PRICE LIST

972M-BR

972M WHEEL LOADER PIRACICABA, BRAZIL	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

512-8686 972M WHEEL LOADER AM-N DCA8 0 LANE 1 - AVAILABLE FROM GALVESTON PDC	0	\$473,550
--	---	------------------

- INCLUDES:
- 364-1300 972M WHEEL LOADER
 - 509-9602 REGIONAL PACKAGE, AM-N
 - 506-4541 STANDARD PACKAGE
 - 506-2537 LINKAGE, STANDARD LIFT
 - 367-2333 COUNTERWEIGHT, 2300KG
 - 390-7610 AXLES, MANUAL DIFF FRONT, ED
 - 500-2558 HYDRAULICS, 2V RC, STD/HL
 - 396-4672 HYDRAULIC OIL, STANDARD
 - 506-4546 STARTING, COLD (120V)
 - 484-0364 LIGHTS, HALOGEN
 - 505-1539 CAB, DELUXE
 - 372-6549 STEERING, STANDARD
 - 434-0690 PRODUCT LINK READY
 - 364-9907 COOLING CORES, 9 FPI
 - 506-2531 FAN, STANDARD
 - 371-7066 ANTIFREEZE, -34C (-29F)
 - 324-8092 AIR INLET STANDARD, RAIN CAP
 - 464-6677 FENDERS, BASIC +
 - 391-5800 HOOD, NON-METALLIC
 - 422-1636 SOUND SUPPRESSION, STANDARD
 - 510-6390 LUBRICATION, MANUAL (AUTO RDY)
 - 367-9030 GUARD, POWERTRAIN
 - 511-0755 AUTODIG & CPM PAYLOAD READY

NOTE: Please refer to the Lane 1 section to complete your order.

CATERPILLAR MACHINE PRICE LIST

972M-BR

972M WHEEL LOADER PIRACICABA, BRAZIL	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

512-8687	972M WHEEL LOADER AM-N DCA9 0 LANE 1 - AVAILABLE FROM GALVESTON PDC	\$504,860
-----------------	---	------------------

- INCLUDES:
 364-1300 972M WHEEL LOADER
 509-9602 REGIONAL PACKAGE, AM-N
 506-4541 STANDARD PACKAGE
 506-2537 LINKAGE, STANDARD LIFT
 372-2141 COUNTERWEIGHT, AGGREGATE
 372-6558 AXLES, AUTO DIFF F/R, ED, AOC
 500-2558 HYDRAULICS, 2V RC, STD/HL
 396-4672 HYDRAULIC OIL, STANDARD
 506-4546 STARTING, COLD (120V)
 506-2541 LIGHTS, LED, PREMIUM
 505-1539 CAB, DELUXE
 372-6549 STEERING, STANDARD
 434-0690 PRODUCT LINK READY
 364-9907 COOLING CORES, 9 FPI
 506-2531 FAN, STANDARD
 371-7066 ANTIFREEZE, -34C (-29F)
 324-8092 AIR INLET STANDARD, RAIN CAP
 464-6680 FENDERS, ROADING, LOW PROFILE
 391-5800 HOOD, NON-METALLIC
 422-1636 SOUND SUPPRESSION, STANDARD
 495-7518 AUTOLUBE, STD
 367-9030 GUARD, POWERTRAIN
 511-0755 AUTODIG & CPM PAYLOAD READY
 506-4370 WHEEL CHOCKS

NOTE: Please refer to the Lane 1 section to complete your order.

364-1300	972M WHEEL LOADER 0 LANE 2 - AVAILABLE FROM PIRACICABA FACTORY LANE 3 - AVAILABLE FROM PIRACICABA FACTORY	\$474,360
-----------------	--	------------------

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	MANDATORY ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

LANE SELECTION

	OP-9001	LANE 1 ORDER	0	NC
--	---------	------------------------	---	----

OPERATOR ENVIRONMENT

L	503-6401	SGL AXIS LEVERS, 2V, LHD Includes 2 single action levers for implement lift & tilt controls.	0	NC
---	----------	---	---	----

TECHNOLOGY PRODUCTS

L	434-0695	PRODUCT LINK, CELLULAR PLE641 Product Link Elite series PLE641 offers expanded coverage including 3G UMTS and CDMA2000 as well as 2G GSM and CDMA cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.	0	NC
---	----------	---	---	----

TIRES, RIMS, AND WHEELS

L	297-3221	TIRES, 26.5R25 MX XHA2 ** L3	0	\$-4,160
---	----------	--	---	----------

WORKTOOLS

P	361-1437	OMISSION, WORKTOOL This is required when ordering a machine without an installed bucket or quick coupler to protect the links.	0	NC
---	----------	---	---	----

FLUIDS

CAB ANTIFREEZE

	OP-1939	ANTIFREEZE WINDSHIELD WASHER For use with machines with cab.	0	NC
--	---------	---	---	----

FUEL ANTIFREEZE

	OP-3978	FUEL ANTIFREEZE, -25C (-13F) Provides fuel (diesel) antifreeze protection down to -45C (-50F)	0	NC
--	---------	--	---	----

INSTRUCTIONS

	OP-3380	INSTRUCTIONS, ENGLISH	0	NC
	OP-3389	INSTRUCTIONS, FRENCH	0	NC

PACKING

	OP-6619	ROLL ON-ROLL OFF Machine is in mobile condition and all attachments are installed unless specified.	0	\$259 NET
--	---------	--	---	-----------

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	MANDATORY ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

PACKING (Cont.)

STORAGE PROTECTION

OP-2918	STORAGE PROTECTION	0	NC
	This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior the shipment to the customer. REQUIRED BY : ALL LANE CONFIGURATION		

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

FLUIDS

P	OP-3506	ANTIFREEZE, -50C (-58F)	0	\$251 NET
		Premix Antifreeze, -50C or -58F		

INSTRUCTIONS

CYLINDER PROTECTION

P	OP-3940	PROTECTION, CYLINDER ROD	0	NC
---	---------	------------------------------------	---	----

FILMS

P	OP-3507	FILMS, ISO	0	NC
		REQUIRED BY: Quebec		
P	386-7389	FILM, CPM	0	NC
		REQUIRED BY : CANADIAN DEALER ORDER WITH CPM		

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE SELECTION

	OP-9003	LANE 3 ORDER	0	NC
--	---------	------------------------	---	----

REGIONAL PACKAGES

L	509-9602	REGIONAL PACKAGE, AM-N FOR USE IN LANE 2 ONLY INCLUDES: -ANSI Films -EPA Tier 4 Final Compliant Engine	0	NC
L	561-7320	REGIONAL PACKAGE, AM-N FOR USE IN LANE 3 ONLY INCLUDES: -ANSI Films -EPA Tier 4 Final Compliant Engine	0	NC

SPECIAL ARRANGEMENTS

L	506-4543	STANDARD PACKAGE Provides machine features required in standard and forestry applications. INCLUDES: -Platform -Electrical & hydraulic installation -Filter cab air -Standard radiator grill -CPM Payload Ready & Autodig Ready Includes hardware and 250 hour CPM demo mode only. Demo mode is dealer activated. System must be calibrated prior to use. Requires purchase of software for permanent feature activation. See the Optional Technology section for software options.	0	\$227
---	----------	---	---	-------

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

SPECIAL ARRANGEMENTS (CONT.)

L	509-1559	CORROSION RESISTANT PACKAGE 0		\$6,330
---	----------	--	--	----------------

Minimizes the harmful effect in highly corrosive environments applications such as fertilizer handling, salt and its derivatives.

INCLUDES:

- Heavy duty alternator;
- Heavy duty switch disconnect;
- Silicon protection is applied on all the electric terminals, exposed connectors are treated with tube heat shrinkable;
- Anticorrosion vapor capsules in closed compartments;
- Turbine Pre-Cleaner.

For a complete Corrosion Protection Package, please order the following RECOMMENDED attachments:

- Cooling, Hood, Painting Group and Protection Lines.

REQUIRES:

- 365-0220 PRECLEANER, TURBINE
- 477-1658 WINDOW AR, CAB - CORROSION, OR
- 470-8894 WINDOW AR, RM - CORROSION

RECOMMENDED:

- 505-1520 FILTRATION, STD, PRECLEANER
- 483-8268 COOLING GP (6FPI) - CORROSION, OR
- 470-8890 COOLING GP (9FPI) - CORROSION
- Cores protected
- Grease points on the radiator hinges
- 470-8899 HOOD AR - CORROSION
- 522-5230 PAINTING GROUP, CORROSION (EUR)OR
- 517-2235 PAINTING GROUP, CORROSION (NACD)
- Differentiated Painting Process
- Extra Varnish protection is applied on the engine compartment, chassis internal.
- 477-1656 PROTECTION PACKAGE, LINES
- Hose couplings treated with tube heat shrinkable and sealant silicone.
- 506-2529 FAN, VPF, ISO, OR
- 506-2530 FAN, VPF, ANSI
- 495-7518 AUTOLUBE STD

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

SPECIAL ARRANGEMENTS (CONT.)

L	506-7661	INDUSTRIAL PACKAGE 0 Provides machine features required in waste transfer stations, recycling stations, green waste and scrap applications. INCLUDES: -Reinforced platform -Electrical & hydraulic installation -Carbon cab air filter -Standard Radiator grill -Guards: hitch, bottom cab (skirt), front frame -Lift cylinder baffles -Heavy duty ladder RECOMMENDED WITH: 394-3949 TIRES, 26.5X25 FLXPRT SMOOTH or 394-3950 TIRES, 26.5X25 FLXPRT TREADED and 485-4387 GUARDS, LIGHT REQUIRES: 434-3951 AXLES, LOCK/OPEN, ED, SG or 372-7194 AXLES, AUTO DIFF F/R, ED, SG and 507-6193 STARTING, STANDARD, HD or 507-6194 STARTING, COLD (120V), HD and 478-8372 FENDERS, NARROW and 465-2776 SOUND SUPPRESSION, INDUSTRIAL (NACD) or 422-1634 SOUND SUPPRESSION, LOW (EUR) and 468-0170 FILM, SCRAP or 468-0171 FILM WASTE and 380-0327 GUARD, HINGED, POWERTRAIN and 364-7246 or 426-1490 GRD, TILT CYLINDER		\$10,640
---	----------	---	--	-----------------

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

SPECIAL ARRANGEMENTS (CONT.)

L	506-7669	STEEL MILL PACKAGE 0 FOR USE IN LANE 3 ONLY Provides additional machine features required in Steel Mill applications when handling industrial material or hot slag. INCLUDES: -Film, Steel Mill -Reinforced RH platform -Electrical & hydraulic installation -Cab air filter -Radiator grill -Guards: hitch, bottom cab (skirt), front frame, transmission cooler -Ground-level parking brake override & engine shutdown switches (at rear of machine) -Hydraulic hose & electric harness insulation for protect against high temperature. RECOMMENDED: 365-0220 AIR INLET PRECLEANER, TURBINE 343-8820 SLAG BUCKET REQUIRES: 506-2540 LINKAGE STEEL MILL 441-6896 AXLES SM MANUAL FRONT, OR 441-6897 AXLES SM AUTODIFF FRONT 507-6189 HYDRAULIC 2V - RC, SM 444-7429 HYDRAULIC OIL, STEEL MILL ECOSAFE 507-6193 STARTING, COLD STD, OR 507-6194 STARTING, COLD 120V, OR 507-6195 STARTING, COLD 240V 485-3795 LIGHTS STEEL MILL 444-7433 STEERING, STEEL MILL OR 441-6886 STEERING, SECONDARY SM 507-6198 TRIM AR - SM (EHW) OR 507-6197 TRIM AR - SM (LHD) 493-9626 WINDOWS, STEEL MILL 505-1521 FILTRATION, STEEL 478-8372 FENDERS, NARROW, OR 478-8375 FENDERS, REAR EGRESS 485-6935 SOUND SUPPRESSION, STEEL MILL, HIGH SOUND , OR 485-6934 SOUND SUPPRESSION, STEEL MILL, LOW CE SOUND 495-7525 LUBRICATION, MANUAL, SM 972L, OR 495-7526 AUTOLUBE, STANDARD LIFT SM 367-9030 GUARD, POWERTRAIN 426-1490 GRD, TILT CYLINDER CANNOT BE USED WITH: 464-2465 STARTING, COLD (240V) 506-2528 VARIABLE PITCH FAN	0	\$17,510
---	----------	--	---	----------

BOOMS, STICKS, AND LINKAGES

LINKAGES

L	506-2540	LINKAGE, STEEL MILL 0 Provides the linkage with insulated hoses and unique B-Pin bearing for high temperature application. ONLY FOR USE WITH: 506-7669 STEEL MILL PACKAGE REQUIRED BY: 506-7669 STEEL MILL PACKAGE	0	\$1,785
---	----------	--	---	---------

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

BOOMS, STICKS, AND LINKAGES (CONT.)

LINKAGES (Cont.)

L	506-2537	LINKAGE, STANDARD LIFT	0	NC
L	506-2538	LINKAGE, SHORT LIFT	0	NC
L	520-4476	LINKAGE, HIGH LIFT Provides increased dump clearance of 13" (336mm) over standard lift arms.	0	\$7,550

COUNTERWEIGHT

Required to conform to the CAT Wheel Loader Payload Policy.

L	367-2333	COUNTERWEIGHT, 2300KG	0	NC
L	372-2141	COUNTERWEIGHT, AGGREGATE Provide 2875 Kg counterweight to use exclusively in aggregate rehandling applications. REQUIRES: 486-7797 STANDARD PACKAGE 386-0909 LINKAGE, STANDARD LIFT L3 or L4 TIRES BUCKETS with BOCE	0	\$4,740

NOTE: It is recommended to use Caterpillar production measure application with aggregate counterweights to ensure compliance with Medium Wheel Loader Payload policy.

POWERTRAIN

AXLE PACKAGES

Axle packages include a combination of traction aids, Ecology Drain (ED), Seal Guards (SG), and Axle Oil Cooler (AOC).

L	434-3952	AXLES, AUTO DIFF F/R, ED, ETS INCLUDES: -Automatic front and rear diff lock -Ecology Drain -Extreme Temp Seals CANNOT BE USED WITH: 506-7661 INDUSTRIAL PACKAGE 506-7669 STEEL MILL PACKAGE	0	\$9,970
L	372-6555	AXLES, MANUAL FRONT, ED, ETS INCLUDES: -Manual front diff lock -Open rear differential -Ecology Drain -Extreme Temp Seals CANNOT BE USED WITH: 506-7661 INDUSTRIAL PACKAGE 506-7669 STEEL MILL PACKAGE	0	\$1,615

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

POWERTRAIN (CONT.)

AXLE PACKAGES (Cont.)

L	390-7610	AXLES, MANUAL DIFF FRONT, ED INCLUDES: -Manual front diff lock -Open rear differential -Ecology Drain CANNOT BE USED WITH: 506-7661 INDUSTRIAL PACKAGE 506-7669 STEEL MILL PACKAGE	0	\$575
L	372-6556	AXLES, MANUAL FRONT, ED, AOC INCLUDES: -Manual front diff lock -Open rear differential -Ecology Drain -Axle Oil Cooler Provides installed oil cooler system for front & rear axles Recommended for machines operating in high energy applications, such as extended load & carry. CANNOT BE USED WITH: 506-7661 INDUSTRIAL PACKAGE 506-7669 STEEL MILL PACKAGE	0	\$7,850
L	372-6557	AXLES, AUTO DIFF F/R, ED INCLUDES: -Automatic front and rear diff lock -Ecology Drain CANNOT BE USED WITH: 506-7661 INDUSTRIAL PACKAGE 506-7669 STEEL MILL PACKAGE	0	\$9,010
L	372-6558	AXLES, AUTO DIFF F/R, ED, AOC INCLUDES: -Automatic front and rear diff lock -Ecology Drain -Axle Oil Cooler Provides installed oil cooler system for front & rear axles Recommended for machines operating in high energy applications, such as extended load & carry CANNOT BE USED WITH: 506-7661 INDUSTRIAL PACKAGE 506-7669 STEEL MILL PACKAGE	0	\$16,160
L	434-3951	AXLES, LOCK/OPEN, ED, SG	0	\$2,290
L	372-7194	AXLES, AUTO DIFF F/R, ED, SG INCLUDES: -Automatic front and rear diff lock -Ecology Drain -Seal Guards CANNOT BE USED WITH: 506-7669 STEEL MILL PACKAGE	0	\$10,720
L	441-6896	AXLES SM, OPEN/OPEN, ED ONLY FOR USE WITH: 506-7669 STEEL MILL PACKAGE REQUIRED BY: 506-7669 STEEL MILL PACKAGE	0	\$620
L	441-6897	AXLES SM, AUTO DIFF F/R,AOC,ED ONLY FOR USE WITH: 506-7669 STEEL MILL PACKAGE REQUIRED BY: 506-7669 STEEL MILL PACKAGE	0	\$17,560

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

HYDRAULICS

L	507-6189	HYDRAULICS, 2V RC, SM 0 Provides 2 valve hydraulics, ride control, and insulated hoses. ONLY FOR USE WITH: 506-7669 STEEL MILL PACKAGE REQUIRED BY: 506-7669 STEEL MILL PACKAGE		NC
L	500-2564	HYDRAULICS, 4V RC, HIGH LIFT 0 Provides 4 valve hydraulics and ride control. ONLY FOR USE WITH: 520-4476 LINKAGE, HIGH LIFT		\$9,100
L	500-2563	HYDRAULICS, 3V RC, HIGH LIFT 0 Provides 3 valve hydraulics and ride control. ONLY FOR USE WITH: 520-4476 LINKAGE, HIGH LIFT		\$7,320
L	500-2558	HYDRAULICS, 2V RC, STD/HL 0 Provides 2 valve hydraulics and ride control. ONLY FOR USE WITH: 506-2637 LINKAGE, STANDARD LIFT 520-4476 LINKAGE, HIGH LIFT		NC
L	500-2559	HYDRAULICS, 3V RC, STD/SHORT 0 Provides 3 valve hydraulics and ride control. ONLY FOR USE WITH: 506-2538 LINKAGE, SHORT LIFT		\$7,100
L	500-2560	HYDRAULICS, 4V RC, STD/SHORT 0 Provides 4 valve hydraulics and ride control. ONLY FOR USE WITH: 506-2638 LINKAGE, SHORT LIFT		\$9,100
L	501-4663	HYDRAULICS, 3V RC, STD 0 Provides 3 valve hydraulics and ride control. ONLY FOR USE WITH: 506-2637 LINKAGE, STANDARD LIFT		\$7,320
L	501-4664	HYDRAULICS, 4V RC, STD 0 Provides 4 valve hydraulics and ride control. ONLY FOR USE WITH: 506-2637 LINKAGE, STANDARD LIFT		\$9,100

HYDRAULIC OIL

L	396-4672	HYDRAULIC OIL, STANDARD 0 Cat HYDO Advanced 10 allows to extend oil change intervals up to 6000 hours with S-O-S services.		NC
L	444-7429	HYDRAULIC OIL, STEEL MILL 0 EcoSafe lubricant (FR46 Hydraulic fluid) ONLY FOR USE WITH: 506-7669 STEEL MILL PACKAGE REQUIRED BY: 506-7669 STEEL MILL PACKAGE		\$1,680

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

STARTERS, BATTERIES, & ALTERNATORS

ENGINE STARTING PACKAGE

L	507-6194	STARTING, COLD (120V), HD 0		\$2,910
		INCLUDES: -120V block heater & 4 batteries on the machine for low temperatures -reinforced LH platform -heavy duty steps -additional tire clearance ONLY FOR USE WITH: 506-7661 INDUSTRIAL PACKAGE or 506-7669 STEEL MILL PACKAGE or 509-1559 CORROSION RESISTANT PACKAGE		

NOTE: In this configuration, the toolbox compartment is unavailable.

L	507-6193	STARTING, STANDARD, HD 0		\$710
		INCLUDES: -2 batteries -reinforced LH platform -heavy duty steps -additional tire clearance ONLY FOR USE WITH: 506-7661 INDUSTRIAL PACKAGE or 506-7669 STEEL MILL PACKAGE or 509-1559 CORROSION RESISTANT PACKAGE		
L	506-4545	STARTING, STANDARD 0		NC
		Provide 2 batteries. ONLY FOR USE WITH: 506-4543 STANDARD PACKAGE or 509-1559 CORROSION RESISTANT PACKAGE		

L	506-4546	STARTING, COLD (120V) 0		\$2,025
		Provides 120V block heater and 4 batteries. ONLY FOR USE WITH: 506-4543 STANDARD PACKAGE or 509-1559 CORROSION RESISTANT PACKAGE		

NOTE: In this configuration, the toolbox compartment is unavailable.

ELECTRICAL

LIGHTS

L	506-2541	LIGHTS, LED, PREMIUM 0		\$3,325
		FOR USE IN LANE 2 ONLY INCLUDES: -2 LED forward roading lights (low/high beam) with LED turn signals -2 LED rear facing working lights in the hood -2 LED position/stop/turn lights -8 LED working lights on the cab		

L	561-8777	LIGHTS, LED, PREMIUM 0		\$3,325
		FOR USE IN LANE 3 ONLY INCLUDES: -2 LED forward roading lights (low/high beam) with LED turn signals -2 LED rear facing working lights in the hood -2 LED position/stop/turn lights -8 LED working lights on the cab		

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

ELECTRICAL (CONT.)

LIGHTS (Cont.)

L	561-8778	LIGHTS, LED, STEEL MILL 0 FOR USE IN LANE 3 ONLY INCLUDES: -4 LED forward facing work lights and 4 LED rear facing work lights, mounted on top of the cab. -2 halogen forward roading lights (low/high beam), 2 halogen rear facing work lights on the hood & 2 LED position/stop/turn lights -Multi-position roading light brackets -High temperature forward roading lights -Light guards -Insulated harness ONLY FOR USE WITH: STEEL MILL PACKAGE REQUIRED BY: STEEL MILL PACKAGE		\$2,110
L	484-0364	LIGHTS, HALOGEN 0 Includes: -2 halogen forward roading lights (low/high beam) with halogen turn signals -2 halogen rear facing working lights in the hood -2 LED position/stop/turn lights -4 halogen working lights on the cab		NC
L	484-0365	LIGHTS, HALOGEN, PREMIUM 0 Includes: -2 halogen forward roading lights (low/high beam) with halogen turn signals -2 halogen rear facing working lights in the hood -2 LED position/stop/turn lights -8 halogen working lights on the cab		\$865

OPERATOR ENVIRONMENT

IMPLEMENT SINGLE AXIS LEVERS

NOTE: Compatibility is dependent on hydraulics (2V, 3V) & seat choice.

L	495-0865	SINGLE AXIS LEVERS, 2V, LHD 0 FOR USE IN LANE 2 ONLY INCLUDES: -2 single action levers for implement lift & tilt controls		NC
L	495-0866	SINGLE AXIS LEVERS, 3V, LHD 0 FOR USE IN LANE 2 ONLY INCLUDES: -3 single action levers for implement lift, tilt & 3rd function controls		NC
L	503-6398	SINGLE AXIS LEVERS W/FNR, 2V 0 FOR USE IN LANE 2 ONLY INCLUDES: -2 single action levers for implement lift & tilt controls -FNR switch on implement pod		NC

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

IMPLEMENT SINGLE AXIS LEVERS (Cont.)

L	503-6399	SINGLE AXIS LEVERS W/FNR, 3V 0 FOR USE IN LANE 2 ONLY INCLUDES: -3 single action levers for implement lift, tilt & 3rd function controls -FNR switch on implement pod		NC
L	539-6030	SINGLE AXIS LEVERS W/FNR, 2V 0 FOR USE IN LANE 3 ONLY INCLUDES: -2 single action levers for implement lift & tilt controls -FNR switch on implement pod ONLY FOR USE WITH: 546-3449 CAB TRIM, HEATED 546-3450 CAB TRIM, VENTED 561-8838 CAB TRIM, STEEL MILL		NC
L	539-6040	SINGLE AXIS LEVERS W/FNR, 3V 0 FOR USE IN LANE 3 ONLY INCLUDES: -3 single action levers for implement lift, tilt & 3rd function controls -FNR switch on implement pod ONLY FOR USE WITH: 546-3449 CAB TRIM, HEATED 546-3450 CAB TRIM, VENTED		NC
L	539-6050	SINGLE AXIS LEVERS W/FNR, 4V 0 FOR USE IN LANE 3 ONLY INCLUDES: -3 single action levers for implement lift, tilt & 3rd function controls -1 roller switch controlling the 4th function & FNR switch on implement pod ONLY FOR USE WITH: 546-3449 CAB TRIM, HEATED 546-3450 CAB TRIM, VENTED		NC
L	539-6031	SINGLE AXIS LEVERS, 2V, LHD 0 FOR USE IN LANE 3 ONLY INCLUDES: -2 single action levers for implement lift & tilt controls ONLY FOR USE WITH: 500-2558 HYDRAULICS, 2V RC, STD/HL 500-2772 HYDRAULICS, 2V RC (3V READY)		NC
L	539-6041	SINGLE AXIS LEVERS, 3V, LHD 0 FOR USE IN LANE 3 ONLY INCLUDES: -3 single action levers for implement lift, tilt & 3rd function controls		NC
L	539-6051	SINGLE AXIS LEVERS, 4V, LHD 0 FOR USE IN LANE 3 ONLY INCLUDES: -3 single action levers for implement lift, tilt & 3rd function controls -1 roller switch controlling the 4th function on implement pod		NC

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

IMPLEMENT JOYSTICK

L	495-0872	JOYSTICK, 2V, LHD FOR USE IN LANE 2 ONLY INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick	0	\$1,085
L	495-0873	JOYSTICK, 3V, LHD FOR USE IN LANE 2 ONLY INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick -1 roller switch controlling the 3rd function integrated in the joystick	0	\$1,520
L	495-0869	JOYSTICK W/FNR, 2V FOR USE IN LANE 2 ONLY INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick	0	\$1,200
L	495-0870	JOYSTICK W/FNR, 3V FOR USE IN LANE 2 ONLY INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick -1 roller switch controlling the 3rd function integrated in the joystick	0	\$1,645
L	539-6035	JOYSTICK W/FNR, 2V FOR USE IN LANE 3 ONLY INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick ONLY FOR USE WITH: 546-3449 CAB TRIM, HEATED 546-3450 CAB TRIM, VENTED	0	\$1,200
L	539-6045	JOYSTICK W/FNR, 3V FOR USE IN LANE 3 ONLY INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick -1 roller switch controlling the 3rd function integrated in the joystick ONLY FOR USE WITH: 546-3449 CAB TRIM, HEATED 546-3450 CAB TRIM, VENTED	0	\$1,645
L	539-6053	JOYSTICK W/FNR, 4V FOR USE IN LANE 3 ONLY INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick -2 rollers switch controlling the 3rd & 4th functions integrated in the joystick ONLY FOR USE WITH: 546-3449 CAB TRIM, HEATED 546-3450 CAB TRIM, VENTED	0	\$1,645
L	539-6036	JOYSTICK, 2V, LHD FOR USE IN LANE 3 ONLY INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick	0	\$1,085

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

IMPLEMENT JOYSTICK (Cont.)

L	539-6046	JOYSTICK, 3V, LHD 0 FOR USE IN LANE 3 ONLY INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick -1 roller switch controlling the 3rd function integrated in the joystick		\$1,520
L	539-6054	JOYSTICK, 4V, LHD 0 FOR USE IN LANE 3 ONLY INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick -2 rollers switch controlling the 3rd & 4th functions integrated in the joystick		\$1,540

SEAT BELT

L	551-3397	SEAT BELT, 3" W/INDICATOR 0 FOR USE IN LANE 3 ONLY		\$102
---	----------	---	--	-------

STEERING

L	372-6549	STEERING, STANDARD 0 CANNOT BE USED WITH: 506-7669 STEEL MILL PACKAGE		NC
L	371-1455	STEERING, SECONDARY 0 CANNOT BE USED WITH: 506-7669 STEEL MILL PACKAGE		\$5,090
L	444-7433	STEERING, STEEL MILL 0 Provides insulated hoses and harnesses. ONLY FOR USE WITH: 506-7669 STEEL MILL PACKAGE REQUIRED BY: 506-7669 STEEL MILL PACKAGE		NC
L	441-6886	STEERING, SECONDARY SM 0 Provides insulated hoses and harnesses. ONLY FOR USE WITH: 506-7669 STEEL MILL PACKAGE REQUIRED BY: 506-7669 STEEL MILL PACKAGE		\$5,830

TRIM ARRANGEMENT

L	538-2773	CAB TRIM, STANDARD (LHD) 0 FOR USE IN LANE 3 ONLY INCLUDES: -SEAT, STANDARD, LHD Provides steering joystick on left hand armrest and standard seat. -MIRRORS, EXTERNAL -SUN VISOR, REAR Provides pull down sun screen in rear window.		\$68
---	----------	--	--	------

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

TRIM ARRANGEMENT (Cont.)

L	538-2774	CAB TRIM, HEATED (LHD) 0 FOR USE IN LANE 3 ONLY INCLUDES: -SEAT, HEATED, LHD Provides steering joystick on left hand armrest and heated seat. -MIRRORS, EXTERNAL, HEATED Provides heated & powered mirrors. -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window.	0	\$1,175
L	546-3449	CAB TRIM, HEATED 0 FOR USE IN LANE 3 ONLY INCLUDES: -SEAT, HEATED, EH WHEEL Provides steering wheel and heated seat. -MIRRORS, EXTERNAL, HEATED Provides heated & powered mirrors. -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window.	0	\$4,895
L	538-2775	CAB TRIM, VENTED (LHD) 0 FOR USE IN LANE 3 ONLY INCLUDES: -SEAT, HEATED & VENTILATED, LHD Provides steering joystick on left hand armrest and a heated and ventilated seat with leather trim. -MIRRORS, EXTERNAL, HEATED Provides heated & powered mirrors. -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window.	0	\$3,865
L	546-3450	CAB TRIM, VENTED 0 FOR USE IN LANE 3 ONLY INCLUDES: -SEAT, HEATED & VENTILATED, EH WHEEL Provides steering wheel and a heated and ventilated seat with leather trim. -MIRRORS, EXTERNAL, HEATED Provides heated & powered mirrors. -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window.	0	\$7,710

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

TRIM ARRANGEMENT (Cont.)

L	561-8838	CAB TRIM, STEEL MILL 0 FOR USE IN LANE 3 ONLY INCLUDES: -SEAT, STANDARD Provides steering wheel and standard seat. -MIRRORS, EXTERNAL, STEEL MILL Provides metallic mirrors for protection against high temperatures. -SUN VISOR, REAR Provides pull down sun screen in rear window. ONLY FOR USE WITH: STEEL MILL PACKAGE		\$3,950
L	561-8839	CAB TRIM, STEEL MILL (LHD) 0 FOR USE IN LANE 3 ONLY INCLUDES: -SEAT, STANDARD, LHD Provides steering joystick on left hand armrest and standard seat. -MIRRORS, EXTERNAL, STEEL MILL Provides metallic mirrors for protection against high temperatures. -SUN VISOR, REAR Provides pull down sun screen in rear window. ONLY FOR USE WITH: STEEL MILL PACKAGE		\$67

WINDOWS

L	477-1658	WINDOWS (CORROSION) 0 Provides a paint thickness which is more than two times the thickness of the standard paint, giving the cab extra resistance against corrosion. CAN NOT BE USED WITH: 464-2483 HANDRAIL, WINDSHIELD CLEANING		NC
L	470-8894	WINDOWS RM (CORROSION) 0 Provides front windows mounted in rubber seals for faster replacement, with a paint thickness which is more than two times the thickness of the standard paint, giving the cab extra resistance against corrosion. CAN NOT BE USED WITH: 464-2483 HANDRAIL, WINDSHIELD CLEANING		\$5,080
L	493-9621	WINDOWS, STANDARD 0		NC
L	493-9622	WINDOWS, RUBBER MOUNTED 0 Provides front windows mounted in rubber seals.		\$5,080
L	493-9625	WINDOWS, STANDARD, FRONT GUARD 0 Provides a front window guard.		\$3,540
L	493-9623	WINDOWS, STANDARD, HD GUARD 0 Provides a front window heavy duty guard.		\$9,110
L	493-9624	WINDOWS, STANDARD, FULL GUARD 0 Provides a full window guard.		\$12,170
L	503-2427	WINDOWS, RUBBER MTD, FRONT GD 0 Provides front windows mounted in rubber seals and front window guard.		\$8,610
L	493-9626	WINDOWS, STEEL MILL 0 Provides front windows mounted in rubber seals. Also provides infrared front glass. ONLY FOR USE WITH: 506-7669 STEEL MILL PACKAGE REQUIRED BY: 506-7669 STEEL MILL PACKAGE		\$12,170

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

FILTRATION

L	505-1519	FILTRATION, STANDARD 0 INCLUDES: -CAB ROOF, NON-METALLIC -COVER, HVAC, NON-METALLIC		NC
L	505-1520	FILTRATION, STD, PRECLEANER 0 INCLUDES: -CAB ROOF, NON-METALLIC -COVER, HVAC, NON-METALLIC -PRECLEANER, HVAC Provides a precleaner for dusty environments for cab air intake.		\$685
L	505-1521	FILTRATION, STEEL 0 INCLUDES: -CAB ROOF, STEEL -COVER, HVAC, STEEL		\$2,135
L	505-1522	FILTRATION, STEEL, ACF PRECLNR 0 INCLUDES: -CAB ROOF, STEEL -COVER, HVAC, STEEL FOR ACF -ACF PRECLEANER, HVAC		\$3,480
L	505-1523	FILTRATION, STD, ACF PRECLNR 0 INCLUDES: -CAB ROOF, NON-METALLIC -COVER, HVAC, STEEL FOR ACF -ACF PRECLEANER, HVAC		\$1,850

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet.

Availability varies by country, please contact your Cat marketing representative with questions or click on the link below:
<HTTPS://DEALER.CAT.COM/en/bt/otd/machine-price-list.html>
 From there click on the "PRODUCT LINK Hardware Certification" link.

L	434-0691	PRODUCT LINK, CELLULAR PLE641 0 Product Link Elite series PLE641 uses GSM and CDMA 3G cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		NC
L	434-0693	PRODUCT LINK, SATELLITE PLE631 0 Product Link Elite series PLE631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage.		\$432

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

COOLING

COOLING SYSTEM

L	364-9908	COOLING CORES, 6 FPI 0 FOR USE IN LANE 2 ONLY Provides cooling capability up to 43C ambient. Recommended for medium & high debris applications		\$333
L	364-9907	COOLING CORES, 9 FPI 0 FOR USE IN LANE 2 ONLY Provides cooling capability up to 47C ambient. Recommended for low & medium debris applications.		NC
L	540-0608	COOLING CORES, 6 FPI 0 FOR USE IN LANE 3 ONLY Provides cooling capability up to 43C (109F) ambient. Radiator with 6 fins per inch.		\$333
L	521-9360	COOLING CORES, 9 FPI 0 FOR USE IN LANE 3 ONLY Provides cooling capability up to 47C (117F) ambient. Radiator with 9 fins per inch.		NC
L	524-1400	COOLING CORES 6 FPI, CORROSION 0 FOR USE IN LANE 3 ONLY Provides cooling capability up to 43C (109F) ambient. Radiator with 6 fins per inch. - Cores protected (painted); - Grease points on the radiator hinges.		\$2,940
L	524-1399	COOLING CORES 9 FPI, CORROSION 0 FOR USE IN LANE 3 ONLY Provides cooling capability up to 47C (117F) ambient. Radiator with 9 fins per inch. - Cores protected (painted); - Grease points on the radiator hinges.		\$2,595

COOLING FAN

L	506-2531	FAN, STANDARD 0 FOR USE IN LANE 2 ONLY Provides a standard load sensing hydraulically driven fan.		NC
L	524-0307	FAN, STANDARD 0 FOR USE IN LANE 3 ONLY Provides a standard load sensing hydraulically driven fan.		NC
L	524-0294	FAN, VPF, ANSI 0 FOR USE IN LANE 3 ONLY Provides an attachment reversing function to the standard hydraulically driven demand fan. This provides the ability to rotate blades and to reverse the airflow direction to remove debris from the radiator and engine enclosures while the machine is still operating. Includes automatic and manual controls for airflow reversal. Recommended for applications with a high content of airborne debris.		\$5,540

COOLANT

L	371-7066	ANTIFREEZE, -34C (-29F) 0 Premix antifreeze, -34C (-29F)		NC
L	423-2666	ANTIFREEZE, -50C (-58F) 0 Premix antifreeze, -50C (-58F)		\$251 NET

Supersedes 02JAN2018
 Caterpillar: Confidential Green
 US-A-19-01 A

Subject to change without notice
 Printed in USA
 U. S. DOLLAR CURRENCY

Effective 02JAN2019
 972M-BR-023

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice. However, if the tire type cannot be supplied we will contact the dealer to propose alternatives. The dealer needs to choose between an alternative tire or a "rims only" option (where available) within 72 hours. If no response is provided by the deadline, the order will default to the alternative tire and will be changed at that point. As a consequence of a possible tire change, the total machine price will be decreased or increased depending on the price of the new tire.

NOTE: All tires include rims & come in a set of 4. Tires are tubeless & non-directional unless otherwise stated.

NOTE: Other tires are available upon request.

TIRES AVAILABLE FROM MICHELIN

P	297-3221	TIRES, 26.5R25 MX XHA2 ** L3	0	\$-4,160
P	395-0531	TIRES, 26.5 R25 MX XLDD2 * L5	0	\$16,450

TIRES AVAILABLE FROM BRIDGESTONE

L	511-5379	TIRES, 775/65R29 BS VTS * L3 FOR USE IN LANE 3 ONLY	0	\$4,325
---	----------	--	---	---------

TIRES AVAILABLE FROM MAXAM

P	547-8403	TIRES, 26.5R25 MA MS302 **E3/L3 Maxam MS302 Radial; Tread Depth=39.4mm (50/32"); Rim=22"x25" 3 piece Ideally suited to higher speed applications operating on a wide variety of surfaces. Reinforced offset lugs minimize vibration at haul speeds. Excellent traction in all off-road conditions with a wide flat footprint profile for maximum stability and wear. Thick undertread for improved puncture resistance.	0	\$-9,560
---	----------	---	---	----------

SOLID TIRES

P	540-4375	TIRES, 26.5X25 BR TRACTION FOR USE IN LANE 3 ONLY Brawler HPS Solidflex Traction Off-the-Road (OTR) tread solid tires pressed on to standard CAT rims. Ideal for harsh/special applications on unimproved surfaces, such as brick, glass, and scrap yards where debris is not an issue. Machine oscillation is reduced. CANNOT BE USED WITH: COUNTERWEIGHT, AGGREGATE	0	\$21,350
---	----------	--	---	----------

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS (CONT.)

SOLID TIRES (Cont.)

P	540-4376	TIRES, 26.5X25 BR SMOOTH 0 FOR USE IN LANE 3 ONLY Brawler HPS Solidflex Smooth tread solid tires pressed on to standard CAT rims. Ideal for harsh/special applications where debris is an issue, such as scrap yards, recycling centers and waste transfer stations. Machine oscillation is reduced. CANNOT BE USED WITH: COUNTERWEIGHT, AGGREGATE		\$22,080
---	----------	---	--	----------

TIRES/RIMS, ALLOWANCE FOR OMISSION

Dealers should contact their Application Specialist if they plan to use a tire not offered on the price list. Some tires may require axle oscillation stops or other machine modifications.

P	297-2514	RIMS ONLY, TIRES OMITTED -2,372 FOR USE IN LANE 3 ONLY		\$-21,960
P	0P-3648	OMISSION, TIRES AND RIMS 0 FOR USE IN LANE 3 ONLY		\$-24,050

OTHER ATTACHMENTS

ENGINE PRECLEANERS

L	324-8092	AIR INLET STANDARD, RAIN CAP 0 Includes standard strata tubes precleaner ejecting up to 96% of debris.		NC
L	365-0220	PRECLEANER, TURBINE. 0 Turbine engine air inlet precleaner, to be used in extremely high dust and airborne debris environments.		\$715
L	365-0221	AIR INLET PRECLEANER, TRASH 0 Lane 3 only Turbine engine air inlet precleaner, to be used in extremely high dust and airborne debris environments with a grill protecting precleaner from large debris.		\$940

BODY

FENDERS

L	464-6680	FENDERS, ROADING, LOW PROFILE 0 ONLY FOR USE WITH: 511-5379 TIRES, 775/65R29 BS VTS*L3 or 541-5045 TIRES, 775/65R29 MX XHA2 * L3		\$3,150
L	464-6679	FENDERS, BASIC +, LOW PROFILE. 0 ONLY FOR USE WITH: 511-5379 TIRES, 775/65R29 BS VTS*L3 or 541-5045 TIRES, 775/65R29 MX XHA2 * L3		\$149
L	464-6677	FENDERS, BASIC +. 0 Provide non-metallic front and rear fenders with mud flaps. CANNOT BE USED WITH: 511-5379 TIRES, 775/65R29 BS VTS*L3 541-5045 TIRES, 775/65R29 MX XHA2 * L3		NC
L	464-6678	FENDERS, ROADING 0 CANNOT BE USED WITH: 511-5379 TIRES, 775/65R29 BS VTS*L3 541-5045 TIRES, 775/65R29 MX XHA2 * L3		\$2,865

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

BODY (CONT.)

FENDERS (Cont.)

L	478-8372	FENDERS, NARROW 0 Provides narrow steel front fenders, steel rear fender extensions and heavy duty hanging steel cable steps. ONLY FOR USE WITH: 506-7661 INDUSTRIAL PACKAGE 506-7669 STEEL MILL PACKAGE CANNOT BE USED WITH: 511-5379 TIRES, 775/65R29 BS VTS*L3 541-5045 TIRES, 775/65R29 MX XHA2 * L3 REQUIRED BY: 506-7661 INDUSTRIAL PACKAGE 506-7669 STEEL MILL PACKAGE		\$2,965
L	478-8375	FENDERS, REAR EGRESS 0 Provides narrow steel front fenders, machine left hand side rear egress with handrails, machine right hand side platform, and heavy duty hanging steel cable steps. ONLY FOR USE WITH: 506-7661 INDUSTRIAL PACKAGE 506-7669 STEEL MILL PACKAGE CANNOT BE USED WITH: 511-5379 TIRES, 775/65R29 BS VTS*L3 541-5045 TIRES, 775/65R29 MX XHA2 * L3 REQUIRED BY: 506-7661 INDUSTRIAL PACKAGE 506-7669 STEEL MILL PACKAGE		\$11,570

HOOD

L	470-8899	HOOD - CORROSION 0 Grease points for the articulated Hood Pins. Provide sufficient greasing and normal hinge functioning in corrosive environment.		NC
L	391-5800	HOOD, NON-METALLIC 0		NC

SOUND SUPPRESSION

L	422-1636	SOUND SUPPRESSION, STANDARD 0		NC
L	465-2776	SOUND SUPPRESSION, INDUSTRIAL 0 ONLY FOR USE WITH: INDUSTRIAL PACKAGE		\$2,835
L	485-6935	SOUND SUPPRESSION, STEEL MILL 0 Provides insulated hoses for hydraulic sound resonator. ONLY FOR USE WITH: 506-7669 STEEL MILL PACKAGE REQUIRED BY: 506-7669 STEEL MILL PACKAGE		\$2,920

FLUIDS

LUBRICATION ARRANGEMENTS

L	524-0303	AUTOLUBE, HIGH LIFT, QC RDY 0 ONLY FOR USE WITH: 520-4476 LINKAGE, HIGH LIFT 388-7402 QUICK COUPLER READY, HIGH LIFT		\$6,490
L	524-0301	AUTOLUBE, HIGH LIFT 0 ONLY FOR USE WITH: 520-4476 LINKAGE, HIGH LIFT CANNOT BE USED WITH: 388-7402 QUICK COUPLER READY, HIGH LIFT		\$6,490

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

FLUIDS (CONT.)

LUBRICATION ARRANGEMENTS (Cont.)

L	495-7515	AUTOLUBE, LOGGER/SHORT LIFT 0 Provides Caterpillar autolube system. ONLY FOR USE WITH: 506-2538 LINKAGE, SHORT LIFT		\$6,270
L	495-7514	LUBRICATION, MANUAL 0 ONLY FOR USE WITH: 506-2538 LINKAGE, SHORT LIFT 520-4476 LINKAGE, HIGH LIFT CANNOT BE USED WITH: 388-7402 QUICK COUPLER READY, HIGH LIFT		NC
L	510-6390	LUBRICATION, MANUAL (AUTO RDY) 0		\$1,610
L	524-0305	LUBRICATION, MANUAL, HL, QC RDY 0 ONLY FOR USE WITH: 520-4476 LINKAGE, HIGH LIFT 388-7402 QUICK COUPLER READY, HIGH LIFT		NC
L	495-7517	LUBRICATION, MANUAL, STD 0 ONLY FOR USE WITH: 506-2637 LINKAGE, STANDARD LIFT		NC
L	495-7518	AUTOLUBE, STD LIFT 0 ONLY FOR USE WITH: 506-2637 LINKAGE, STANDARD LIFT		\$6,270
L	495-7525	LUBRICATION, MANUAL, SM 0 FOR USE IN LANE 3 ONLY Provides unique grease path G-Pin for extreme applications. ONLY FOR USE WITH: 506-7669 STEEL MILL PACKAGE REQUIRED BY: 506-7669 STEEL MILL PACKAGE		\$3,105
L	495-7526	AUTOLUBE, STEEL MILL 0 FOR USE IN LANE 3 ONLY INCLUDES: -Caterpillar autolube system for steel mill arrangement with cover for pump -Unique grease path G-Pin for extreme applications ONLY FOR USE WITH: 506-7669 STEEL MILL PACKAGE REQUIRED BY: 506-7669 STEEL MILL PACKAGE		\$9,370
L	524-0304	LUBRICATION, MANUAL, HL 0 ONLY FOR USE WITH: 520-4476 LINKAGE, HIGH LIFT		NC

CAB ANTIFREEZE

	0P-1939	ANTIFREEZE WINDSHIELD WASHER 0 For use with machines with cab.		NC
--	---------	--	--	----

FUEL ANTIFREEZE

	0P-3978	FUEL ANTIFREEZE, -25C (-13F) 0 Provides fuel (diesel) antifreeze protection down to -25C (-13F)		NC
--	---------	---	--	----

INSTRUCTIONS

OPERATION AND MAINTENANCE MANUAL

NOTE: Operation and maintenance Manual will be included in language requested below. REQUIRED BY: ALL LANE CONFIGURATION

	0P-3380	INSTRUCTIONS, ENGLISH 0		NC
--	---------	--	--	----

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

OPERATOR ENVIRONMENT

CAT OBJECT DETECTION.

The Cat Integrated Object Detection adds radar and alarms to the standard on-board rear vision camera to notify the operator when something is close to the rear of the machine. This system is configured with zones, and objects in those zones trigger various levels of alarms. A display screen in the cab provides visual confirmation of the objects detected by the radar, so operators can make informed decisions.

NOTE: C5 radars (below) are the preferred MWL system. C6 radars are available for regions where required, and depends on radar approval. For a list of approved countries, please visit:
<https://dealer.cat.com/detect>

L	486-9204	OBJECT DETECTION	0	\$2,755
		Provides a C5 radar.		
L	486-9205	OBJECT DETN & CB RADIO READY	0	\$3,685
		INCLUDES:		
		486-9204 OBJECT DETECTION		
		372-1603 RADIO, CB (READY)		

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

RADIOS

Bluetooth radio technology enables the use of a hands free function such as listening to music and making phone calls. Authorization varies by country, please contact your Cat marketing representative with questions or click on the link below: <https://dealer.cat.com/en/products/technology.html>

P	372-1603	RADIO, CB (READY) 0 Provides adjustable mounting brackets for two radios, a 20 amp 24V to 12V converter, a CB antenna, CB cable converter, and two separate four wire connectors that contain a ground, 12V and 24 V circuits.		\$940
P	372-1600	RADIO, AM/FM/USB/MP3 BLUETOOTH 0 Provides AM/FM/MP3/WB/USB/AUX with integrated BlueTooth.		\$580

VISIBILITY

P	380-5964	SECONDARY CAMERA DISPLAY 0 Provides full-time display dedicated to rear-view camera.		\$1,730
---	----------	--	--	---------

LIGHTS

P	491-7467	LIGHT, WARNING BEACON 0 Provides hard mounted strobe beacon on hinged (breakaway) bracket mounted to the rear of the cab structure.		\$486
P	513-2458	LIGHTS, REVERSING STROBE 0 Provides 2 reversing blue strobes.		\$271
P	460-7450	LIGHT, SEAT BELT WARNING 0 Provides a seat belt warning light mounted to the rear of the cab structure. ONLY FOR USE WITH: SEAT BELT W/INDICATOR		\$227

SECURITY SYSTEM

P	372-1604	SECURITY SYSTEM, MACHINE 0 Protects from vandalism and theft by preventing unauthorized personnel from starting a machine. Machines start only after a unique MSS key is inserted into the ignition. MSS keys can be programmed to start machines only certain days or hours.		\$690
---	----------	---	--	-------

TECHNOLOGY PRODUCTS

SOFTWARE ENABLED ATTACHMENTS (SEA) INSTRUCTIONS

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	------------------------	--------------------	-------------------------

TECHNOLOGY PRODUCTS (CONT.)

Technology apps are activated by Software Enabled Attachments (SEA). SEAs are available factory installed or can be purchased for dealer installation.

Refer to Information Release Memo (IRM) EES03 -01 (media number PELJ0138) in the Caterpillar Media Information Center for further explanation of SEAs. Select the Product Support tab and search for number PELJ0138. Refer to REHS1238 & REHS8401 for how to obtain a Factory Level Password. Contact FPS: Internet with Corporate Web Security (CWS) ([https:// fps.cat.com/](https://fps.cat.com/)).

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

CAT PRODUCTION MEASUREMENT (CPM) PAYLOAD WEIGHING SYSTEM

Cat M-series Medium Wheel Loaders are available with the Cat Production Measurement (CPM) that includes an integrated onboard payload weighing scale. This measures and/or records:

- Payload weight, material ID, truck ID, cycle (bucket dumps) count and fuel consumption
- Allows on-the-go weighing of the bucket payload during the lift cycle
- Daily payload total (tonnes/tons), productivity (tonnes/hour or tons/hour) and efficiency (tonnes/liter or tons/gal) data is reported wirelessly via Product Link to the VisionLink fleet management web portal (Cat Essentials Product Link subscription required).
- Detailed payload, productivity and efficiency data can be downloaded to a laptop computer for analysis in the optional VIMSpC software (VIMSpC and VIMS data cable are required, but VIMS is NOT required).
- Payload tickets can be printed with an optional printer

Refer to the Cat Connect Payload Technologies intranet page (<https://dealer.cat.com/payload>) for complete technical specifications; operation, sales, marketing and technical support publications.

NOTES:

- 1) Permanent software is available from the factory below.
- 2) For field installation, permanent software can be purchased through the Caterpillar Feature Protection System and enabled by a dealer technician with Cat ET and an SEA password. SEA p/n 517-4683. Consult ANTARES parts distribution system for latest SEA price.
- 3) Both demo and permanent software require calibration prior to customer use.

CALIBRATION INSTRUCTIONS

This requires calibration and set-up by either the dealer or customer. Refer to the Systems Operation Test & Adjust manual UENR7119 for system calibration, material and truck ID lists set-up and operation instructions.

P	370-3813	CPM PAYLOAD WEIGHING READY 0		\$227
		Includes hardware and demo software for CPM, dealer enabled for up to 250 hours. To activate demo software, it must be enabled by a dealer technician with Cat ET. No password is required. For permanent software activation in the field, purchase of software is required. See note 2 above for details.		
		CANNOT BE USED WITH: 506-4543 STANDARD PACKAGE		
P	453-3250	AUTODIG SOFTWARE 0		\$1,430
		Includes software for Aggregate Autodig. NOT RECOMMENDED for hardbank or large rock loading. REQUIRES: 478-1336 AUTODIG & CPM PAYLOAD, ARO		

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

CAT PRODUCTION MEASUREMENT (CPM) PAYLOAD WEIGHING SYSTEM (Cont.)

P	517-7123	CPM PAYLOAD SOFTWARE 0		\$4,960
		Includes hardware and permanent software for CPM. Software is factory enabled, but the system must be calibrated prior to customer use. See note above for calibration instructions. REQUIRES: 478-1336 AUTODIG & CPM PAYLOAD, ARO ONLY FOR USE WITH: 370-3813 CPM PAYLOAD WEIGHING READY 506-4543 STANDARD PACKAGE CANNOT BE USED WITH: 517-7122 AUTODIG + CPM PAYLOAD		

GUARDS

P	367-9030	GUARD, POWERTRAIN 0		\$1,560
		Protects bottom of transmission. REQUIRED BY: 506-7661 INDUSTRIAL PACKAGE 506-7669 STEEL MILL PACKAGE		
C	380-0327	GUARD, HINGED, POWERTRAIN 0		\$3,010
		CONTACT CUSTOM PRODUCTS FOR AVAILABILITY. Hinged heavy duty guard protecting bottom of transmission.		
C	426-1490	GUARD, TILT CYLINDER 0		\$1,565
		CONTACT CUSTOM PRODUCTS FOR AVAILABILITY. REQUIRED BY: 506-7661 INDUSTRIAL PACKAGE OR 510-6947 INDUSTRIAL PACKAGE OR 506-7669 STEEL MILL PACKAGE		
P	485-4387	GUARDS, LIGHT 0		\$1,565
		FOR USE IN LANE 3 ONLY Provide protection guard for lights installed on the cab and counterweight. CANNOT BE USED WITH: 493-9623 WINDOWS, STANDARD, HD GUARD 484-0364 LIGHTS, HALOGEN		
L	380-0329	ACTUATOR, HINGED BELLY GUARD 0		\$1,015
		Provides an electric actuator and switch to raise and lower the hinged heavy duty guard. ONLY FOR USE WITH: INDUSTRIAL PACKAGE and 380-0327 GUARD, HINGED, POWERTRAIN		

OTHER ATTACHMENTS

OIL CHANGE SYSTEM

P	365-0265	OIL CHANGE SYSTEM, HIGH SPEED 0		\$284
		Easy access drain line and Wiggins connector for remote engine oil drain. Provides quick, clean, and easy engine oil change without having to climb under the machine to access a gravity drain.		

MISCELLANEOUS ATTACHMENTS

P	506-4370	WHEEL CHOCKS 0		\$486
		Provides wheel chocks that mount to the frame.		

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

CORROSION RESISTANT OTHER ATTACHMENTS

L	477-1656	PROTECTION PACKAGE, LINES 0 Hoses treated with tube heat shrinkable and sealant silicone.		\$4,675
L	517-2235	PAINTING GROUP, CORROSION 0 Provides a paint thickness which is more than two times the thickness of the standard paint, giving the machine extra resistance against corrosion.		\$5,150

QUICK COUPLERS

P	372-7405	QUICK COUPLER READY, STD LIFT 0 Includes all hydraulic lines, vertical wedge activation switch in the cab. Coupler NOT included. ONLY FOR USE WITH: 506-2637 LINKAGE, STANDARD LIFT		\$3,990
P	388-7402	QUICK COUPLER READY, HIGH LIFT 0 Includes all hydraulic lines, vertical wedge activation switch in the cab. Coupler NOT included. ONLY FOR USE WITH: 520-4476 LINKAGE, HIGH LIFT		\$3,955
L	310-9390	QUICK COUPLER, FUSION 1,133 Factory installed Caterpillar Work Tools & Services (CWTS) Fusion style coupler. REQUIRES: QUICK COUPLER READY OP-4108 WORKTOOL'S LITERATURE		\$7,950
P	372-7403	QUICK COUPLER READY 0 Includes all hydraulic lines, vertical wedge activation switch in the cab. Coupler NOT included. ONLY FOR USE WITH: 506-2538 LINKAGE SHORT LIFT		\$3,955

WORKTOOLS LITERATURE

P	OP-4108	WORKTOOL'S LITERATURE 0 (SEBP5193)		NC
---	---------	---	--	----

LINES CONNECTING

L	323-9292	LINES GP-IMPLEMENT 3V (QC) 21 ONLY FOR USE WITH: HYDRAULICS, 3V & 310-9390 QUICK COUPLER REQUIRED BY: HYDRAULICS, 3V & 310-9390 QUICK COUPLER.		\$1,050
L	394-7214	LINES GP-IMPLEMENT 3V&4V (QC) 37 ONLY FOR USE WITH: HYDRAULICS, 4V & 310-9390 QUICK COUPLER REQUIRED BY: HYDRAULICS, 4V & 310-9390 QUICK COUPLER		\$1,247

WORK TOOLS

OMISSION WORK TOOL

P	361-1437	OMISSION, WORKTOOL 0 Required in orders configured without a work tool or QC in order to prevent from damages on the linkage.		NC
---	----------	--	--	----

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

BUCKETS

Buckets must be ordered Installed on a Machine Order.
 For questions on buckets intended for Machine Orders please contact your Marketing Subsidiary Machine Coordinator.

Loose buckets should be ordered on a MISC Order through Caterpillar Work Tools - Wamego using source code OP-0672.

For availability of loose buckets please email worktools@cat.com
 If you are going to order a loose bucket from CWTS and a machine from Aurora and if you need them shipped at the same time then you need to cross-reference the MSO's with each other.

"GET" is NOT automatically included on bucket orders. "GET" must be entered on the order with your bucket selection, unless text for bucket states otherwise. Please make the "GET" selection from the "GET" listed immediately following the bucket listing.

Recommend use of bolt-on adapter option, adapter and segment option, or bolt-on cutting edge option for general purpose buckets and material handling buckets.

Material density will determine the appropriate capacity bucket. Refer to the Specalog. Exceeding maximum payload may cause loader instability.

ALL BUCKETS ARE ALSO AVAILABLE ON A MISCELLANEOUS ORDER

110% FILL FACTOR: This capacity is calculated considering GETs installed.

GENERAL PURPOSE PERFORMANCE SERIES BUCKETS (PIN-ON)

P	368-4580	BKT FF ST 126" 6.0 YD3 PO	5,002 5,002	\$19,032 \$19,032 NI
		PERFORMANCE SERIES BUCKET		
		CAPACITIES:		
		5.75YD3(4.4M3) w/bolt-on adapters, 130"(3307mm) wide		
		6.00YD3(4.6M3) w/bolt-on adapters & segments, 130"(3307mm) wide		
		6.00YD3(4.6M3) w/bolt-on cutting edge, 127"(3220mm) wide (bucket tag)		
		110% FILL FACTOR:		
		6.75YD3(5.1M3) w/bolt-on cutting edge, 127"(3220mm) wide (bucket tag)		
P	363-5196	BKT GP ST 126" 5.5 YD3 PO	4,848 4,848	\$17,571 \$17,571 NI
		CAPACITIES:		
		5.25YD3 (4.0 m3) with bolt-on adapters		
		5.50YD3 (4.2 m3) with bolt-on adapters & segments		
		5.50YD3 (4.2 m3) with bolt-on cutting edge		
		110% FILL FACTOR:		
		6.0YD3 (4.6 m3) with GET		
		CANNOT BE USED WITH: 310-9390 QUICK COUPLER		

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

BUCKETS (CONT.)

GENERAL PURPOSE PERFORMANCE SERIES BUCKETS (PIN-ON) (Cont.)

P	348-6785	BKT GP ST 126" 6.25 YD3 PO	5,026 5,026	\$20,361 \$20,361 NI
		PERFORMANCE SERIES BUCKET CAPACITIES: 6.00YD3(4.6M3) w/bolt-on adapters, 130"(3302mm) wide 6.25YD3(4.8M3) w/bolt-on adapters & segments, 130"(3302mm) wide 6.25YD3(4.8M3) w/bolt-on cutting edge, 127"(3226mm) wide (bucket tag) 110% FILL FACTOR: 7.00YD3(5.3M3) with GETs		

AGGREGATE BUCKETS

P	416-6340	BKTA GP AB 132" 7.0 YD3 PO	6,241 6,241	\$30,147 \$30,147 NI
		INCLUDES: bolt-on cutting edge CAPACITIES: 7.00YD3(5.3M3) w/bolt-on cutting edge, 132"(3357mm) wide (bucket tag) 110% FILL FACTOR: 7.50YD3(5.8M3) with GETs REQUIRES: 372-2141 COUNTERWEIGHT, AGGREGATE		

BUCKET SLAG

P	343-8820	BKT SLG HD 128" 4.5 YD3 PO	9,136 9,136	\$42,649 \$42,649 NI
		INCLUDES: (7) weld-on K110 double-strap adapters and (1) segment group REQUIRES: (7) 345-0387 - K110 tips and FOR USE WITH: 506-7669 Steel Mill Arrangement		

GROUND ENGAGING TOOLS

CUTTING EDGE

P	100-6669	CUTTING EDGE, BOLT-ON	592	\$1,985
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER		

INSTRUCTIONS

CYLINDER PROTECTION

	0P-3940	PROTECTION, CYLINDER ROD	0	NC
		REQUIRED BY: ALL LANE CONFIGURATION.		

FILMS

P	468-0170	FILM, SCRAP	0	NC
		ONLY FOR USE WITH: 506-7661 INDUSTRIAL PACKAGE 510-6947 INSDUSTRIAL PACKAGE		
P	468-0171	FILM, WASTE	0	NC
		ONLY FOR USE WITH: 506-7661 INDUSTRIAL PACKAGE 510-6947 INSDUSTRIAL PACKAGE		

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

PACKING

EXPORT PACKING

OP-6619	ROLL ON-ROLL OFF	0		\$259 NET
	Machine is in mobile condition and all attachments are installed unless specified.			

STORAGE PROTECTION

OP-2918	STORAGE PROTECTION	0		NC
	This product is added for corrosion protection while shipping and for extended storage periods This product will need to be power washed with soapy water prior to the shipment to the customer. REQUIRED BY : ALL LANE CONFIGURATION			

ALLOWANCE FOR OMISSION

P	OP-4781	ALLOWANCE FOR OMISSION	0	\$469
		REQUIRED BY: 297-2514 RIMS ONLY, TIRES OMITTED		

SPECIAL INSTRUCTIONS

OP-2949	EXPOSITION INSTRUCTION	0		NC
	This special instruction must be selected whenever dealer is placing an order for a unit intended for use at expositions and/or trade fairs			

AM-NORTH INFORMATION

TRIM ARRANGEMENT

Information only **DO NOT** order

L	507-6197	CAB TRIM, STEEL MILL (LHD)	0	\$67
		INCLUDES: -SEAT, STANDARD, LHD Provides steering joystick on left hand armrest and standard seat. -MIRRORS, EXTERNAL, STEEL MILL Provides metallic mirrors for protection against high temperatures. -SUN VISOR, REAR Provides pull down sun screen in rear window. ONLY FOR USE WITH: 506-7669 STEEL MILL PACKAGE REQUIRED BY: 506-7669 STEEL MILL PACKAGE		

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

AM-NORTH INFORMATION (CONT.)

TRIM ARRANGEMENT (Cont.)

L	507-6198	CAB TRIM, STEEL MILL 0 INCLUDES: -SEAT, STANDARD Provides steering wheel and standard seat. -MIRRORS, EXTERNAL, STEEL MILL Provides metallic mirrors for protection against high temperatures. -SUN VISOR, REAR Provides pull down sun screen in rear window. ONLY FOR USE WITH: 506-7669 STEEL MILL PACKAGE REQUIRED BY: 506-7669 STEEL MILL PACKAGE		\$3,990
L	505-1533	CAB TRIM, VENTED 0 INCLUDES: -SEAT, HEATED & VENTILATED, EH WHEEL Provides steering wheel and a heated and ventilated seat with leather trim. -MIRRORS, EXTERNAL, HEATED -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window. ONLY FOR USE WITH: 361-1910 966M WHEEL LOADER		\$6,490
L	505-1515	CAB TRIM, HEATED (LHD) 0 INCLUDES: -SEAT, HEATED, LHD Provides steering joystick on left hand armrest and heated seat. -MIRRORS, EXTERNAL, HEATED -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window.		\$825
L	505-1532	CAB TRIM, HEATED 0 INCLUDES: -SEAT, HEATED, EH WHEEL Provides steering wheel and heated seat. -MIRRORS, EXTERNAL, HEATED -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window.		\$4,740
L	505-1514	CAB TRIM, STANDARD (LHD) 0 INCLUDES: -SEAT, STANDARD, LHD Provides steering joystick on left hand armrest and standard seat. -MIRRORS, EXTERNAL -SUN VISOR, REAR Provides pull down sun screen in rear window		\$68

CATERPILLAR MACHINE PRICE LIST

972M-BR

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

AM-NORTH INFORMATION (CONT.)

TRIM ARRANGEMENT (Cont.)

L	505-1516	CAB TRIM, VENTED (LHD) 0		\$2,605
		INCLUDES:		
		-SEAT, HEATED & VENTILATED, LHD		
		Provides steering joystick on left hand armrest and a heated and ventilated seat with leather trim.		
		-MIRRORS, EXTERNAL, HEATED		
		-DOOR, REMOTE OPENING SYSTEM		
		Provides remote manual switch allowing to open the cab door from ground level.		
		-SUN VISOR, REAR		
		Provides pull down sun screen in rear window.		

SEAT BELT

Information only **DO NOT** order

L	450-1592	SEAT BELT, 3" W/INDICATOR 0		\$102
		FOR USE IN LANE 3 ONLY		