

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

972M XE WHEEL LOADER
LITTLE ROCK, AR, USA (SAP)

Ship Weight
lbs

LIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

Brakes, full hydraulic enclosed wet-disc with rimpull & retarding effect adjustment
 Brake wear indicators
 Engine, Cat 9.3
 Cat Clean Emissions Module (CEM) with Diesel Particulate Filter (DPF) and remote Diesel Exhaust Fluid (DEF) tank & pump
 Fan, radiator, electronically controlled, hydraulically driven, temperature sensing, on demand
 Fuel priming pump (electric)
 Fuel/Water separator
 Precleaner, engine air intake
 Parking Brake, disk & caliper
 Throttle lock
 Power split continuously variable transmission

ELECTRICAL

Alarm, back-up
 Alternator, 145-amp brushed
 Batteries (2), maintenance free 1400CCA
 Ignition key; start/stop switch
 Lighting system:
 -2 forward roading lights (low/high beam with turn signals)
 -2 rear facing working lights in hood
 -2 LED position/stop/turn lights
 -4 working lights on the cab
 Main disconnect switch
 Receptacle start (cables not included)
 Starter, electric, heavy duty
 Starting and charging system (24-volt)

OPERATOR ENVIRONMENT

Air conditioner, heater, and defroster (auto temp & fan)
 Beverage holders (2) with storage compartment for cell phone/MP3 player
 Bucket/Work tool function lockout
 Cab, pressurized and sound suppressed, (ROPS/FOPS), radio ready (entertainment) includes antenna, speakers & converter (12-volt 10-amp)
 Coat hook (2)
 EH Controls, lift and tilt function
 EH Parking Brake
 Ergonomic cab access ladders & handrails
 Horn, electric
 Light, two dome (cab)
 Mirrors, rearview external with

integrated spot mirrors
 Post mounted membrane 16 switch keypad
 2 receptacles, 12-Volt
 Seat, Cat Comfort (cloth) air suspension
 Seat belt, retractable
 Steering, speed sensing with force feedback
 Sun visor, front
 Wet-Arm wipers/washers front & rear, intermittent front wiper
 Window, sliding (left and right sides)
 Viscous mounts
COMPUTERIZED MONITORING SYSTEM
 With following gauges:
 -Speedometer/Tachometer
 -Digital gear range indicator virtual
 -DEF (Diesel exhaust fluid) level
 -Temperature: engine coolant, hydraulic oil, transmission oil
 -Fuel level
 With following Warning Indicators:
 -Temperature: axle oil, engine intake manifold
 -Pressure: engine oil, fuel Pressure Hi/Low, primary steering oil, service brake oil
 -Battery voltage Hi/Low
 -Engine air filter restriction
 -Hydraulic oil filter restriction
 -Hydraulic oil Low
 -Parking brake
 -DEF level
 -Transmission filter bypass
MULTI-FUNCTION MONITOR:
 -18cm (7 in) color LCD touch-screen display
 -Rear-view camera image display (reverse travel activated)
 -Machine settings & health parameters
 -Max rimpull adjustment
 -Max travel speed adjustment
CAT CONNECT SOLUTIONS APPS (on-board, utilizing multi-function monitor)
 Core App software to monitor & display:
 -Total fuel consumption
 -Average fuel burn rate
 -Engine fuel consumption
 -Total idle time
 -Total operating hours
 -Travel distance (odometer)
 Basic App software to monitor & display:
 -Total idle fuel
 -Total operating hours, neutral
 -Total operating hours with hydraulic filter in bypass

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

972M XE WHEEL LOADER
LITTLE ROCK, AR, USA (SAP)

Ship Weight
lbs

LIST PRICE
AT DEALER

OTHER STANDARD EQUIPMENT

- Auto idle shutdown
- Couplings, Caterpillar O-ring face seal
- Ecology drains for engine, transmission, and hydraulics
- Ether aid ready
- Filters: fuel, engine air, engine oil, hydraulic oil, transmission
- Fuel cooler
- Grease zerks
- Hitch, drawbar with pin
- Hood, non-metallic power tilting
- Hoses, Caterpillar XT
- Hydraulic oil cooler (swing out)
- Hydraulic System, load sensing
- Kickout, lift & tilt, automatic (adjustable in cab)
- Linkage, Z-Bar, cast crosstube/tilt lever
- Oil sampling valves
- Platform, window washing
- Radiator grill, airborne debris
- Remote diagnostic pressure taps
- Ride control
- Service Center (electrical & hydraulic)
- Sight gauges: engine coolant, hydraulic oil, and transmission oil level
- Toolbox
- Vandalism protection caplocks

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

972M XE WHEEL LOADER
LITTLE ROCK, AR, USA (SAP)

Ship Weight
lbs

LIST PRICE
AT DEALER

**Lane 2 is reserved for the Base Order Management program.
Please use Lane 2 when placing orders that are part of the Base Order
Management program.**

| | | | |
|-----------------|---|----------|------------------|
| 379-5609 | 972M XE WHEEL LOADER | 0 | \$501,610 |
| | LANE 2 - AVAILABLE FROM NORTH LITTLE ROCK FACTORY | | |
| | LANE 3 - AVAILABLE FROM NORTH LITTLE ROCK FACTORY | | |

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

| USE | REF NO. | LANE 2 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------|-----------------|----------------------|
|-----|---------|------------------|-----------------|----------------------|

LANE 2 AM-NORTH MANDATORY ATTACHMENTS

LANE SELECTION

| | | | |
|---------|--|---|----|
| OP-9002 | LANE 2 ORDER | 0 | NC |
| | Only for dealers enrolled in the Base Orders Management (BOM) program. | | |

REGIONAL PACKAGES

| | | | | |
|---|----------|--|---|---------|
| L | 561-7333 | REGIONAL PACKAGE, AM-N | 0 | \$4,930 |
| | | INCLUDES: -ANSI Films -EPA Tier 4 Final Compliant Engine | | |
| L | 561-7334 | REGIONAL PACKAGE, QUEBEC | 0 | NC |
| | | INCLUDES: -ISO Films -EPA Tier 4 Final Compliant Engine | | |

SPECIAL ARRANGEMENTS

| | | | | |
|---|----------|---|---|----|
| L | 510-4179 | STANDARD PACKAGE | 0 | NC |
| | | Provides machine features required in standard and forestry applications. INCLUDES: -Platform -Electrical & hydraulic installation -Cab air filter -Standard radiator grill -CPM Payload Ready & Autodig Ready Includes hardware and 250 hour CPM demo mode only. Demo mode is dealer activated. System must be calibrated prior to use. Requires purchase of software for permanent feature activation. See the Optional Technology section for software options. | | |

BOOMS, STICKS, AND LINKAGES

LINKAGES

| | | | | |
|---|----------|----------------------------------|---|----|
| L | 506-2537 | LINKAGE, STANDARD LIFT | 0 | NC |
|---|----------|----------------------------------|---|----|

COUNTERWEIGHT

| | | | | |
|---|----------|---------------------------------|---|----|
| L | 367-2333 | COUNTERWEIGHT, 2300KG | 0 | NC |
|---|----------|---------------------------------|---|----|

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

| USE | REF NO. | LANE 2 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------|-----------------|----------------------|
|-----|---------|------------------|-----------------|----------------------|

LANE 2 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

BOOMS, STICKS, AND LINKAGES (Cont.)

| | | | | |
|---|----------|---|--|---------|
| L | 372-2141 | COUNTERWEIGHT, AGGREGATE 0 Provide 2875 Kg counterweight to use exclusively in aggregate rehandling applications. REQUIRES: L3 or L4 TIRES BUCKETS with BOCE | | \$4,740 |
|---|----------|---|--|---------|

NOTE: It is recommended to use Caterpillar production measure application with aggregate counterweights to ensure compliance with Medium Wheel Loader Payload policy.

POWERTRAIN

AXLE PACKAGES

Axle packages include a combination of traction aids, Ecology Drain (ED), Seal Guards (SG), and Axle Oil Cooler (AOC).

| | | | | |
|---|----------|---|--|---------|
| L | 390-7610 | AXLES, MANUAL DIFF FRONT, ED 0 Includes: -Manual front diff lock -Open rear differential -Ecology Drain | | \$575 |
| L | 372-6557 | AXLES, AUTO DIFF F/R, ED 0 Includes: -Automatic front and rear diff lock -Ecology Drain | | \$9,010 |

HYDRAULICS

| | | | | |
|---|----------|--|--|---------|
| L | 500-2558 | HYDRAULICS, 2V RC, STD/HL 0 Provides 2 valve hydraulics and ride control. | | NC |
| L | 501-4663 | HYDRAULICS, 3V RC, STD 0 Provides 3 valve hydraulics and ride control. | | \$7,320 |

HYDRAULIC OIL

| | | | | |
|---|----------|---|--|----|
| L | 396-4672 | HYDRAULIC OIL, STANDARD 0 Cat HYDO Advanced 10 allows to extend oil change intervals up to 6000 hours with S-O-S services. | | NC |
|---|----------|---|--|----|

STARTERS, BATTERIES, & ALTERNATORS

ENGINE STARTING PACKAGE

| | | | | |
|---|----------|---|--|----|
| L | 506-4545 | STARTING, STANDARD 0 Includes 2 batteries. | | NC |
|---|----------|---|--|----|

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

| USE | REF NO. | LANE 2 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------|-----------------|----------------------|
|-----|---------|------------------|-----------------|----------------------|

LANE 2 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

STARTERS, BATTERIES, & ALTERNATORS (Cont.)

| | | | | |
|---|----------|--|--|---------|
| L | 506-4548 | STARTING, COLD 0 Includes ether starting aid and 4 batteries on the machine for low temperatures. | | \$1,905 |
|---|----------|--|--|---------|

NOTE: In this configuration, the toolbox compartment is unavailable.

ELECTRICAL

LIGHTS

| | | | | |
|---|----------|--|--|----|
| L | 484-0364 | LIGHTS, HALOGEN 0 Includes: -2 halogen forward roading lights (low/high beam) with halogen turn signals -2 halogen rear facing working lights in the hood -2 LED position/stop/turn lights -4 halogen working lights on the cab | | NC |
|---|----------|--|--|----|

| | | | | |
|---|----------|---|--|-------|
| L | 484-0365 | LIGHTS, HALOGEN, PREMIUM 0 Includes: -2 halogen forward roading lights (low/high beam) with halogen turn signals -2 halogen rear facing working lights in the hood -2 LED position/stop/turn lights -8 halogen working lights on the cab | | \$865 |
|---|----------|---|--|-------|

| | | | | |
|---|----------|--|--|---------|
| L | 561-8776 | LIGHTS, LED 0 INCLUDES: -2 LED forward roading lights (low/high beam) with LED turn signals -2 LED rear facing working lights in the hood -2 LED position/stop/turn lights -4 LED working lights on the cab | | \$2,550 |
|---|----------|--|--|---------|

| | | | | |
|---|----------|---|--|---------|
| L | 561-8777 | LIGHTS, LED, PREMIUM 0 INCLUDES: -2 LED forward roading lights (low/high beam) with LED turn signals -2 LED rear facing working lights in the hood -2 LED position/stop/turn lights -8 LED working lights on the cab | | \$3,325 |
|---|----------|---|--|---------|

OPERATOR ENVIRONMENT

CAB PACKAGES

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

| USE | REF NO. | LANE 2 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------|-----------------|----------------------|
|-----|---------|------------------|-----------------|----------------------|

LANE 2 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

OPERATOR ENVIRONMENT (Cont.)

| | | | | |
|---|----------|---|--|---------|
| L | 545-7191 | CAB, STANDARD 0 | | \$1,795 |
| | | INCLUDES: 546-3451 CAB TRIM, STANDARD (LHD) -SEAT, STANDARD, LHD -MIRRORS, EXTERNAL -SUN VISOR, REAR 493-9621 WINDOWS, STANDARD 551-3397 SEAT BELT, 3" W/INDICATOR 505-1519 FILTRATION, STANDARD -CAB ROOF, NON-METALLIC -COVER, HVAC, NON-METALLIC 372-1603 RADIO, CB (READY) 372-1600 RADIO, AM/FM/USB/MP3 BLUETOOTH | | |
| L | 545-7192 | CAB, DELUXE 0 | | \$2,960 |
| | | INCLUDES: 546-3452 CAB TRIM, HEATED (LHD) -SEAT, HEATED, LHD -MIRRORS, EXTERNAL, HEATED -DOOR, REMOTE OPENING SYSTEM -SUN VISOR, REAR 493-9621 WINDOWS, STANDARD 551-3397 SEAT BELT, 3" W/INDICATOR 505-1519 FILTRATION, STANDARD -CAB ROOF, NON-METALLIC -COVER, HVAC, NON-METALLIC 372-1603 RADIO, CB (READY) 372-1600 RADIO, AM/FM/USB/MP3 BLUETOOTH | | |

IMPLEMENT CONTROLS

| | | | | |
|---|----------|---|--|---------|
| L | 539-6032 | SINGLE AXIS LEVERS, 2V, LHD 0 | | NC |
| | | Includes 2 single action levers for implement lift and tilt controls | | |
| L | 539-6042 | SINGLE AXIS LEVERS, 3V, LHD 0 | | NC |
| | | Includes 3 single action levers for implement lift, tilt & 3rd function controls. | | |
| L | 539-6037 | JOYSTICK, 2V, LHD 0 | | \$1,085 |
| | | Includes: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick | | |
| L | 539-6047 | JOYSTICK, 3V, LHD 0 | | \$1,520 |
| | | Includes: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick -1 roller switch controlling the 3rd function integrated in the joystick | | |

STEERING

| | | | | |
|---|----------|---------------------------------------|--|----|
| L | 372-6550 | STEERING, STANDARD 0 | | NC |
|---|----------|---------------------------------------|--|----|

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

| USE | REF NO. | LANE 2 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------|-----------------|----------------------|
|-----|---------|------------------|-----------------|----------------------|

LANE 2 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

OPERATOR ENVIRONMENT (Cont.)

| | | | | |
|---|----------|-------------------------------|---|---------|
| L | 371-1456 | STEERING, SECONDARY | 0 | \$4,960 |
|---|----------|-------------------------------|---|---------|

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet.

Authorization varies by country, please contact your Cat marketing representative with questions or click on the link below:
[HTTPS://DEALER.CAT.COM/en/bt/otd/machine-price-list.html](https://dealer.cat.com/en/bt/otd/machine-price-list.html)
From there click on the 'PRODUCT LINK Hardware Certification' link.

| | | | | |
|---|----------|---|---|-------|
| L | 467-4622 | PRODUCT LINK, CELLULAR PLE641 Product Link Elite series PLE641 offers expanded coverage including 3G UMTS and CDMA2000 as well as 2G GSM and CDMA cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data. | 0 | NC |
| L | 467-4623 | PRODUCT LINK, SATELLITE PLE631 Product Link Elite series PLE631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage. | 0 | \$432 |

COOLING

COOLING SYSTEM

| | | | | |
|---|----------|---|---|-------|
| L | 521-9360 | COOLING CORES, 9 FPI Provides cooling capability up to 47C (117F) ambient. Radiator with 9 fins per inch. | 0 | NC |
| L | 540-0608 | COOLING CORES, 6 FPI Provides cooling capability up to 43C (109F) ambient. Radiator with 6 fins per inch. | 0 | \$333 |

COOLING FAN

| | | | | |
|---|----------|---|---|----|
| L | 524-0310 | FAN, STANDARD Provides a standard load sensing hydraulically driven fan. | 0 | NC |
|---|----------|---|---|----|

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

| USE | REF NO. | LANE 2 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------|-----------------|----------------------|
|-----|---------|------------------|-----------------|----------------------|

LANE 2 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

COOLING (Cont.)

COOLANT

| | | | | |
|---|----------|-----------------------------------|---|-----------|
| L | 371-7066 | ANTIFREEZE, -34C (-29F) | 0 | NC |
| | | Premix antifreeze, -34C (-29F) | | |
| L | 423-2666 | ANTIFREEZE, -50C (-58F) | 0 | \$251 NET |
| | | Premix antifreeze, -50C (-58F) | | |

TIRES, RIMS, AND WHEELS

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice. However, if the tire type cannot be supplied we will contact the dealer to propose alternatives. The dealer needs to choose between an alternative tire or a "rims only" option (where available) within 72 hours. If no response is provided by the deadline, the order will default to the alternative tire and will be changed at that point. As a consequence of a possible tire change, the total machine price will be decreased or increased depending on the price of the new tire.

NOTE: All tires include rims & come in a set of 4. Tires are tubeless & non-directional unless otherwise stated.

NOTE: Other tires are available upon request.

TIRES AVAILABLE FROM BRIDGESTONE

| | | | | |
|---|----------|---|---|----------|
| P | 511-5379 | TIRES, 775/65R29 BS VTS * L3 | 0 | \$4,325 |
| | | Bridgestone Radial; Tread Depth=43mm (54/32"); Rim=24"x29" Provides increased stability, floatation, damage resistance, and traction in soft to rocky underfoot conditions. Machine oscillation is reduced. Recommended for sand and forestry application. | | |
| P | 475-6250 | TIRES, 26.5R25 BS VJT * L3 | 0 | \$-6,590 |
| | | Bridgestone Radial; Tread Depth=38mm (48/32"); Rim=22"x25" Provides reduced vibration, damage resistance, and traction in soft to rocky underfoot conditions. | | |

TIRES AVAILABLE FROM MICHELIN

| | | | | |
|---|----------|---|---|----------|
| P | 297-3221 | TIRES, 26.5R25 MX XHA2 ** L3 | 0 | \$-4,160 |
| | | Michelin Radial; Tread Depth=41mm (52/32"); Rim=22"x25" Provides reduced vibration, damage resistance, and traction in soft to rocky underfoot conditions. | | |

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

| USE | REF NO. | LANE 2 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------|-----------------|----------------------|
|-----|---------|------------------|-----------------|----------------------|

LANE 2 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

TIRES, RIMS, AND WHEELS (Cont.)

TIRES AVAILABLE FROM MAXAM

| | | | | |
|---|----------|---|--|----------|
| P | 547-8403 | TIRES,26.5R25 MA MS302 **E3/L3 0 Maxam MS302 Radial; Tread Depth=39.4mm (50/32"); Rim=22"x25" 3 piece Ideally suited to higher speed applications operating on a wide variety of surfaces. Reinforced offset lugs minimize vibration at haul speeds. Excellent traction in all off-road conditions with a wide flat footprint profile for maximum stability and wear. Thick undertread for improved puncture resistance. | | \$-9,560 |
|---|----------|---|--|----------|

OTHER ATTACHMENTS

ENGINE PRECLEANERS

| | | | | |
|---|----------|---|--|-------|
| L | 324-8092 | AIR INLET STANDARD, RAIN CAP 0 Includes standard strata tubes precleaner ejecting up to 96% of debris. | | NC |
| L | 365-0220 | PRECLEANER, TURBINE. 0 Turbine engine air inlet precleaner, to be used in extremely high dust and airborne debris environments. | | \$715 |

BODY

FENDERS

| | | | | |
|---|----------|---|--|---------|
| L | 464-6677 | FENDERS, BASIC +. 0 CANNOT BE USED WITH: TIRES, 775/65R29 (LOW PROFILE) | | NC |
| L | 464-6678 | FENDERS, ROADING 0 CANNOT BE USED WITH: TIRES, 775/65R29 (LOW PROFILE) | | \$2,865 |
| L | 464-6679 | FENDERS, BASIC +, LOW PROFILE. 0 ONLY FOR USE WITH: TIRES, 775/65R29 (LOW PROFILE) | | \$149 |
| L | 464-6680 | FENDERS, ROADING, LOW PROFILE 0 ONLY FOR USE WITH: TIRES, 775/65R29 (LOW PROFILE) | | \$3,150 |

HOOD

| | | | | |
|---|----------|---------------------------------------|--|----|
| L | 391-5800 | HOOD, NON-METALLIC 0 | | NC |
|---|----------|---------------------------------------|--|----|

SOUND SUPPRESSION

| | | | | |
|---|----------|--|--|----|
| L | 489-3300 | SOUND SUPPRESSION, STANDARD 0 | | NC |
|---|----------|--|--|----|

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

| USE | REF NO. | LANE 2 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------|-----------------|----------------------|
|-----|---------|------------------|-----------------|----------------------|

LANE 2 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

QUICK COUPLERS

QUICK COUPLER READY

| | | | | |
|---|----------|--|---|---------|
| P | 0G-0386 | NO QUICK COUPLER READY | 0 | NC |
| P | 372-7405 | QUICK COUPLER READY, STD LIFT Includes all hydraulic lines, vertical wedge activation switch in the cab. Coupler NOT included. | 0 | \$3,990 |

FLUIDS

LUBRICATION ARRANGEMENTS

| | | | | |
|---|----------|---|---|---------|
| L | 495-7517 | LUBRICATION, MANUAL, STD | 0 | NC |
| L | 495-7518 | AUTOLUBE, STD LIFT Provides Caterpillar autolube system. | 0 | \$6,270 |

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

| USE | REF NO. | LANE 2 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|-----------------|-----------------|----------------------|
|-----|---------|-----------------|-----------------|----------------------|

LANE 2 AM-NORTH OPTIONAL ATTACHMENTS

OPERATOR ENVIRONMENT

INTEGRATED OBJECT DETECTION SYSTEM

The Cat Integrated Object Detection adds radar and alarms to the standard on-board rear vision camera to notify the operator when something is close to the rear of the machine. This system is configured with zones, and objects in those zones trigger various levels of alarms. A display screen in the cab provides visual confirmation of the objects detected by the radar, so operators can make informed decisions.

NOTE: C5 radars (below) are the preferred MWL system. C6 radars are available for regions where required, and depends on radar approval. For a list of approved countries, please visit: <https://dealer.cat.com/detect>

| | | | | |
|---|----------|----------------------------|---|---------|
| L | 512-0855 | OBJECT DETECTION | 0 | \$2,755 |
|---|----------|----------------------------|---|---------|

LIGHTS

| | | | | |
|---|----------|--|---|-------|
| P | 513-2458 | LIGHTS, REVERSING STROBE Provides 2 reversing white strobes. | 0 | \$271 |
| P | 491-7467 | LIGHT, WARNING BEACON Provides hard mounted strobe beacon on hinged (breakaway) bracket mounted to the rear of the cab structure. | 0 | \$486 |
| P | 460-7450 | LIGHT, SEAT BELT WARNING Provides a seat belt warning light mounted to the rear of the cab structure. | 0 | \$227 |

TECHNOLOGY PRODUCTS

SOFTWARE ENABLED ATTACHMENTS (SEA) INSTRUCTIONS

Some dealer enabled technology products require the purchase of an activation code from Cat FPS via the Internet at <https://fps.cat.com> (requires CWS account). Refer to REHS1238 & REHS8401 for instructions.

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

| USE | REF NO. | LANE 2 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|-----------------|-----------------|----------------------|
|-----|---------|-----------------|-----------------|----------------------|

LANE 2 AM-NORTH OPTIONAL ATTACHMENTS (CONT.)

TECHNOLOGY PRODUCTS (Cont.)

CAT PRODUCTION MEASUREMENT (CPM) PAYLOAD WEIGHING SYSTEM

CPM includes an integrated onboard payload weighing scale with material management, cycle count & time recording and wireless production detail reporting capability.
 -Payload & cycle totals are sent wirelessly to VisionLink. (Cat Essentials subscription required.)
 -Detailed payload reports and KPI metrics can be visualized on-line and downloaded for further analysis, with a subscription to Cat Advanced Productivity. (First 6 months included with purchase of CPM; subscription fee applies thereafter. Requires PLE641 cellular Product Link.) Payload detail may also be downloaded via a wired connection between the loader and a laptop computer for analysis in VIMSpC software (requires purchase of VIMSpC software and VIMS data cable).
 -Payload tickets can be printed with an optional printer (kit only, available through the KITS-MWL price list, part number 483-5477)

Refer to <https://dealer.cat.com/payload> for complete technical specifications; operation, sales, marketing and technical support publications.

NOTES:

- 1) Demo and permanent software are available from the factory.
- 2) For field installation, permanent software can be purchased through the Caterpillar Feature Protection System and enabled by a dealer technician with Cat ET and an SEA activation code. SEA p/n 517-4683. Consult ANTARES parts distribution system for current SEA price.
- 3) Requires calibration prior to customer use. Refer to the Systems Test & Adjust manual UENR7119.

| | | | | |
|---|----------|--|--|---------|
| P | 517-7123 | CPM PAYLOAD SOFTWARE 0 | | \$4,960 |
| | | Includes permanent software, factory activated. Includes 6 mo. of prepaid Cat Advanced Productivity VisionLink subscription, with PLE641 cellular Product Link ONLY. (Not available in all countries. Contact PL Admin for details.) | | |

AUTODIG

Autodig is a software enabled attachment that controls the implement system during the bucket loading portion of a cycle to automatically load aggregate material.
NOT RECOMMENDED for hardbank or large rock loading.

| | | | | |
|---|----------|---|--|---------|
| P | 453-3250 | AUTODIG SOFTWARE 0 | | \$1,430 |
| | | Includes software for Aggregate Autodig. NOT RECOMMENDED for hardbank or large rock loading. | | |

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

| USE | REF NO. | LANE 2 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|-----------------|-----------------|----------------------|
|-----|---------|-----------------|-----------------|----------------------|

LANE 2 AM-NORTH OPTIONAL ATTACHMENTS (CONT.)

GUARDS

| | | | | |
|---|----------|---|--|---------|
| L | 390-4967 | GUARD, POWERTRAIN 0 Protects bottom of transmission. | | \$1,570 |
|---|----------|---|--|---------|

OTHER ATTACHMENTS

| | | | | |
|---|----------|---|--|-------|
| P | 365-0265 | OIL CHANGE SYSTEM, HIGH SPEED 0 Easy access drain line and Wiggins connector for remote engine oil drain. Provides quick, clean, and easy engine oil change without having to climb under the machine to access a gravity drain. | | \$284 |
| P | 506-4370 | WHEEL CHOCKS 0 Provides wheel chocks that mount to the frame. | | \$486 |

HEATER

| | | | | |
|---|----------|--|--|---------|
| P | 367-7379 | HEATER, 120V 0 For operation below 0F (or below 14F above 1750YD). ONLY FOR USE WITH: 506-4548 STARTING, COLD | | \$655 |
| P | 501-1065 | HEATER ACCUMULATOR. 0 Required for machines that will use 0W-20 Cat Cold Transmission Oil. Allowing operation below -30C (-22F). | | \$1,435 |

QUICK COUPLERS

FUSION QUICK COUPLER

| | | | | |
|---|----------|--|--|---------|
| L | 310-9390 | QUICK COUPLER, FUSION 1,133 Factory installed Caterpillar Work Tools & Services (CWTS) Fusion style coupler. | | \$7,950 |
|---|----------|--|--|---------|

LINES CONNECTING

| | | | | |
|---|----------|--|--|---------|
| L | 323-9292 | LINES GP-IMPLEMENT 3V (QC) 21 ONLY FOR USE WITH: HYDRAULICS, 3V & 310-9390 QUICK COUPLER REQUIRED BY: HYDRAULICS, 3V & 310-9390 QUICK COUPLER | | \$1,050 |
| L | 394-7214 | LINES GP-IMPLEMENT 3V&4V (QC) 37 ONLY FOR USE WITH: HYDRAULICS, 4V & 310-9390 QUICK COUPLER REQUIRED BY: HYDRAULICS, 4V & 310-9390 QUICK COUPLER | | \$1,247 |

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

| USE | REF NO. | LANE 2 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|-----------------|-----------------|----------------------|
|-----|---------|-----------------|-----------------|----------------------|

LANE 2 AM-NORTH OPTIONAL ATTACHMENTS (CONT.)

BUCKETS

Buckets must be ordered Installed on a Machine Order.
For questions on buckets intended for Machine Orders please contact your Marketing Subsidiary Machine Coordinator.

Loose buckets should be ordered on a MISC Order through Caterpillar Work Tools - Wamego using source code 0P-0672.

For availability of loose buckets please email worktools@cat.com

If you are going to order a loose bucket from CWTS and a machine from North Little Rock and if you need them shipped at the same time then you need to cross-reference the MSO's with each other.

Material density will determine the appropriate capacity bucket. Refer to the Specalog. Exceeding maxium payload may cause loader instability.

GENERAL PURPOSE PERFORMANCE SERIES BUCKETS (PIN-ON)

| | | | | |
|---|----------|---|-------|----------|
| P | 516-1400 | BKTA GP ST 126" 6.25 YD3 PO PERFORMANCE SERIES BUCKET INCLUDES: BOLT-ON CUTTING EDGE (BOCE) & CORNER GUARDS | 5,710 | \$22,572 |
|---|----------|---|-------|----------|

GENERAL PURPOSE-ABRASION PERFORMANCE SERIES BUCKETS (PIN-ON)

| | | | | |
|---|----------|---|-------|----------|
| P | 416-6339 | BKTA GP AB 132" 6.75 YD3 PO PERFORMANCE SERIES BUCKET INCLUDES: BOLT-ON CUTTING EDGE (BOCE) ONLY FOR USE WITH: 372-2141 COUNTERWEIGHT, AGGREGATE | 5,997 | \$23,096 |
| P | 416-6340 | BKTA GP AB 132" 7.0 YD3 PO PERFORMANCE SERIES BUCKET INCLUDES: BOLT-ON CUTTING EDGE (BOCE) ONLY FOR USE WITH: 372-2141 COUNTERWEIGHT, AGGREGATE | 6,241 | \$30,147 |

MATERIAL HANDLING PERFORMANCE SERIES BUCKETS (PIN-ON)

| | | | | |
|---|----------|--|-------|----------|
| P | 516-1817 | BKTA FF ST 126" 6.0 YD3 PO PERFORMANCE SERIES BUCKET INCLUDES: BOLT-ON CUTTING EDGE (BOCE) | 5,584 | \$21,008 |
|---|----------|--|-------|----------|

INSTRUCTIONS

FILMS

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

| USE | REF NO. | LANE 2 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|-----------------|-----------------|----------------------|
|-----|---------|-----------------|-----------------|----------------------|

LANE 2 AM-NORTH OPTIONAL ATTACHMENTS (CONT.)

INSTRUCTIONS (Cont.)

| | | | | |
|---|----------|--|--|----|
| P | 386-7389 | FILM, CPM 0 ONLY FOR USE WITH: Canada | | NC |
|---|----------|--|--|----|

PACKING

WORKTOOL OMISSION

| | | | | |
|---|----------|---|--|----|
| P | 361-1437 | OMISSION, WORKTOOL 0 This is required when ordering a machine without an installed bucket or quick coupler to protect the links. | | NC |
|---|----------|---|--|----|

DOMESTIC PACKING

| | | | | |
|--|---------|---|--|-----------|
| | 0P-0309 | PACK, DOMESTIC TRUCK 0 Complete machine loaded on truck. | | NC |
| | 0P-0313 | PACK, DOMESTIC RAIL 0 Complete machine loaded on rail car. | | \$162 NET |

FREIGHT, RAIL DELIVERY

| | | | | |
|--|---------|--|--|--------------|
| | 0P-3994 | FREIGHT, RAIL DELIVERY 0 Machine credit for rail delivery when paired with a second machine from the same source facility. AVAILABLE FOR: Pre-approved US and Canadian dealers | | \$-1,555 NET |
|--|---------|--|--|--------------|

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

| USE | REF NO. | LANE 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------|-----------------|----------------------|
|-----|---------|------------------|-----------------|----------------------|

LANE SELECTION

| | | | | |
|--|---------|------------------------|---|----|
| | OP-9003 | LANE 3 ORDER | 0 | NC |
|--|---------|------------------------|---|----|

REGIONAL PACKAGES

| | | | | |
|---|----------|--|---|---------|
| L | 561-7333 | REGIONAL PACKAGE, AM-N INCLUDES: -ANSI Films -EPA Tier 4 Final Compliant Engine | 0 | \$4,930 |
|---|----------|--|---|---------|

SPECIAL ARRANGEMENTS

| | | | | |
|---|----------|---|---|----|
| L | 510-4179 | STANDARD PACKAGE Provides machine features required in standard and forestry applications. INCLUDES: -Platform -Electrical & hydraulic installation -Cab air filter -Standard radiator grill -CPM Payload Ready & Autodig Ready Includes hardware and 250 hour CPM demo mode only. Demo mode is dealer activated. System must be calibrated prior to use. Requires purchase of software for permanent feature activation. See the Optional Technology section for software options. | 0 | NC |
|---|----------|---|---|----|

| | | | | |
|---|----------|--|---|----------|
| L | 506-7662 | INDUSTRIAL PACKAGE Provides machine features required in waste transfer stations, recycling stations, green waste and scrap applications. INCLUDES: -Platform -Electrical & Hydraulic installation -Carbon cab air filter -Standard radiator grill -Guards: hitch, bottom cab (skirt), front frame, crankcase -Baffle (lift towers) RECOMMENDED WITH: 394-3949 or 394-3950 TIRES, 26.5X25 FLXPRT and 485-4387 GUARDS, LIGHT REQUIRES: 434-3951 or 372-7194 AXLES 507-6193 STARTING, STANDARD or 507-6196 STARTING, COLD 478-8372 FENDERS, NARROW 489-3299 SOUND SUPPRESSION, LOW 380-0327 GUARD, HINGED, POWERTRAIN 426-1490 GUARD, TILT CYLINDER | 0 | \$10,640 |
|---|----------|--|---|----------|

BOOMS, STICKS, AND LINKAGES

LINKAGES

| | | | | |
|---|----------|----------------------------------|---|----|
| L | 506-2537 | LINKAGE, STANDARD LIFT | 0 | NC |
|---|----------|----------------------------------|---|----|

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

| USE | REF NO. | LANE 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------|-----------------|----------------------|
|-----|---------|------------------|-----------------|----------------------|

BOOMS, STICKS, AND LINKAGES (CONT.)

LINKAGES (Cont.)

| | | | | |
|---|----------|---|--|---------|
| L | 520-4476 | LINKAGE, HIGH LIFT 0 Provides increased dump clearance of 13" (336mm) over standard lift arms. | | \$7,550 |
| L | 506-2538 | LINKAGE, SHORT LIFT 0 Provides a heavy duty short lift linkage for heavy lift. ONLY FOR USE WITH: 510-4179 STANDARD PACKAGE | | NC |

COUNTERWEIGHT

| | | | | |
|---|----------|---|--|---------|
| L | 367-2333 | COUNTERWEIGHT, 2300KG 0 | | NC |
| L | 372-2141 | COUNTERWEIGHT, AGGREGATE 0 Provide 2875 Kg counterweight to use exclusively in aggregate rehandling applications. REQUIRES: 510-4179 STANDARD PACKAGE 506-2537 LINKAGE, STANDARD LIFT L3 or L4 TIRES BUCKETS with BOCE | | \$4,740 |

NOTE: It is recommended to use Caterpillar production measure application with aggregate counterweights to ensure compliance with Medium Wheel Loader Payload policy.

POWERTRAIN

AXLE PACKAGES

Axle packages include a combination of traction aids, Ecology Drain (ED), Seal Guards (SG), and Axle Oil Cooler (AOC).

| | | | | |
|---|----------|--|--|---------|
| L | 390-7610 | AXLES, MANUAL DIFF FRONT, ED 0 INCLUDES: -Manual front diff lock -Open rear differential -Ecology Drain CANNOT BE USED WITH: 506-7662 INDUSTRIAL PACKAGE | | \$575 |
| L | 372-6555 | AXLES, MANUAL FRONT, ED, ETS 0 INCLUDES: -Manual front diff lock -Open rear differential -Ecology Drain -Extreme Temp Seals CANNOT BE USED WITH: 506-7662 INDUSTRIAL PACKAGE | | \$1,615 |

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

| USE | REF NO. | LANE 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------|-----------------|----------------------|
|-----|---------|------------------|-----------------|----------------------|

POWERTRAIN (CONT.)

AXLE PACKAGES (Cont.)

| | | | | |
|---|----------|--|--|----------|
| L | 418-9891 | AXLES, LOCK/OPEN, ED, AOC 0 INCLUDES: -Manual front diff lock -Open rear differential -Ecology Drain -Axle Oil Coolers Provides installed oil cooler system for front & rear axles Recommended for machines operating in high energy applications, such as extended load & carry. CANNOT BE USED WITH: 506-7662 INDUSTRIAL PACKAGE | | \$7,850 |
| L | 434-3951 | AXLES, LOCK/OPEN, ED, SG 0 INCLUDES: -Manual front diff lock -Open rear differential -Ecology Drain -Seal Guards | | \$2,290 |
| L | 372-6557 | AXLES, AUTO DIFF F/R, ED 0 INCLUDES: -Automatic front and rear diff lock -Ecology Drain CANNOT BE USED WITH: 506-7662 INDUSTRIAL PACKAGE | | \$9,010 |
| L | 434-3952 | AXLES, AUTO DIFF F/R, ED, ETS 0 INCLUDES: -Automatic front and rear diff lock -Ecology Drain -Extreme Temp Seals CANNOT BE USED WITH: 506-7662 INDUSTRIAL PACKAGE | | \$9,970 |
| L | 379-5615 | AXLES, AUTO DIFF F/R, ED, AOC 0 INCLUDES: -Automatic front and rear diff lock -Ecology Drain -Axle Oil Coolers Provides installed oil cooler system for front & rear axles Recommended for machines operating in high energy applications, such as extended load & carry. CANNOT BE USED WITH: 506-7662 INDUSTRIAL PACKAGE | | \$16,160 |
| L | 372-7194 | AXLES, AUTO DIFF F/R, ED, SG 0 INCLUDES: -Automatic front and rear diff lock -Ecology Drain -Seal Guards | | \$10,720 |

HYDRAULICS

| | | | | |
|---|----------|--|--|---------|
| L | 500-2558 | HYDRAULICS, 2V RC, STD/HL 0 Provides 2 valve hydraulics and ride control. ONLY FOR USE WITH: 506-2537 LINKAGE, STANDARD LIFT 520-4476 LINKAGE, HIGH LIFT | | NC |
| L | 501-4663 | HYDRAULICS, 3V RC, STD 0 Provides 3 valve hydraulics and ride control. ONLY FOR USE WITH: 506-2537 LINKAGE, STANDARD LIFT | | \$7,320 |

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

| USE | REF NO. | LANE 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------|-----------------|----------------------|
|-----|---------|------------------|-----------------|----------------------|

HYDRAULICS (CONT.)

| | | | | |
|---|----------|---|--|---------|
| L | 500-2559 | HYDRAULICS, 3V RC, STD/SHORT 0 Provides 3 valve hydraulics and ride control. ONLY FOR USE WITH: 506-2538 LINKAGE, SHORT LIFT | | \$7,100 |
| L | 500-2563 | HYDRAULICS, 3V RC, HIGH LIFT 0 Provides 3 valve hydraulics and ride control. ONLY FOR USE WITH: 520-4476 LINKAGE, HIGH LIFT | | \$7,320 |
| L | 501-4664 | HYDRAULICS, 4V RC, STD 0 Provides 4 valve hydraulics and ride control. ONLY FOR USE WITH: 506-2537 LINKAGE, STANDARD LIFT | | \$9,100 |
| L | 500-2560 | HYDRAULICS, 4V RC, STD/SHORT 0 Provides 4 valve hydraulics and ride control. ONLY FOR USE WITH: 506-2538 LINKAGE, SHORT LIFT | | \$9,100 |
| L | 500-2564 | HYDRAULICS, 4V RC, HIGH LIFT 0 Provides 4 valve hydraulics and ride control. ONLY FOR USE WITH: 520-4476 LINKAGE, HIGH LIFT | | \$9,100 |

HYDRAULIC OIL

| | | | | |
|---|----------|--|--|----|
| L | 396-4672 | HYDRAULIC OIL, STANDARD 0 Cat HYDO Advanced 10 allows to extend oil change intervals up to 6000 hours with S-O-S services. | | NC |
|---|----------|--|--|----|

STARTERS, BATTERIES, & ALTERNATORS

ENGINE STARTING PACKAGE

| | | | | |
|--|----------|--|--|---------|
| L | 506-4545 | STARTING, STANDARD 0 Includes 2 batteries. ONLY FOR USE WITH: 510-4179 STANDARD PACKAGE | | NC |
| L | 506-4548 | STARTING, COLD 0 Includes ether starting aid and 4 batteries on the machine for low temperatures. ONLY FOR USE WITH: 510-4179 STANDARD PACKAGE | | \$1,905 |
| NOTE: In this configuration, the toolbox compartment is unavailable. | | | | |
| L | 507-6193 | STARTING, STANDARD, HD 0 Includes 2 batteries and reinforced battery box. ONLY FOR USE WITH: 506-7662 INDUSTRIAL PACKAGE | | \$710 |
| L | 507-6196 | STARTING, COLD, HD 0 Includes ether starting aid, 4 batteries on the machine for low temperatures, and a reinforced battery box. ONLY FOR USE WITH: 506-7662 INDUSTRIAL PACKAGE | | \$3,330 |
| NOTE: In this configuration, the toolbox compartment is unavailable. | | | | |

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

| USE | REF NO. | LANE 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------|-----------------|----------------------|
|-----|---------|------------------|-----------------|----------------------|

ELECTRICAL

LIGHTS

| | | | | |
|---|----------|--|--|---------|
| L | 484-0364 | LIGHTS, HALOGEN 0 INCLUDES: -2 halogen forward roading lights (low/high beam) with halogen turn signals -2 halogen rear facing working lights in the hood -2 LED position/stop/turn lights -4 halogen working lights on the cab | | NC |
| L | 484-0365 | LIGHTS, HALOGEN, PREMIUM 0 INCLUDES: -2 halogen forward roading lights (low/high beam) with halogen turn signals -2 halogen rear facing working lights in the hood -2 LED position/stop/turn lights -8 halogen working lights on the cab | | \$865 |
| L | 561-8776 | LIGHTS, LED 0 INCLUDES: -2 LED forward roading lights (low/high beam) with LED turn signals -2 LED rear facing working lights in the hood -2 LED position/stop/turn lights -4 LED working lights on the cab | | \$2,550 |
| L | 561-8777 | LIGHTS, LED, PREMIUM 0 INCLUDES: -2 LED forward roading lights (low/high beam) with LED turn signals -2 LED rear facing working lights in the hood -2 LED position/stop/turn lights -8 LED working lights on the cab | | \$3,325 |

OPERATOR ENVIRONMENT

CAB TRIM

| | | | | |
|---|----------|---|--|---------|
| L | 546-3451 | CAB TRIM, STANDARD (LHD) 0 FOR USE IN LANE 3 ONLY INCLUDES: -SEAT, STANDARD, LHD Provides steering joystick on left hand armrest and standard seat. -MIRRORS, EXTERNAL -SUN VISOR, REAR Provides pull down sun screen in rear window. | | \$67 |
| L | 546-3452 | CAB TRIM, HEATED (LHD) 0 FOR USE IN LANE 3 ONLY INCLUDES: -SEAT, HEATED, LHD Provides steering joystick on left hand armrest and heated seat. -MIRRORS, EXTERNAL, HEATED Provides heated & powered mirrors. -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window. | | \$1,165 |

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

| USE | REF NO. | LANE 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------|-----------------|----------------------|
|-----|---------|------------------|-----------------|----------------------|

OPERATOR ENVIRONMENT (CONT.)

CAB TRIM (Cont.)

| | | | | |
|---|----------|---|--|---------|
| L | 546-3453 | CAB TRIM, VENTED (LHD) 0 FOR USE IN LANE 3 ONLY INCLUDES: -SEAT, HEATED & VENTILATED, LHD Provides steering joystick on left hand armrest and a heated and ventilated seat with leather trim. -MIRRORS, EXTERNAL, HEATED Provides heated & powered mirrors. -DOOR, REMOTE OPENING SYSTEM Provides remote manual switch allowing to open the cab door from ground level. -SUN VISOR, REAR Provides pull down sun screen in rear window. | | \$3,835 |
|---|----------|---|--|---------|

IMPLEMENT CONTROLS

| | | | | |
|---|----------|---|--|---------|
| L | 539-6032 | SINGLE AXIS LEVERS, 2V, LHD 0 Includes 2 single action levers for implement lift and tilt controls ONLY FOR USE WITH: 500-2558 HYDRAULICS, 2V RC, STD/HL | | NC |
| L | 539-6042 | SINGLE AXIS LEVERS, 3V, LHD 0 Includes 3 single action levers for implement lift, tilt & 3rd function controls. ONLY FOR USE WITH: 501-4663 HYDRAULICS, 3V RC, STD 500-2559 HYDRAULICS, 3V RC, STD/SHORT 500-2563 HYDRAULICS, 3V RC, HIGH LIFT | | NC |
| L | 539-6052 | SINGLE AXIS LEVERS, 4V, LHD 0 FOR USE IN LANE 3 ONLY Includes: -3 single action levers for implement lift, tilt & 3rd function controls -1 roller switch controlling the 4th function on implement pod ONLY FOR USE WITH: 501-4664 HYDRAULICS, 4V RC, STD 500-2560 HYDRAULICS, 4V RC, STD/SHORT 500-2564 HYDRAULICS, 4V RC, HIGH LIFT | | NC |
| L | 539-6037 | JOYSTICK, 2V, LHD 0 Includes: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick ONLY FOR USE WITH: 500-2558 HYDRAULICS, 2V RC, STD/HL | | \$1,085 |
| L | 539-6047 | JOYSTICK, 3V, LHD 0 Includes: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick -1 roller switch controlling the 3rd function integrated in the joystick ONLY FOR USE WITH: 501-4663 HYDRAULICS, 3V RC, STD 500-2559 HYDRAULICS, 3V RC, STD/SHORT 500-2563 HYDRAULICS, 3V RC, HIGH LIFT | | \$1,520 |

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

| USE | REF NO. | LANE 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------|-----------------|----------------------|
|-----|---------|------------------|-----------------|----------------------|

OPERATOR ENVIRONMENT (CONT.)

IMPLEMENT CONTROLS (Cont.)

| | | | | |
|---|----------|---|--|---------|
| L | 539-6055 | JOYSTICK, 4V, LHD 0 | | \$1,520 |
| | | FOR USE IN LANE 3 ONLY Includes: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick -2 rollers switch controlling the 3rd & 4th functions integrated in the joystick ONLY FOR USE WITH: 501-4664 HYDRAULICS, 4V RC, STD 500-2560 HYDRAULICS, 4V RC, STD/SHORT 500-2564 HYDRAULICS, 4V RC, HIGH LIFT | | |

SEAT BELT

| | | | | |
|---|----------|---------------------------------------|--|-------|
| L | 551-3397 | SEAT BELT, 3" W/INDICATOR 0 | | \$102 |
|---|----------|---------------------------------------|--|-------|

STEERING

| | | | | |
|---|----------|---------------------------------|--|---------|
| L | 372-6550 | STEERING, STANDARD 0 | | NC |
| L | 371-1456 | STEERING, SECONDARY 0 | | \$4,960 |

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet.

Authorization varies by country, please contact your Cat marketing representative with questions or click on the link below:
[HTTPS://DEALER.CAT.COM/en/bt/otd/machine-price-list.html](https://dealer.cat.com/en/bt/otd/machine-price-list.html)
From there click on the "PRODUCT LINK Hardware Certification" link.

| | | | | |
|---|----------|--|--|-------|
| L | 467-4622 | PRODUCT LINK, CELLULAR PLE641 0 | | NC |
| | | Product Link Elite series PLE641 offers expanded coverage including 3G UMTS and CDMA2000 as well as 2G GSM and CDMA cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data. | | |
| L | 467-4623 | PRODUCT LINK, SATELLITE PLE631 0 | | \$432 |
| | | Product Link Elite series PLE631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage. | | |

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

| USE | REF NO. | LANE 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------|-----------------|----------------------|
|-----|---------|------------------|-----------------|----------------------|

COOLING

COOLING SYSTEM

| | | | | |
|---|----------|--|--|-------|
| L | 521-9360 | COOLING CORES, 9 FPI 0 Provides cooling capability up to 47C (117F) ambient. Radiator with 9 fins per inch. | | NC |
| L | 540-0608 | COOLING CORES, 6 FPI 0 Provides cooling capability up to 43C (109F) ambient. Radiator with 6 fins per inch. | | \$333 |

COOLING FAN

| | | | | |
|---|----------|--|--|---------|
| L | 524-0310 | FAN, STANDARD 0 Provides a standard load sensing hydraulically driven fan. | | NC |
| L | 524-0311 | FAN, VPF, ANSI 0 FOR USE IN LANE 3 ONLY Provides an attachment reversing function to the standard hydraulically driven demand fan. This provides the ability to rotate blades and to reverse the airflow direction to remove debris from the radiator and engine enclosures while the machine is still operating. Includes automatic and manual controls for airflow reversal. Recommended for applications with a high content of airborne debris. ONLY FOR USE WITH: 561-7333 REGIONAL PACKAGE, AM-N | | \$5,540 |

COOLANT

| | | | | |
|---|----------|--|--|-----------|
| L | 371-7066 | ANTIFREEZE, -34C (-29F) 0 Premix antifreeze, -34C (-29F) | | NC |
| L | 423-2666 | ANTIFREEZE, -50C (-58F) 0 Premix antifreeze, -50C (-58F) | | \$251 NET |

TIRES, RIMS, AND WHEELS

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice. However, if the tire type cannot be supplied we will contact the dealer to propose alternatives. The dealer needs to choose between an alternative tire or a "rims only" option (where available) within 72 hours. If no response is provided by the deadline, the order will default to the alternative tire and will be changed at that point. As a consequence of a possible tire change, the total machine price will be decreased or increased depending on the price of the new tire.

NOTE: All tires include rims & come in a set of 4. Tires are tubeless & non-directional unless otherwise stated.

NOTE: Other tires are available upon request.

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

| USE | REF NO. | LANE 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------|-----------------|----------------------|
|-----|---------|------------------|-----------------|----------------------|

TIRES, RIMS, AND WHEELS (CONT.)

TIRES AVAILABLE FROM BRIDGESTONE

| | | | | |
|---|----------|---|--|----------|
| P | 395-0534 | TIRES, 26.5 R25 BS VSDL * L5 0 Bridgestone Radial; Tread Depth=95.5mm (120/32"); Rim=22"x25" Suitable for severe rock environments where maximum damage protection is needed. Machine oscillation is reduced. CANNOT BE USED WITH: 372-2141 COUNTERWEIGHT, AGGREGATE | | \$7,770 |
| P | 511-5379 | TIRES, 775/65R29 BS VTS * L3 0 Bridgestone Radial; Tread Depth=43mm (54/32"); Rim=24"x29" Provides increased stability, floatation, damage resistance, and traction in soft to rocky underfoot conditions. Machine oscillation is reduced. Recommended for sand and forestry application. | | \$4,325 |
| P | 475-6250 | TIRES, 26.5R25 BS VJT * L3 0 Bridgestone Radial; Tread Depth=38mm (48/32"); Rim=22"x25" Provides reduced vibration, damage resistance, and traction in soft to rocky underfoot conditions. | | \$-6,590 |

TIRES AVAILABLE FROM MICHELIN

| | | | | |
|---|----------|---|--|----------|
| P | 541-5045 | TIRES, 775/65R29 MX XHA2 * L3 0 Michelin Radial; Tread Depth=44mm (55/32"); Rim=24"x29" Provides increased stability, floatation, damage resistance, and traction in soft to rocky underfoot conditions. Machine oscillation is reduced. Recommended for sand and forestry application. CANNOT BE USED WITH: 372-2141 COUNTERWEIGHT, AGGREGATE | | \$4,235 |
| P | 297-3221 | TIRES, 26.5R25 MX XHA2 ** L3 0 Michelin Radial; Tread Depth=41mm (52/32"); Rim=22"x25" Provides reduced vibration, damage resistance, and traction in soft to rocky underfoot conditions. | | \$-4,160 |

TIRES AVAILABLE FROM BRAWLER

| | | | | |
|---|----------|--|--|----------|
| P | 540-4376 | TIRES, 26.5X25 BR SMOOTH 0 Brawler HPS Solidflex Smooth tread solid tires pressed on to standard CAT rims. Ideal for harsh/special applications where debris is an issue, such as scrap yards, recycling centers and waste transfer stations. Machine oscillation is reduced. CANNOT BE USED WITH: COUNTERWEIGHT, AGGREGATE FENDERS, BASIC +, LOW PROFILE FENDERS, ROADING, LOW PROFILE | | \$22,080 |
| P | 540-4375 | TIRES, 26.5X25 BR TRACTION 0 Brawler HPS Solidflex Traction Off-the-Road (OTR) tread solid tires pressed on to standard CAT rims. Ideal for harsh/special applications on unimproved surfaces, such as brick, glass, and scrap yards where debris is not an issue. Machine oscillation is reduced. CANNOT BE USED WITH: COUNTERWEIGHT, AGGREGATE FENDERS, BASIC +, LOW PROFILE FENDERS, ROADING, LOW PROFILE | | \$21,350 |

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

| USE | REF NO. | LANE 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------|-----------------|----------------------|
|-----|---------|------------------|-----------------|----------------------|

TIRES, RIMS, AND WHEELS (CONT.)

TIRES AVAILABLE FROM MAXAM

| | | | | |
|---|----------|---|--|----------|
| P | 547-8403 | TIRES, 26.5R25 MA MS302 **E3/L3 0 Maxam MS302 Radial; Tread Depth=39.4mm (50/32"); Rim=22"x25" 3 piece Ideally suited to higher speed applications operating on a wide variety of surfaces. Reinforced offset lugs minimize vibration at haul speeds. Excellent traction in all off-road conditions with a wide flat footprint profile for maximum stability and wear. Thick undertread for improved puncture resistance. | | \$-9,560 |
|---|----------|---|--|----------|

TIRES AVAILABLE FROM FLEXPOR

| | | | | |
|---|----------|--|--|----------|
| P | 394-3949 | TIRES, 26.5X25 FLXPRT SMOOTH 0 Smooth tread tires are ideal for special applications where debris is an issue, such as scrap yards, recycling centers and waste transfer stations. Machine oscillation is reduced. | | \$13,700 |
| P | 394-3950 | TIRES, 26.5X25 FLXPRT TREADED 0 Off-the-Road (OTR) tires ideal for special applications on unimproved surfaces, such as brick, glass, and scrap yards where debris is not an issue. Machine oscillation is reduced. | | \$7,090 |

TIRES/RIMS, ALLOWANCE FOR OMISSION

Dealers should contact their Application Specialist if they plan to use a tire not offered on the price list. Some tires may require axle oscillation stops or other machine modifications.

| | | | | |
|---|----------|---|--|-----------|
| P | 297-2514 | RIMS ONLY, TIRES OMITTED -2,372 | | \$-21,960 |
| P | 0P-3648 | OMISSION, TIRES AND RIMS 0 | | \$-24,050 |

GUARDS

CAB WINDOWS AND GUARDS

| | | | | |
|---|----------|---|--|----------|
| L | 493-9621 | WINDOWS, STANDARD 0 | | NC |
| L | 493-9625 | WINDOWS, STANDARD, FRONT GUARD 0 Provides a front window guard. | | \$3,540 |
| L | 493-9623 | WINDOWS, STANDARD, HD GUARD 0 Provides a front window heavy duty guard. | | \$9,110 |
| L | 493-9624 | WINDOWS, STANDARD, FULL GUARD 0 Provides a full window guard. | | \$12,170 |
| L | 493-9622 | WINDOWS, RUBBER MOUNTED 0 Provides front windows mounted in rubber seals. | | \$5,080 |
| L | 503-2427 | WINDOWS, RUBBER MTD, FRONT GD 0 Provides front windows mounted in rubber seals and front window guard. | | \$8,610 |

CAB FILTRATION

| | | | | |
|---|----------|--|--|----|
| L | 505-1519 | FILTRATION, STANDARD 0 INCLUDES: -CAB ROOF, NON-METALLIC -COVER, HVAC, NON-METALLIC | | NC |
|---|----------|--|--|----|

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

| USE | REF NO. | LANE 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------|-----------------|----------------------|
|-----|---------|------------------|-----------------|----------------------|

GUARDS (CONT.)

CAB FILTRATION (Cont.)

| | | | | |
|---|----------|---|--|---------|
| L | 505-1520 | FILTRATION, STD, PRECLEANER 0 INCLUDES: -CAB ROOF, NON-METALLIC -COVER, HVAC, NON-METALLIC -PRECLEANER, HVAC Provides a precleaner for dusty environments for cab air intake. | | \$685 |
| L | 505-1523 | FILTRATION, STD, ACF PRECLNR 0 INCLUDES: -CAB ROOF, NON-METALLIC -COVER, HVAC, STEEL FOR ACF -ACF PRECLEANER, HVAC | | \$1,850 |
| L | 505-1521 | FILTRATION, STEEL 0 INCLUDES: -CAB ROOF, STEEL -COVER, HVAC, STEEL | | \$2,135 |
| L | 505-1522 | FILTRATION, STEEL, ACF PRECLNR 0 INCLUDES: -CAB ROOF, STEEL -COVER, HVAC, STEEL FOR ACF -ACF PRECLEANER, HVAC | | \$3,480 |

OTHER ATTACHMENTS

ENGINE PRECLEANERS

| | | | | |
|---|----------|---|--|-------|
| L | 324-8092 | AIR INLET STANDARD, RAIN CAP 0 Includes standard strata tubes precleaner ejecting up to 96% of debris. | | NC |
| L | 365-0220 | PRECLEANER, TURBINE. 0 Turbine engine air inlet precleaner, to be used in extremely high dust and airborne debris environments. | | \$715 |
| L | 365-0221 | AIR INLET PRECLEANER, TRASH 0 FOR USE IN LANE 3 ONLY Turbine engine air inlet precleaner, to be used in extremely high dust and airborne debris environments with a grill protecting precleaner from large debris. | | \$940 |

BODY

FENDERS

| | | | | |
|---|----------|---|--|---------|
| L | 464-6677 | FENDERS, BASIC +. 0 ONLY FOR USE WITH: 510-4179 STANDARD PACKAGE CANNOT BE USED WITH: TIRES, 775/65R29 (LOW PROFILE) | | NC |
| L | 464-6678 | FENDERS, ROADING 0 ONLY FOR USE WITH: 510-4179 STANDARD PACKAGE CANNOT BE USED WITH: TIRES, 775/65R29 (LOW PROFILE) | | \$2,865 |
| L | 464-6679 | FENDERS, BASIC +, LOW PROFILE. 0 ONLY FOR USE WITH: 510-4179 STANDARD PACKAGE TIRES, 775/65R29 (LOW PROFILE) | | \$149 |
| L | 464-6680 | FENDERS, ROADING, LOW PROFILE 0 ONLY FOR USE WITH: 510-4179 STANDARD PACKAGE TIRES, 775/65R29 (LOW PROFILE) | | \$3,150 |

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

| USE | REF NO. | LANE 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------|-----------------|----------------------|
|-----|---------|------------------|-----------------|----------------------|

BODY (CONT.)

FENDERS (Cont.)

| | | | | |
|---|----------|---|---|---------|
| L | 478-8372 | FENDERS, NARROW | 0 | \$2,965 |
| | | Provides narrow steel front fenders, steel rear fender extensions and heavy duty hanging steel cable steps. | | |

HOOD

| | | | | |
|---|----------|------------------------------|---|----|
| L | 391-5800 | HOOD, NON-METALLIC | 0 | NC |
|---|----------|------------------------------|---|----|

SOUND SUPPRESSION

| | | | | |
|---|----------|--|---|---------|
| L | 489-3300 | SOUND SUPPRESSION, STANDARD | 0 | NC |
| | | ONLY FOR USE WITH: 510-4179 STANDARD PACKAGE | | |
| L | 489-3299 | SOUND SUPPRESSION, LOW | 0 | \$2,835 |
| | | ONLY FOR USE WITH: 506-7662 INDUSTRIAL PACKAGE | | |

QUICK COUPLERS

QUICK COUPLER READY

| | | | | |
|---|----------|--|---|---------|
| P | 0G-0386 | NO QUICK COUPLER READY | 0 | NC |
| P | 372-7405 | QUICK COUPLER READY, STD LIFT | 0 | \$3,990 |
| | | Includes all hydraulic lines, vertical wedge activation switch in the cab. Coupler NOT included. | | |
| | | ONLY FOR USE WITH: 506-2537 LINKAGE, STANDARD LIFT | | |
| P | 372-7403 | QUICK COUPLER READY | 0 | \$3,955 |
| | | Includes all hydraulic lines, vertical wedge activation switch in the cab. Coupler NOT included. | | |
| | | ONLY FOR USE WITH: 506-2538 LINKAGE, SHORT LIFT | | |
| P | 388-7402 | QUICK COUPLER READY, HIGH LIFT | 0 | \$3,955 |
| | | Includes all hydraulic lines, vertical wedge activation switch in the cab. Coupler NOT included. | | |
| | | ONLY FOR USE WITH: 520-4476 LINKAGE, HIGH LIFT | | |

FLUIDS

LUBRICATION ARRANGEMENTS

MANUAL - Requires manual greasing of pin joints according to maintenance schedule. Several fittings remote located and centralize for better access.

AUTOLUBE - Greases pin joints requiring daily lubrication: linkage pin joints, including bucket pins, articulation hitch, steering cylinders and rear axle trunnions.

| | | | | |
|---|----------|--|---|----|
| L | 495-7517 | LUBRICATION, MANUAL, STD | 0 | NC |
| | | ONLY FOR USE WITH: 506-2537 LINKAGE, STANDARD LIFT | | |
| L | 495-7514 | LUBRICATION, MANUAL | 0 | NC |
| | | ONLY FOR USE WITH: 506-2538 LINKAGE, SHORT LIFT | | |
| | | CANNOT BE USED WITH: 388-7402 QUICK COUPLER READY, HIGH LIFT | | |

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

| USE | REF NO. | LANE 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------|-----------------|----------------------|
|-----|---------|------------------|-----------------|----------------------|

FLUIDS (CONT.)

LUBRICATION ARRANGEMENTS (Cont.)

| | | | | |
|---|----------|--|--|----------|
| L | 524-0304 | LUBRICATION, MANUAL, HL 0 ONLY FOR USE WITH: 520-4476 LINKAGE, HIGH LIFT CANNOT BE USED WITH: 388-7402 QUICK COUPLER READY, HIGH LIFT | | NC |
| L | 524-0305 | LUBRICATION, MANUAL, HL, QC RDY 0 ONLY FOR USE WITH: 520-4476 LINKAGE, HIGH LIFT and 388-7402 QUICK COUPLER READY, HIGH LIFT | | NC |
| L | 510-6390 | LUBRICATION, MANUAL (AUTO RDY) 0 | | \$1, 610 |
| L | 495-7518 | AUTOLUBE, STD LIFT 0 Provides Caterpillar autolube system. ONLY FOR USE WITH: 506-2537 LINKAGE, STANDARD LIFT | | \$6, 270 |
| L | 524-0301 | AUTOLUBE, HIGH LIFT 0 Provides Caterpillar autolube system. ONLY FOR USE WITH: 520-4476 LINKAGE, HIGH LIFT and 0G-0386 NO QUICK COUPLER READY | | \$6, 490 |
| L | 524-0303 | AUTOLUBE, HIGH LIFT, QC RDY 0 ONLY FOR USE WITH: 520-4476 LINKAGE, HIGH LIFT and 388-7402 QUICK COUPLER READY, HIGH LIFT | | \$6, 490 |
| L | 495-7515 | AUTOLUBE, LOGGER/SHORT LIFT 0 Provides Caterpillar autolube system. ONLY FOR USE WITH: 506-2538 LINKAGE, SHORT LIFT | | \$6, 270 |

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

| USE | REF NO. | LANE 3 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|-----------------|-----------------|----------------------|
|-----|---------|-----------------|-----------------|----------------------|

NOTE

CUSTOM PRODUCTS

Please contact Dealer Order Communication Solution (DOCS) for inquiries, availability and assistance. Special attachments may affect availability.

OPERATOR ENVIRONMENT

INTEGRATED OBJECT DETECTION SYSTEM.

The Cat Integrated Object Detection adds radar and alarms to the standard on-board rear vision camera to notify the operator when something is close to the rear of the machine. This system is configured with zones, and objects in those zones trigger various levels of alarms. A display screen in the cab provides visual confirmation of the objects detected by the radar, so operators can make informed decisions.

NOTE: C5 radars (below) are the preferred MWL system. C6 radars are available for regions where required, and depends on radar approval. For a list of approved countries, please visit: <https://dealer.cat.com/detect>

| | | | | |
|---|----------|--|---|---------|
| L | 486-9204 | OBJECT DETECTION | 0 | \$2,755 |
| L | 486-9205 | OBJECT DETN & CB RADIO READY | 0 | \$3,685 |
| | | INCLUDES: 486-9204 OBJECT DETECTION 372-1603 RADIO, CB (READY) | | |

RADIOS.

| | | | | |
|---|----------|--|---|-------|
| P | 372-1603 | RADIO, CB (READY) | 0 | \$940 |
| | | Provides adjustable mounting brackets for two radios, a 20 amp 24V to 12V converter, a CB antenna, CB cable converter, and two separate four wire connectors that contain a ground, 12V and 24 V circuits. INCLUDED IN: 486-9205 OBJECT DETN & CB RADIO READY | | |
| P | 372-1600 | RADIO, AM/FM/USB/MP3 BLUETOOTH | 0 | \$580 |
| | | Provides AM/FM/MP3/WB/USB/AUX with integrated BlueTooth. | | |

VISIBILITY.

| | | | | |
|---|----------|---|---|---------|
| P | 380-5964 | SECONDARY CAMERA DISPLAY | 0 | \$1,730 |
| | | Provides full-time display dedicated to rear-view camera. | | |

SECURITY SYSTEM.

| | | | | |
|---|----------|--|---|-------|
| P | 372-1604 | SECURITY SYSTEM, MACHINE | 0 | \$690 |
| | | Protects from vandalism and theft by preventing unauthorized personnel from starting a machine. Machines start only after a unique MSS key is inserted into the ignition. MSS keys can be programmed to start machines only certain days or hours. | | |

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

| USE | REF NO. | LANE 3 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|-----------------|-----------------|----------------------|
|-----|---------|-----------------|-----------------|----------------------|

OPERATOR ENVIRONMENT (CONT.)

LIGHTS.

| | | | | |
|---|----------|---|--|-------|
| P | 513-2458 | LIGHTS, REVERSING STROBE 0 Provides 2 reversing white strobes. | | \$271 |
| P | 491-7467 | LIGHT, WARNING BEACON 0 Provides hard mounted strobe beacon on hinged (breakaway) bracket mounted to the rear of the cab structure. | | \$486 |
| P | 460-7450 | LIGHT, SEAT BELT WARNING 0 Provides a seat belt warning light mounted to the rear of the cab structure. | | \$227 |

TECHNOLOGY PRODUCTS

SOFTWARE ENABLED ATTACHMENTS (SEA) INSTRUCTIONS

Some dealer enabled technology products require the purchase of an activation code from Cat FPS via the Internet at <https://fps.cat.com> (requires CWS account). Refer to REHS1238 & REHS8401 for instructions.

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

| USE | REF NO. | LANE 3 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|-----------------|-----------------|----------------------|
|-----|---------|-----------------|-----------------|----------------------|

TECHNOLOGY PRODUCTS (CONT.)

CAT PRODUCTION MEASUREMENT (CPM) PAYLOAD WEIGHING SYSTEM

CPM includes an integrated onboard payload weighing scale with material management, cycle count & time recording and wireless production detail reporting capability.

- Payload & cycle totals are sent wirelessly to VisionLink. (Cat Essentials subscription required.)
- Detailed payload reports and KPI metrics can be visualized on-line and downloaded for further analysis, with a subscription to Cat Advanced Productivity. (First 6 months included with purchase of CPM; subscription fee applies thereafter. Requires PLE641 cellular Product Link.) Payload detail may also be downloaded via a wired connection between the loader and a laptop computer for analysis in VIMSpC software (requires purchase of VIMSpC software and VIMS data cable).
- Payload tickets can be printed with an optional printer (kit only, available through the KITS-MWL price list, part number 483-5477)

Refer to <https://dealer.cat.com/payload> for complete technical specifications; operation, sales, marketing and technical support publications.

NOTES:

- 1) Demo and permanent software are available from the factory.
- 2) For field installation, permanent software can be purchased through the Caterpillar Feature Protection System and enabled by a dealer technician with Cat ET and an SEA activation code. SEA p/n 517-4683. Consult ANTARES parts distribution system for current SEA price.
- 3) Requires calibration prior to customer use. Refer to the Systems Test & Adjust manual UENR7119.

| | | | | |
|---|----------|--|---|---------|
| P | 517-7123 | CPM PAYLOAD SOFTWARE | 0 | \$4,960 |
| | | Includes permanent software, factory activated. Includes 6 mo. of prepaid Cat Advanced Productivity VisionLink subscription, with PLE641 cellular Product Link ONLY. (Not available in all countries. Contact PL Admin for details.) ONLY FOR USE WITH: 510-4179 STANDARD PACKAGE | | |

AUTODIG

Autodig is a software enabled attachment that controls the implement system during the bucket loading portion of a cycle to automatically load aggregate material.

NOT RECOMMENDED for hardbank or large rock loading.

| | | | | |
|---|----------|---|---|---------|
| P | 453-3250 | AUTODIG SOFTWARE | 0 | \$1,430 |
| | | Includes software for Aggregate Autodig. NOT RECOMMENDED for hardbank or large rock loading. ONLY FOR USE WITH: 510-4179 STANDARD PACKAGE | | |

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

| USE | REF NO. | LANE 3 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|-----------------|-----------------|----------------------|
|-----|---------|-----------------|-----------------|----------------------|

GUARDS

| | | | | |
|---|----------|--|--|---------|
| L | 485-4387 | GUARDS, LIGHT 0 Provide protection guard for lights installed on the cab and counterweight CANNOT BE USED WITH: 493-9623 WINDOWS, STANDARD, HD GUARD | | \$1,565 |
| L | 390-4967 | GUARD, POWERTRAIN 0 Protects bottom of transmission. ONLY FOR USE WITH: 510-4179 STANDARD PACKAGE | | \$1,570 |
| L | 380-0327 | GUARD, HINGED, POWERTRAIN 0 Hinged heavy duty guard protecting bottom of transmission. ONLY FOR USE WITH: 506-7662 INDUSTRIAL PACKAGE REQUIRED BY: 506-7662 INDUSTRIAL PACKAGE | | \$3,010 |
| L | 380-0329 | ACTUATOR, HINGED BELLY GUARD 0 Provides an electric actuator and switch to raise and lower the hinged heavy duty guard. ONLY FOR USE WITH: 506-7662 INDUSTRIAL PACKAGE and 380-0327 GUARD, HINGED, POWERTRAIN | | \$1,015 |
| P | 426-1490 | GUARD, TILT CYLINDER 0 REQUIRED BY: 506-7662 INDUSTRIAL PACKAGE | | \$1,565 |

OTHER ATTACHMENTS

| | | | | |
|---|----------|--|--|-------|
| P | 365-0265 | OIL CHANGE SYSTEM, HIGH SPEED 0 Easy access drain line and Wiggins connector for remote engine oil drain. Provides quick, clean, and easy engine oil change without having to climb under the machine to access a gravity drain. | | \$284 |
| P | 506-4370 | WHEEL CHOCKS 0 Provides wheel chocks that mount to the frame. | | \$486 |

HEATER

| | | | | |
|---|----------|---|--|---------|
| P | 367-7379 | HEATER, 120V 0 For operation below 0F (or below 14F above 1750YD). ONLY FOR USE WITH: 506-4548 STARTING, COLD 507-6196 STARTING, COLD, HD | | \$655 |
| P | 501-1065 | HEATER ACCUMULATOR. 0 Required for machines that will use 0W-20 Cat Cold Transmission Oil. Allowing operation below -30C (-22F). | | \$1,435 |

QUICK COUPLERS

FUSION QUICK COUPLER

| | | | | |
|---|----------|---|--|---------|
| L | 310-9390 | QUICK COUPLER, FUSION 1,133 Factory installed Caterpillar Work Tools & Services (CWTS) Fusion style coupler. REQUIRES: QUICK COUPLER READY | | \$7,950 |
|---|----------|---|--|---------|

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

| USE | REF NO. | LANE 3 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|-----------------|-----------------|----------------------|
|-----|---------|-----------------|-----------------|----------------------|

QUICK COUPLERS (CONT.)

LINES CONNECTING

| | | | | |
|---|----------|---|--|---------|
| L | 323-9292 | LINES GP-IMPLEMENT 3V (QC) 21 ONLY FOR USE WITH: HYDRAULICS, 3V & 310-9390 QUICK COUPLER REQUIRED BY: HYDRAULICS, 3V & 310-9390 QUICK COUPLER | | \$1,050 |
| L | 394-7214 | LINES GP-IMPLEMENT 3V&4V (QC) 37 ONLY FOR USE WITH: HYDRAULICS, 4V & 310-9390 QUICK COUPLER REQUIRED BY: HYDRAULICS, 4V & 310-9390 QUICK COUPLER | | \$1,247 |

BUCKETS

Buckets must be ordered Installed on a Machine Order.
For questions on buckets intended for Machine Orders please contact your Marketing Subsidiary Machine Coordinator.

Loose buckets should be ordered on a MISC Order through Caterpillar Work Tools - Wamego using source code OP-0672.

For availability of loose buckets please email worktools@cat.com

If you are going to order a loose bucket from CWTS and a machine from North Little Rock and if you need them shipped at the same time then you need to cross-reference the MSO's with each other.

Material density will determine the appropriate capacity bucket.
Refer to the Specalog. Exceeding maximum payload may cause loader instability.

GENERAL PURPOSE PERFORMANCE SERIES BUCKETS (PIN-ON)

| | | | | |
|---|----------|--|--|----------|
| P | 516-1400 | BKTA GP ST 126" 6.25 YD3 PO 5,710 PERFORMANCE SERIES BUCKET INCLUDES: BOLT-ON CUTTING EDGE (BOCE) & CORNER GUARDS | | \$22,572 |
|---|----------|--|--|----------|

GENERAL PURPOSE-ABRASION PERFORMANCE SERIES BUCKETS (PIN-ON)

| | | | | |
|---|----------|--|--|----------|
| P | 518-8382 | BUCKET-GP, 129" 6.25YD3 5,767 PERFORMANCE SERIES BUCKET INCLUDES: BOLT-ON CUTTING EDGE (BOCE) & CORNER GUARDS | | \$21,842 |
| P | 416-6339 | BKTA GP AB 132" 6.75 YD3 PO 5,997 PERFORMANCE SERIES BUCKET INCLUDES: BOLT-ON CUTTING EDGE (BOCE) ONLY FOR USE WITH: 372-2141 COUNTERWEIGHT, AGGREGATE | | \$23,096 |
| P | 416-6340 | BKTA GP AB 132" 7.0 YD3 PO 6,241 PERFORMANCE SERIES BUCKET INCLUDES: BOLT-ON CUTTING EDGE (BOCE) ONLY FOR USE WITH: 372-2141 COUNTERWEIGHT, AGGREGATE | | \$30,147 |

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

| USE | REF NO. | LANE 3 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|-----------------|-----------------|----------------------|
|-----|---------|-----------------|-----------------|----------------------|

BUCKETS (CONT.)

GENERAL PURPOSE-HEAVY DUTY PERFORMANCE SERIES BUCKETS (PIN-ON)

| | | | | |
|---|----------|---|-------|----------|
| P | 518-8729 | BUCKET-GP, 129" 6.00YD3 | 6,673 | \$25,164 |
| | | PERFORMANCE SERIES BUCKET INCLUDES: BOLT-ON CUTTING EDGE (BOCE), CORNER GUARDS, & SIDEBAR PROTECTORS | | |
| P | 494-2543 | BKTA GP HD 132" 6.75 YD3 PO | 7,125 | \$27,608 |
| | | PERFORMANCE SERIES BUCKET INCLUDES: BOLT-ON CUTTING EDGE (BOCE) & SIDEBAR PROTECTORS | | |

MATERIAL HANDLING PERFORMANCE SERIES BUCKETS (PIN-ON)

| | | | | |
|---|----------|--|-------|----------|
| P | 516-1817 | BKTA FF ST 126" 6.0 YD3 PO | 5,584 | \$21,008 |
| | | PERFORMANCE SERIES BUCKET INCLUDES: BOLT-ON CUTTING EDGE (BOCE) | | |

WASTE HANDLING BUCKETS (PIN-ON)

| | | | | |
|---|----------|---|-------|----------|
| P | 516-2131 | BKTA WD ST 132" 8.50YD3 PO | 7,048 | \$25,350 |
| | | Dozing style bucket INCLUDES: BOLT-ON CUTTING EDGE (BOCE) CANNOT BE USED WITH: 426-1490 GUARD, TILT CYLINDER | | |
| P | 516-2101 | BKTA WD ST 132" 8.50YD3 PO | 8,647 | \$27,450 |
| | | Dozing style bucket INCLUDES: RUBBER BOLT-ON CUTTING EDGE (BOCE) CANNOT BE USED WITH: 426-1490 GUARD, TILT CYLINDER | | |
| P | 516-2103 | BKTA WLC ST 132" 9.75 YD3 PO | 7,513 | \$30,628 |
| | | Load and Carry style bucket INCLUDES: BOLT-ON CUTTING EDGE (BOCE) | | |
| P | 516-2145 | BKTA WLC ST 132" 9.75 YD3 PO | 9,112 | \$32,742 |
| | | Load and Carry style bucket INCLUDES: RUBBER BOLT-ON CUTTING EDGE (BOCE) | | |

INSTRUCTIONS

FILMS

| | | | | |
|---|----------|--|---|----|
| P | 468-0171 | FILM, WASTE | 0 | NC |
| | | ONLY FOR USE WITH: 506-7662 INDUSTRIAL PACKAGE | | |
| P | 468-0170 | FILM, SCRAP | 0 | NC |
| | | ONLY FOR USE WITH: 506-7662 INDUSTRIAL PACKAGE | | |

PACKING

WORKTOOL OMISSION

| | | | | |
|---|----------|---|---|----|
| P | 361-1437 | OMISSION, WORKTOOL | 0 | NC |
| | | This is required when ordering a machine without an installed bucket or quick coupler to protect the links. | | |

PACKING

| | | | | |
|--|---------|---|---|-----------|
| | 0P-0309 | PACK, DOMESTIC TRUCK | 0 | NC |
| | | Complete machine loaded on truck. | | |
| | 0P-0311 | PACK, DOMESTIC TRUCK LESS TIRE | 0 | \$231 NET |
| | | Machine loaded on truck with tires removed. | | |

CATERPILLAR MACHINE PRICE LIST

972MXE-LR

| USE | REF NO. | LANE 3 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|-----------------|-----------------|----------------------|
|-----|---------|-----------------|-----------------|----------------------|

PACKING (CONT.)

PACKING (Cont.)

| | | | | |
|---------|--|---|--|------------------|
| 0P-0313 | PACK, DOMESTIC RAIL | 0 | | \$162 NET |
| | Complete machine loaded on rail car. | | | |
| 0P-0314 | PACK, DOMESTIC RAIL LESS TIRES | 0 | | \$395 NET |
| | Machine loaded on rail car with tires removed. | | | |

FREIGHT, RAIL DELIVERY

| | | | | |
|---------|---|---|--|---------------------|
| 0P-3994 | FREIGHT, RAIL DELIVERY | 0 | | \$-1,555 NET |
| | Machine credit for rail delivery when paired with a second machine from the same source facility. | | | |
| | AVAILABLE FOR: Pre-approved US and Canadian dealers | | | |