

CATERPILLAR MACHINE PRICE LIST

973K

TRACK-TYPE LOADER GRENOBLE, FRANCE	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------------	--------------------	-------------------------

Standard Equipment:

POWERTRAIN

Caterpillar C9.3 ACERT engine and after treatment, certified EU Stage IV / EPA Tier 4 final
 Turbo charged with ATAAC
 Modular cooling system for engine air intake, oil and water
 Fan radiator, electronically controlled, hydraulically driven, temperature sensing, on demand
 Electronic Hydrostatic Control (EHC) for transmission
 Fuel cooler
 Water separator
 Air cleaner dry-type, with integral precleaner and dust ejection system, electronic filter condition indicator
 Caterpillar extended life coolant

Electronic Monitoring System with gauges for:
 - Engine coolant temperature
 - Hydraulic oil temperature
 - Fuel level
 - DEF level
 Mirror, rearview, inside, adjustable
 Radio ready. Includes 24V to 12V converter, speakers, antenna and two 12 volt power outlets
 Coat Hook
 Storage compartments under left armrest
 Document holder on right console
 Floor mat, rubber, heavy duty
 Windshield washers and wipers, multiple speed front and rear
 Durable metal roof
 Parking brake switch and "brake-on" indicator light

UNDERCARRIAGE

Caterpillar heavy duty tracks
 Track guiding guards, end section
 Track adjuster, hydraulic
 Sprocket rims, with replaceable bolt-on tough steel segments
 Guards, sprocket
 7 track rollers with 2 carrier rollers per track, lifetime lubricated
 Idlers, conventional type, lifetime lubricated
 Oscillating track roller frames
 Track master link

OTHER STANDARD EQUIPMENT

Sound suppression, exterior
 Z-bar loader linkage
 Load sensing variable displacement implement pump
 Implement cylinders with position sensors
 Operator programmable lift and tilt kickouts
 Engine enclosure with lockable doors
 Radiator core 6.5fpi, debris resistant
 Hinged radiator guard
 Guards, full bottom
 Guards, lift cylinders
 Guard, oil gauge
 Product Link ready
 Oil sampling valves
 Hoses, Caterpillar XT
 HYDO Advanced 10

ELECTRICAL

Alternator, 24 volt, heavy duty, brushless type
 Alarm, backup
 Horn, electric
 2 heavy duty batteries, high output, maintenance free, 1400 CCA
 Switch, main disconnect
 Starter, electric (heavy duty, 24 volt)

OPERATOR ENVIRONMENT

Pressurized, sound suppressed, ROPS/FOPS
 Cab with sealed front windshield, tinted glass and right side sliding window
 Air conditioning and heating
 Heater / defroster with automatic temperature control
 Electro Hydraulic Seat mounted control levers
 Seat belt, retractable, with buckling indicator

CATERPILLAR MACHINE PRICE LIST

973K

TRACK-TYPE LOADER GRENOBLE, FRANCE	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------------	--------------------	-------------------------

**LANE 2 is reserved for the Base Order Management Program.
 Please use Lane 2 when placing orders that are part of the Base
 Order Management Program.**

**2018 YOY list price reductions will be offset by reductions in
 discounts or merchandising support.**

499-1536	973K TRACK LOADER 0	\$540, 910
	LANE 2 - AVAILABLE FROM GRENOBLE FACTORY	
	LANE 3 - AVAILABLE FROM GRENOBLE FACTORY	

AVAILABLE FOR: NORTHERN AMERICAN DEALERS
 EU DEALERS
 KOREAN DEALERS
 AUSTRALIAN AND NEW ZEALAND DEALERS
 JAPANESE DEALERS.

0G-0702	973K MISC MATERIAL GRENOBLE 0	NC
	AVAILABLE FROM GRENOBLE FACTORY	

Only reference numbers that have the text
 "ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a MISC order.

AVAILABLE FOR: NORTHERN AMERICAN DEALERS
 EU DEALERS
 KOREAN DEALERS
 AUSTRALIAN AND NEW ZEALAND DEALERS
 JAPANESE DEALERS.

CATERPILLAR MACHINE PRICE LIST

973K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

	OP-9002	LANE 2 ORDER 0 Only for dealers enrolled in the Base Order Management (BOM) Program.		NC
	OP-9003	LANE 3 ORDER 0		NC

REGIONAL PACKAGES

L	506-5170	REGIONAL PACKAGE ADSD-N 0 Includes warning decals, ANSI.		NC
---	-----------------	--	--	-----------

FEATURE PACKAGES

L	499-1529	CONSTRUCTION PACKAGE, HD 0 Construction package is designed for all types of general earthmoving tasks : cleaning, digging, stockpiling, loading and carrying, truck loading, backfilling and grading. The construction package includes the base machine and standard items like engine hood with standard radiator grill, heavy-duty undercarriage.		NC
L	571-8025	CONSTRUCTION ES PACKAGE, HD 0 FOR USE IN LANE 3 ONLY This Extreme Service version is made of the construction package HD, and an heavy duty bumper with hitch. This package can be selected to maximize the rear protection of the machine. REQUIRES: 542-1598 NO BUMPER 542-1627 REAR STEP, STANDARD CANNOT BE USED WITH: 3V,GP and 4V HYDRAULIC PACKAGES 283-7915 RIPPER, MULTI-SHANK 542-1623 STRIKER BARS, REAR 506-0490 COUNTERWEIGHT		\$13,560

CATERPILLAR MACHINE PRICE LIST

973K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

FEATURE PACKAGES (CONT.)

L	499-1532	<p>WASTE PACKAGE, HEAVY DUTY 0</p> <p>FOR USE IN LANE 3 ONLY Provides minimum attachments required by waste applications. The modifications to the base machine include: - Guard duo cone seal for the final drive - Guard idler and idler seal INCLUDES: 305-7385 GUARD, LOWER, FINAL DRIVE ABR. RECOMMENDED OPTIONS: TRACKS WITH CENTER HOLES 497-9954 AIR PRECLEANER, CAB 291-9379 GUARD, TILT CYLINDER 305-7380 GUARD, FINAL DRIVE ABRASION 542-1623 STRIKER BARS, REAR REQUIRES: 504-3634 ENGINE, THERMO SHIELD 483-9387 REVERSING FAN 484-4474 AIR INLET, PRECLEANER, TURBINE HEAVY DUTY TRACKS 540-4600 KIT VISIBILITY, DOUBLE CAMERA 505-6305 SERVICE PACKAGE, EXTENDED 507-9474 WINDSHIELD PROTECTION</p>	0	\$35,470
L	502-1935	<p>WASTE ES PACKAGE, HEAVY DUTY 0</p> <p>FOR USE IN LANE 3 ONLY The Waste Handler extreme service package provides needed attachments to work successfully in tough waste applications like transfer station and demolition. This package can be selected also to maximize the protection of the machine for a better durability. The modifications to the base machine include those from the Waste Handler Package plus a heavy duty bumper with hitch. INCLUDES: 507-9474 WINDSHIELD PROTECTION 291-9379 GUARD, TILT CYLINDER 305-7380 GUARD, FINAL DRIVE ABRASION 305-7385 GUARD, LOWER, FINAL DRIVE ABR 542-1623 STRIKER BARS, REAR RECOMMENDED OPTIONS: TRACKS WITH CENTER HOLES BUCKETS, LANDFILL OR MULTIPURPOSE 383-3387 GUARD, TRACK ROLLER REQUIRES: 504-3634 ENGINE, THERMO SHIELD 483-9387 REVERSING FAN 484-4474 AIR INLET, PRECLEANER, TURBINE HEAVY DUTY TRACKS 540-4600 KIT VISIBILITY, DOUBLE CAMERA 505-6305 SERVICE PACKAGE, EXTENDED 542-1598 NO BUMPER 497-9954 AIR PRECLEANER, CAB 287-6742 REAR STEP, RIPPER CANNOT BE USED WITH: 3V,GP and 4V HYDRAULIC PACKAGES 283-7915 RIPPER, MULTI-SHANK 506-0490 COUNTERWEIGHT</p>	0	\$48,960

CATERPILLAR MACHINE PRICE LIST

973K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

FEATURE PACKAGES (CONT.)

L	527-6697	<p>WASTE PKG,HD,ENHANCED CLEANING 0</p> <p>FOR USE IN LANE 3 ONLY</p> <p>The package features the waste handling modifications, a wide gauge undercarriage and standard shoes enabling the waste to flow more easily between the chassis and the track roller frames which results in a huge cleaning time reduction.</p> <p>To take a full advantage of this package, one of the following track / bucket combinations must be considered:</p> <ul style="list-style-type: none"> - any bucket combined with 500mm/19.7" track shoes with center hole, - bucket with a minimum width of 2985mm/117.5" (wide or performance) combined with 675mm/26.6" track shoes with center hole. <p>Trash rack is only provided on landfill buckets. Please contact Cat Work Tools if other bucket needs.</p> <p>INCLUDES: 305-7385 GUARD, LOWER, FINAL DRIVE ABR.</p> <p>RECOMMENDED OPTIONS: TRACKS WITH CENTER HOLE</p> <ul style="list-style-type: none"> 291-9379 GUARD, TILT CYLINDER 305-7380 GUARD, FINAL DRIVE ABRASION 383-3387 GUARD, TRACK ROLLER 542-1623 STRIKER BARS or 506-0490 COUNTERWEIGHT <p>REQUIRES: 504-3634 ENGINE, THERMO SHIELD</p> <ul style="list-style-type: none"> 483-9387 REVERSING FAN 484-4474 AIR INLET, PRECLEANER, TURBINE <p>HEAVY DUTY TRACKS</p> <ul style="list-style-type: none"> 540-4600 KIT VISIBILITY, DOUBLE CAMERA 505-6305 SERVICE PACKAGE, EXTENDED 497-9954 AIR PRECLEANER, CAB 507-9474 WINDSHIELD PROTECTION 		\$81,490
---	----------	--	--	----------

L	499-1531	<p>LGP PACKAGE, HEAVY DUTY 0</p> <p>FOR USE IN LANE 3 ONLY</p> <p>This application package increases the ability of the machine to work in soft underfoot conditions.</p> <p>The track gauge is widened by 155mm (6.1") which allows the installation of track shoes up to 830mm (33").</p> <p>The machine mass is better balanced with counterweights or a ripper to decrease the ground pressure underneath the front idlers when bucket loaded.</p> <p>The modifications to the base machine include:</p> <ul style="list-style-type: none"> - Spacers for final drives and pivot shafts - Longer e-bar <p>INCLUDES: 305-7385 GUARD, LOWER, FINAL DRIVE ABR.</p> <p>REQUIRES: 415-5710 TRACK, 830 MM DG, HD</p> <ul style="list-style-type: none"> 283-7915 RIPPER, or 506-0490 COUNTERWEIGHT 524-7342 BUCKET-GP, 4.2 CUM, PERF WIDE 		\$41,300
---	----------	--	--	----------

CATERPILLAR MACHINE PRICE LIST

973K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

FEATURE PACKAGES (CONT.)

L	499-1530	<p>STEEL MILL PACKAGE 0</p> <p>AVAILABLE FOR ORDER, STARTING 1Q2018 FOR USE IN LANE 3 ONLY</p> <p>Include major modifications that allow the machine to work in slag handling applications. Please contact Caterpillar for operation recommendations in this severe application. The modifications to the base machine include:</p> <ul style="list-style-type: none"> - Heavy duty front guard and bottom guards - Heavy duty windshield glass laminated - Side bars welded on the track roller frame - Metallic rings on low and high linkage - Floating solid pin on lower bucket linkages - High temperature seals in the equalizer bar, idlers, track rollers and final drives - High temperature braiding on wiring harnesses - Silicone material used on windshield, side windows and cab doors seals, front buffles, front and rear wiper blades and door stoppers - Thermal insulation of front guard, equalizer bar rubber pads, air cleaner hose, bottom guards, enclosure doors, fenders, lift cylinders heads, hydraulic tilt lines, hydraulic lift lines, hydrostatic lines, cab sound insulation, DEF lines, lift rotary sensor and lift linkage sensor - Fire resistant floormat, fuel spark arrester and pressure relief - Cab door windows protected at bottom - Additional metallic roof on top of cab - Metallic door handles and push button release - Manual brake release system located in the cab - 8 heat resistant lights <p>INCLUDES: 540-4600 KIT VISIBILITY, DOUBLE CAMERA 507-9474 WINDSHIELD PROTECTION 291-9379 GUARD, TILT CYLINDER 305-7385 GUARD, LOWER, FINAL DRIVE ABR</p> <p>RECOMMENDED OPTIONS: 383-3387 GUARD, TRACK ROLLER 305-7380 GUARD, FINAL DRIVE ABRASION</p> <p>REQUIRES: 476-5771 ENGINE 509-5148 FAN REVERSING, STEEL MILL 555-1355 AIR INLET, PRECLEANER, TURBINE TRACKS, SEALED & NON-LUBRICATED FOR STEEL MILL 541-4353 HYDRAULIC OIL, ECOSAFE 499-9403 CAB, STEEL MILL 517-1713 NO PRODUCT LINK 542-1598 NO BUMPER 309-4265 BUCKET SLAG, 2.9 CUM 506-0491 COUNTERWEIGHT, HD BUMPER</p> <p>CANNOT BE USED WITH: 3V,GP and 4V HYDRAULIC PACKAGES 283-7915 RIPPER, MULTI-SHANK 505-6304 nor 505-6305 SERVICE PACKAGES 389-2415 BEACON, ROTATING 497-9954 AIR PRECLEANER, CAB 469-6093 MAST, GRADE CONTROL 309-8021 HITCH, RIPPER 505-6252 FUEL PUMP, REFILLING</p>	0	\$73,540
---	----------	---	---	----------

CATERPILLAR MACHINE PRICE LIST

973K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

POWERTRAIN

ENGINE

L	476-5771	ENGINE 0 Standard engine. CANNOT BE USED WITH: 499-1532 WASTE PACKAGE, HEAVY DUTY 502-1935 WASTE ES PACKAGE, HEAVY DUTY 527-6697 WASTE PKG HD, ENHANCED CLEANING		NC
L	504-3634	ENGINE, THERMO SHIELD 0 FOR USE IN LANE 3 ONLY Provides heat resistant covering for the machine exhaust system, Clean Emissions Module and turbo. CANNOT BE USED WITH: 499-1530 STEEL MILL PACKAGE REQUIRED BY: 499-1532 WASTE PACKAGE, HEAVY DUTY 502-1935 WASTE ES PACKAGE, HEAVY DUTY 527-6697 WASTE PKG HD, ENHANCED CLEANING		\$11,030

RADIATOR FAN

All fans do have an electronically controlled hydraulic drive that automatically adapts cooling to engine heat load.

L	557-6156	FAN, BASIC 0 Includes an hydraulic valve that can reduce the fan speed and improves cold weather performances. ONLY FOR USE WITH: 499-1529 CONSTRUCTION PACKAGE, HD 499-1531 LGP PACKAGE, HEAVY DUTY		NC
L	483-9387	FAN, REVERSING 0 FOR USE IN LANE 3 ONLY Programmable automatic and manual reverse air flow control. Recommended for applications with a risk of radiator plugging. Also includes an hydraulic valve that can reduce the fan speed and improves cold weather performances. CANNOT BE USED WITH: 499-1530 STEEL MILL PACKAGE REQUIRED BY: 499-1532 WASTE PACKAGE, HEAVY DUTY 502-1935 WASTE ES PACKAGE, HEAVY DUTY 527-6697 WASTE PKG HD, ENHANCED CLEANING		\$2,205
L	509-5148	FAN, REVERSING, STEEL MILL 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 499-1530 STEEL MILL PACKAGE		\$1,920

AIR INLET

L	482-3643	AIR INLET, STANDARD 0 ONLY FOR USE WITH: 499-1529 CONSTRUCTION PACKAGE, HD 499-1531 LGP PACKAGE, HEAVY DUTY		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

973K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

POWERTRAIN (CONT.)

AIR INLET (Cont.)

L	484-4474	AIR INLET, PRECLEANER, TURBINE 0 For use in heavy debris applications May improve filter life. OPTIMAX dual-stage precleaner powered by engine's intake and exhaust air flows. Intake air is spun by flow-driven impeller. Debris stratify along outer wall and are ejected back into environment. CANNOT BE USED WITH: 499-1530 STEEL MILL PACKAGE REQUIRED BY: 499-1532 WASTE PACKAGE, HEAVY DUTY 502-1935 WASTE ES PACKAGE, HEAVY DUTY 527-6697 WASTE PKG HD, ENHANCED CLEANING		\$2,140
L	555-1355	AIR INLET, PRECLEANER, SMA 0 FOR USE IN LANE 3 ONLY Air inlet with a steel precleaner for steel mill applications. ONLY FOR USE WITH: 499-1530 STEEL MILL PACKAGE		\$2,140

UNDERCARRIAGE

TRACKS

TRACKS, HEAVY DUTY, SEALED & LUBRICATED

L	459-8275	TRACK, 21.6" DG, HD 0 CANNOT BE USED WITH: 499-1531 LGP PACKAGE, HEAVY DUTY 499-1530 STEEL MILL PACKAGE		NC
L	459-8276	TRACK, 26.5" DG, HD 1,111 FOR USE IN LANE 3 ONLY Double grouser, moderate service track shoes. CANNOT BE USED WITH: 499-1531 LGP PACKAGE, HEAVY DUTY 499-1530 STEEL MILL PACKAGE		\$2,280
L	459-8277	TRACK, 19.7" DG CTR HOLE, HD -831 FOR USE IN LANE 3 ONLY Double grouser shoes with center holes. The center hole of the track shoes provides the easiest exit for mud and debris when it is pushed out by the sprocket teeth. Avoids track chain tightening and the accelerated pin and bushing wear which can result from packing. RECOMMENDED WITH: 499-1532 WASTE PACKAGE, HEAVY DUTY 502-1935 WASTE ES PACKAGE, HEAVY DUTY 527-6697 WASTE PKG HD, ENHANCED CLEANING CANNOT BE USED WITH: 499-1531 LGP PACKAGE, HEAVY DUTY 499-1530 STEEL MILL PACKAGE		\$5,440

CATERPILLAR MACHINE PRICE LIST

973K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

UNDERCARRIAGE (CONT.)

TRACKS (Cont.)

L	459-8278	TRACK, 26.6" DG CTR HOLE, HD 723 FOR USE IN LANE 3 ONLY Double grouser, moderate service track shoes with center holes. The center hole of the track shoes provides the easiest exit for mud and debris when it is pushed out by the sprocket teeth. Avoids track chain tightening and the accelerated pin and bushing wear which can result from packing. RECOMMENDED WITH: 499-1532 WASTE PACKAGE, HEAVY DUTY 502-1935 WASTE ES PACKAGE, HEAVY DUTY 527-6697 WASTE PKG HD, ENHANCED CLEANING CANNOT BE USED WITH: 499-1531 LGP PACKAGE, HEAVY DUTY 499-1530 STEEL MILL PACKAGE		\$5,760
L	459-8279	TRACK, 20" ES SG CTR HOLE, HD -1,116 FOR USE IN LANE 3 ONLY Single grouser, extreme service track shoes with trapezoidal center holes. The trapezoidal center hole of the track shoes provides an easiest exit for mud and debris when it is pushed out by the sprocket teeth. Avoids track chain tightening and the accelerated pin and bushing wear which can result from packing. RECOMMENDED WITH: 499-1532 WASTE PACKAGE, HEAVY DUTY 502-1935 WASTE ES PACKAGE, HEAVY DUTY 527-6697 WASTE PKG HD, ENHANCED CLEANING CANNOT BE USED WITH: 499-1531 LGP PACKAGE, HEAVY DUTY 499-1530 STEEL MILL PACKAGE		\$7,520
L	459-8280	TRACK, 26.6" SG CTR HOLE, HD 218 FOR USE IN LANE 3 ONLY Single grouser shoes with trapezoidal center holes. The trapezoidal center hole of the track shoes provides the easiest exit for mud and debris when it is pushed out by the sprocket teeth. Avoids track chain tightening and the accelerated pin and bushing wear which can result from packing. RECOMMENDED WITH: 499-1532 WASTE PACKAGE, HEAVY DUTY 502-1935 WASTE ES PACKAGE, HEAVY DUTY 527-6697 WASTE PKG HD, ENHANCED CLEANING CANNOT BE USED WITH: 499-1531 LGP PACKAGE, HEAVY DUTY 499-1530 STEEL MILL PACKAGE		\$11,610

TRACKS, HEAVY DUTY, SEALED & LUBRICATED FOR WIDE GAUGE APPLICATION

L	415-5710	TRACK, 32.7" DG, HD 8,653 FOR USE IN LANE 3 ONLY Double grouser, extreme service HD track shoes. ONLY FOR USE WITH: 499-1531 LGP PACKAGE, HEAVY DUTY		\$4,275
---	----------	--	--	---------

TRACKS, HEAVY DUTY, SEALED & NON-LUBRICATED FOR STEEL MILL APPLICATION

CATERPILLAR MACHINE PRICE LIST

973K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

UNDERCARRIAGE (CONT.)

TRACKS (Cont.)

L	516-2004	TRACK, 19.7 " DG, HD 0 FOR USE IN LANE 3 ONLY Double grouser, extreme service track shoes. ONLY FOR USE WITH: 499-1530 STEEL MILL PACKAGE		NC
L	516-2006	TRACK, 19.7 ", FLAT, HD 0 FOR USE IN LANE 3 ONLY Track without grouser, 54mm/2"thick. ONLY FOR USE WITH: 499-1530 STEEL MILL PACKAGE		\$17,610
L	516-2008	TRACK, 19.7 " TG, HD 0 FOR USE IN LANE 3 ONLY Triple grouser track shoes. ONLY FOR USE WITH: 499-1530 STEEL MILL PACKAGE		\$1,585
L	516-2010	TRACK, 19.7 " ALTER. FLAT, HD 0 FOR USE IN LANE 3 ONLY Alternate flat and double grouser shoes. ONLY FOR USE WITH: 499-1530 STEEL MILL PACKAGE		\$8,670

HYDRAULICS

HYDRAULIC OIL

L	291-0269	HYDRAULIC OIL, STANDARD 0 Standard hydraulic oil. Factory filled. For the implement and transmission hydraulic systems. CANNOT BE USED WITH: 499-1530 STEEL MILL PACKAGE		NC
L	541-4354	HYDRAULIC OIL, BIO 0 FOR USE IN LANE 3 ONLY This Hydraulic Environmental Ester Synthetic oil is recommended when required for environmental compliance. Factory filled. For the implement and differential steering hydraulic systems. CANNOT BE USED WITH: 499-1530 STEEL MILL PACKAGE		\$3,500
L	541-4353	HYDRAULIC OIL, ECOSAFE 0 FOR USE IN LANE 3 ONLY Fire resistant hydraulic oil - Ecosafe FR46 ONLY FOR USE WITH: 499-1530 STEEL MILL PACKAGE		NC

OPERATOR ENVIRONMENT

CAB

L	499-9401	CAB 0 FOR USE IN LANE 3 ONLY INCLUDES: - right rear side sliding window - 4 halogen lights (two facing forward, roof mounted; two facing rearward integrated in A/C unit) CANNOT BE USED WITH: 499-1530 STEEL MILL PACKAGE		NC
---	----------	--	--	----

CATERPILLAR MACHINE PRICE LIST

973K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

CAB (Cont.)

L	499-9402	CAB, DELUXE 0 Highly equipped version of the cab. INCLUDES: - both rear sides sliding windows - pre-installed microphone for the Bluetooth radio - 8 LED lights (four facing forward, two facing sideways and two facing rearward integrated in A/C unit) CANNOT BE USED WITH: 499-1530 STEEL MILL PACKAGE		\$3,155
L	499-9403	CAB, STEEL MILL 0 FOR USE IN LANE 3 ONLY Version of the cab modified to work in slag handling applications where additional thermal protections are required. INCLUDES: - all sealed windows - Windshield and front light protection - pre-installed microphone for the Bluetooth radio - 8 halogen lights (four facing forward, two facing sideways and two facing rearward integrated in A/C unit). ONLY FOR USE WITH: 499-1530 STEEL MILL PACKAGE		\$3,155

REAR CAMERA

L	540-4598	KIT VISIBILITY, SINGLE CAMERA 0 ONLY FOR USE WITH: 482-3643 AIR INLET, STANDARD CANNOT BE USED WITH: 499-1530 STEEL MILL PACKAGE		NC
L	540-4600	KIT VISIBILITY, DOUBLE CAMERA 0 Provides the expected visibility when the machine is equipped with the engine air cleaner with turbine. ONLY FOR USE WITH: 484-4474 AIR INLET, PRECLEANER, TURBINE CANNOT BE USED WITH: 499-1530 STEEL MILL PACKAGE		\$535

SEAT

All seats are TLV2: Toggle Link Vertical 2d generation seats, with reinforced air suspension.

L	508-4901	SEAT, BASIC 0 FOR USE IN LANE 3 ONLY INCLUDES: - cloth-covered seat - removable headrest - 76mm / 3" retractable, 2 point seat belt		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

973K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

SEAT (Cont.)

L	508-4902	SEAT, COMFORT 0 INCLUDES: - cloth-covered seat - removable headrest - 76mm / 3" retractable, 2 point seat belt - lockable side-to-side isolator - heated seat pan and back rest		\$720
L	546-0888	SEAT, DELUXE 0 FOR USE IN LANE 3 ONLY INCLUDES: - cloth and leather-covered seat - removable headrest - 76mm / 3" retractable, 2 point (4 point compatible) seat belt - lockable side-to-side isolator - heated and ventilated seat pan and back rest - high back rest		\$2,040

TRANSMISSION

L	508-4758	TRANSMISSION CONTROL V-LEVER 0 This package includes V-lever for speed and direction control and steering pedals.		NC
L	508-4756	TRANSMISSION CONTROL, JOYSTICK 0 This package includes one joystick for speed, direction and steering control on the left hand console. The machine is controlled like a MTL/SSL.		NC

For machines equipped with a Transmission/Hystat Joystick, there are 2 steering patterns available.
 The default S-Pattern is like a CAT Skid Steer.
 The alternate C-Steer pattern is like a CAT tractor.
 The machine can not be shipped from the factory with the alternate pattern activated. A CAT service tool (ET) is required to make the change. See your Service department for details.

HYDRAULIC PACKAGE

L	505-1156	HYDRAULIC 2V,GP 2 LEVERS, PACK 0 This configuration includes 2 functions valves and electro bucket control two levers for GP bucket. CANNOT BE USED WITH: MP BUCKETS 283-7915 RIPPER, MULTI-SHANK		NC
---	----------	--	--	----

CATERPILLAR MACHINE PRICE LIST

973K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

HYDRAULIC PACKAGE (Cont.)

L	505-1161	HYDRAULIC 3V,GP 2 LEVERS, PACK 0 FOR USE IN LANE 3 ONLY This configuration includes rear hydraulic lines and electro-hydraulic bucket control two levers for GP bucket and a ripper control lever. CANNOT BE USED WITH: MP BUCKETS 571-8025 CONSTRUCTION ES PACKAGE, HD 502-1935 WASTE ES PACKAGE, HEAVY DUTY 499-1530 STEEL MILL PACKAGE		\$8,290
L	505-1157	HYDRAULIC 2V,GP JOYSTICK, PACK 0 FOR USE IN LANE 3 ONLY This configuration includes 2 functions valve and joystick control for GP buckets. CANNOT BE USED WITH: MP BUCKETS 283-7915 RIPPER, MULTI-SHANK		NC
L	505-1159	HYDRAULIC 3V,GP JOYSTICK, PACK 0 This configuration includes rear hydraulic lines, a joystick control for GP bucket and a ripper control lever. CANNOT BE USED WITH: MP BUCKETS 571-8025 CONSTRUCTION ES PACKAGE, HD 502-1935 WASTE ES PACKAGE, HEAVY DUTY 499-1530 STEEL MILL PACKAGE		\$8,290
L	505-1158	HYDRAULIC 3V,MP JOYSTICK, PACK 0 FOR USE IN LANE 3 ONLY This configuration includes front hydraulic lines and joystick control for MP bucket. CANNOT BE USED WITH: 283-7915 RIPPER, MULTI-SHANK		\$8,290
L	505-1160	HYDRAULIC 4V,MP JOYSTICK, PACK 0 FOR USE IN LANE 3 ONLY This configuration includes 4 functions valve, front and rear hydraulic lines, an electro-hydraulic bucket control with MP bucket proportional control slider, a ripper control lever. CANNOT BE USED WITH: 571-8025 CONSTRUCTION ES PACKAGE, HD 502-1935 WASTE ES PACKAGE, HEAVY DUTY 499-1530 STEEL MILL PACKAGE		\$12,820

SERVICE PACKAGE

L	505-6304	SERVICE PACKAGE, STANDARD 0 FOR USE IN LANE 3 ONLY This package features a locking bar that holds the cab at 30 degrees safely (a crane is required to tilt the cab) and front windshield. CANNOT BE USED WITH: 499-1532 WASTE PACKAGE, HEAVY DUTY 502-1935 WASTE ES PACKAGE, HEAVY DUTY 527-6697 WASTE PKG HD, ENHANCED CLEANING 499-1530 STEEL MILL PACKAGE		NC
---	----------	--	--	----

CATERPILLAR MACHINE PRICE LIST

973K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

SERVICE PACKAGE (Cont.)

L	505-6305	SERVICE PACKAGE, EXTENDED 0 This package features a manual hydraulic pump enabling the cab tilt cylinder installed under the cab. CANNOT BE USED WITH: 499-1530 STEEL MILL PACKAGE		\$1,825
---	----------	--	--	---------

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries.
Please contact your Cat marketing representative with questions.

L	517-1714	PRODUCT LINK, SATELLITE PL631 0 FOR USE IN LANE 3 ONLY Product Link Pro series PL631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage.		\$432
L	507-5181	PRODUCT LINK, CELLULAR PL641 0 Product Link Pro series PL641 offers expanded coverage including 3G UMTS and CDMA2000 as well as 2G GSM and CDMA cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		NC
L	517-1713	NO PRODUCT LINK 0 FOR USE IN LANE 3 ONLY REQUIRED BY: 499-1530 STEEL MILL PACKAGES		NC

OTHER ATTACHMENTS

REAR ATTACHMENT

P	493-6496	BUMPER, STANDARD 0 Includes a hitch. CANNOT BE USED WITH: 571-8025 CONSTRUCTION ES PACKAGE, HD 502-1935 WASTE ES PACKAGE, HEAVY DUTY 499-1530 STEEL MILL PACKAGE		NC
---	----------	--	--	----

CATERPILLAR MACHINE PRICE LIST

973K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

REAR ATTACHMENT (Cont.)

P	283-7915	RIPPER, MULTI-SHANK	564 2,674	\$26,500 \$26,500 NI
		AVAILABLE INSTALLED OR NOT INSTALLED ALSO AVAILABLE ON A MISCELLANEOUS ORDER Hydraulic rear-mounted radial ripper. Includes 3 curved shanks with replaceable tips. REQUIRES: 505-1161 HYDRAULIC 3V,GP 2 LEVERS, PACK 505-1159 HYDRAULIC 3V,GP JOYSTICK, PACK 505-1160 HYDRAULIC 4V,MP JOYSTICK, PACK CANNOT BE USED WITH: 571-8025 CONSTRUCTION ES PACKAGE, HD 502-1935 WASTE ES PACKAGE, HEAVY DUTY 499-1530 STEEL MILL PACKAGE 337-3082 STRIKER BARS, REAR 506-0490 nor 506-0491 COUNTERWEIGHTS		
L	542-1598	NO BUMPER	0	NC
		FOR USE IN LANE 3 ONLY REQUIRED BY: 571-8025 CONSTRUCTION ES PACKAGE, HD 502-1935 WASTE ES PACKAGE, HEAVY DUTY 499-1530 STEEL MILL PACKAGE		

BUCKETS

BUCKET PACKAGE

ALL BUCKETS AVAILABLE INSTALLED OR NOT INSTALLED
 ALSO AVAILABLE ON A MISCELLANEOUS ORDER

GENERAL PURPOSE PERFORMANCE SERIES BUCKETS (PIN-ON)

These Performance Series Buckets provide maximum material retention and full length Back Grading Edge.

For an overall machine balance, it is recommended to order an heavy counterweight or a ripper with a machine equipped with a performance bucket.

P	524-7340	BUCKET-GP, 5.5 CYD, PERF	0 0	\$28,430 \$28,430 NI
		Performance series Bucket Includes : Bolt-on cutting edges (set of 7), Bolt-on teeth, K90 General Duty tips (set of 8) Capacity: 3.8CUM (5.0CYD) 110% Fill Factor: 4.2CUM (5.5CYD) Width: 2982mm (117")		

CATERPILLAR MACHINE PRICE LIST

973K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BUCKETS (CONT.)

BUCKET PACKAGE (Cont.)

P	524-7341	BUCKET-GP, 5.2 CYD, PERF FLUSH	0 0	\$27,480 \$27,480 NI
		Performance series Bucket FOR USE IN LANE 3 ONLY Flat bottom Bucket Includes: Welded flush adapters, K90 Extra Duty tips (set of 8). Capacity: 3.6CUM (4.7CYD) 110% Fill Factor: 4.0CUM (5.2CYD) Width: 2990mm (118") Recommended for fine grading application.		
P	524-7342	BUCKET-GP, 5.5 CYD, PERF WIDE	0	\$34,570 NI
		Performance series Bucket Flat bottom Bucket Includes: Welded flush adapters, K90 Extra Duty tips (set of 8). Capacity: 3.8CUM (5.0CYD) 110% Fill Factor: 4.2CUM (5.5CYD) Width: 3192mm (126") Bucket for Low Ground Pressure applications. AVAILABLE NOT INSTALLED ONLY (exceeds normal transportation width if installed on the machine). REQUIRES: 0G-3258 PACK NI OR DISMOUNTED BUCKET REQUIRED BY: 499-1531 LGP PACKAGE, HEAVY DUTY		

GENERAL PURPOSE SERIES BUCKETS (PIN-ON)

P	347-3970	BUCKET-GP, 4.2 CYD	4,564 4,564	\$21,710 \$21,710 NI
		General Purpose bucket Includes: Bolt-on segments (set of 7), Bolt-on teeth, K90 General duty tips (set of 8). Capacity: 3.2CUM (4.2CYD) Width: 2974mm (117")		
P	455-1623	BUCKET-GP, 4.2 CYD, HD	5,154 5,154	\$27,760 \$27,760 NI
		FOR USE IN LANE 3 ONLY General Purpose bucket. Includes : Bolt-on cutting edges (set of 7), Bolt-on teeth, K90 Extra duty tips (set of 10). Capacity: 3.2CUM (4.2CYD) Width: 2974mm (117") Recommended for heavy duty applications. Heavy-Duty bucket with reinforced wear bottom and sides plates and double adapters on bucket ends.		

CATERPILLAR MACHINE PRICE LIST

973K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BUCKETS (CONT.)

BUCKET PACKAGE (Cont.)

P	455-1628	BUCKET-GP, 4.2CYD, HD FUL EDGE	4,354 4,354	\$17,920 \$17,920 NI
		FOR USE IN LANE 3 ONLY General Purpose bucket Includes : Full cutting edge, bolt-on. Capacity: 3.2CUM (4.2CYD) Width: 2976mm (117") Best for granular materials (gravel, sand...), finish grading and final preparation.		
P	347-3971	BUCKET GP, 4.0 CYD, FLUSH ADAP	3,794 3,794	\$21,130 \$21,130 NI
		FOR USE IN LANE 3 ONLY General Purpose bucket with flush adaptors. Flat bottom Bucket. Includes: Welded flush adaptors, K90 Extra Duty tips (set of 8) Capacity: 3.2CUM (4.0CYD) Width: 2990mm (118") Recommended for fine grading application		

WASTE HANDLING BUCKETS (PIN-ON)

P	455-1626	BUCKET-GP, 6.4 CYD LANDFILL HD	5,126 5,126	\$31,330 \$31,330 NI
		FOR USE IN LANE 3 ONLY General Purpose, Landfill bucket. Includes: Bolt-on cutting edges (set of 7), Bolt-on teeth, K90 Extra duty (set of 8). Capacity: 4.9CUM (6.4CYD) Width: 2974mm (117") Bucket equipped with a heavy duty trash grid.		
P	455-1627	BUCKET-MP, 6.0 CYD LANDFILL HD	7,978 7,978	\$48,690 \$48,690 NI
		FOR USE IN LANE 3 ONLY Multi Purpose, landfill bucket. Includes: Bolt-on cutting edges (set of 7), Bolt-on teeth, K90 Extra duty tips (set of 8). Capacity: 4.6CUM (6.0CYD) Width: 2946mm (116") Bucket equipped with a heavy duty trash grid. Heavy counterweight or ripper are recommended for overall machine balance. ONLY FOR USE WITH: 505-1158 HYDRAULIC 3V,MP JOYSTICK, PACK 505-1160 HYDRAULIC 4V,MP JOYSTICK, PACK		

CATERPILLAR MACHINE PRICE LIST

973K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BUCKETS (CONT.)

BUCKET PACKAGE (Cont.)

MULTI PURPOSE SERIES BUCKETS (PIN-ON)

P	347-3975	BUCKET MP, 4.0 CYD	7,657 7,657	\$40,660 \$40,660 NI
		FOR USE IN LANE 3 ONLY Multi Purpose bucket Includes: Bolt-on cutting edges (set of 7), Bolt-on teeth, K90 General Duty tips (set of 8). Capacity: 3.0CUM (4.0CYD) Width: 2946mm (116") Heavy counterweight or ripper are recommended for overall machine balance. ONLY FOR USE WITH: 505-1158 HYDRAULIC 3V,MP JOYSTICK, PACK 505-1160 HYDRAULIC 4V,MP JOYSTICK, PACK		

P	455-1625	BUCKET-MP, 4.0 CYD, HD	7,923 7,923	\$46,410 \$46,410 NI
		FOR USE IN LANE 3 ONLY Multi Purpose bucket heavy duty. Includes: Bolt-on cutting edges (set of 7), Bolt-on teeth, K90 Extra Duty tips (set of 8). Capacity: 3.0CUM (4.0CYD) Width: 2946mm (116") Bucket for heavy duty applications. Heavy counterweight or ripper is recommended for overall machine balance. ONLY FOR USE WITH: 505-1158 HYDRAULIC 3V,MP JOYSTICK, PACK 505-1160 HYDRAULIC 4V,MP JOYSTICK, PACK		

STEEL MILL BUCKET (PIN-ON)

P	524-7343	BUCKET SLAG, 4.0 CYD	0 0	\$45,460 \$45,460 NI
		FOR USE IN LANE 3 ONLY Includes: Welded half arrow segments (set of 4), Welded teeth adaptors, J550, and J550 HD Penetration tips (set of 5) Capacity: 3.0CUM (3.9CYD) Width: 2960MM (116") Bucket designed for extended wear resistance in high temperature applications. REQUIRED BY: 499-1530 STEEL MILL PACKAGE		

NO BUCKET

CATERPILLAR MACHINE PRICE LIST

973K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BUCKETS (CONT.)

BUCKET PACKAGE (Cont.)

L	347-3978	NO BUCKET	0	NC
---	----------	-----------------	---	----

ADDITIONAL GROUND ENGAGING TOOLS

For bucket teeth and cutting edge combinations not shown in this price list, please order desired GET through CATERPILLAR WORK TOOLS or PARTS DISTRIBUTION.

ADDITIONAL WORK TOOLS

Caterpillar offers a complete line of Track Type Loader buckets and tools including:

- Blades
- Forks
- Material Handling Arms
- Rakes

For America North, please refer to the WT-TTL Price List (Work Tool Track Type Loaders) for any loose work tools that you may want to order on a Misc (CMOPS) order. Please use the misc work tool OP-0599 number listed in the WT-TTL Price list for any loose misc orders. Pack code required is OP-0210 for US Domestic orders or OP-5812 for Export orders.

For Europe, the WT-TTL Price List is not yet available. Please contact your Caterpillar Work Tools Account Coordinator at: Phone: (31) 736.399.777 or Fax: (31) 736.428.105, or E-mail: Worktools@Cat.com

PACKING

EXPORT PACKING

OG-9236	COMPLETE STORAGE PROTECTION	0	\$242 NET
<p>Machines have been sprayed with Fluid Film TM. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer. Cilix AND foam protection on all cylinders are also included in this storage protection procedure. Recommended : Sea and all type or long distance shipment</p>			

CATERPILLAR MACHINE PRICE LIST

973K

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

STARTERS, BATTERIES, & ALTERNATORS

L	513-3384	HEATER, ENGINE COOLANT, 120V 0 FOR USE IN LANE 3 ONLY Recommended for operation on low ambient climates (-25C to -40C). This consists of a heated filter canister and insulated hoses, 120V compatible.		\$258
---	----------	---	--	--------------

ELECTRICAL

L	389-2415	BEACON, ROTATING 2 FOR USE IN LANE 3 ONLY Rotating beacon with magnetic installation. CANNOT BE USED WITH: 499-1530 STEEL MILL PACKAGE		\$555
---	----------	--	--	--------------

OPERATOR ENVIRONMENT

	452-6580	RADIO, AM/FM/AUX/USB/BLUETOOTH 4 12V AM/FM Stereo with Bluetooth technology and USB connection. Includes individual bass/treble controls, loudness adjustment and station pre-set capability. Pre-set memory is maintained by internal battery.		\$545
L	497-9954	AIR PRECLEANER, CAB 0 Provides an external and extended precleaner installation to the cab to optimize its pressurization and filtration conditions. RECOMMENDED WITH: 499-1532 WASTE PACKAGE, HEAVY DUTY REQUIRED BY: 502-1935 WASTE ES PACKAGE, HEAVY DUTY 527-6697 WASTE PKG HD, ENHANCED CLEANING CANNOT BE USED WITH: 499-1530 STEEL MILL PACKAGE		\$2,260

TECHNOLOGY PRODUCTS

MACHINE CONTROL OPTIONS

L	469-6093	MAST, GRADE CONTROL 0 FOR USE IN LANE 3 ONLY Includes mast and brackets to equip your machine with grading assistance device. CANNOT BE USED WITH: 499-1530 STEEL MILL PACKAGE		\$745
---	----------	--	--	--------------

GUARDS

CAB GUARDS

L	518-0006	GUARD, FRONT LIGHTS 0 2 Additional guards for the cab front lights. CANNOT BE USED WITH: 499-1532 WASTE PACKAGE, HEAVY DUTY 502-1935 WASTE ES PACKAGE, HEAVY DUTY 527-6697 WASTE PKG HD, ENHANCED CLEANING 499-1530 STEEL MILL PACKAGE 505-7467 WINDSHIELD PROTECTION		\$198
---	----------	--	--	--------------

CATERPILLAR MACHINE PRICE LIST

973K

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

GUARDS (CONT.)

CAB GUARDS (Cont.)

L	507-9474	WINDSHIELD PROTECTION 0 FOR USE IN LANE 3 ONLY Hinged heavy duty with hand operated latches. Protects cab windshield and lower door window panes, while still allowing easy access for cleaning. CANNOT BE USED WITH: 518-0006 GUARD, FRONT LIGHTS INCLUDED IN: 499-1530 STEEL MILL PACKAGE 502-1935 WASTE ES PACKAGE, HEAVY DUTY REQUIRED BY: 499-1532 WASTE PACKAGE, HEAVY DUTY 527-6697 WASTE PKG HD, ENHANCED CLEANING		\$2,770
---	----------	--	--	----------------

HYDRAULIC IMPLEMENT GUARDS

L	291-9379	GUARD, TILT CYLINDER 245 FOR USE IN LANE 3 ONLY Provides for tilt cylinder rod protection. RECOMMENDED WITH: 499-1532 WASTE PACKAGE, HEAVY DUTY 527-6697 WASTE PKG HD, ENHANCED CLEANING INCLUDED IN: 502-1935 WASTE ES PACKAGE, HEAVY DUTY 499-1530 STEEL MILL PACKAGE		\$3,685
---	----------	--	--	----------------

FINAL DRIVE GUARDS

L	305-7380	GUARD, FINAL DRIVE ABRASION 273 FOR USE IN LANE 3 ONLY Protects the top of the final drive housings in abrasive applications. RECOMMENDED WITH: 499-1532 WASTE PACKAGE, HEAVY DUTY 527-6697 WASTE PKG HD, ENHANCED CLEANING 499-1530 STEEL MILL PACKAGE INCLUDED IN: 502-1935 WASTE ES PACKAGE, HEAVY DUTY		\$2,800
L	305-7385	GUARD, LOWER, FINAL DRIVE ABR. 0 FOR USE IN LANE 3 ONLY Protect the bottom part of the final drive housings in abrasive applications. INCLUDED IN: 499-1532 WASTE PACKAGE, HEAVY DUTY 502-1935 WASTE ES PACKAGE, HEAVY DUTY 527-6697 WASTE PKG HD, ENHANCED CLEANING 499-1531 LGP PACKAGE, HEAVY DUTY 499-1530 STEEL MILL PACKAGE		\$3,900

CATERPILLAR MACHINE PRICE LIST

973K

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

GUARDS (CONT.)

TRACK GUIDING GUARDS

L	383-3387	GUARD, TRACK ROLLER 450 Full length track roller guards provide track guiding for sideslopping applications. It also provides protection against rocks and debris entering into roller areas. RECOMMENDED WITH: 502-1935 WASTE ES PACKAGE, HEAVY DUTY 527-6697 WASTE PKG HD, ENHANCED CLEANING 499-1530 STEEL MILL PACKAGE		\$4,540
---	----------	---	--	----------------

OTHER ATTACHMENTS

REAR ATTACHMENTS

L	309-8021	HITCH, RIPPER 0 Mandatory attachment to be used when the machine is equipped with a ripper. Bumpers have their own included hitch. CANNOT BE USED WITH: 493-6496 BUMPER, STANDARD 571-8025 CONSTRUCTION ES PACKAGE, HD 502-1935 WASTE ES PACKAGE, HEAVY DUTY 499-1530 STEEL MILL PACKAGE REQUIRED BY: 283-7915 RIPPER, MULTI-SHANK		NC
---	----------	---	--	-----------

L	542-1623	STRIKER BARS, REAR 0 FOR USE IN LANE 3 ONLY Mounted to the rear of the main frame. Striker bars keep trash from climbing the tracks and damaging the fenders. RECOMMENDED WITH: 499-1532 WASTE PACKAGE, HEAVY DUTY 527-6697 WASTE PKG HD, ENHANCED CLEANING INCLUDED IN: 502-1935 WASTE ES PACKAGE, HEAVY DUTY CANNOT BE USED WITH: 571-8025 CONSTRUCTION ES PACKAGE, HD 283-7915 RIPPER, MULTI-SHANK 506-0490 COUNTERWEIGHT		\$3,825
---	----------	--	--	----------------

COUNTERWEIGHT

P	506-0490	COUNTERWEIGHT 0 AVAILABLE INSTALLED ONLY ALSO AVAILABLE AS MISCELLANEOUS ORDER RECOMMENDED WITH 527-6697 WASTE ENHANCED CLEANING CANNOT BE USED WITH: 283-7915 RIPPER, MULTI-SHANK 542-1623 STRIKER BARS, REAR 571-8025 CONSTRUCTION ES PACKAGE, HD 502-1935 WASTE ES PACKAGE, HEAVY DUTY 499-1530 STEEL MILL PACKAGE REQUIRED BY: 499-1531 LGP PACKAGE, HEAVY DUTY (if no ripper)		\$13,840 \$13,840 NI
---	----------	--	--	---------------------------------------

CATERPILLAR MACHINE PRICE LIST

973K

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

COUNTERWEIGHT (Cont.)

L	506-0491	COUNTERWEIGHT, HD BUMPER 0 FOR USE IN LANE 3 ONLY Specific counterweight for steel mill configuration. Also adapted to the waste ES configuration. ONLY FOR USE WITH: 571-8025 CONSTRUCTION ES PACKAGE, HD 502-1935 WASTE ES PACKAGE, HEAVY DUTY 499-1530 STEEL MILL PACKAGE REQUIRED BY: 499-1530 STEEL MILL PACKAGE		\$13,840
---	----------	--	--	----------

REAR STEP

L	542-1627	REAR STEP, STANDARD 0 FOR USE IN LANE 3 ONLY CANNOT BE USED WITH: 283-7915 RIPPER, MULTI-SHANK 542-1623 STRIKER BARS, REAR 506-0490 COUNTERWEIGHT 502-1935 WASTE ES PACKAGE, HEAVY DUTY REQUIRED BY: 571-8025 CONSTRUCTION ES PACKAGE, HD		NC
---	----------	---	--	----

L	287-6742	REAR STEP, RIPPER. 0 CANNOT BE USED WITH: 571-8025 CONSTRUCTION ES PACKAGE, HD REQUIRED BY: 283-7915 RIPPER, MULTI-SHANK 542-1623 STRIKER BARS, REAR 506-0490 COUNTERWEIGHT 502-1935 WASTE ES PACKAGE, HEAVY DUTY		\$392
---	----------	--	--	-------

MAINTENANCE AND RELATED ATTACHMENTS

L	505-7261	MAINTENANCE PACKAGE, DELUXE 0 This package includes the oil change-high speed system and the sediment pump.		\$1,100
---	----------	--	--	---------

L	505-6252	FUEL PUMP, REFILLING 0 CANNOT BE USED WITH: 499-1530 STEEL MILL PACKAGE		\$1,410
---	----------	--	--	---------

FLUIDS

ANTIFREEZE

	OG-6009	ANTIFREEZE, -50C (-58F) 117 Provides cooling system antifreeze protection down to -50C		\$252 NET
--	---------	---	--	-----------

CATERPILLAR MACHINE PRICE LIST

973K

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS

AVAILABLE FROM PARTS DISTRIBUTION

PLEASE CONTACT PARTS DISTRIBUTION FOR CURRENT PRICES. ARRANGEMENTS MAY NOT BE AVAILABLE AS KITS, SO MAY REQUIRE ORDERING SEPARATE PARTS.

321-3446 TRANSMISSION CONTROL, JOYSTICK
 This package includes one joystick for speed, direction and steering control on the left hand console. Compatible with TLV1 seats only. The machine is controlled like a MTL/SSL. See REHS4339 for rework instructions.

PACKING

OG-3258	PACK-N.I. BUCKET OR DISMOUNTED 0 To be selected when a bucket is ordered as Not Installed attachment or as MISCellaneous order.	\$105 NET
OG-3257	PACK-NOT INSTALLED RIPPER 0 To be selected when a ripper is ordered as Not Installed attachment or as MISCellaneous order.	\$262 NET
OG-0319	PACK-N.I. COUNTERWEIGHT. 0 FOR USE IN LANE 3 ONLY To be selected when a counterweight is ordered as MISCellaneous order.	\$105 NET
OG-3554	SPECIAL PROTECTION PACKAGE. 0 FOR USE IN LANE 3 ONLY All easily stolen items are removed from the machine and protected for a safe transport.	\$1,350 NET