

CATERPILLAR MACHINE PRICE LIST

980M-LR

980M WHEEL LOADER
LITTLE ROCK, AR, USA (SAP)

Ship Weight
lbs

LIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

Brakes, full hydraulic enclosed wet-disc with Integrated Braking System (IBS)
Brake wear indicators
Engine, Cat C13
Cat Clean Emissions Module (CEM) with Diesel Particulate Filter (DPF) and remote Diesel Exhaust Fluid (DEF) tank & pump
Fast fuel system ready
Fan, radiator, electronically controlled, hydraulically driven, temperature sensing, on demand
Economy Mode (for fuel reduction)
Fuel priming pump (electric)
Fuel/Water separator
Precleaner, engine air intake
Parking Brake, disk & caliper
Switch, transmission neutralizer lockout
Torque converter, locking clutch with free wheel stator
Transmission, automatic planetary power shift (4F/4R)

ELECTRICAL

Alarm, back-up
Alternator, 145-amp brushed
Batteries (2), maintenance free 1400CCA
Ignition key; start/stop switch
Lighting system:
-2 forward roading lights (low/high beam with turn signals)
-2 rear facing working lights in hood
-2 LED position/stop/turn lights
-4 working lights on the cab
Main disconnect switch
Receptacle start (cables not included)
Starter, electric, heavy duty
Starting and charging system (24-volt)

OPERATOR ENVIRONMENT

Air conditioner, heater, and defroster (auto temp & fan)
Beverage holders (2) with storage compartment for cell phone/MP3 player
Bucket/Work tool function lockout
Cab, pressurized and sound suppressed, (ROPS/FOPS), radio ready (entertainment) includes antenna, speakers & converter (12-volt 10-amp)
Coat hook (2)
EH Controls, lift and tilt function
EH Parking Brake
Ergonomic cab access ladders & handrails

Horn, electric
Light, two dome (cab)
Mirrors, rearview external with integrated spot mirrors
Post mounted membrane 16 switch keypad
3 receptacles, 12-Volt
Seat, Cat Comfort (cloth) air suspension
Seat belt, retractable
Steering, speed sensing with force feedback
Sun visor, front
Wet-Arm wipers/washers front & rear, intermittent front wiper
Window, sliding (left and right sides)
Viscous mounts

COMPUTERIZED MONITORING SYSTEM

With following gauges:
-Speedometer/Tachometer
-Digital gear range indicator
-DEF (Diesel exhaust fluid) level
-Temperature: engine coolant, hydraulic oil, transmission oil
-Fuel level
With following Warning Indicators:
-Regeneration
-Temperature: axle oil, engine intake manifold
-Pressure: engine oil, fuel Pressure
Hi/Low, primary steering oil, service brake oil
-Battery voltage Hi/Low
-Engine air filter restriction
-Hydraulic oil filter restriction
-Hydraulic oil Low
-Parking brake
-DEF low level
-Transmission filter bypass

MULTI-FUNCTION MONITOR:

-18cm (7 in) color LCD touch-screen display
-Rear-view camera image display (reverse travel activated)
-Machine settings & health parameters
CAT CONNECT (on-board, utilizing multi-function monitor)
Core App software to monitor & display:
-Total fuel consumption
-Average fuel burn rate
-Engine fuel consumption
-Total idle time
-Total operating hours
-Travel distance (odometer)
Basic App software to monitor & display:
-Total idle fuel

CATERPILLAR MACHINE PRICE LIST

980M-LR

980M WHEEL LOADER
LITTLE ROCK, AR, USA (SAP)

Ship Weight
lbs

LIST PRICE
AT DEALER

OPERATOR ENVIRONMENT (CONT.)

- Total operating hours, neutral
- Total operating hours with hydraulic filter in bypass

OTHER STANDARD EQUIPMENT

- Auto idle shutdown
- Couplings, Caterpillar O-ring face seal
- Ecology drains for engine, transmission, and hydraulics
- Ether aid ready
- Filters: fuel, engine air, engine oil, hydraulic oil, transmission
- Fuel cooler
- Grease zerks
- Hitch, drawbar with pin
- Hood, non-metallic power tilting
- Hoses, Caterpillar XT
- Hydraulic oil cooler (swing out)
- Hydraulic System, load sensing
- Kickout, lift & tilt, automatic (adjustable in cab)
- Linkage, Z-Bar, cast crosstube/tilt lever
- Oil sampling valves
- Platform, window washing
- Radiator grill, airborne debris
- Remote diagnostic pressure taps
- Service Center (electrical & hydraulic)
- Sight gauges: engine coolant, hydraulic oil, and transmission oil level
- Toolbox
- Vandalism protection caplocks

CATERPILLAR MACHINE PRICE LIST

980M-LR

980M WHEEL LOADER
LITTLE ROCK, AR, USA (SAP)

Ship Weight
lbs

LIST PRICE
AT DEALER

**Lane 2 is reserved for the Base Order Management program.
Please use Lane 2 when placing orders that are part of the Base Order
Management program.**

**2018 YOY list price reductions will be offset by reductions in
discounts or merchandising support.**

CATERPILLAR MACHINE PRICE LIST

980M-LR

980M WHEEL LOADER LITTLE ROCK, AR, USA (SAP)		Ship Weight lbs	LIST PRICE AT DEALER
364-7580	980M WHEEL LOADER 0 LANE 2 - AVAILABLE FROM NORTH LITTLE ROCK FACTORY		\$582,110

CATERPILLAR MACHINE PRICE LIST

980M-LR

USE	REF NO.	LANE 2 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 2 AM-NORTH MANDATORY ATTACHMENTS

LANE SELECTION

OP-9002	LANE 2 ORDER	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		

REGIONAL PACKAGES

L	509-6644	REGIONAL PACKAGE, AM-N	0	NC
		INCLUDES: -ANSI Films -EPA Tier 4 Final Compliant Engine		
L	509-6645	REGIONAL PACKAGE, QUEBEC	0	NC
		INCLUDES: -ISO Films -EPA Tier 4 Final Compliant Engine		

SPECIAL ARRANGEMENTS

L	509-6646	STANDARD PACKAGE	0	\$227
		Provides machine features required in standard application. INCLUDES: -Platform -Electrical & Hydraulic installation -Cab air filter -CPM Payload Ready & Autodig Ready Includes hardware and CPM demo software for up to 250 hours. See the Optional Technology section for software options.		

BOOMS, STICKS, AND LINKAGES

LINKAGES

L	498-5643	LINKAGE, STANDARD LIFT	0	NC
---	----------	----------------------------------	---	----

COUNTERWEIGHT

Required to conform to the CAT Wheel Loader Payload Policy.

L	367-2346	COUNTERWEIGHT, STD/HL/SM	0	NC
L	468-7445	COUNTERWEIGHT, AGGREGATE	0	\$5,810
		REQUIRES: L3 or L4 TIRES		

NOTE: It is recommended to use Caterpillar production measure application with aggregate counterweights to ensure compliance with Medium Wheel Loader Payload policy.

CATERPILLAR MACHINE PRICE LIST

980M-LR

USE	REF NO.	LANE 2 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 2 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

POWERTRAIN

AXLE PACKAGES

Axle packages include a combination of Limited Slip Differentials (LSD), Ecology Drains (ED), Extreme Temperature Seals (ETS), Axle Oil Ready (AOCR), and Axle Oil Cooler (AOC).

L	388-6205	AXLES, OPEN/OPEN, ED 0		\$570
		INCLUDES: -Open front differential -Open rear differential -Ecology drains		
L	388-6208	AXLES, OPEN/OPEN, ED, AOC RDY 0		\$1,440
		INCLUDES: -Open front differential -Open rear differential -Ecology drains -Axle oil cooler ready Provides internal oil tubes and frame hardware for simplified field installation of axle oil cooler.		
L	388-6211	AXLES, OPEN/OPEN, ED, AOC 0		\$8,260
		INCLUDES: -Open front differential -Open rear differential -Ecology drains -Axle oil cooler Provides installed oil cooler system for front & rear axles. Recommended for machines operating in high energy applications, such as extended load & carry. REQUIRES: 374-0722 GUARD, CRANKCASE		

TRANSMISSION

L	365-2329	TRANSMISSION, STANDARD 0		NC
L	377-6108	TRANSMISSION, HEAVY DUTY 0		\$8,550

HYDRAULICS

L	373-3941	HYDRAULICS, 2V RC 0		NC
		Provides 2 valve hydraulics and ride control.		
L	373-3942	HYDRAULICS, 3V RC, STD/LOGGER 0		\$5,590
		Provides 3 valve hydraulics and ride control.		

HYDRAULIC OIL

L	415-5594	HYDRAULIC OIL, STANDARD 0		NC
		Cat HYDO Advanced 10 allows to extend oil change intervals up to 6000 hours with S-O-S services.		

CATERPILLAR MACHINE PRICE LIST

980M-LR

USE	REF NO.	LANE 2 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 2 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

STARTERS, BATTERIES, & ALTERNATORS

ENGINE STARTING PACKAGES

L	498-0180	STARTING, STANDARD 0 Provides 2 batteries.		NC
L	498-0181	STARTING, COLD (120V) 0 Provides 120V block heater and 4 batteries on the machine for low temperatures.		\$1, 690

ELECTRICAL

LIGHTS

L	498-0173	LIGHTS, HALOGEN 0 INCLUDES: -2 halogen forward roading lights (low/high beam) with halogen turn signals -2 halogen rear facing working lights in the hood -2 LED position/stop/turn lights -4 halogen working lights on the cab		NC
L	498-0174	LIGHTS, HALOGEN, PREMIUM 0 INCLUDES: -2 halogen forward roading lights (low/high beam) with halogen turn signals -2 halogen rear facing working lights in the hood -2 LED position/stop/turn lights -8 halogen working lights on the cab		\$865
L	506-0315	LIGHTS, LED, PREMIUM 0 INCLUDES: -2 LED forward roading lights (low/high beam) with LED turn signals -2 LED rear facing working lights in the hood -2 LED position/stop/turn lights -8 LED working lights on the cab		\$3, 325

OPERATOR ENVIRONMENT

CAB PACKAGES

CATERPILLAR MACHINE PRICE LIST

980M-LR

USE	REF NO.	LANE 2 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 2 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

OPERATOR ENVIRONMENT (Cont.)

L	505-1543	CAB, STANDARD 0		\$1,690
		INCLUDES: 505-1514 CAB TRIM, STANDARD (LHD) -SEAT, STANDARD, LHD -MIRRORS, EXTERNAL -SUN VISOR, REAR 493-9627 WINDOWS, STANDARD 450-1592 SEAT BELT, 3" W/INDICATOR 505-1519 FILTRATION, STANDARD -CAB ROOF, NON-METALLIC -COVER, HVAC, NON-METALLIC 372-1603 RADIO, CB (READY) 372-1600 RADIO, AM/FM/USB/MP3 BLUETOOTH		
L	505-1545	CAB, DELUXE 0		\$2,445
		INCLUDES: 505-1515 CAB TRIM, HEATED (LHD) -SEAT, HEATED, LHD -MIRRORS, EXTERNAL, HEATED -DOOR, REMOTE OPENING SYSTEM -SUN VISOR, REAR 493-9627 WINDOWS, STANDARD 450-1592 SEAT BELT, 3" W/INDICATOR 505-1519 FILTRATION, STANDARD -CAB ROOF, NON-METALLIC -COVER, HVAC, NON-METALLIC 372-1603 RADIO, CB (READY) 372-1600 RADIO, AM/FM/USB/MP3 BLUETOOTH		

IMPLEMENT CONTROLS

L	495-0865	SINGLE AXIS LEVERS, 2V, LHD 0		NC
		INCLUDES: -2 single action levers for implement lift and tilt controls		
L	495-0866	SINGLE AXIS LEVERS, 3V, LHD 0		NC
		INCLUDES: -3 single action levers for implement lift, tilt & 3rd function controls		
L	495-0872	JOYSTICK, 2V, LHD 0		\$1,085
		INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick		
L	495-0873	JOYSTICK, 3V, LHD 0		\$1,520
		INCLUDES: -Implement joystick for lift & tilt controls -Horn & kickdown trigger switches integrated in implement joystick -1 roller switch controlling the 3rd function integrated in the joystick		

STEERING

CATERPILLAR MACHINE PRICE LIST

980M-LR

USE	REF NO.	LANE 2 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 2 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

OPERATOR ENVIRONMENT (Cont.)

L	388-6250	STEERING, STANDARD	0	NC
---	----------	------------------------------	---	----

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet.

Authorization varies by country, please contact your Cat marketing representative with questions or click on the link below:
<HTTPS://DEALER.CAT.COM/en/bt/otd/machine-price-list.html>
 From there click on the 'PRODUCT LINK Hardware Certification' link.

L	434-0691	PRODUCT LINK, CELLULAR PLE641 Product Link Elite series PLE641 offers expanded coverage including 3G UMTS and CDMA2000 as well as 2G GSM and CDMA cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.	0	NC
L	434-0693	PRODUCT LINK, SATELLITE PLE631 Product Link Elite series PLE631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage.	0	\$432

FUEL SYSTEMS

FUEL TANK

L	436-2381	FUEL TANK, FAST FILL READY	0	NC
L	436-2391	FUEL TANK, FAST FILL (ANSI) ONLY FOR USE WITH: 509-6644 REGIONAL PACKAGE, AM-N	0	\$1,170
L	436-2392	FUEL TANK, FAST FILL (ISO) ONLY FOR USE WITH: 509-6645 REGIONAL PACKAGE, QUEBEC	0	\$1,170

COOLING

COOLING SYSTEM

L	447-8642	COOLING CORES, 9 FPI Provides cooling capability up to 47C (117F) ambient. Recommended for low & medium debris applications.	0	NC
---	----------	--	---	----

CATERPILLAR MACHINE PRICE LIST

980M-LR

USE	REF NO.	LANE 2 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 2 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

COOLING (Cont.)

L	447-8643	COOLING CORES, 6 FPI 0		\$333
		Provides cooling capability up to 43C (109F) ambient. Recommended for medium & high debris applications.		

COOLING FAN

L	497-3534	FAN, STANDARD 0		NC
		Standard load sensing hydraulically driven fan.		

COOLANT

L	371-7068	ANTIFREEZE, -34C (-29F) 0		NC
		Premix antifreeze, -34C (-29F)		
L	415-5595	ANTIFREEZE, -50C (-58F) 0		\$402 NET
		Premix antifreeze, -50C (-58F)		

TIRES, RIMS, AND WHEELS

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice. However, if the tire type cannot be supplied we will contact the dealer to propose alternatives. The dealer needs to choose between an alternative tire or a "rims only" option (where available) within 72 hours. If no response is provided by the deadline, the order will default to the alternative tire and will be changed at that point. As a consequence of a possible tire change, the total machine price will be decreased or increased depending on the price of the new tire.

NOTE: All tires include rims & come in a set of 4. Tires are tubeless & non-directional unless otherwise stated.

NOTE: Other tires are available upon request.

TIRES AVAILABLE FROM BRIDGESTONE

P	380-7711	TIRES, 29.5R25 BS VJT * L3 5PC 0		\$-8,510
		Bridgestone Radial; Tread Depth=42mm (53/32"); Rim=25"x25" 5 piece Provides reduced vibration, damage resistance and traction in soft to rocky underfoot conditions.		
P	371-0325	TIRES, 29.5R25 BS VSNT * L4 5PC 0		\$-2,295
		Bridgestone Radial; Tread Depth=60mm (76/32"); Rim=25"x25" 5 piece Provides damage resistance and traction in moderate rock environments.		

CATERPILLAR MACHINE PRICE LIST

980M-LR

USE	REF NO.	LANE 2 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 2 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

TIRES, RIMS, AND WHEELS (Cont.)

TIRES AVAILABLE FROM MICHELIN

P	371-0320	TIRES, 29.5R25 MX XHA2 **L3 5PC 0 Michelin Radial; Tread Depth=43mm (54/32"); Rim=25"x25" 5 piece Provides reduced vibration, damage resistance and traction in soft to rocky underfoot conditions.		\$-6,280
---	----------	---	--	----------

OTHER ATTACHMENTS

ENGINE PRECLEANERS

L	324-8092	AIR INLET STANDARD, RAIN CAP 0 Includes standard strata tubes precleaner ejecting up to 96% of debris.		NC
L	365-0220	PRECLEANER, TURBINE 0 Turbine engine air inlet precleaner, to be used in extremely high dust and airborne debris environments.		\$715

BODY

FENDERS

L	464-6682	FENDERS, BASIC +. 0 CANNOT BE USED WITH: TIRES, 875/65R29 (LOW PROFILE)		NC
L	464-6683	FENDERS, ROADING 0 CANNOT BE USED WITH: TIRES, 875/65R29 (LOW PROFILE)		\$2,865
L	464-6684	FENDERS, BASIC +, LOW PROFILE 0 ONLY FOR USE WITH: TIRES, 875/65R29 (LOW PROFILE)		\$149
L	464-6685	FENDERS, ROADING, LOW PROFILE 0 ONLY FOR USE WITH: TIRES, 875/65R29 (LOW PROFILE)		\$3,150

HOOD

L	379-9400	HOOD, NON-METALLIC 0		NC
---	----------	--------------------------------	--	----

SOUND SUPPRESSION

L	465-6591	SOUND SUPPRESSION, STANDARD 0		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

980M-LR

USE	REF NO.	LANE 2 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 2 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

QUICK COUPLERS

QUICK COUPLER READY

P	0G-0386	NO QUICK COUPLER READY	0	NC
---	---------	----------------------------------	---	----

FLUIDS

LUBRICATION ARRANGEMENTS

MANUAL - Requires manual greasing of pin joints according to maintenance schedule. Several fittings remote located & centralize for better access.

AUTOLUBE READY - Linkage and frame hardware installed. This will provide dealers with the flexibility of buying Autolube kits to convert the machine into an Autolube configuration.

AUTOLUBE - Greases pin joints requiring daily lubrication: linkage pin joints, including bucket pins, articulation hitch, steering cylinders and rear axle trunnions.

L	506-0416	LUBRICATION, MANUAL, STD/HL	0	NC
L	507-8991	LUBRICATION, MANUAL (AUTO RDY)	0	\$1,610
L	495-7529	AUTOLUBE, STD Provides Caterpillar autolube system. Recommended use autolube with counterweight aggregate.	0	\$6,780

CATERPILLAR MACHINE PRICE LIST

980M-LR

USE	REF NO.	LANE 2 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

LANE 2 AM-NORTH OPTIONAL ATTACHMENTS

OPERATOR ENVIRONMENT

INTEGRATED OBJECT DETECTION SYSTEM

The Cat Integrated Object Detection adds radar and alarms to the standard on-board rear vision camera to notify the operator when something is close to the rear of the machine. This system is configured with zones, and objects in those zones trigger various levels of alarms. A display screen in the cab provides visual confirmation of the objects detected by the radar, so operators can make informed decisions.

NOTE: C5 radars (below) are the preferred MWL system. C6 radars are available for regions where required, and depends on radar approval. For a list of approved countries, please visit: <https://dealer.cat.com/detect>

L	512-0855	OBJECT DETECTION	0	\$2,755
---	----------	----------------------------	---	---------

LIGHTS

P	513-2458	LIGHTS, REVERSING STROBE Provides 2 reversing white strobes.	0	\$271
P	491-7467	LIGHT, WARNING BEACON Provides hard mounted strobe beacon on hinged (breakaway) bracket mounted to the rear of the cab structure.	0	\$486
P	460-7450	LIGHT, SEAT BELT WARNING Provides a seat belt warning light mounted to the rear of the cab structure.	0	\$227

TECHNOLOGY PRODUCTS

SOFTWARE ENABLED ATTACHMENTS (SEA) INSTRUCTIONS

Some dealer enabled technology products require the purchase of an activation code from Cat FPS via the Internet at <https://fps.cat.com> (requires CWS account). Refer to REHS1238 & REHS8401 for instructions.

CATERPILLAR MACHINE PRICE LIST

980M-LR

USE	REF NO.	LANE 2 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

LANE 2 AM-NORTH OPTIONAL ATTACHMENTS (CONT.)

TECHNOLOGY PRODUCTS (Cont.)

CAT PRODUCTION MEASUREMENT (CPM) PAYLOAD WEIGHING SYSTEM

CPM includes an integrated onboard payload weighing scale with material management, cycle count & time recording and wireless production detail reporting capability.
 -Payload & cycle totals are sent wirelessly to VisionLink. (Cat Essentials subscription required.)
 -Detailed payload reports and KPI metrics can be visualized on-line and downloaded for further analysis, with a subscription to Cat Advanced Productivity. (First 6 months included with purchase of CPM; subscription fee applies thereafter. Requires PLE641 cellular Product Link.) Payload detail may also be downloaded via a wired connection between the loader and a laptop computer for analysis in VIMSpC software (requires purchase of VIMSpC software and VIMS data cable).
 -Payload tickets can be printed with an optional printer (kit only, available through the KITS-MWL price list, part number 483-5477)

Refer to <https://dealer.cat.com/payload> for complete technical specifications; operation, sales, marketing and technical support publications.

NOTES:

- 1) Demo and permanent software are available from the factory.
- 2) For field installation, permanent software can be purchased through the Caterpillar Feature Protection System and enabled by a dealer technician with Cat ET and an SEA activation code.
SEA p/n 517-4683. Consult ANTARES parts distribution system for current SEA price.
- 3) Requires calibration prior to customer use. Refer to the Systems Test & Adjust manual UENR7119.

P	517-7123	CPM PAYLOAD SOFTWARE 0		\$4,960
		Includes permanent software, factory activated. Includes 6 mo. of prepaid Cat Advanced Productivity VisionLink subscription, with PLE641 cellular Product Link ONLY. (Not available in all countries. Contact PL Admin for details.)		

AUTODIG

Autodig is a software enabled attachment that controls the implement system during the bucket loading portion of a cycle to automatically load aggregate material.
NOT RECOMMENDED for hardbank or large rock loading.

P	453-3250	AUTODIG SOFTWARE 0		\$1,430
		Includes software for Aggregate Autodig. NOT RECOMMENDED for hardbank or large rock loading.		

CATERPILLAR MACHINE PRICE LIST

980M-LR

USE	REF NO.	LANE 2 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

LANE 2 AM-NORTH OPTIONAL ATTACHMENTS (CONT.)

GUARDS

P	374-0722	GUARD, CRANKCASE 0 ONLY FOR USE WITH: 388-6211 AXLES, OPEN/OPEN, ED, AOC		\$1,005
P	374-0720	GUARD, POWERTRAIN 0 Protects bottom of transmission. CANNOT BE USED WITH: 394-0863 HINGED, POWERTRAIN GUARD		\$1,820
P	394-0863	GUARD, HINGED, POWERTRAIN 0 Protects bottom of transmission. CANNOT BE USED WITH: 374-0720 GUARD, POWERTRAIN		\$3,515

OTHER ATTACHMENTS

P	365-0313	OIL CHANGE SYSTEM, HIGH SPEED 0 Easy access drain line and Wiggins connector for remote engine oil drain. Provides quick, clean, and easy engine oil change without having to climb under the machine to access a gravity drain.		\$284
P	506-4371	WHEEL CHOCKS 0 Provides wheel chocks that mount to the frame.		\$486

BUCKETS

Buckets must be ordered Installed on a Machine Order.
For questions on buckets intended for Machine Orders please contact your Marketing Subsidiary Machine Coordinator.

Loose buckets should be ordered on a MISC Order through Caterpillar Work Tools - Wamego using source code 0P-0672.

For availability of loose buckets please email worktools@cat.com

If you are going to order a loose bucket from CWTS and a machine from North Little Rock and if you need them shipped at the same time then you need to cross-reference the MSO's with each other.

Material density will determine the appropriate capacity bucket.
Refer to the Specalog. Exceeding maximum payload may cause loader instability.

GENERAL PURPOSE PERFORMANCE SERIES BUCKETS (PIN-ON)

P	516-1378	BKTA GP ST 137" 7.5 YD3 PO 7,147 PERFORMANCE SERIES BUCKET INCLUDES: BOLT-ON CUTTING EDGE (BOCE) & CORNER GUARDS REQUIRES: 498-5643 LINKAGE, STANDARD LIFT 468-7445 COUNTERWEIGHT, AGGREGATE		\$26,853
P	515-5841	BKTA GP ST 137" 7.75 YD3 PO 7,242 PERFORMANCE SERIES BUCKET INCLUDES: BOLT-ON CUTTING EDGE (BOCE) & CORNER GUARDS REQUIRES: 498-5643 STANDARD LIFT 468-7445 COUNTERWEIGHT, AGGREGATE		\$28,372

CATERPILLAR MACHINE PRICE LIST

980M-LR

USE	REF NO.	LANE 2 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

LANE 2 AM-NORTH OPTIONAL ATTACHMENTS (CONT.)

INSTRUCTIONS

FILMS

P	386-7389	FILM, CPM REQUIRED BY: Canada	0	NC
---	----------	--	---	----

PACKING

WORKTOOL OMISSION

P	446-0366	OMISSION, WORKTOOL This is required when ordering a machine without an installed bucket or quick coupler to protect the links.	0	NC
---	----------	---	---	----

DOMESTIC PACKING

	OP-0309	PACK, DOMESTIC TRUCK Complete machine loaded on truck.	0	NC
	OP-0313	PACK, DOMESTIC RAIL Complete machine loaded on rail car.	0	\$162 NET

FREIGHT, RAIL DELIVERY

	OP-3995	FREIGHT, RAIL DELIVERY Machine credit for rail delivery when paired with a second machine from the same source facility. AVAILABLE FOR: Pre-approved US and Canadian dealers	0	\$-2,070 NET
--	---------	--	---	--------------