

CATERPILLAR MACHINE PRICE LIST

# CB24B-MB

CB24B VIBRATORY ASPHALT COMPACTOR  
MINERBIO, ITALY

Ship Weight  
lbs

LIST PRICE  
AT DEALER

Standard Equipment:

## POWERTRAIN

Hydrostatic transmission  
Service and parking brakes

## ELECTRICAL

Engine start switch with auto preheat  
Backup alarm and warning horn  
65-ampere alternator  
12-volt electric starting  
Maintenance free 70 AH battery, 880 amp  
Light roading and working

## OPERATOR ENVIRONMENT

Gauges:  
-LCD display with fuel level  
-hour meter  
-engine coolan temperature  
Operator warning system indicators:  
-parking brake engaged  
-hydraulic oil temperature high  
-engine coolant temperature high  
-electrical system voltage low  
-engine oil pressure low  
-vibration activated  
-engine preheat  
Lockable, vandalism guard for instrument panel  
Travel control, single lever  
Seat with:  
-fore and aft adjustment  
Draining capability  
Retractable seat belt 50.8mm (2inch)  
Central and side handrail for easy and safe access to the machine  
Steering wheel spinner  
12-volt power points

## DRUMS

Two smooth drums : 1200mm (47.2 inch) wide x 720mm (28.3 inch) diameter  
Selection of front drum, rear drum or both drum vibration  
Pressurized drum watering system with continuous or intermittent modes  
Water tank with low level sensor  
2 x retractable, spring-loaded, self adjusting scrapers per drum

## OTHER STANDARD EQUIPMENT

Locking engine enclosure  
Sight gauge for hydraulic tank level  
Air restriction indicator  
Fuel tank  
4 transport tie-down and 4 lift points  
6 quick connect hydraulic pressure test ports + 1 SOS port  
Caterpillar o-ring face-seals couplings  
Product Link ready

CATERPILLAR MACHINE PRICE LIST

# CB24B-MB

CB24B VIBRATORY ASPHALT COMPACTOR  
 MINERBIO, ITALY

Ship Weight  
 lbs

LIST PRICE  
 AT DEALER

**Lane 2 is reserved for the Base Order Management Program.  
 Please use Lane 2 when placing orders that are part of the Base  
 Orders Management Program.**

**2018 YOY list price reductions will be offset by reductions  
 in discounts or merchandising support.**

<b>522-1090</b>	<b>CB24B UT COMP DCA2</b> .....	0	<b>\$56,100</b>
	LANE 1 - AVAILABLE FROM BALTIMORE AND GALVESTON PDC		

- INCLUDES:
- 364-2303 CB24B UTILITY COMPACTOR
  - 364-2272 ENGINE T4F
  - 364-2313 PROPEL, STANDARD
  - 364-2282 HYDRAULIC OIL, STANDARD
  - 432-6053 LIGHTING PACKAGE, STANDARD
  - 364-2277 SEAT, WITH SAFETY SWITCH
  - 376-7962 BELT, SEAT, 51MM SUSPENSION
  - 364-2279 SUPPORT, SLIDING FOR SEAT
  - 364-2287 ROPS, FOLDABLE
  - 364-2297 SWITCH, BATTERY DISCONNECT
  - 432-8451 TRAVEL CONTROL, COVER GP
  - 510-6423 PRODUCT LINK INSTALLATION
  - 510-9322 PRODUCT LINK, PL241

NOTE: Please refer to the Lane 1 section to complete your order.

<b>364-2303</b>	<b>CB24B UTILITY COMPACTOR</b> .....	4,120	<b>\$52,850</b>
	LANE 2 - AVAILABLE FROM MINERBIO FACTORY		
	LANE 3 - AVAILABLE FROM MINERBIO FACTORY		

Double drum vibratory compactor with 1200mm (47inch) drum width.

<b>0G-0460</b>	<b>CB24B MISC MATL</b> .....	0	<b>NC</b>
	AVAILABLE FROM MINERBIO FACTORY		

Only reference numbers that have the text  
 "ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a MISC order.

CATERPILLAR MACHINE PRICE LIST

**CB24B-MB**

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

**LANE 1 AM-NORTH MANDATORY ATTACHMENTS**

***LANE SELECTION***

OP-9001	LANE 1 ORDER . . . . .	0	NC
---------	------------------------	---	----

***PICTOGRAPH FILMS***

P	364-2281	<b>INSTRUCTIONS, NORTH AMERICAN . . . . .</b> Includes picto decals with "WARNING" as required for ANSI. CANNOT BE USED WITH: Quebec, Canada	0	NC
P	463-9168	<b>INSTRUCTIONS, ISO . . . . .</b> Includes picto decals with "Warning" as required for ISO ONLY FOR USE WITH: Quebec, Canada	0	NC

***PACKING***

OG-0044	ROLL ON-ROLL OFF . . . . .	0	NC
OP-0210	PACK, DOMESTIC TRUCK . . . . .	0	NC

**LANE 1 AM-NORTH OPTIONAL ATTACHMENTS**

***DOCUMENTATION***

L	524-1948	<b>COMPLIANCE FILM,ELECT-MAGNETIC . . . . .</b> REQUIRED BY: Canada	0	NC
---	----------	--	---	----

CATERPILLAR MACHINE PRICE LIST

**CB24B-MB**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**LANE SELECTION**

OP-9002	LANE 2 ORDER . . . . .	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
OP-9003	LANE 3 ORDER . . . . .	0	NC

**POWERTRAIN**

**ENGINE**

L	364-2272	ENGINE T4F . . . . . Meets U.S. EPA Tier 4 Final emissions, turbo-charged.	750	NC
---	----------	---	-----	----

**HYDRAULICS**

**PROPEL SELECTION**

L	364-2313	PROPEL, STANDARD . . . . .	245	NC
L	364-2314	CONTROL, TRACTION . . . . . Flow divider between front and rear drum for improved traction & minimized drum spinning	276	\$1,760

**OIL SELECTION**

L	364-2282	HYDRAULIC OIL, STANDARD . . . . . Cat standard hydraulic oil	119	NC
L	364-2283	OIL, BIO HYDR, FACTORY FILLED . . . . . This Hydraulic Environmental Ester Synthetic oil is recommended for hydraulic system when environmental compliance is required or desired. Factory filled. ONLY FOR USE WITH: LANE 3 ONLY	126	\$790

**ELECTRICAL**

**LIGHTING**

L	432-6053	LIGHTING PACKAGE, STANDARD . . . . . Standard halogen lighting package.	11	NC
L	450-0906	LIGHTING PACKAGE, LED . . . . . LED lighting package consisting of two front LED headlights, one single LED rear working light, and two LED rear braking/turn signal lights.	13	\$690
L	455-1078	LIGHTS, ROADING, ITALY . . . . . Includes rear view mirror, license plate light, ECE headlights and rotating beacon. Required to be compliant with Italian Roading regulations.	18	\$1,140

**OPERATOR ENVIRONMENT**

**SEAT SELECTION**

L	361-5825	SEAT, NON SUSPENSION . . . . .	0	NC
---	----------	--------------------------------	---	----

CATERPILLAR MACHINE PRICE LIST

**CB24B-MB**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**SEAT SELECTION (Cont.)**

L	364-2277	SEAT, WITH SAFETY SWITCH . . . . .	0	\$565
		Includes suspension seat with adjustable, foldable seat back and seat switch		

**SEAT BELT SELECTION**

L	376-7962	BELT, SEAT, 2" SUSPENSION . . . . .	0	NC
L	276-6019	BELT, SEAT, 3" SUSPENSION . . . . .	0	\$143

**SEAT SUPPORT SELECTION**

L	364-2278	SUPPORT, FIXED FOR SEAT . . . . .	0	NC
P	364-2279	SUPPORT, SLIDING FOR SEAT . . . . .	0	\$760

**ROPS SELECTION**

P	364-2292	ROPS, FIXED . . . . .	0	\$1,515
			0	\$1,515 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER		
P	364-2287	ROPS, FOLDABLE . . . . .	0	\$1,810
			0	\$1,810 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER		
P	364-2286	NO ROPS . . . . .	0	NC

**TECHNOLOGY PRODUCTS**

**TRAVEL CONTROL**

L	432-8451	TRAVEL CONTROL, COVER GP . . . . .	0	NC
		This package includes a left side cover.		
L	361-5794	TRAVEL CONTROL, DUAL LEVER . . . . .	11	\$870
			0	\$870 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER		
		This package includes the left lever for speed control, on the left hand console		
P	453-9461	TRAVEL CONTROL, CUP HOLDER . . . . .	4	\$61
			4	\$61 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER		
		This package includes a left side cup holder.		

CATERPILLAR MACHINE PRICE LIST

**CB24B-MB**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**TECHNOLOGY PRODUCTS (CONT.)**

**PRODUCT LINK COMMUNICATIONS**

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Caterpillar marketing representative with questions.

L	510-6423	<b>PRODUCT LINK INSTALLATION</b> . . . . . 0 ONLY FOR USE WITH: 510-9322 PRODUCT LINK, PL241		NC
L	510-9322	<b>PRODUCT LINK, PL241</b> . . . . . 0 Product Link Basic series PL241 uses cellular networks to transmit hour and location information for viewing in Product Link's remote monitoring web interface, and includes remote machine disable feature. Cellular technology provides capabilities for frequent data transmission.		NC
L	463-3786	<b>PRODUCT LINK INSTALLATION</b> . . . . . 0 ONLY FOR USE WITH: 454-5453 PRODUCT LINK, SATELLITE PL631 or 454-5454 PRODUCT LINK, CELLULAR PL641		NC
L	454-5453	<b>PRODUCT LINK, SATELLITE PL631</b> . . . . . 9 Product link pro series PL631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage. ONLY FOR USE WITH: LANE 3 ONLY		\$432
L	454-5454	<b>PRODUCT LINK, CELLULAR PL641</b> . . . . . 9 Product Link Pro series PL641 offers expanded coverage including 3G UMTS and CDMA2000 as 2G GSM and CDMA cellular network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		NC

**INSTRUCTIONS**

**SERVICE INSTRUCTIONS - PICTOGRAPH FILMS**

P	364-2281	<b>INSTRUCTIONS, NORTH AMERICAN</b> . . . . . 0 Includes picto decals with "WARNING" as required for ANSI. CANNOT BE USED WITH: Quebec, Canada		NC
---	----------	--	--	----

**SERVICE INSTRUCTIONS - MANUALS**

	421-8926	<b>SERIALIZED TECHNICAL MEDIA KIT</b> . . . . . 0 The technical media kit, will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary.		NC
--	----------	---	--	----

Any additional media or translations not included in the kit, should be ordered through [publications.cat.com](http://publications.cat.com)

CATERPILLAR MACHINE PRICE LIST

**CB24B-MB**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**ELECTRICAL**

P	364-2297	SWITCH, BATTERY DISCONNECT . . . . .	0	\$114
---	----------	--------------------------------------	---	-------

**OPERATOR ENVIRONMENT**

**CANOPY SELECTION**

P	364-2289	CANOPY, FIXED . . . . .	71 0	\$1,155 \$1,155 NI
---	----------	-------------------------	---------	-----------------------

ALSO AVAILABLE ON A MISCELLANEOUS ORDER  
REQUIRES: 364-2292 ROPS, FIXED

P	364-2288	CANOPY, FOLDABLE . . . . .	0 0	\$1,675 \$1,675 NI
---	----------	----------------------------	--------	-----------------------

ALSO AVAILABLE ON A MISCELLANEOUS ORDER  
REQUIRES: 364-2287 ROPS, FOLDABLE

**OTHER ATTACHMENTS**

C	0F-5131	SPECIAL PAINT . . . . .	0	\$1,870 NET
---	---------	-------------------------	---	-------------

CONTACT CUSTOM PRODUCTS FOR AVAILABILITY.  
NOTE: One color only (in place of Caterpillar yellow). Please precise the color (RAL) in the notes.

ONLY FOR USE WITH: LANE 3 ONLY

P	456-9432	MATS, COCOA . . . . .	29 29	\$815 \$815 NI
---	----------	-----------------------	----------	-------------------

ALSO AVAILABLE ON A MISCELLANEOUS ORDER

**DRUMS**

P	361-5796	BALLAST XT-STEEL . . . . .	888 0	\$3,095 \$3,095 NI
---	----------	----------------------------	----------	-----------------------

ALSO AVAILABLE ON A MISCELLANEOUS ORDER  
Provides 400kg (881.8lb) additional drum weights to provide maximum machine operating weight.

**FLUIDS**

P	364-2408	SYSTEM, ANTIFREEZE PREPARATION . . . . .	2 0	\$117 \$117 NI
---	----------	--	--------	-------------------

ALSO AVAILABLE ON A MISCELLANEOUS ORDER  
Includes preparation for a resevoir containing antifreeze liquid to protect pump, filters, and nozzles from freezing

**FIELD INSTALLED ATTACHMENTS**

The following field attachments can be ordered through Machine Order as miscellaneous order.

CATERPILLAR MACHINE PRICE LIST

**CB24B-MB**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**FIELD INSTALLED ATTACHMENTS (CONT.)**

P	444-5549	<b>CONTROL, TRACTION KIT</b> . . . . . 0 Flow divider between front and rear drum for improved traction & minimized drum spinning.		\$1,760 NI
P	364-2319	<b>ROAD, ITALIAN HOMOLOGATION</b> . . . . . 0 Includes rear view mirror, license plate light, ECE headlights and rotating beacon. Required to be compliant with Italian Roading regulations. AVAILABLE FOR: ALL REGIONS AND COUNTRIES		\$595 NI
P	469-5534	<b>EDGE CUTTER READY KIT</b> . . . . . 9 Includes wiring harness, water valve, fitting and hoses to connect edge cutter (sold through dealer) to machine.		\$1,465 NI
P	364-2287	<b>ROPS, FOLDABLE</b> . . . . . 0		\$1,810 NI

**DOCUMENTATION**

**CERTIFICATES**

	OF-5109	<b>CERTIFICATE OF ORIGIN</b> . . . . . 0		\$88 NET
L	524-1948	<b>COMPLIANCE FILM, ELECT-MAGNETIC</b> . . . . . 0 REQUIRED BY: Canada		NC

**PACKING**

**PREPARATION**

	OP-2046	<b>PREPARATION FOR INSPECTION</b> . . . . . 0 ONLY FOR USE WITH: LANE 3 ONLY		\$406 NET
--	---------	---	--	-----------

**EXPORT PACKING**

	OG-0044	<b>ROLL ON-ROLL OFF</b> . . . . . 0		NC
--	---------	-------------------------------------	--	----

**MISC. MATERIAL**

	OG-0068	<b>PACK, MISCELLANEOUS MATERIAL</b> . . . . . 0		NC
--	---------	---	--	----