

CATERPILLAR MACHINE PRICE LIST

CB34B-MB

CB34B VIBRATORY ASPHALT COMPACTOR
MINERBIO, ITALY

Ship Weight
lbs

LIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

Hydrostatic transmission
Service and parking brakes

Retractable seat belt 50.8 mm (2inch)
Central and side handrail for easy and
safe access to the machine
Steering wheel spinner
12-volt power points

ELECTRICAL

Engine start switch with auto preheat
Backup alarm and warning horn
65-ampere alternator
12-volt electric starting
Maintenance free 70 AH battery, 880 amp
Light roading and working

DRUMS

Two smooth drums : 1300 mm (51.2 inch)
wide x 800 mm (31.5 inch) diameter
Selection of front drum, rear drum or
both drum vibration
Pressurized drum watering system with
continuous or intermittent modes
Water tank with low level sensor
2 x retractable, spring-loaded, self
adjusting scrapers per drum

OPERATOR ENVIRONMENT

Gauges:
-LCD display with fuel level
-hour meter
-engine coolant temperature
Operator warning system indicators:
-parking brake engaged
-hydraulic oil temperature high
-engine coolant temperature high
-electrical system voltage low
-engine oil pressure low
-vibration activated
-engine preheat
Lockable, vandalism guard for instrument
panel
Travel control, single lever
Seat with:
-fore and aft adjustment
Draining capability

OTHER STANDARD EQUIPMENT

Locking engine enclosure
Sight gauge for hydraulic tank level
Air restriction indicator
Fuel tank
4 transport tie-down and 4 lift points
6 quick connect hydraulic pressure test
ports + 1 SOS port
Caterpillar o-ring face-seals couplings
Product Link ready

CATERPILLAR MACHINE PRICE LIST

CB34B-MB

CB34B VIBRATORY ASPHALT COMPACTOR
 MINERBIO, ITALY

Ship Weight
 lbs

LIST PRICE
 AT DEALER

**Lane 2 is reserved for the Base Order Management Program.
 Please use Lane 2 when placing orders that are part of the Base
 Orders Management Program.**

522-1091 CB34B UT COMP DCA2 0 \$70,870
 LANE 1 - AVAILABLE FROM BALTIMORE AND GALVESTONE PDC

- INCLUDES:
 367-6625 CB34B UTILITY COMPACTOR
 367-6580 ENGINE, TIER 4F, STAGE 4
 456-2578 PROPEL, STANDARD
 367-6593 PUMP, PROPEL, STANDARD
 367-6636 OIL, HYDR, FACTORY FILLED
 432-6053 LIGHTING PACKAGE, STANDARD
 364-2277 SEAT, WITH SAFETY SWITCH
 376-7962 BELT, SEAT, 2" SUSPENSION
 364-2279 SUPPORT, SLIDING FOR SEAT
 367-6629 ROPS, FOLDABLE
 432-8451 TRAVEL CONTROL, COVER GP
 364-2297 SWITCH, BATTERY DISCONNECT
 510-9244 PRODUCT LINK INSTALLATION
 510-9322 PRODUCT LINK, PL241

NOTE: Please refer to the Lane 1 section to complete your order.

367-6625 CB34B UTILITY COMPACTOR 6,155 \$67,550
 LANE 2 - AVAILABLE FROM MINERBIO FACTORY
 LANE 3 - AVAILABLE FROM MINERBIO FACTORY

Double drum vibratory compactor with 1300mm (51inch) drum width.

0G-0463 CB34B MISC MATL 0 NC
 AVAILABLE FROM MINERBIO FACTORY

Only reference numbers that have the text
 "ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a MISC order.

CATERPILLAR MACHINE PRICE LIST

CB34B-MB

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

LANE SELECTION

OP-9001	LANE 1 ORDER	0	NC
---------	------------------------	---	----

PICTOGRAPH FILMS

P	364-2281	INSTRUCTIONS, NORTH AMERICAN ANSI picto warning decals, using symbols plus the word "WARNING" as required for the USA. CANNOT BE USED WITH: Quebec	0	NC
P	463-9168	INSTRUCTIONS, ISO ISO picto warning decals, using symbols only, as required outside of the USA. In Canada, dealers outside of Quebec, may select either the ANSI or ISO instructions set. REQUIRED BY: Quebec	0	NC

PACKING

OP-0210	PACK, DOMESTIC TRUCK	0	NC
---------	--------------------------------	---	----

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

DOCUMENTATION

L	524-1948	COMPLIANCE FILM,ELECT-MAGNETIC REQUIRED BY: Canada	0	NC
---	----------	---	---	----

CATERPILLAR MACHINE PRICE LIST

CB34B-MB

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0		NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.			
OP-9003	LANE 3 ORDER	0		NC

POWERTRAIN

ENGINE

L	367-6580	ENGINE, TIER 4F, STAGE 4	1,116	NC
		Meets US EPA Tier 4 Final emissions.		

HYDRAULICS

PROPEL SELECTION

L	456-2578	PROPEL, STANDARD	94	NC
L	456-2579	CONTROL, TRACTION	110	\$1,760
		Flow divider between front and rear drum for improved traction and minimized drum spinning.		

PUMP SELECTION

L	367-6593	PUMP, PROPEL, STANDARD	40	NC
---	----------	----------------------------------	----	----

ELECTRICAL

LIGHTING

L	432-6053	LIGHTING PACKAGE, STANDARD	11	NC
		Standard halogen lighting package.		
L	450-0906	LIGHTING PACKAGE, LED	13	\$690
		LED lighting package consisting of two front LED headlights, one single LED rear working light, and two LED rear braking/turn signal lights.		

OPERATOR ENVIRONMENT

SEAT SELECTION

L	361-5825	SEAT, NON SUSPENSION	0	NC
		CANNOT BE USED WITH: European Union Countries		
L	364-2277	SEAT, WITH SAFETY SWITCH	0	\$565
		Includes suspension seat with adjustable, foldable seat back and seat switch		
		REQUIRED BY: European Union Countries		

SEAT BELT SELECTION

L	376-7962	BELT, SEAT, 2" SUSPENSION	0	NC
---	----------	-------------------------------------	---	----

CATERPILLAR MACHINE PRICE LIST

CB34B-MB

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

SEAT BELT SELECTION (Cont.)

L	276-6019	BELT, SEAT, 3" SUSPENSION	0	\$143
---	----------	---------------------------------	---	-------

SEAT SUPPORT SELECTION

L	364-2278	SUPPORT, FIXED FOR SEAT	0	NC
P	364-2279	SUPPORT, SLIDING FOR SEAT	0	\$760
		Allows ability to slide seat laterally to either side of the machine providing better visibility on both drum edges		

ROPS SELECTION

P	364-2286	NO ROPS	0	NC
		CANNOT BE USED WITH: EC COUNTRIES		
P	364-2294	ROPS, FIXED	119	\$1,515
			0	\$1,515 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER		
P	367-6629	ROPS, FOLDABLE	168	\$1,885
			0	\$1,885 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER		

TECHNOLOGY PRODUCTS

TRAVEL CONTROL

L	432-8451	TRAVEL CONTROL, COVER GP	0	NC
		This package includes a left side cover.		
L	367-6538	TRAVEL CONTROL, DUAL LEVER	13	\$870
			0	\$870 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER This package includes the left lever for speed control, on the left hand console		
P	453-9461	TRAVEL CONTROL, CUP HOLDER	4	\$61
			4	\$61 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER This package includes a left side cup holder.		

CATERPILLAR MACHINE PRICE LIST

CB34B-MB

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

PRODUCT LINK COMMUNICATIONS

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Caterpillar marketing representative with questions.

L	510-9322	PRODUCT LINK, PL241 0 Product Link Basic series PL241 uses cellular networks to transmit hour and location information for viewing in Product Link's remote monitoring web interface, and includes remote machine disable feature. Cellular technology provides capabilities for frequent data transmission. AVAILABLE FOR: ALL COUNTRIES, EXCLUDING CHINA		NC
L	454-5453	PRODUCT LINK, SATELLITE PL631 9 Product link pro series PL631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage.		\$432
L	454-5454	PRODUCT LINK, CELLULAR PL641 9 Product Link Pro series PL641 offers expanded coverage including 3G UMTS and CDMA2000 as 2G GSM and CDMA cellular network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		NC

PRODUCT LINK INSTALLATION

L	510-9244	PRODUCT LINK INSTALLATION 0 ONLY FOR USE WITH: 510-9322 PRODUCT LINK, PL241 or 510-9323 PRODUCT LINK, PL241		NC
L	463-3787	PRODUCT LINK INSTALLATION 0 ONLY FOR USE WITH: 454-5453 PRODUCT LINK, SATELLITE PL631 or 454-5454 PRODUCT LINK, CELLULAR PL641		NC

FLUIDS

HYDRAULIC OIL

L	367-6636	OIL, HYDR, FACTORY FILLED 139 Cat standard hydraulic oil.		NC
L	367-6637	OIL, BIO HYDR, FACTORY FILLED 143 This Hydraulic Environmental Ester Synthetic oil is recommended for hydraulic system when environmental compliance is required or desired. Factory filled. ONLY FOR USE WITH: LANE 3 ONLY		\$1,385

CATERPILLAR MACHINE PRICE LIST

CB34B-MB

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

INSTRUCTIONS

SERVICE INSTRUCTIONS - PICTOGRAPH FILMS

P	364-2281	INSTRUCTIONS, NORTH AMERICAN 0 ANSI picto warning decals, using symbols plus the word "WARNING" as required for the USA. CANNOT BE USED WITH: Quebec		NC
---	----------	--	--	----

SERVICE INSTRUCTIONS - MANUALS

	421-8926	SERIALIZED TECHNICAL MEDIA KIT 0 The technical media kit, will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary.		NC
--	----------	---	--	----

Any additional media or translations not included in the kit, should be ordered through publications.cat.com

CATERPILLAR MACHINE PRICE LIST

CB34B-MB

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ELECTRICAL

P	364-2297	SWITCH, BATTERY DISCONNECT	0	\$114
---	----------	--------------------------------------	---	-------

OPERATOR ENVIRONMENT

CANOPY SELECTION

P	364-2289	CANOPY, FIXED	71 0	\$1,155 \$1,155 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER REQUIRES: 364-2294 ROPS, FIXED		
P	364-2288	CANOPY, FOLDABLE	0 0	\$1,675 \$1,675 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER REQUIRES: 367-6629 ROPS, FOLDABLE		

OTHER ATTACHMENTS

C	0F-5131	SPECIAL PAINT	0	\$1,870 NET
		CONTACT CUSTOM PRODUCTS FOR AVAILABILITY. NOTE: One color only (in place of Caterpillar yellow). Please precise the color (RAL) in the notes. ONLY FOR USE WITH: LANE 3 ONLY		
P	457-9154	MATS, COCOA	31 31	\$815 \$815 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER		
	0P-2046	PREPARATION FOR INSPECTION	0	\$406 NET
		Inspector is sent by the dealer to review the machine. Plant must be contacted 2 weeks before the CSD date.		

DRUMS

P	361-5797	BALLAST-STEEL	888 0	\$2,320 \$2,320 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides 400 kg (881.8 lb) additional drum weights to provide maximum machine operating weight.		

FLUIDS

P	364-2408	SYSTEM, ANTIFREEZE PREPARATION	2	\$117
		Includes preparation for a reservoir containing antifreeze liquid to protect pumps, filters, and nozzles from freezing		

FIELD INSTALLED ATTACHMENTS

The following field attachments can be ordered through Machine Order as a miscellaneous order.

CATERPILLAR MACHINE PRICE LIST

CB34B-MB

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

P	444-5550	CONTROL, TRACTION KIT 0 Flow divider between front and rear drum for improved traction & minimized drum spinning.		\$1,760 NI
P	469-5535	EDGE CUTTER READY KIT 9 Includes wiring harness, water valve, fitting and hoses to connect edge cutter (sold through dealer) to machine.		\$1,465 NI
P	367-6629	ROPS, FOLDABLE 0		\$1,885 NI

DOCUMENTATION

CERTIFICATES

OF-5109	CERTIFICATE OF ORIGIN 0		\$88 NET
---------	--	--	----------

PACKING

(Must Select One)

OG-0044	ROLL ON-ROLL OFF 0 To be used for single order		NC
OG-0068	PACK, MISCELLANEOUS MATERIAL 0		NC