

CATERPILLAR MACHINE PRICE LIST

CCS7

CCS7 VIBRATORY COMPACTOR
MINNEAPOLIS, MN, USA (SAP)

Ship Weight
lbs

LIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

CAT C3.4 four cylinder, turbo-charged diesel engine, (75 kW/100 hp)
glow-plug heater
Dual element air cleaner
Fuel filter/water separator/manual priming pump and water indicator
Three-speed throttle switch including ECOMODE
Dual propel pumps - 1 for drum and 1 for tires
Dual braking systems (service & parking, for both drum and axle)
Two-speed hydrostatic transmission

1700 mm (67") wide x 1100 mm (43") diameter
Dual amplitude with single frequency
Pod-style eccentric weight housing
Front and rear self adjusting drum scraper
Self adjusting tire scraper for rear wheels

OTHER STANDARD EQUIPMENT

Locking composite engine enclosure
Sealed-for-life hitch bearings
Sight gauges: coolant level and hydraulic oil level
Hydraulic tank locking cap
Articulated frame with safety lock
Transport tie-down and lift points
Fuel tank with lockable cap
Quick connect hydraulic pressure test ports
SOS ports: engine, hydraulic and coolant
2" seat belt

ELECTRICAL

12-volt starting and charging system alternator
Maintenance free battery - 750 CCA
Halogen working lights - canopy mounted (2 front-facing and 2 rear-facing)
Backup alarm and forward warning horn
Product link ready
Beacon ready

OPERATOR ENVIRONMENT

ROPS/FOPS platform
Four heavy-duty isolation mounts
Platform handrails/guardrails
Power steering
Adjustable tilt-steering column
Adjustable suspension seat
Retractable seat belt
Adjustable, padded arm rest for propel lever operation
On-board display with audible warning alarm and interface for:
- hydraulic oil temperature gauge
- engine oil pressure gauge
- engine coolant temperature gauge
- alternator charge
- fuel level gauge
- service hour meter
Lockable, vandalism guard for on-board display
12-volt power (Universal and USB point)

COOLING

Premixed 50% concentration of extended life coolant with freeze protection to -37C (-35F)

DRUMS

Smooth drum

CATERPILLAR MACHINE PRICE LIST

CCS7

CCS7 VIBRATORY COMPACTOR MINNEAPOLIS, MN, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

**Lane 2 is reserved for the Base Order Management Program.
 Please use Lane 2 when placing orders that are part of the
 Base Order Management Program.**

**2018 YOY list price reductions will be offset by reductions
 in discounts or merchandising support.**

500-8772	CCS7 VIBRATORY COMPACTOR 0 LANE 2 - AVAILABLE FROM MINNEAPOLIS FACTORY LANE 3 - AVAILABLE FROM MINNEAPOLIS FACTORY	\$153,830
----------	---	-----------

0P-4144	CCS7 MISC MATL 0 AVAILABLE FROM MINNEAPOLIS FACTORY Only reference numbers that have the text "ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a MISC order.	NC
---------	--	-----------

CATERPILLAR MACHINE PRICE LIST

CCS7

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
OP-9003	LANE 3 ORDER	0	NC

POWERTRAIN

ENGINE

L	386-5571	ENGINE, TIER/STAGE 4 CERTIFIED	0	NC
---	----------	--	---	----

HYDRAULICS

HYDRAULIC OIL

L	386-5323	OIL, HYDR, FACTORY FILLED	0	NC
		CAT standard hydraulic oil		
L	386-5333	OIL, BIO HYDR, FACTORY FILLED	0	\$4,595
		FOR USE WITH LANE 3 ONLY		
		This Hydraulic Environmental Ester Synthetic oil is recommended for hydraulic system when environmental compliance is required or desired. Factory filled.		

OPERATOR ENVIRONMENT

OPERATOR ENVIRONMENT

L	417-9445	PLATFORM, ROPS/FOPS	0	\$5,800
		Open platform with handrails, ROPS/FOPS canopy and working lights.		
L	391-0157	CAB, ROPS/FOPS W/ HTR & AC	613	\$26,740
		Two front-facing and two rear-facing working lights, external rear-view mirrors, air conditioner, heater & defroster, and wet-arm wipers/washers (front and rear). Cab is Radio Ready, including hardware, wiring, voltage converter and 12-volt power point. Radio NOT supplied.		
		Cloth suspension seat with adjustable height, weight, back tilt, fore/aft and lumbar is able to rotate 25 degrees to the right with fold-up adjustable armrest and retractable seat belt.		

SEATS

L	505-4263	SEAT, BASIC CONTROL	0	NC
		LCD display and vinyl seat with NO rotation.		
L	505-4261	SEAT, DELUXE CONTROL, ROTATING	0	\$505
		LCD display and vinyl seat with 20 deg RH operator station rotation.		
L	505-4262	SEAT, DELUXE CONTROL, CAB	0	\$540
		LCD display and cloth seat with NO rotation.		
		ONLY FOR USE WITH: 391-0157 CAB, ROPS/FOP W/HTR & AC		

CATERPILLAR MACHINE PRICE LIST

CCS7

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS

PRODUCT LINK COMMUNICATIONS

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor the performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Cerification> for certified countries. Please contact your Caterpillar marketing representative with questions.

L	454-5453	PRODUCT LINK, SATELLITE PL631 9 Product Link Pro series PL631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage.		\$432
L	454-5454	PRODUCT LINK, CELLULAR PL641 9 Product Link Pro series PL641 offers expanded coverage including 3G UMTS and CDMA2000 as well as 2G GSM and CDMA cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		NC

PRODUCT LINK INSTALLATION

L	467-7329	INSTALLATION, ROPS/FOPS 8 Factory installation of PL on machine with ROPS/FOPS canopy. ONLY FOR USE WITH: 417-9445 PLATFORM, ROPS/FOPS 454-5453 PRODUCT LINK, SATELLITE PL631 454-5454 PRODUCT LINK, CELLULAR PL641		NC
L	467-7328	INSTALLATION, CAB 8 Factory installation of PL on machines with cab. ONLY FOR USE WITH: 391-0157 CAB, ROPS/FOPS W/HTR & AC 454-5453 PRODUCT LINK, SATELLITE PL631 454-5454 PRODUCT LINK, CELLULAR PL641		NC

TIRES, RIMS, AND WHEELS

L	505-1452	TIRES, 13.0-24, SMOOTH 8 PL 0 8-ply smooth asphalt compaction tires and rims.		\$1,840
---	----------	---	--	---------

INSTRUCTIONS

P	514-3741	INSTRUCTIONS, NORTH AMERICAN 0 ANSI picto warning decals using symbols plus the word "WARNING" as required for North America (except Quebec, Canada). REQUIRES: 417-9445 PLATFORM, ROPS/FOPS		NC
P	514-3743	INSTRUCTIONS, NORTH AMERICAN 0 ANSI picto warning decals using symbols plus the word "WARNING" as required for North America (except Quebec, Canada). REQUIRES: 391-0157 CAB, ROPS/FOPS W/HTR & AC		NC

CATERPILLAR MACHINE PRICE LIST

CCS7

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

ELECTRICAL

P	449-6298	BEACON, ROTATING	3 3	\$421 \$421 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER		
P	452-6686	LIGHTS, UPGRADED	5 5	\$224 \$224 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER 4 additional lights for increased nighttime visibility		

TECHNOLOGY PRODUCTS

CAT COMPACTION CONTROL

Compaction Monitoring sensors to detect changes in soil stiffness which is an excellent indicator of load bearing strength and provides the operator with real time compaction information on the machine.

P	502-6856	SENSORS, MAT TEMPERATURE	0 0	\$3,710 \$3,710 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes a single front bumper mounted infrared, air purged temperature sensor.		

OTHER ATTACHMENTS

P	504-1527	MATS, COCOA	0 0	\$1,385 \$1,385 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Cocoa mat for the drum. CANNOT BE USED WITH: 504-1526 MATS, WATER DISTRIBUTION		
P	504-1526	MATS, WATER DISTRIBUTION	0 0	\$1,770 \$1,770 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Water distribution mat for the drum. CANNOT BE USED WITH: 504-1527 MATS, COCOA		
P	509-7180	MATS, COCOA, TIRES	0 0	\$980 \$980 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Cocoa mats for the rear tires.		

DOCUMENTATION

CERTIFICATES

P	0P-1870	CERTIFICATE OF ORIGIN	0	NC
---	---------	---------------------------------	---	----

PACKING

DOMESTIC PACKING

	0P-0210	PACK, DOMESTIC TRUCK	0	NC
		United States and Canadian dealers only.		
	0P-3651	PACKING, MISC MATERIAL	0	NC