

CATERPILLAR MACHINE PRICE LIST

# CP34

CP34 VIBRATORY COMPACTOR  
MINNEAPOLIS, MN, USA (SAP)

Ship Weight  
lbs

LIST PRICE  
AT DEALER

Standard Equipment:

### POWERTRAIN

CAT C3.4B four cylinder, turbo-charged diesel engine (74 HP / 55 kW) with glow-plug heater, US EPA tier 4 final and EU stage IV compliant  
Dual element air cleaner  
Fuel filter/water separator/manual priming pump and water indicator  
Dual propel pumps - 1 for drum and 1 for tires  
Dual braking systems (service & parking, drum only)  
Single speed hydrostatic transmission  
Limited slip differential  
11.2-24, tubeless, bias R-1 tires

### ELECTRICAL

12-volt starting and charging system  
120 ampere alternator  
(1) Maintenance free battery - 750 CCA  
Halogen working lights - canopy mounted (2 front-facing and 2 rear-facing)  
Backup alarm and forward warning horn  
Beacon ready

### OPERATOR ENVIRONMENT

ROPS/FOPS platform  
Rear-view mirror  
Four heavy-duty isolation mounts  
Platform handrails/guardrails  
Power steering  
Adjustable vinyl seat  
Retractable 76 mm (3") seat belt  
On-board display with audible warning alarm and interface for:  
-hydraulic oil temperature gauge  
-engine oil pressure gauge  
-engine coolant temperature gauge  
-alternator charge  
-fuel level gauge  
-service hour meter  
-engine RPM  
-Ambient Air Temp  
-fuel rate gauge  
-engine load gauge

### COOLING

Premixed 50% concentration of extended life coolant with freeze protection to -37C (-35F)

### DRUMS

Padfoot drum  
1270 mm (50") wide x 1016 mm (40") diameter  
Single amplitude with single frequency  
Front and rear adjustable scraper teeth

### OTHER STANDARD EQUIPMENT

Tilting operator platform  
Locking steel engine enclosure  
Sight gauges:  
-coolant level  
-hydraulic oil level  
Hydraulic tank locking cap  
Articulated frame with safety lock  
Leveling blade  
Transport tie-down and lift points  
Fuel tank with lockable cap  
113 L (30 gal) fuel tank capacity  
Quick connect hydraulic pressure test ports  
Pictogram warning films  
SOS ports:  
-engine  
-hydraulic  
-coolant

CATERPILLAR MACHINE PRICE LIST

**CP34**

---

CP34 VIBRATORY COMPACTOR MINNEAPOLIS, MN, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

---

**Lane 2 is reserved for the Base Order Management Program.  
 Please use Lane 2 when placing orders that are part of the  
 Base Order Management Program.**

<b>543-5243</b>	<b>CP34 VIBRATORY COMPACTOR</b> ..... 0 LANE 2 - AVAILABLE FROM MINNEAPOLIS FACTORY LANE 3 - AVAILABLE FROM MINNEAPOLIS FACTORY	<b>\$120,770</b>
<b>0P-4732</b>	<b>CP34 MISC MATERIAL</b> ..... 0 AVAILABLE FROM MINNEAPOLIS FACTORY Only reference numbers that have the text "ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a MISC order.	<b>NC</b>

CATERPILLAR MACHINE PRICE LIST

**CP34**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**LANE SELECTION**

OP-9002	LANE 2 ORDER . . . . .	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
OP-9003	LANE 3 ORDER . . . . .	0	NC

**TECHNOLOGY PRODUCTS**

**PRODUCT LINK**

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor the performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Caterpillar marketing representative with questions.

L	319-4492	NO PRODUCT LINK . . . . .	0	NC
---	----------	---------------------------	---	----

**OTHER ATTACHMENTS**

**BLADE AND SCRAPER SYSTEM**

L	386-5788	SCRAPER, STEEL, FRONT & REAR . . . . .	0	\$1,070
		Padfoot drum scrapers mounted at the front and rear of the drum.		
L	386-5793	BLADE, W/FRONT & REAR SCRAPER . . . . .	0	\$7,010
		Leveling blade with padfoot drum scrapers mounted at the front and rear of the drum.		

**INSTRUCTIONS**

**DECAL PACKAGES**

L	386-5784	INSTRUCTIONS, NORTH AMERICAN . . . . .	0	NC
		ANSI picto warning decals using symbols plus the word "WARNING" as required for North America (except Quebec, Canada).		

CATERPILLAR MACHINE PRICE LIST

**CP34**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**ELECTRICAL**

P	549-2433	LIGHT, WARNING BEACON . . . . . 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes 1 LED amber strobe light with magnetic mount.		\$220 NI
---	----------	--	--	----------

**OTHER ATTACHMENTS**

P	122-0614	GUARD, DRUM, TRENCH . . . . . 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Helps keep debris out of drums. Designed for use in trench compaction applications.		\$2,470 NI
---	----------	---	--	------------

**DOCUMENTATION**

**CERTIFICATES**

	0P-1870	CERTIFICATE OF ORIGIN . . . . . 0		NC
--	---------	-----------------------------------	--	----

**PACKING**

	0P-0210	PACK, DOMESTIC TRUCK . . . . . 0		NC
	0P-3651	PACKING, MISC MATERIAL . . . . . 0 No charge for packing. Applicable freight charges may apply.		NC