

CATERPILLAR MACHINE PRICE LIST

CS64B-MN

CS64B VIBRATORY COMPACTOR
MINNEAPOLIS, MN, USA (SAP)

Ship Weight
lbs

LIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

- CAT C4.4 inline four cylinder, turbo-charged diesel engine with glow-plug heater
- Dual element air cleaner
- Fuel filter/water separator/electronic priming pump and water indicator
- Three-speed throttle switch including ECOMODE
- Dual propel pumps - 1 for drum and 1 for tires
- Dual braking systems (service & parking, drum only)
- Two-speed hydrostatic transmission
- Limited slip differential

ELECTRICAL

- 24-volt starting and charging system alternator
- (2) Maintenance free batteries - 750 CCA
- Halogen working lights - canopy mounted (2 front-facing and 2 rear-facing)
- Backup alarm and forward warning horn
- Product link ready
- Beacon ready

OPERATOR ENVIRONMENT

- ROPS/FOPS platform
- Four heavy-duty isolation mounts
- Platform handrails/guardrails
- Power steering
- Adjustable tilt-steering column
- Adjustable, rotating suspension seat
- Retractable seat belt
- Adjustable, padded arm rest for propel lever operation
- On-board display with audible warning alarm and interface for:
 - hydraulic oil temperature gauge,
 - engine oil pressure gauge,
 - engine coolant temperature gauge
- alternator charge,
- fuel level gauge,
- service hour meter,
- engine RPM
- ground speed, vibe speed
- fuel rate gauge
- engine load gauge
- basic compaction measurement
- Lockable, vandalism guard for on-board display
- 12-volt power point

COOLING

- Premixed 50% concentration of extended life coolant with freeze protection to -37C (-35F)

DRUMS

- Smooth drum
- 2134 mm (84") wide x 1534 mm (60.4") diameter
- Dual amplitude with single frequency
- Dual, pod-style eccentric weight housings
- Front adjustable steel scraper

OTHER STANDARD EQUIPMENT

- Locking composite engine enclosure
- Sealed-for-life hitch bearings
- Sight gauges:
 - coolant level
 - hydraulic oil level
- Hydraulic tank locking cap
- Articulated frame with safety lock
- Transport tie-down and lift points
- Fuel tank with lockable cap
- Quick connect hydraulic pressure test ports
- SOS ports:
 - engine
 - hydraulic
 - coolant
- Universal bumper

CATERPILLAR MACHINE PRICE LIST

CS64B-MN

CS64B VIBRATORY COMPACTOR MINNEAPOLIS, MN, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

**Lane 2 is reserved for the Base Order Management Program.
 Please use Lane 2 when placing orders that are part of the
 Base Order Management Program.**

433-1612	CS64B VIBRATORY COMPACTOR 0 LANE 2 - AVAILABLE FROM MINNEAPOLIS FACTORY LANE 3 - AVAILABLE FROM MINNEAPOLIS FACTORY	\$169,770
0P-2715	CS64B MISC MATL 0 AVAILABLE FROM MINNEAPOLIS FACTORY Only reference numbers that have the text "ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a MISC order.	NC

CATERPILLAR MACHINE PRICE LIST

CS64B-MN

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
OP-9003	LANE 3 ORDER	0	NC

POWERTRAIN

ENGINE

L	420-9150	ENGINE, TIER 4F/STAGE 4 U.S. EPA Tier 4 Final/EU Stage IV equivalent engine.	0	NC
---	----------	---	---	----

ENCLOSURES

L	479-9014	SCREEN, STANDARD Fixed (not openable) screen at rear, right side of the engine compartment.	7	NC
L	479-9015	FUEL SYSTEM, DOOR Hinged and CAT key lockable door to access fuel fill without opening enclosure.	23	\$355

OPERATOR ENVIRONMENT

OPERATOR STATIONS

L	435-8035	PLATFORM, ROPS/FOPS Open platform with handrails, ROPS/FOPS canopy and working lights.	1,262	NC
L	435-8038	CAB, ROPS/FOPS WITH HEATER FOR USE WITH LANE 3 ONLY Two front-facing and two rear-facing working lights, external rear-view mirrors, heater & defroster, and wet-arm wipers/washers (front and rear). Cab is Radio Ready, including hardware, wiring, voltage converter and 12-volt power point. Wiring only - Radio and Speakers not included.	1,620	\$16,580
L	435-8036	CAB, ROPS/FOPS WITH A/C Two front-facing and two rear-facing working lights, external rear-view mirrors, air conditioner, heater & defroster, and wet-arm wipers/washers (front and rear). Cab is Radio Ready, including hardware, wiring, voltage converter and 12-volt power point. Wiring only - Radio and Speakers not included.	1,700	\$22,140

SEATS

L	356-1226	SEAT, VINYL Standard rotating vinyl covered suspension seat.	150	NC
L	356-1227	SEAT, CLOTH Standard rotating cloth covered suspension seat. ONLY FOR USE WITH: 435-8038 CAB, ROPS/FOPS WITH HEATER or 435-8036 CAB, ROPS/FOPS WITH A/C	150	\$304
L	356-1229	SEAT, CLOTH, DELUXE Deluxe rotating cloth seat with head rest, air suspension and additional adjustment. ONLY FOR USE WITH: 435-8038 CAB, ROPS/FOPS WITH HEATER or 435-8036 CAB, ROPS/FOPS WITH A/C	158	\$525

CATERPILLAR MACHINE PRICE LIST

CS64B-MN

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

SEAT BELTS

L	382-9003	SEAT BELT, 2"	2	NC
L	387-1801	SEAT BELT, 3"	2	\$150

OPERATOR LANGUAGES

L	477-9990	LANGUAGES, OPTION 1	0	NC
Includes standard languages (English, Spanish, French, German, Italian, Polish, Portuguese, Turkish, and Korean) for machine operation and control.				

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor the performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact you Caterpillar marketing representative with questions.

L	454-5453	PRODUCT LINK, SATELLITE PL631	9	\$432
Product Link Pro series PL631 uses a satellite network to transmit location, utilization and health information for viewing in Product Link user applications. For use in areas with poor or no cellular coverage.				
L	454-5454	PRODUCT LINK, CELLULAR PL641	9	NC
Product Link Pro series PL641 offers expanded coverage including 3G UMTS and CDMA2000 as well as 2G GSM and CDMA cellular networks to transmit location, utilization and health information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data.				

PRODUCT LINK INSTALLATION

L	454-0250	INSTALLATION, ROPS/FOPS	8	NC
Factory installation of PL on machine with ROPS/FOPS canopy. ONLY FOR USE WITH: 435-8035 PLATFORM, ROPS/FOPS				
L	454-0249	INSTALLATION, CAB	8	NC
Factory installation of PL on machines with cab. ONLY FOR USE WITH: 435-8038 CAB, ROPS/FOPS WITH HEATER or 435-8036 CAB, ROPS/FOPS WITH A/C				

CATERPILLAR MACHINE PRICE LIST

CS64B-MN

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

CAT COMPACTION CONTROL

Compaction Monitoring sensors to detect changes in soil stiffness which is an excellent indicator of load bearing strength and provides the operator with real time compaction information on the machine display.

L	444-5931	NO COMPACTION SENSOR 0 No Sensors.		NC
L	441-6674	SENSOR, DRIVE POWER 5 Proprietary Caterpillar technology that directly measures soil stiffness via material deflection (rolling resistance). Includes Sensor, Angle, High-Accuracy.		\$3,840
L	441-6676	SENSOR, ACCELEROMETER. 15 Traditional soil stiffness measurement providing CMV values resulting from vibration energy imparted to the soil. Sensor, Accel. will not work with Padfoot Shell Kit operation / Will only work with smooth drum operation.		\$6,250
L	435-8012	SENSOR, DRIVE POWER AND ACCEL 20 Traditional soil stiffness measurement providing MDP and CMV values resulting from vibration energy imparted to the soil. Includes Sensor, Angle, High-Accuracy.		\$7,910

TIRES, RIMS, AND WHEELS

L	203-4717	TIRES, 23,1-26 TI 8PR 935 8-ply flotation (diamond tread) tires and rims with liquid ballast.		\$1,915
L	203-4718	TIRE, TRACTION 935 23.1 x 26 8 ply traction (lug tread) tires and rims with liquid ballast. Typically for use with padfoot style drum.		\$3,250

DRUMS

VIBRATORY SYSTEMS

L	355-3542	FREQUENCY, FIXED 0 Single 31.9 Hz (1914 vpm) frequency with high and low amplitude.		NC
L	355-3541	FREQUENCY, VARIABLE 0 Frequency dial that electronically controls the displacement of the vibratory pump. Frequency range from 23.3-31.9 Hz (1400-1914 vpm).		\$2,395

SCRAPER SYSTEM

L	360-0493	SCRAPER, STEEL, FRONT 132 Standard smooth drum with one steel scraper at the front of the smooth drum.		NC
L	365-9332	SCRAPER, STEEL, FRONT + REAR. 1,074 Standard smooth drum with flat steel scrapers at the front and rear of the smooth drum.		\$1,885
L	365-9333	SCRAPER, POLYURETHANE. 1,085 Two flexible, contacting scrapers blades iso-mounted at the front and rear of the smooth drum.		\$2,510

CATERPILLAR MACHINE PRICE LIST

CS64B-MN

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

DRUMS (CONT.)

SCRAPER SYSTEM (Cont.)

L	365-9334	DRUM, SHELL KIT 7,132 Factory installed oval padfoot shell halves with padfoot scrapers at the front and rear of the drum.		\$17,490
L	439-0778	SHELL KIT, SQR, PADFOOT 4,297 Factory installed square padfoot shell halves with padfoot scrapers at front and rear of the drum.		\$17,490
L	472-2056	SCRAPER, SHELL KIT READY 970 Factory installed smooth drum with shell kit smooth and padfoot scrapers. Scrapers at the front and rear for use with smooth drum on machine or with dealer supplied padded shell kit.		\$6,620

FLUIDS

HYDRAULIC OIL

L	362-4940	OIL, HYDR, FACTORY FILLED 0 Cat standard hydraulic oil.		NC
L	362-4941	OIL, HYD, BIO, FACTORY FILLED 0 FOR USE WITH LANE 3 ONLY This Hydraulic Environmental Ester Synthetic oil is recommended for hydraulic system when environmental compliance is required or desired. Factory filled.		\$3,220

INSTRUCTIONS

L	437-9886	INSTRUCTIONS, NA CAB 0 ANSI picto warning decals using symbols plus the word "WARNING" as required for North America (except Quebec, Canada). ONLY FOR USE WITH: 435-8038 CAB, ROPS/FOPS WITH HEATER or 435-8036 CAB, ROPS/FOPS WITH A/C		NC
L	437-9888	INSTRUCTIONS, NA PLATFORM 0 ANSI picto warning decals using symbols plus the word "WARNING" as required for North America (except Quebec, Canada). ONLY FOR USE WITH: 435-8035 PLATFORM, ROPS/FOPS		NC

CATERPILLAR MACHINE PRICE LIST

CS64B-MN

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
ELECTRICAL				
P	355-3059	LIGHTING, WARNING	5 0	\$421 \$421 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER		
P	355-3056	LIGHTS, UPGRADED	3 0	\$224 \$224 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER 4 additional lights for increased nighttime visibility.		
P	355-3062	MODULE, RECORDING, STD FREQ	0 26	\$6,310 \$6,310 NI
		FOR USE WITH LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER Factory or Field installed fixed frequency recording module required in France. ONLY FOR USE WITH: 435-8038 CAB, ROPS/FOPS WITH HEATER or 435-8036 CAB, ROPS/FOPS WITH A/C and 355-3542 FREQUENCY, FIXED		
P	355-3064	MODULE, RECORDING, VARIABLE	0 31	\$6,310 \$6,310 NI
		FOR USE WITH LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER Factory or field installed variable frequency recording module required in France. ONLY FOR USE WITH: 435-8038 CAB, ROPS/FOPS WITH HEATER or 435-8036 CAB, ROPS/FOPS WITH A/C and 355-3541 FREQUENCY, VARIABLE		
OPERATOR ENVIRONMENT				
P	354-5413	MIRRORS, REARVIEW, EXTERNAL	10 0	\$306 \$306 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes two externally mounted rear-view mirrors. ONLY FOR USE WITH: 435-8035 PLATFORM, ROPS/FOPS		
P	107-4643	MIRRORS, REARVIEW, INTERNAL	10 0	\$208 \$208 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes two rear-view mirrors mounted inside the cab. ONLY FOR USE WITH: 435-8038 CAB, ROPS/FOPS WITH HEATER or 435-8036 CAB, ROPS/FOPS WITH A/C		
P	204-4390	SUN SCREEN	2 2	\$327 \$327 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides pull-down sunscreen for rear window, reduces heat and glare. ONLY FOR USE WITH: 435-8038 CAB, ROPS/FOPS WITH HEATER or 435-8036 CAB, ROPS/FOPS WITH A/C		
P	107-4641	SUN VISOR, FRONT	2 0	\$77 \$77 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Tip-down tinted sun visor for front window, reduces heat and glare. ONLY FOR USE WITH: 435-8038 CAB, ROPS/FOPS WITH HEATER or 435-8036 CAB, ROPS/FOPS WITH A/C		

CATERPILLAR MACHINE PRICE LIST

CS64B-MN

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS

CAT COMPACTION CONTROL

This is a factory designed and integrated SBAS accuracy level pass count and mapping system which requires no off-board infrastructure. For a higher accuracy solution, order the slope sensor below (for accelerometer sensor system) and consult your Dealer Technology Representative to order the necessary base station, data radio and higher accuracy option key for a RTK solution.

L	375-1612	MAPPING, GNSS 45 CB460 Display (17.8 cm/7.0 in), MS952 antenna/receiver. ONLY FOR USE WITH: 435-8035 PLATFORM ROPS/FOPS and 441-6674 SENSOR, DRIVE POWER or 441-6676 SENSOR, ACCELEROMETER or 435-8012 SENSOR, DRIVE POWER AND ACCEL		\$5,620 NET
L	375-1607	MAPPING, GNSS 45 CB460 Display (17.8 cm/7.0 in), MS952 antenna/receiver. ONLY FOR USE WITH: 435-8038 CAB, ROPS/FOPS WITH HEATER or 435-8036 CAB, ROPS/FOPS WITH A/C and 441-6674 SENSOR, DRIVE POWER or 441-6676 SENSOR, ACCELEROMETER or 435-8012 SENSOR, DRIVE POWER AND ACCEL		\$5,620 NET
P	441-6683	SENSOR, ANGLE, HIGH-ACCURACY 12 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Continental slope sensor is selected. ONLY FOR USE WITH: MAPPING, GNSS 441-6676 SENSOR, ACCELEROMETER		\$461 \$461 NI

OTHER ATTACHMENTS

GUARDS

P	355-2660	GUARD, TRANSMISSION 44 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides protection for the rear axle, hydraulic drive motor and hose fittings.		\$1,100 \$1,005 NI
---	----------	---	--	-------------------------------------

FACTORY SOURCED KITS

P	526-2112	MULTI-MODEL SHELL KIT, OVAL, FLD 0 FOR USE WITH LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER Kit for dealer installed oval padfoot shell halves with padfoot scrapers at the front and rear of the drum. Can be used for the CS54B, CS56B, CS64B, CS68B and CS74B machines.		\$17,490 NI
P	416-1355	SHELL KIT, SQR, PADFOOT, FLD 4,303 FOR USE WITH LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER Field installed square padfoot shell halves with padfoot scrapers at front and rear.		\$17,490 NI

CATERPILLAR MACHINE PRICE LIST

CS64B-MN

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

FACTORY SOURCED KITS (CONT.)

P	491-6771	SCRAPER, POLYURETHANE FLD 492 FOR USE WITH LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER Non-installed two flexible, contacting scrapers blades with ISO-mounts for the front and rear of the smooth drum.		\$2,510 NI
P	483-5926	PRINTER PORT WIRING KIT, CAB 0 FOR USE WITH LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes wiring kit only for printer (dealer installed) using on a machine with a mapping system. To be used with Cab, ROPS/FOPS machine.		\$394 NI
P	483-6357	PRINTER PORT WIRING KIT, PLFM 0 FOR USE WITH LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes wiring kit only for printer (dealer installed) used on a machine with a mapping system. To be used with Platform, ROPS/FOPS machine.		\$394 NI

DOCUMENTATION

CERTIFICATES

P	0P-1870	CERTIFICATE OF ORIGIN 0		NC
---	---------	--	--	-----------

PACKING

	0P-0210	PACK, DOMESTIC TRUCK 0		NC
	0P-3651	PACKING, MISC MATERIAL 0 No charge for packing. Applicable freight charges may apply.		NC