



CONSTRUCTION EQUIPMENT

U.S. PRICE BOOK

C075 CRAWLERS - CE

PL-200 CE SAP REVISION 19

EFFECTIVE JANUARY 1, 2019

THIS IS AN ELECTRONIC COPY ONLY – HARD COPIES WILL NOT BE DISTRIBUTED.

This price list is intended for dealers with the Crawlers (CE) contract only.

The prices included in this revision supersede any prices established prior to the effective date shown unless specifically identified in a price bulletin as superseding this price list.

Below is a list of Family(s) and Model(s) that are included in this price list.

Crawler Dozers:
750M Tier 4 FINAL
850M Tier 4 FINAL
1150M Tier 4 FINAL
1650M Tier 4 FINAL
2050M Tier 4 FINAL

PLEASE NOTE: Retain the price book pages of the discontinued series for your records.

**Copyright 2019 By
CNH Industrial America LLC**



(This page intentionally left blank)



General Information

Prices shown herein are suggested prices only and in no way are they to be construed as limiting or restricting the dealer in his determination of the ultimate retail selling price. It is understood that the dealers are free to determine their selling price. Subject to any Federal, State or local laws.

Where shown herein liquid capacities are U.S. measure unless otherwise noted.

ADVANCE FREIGHT

Advance freight will be added to the machinery invoice as a separate net charge for machinery shipped from field locations or from other than specified Ex Works locations.

PRICES

Prices are Ex Works factory, where the goods are manufactured, except where noted. For detailed information concerning prices, please refer to your OPERATING GUIDE.

Prices and specifications are subject to change without notice.

CONTENTS OF ORGANIZATION

Case Construction Equipment Inc issues price lists and revisions covering each Case contract. U.S. Price List is published in U.S. funds. Canadian Price List is published in Canadian funds. Assure that you are using the correct price list. The Canadian price lists are denoted by a Maple Leaf on the price list cover page and the symbol "(CDN)" is printed at the head of the Factory Supplied Attachments List columns.

Freight, duty and sales taxes are NOT included in any wholegoods or attachment prices shown in the price list. Any appropriate freight, duty, Federal, State, and Provincial taxes will be added to the machinery invoice as separate net charges.

PROCEDURE

The price pages for each machine (or group of machines) lists both "Factory" and "Factory Supplied Attachments".

Each price list is comprised of the various machines sold under that contract. Each price book section has "Factory", "Factory Supplied Attachments", or "Third Party Supplied Attachments" pages. When ordering and pricing a machine follow the ordering instructions listed for that machine. Attachments listed following the "Factory Supplied Attachments" or "Third Party Supplied Attachments" heading are available for installation in the field.

ATTACHMENTS

Expect Attachments to be shipped within 2 -3 weeks from order entry.



General Information

DISTRIBUTION OF PRICE LISTS / REQUESTS FOR ADDITIONAL COPIES

Price lists will be provided electronically via that Dealer Portal.

Contact information for additional copies of Case Construction Equipment Price Lists

Additional price lists, divider tabs and binders may be ordered at the Document Management Center. From Dealer Portal click on Tools then Document Management Center link. Any questions you can call the Document Management Center at 262-636-7540

You will only receive price lists for contracts covered by your current Dealer Agreement with the Company.

The revisions are dated and are effective as of that date. However, PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.



**CRAWLERS - CE
TABLE OF CONTENTS**

CRAWLER DOZERS

750M CRAWLER DOZER - Tier 4 FINAL	
Standard Features	CE-7
Price List	CE-9
Factory Supplied Attachments.....	CE-17
Additional Supplier Options.....	CE-19
850M CRAWLER DOZER- Tier 4 FINAL	
Standard Features	CE-21
Price List	CE-23
Factory Supplied Attachments.....	CE-31
Additional Supplier Options.....	CE-33
1150M CRAWLER DOZER -Tier 4 FINAL	
Standard Features	CE-35
Price List	CE-37
Factory Supplied Attachments.....	CE-49
Additional Supplier Options.....	CE-51
1650M CRAWLER DOZER - Tier 4 FINAL	
Standard Features	CE-53
Price List	CE-55
Factory Supplied Attachments.....	CE-67
Additional Supplier Options.....	CE-69
2050M CRAWLER DOZER - Tier 4 FINAL	
Standard Features	CE-71
Price List	CE-73
Factory Supplied Attachments.....	CE-85
Additional Supplier Options.....	CE-87
DIA completion Kit/ Blade Guidance	CE-88
Blade Guidance Roadmap	CE-89



(This page intentionally left blank)



**750M CRAWLER DOZER
US PRICE LIST**

**(Ex Works Burlington, IA)
Standard Equipment**

ENGINE:

FPT F5HFL413*A002
Tier IV Final certified
207 in.³ Displacement
Electronic Fuel injection
Horsepower:
- Gross (SAE) 96
- Net (SAE) 92
Brake/Decelerator pedal
Air cleaner - dry type, 2 stage, radial seal
Anti-freeze solution to -34° F
Fan, pusher
Fuel Tank: 50 gal. (US)
Hand throttle
Radiator: Anti-sandblast

DRIVETRAIN:

Dual path infinitely variable, single-lever controlled hydrostatic drive with electronic straight tracking, power turns & counter-rotation
Final drive - triple reduction - helical gear/planetary
Spring applied hydraulic release parking brake

OPERATOR'S PROTECTIVE

STRUCTURE:

ROPS Canopy, modular design, isolation mounted
Adjustable armrest(s) with lateral support
Foot rests
Seat belt, 2" retractable
Canopies, Vinyl, Mechanical
Suspension seat
Enclosed Cabs, Cloth, Air
Suspension seat
Tool storage area
Floor mat
Headliner
Seat tilts for access

ELECTRICAL:

Alternator: 120 AMP
24 volt electrical system
Dual Batteries (Two 12V Batteries) 925 CCA
Fuse circuit protection
Master disconnect switch
Single key start switch
Pre-wired for work lights and fleet management system
Auxiliary 12 volt power port
2 Lights Front, 1 Light Rear

DOZER BLADE:

Variable mechanical pitch adjustment (56° +/- 4°) with integral tool
Power angle tilt (PAT) blade
Single lever hydraulic control for lift, angle, and tilt dozer



**750M CRAWLER DOZER
US PRICE LIST**

**(Ex Works Burlington, IA)
Standard Equipment**

UNDERCARRIAGE:

Hydraulic track adjusters
Sealed and lubricated track chain
Track and carrier rollers and front
idlers permanently lubricated
Track adjuster guard
H.D. track covers
Track gauge: 62" or 70"
Track guides (front and rear)
Length of Track on the ground:
SALT-HD 89.2" (2266mm)
Max-Life 90.1" (2288mm)
Track rollers: 6 per side

INSTRUMENTATION:

Warning/Indicator Lights:
Air filter
Alternator
Diagnostic fault indicator
Engine coolant temperature
Engine oil pressure
Hydraulic filter
Low fuel level
Park brake engaged
Service soon indicator
Transmission filter
Transmission charge pressure
Transmission temperature

Audible Warnings:

Engine coolant temperature
Engine oil pressure
Low fuel level
Transmission charge pressure
Transmission/hydraulic temperature

Gauges:

Transmission speed indicator
Battery voltage
Fuel level
Digital hourmeter/tachometer
diagnostics/service reminder
Transmission oil temperature
Water temperature

GUARDS:

Crankcase
Engine side shields
Transmission bottom
Integral final drive seal

OTHER STANDARD EQUIPMENT:

Backup alarm
Hinged grill
Horn
Cold Start - Glow Plugs
Lockup package
Operator's manual enclosure
Pre-screen on air cleaner intake
Front pull hook
F-N-R detent controlled joystick for
direction, speed and steering
Refer to Additional Supplier Options for
further Allied & Paladin Options.
CASE ProCare
3-yr/3000-hr factory warranty,
planned maintenance and
SiteWatch™ telematics
CASE SiteWatch™ Telematics
includes hardware and a 3-yr
Advanced data subscription



**750M CRAWLER DOZER
US PRICE LIST**

(Ex Works Burlington, IA)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
750M LT.	20,040 LB		\$147,804.00
750M WT/LGP.	21,180 LB		\$158,845.00
Includes the following Equipment			
CHAIN/A Closed SALT HD 24I (784785)	\$2,808.00		



**750M CRAWLER DOZER
 US PRICE LIST**

**(Ex Works Burlington, IA)
 Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

REAR MOUNTED EQUIPMENT

SD_41035 TOW HOOK

784487	Front Pull Hook			No Charge
784571	Front Counterweight w/hook Front counterweight is 827 pounds			\$4,560.00

SD_D7007 3 SHANK RIPPER

784649	Rear Cover Plate			No Charge
784572	Rear Tow Hook			\$345.00
784573	Drawbar			\$888.00
784007	Ripper, 3 shanks Must order with option X20143X - Hyd. Valve, 4 Spool w/Ripper and 784565 - Rearview mirror on cab units only. 2" Shank with 2.6" Replaceable Point.	200.000		\$13,540.00

TRACK SHOES

SD_10009 TRACK CHAIN/SHOES

For use with LT				
784808	CHAIN/A Closed SALT HD 18IN 18" Closed Sealed and Lubricated Track (HD)			No Charge
784809	CHAIN/A Open MAX-LIFE 18 18" Open CASE Maximum Life Chain			\$2,297.00
For use with LT and WT/LGP				
784791	CHAIN/A Closed SALT HD 20IN 20" Closed Sealed and Lubricated Track (HD)			\$1,829.00
784797	CHAIN/A Open MAX-LIFE 20 20" Open CASE Maximum Life Chain			\$7,246.00
For use with WT/LGP				
784785	CHAIN/A Closed SALT HD 24IN 24" Closed Sealed and Lubricated Track (HD)			\$2,808.00
784810	CHAIN/A Open MAX-LIFE 24 24" Open CASE Maximum Life Chain			\$7,653.00
784786	CHAIN/A Closed SALT HD 28IN 28" Closed Sealed and Lubricated Track (HD)			\$3,735.00
784811	CHAIN/A Open MAX-LIFE 28 28" Open CASE Maximum Life Chain			\$7,722.00



**750M CRAWLER DOZER
 US PRICE LIST**

(Ex Works Burlington, IA)

FRONT MOUNTED EQUIPMENT

SD_D5102 BLADES

	784474	96" Dozer Blade 750M Blade Capacity 1.69 cu yd; Blade Height 33" Not Recommended for WT/LGP models.			\$4,087.00
	784691	104" Dozer Blade 750M Blade Capacity 1.84 cu yd; Blade Height 33" 850M Blade Capacity 2.16 cu yd; Blade Height 36" Not Recommended for WT/LGP models.			\$4,405.00
	784547	108" Dozer Blade 108" Blade begins with s/n NJC101548 for 750M WT/LGP 750M Blade Capacity 1.94 cu yd; Blade Height 33"	400.000		\$4,477.00
	784475	120" Dozer Blade 750M Blade Capacity 2.14 cu yd; Blade Height 33" 850M Blade Capacity 2.53 cu yd; Blade Height 36" Not Recommended for LT models.	400.000		\$4,755.00
	784499	124" Dozer Blade 750M Blade Capacity 2.22 cu yd; Blade Height 33" 850M Blade Capacity 2.62 cu yd; Blade Height 36" Not Recommended for LT models.	400.000		\$5,029.00

OPERATOR'S PROTECTIVE STRUCTURE

SD_05127 CAB

	784111	ROPS with headliner			No Charge
	784391	CAB - CANOPY			\$13,265.00

ADDITIONAL EQUIPMENT CRD

SCREENS

SD_02057 RADIATOR SCREEN

	X02057X	No Radiator Brush Screen			No Charge
	784476	Radiator Brush Screen			\$387.00

SD_02130 SANDBLAST SCREEN

	X02130X	No Sandblast Screen			No Charge
	784623	Sandblast Screen			\$345.00

SD_05053 FORESTRY PROTECTION

	X05053X	No ROPS Side Screen			No Charge
--	---------	---------------------	--	--	-----------



**750M CRAWLER DOZER
 US PRICE LIST**

(Ex Works Burlington, IA)

	784419	ROPS Side Screen Must order with ROPS with headliner option 784111 and Sweeps option 784702			\$1,314.00
--	--------	---	--	--	------------

SD_05103 REAR SCREEN

	X05103X	No Rear Screen			No Charge
	784569	ROPS Rear Screen Must order with ROPS with headliner option 784111			\$753.00
	784508	Cab Rear Screen Must order with Cab w/Heat/AC/Defroster/Lights option 784391 Note: For full cab forestry screen and installation, contact: Paladin Custom Works, 370 Labeling Way, Chattanooga, TN 37419. Phone: 423-702-6958 Fax: 423-825-5029 E-mail: eprice@paladinbrands.com			\$731.00

GUARDS

SD_10013 TRACK ROLLER GUARD

	X10013X	No Center Rock Guard No Rock Guard			No Charge
	784524	Center Rock Guard Guard, Full Track Rock Guard			\$1,615.00

SD_D5904 SWEEPS

	XD5904X	No Sweeps			No Charge
	784702	Sweeps			\$915.00

DECALS AND OPERATOR'S MANUALS

SD_47083 OPERATOR'S MANUAL

	784138	Manuals & Decals - English			No Charge
	784140	Manuals & Decals - French			No Charge
	784142	Manuals & Decals - Spanish			No Charge

SD_02005 ENGINE PRE-CLEANER

	784725	Air Cleaner Cap			No Charge
	784731	Turbine Pre-Cleaner			\$133.00

SD_02112 SEVERE COLD WEATHER

	X02112X	Standard Climate			No Charge
--	---------	------------------	--	--	-----------



**750M CRAWLER DOZER
 US PRICE LIST**

(Ex Works Burlington, IA)

	784822	Severe Cold Weather -784822 750M -Severe Cold Weather includes: Cold weather air intake, Block Heater, Heated CCV Lines, Extreme Cold Climate Lubricants, Fuel Additive, Engine Oil 0W-40 850M -Severe Cold Weather includes: Extreme Cold Climate Lubricants, heated fuel filter, Block Heater, Fuel Additive, Engine Oil 0W-40 Severe Cold Climate protection in temperatures down to -30 degrees C - 22 degrees F			\$575.00
--	--------	--	--	--	----------

SD_05105 SEAT BELT

	784365	Seat Belt, 2"			No Charge
	784483	Seat belt, 3" In lieu of standard 2" seatbelt option 784365			\$111.00

SD_05131 REAR WIPER FOR CAB

	X05131X	No Rear Wiper			No Charge
	784525	Rear Wiper for Cab Must order with Cab w/Heat/AC/Defroster/Lights option 784391			\$397.00

SD_05136 RADIO OPTION

	X05136X	No Radio			No Charge
	784564	Radio Must order with Cab w/Heat/AC/Defroster/Lights option 784391			\$199.00

SD_06003 WORK LIGHTS

	X06003X	No work lights			No Charge
For use with ROPS/Canopy					
	784531	Opt ROPS Light w/o sweeps Not used with Sweeps option 784702 Must order with ROPS with headliner option 784111			\$232.00
	784532	Opt ROPS Lights w/ sweeps Must order with Sweeps option 784702 Must order with ROPS with headliner option 784111			\$320.00
For use with Cab					
	784529	Opt Cab Light w/o sweeps Not used with Sweeps option 784702 Must order with Cab w/Heat/AC/Defroster/Lights option 784391			\$353.00
	784530	Opt Cab Lights w/ sweeps Must order with Sweeps option 784702 Must order with Cab w/Heat/AC/Defroster/Lights option 784391			\$438.00



**750M CRAWLER DOZER
 US PRICE LIST**

(Ex Works Burlington, IA)

SD_20143 HYDRAULIC VALVES

	784350	Std. 3 spool valve & control Not used with Ripper, 5 position w/3 shanks option 784007			No Charge
	784668	Hyd. valve, 4 spool w/ plugs Not used with Ripper, 5 position w/3 shanks option 784007 For use with Field Installed Ripper			\$953.00
	X20143X	NO HYDRAULIC FUNCTION For use with option 784007 - Ripper, 5 position w/3 shanks			No Charge

SD_20162 REAR HYDRAULIC FUNCTION

	784651	Pump Hydraulic Equip w/o PTO			No Charge
	784730	Pump Hydraulic Equip w/PTO Winch Ready - For use with winch drive includes hydraulic pump with mechanical drive			\$508.00

SD_50115 ENVIRONMENTAL DRAIN

	X50115X	No Environmental Drain			No Charge
	784729	Environmental Drain Includes valve and drain hose for fuel and hydraulic reservoir. Quick coupler for engine oil and coolant evacuation included.			\$690.00

SD_D5113 BLADE GUIDANCE READY

	XD5113X	No Blade Guidance	100 LB		No Charge
--	---------	-------------------	--------	--	-----------



**750M CRAWLER DOZER
 US PRICE LIST**

(Ex Works Burlington, IA)

784609	<p>Leica Ready Factory Option</p> <p>Step 1: Order this Factory-installed Leica Ready Base Kit. This package includes Electrohydraulic Valves, controls, mountings and wiring that allow for a plug-and-play with the Leica electronic devices (which are ordered separately from Leica dealer or contact your CASE Precision Field Specialist for completion kit details)</p> <p>Step 2: Order Leica Completion Kit above. Then dealer must order one of the required following systems to complete the solution if the preferred Precision Solution Platform is Leica.</p> <p>48142343 CoPilot Machine Control Kit</p> <p>47988573 Leica Manual Mast 2D Laser Kit (Requires 47863870 Slope Sensor SP14 in order to operate CoPilot Software)</p> <p>47988574 Leica Power Mast 2D Laser Kit (Requires 47863870 Slope Sensor SP14 in order to operate CoPilot Software)</p> <p>47988575 Leica Dual FMast 3D GNSS (This will include CoPilot Software & Hardware in 2018 TBD)</p> <p>47998398 Leica Single FMast 3D GNSS (This will include CoPilot Software & Hardware in 2018 TBD)</p>			\$16,700.00
784605	<p>Trimble Ready Factory Option</p> <p>Factory-installed Trimble Ready Base Kit. This package includes Electrohydraulic Valves, controls, mountings and wiring that allow for a plug-and-play with the Trimble electronic devices (which are ordered separately from Trimble dealer)</p>			\$16,113.00
784610	<p>Topcon Ready Factory Option</p> <p>Factory-installed Topcon Ready Base Kit. This package includes Electrohydraulic Valves, controls, mountings and wiring that allow for a plug-and-play with the Topcon electronic devices (which are ordered separately from Topcon dealer)</p>			\$20,075.00

SD_D5801 EXTERNAL MIRROR

XD5801X	No Rearview Attachment Mirror			No Charge
784565	<p>Rearview Attachment Mirror</p> <p>For use with Cab units that have rippers or winches. Mounts to the exterior right hand side of unit.</p>			\$55.00



**750M CRAWLER DOZER
 US PRICE LIST**

(Ex Works Burlington, IA)

SD_D9501 MOVE TO BIC

		XD9501X	Do Not move to BIC			No Charge
		784805	Move to BIC			No Charge

SD_50133 SPECIAL FEATURE

		X50133X	No Special Feature Request			No Charge
		784820	Special Feature Unit 784820 Must contact Special Feature Coordinator for approval before selecting Special Feature Request option. Special Feature Quotes may take up to 3 business days. Contact Joshua Schumacher (319) 754-3144			No Charge



**750M CRAWLER DOZER
 US PRICE LIST**

**(Ex Works Burlington, IA)
 Factory Supplied Attachments**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Blade Guidance Ready

47762242	Leica Ready This allows a Non-Precision Ready Machine Conversion to a Leica Blade Guidance Ready machine. Dealer-installed Leica Ready Base Kit. This package includes Electrohydraulic Valves, controls, mountings and wiring that allow for a plug-and-play with the Leica electronic devices (which are ordered separately from Leica dealer or contact your CASE Precision Field Specialist for completion kit details)	103 LB		\$17,220.00
48046327	Trimble Ready This allows a Non-Precision Ready Machine Conversion to a Trimble Blade Guidance Ready machine. Dealer-installed Trimble Ready Base Kit. This package includes Electrohydraulic Valves, controls, mountings and wiring that allow for a plug-and-play with the Trimble electronic devices (which are ordered separately from Trimble dealer)	220 LB		\$16,982.33
47763076	Topcon Ready This allows a Non-Precision Ready Machine Conversion to a Topcon Blade Guidance Ready machine. Dealer-installed Topcon Ready Base Kit. This package includes Electrohydraulic Valves, controls, mountings and wiring that allow for a plug-and-play with the Topcon electronic devices (which are ordered separately from Topcon dealer)	106 LB		\$20,809.00

Other

48152294	Turbine-Precleaner	3 LB		\$155.00
84605983	Front Counterweight with hook	826 LB		\$5,016.00
48032309	3-4 Spool Conversion Kit	6 LB		\$750.00

Rear Attachments

47840213	Ripper 3 Shank	1,379 LB		\$13,532.00
47833198	Rear Retrieval Hitch	31 LB		\$295.00
51435427	Winch Ready Includes Hydraulic pump. Does not include a winch.	21 LB		\$1,290.00
47497051	Pin and Lanyard Drawbar pin with a short cable.	3 LB		\$115.00

Screens and Guards

47945331	Sweeps	109 LB		\$1,108.00
48173848	Cab Rear Screen Kit	56 LB		\$705.00
47943412	ROPS Rear Screen	39 LB		\$837.00
47943425	Side Screen ROPS	100 LB		\$1,322.00

Lights

47942987	Cab work Lights (for use w/o sweeps)	4 LB		\$303.00
47942992	Cab Work Lights (for use w/ sweeps)	7 LB		\$303.00



**750M CRAWLER DOZER
US PRICE LIST**

(Ex Works Burlington, IA)

	47943421	ROPS Work Lights (for use w/o sweeps)	7 LB		\$303.00
	47943423	ROPS Work Lights (for use with sweeps)	7 LB		\$303.00



ADDITIONAL SUPPLIER OPTIONS

650-2050M

- **Winches available through Allied Systems Company, Sherwood (Portland), OR**
- Please contact Don Thomas at (404) 229-7253 cell or at office (503)625-2560 for product information and pricing marketing@alliedsystems.com Download winch spec sheets, parts, service and operating manuals and product information at <http://www.alliedsystems.com>
 - Required Base Machine Configuration
 - Winch Ready – PTO option for 650L/M, 750M, 850M; Ripper hydraulics for 1150M, 1650M and 2050M.

ALLIED WINCHES FOR CASE	GROUP NO.	MODEL	WT. LBS.	WT. KG.	Factory Winch	DIA WINCH
H4A HYDRAULIC WINCH Includes: Attaching Parts, Gear Ratio 94/1, Power-in, Power-out and Freespool. For: 650L/M Dozers (Requires PTO)	H4AH3RR16	650L/M	1710	776	784730	
H4A HYDRAULIC WINCH Includes: Attaching Parts, Gear Ratio 94/1, Power-in, Power-out and Freespool. For: 750 - 850M Dozers (Requires PTO)	H4AH3RR17	750M 850M	1710	776	784730	47423045
H5C HYDRAULIC WINCH Includes: Attaching Parts, Gear Ratio 48/1, Freespool, Brake Off, and Drawbar. For: 1150M Dozer (Requires ripper control on dozer).	H5CT2DR371	1150M	1980	898	784604	47756296
H6H HYDRAULIC WINCH Includes: Attaching Parts, Gear Ratio 153/1, Brake-Off, Freespool, and Drawbar. For: 1650M, 2050M Dozer (Requires ripper control on dozer)	H6HT1NR42	1650M 2050M	2830	1280	784604	1650M 48192794 2050M 48192793

Install Allied Winches on CASE 650L/M – 2050M Crawler Dozers in Burlington, IA - BIC

CASE Dealers, you may now order Allied winches to be installed on the CASE 650L/M – 2050M Crawler Dozers.
 How it works:

1. Order 650L/M – 2050M through CASE
2. Order the matching Allied winch directly with Allied. Advise Allied your dozer expected delivery time.
3. On order, must select option 784805 Move to BIC.

650 – 2050M

- **Forestry Screens, Light Guards, A/C condenser guards and other custom work provided by Paladin CustomWorks Ooltewah, TN**
- Please contact **Eric B. Price** at 423-702-6958 for product information and pricing eprice@paladinattachments.com
 - Required Base Machine Configuration
 - Cab Rear Screen

2050M

- **Landfill Package provided by Paladin CustomWorks Ooltewah, TN**
- Please contact **Eric B. Price** at 423-702-6958 for product information and pricing eprice@paladinattachments.com
- Recommended Base Machine Configuration:
 - Semi-U Blade
 - Turbine Precleaner
 - Case Extended life tracks (CELT)
 - Cab Rear Screen

Last updated January 2019



(This page intentionally left blank)



**850M CRAWLER DOZER
US PRICE LIST**

**(Ex Works Burlington, IA)
Standard Equipment**

ENGINE:

FPT F4HFE413P*A008
Tier IV Final certified
275 in.³ Displacement
Electronic Fuel injection
Horsepower:
- Gross (SAE) 120
- Net (SAE) 112
Brake/Decelerator pedal
Air cleaner - dry type, 2 stage, radial seal
Anti-freeze solution to -34° F
Fan, pusher
Fuel Tank: 50 gal. (US)
Hand throttle
Radiator: Anti-sandblast
Improved DEF routing
Coolant Heated DEF Lines

DRIVETRAIN:

Dual path infinitely variable, single-lever controlled hydrostatic drive with electronic straight tracking, power turns & counter-rotation
Final drive - triple reduction - helical gear/planetary
Decelerator with hydrostatic drive retardation
Spring applied hydraulic release parking brake

OPERATOR'S PROTECTIVE

STRUCTURE:

ROPS Canopy, modular design, isolation mounted
Adjustable armrest(s) with lateral support
Foot rests
Seat belt, 2" retractable
Canopies, Vinyl, Mechanical
Suspension seat
Tool storage area
Floor mat
Headliner
Seat tilts for access

ELECTRICAL:

Alternator: 120 AMP
24 volt electrical system
Dual Batteries (Two 12V Batteries) 925 CCA
Fuse circuit protection
Master disconnect switch
Single key start switch
Pre-wired for work lights and fleet management system
Two additional power source available for heater, air seat or auxiliary 12 volt power port
2 Lights Front, 1 Light Rear

DOZER BLADE:

Variable mechanical pitch adjustment (56° +/- 4°) with integral tool
Power angle tilt (PAT) blade
Single lever hydraulic control for lift, angle, and tilt dozer



**850M CRAWLER DOZER
US PRICE LIST**

**(Ex Works Burlington, IA)
Standard Equipment**

UNDERCARRIAGE:

Hydraulic track adjusters
Sealed and lubricated track chain
Track and carrier rollers and front
idlers permanently lubricated
Track adjuster guard
H.D. track covers
Track gauge: 62" or 70"
Track guides (front and rear)
Track on ground:
SALT HD 92.6"
MAX LIFE 93.4"
Track rollers: 7 per side

INSTRUMENTATION:

Warning/Indicator Lights:
Air filter
Alternator
Diagnostic fault indicator
Engine coolant temperature
Engine oil pressure
Hydraulic filter
Low fuel level
DEF fluid level
Park brake engaged
Service soon indicator
Transmission filter
Transmission charge pressure
Transmission temperature
Audible Warnings:
Engine coolant temperature
Engine oil pressure
Low fuel level
Transmission charge pressure
Transmission/hydraulic temperature
Gauges:
Transmission speed indicator
Battery voltage
Fuel level
Digital hourmeter/tachometer
diagnostics/service reminder
Transmission oil temperature
Water temperature

GUARDS:

Crankcase
Engine side shields
Transmission bottom
Integral final drive seal

OPTIONAL EQUIPMENT

Enclosed Cab, Cloth, Air
Suspension seat

OTHER STANDARD EQUIPMENT:

Backup alarm
Hinged grill
Horn
Lockup package
Operator's manual enclosure
Pre-screen on air cleaner intake
Front pull hook
F-N-R detent controlled joystick for
direction, speed and steering
DEF Drain Hose
Refer to Additional Supplier Options for
further Allied & Paladin Options.
CASE ProCare
3-yr/3000-hr factory warranty,
planned maintenance and
SiteWatch™ telematics
CASE SiteWatch™ Telematics
includes hardware and a 3-yr
Advanced data subscription



**850M CRAWLER DOZER
US PRICE LIST**

(Ex Works Burlington, IA)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
850M LT.	21,560 LB		\$167,483.00
850M WT/LGP.	22,830 LB		\$178,893.00
Includes the following Equipment			
CHAIN/A Closed SALT HD 24I (784785)	\$2,808.00		



**850M CRAWLER DOZER
 US PRICE LIST**

**(Ex Works Burlington, IA)
 Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

REAR MOUNTED EQUIPMENT

SD_41035 TOW HOOK

	784487	Front Pull Hook		No Charge
	784571	Front Counterweight w/hook Front counterweight is 827 pounds		\$4,560.00

SD_D7007 3 SHANK RIPPER

	784649	Rear Cover Plate		No Charge
	784572	Rear Tow Hook		\$345.00
	784573	Drawbar		\$888.00
	784007	Ripper, 3 shanks Must order with option X20143X - Hyd. Valve, 4 Spool w/Ripper and 784565 - Rearview mirror on cab units only. 2" Shank with 2.6" Replaceable Point.	200.000	\$13,540.00

TRACK SHOES

SD_10009 TRACK CHAIN/SHOES

For use with LT				
	784808	CHAIN/A Closed SALT HD 18IN 18" Closed Sealed and Lubricated Track (HD)		No Charge
	784809	CHAIN/A Open MAX-LIFE 18 18" Open CASE Maximum Life Chain		\$2,297.00
For use with LT and WT/LGP				
	784791	CHAIN/A Closed SALT HD 20IN 20" Closed Sealed and Lubricated Track (HD)		\$1,829.00
	784797	CHAIN/A Open MAX-LIFE 20 20" Open CASE Maximum Life Chain		\$7,246.00
For use with WT/LGP				
	784785	CHAIN/A Closed SALT HD 24IN 24" Closed Sealed and Lubricated Track (HD)		\$2,808.00
	784810	CHAIN/A Open MAX-LIFE 24 24" Open CASE Maximum Life Chain		\$7,653.00
	784786	CHAIN/A Closed SALT HD 28IN 28" Closed Sealed and Lubricated Track (HD)		\$3,735.00
	784811	CHAIN/A Open MAX-LIFE 28 28" Open CASE Maximum Life Chain		\$7,722.00



**850M CRAWLER DOZER
 US PRICE LIST**

(Ex Works Burlington, IA)

FRONT MOUNTED EQUIPMENT

SD_D5102 BLADES

	784691	104" Dozer Blade 750M Blade Capacity 1.84 cu yd; Blade Height 33" 850M Blade Capacity 2.16 cu yd; Blade Height 36" Not Recommended for WT/LGP models.			\$4,405.00
	784608	112" Dozer Blade 850M Blade Capacity 2.36 cu yd; Blade Height 36"	400.000		\$4,600.00
	784475	120" Dozer Blade 750M Blade Capacity 2.14 cu yd; Blade Height 33" 850M Blade Capacity 2.53 cu yd; Blade Height 36" Not Recommended for LT models.	400.000		\$4,755.00
	784499	124" Dozer Blade 750M Blade Capacity 2.22 cu yd; Blade Height 33" 850M Blade Capacity 2.62 cu yd; Blade Height 36" Not Recommended for LT models.	400.000		\$5,029.00

OPERATOR'S PROTECTIVE STRUCTURE

SD_05127 CAB

	784111	ROPS with headliner			No Charge
	784391	CAB - CANOPY			\$13,265.00

ADDITIONAL EQUIPMENT CRD

SCREENS

SD_02057 RADIATOR SCREEN

	X02057X	No Radiator Brush Screen			No Charge
	784476	Radiator Brush Screen			\$387.00

SD_02130 SANDBLAST SCREEN

	X02130X	No Sandblast Screen			No Charge
	784623	Sandblast Screen			\$345.00

SD_05053 FORESTRY PROTECTION

	X05053X	No ROPS Side Screen			No Charge
	784419	ROPS Side Screen Must order with ROPS with headliner option 784111 and Sweeps option 784702			\$1,314.00

SD_05103 REAR SCREEN

	X05103X	No Rear Screen			No Charge
--	---------	----------------	--	--	-----------



**850M CRAWLER DOZER
 US PRICE LIST**

(Ex Works Burlington, IA)

	784569	ROPS Rear Screen Must order with ROPS with headliner option 784111			\$753.00
	784508	Cab Rear Screen Must order with Cab w/Heat/AC/Defroster/Lights option 784391 Note: For full cab forestry screen and installation, contact: Paladin Custom Works, 370 Labeling Way, Chattanooga, TN 37419. Phone: 423-702-6958 Fax: 423-825-5029 E-mail: eprice@paladinbrands.com			\$731.00

GUARDS

SD_10013 TRACK ROLLER GUARD

	X10013X	No Center Rock Guard No Rock Guard			No Charge
	784524	Center Rock Guard Guard, Full Track Rock Guard			\$1,179.00

SD_D5904 SWEEPS

	XD5904X	No Sweeps			No Charge
	784702	Sweeps			\$915.00

DECALS AND OPERATOR'S MANUALS

SD_47083 OPERATOR'S MANUAL

	784138	Manuals & Decals - English			No Charge
	784140	Manuals & Decals - French			No Charge
	784142	Manuals & Decals - Spanish			No Charge

SD_02005 ENGINE PRE-CLEANER

	784725	Air Cleaner Cap			No Charge
	784731	Turbine Pre-Cleaner			\$133.00

SD_02025 COLD WEATHER STARTING

	X02025X	No Grid Heater/Cold Start			No Charge
	784106	Grid Heater Cold Start			\$530.00

SD_02112 SEVERE COLD WEATHER

	X02112X	Standard Climate			No Charge
--	---------	------------------	--	--	-----------



**850M CRAWLER DOZER
 US PRICE LIST**

(Ex Works Burlington, IA)

		784822	Severe Cold Weather -784822 750M -Severe Cold Weather includes: Cold weather air intake, Block Heater, Heated CCV Lines, Extreme Cold Climate Lubricants, Fuel Additive, Engine Oil 0W-40 850M -Severe Cold Weather includes: Extreme Cold Climate Lubricants, heated fuel filter, Block Heater, Fuel Additive, Engine Oil 0W-40 Severe Cold Climate protection in temperatures down to -30 degrees C - 22 degrees F			\$820.00
--	--	--------	--	--	--	----------

SD_05105 SEAT BELT

		784365	Seat Belt, 2"			No Charge
		784483	Seat belt, 3" In lieu of standard 2" seatbelt option 784365			\$111.00

SD_05131 REAR WIPER FOR CAB

		X05131X	No Rear Wiper			No Charge
		784525	Rear Wiper for Cab Must order with Cab w/Heat/AC/Defroster/Lights option 784391			\$397.00

SD_05136 RADIO OPTION

		X05136X	No Radio			No Charge
		784564	Radio Must order with Cab w/Heat/AC/Defroster/Lights option 784391			\$199.00

SD_06003 WORK LIGHTS

		X06003X	No work lights			No Charge
For use with ROPS/Canopy						
		784531	Opt ROPS Light w/o sweeps Not used with Sweeps option 784702 Must order with ROPS with headliner option 784111			\$232.00
		784532	Opt ROPS Lights w/ sweeps Must order with Sweeps option 784702 Must order with ROPS with headliner option 784111			\$320.00
For use with Cab						
		784529	Opt Cab Light w/o sweeps Not used with Sweeps option 784702 Must order with Cab w/Heat/AC/Defroster/Lights option 784391			\$353.00
		784530	Opt Cab Lights w/ sweeps Must order with Sweeps option 784702 Must order with Cab w/Heat/AC/Defroster/Lights option 784391			\$438.00



**850M CRAWLER DOZER
 US PRICE LIST**

(Ex Works Burlington, IA)

SD_20143 HYDRAULIC VALVES

	784350	Std. 3 spool valve & control Not used with Ripper, 5 position w/3 shanks option 784007			No Charge
	784668	Hyd. valve, 4 spool w/ plugs Not used with Ripper, 5 position w/3 shanks option 784007 For use with Field Installed Ripper			\$953.00
	X20143X	NO HYDRAULIC FUNCTION For use with option 784007 - Ripper, 5 position w/3 shanks			No Charge

SD_20162 REAR HYDRAULIC FUNCTION

	784651	Pump Hydraulic Equip w/o PTO			No Charge
	784730	Pump Hydraulic Equip w/PTO Winch Ready - For use with winch drive includes hydraulic pump with mechanical drive			\$508.00

SD_50115 ENVIRONMENTAL DRAIN

	X50115X	No Environmental Drain			No Charge
	784729	Environmental Drain Includes valve and drain hose for fuel and hydraulic reservoir. Quick coupler for engine oil and coolant evacuation included.			\$690.00

SD_D5113 BLADE GUIDANCE READY

	XD5113X	No Blade Guidance	100 LB		No Charge
--	---------	-------------------	--------	--	-----------



**850M CRAWLER DOZER
 US PRICE LIST**

(Ex Works Burlington, IA)

	784609	<p>Leica Ready Factory Option</p> <p>Step 1: Order this Factory-installed Leica Ready Base Kit. This package includes Electrohydraulic Valves, controls, mountings and wiring that allow for a plug-and-play with the Leica electronic devices (which are ordered separately from Leica dealer or contact your CASE Precision Field Specialist for completion kit details)</p> <p>Step 2: Order Leica Completion Kit above. Then dealer must order one of the required following systems to complete the solution if the preferred Precision Solution Platform is Leica.</p> <p>48142343 CoPilot Machine Control Kit</p> <p>47988573 Leica Manual Mast 2D Laser Kit (Requires 47863870 Slope Sensor SP14 in order to operate CoPilot Software)</p> <p>47988574 Leica Power Mast 2D Laser Kit (Requires 47863870 Slope Sensor SP14 in order to operate CoPilot Software)</p> <p>47988575 Leica Dual FMast 3D GNSS (This will include CoPilot Software & Hardware in 2018 TBD)</p> <p>47998398 Leica Single FMast 3D GNSS (This will include CoPilot Software & Hardware in 2018 TBD)</p>			\$16,700.00
	784605	<p>Trimble Ready Factory Option</p> <p>Factory-installed Trimble Ready Base Kit. This package includes Electrohydraulic Valves, controls, mountings and wiring that allow for a plug-and-play with the Trimble electronic devices (which are ordered separately from Trimble dealer)</p>			\$16,113.00
	784610	<p>Topcon Ready Factory Option</p> <p>Factory-installed Topcon Ready Base Kit. This package includes Electrohydraulic Valves, controls, mountings and wiring that allow for a plug-and-play with the Topcon electronic devices (which are ordered separately from Topcon dealer)</p>			\$20,075.00

SD_D5801 EXTERNAL MIRROR

	XD5801X	No Rearview Attachment Mirror			No Charge
	784565	<p>Rearview Attachment Mirror</p> <p>For use with Cab units that have rippers or winches. Mounts to the exterior right hand side of unit.</p>			\$55.00



**850M CRAWLER DOZER
 US PRICE LIST**

(Ex Works Burlington, IA)

SD_D9501 MOVE TO BIC

		XD9501X	Do Not move to BIC			No Charge
		784805	Move to BIC			No Charge

SD_50133 SPECIAL FEATURE

		X50133X	No Special Feature Request			No Charge
		784820	Special Feature Unit 784820 Must contact Special Feature Coordinator for approval before selecting Special Feature Request option. Special Feature Quotes may take up to 3 business days. Contact Joshua Schumacher (319) 754-3144			No Charge



**850M CRAWLER DOZER
 US PRICE LIST**

**(Ex Works Burlington, IA)
 Factory Supplied Attachments**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Blade Guidance Ready

47762245	Leica Ready This allows a Non-Precision Ready Machine Conversion to a Leica Blade Guidance Ready machine. Dealer-installed Leica Ready Base Kit. This package includes Electrohydraulic Valves, controls, mountings and wiring that allow for a plug-and-play with the Leica electronic devices (which are ordered separately from Leica dealer or contact your CASE Precision Field Specialist for completion kit details)	103 LB		\$17,220.00
48046338	Trimble Ready This allows a Non-Precision Ready Machine Conversion to a Trimble Blade Guidance Ready machine. Dealer-installed Trimble Ready Base Kit. This package includes Electrohydraulic Valves, controls, mountings and wiring that allow for a plug-and-play with the Trimble electronic devices (which are ordered separately from Trimble dealer)	220 LB		\$18,145.00
47763083	Topcon Ready This allows a Non-Precision Ready Machine Conversion to a Topcon Blade Guidance Ready machine. Dealer-installed Topcon Ready Base Kit. This package includes Electrohydraulic Valves, controls, mountings and wiring that allow for a plug-and-play with the Topcon electronic devices (which are ordered separately from Topcon dealer)	117 LB		\$20,809.00

Other

48152294	Turbine-Precleaner	3 LB		\$155.00
84605983	Front Counterweight with hook	826 LB		\$5,016.00
51416798	Severe Cold Weather Includes: Heated fuel filter, insulated DEF lines, DEF module insulation.	12 LB		\$751.00
47896952	Cold Start Aid (Grid Heater)	6 LB		\$413.00
48032309	3-4 Spool Conversion Kit	6 LB		\$750.00

Rear Attachments

47840213	Ripper 3 Shank	1,379 LB		\$13,532.00
47833198	Rear Retrieval Hitch	31 LB		\$295.00
51435427	Winch Ready Includes Hydraulic pump. Does not include a winch.	21 LB		\$1,290.00
47497051	Pin and Lanyard Drawbar pin with a short cable.	3 LB		\$115.00

Screens and Guards

47943406	Sweeps	110 LB		\$1,108.00
48173848	Cab Rear Screen Kit	56 LB		\$705.00
47943412	ROPS Rear Screen	39 LB		\$837.00
47943425	Side Screen ROPS	100 LB		\$1,322.00



**850M CRAWLER DOZER
 US PRICE LIST**

(Ex Works Burlington, IA)

Lights

	47942987	Cab work Lights (for use w/o sweeps)	4 LB	\$303.00
	47942992	Cab Work Lights (for use w/ sweeps)	7 LB	\$303.00
	47943421	ROPS Work Lights (for use w/o sweeps)	7 LB	\$303.00
	47943423	ROPS Work Lights (for use with sweeps)	7 LB	\$303.00



ADDITIONAL SUPPLIER OPTIONS

650-2050M

- **Winches available through Allied Systems Company, Sherwood (Portland), OR**
- Please contact Don Thomas at (404) 229-7253 cell or at office (503)625-2560 for product information and pricing marketing@alliedsystems.com Download winch spec sheets, parts, service and operating manuals and product information at <http://www.alliedsystems.com>
 - Required Base Machine Configuration
 - Winch Ready – PTO option for 650L/M, 750M, 850M; Ripper hydraulics for 1150M, 1650M and 2050M.

ALLIED WINCHES FOR CASE	GROUP NO.	MODEL	WT. LBS.	WT. KG.	Factory Winch	DIA WINCH
H4A HYDRAULIC WINCH Includes: Attaching Parts, Gear Ratio 94/1, Power-in, Power-out and Freespool. For: 650L/M Dozers (Requires PTO)	H4AH3RR16	650L/M	1710	776	784730	
H4A HYDRAULIC WINCH Includes: Attaching Parts, Gear Ratio 94/1, Power-in, Power-out and Freespool. For: 750 - 850M Dozers (Requires PTO)	H4AH3RR17	750M 850M	1710	776	784730	47423045
H5C HYDRAULIC WINCH Includes: Attaching Parts, Gear Ratio 48/1, Freespool, Brake Off, and Drawbar. For: 1150M Dozer (Requires ripper control on dozer).	H5CT2DR371	1150M	1980	898	784604	47756296
H6H HYDRAULIC WINCH Includes: Attaching Parts, Gear Ratio 153/1, Brake-Off, Freespool, and Drawbar. For: 1650M, 2050M Dozer (Requires ripper control on dozer)	H6HT1NR42	1650M 2050M	2830	1280	784604	1650M 48192794 2050M 48192793

Install Allied Winches on CASE 650L/M – 2050M Crawler Dozers in Burlington, IA - BIC

CASE Dealers, you may now order Allied winches to be installed on the CASE 650L/M – 2050M Crawler Dozers.
 How it works:

1. Order 650L/M – 2050M through CASE
2. Order the matching Allied winch directly with Allied. Advise Allied your dozer expected delivery time.
3. On order, must select option 784805 Move to BIC.

650 – 2050M

- **Forestry Screens, Light Guards, A/C condenser guards and other custom work provided by Paladin CustomWorks Ooltewah, TN**
- Please contact **Eric B. Price** at 423-702-6958 for product information and pricing eprice@paladinattachments.com
 - Required Base Machine Configuration
 - Cab Rear Screen

2050M

- **Landfill Package provided by Paladin CustomWorks Ooltewah, TN**
- Please contact **Eric B. Price** at 423-702-6958 for product information and pricing eprice@paladinattachments.com
- Recommended Base Machine Configuration:
 - Semi-U Blade
 - Turbine Precleaner
 - Case Extended life tracks (CELT)
 - Cab Rear Screen

Last updated January 2019



(This page intentionally left blank)



**1150M CRAWLER DOZER
US PRICE LIST**

**(Ex Works Burlington, IA)
Standard Equipment**

ENGINE:

FPT F4HFE613F*A002
Tier IV Final certified
409 in.³ Displacement
Horsepower:
- Gross (SAE) 138
- Net (SAE) 127
Air cleaner - dry type, 2 stage, radial seal
Anti-freeze solution to -34° F
Fan, pusher
Fuel tank: 85 gal. (US)
Hand throttle
Radiator: Anti-sandblast
Internal Mechanical Pre-Cleaner Filter
Improved DEF routing
Coolant Heated DEF Lines

DRIVETRAIN:

Dual path infinitely variable, single-lever controlled hydrostatic drive with electronic straight tracking, power turns & counter-rotation
Final drive - triple reduction - helical gear/planetary
Decelerator/Brake Pedal
Spring applied hydraulic release parking brake

OPERATOR'S PROTECTIVE

STRUCTURE:

ROPS canopy, modular, isolation mounted
Adjustable armrests
Foot rests
Seat belt, 2" retractable
ROPS canopy, Vinyl, Mechanical Suspension seat
Tool storage area
Headliner
Floor mat
Seat tilts for access

UNDERCARRIAGE:

Hydraulic track adjusters
Sealed and lubricated track chain
Track and carrier rollers permanently lubricated
Track adjuster guard
Track gauge: 72" or 80"
Track guides (front and rear)
Track on ground: SALT HD 102" MAX LIFE 101.2"
Track rollers: 7 per side

ELECTRICAL:

Alternator: 120 AMP
24 Volt electrical system
Dual Batteries (Two 12V Batteries) 925 CCA
Fuse circuit protection
Lights: 2 front, 1 rear (halogen)
Master disconnect switch
Single key start switch

GUARDS:

Crankcase
Engine side shields
Transmission bottom
Integral final drive seal

DOZER BLADE:

Variable mechanical pitch adjustment (55° - 60°)
Power angle and tilt (PAT)
Single lever hydraulic control for lift, angle, tilt
Width:
120" Long Track (72" gauge)
132" Wide Track & LGP (80" gauge)



**1150M CRAWLER DOZER
US PRICE LIST**

**(Ex Works Burlington, IA)
Standard Equipment**

INSTRUMENTATION:

Warning/Indicator Lights:

- Air filter
- Alternator
- Diagnostic fault indicator
- Engine coolant temperature
- Engine oil pressure
- Hydraulic filter
- Low fuel level
- DEF fluid level
- Park brake engaged
- Service soon indicator
- Transmission filter
- Transmission charge pressure

Audible Warnings:

- Engine coolant temperature
- Engine oil pressure
- Low fuel level
- Transmission charge pressure
- Transmission/hydraulic temperature

Gauges:

- Battery voltage
- Fuel level
- Digital hourmeter tachometer
- diagnostic/service reminder
- Transmission oil temperature
- Transmission speed indicator
- Water temperature

OPTIONAL EQUIPMENT

- Enclosed Cab, Cloth, Air
- Suspension seat

OTHER STANDARD EQUIPMENT:

- Backup alarm
- Hinged grill
- Horn
- Lockup package
- Operator's manual enclosure
- Pre-cleaner on air cleaner intake
- Internal Mechanical Pre-Cleaner
Filter
- Front pull hook
- F-N-R detent controlled joystick for
direction, speed and steering
- DEF Drain Hose
- Refer to Additional Supplier Options for
further Allied & Paladin options.
- CASE ProCare
3-yr/3000-hr factory warranty,
planned maintenance and
SiteWatch™ telematics
- CASE SiteWatch™ Telematics
includes hardware and a 3-yr
Advanced data subscription



**1150M CRAWLER DOZER
 US PRICE LIST**

(Ex Works Burlington, IA)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
1150M PAT LT.	28,700 LB		\$209,190.00
1150M PAT WT/LGP.	31,300 LB		\$217,797.00
Includes the following Equipment			
132" Standard blade (784541)	\$504.00		



**1150M CRAWLER DOZER
 US PRICE LIST**

**(Ex Works Burlington, IA)
 Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

REAR MOUNTED EQUIPMENT

SD_41035 TOW HOOK

784487	Front Pull Hook			No Charge
784571	Front Counterweight w/hook Front counterweight is 952 pounds			\$2,708.00

SD_D7007 3 SHANK RIPPER

784649	Rear Cover Plate			No Charge
784572	Rear Tow Hook			\$363.00
784573	Drawbar Not used with Semi-U or Straight PT commercial models.			\$1,033.00
784627	Drawbar with Step			\$1,293.00
784604	Winch Ready Kit Must order with option 784508 - Cab Rear Screen for all models. 1150M - Must order option 784607 - 4 spool valve w/o plugs for PAT models. 1650M - Must order option 784607 - 4 spool valve w/o plugs for PAT models or 784611 - 3 spool valve w/o plugs for Semi-U 2050M - Must order option 784607 - 4 spool valve w/o plugs for PAT models or 784611 - 3 spool valve w/o plugs for Semi-U or straight blade models. Winch Ready Kit includes joystick, hardware and hydraulic plumbing to rear of machine.			\$1,404.00
784007	Ripper, 3 shanks Must order option 784607 - 4 Spool Valve w/o Plugs for PAT models or 784611 - 3 Spool Valve w/o Plugs for Semi-U or straight blade models. MUST order 784565 Rearview mirror on all cab units. 1150M / 1650M - 2" Shank with 2.6" Replaceable Point 2050M - 3" Shank with Replaceable 6" Point	200		\$14,582.00



**1150M CRAWLER DOZER
 US PRICE LIST**

(Ex Works Burlington, IA)

TRACK SHOES

SD_10009 TRACK CHAIN/SHOES

For 1150M LT,WT; 1650M XLTs					
	784792	CHAIN/A Closed SALT HD 22IN 22" Closed Sealed and Lubricated Track (HD)			No Charge
For 1150M LT & WT/LGP					
	784798	CHAIN/A Open MAX-LIFE 22 22" Open CASE Maximum Life Chain			\$6,596.00
For 1150M WT/LGP					
	784793	CHAIN/A Closed SALT HD 26IN 26" Closed Sealed and Lubricated Track (HD)			\$2,583.00
	784799	CHAIN/A Open MAX-LIFE 26 26" Open CASE Maximum Life Chain			\$6,622.00
	784784	CHAIN/A Open MAX-LIFE 30 30" Open CASE Maximum Life Chain			\$6,648.00
For 1150WT/LGP, 2050BD/PAT LGP					
	784787	CHAIN/A Closed SALT HD 30IN 30" Closed Sealed and Lubricated Track (HD)			\$2,730.00

FRONT MOUNTED EQUIPMENT

SD_D5102 BLADES

For PAT LT					
	784540	120" Standard blade Blade Height 44.1" Blade Capacity 3.76 cu yd			No Charge
For PAT WT/LGP					
	784541	132" Standard blade Blade Height 44.1" Blade Capacity 4.16 cu yd			\$504.00

OPERATOR'S PROTECTIVE STRUCTURE

SD_05127 CAB

	784111	ROPS with headliner			No Charge
	784391	CAB - CANOPY			\$20,202.00

ADDITIONAL EQUIPMENT CRD

SCREENS

SD_02057 RADIATOR SCREEN

	X02057X	No Radiator Brush Screen			No Charge
	784476	Radiator Brush Screen			\$716.00



**1150M CRAWLER DOZER
 US PRICE LIST**

(Ex Works Burlington, IA)

SD_02130 SANDBLAST SCREEN

	X02130X	No Sandblast Screen			No Charge
	784623	Sandblast Screen			\$365.00

SD_05053 FORESTRY PROTECTION

	X05053X	No ROPS Side Screen			No Charge
	784419	ROPS Side Screen Must order with ROPS with headliner option 784111 & Sweeps option 784702.			\$1,313.00

SD_05103 REAR SCREEN

	X05103X	No Rear Screen			No Charge
	784569	ROPS Rear Screen Must order with ROPS with headliner option 784111			\$829.00
	784508	Cab Rear Screen Must order w/ Cab w/Heat/AC/Defroster/Lights option 784391 Note: For full cab forestry screen and installation, contact: Paladin Custom Works, 370 Labeling Way, Chattanooga, TN 37419. Phone: 423-702-6958 Fax: 423-825-5029 E-mail: eprice@paladinbrands.com			\$829.00

GUARDS

SD_10013 TRACK ROLLER GUARD

	X10013X	No Center Rock Guard No Rock Guard			No Charge
	784524	Center Rock Guard Guard, Full Track Rock Guard			\$2,936.00

SD_D5904 SWEEPS

	XD5904X	No Sweeps			No Charge
	784702	Sweeps			\$1,284.00

DECALS AND OPERATOR'S MANUALS

SD_47083 OPERATOR'S MANUAL

	784138	Manuals & Decals - English			No Charge
	784140	Manuals & Decals - French			No Charge
	784142	Manuals & Decals - Spanish			No Charge

SD_02025 COLD WEATHER STARTING

	X02025X	No Grid Heater/Cold Start			No Charge
	784106	Grid Heater Cold Start			\$445.00



**1150M CRAWLER DOZER
 US PRICE LIST**

(Ex Works Burlington, IA)

SD_02112 SEVERE COLD WEATHER

	X02112X	Standard Climate			No Charge
	784822	Severe Cold Weather -784822 Severe Cold Weather includes: Extreme Cold Climate Lubricants, Heated fuel filter, Block Heater, Fuel Additive, Engine Oil 0W-40 Severe Cold Climate protection in temperatures down to -30 degrees C - 22 degrees F			\$1,082.00

SD_05105 SEAT BELT

	784365	Seat Belt, 2"			No Charge
	784483	Seat belt, 3" In lieu of standard 2" seatbelt option 784365			\$111.00

SD_05131 REAR WIPER FOR CAB

	X05131X	No Rear Wiper			No Charge
	784525	Rear Wiper for Cab Must order with Cab w/Heat/AC/Defroster/Lights option 784391			\$397.00

SD_05136 RADIO OPTION

	X05136X	No Radio			No Charge
	784564	Radio Must order with Cab w/Heat/AC/Defroster/Lights option 784391			\$199.00

SD_05201 AIR QUALITY SYSTEM

	X05201X	No Cab Air System			No Charge
	784648	Cab Air Quality System Cab pre-cleaner system to improve operator comfort and improve HVAC system performance in adverse conditions.			\$2,880.00

SD_06003 WORK LIGHTS

	X06003X	No work lights			No Charge
	784531	Opt ROPS Light w/o sweeps Not used with Sweeps option 784702 Must order with ROPS with headliner option 784111			\$232.00
	784532	Opt ROPS Lights w/ sweeps Must order with Sweeps option 784702 Must order with ROPS with headliner option 784111			\$320.00
	784529	Opt Cab Light w/o sweeps Not used with Sweeps option 784702 Must order with Cab w/Heat/AC/Defroster/Lights option 784391			\$353.00



**1150M CRAWLER DOZER
 US PRICE LIST**

(Ex Works Burlington, IA)

	784530	Opt Cab Lights w/ sweeps Must order with Sweeps option 784702 Must order with Cab w/Heat/AC/Defroster/Lights option 784391			\$438.00
--	--------	--	--	--	----------

SD_20143 HYDRAULIC VALVES

For PAT Models					
	784350	Std. 3 spool valve & control For use with No rear mounted hydraulic attachments.			No Charge
	784607	4 Spool Valve w/o Plugs For FACTORY installed Ripper or Winch Ready Kit For 1150M - Must order for Factory installed Ripper 784007. If installing winch on machine, must order this valve and 784604 Winch Ready Kit. Winch Ready Kit includes joystick, mounting hardware and hyd. plumbing to rear of machine. For 1650M w/PAT Blades - Must order w/ Factory installed Ripper 784007 or 784779. If installing on a winch machine, must order this valve and 784604 Winch Ready Kit. Winch Ready Kit includes joystick, mounting hardware and hyd plumbing to rear of machine. For 2050M w/PAT Blades - Must order w/ Factory installed Ripper 784007. If installing winch on machine, must order this valve and 784604 Winch Ready Kit. Winch Ready Kit includes joystick, mounting hardware and hyd plumbing to rear of machine.			No Charge
	784668	Hyd. valve, 4 spool w/ plugs For field installed Ripper or Winch For 1150M - Not Required with factory installed option 784007 Ripper. Valve includes the ripper/winch control. For 1650M - Not Required with factory installed Rippers 784007, 784779 or Winch Ready Kit 784604. (Does not include joystick and plumbing) For 2050M - Not Required with factory installed option 784007 Ripper or 784604 - Winch ready kit. (Does not include joystick and plumbing) Note for all Models: This 4th valve is to be used if winch, ripper or hydraulic attachment is required AFTER delivery & unit does NOT already have 4 spool valve w/o plugs installed.			\$661.00



**1150M CRAWLER DOZER
 US PRICE LIST**

(Ex Works Burlington, IA)

SD_20162 REAR HYDRAULIC FUNCTION

	784651	Pump Hydraulic Equip w/o PTO Must order if installing rear attachment requiring hydraulics (Ripper or Winch).			No Charge
	784730	Pump Hydraulic Equip w/PTO NOTE: Current Allied Winch is Hydraulic driven; PTO NOT required. 784730 is for PTO attachments Only. (Allied winch offered is hydraulically driven. This kit is not required if installing an Allied Hyd. driven winch onto unit)			\$420.00

SD_50115 ENVIRONMENTAL DRAIN

	X50115X	No Environmental Drain			No Charge
	784729	Environmental Drain Includes valve and drain hose for fuel and hydraulic reservoir. Quick coupler for engine oil and coolant evacuation included. (DEF Drain hoses standard)			\$685.00

SD_D5113 BLADE GUIDANCE READY

	XD5113X	No Blade Guidance			No Charge
--	---------	-------------------	--	--	-----------



**1150M CRAWLER DOZER
 US PRICE LIST**

(Ex Works Burlington, IA)

	784819	<p>Universal Ready Factory Option (This kit is for those who do NOT know their final precision solution provider. Or those that would like the option to re-configure their machine for Leica, Topcon or Trimble in the future or re-sale) *See final pages of Price Book for Blade Guide Roadmap.</p> <p>Step 1: Select the Universal Ready Factory Option. This kit is included IF the Leica, Topcon, or Trimble Factory Ready Option is ordered below. This Factory installed Option includes: Universal Slope Sensor, Module, and Mast Mounting Brackets to Blade & Body, as well as Universal Machine Wiring harness that are compatible for all 1D, 2D, and 3D Systems for Leica, Topcon and Trimble.</p> <p>Step 2: Order one of the Supplier DIA Conversion Kits below from CNH Precision Parts. The Dealer/Customer must order one of the below separately supplied Jumper Harness Kits from CNH Precision Parts for their choice of Leica, Topcon or Trimble System chosen, if Ready option in next section is NOT optioned on the factory machine.</p> <p>48078902 Leica Ready DIA Conversion Kit including jumpers from CNH Precision Parts 48078481 Topcon Ready DIA Conversion Kit including jumpers from CNH Precision Parts 48078479 Trimble Ready DIA Conversion Kit including jumpers from CNH Precision Parts</p> <p>Step 3 (a): Order Leica Completion Kit. The Dealer/Customer must order one of the required following systems to complete the solution if the preferred Precision Solution Platform is Leica. Reminder The Leica jumper harness (48078902) must still be ordered from CNH Precision Parts with the Universal Completion Kit below in order to complete the solution.</p> <p>48161202 CoPilot Machine Control Kit, Univ 48161192 Leica Manual Mast 2D Laser Kit, Univ (Requires 47863870 Slope Sensor SP14 in order to operate CoPilot Software) 48161193 Leica Power Mast 2D Laser Kit, Univ (Requires 47863870 Slope Sensor SP14 in order</p>			\$1,165.00
--	--------	---	--	--	------------



**1150M CRAWLER DOZER
 US PRICE LIST**

(Ex Works Burlington, IA)

		to operate CoPilot Software)			
		48161194 Leica Dual FMast 3D GNSS, Univ (This will include CoPilot Software & Hardware in 2018 TBD)			
		48161200 Leica Single FMast 3D GNSS, Univ (This will include CoPilot Software & Hardware in 2018 TBD)			
		<p>Step 3 (b): Order Trimble/Topcon Completion Kit. IF the customers Precision worksite platform is Topcon or Trimble AND they ordered the Universal Blade Option & the appropriate DIA Conversion Kit, then one of their Supplier Specific CASE Dozer Completion Kits must be purchased separately in order to complete the system per customer requirements. Please utilize your preferred supplier to obtain these completion kits.</p>			



**1150M CRAWLER DOZER
 US PRICE LIST**

(Ex Works Burlington, IA)

784609	<p>Leica Ready Factory Option (Universal is included in this package) *See final pages of Price Book for Blade Guide Roadmap.</p> <p>Step 1: Select Leica Ready Factory Option. This is a Factory installed Leica Ready Option. In addition to Universal Option components outlined above, this option includes: Display jumper harness with cover in cab, Quick Connect harness, Display Post/Arm, Junction box with both Junction Box Jumpers and Radio Antenna base along with various hardware & zip ties.</p> <p>Step 2: Order Leica Completion Kit The Dealer/Customer must order one of the required following systems to complete the solution if the preferred Precision Solution Platform is Leica. Remember: The Lieca DIA Conversion Kit including Jumper harnesses (48078902) is NOT required to complete this system, as it is included in the Leica Ready Option.</p> <p>48161202 CoPilot Machine Control Kit, Univ</p> <p>48161192 Leica Manual Mast 2D Laser Kit, Univ (Requires 47863870 Slope Sensor SP14 in order to operate CoPilot Software)</p> <p>48161193 Leica Power Mast 2D Laser Kit, Univ (Requires 47863870 Slope Sensor SP14 in order to operate CoPilot Software)</p> <p>48161194 Leica Dual FMast 3D GNSS, Univ (This will include CoPilot Software & Hardware in 2018 TBD)</p> <p>48161200 Leica Single FMast 3D GNSS, Univ (This will include CoPilot Software & Hardware in 2018 TBD)</p>			\$7,646.00
--------	---	--	--	------------



**1150M CRAWLER DOZER
 US PRICE LIST**

(Ex Works Burlington, IA)

	784605	<p>Trimble Ready Factory Option Universal is included in this package *See final pages of Price Book for Blade Guide Roadmap.</p> <p>Step 1: Select Trimble Ready Factory Option. This is a Factory installed Trimble Ready option. In addition to Universal Option components outlined above, this option includes: Display jumper harness with cover in cab, Quick Connect Harness, Display Post/Arm, Power Module and Power Module Jumper, Radio Bracket and harness along with various hardware and zip ties.</p> <p>Step 2: Trimble Completion kit. After Trimble Ready Factory Option is selected, one of Trimble's Specific CASE Construction Dozer Completion Kits must be purchased separately in order to complete the system per customer requirements.</p>			\$7,506.00
	784610	<p>Topcon Ready Factory Option Universal is included in this package *See final pages of Price Book for Blade Guide Roadmap.</p> <p>Step 1: Select Topcon Ready Factory Option. This is a Factory installed Topcon Ready option. In addition to Universal Option components outlined above, this includes: Display jumper harness with cover in cab, Quick Connect Harness, Display bracket, Radio Controller jumpers and Radio Antenna base along with various hardware and zip ties.</p> <p>Step 2: Order Topcon Specific Completion kit. After Topcon Ready Factory Option is selected, one of Topcon's Specific CASE Construction Dozer Completion Kits must be purchased separately in order to complete the system per customer requirements.</p>			\$9,829.00

SD_D5801 EXTERNAL MIRROR

	XD5801X	No Rearview Attachment Mirror			No Charge
	784565	Rearview Attachment Mirror For use with Cab units that have rippers or winches. Mounts to the exterior right hand side of unit.			\$55.00

SD_D9501 MOVE TO BIC

	XD9501X	Do Not move to BIC			No Charge
	784805	Move to BIC			No Charge



**1150M CRAWLER DOZER
 US PRICE LIST**

(Ex Works Burlington, IA)

SD_50133 SPECIAL FEATURE

	X50133X	No Special Feature Request			No Charge
	784820	Special Feature Unit 784820 Must contact Special Feature Coordinator for approval before selecting Special Feature Request option. Special Feature Quotes may take up to 3 business days. Contact Joshua Schumacher (319) 754-3144			No Charge



**1150M CRAWLER DOZER
 US PRICE LIST**

**(Ex Works Burlington, IA)
 Factory Supplied Attachments**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Blade Guidance Ready Conv. Kit

51433170	Universal Machine Ready Conv. Kit This allows a Non-Precision Ready Machine Conversion to a Universal Blade Guidance Ready Machine	94 LB		\$1,272.00
48078902	KIT This allows a Non-Precision Ready Machine conversion to a Leica Blade Guidance Ready Machine. Still requires 784819 Universal Factory Option or 51433170 Universal Kit.	9 LB		\$4,364.00
48078481	Topcon Machine Control Ready Conv. Kit This allows a Non-Precision Ready Machine conversion to a Topcon Blade Guidance Ready Machine. Still requires 784819 Universal Factory Option or 51433170 Universal Kit.	14 LB		\$4,937.00
48078479	Trimble Machine Control Ready Conv. Kit This allows a Non-Precision Ready Machine conversion to a Trimble Blade Guidance Ready Machine. Still requires 784819 Universal Factory Option or 51433170 Universal Kit.	28 LB		\$4,960.00

Rear Attachments

47569373	Drawbar	147 LB		\$1,177.00
47906941	Ripper Ripper, 3 Shanks 2" Shank with 2.6" Replaceable point	1,167 LB		\$14,317.00
47569423	Rear Tow Hook	53 LB		\$268.00
47497050	Pin and Lanyard Drawbar pin with a short cable.	6 LB		\$180.00
47756296	Hydraulic Winch Ready Kit Kit includes joystick, mounting hardware and hydraulic plumbing from valve to back of machine.	90 LB		\$1,095.00
47569397	Drawbar Hitch with Step	198 LB		\$975.00
47789674	PTO Winch Kit For use with PTO attachments only. Not required for Allied H5C winch. Allied H5C winch is hydraulically driven.	21 LB		\$1,192.00
47942999	Cab Air Quality System Cab pre-cleaner system to improve operator comfort and improve HVAC system performance in adverse conditions. 1150M - Prior to s/n NEDC11058 requires additional modifications to the standard rear cover. 1650M - Prior to s/n NEDC16052 requires additional modifications to the standard rear cover.	4 LB		\$1,903.00

Screens and Guards

48173848	Cab Rear Screen Kit	56 LB		\$705.00
47942997	Sweeps	118 LB		\$1,147.00



**1150M CRAWLER DOZER
 US PRICE LIST**

(Ex Works Burlington, IA)

	47943412	ROPS Rear Screen	39 LB		\$837.00
	47943425	Side Screen ROPS	100 LB		\$1,322.00

Other

	51416702	Severe Cold Weather Includes: Heated fuel filter, insulated DEF lines, DEF module insulation.	13 LB		\$710.00
	48125477	Valve, 3 to 4 Spool Conversion Adds a 4th spool valve to an existing 3 spool valve	1 LB		\$362.00
	47803628	Front Counterweight with Hook	948 LB		\$2,750.00
	47896996	Cold Start	6 LB		\$422.00

Lights

	47942987	Cab work Lights (for use w/o sweeps)	4 LB		\$303.00
	47942992	Cab Work Lights (for use w/ sweeps)	7 LB		\$303.00
	47943421	ROPS Work Lights (for use w/o sweeps)	7 LB		\$303.00
	47943423	ROPS Work Lights (for use with sweeps)	7 LB		\$303.00



ADDITIONAL SUPPLIER OPTIONS

650-2050M

- **Winches available through Allied Systems Company, Sherwood (Portland), OR**
- Please contact Don Thomas at (404) 229-7253 cell or at office (503)625-2560 for product information and pricing marketing@alliedsystems.com Download winch spec sheets, parts, service and operating manuals and product information at <http://www.alliedsystems.com>
 - Required Base Machine Configuration
 - Winch Ready – PTO option for 650L/M, 750M, 850M; Ripper hydraulics for 1150M, 1650M and 2050M.

ALLIED WINCHES FOR CASE	GROUP NO.	MODEL	WT. LBS.	WT. KG.	Factory Winch	DIA WINCH
H4A HYDRAULIC WINCH Includes: Attaching Parts, Gear Ratio 94/1, Power-in, Power-out and Freespool. For: 650L/M Dozers (Requires PTO)	H4AH3RR16	650L/M	1710	776	784730	
H4A HYDRAULIC WINCH Includes: Attaching Parts, Gear Ratio 94/1, Power-in, Power-out and Freespool. For: 750 - 850M Dozers (Requires PTO)	H4AH3RR17	750M 850M	1710	776	784730	47423045
H5C HYDRAULIC WINCH Includes: Attaching Parts, Gear Ratio 48/1, Freespool, Brake Off, and Drawbar. For: 1150M Dozer (Requires ripper control on dozer).	H5CT2DR371	1150M	1980	898	784604	47756296
H6H HYDRAULIC WINCH Includes: Attaching Parts, Gear Ratio 153/1, Brake-Off, Freespool, and Drawbar. For: 1650M, 2050M Dozer (Requires ripper control on dozer)	H6HT1NR42	1650M 2050M	2830	1280	784604	1650M 48192794 2050M 48192793

Install Allied Winches on CASE 650L/M – 2050M Crawler Dozers in Burlington, IA - BIC

CASE Dealers, you may now order Allied winches to be installed on the CASE 650L/M – 2050M Crawler Dozers. How it works:

1. Order 650L/M – 2050M through CASE
2. Order the matching Allied winch directly with Allied. Advise Allied your dozer expected delivery time.
3. On order, must select option 784805 Move to BIC.

650 – 2050M

- **Forestry Screens, Light Guards, A/C condenser guards and other custom work provided by Paladin CustomWorks Ooltewah, TN**
- Please contact **Eric B. Price** at 423-702-6958 for product information and pricing eprice@paladinattachments.com
 - Required Base Machine Configuration
 - Cab Rear Screen

2050M

- **Landfill Package provided by Paladin CustomWorks Ooltewah, TN**
- Please contact **Eric B. Price** at 423-702-6958 for product information and pricing eprice@paladinattachments.com
- Recommended Base Machine Configuration:
 - Semi-U Blade
 - Turbine Precleaner
 - Case Extended life tracks (CELT)
 - Cab Rear Screen

Last updated January 2019



(This page intentionally left blank)



**1650M CRAWLER DOZER
US PRICE LIST**

**(Ex Works Burlington, IA)
Standard Equipment**

ENGINE:

FPT 6 Cyl. F4HFE6132 Diesel
Tier IV Final certified
409 Displacement
Horsepower:
- Gross (SAE) 164
- Net (SAE) 150
Air cleaner - dry type, 2 stage,
radial seal
Anti-freeze solution to -34° F
Fan, Hyd Driven, variable speed,
Reversible
Fuel tank: 85 gal. (US)
Hand throttle
Radiator: V-shaped cooling package
Internal Mechanical Pre-Cleaner Filter
Improved DEF Routing
Coolant Heated DEF Lines

DRIVETRAIN:

Dual path infinitely variable, single-
lever controlled hydrostatic drive with
electronic straight tracking, power
turns & counter-rotation
Final drive - triple reduction - helical
gear/planetary
Decelerator/Brake Pedal
Spring applied hydraulic
release parking brake

OPERATOR'S PROTECTIVE

STRUCTURE:

Cab, modular, isolation
mounted with Heat and AC
Adjustable armrests
Foot rests
Seat belt, 2" retractable
Air Suspension seat, cloth, with back
adjustment and lumbar support
Tool storage area
Headliner
Floor mat
Seat tilts for access

UNDERCARRIAGE:

Hydraulic track adjusters
Sealed and lubricated track chain
Track and carrier rollers permanently
lubricated
Track adjuster guard
Track gauge: 76" or 86"
Track guides (front and rear)
Track on ground: 121.7"
Track rollers: 8 per side

ELECTRICAL:

Alternator: 120 AMP
24 volt electrical system
Dual Batteries (Two 12V Batteries)
925 CCA
Fuse circuit protection
Lights: 2 front, 1 rear (halogen)
Master disconnect switch
Single key start switch

GUARDS:

Crankcase
Engine side shields
Transmission bottom
Integral final drive seal

DOZER BLADE:

Hydraulic angle and tilt
Single lever hydraulic control for lift,
angle and tilt
Laser/GPS-Capable Joystick
PAT Blade Width:
Variable mechanical pitch adjustment
(55° - 60°)
130" Extra Long Track (76" gauge)
156" Wide Track & LGP (86" gauge)
Semi-U Blade Width:
132.3" over the end bits
129.1" over side plates



**1650M CRAWLER DOZER
US PRICE LIST**

**(Ex Works Burlington, IA)
Standard Equipment**

INSTRUMENTATION:

Warning/Indicator Lights:

- Air filter
- Alternator
- Diagnostic fault indicator
- Engine coolant temperature
- Engine oil pressure
- Hydraulic filter
- Low fuel level
- DEF fluid level
- Park brake engaged
- Service soon indicator
- Transmission filter
- Transmission charge pressure

Audible Warnings:

- Engine coolant temperature
- Engine oil pressure
- Low fuel level
- Transmission charge pressure
- Transmission/hydraulic temperature

Gauges:

- Battery voltage
- Fuel level
- Digital hourmeter/tachometer/
diagnostic/service reminder
- Transmission oil temperature
- Transmission speed indicator
- Water temperature

OTHER STANDARD EQUIPMENT:

- Backup alarm
- Hinged grill
- Horn
- Lockup package
- Mirror
- Operators manual enclosure
- Pre-cleaner on air cleaner intake
- Internal Mechanical Pre-Cleaner
Filter
- Front pull hook
- F-N-R detent controlled joystick for
direction, speed and steering
- DEF Drain Hose
- Refer to Additional Supplier Options for
further Allied & Paladin options.
- CASE ProCare
3-yr/3000-hr factory warranty,
planned maintenance and
SiteWatch™ telematics
- CASE SiteWatch™ Telematics
includes hardware and a 3-yr
Advanced data subscription



**1650M CRAWLER DOZER
US PRICE LIST**

(Ex Works Burlington, IA)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
1650M PAT WT/LGP.	39,550 LB		\$350,979.00
1650M PAT XLT.	37,750 LB		\$332,600.00
1650M SEMI-U XLT.	39,750 LB		\$319,040.00



**1650M CRAWLER DOZER
 US PRICE LIST**

**(Ex Works Burlington, IA)
 Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

REAR MOUNTED EQUIPMENT

SD_D7007 3 SHANK RIPPER

	784649	Rear Cover Plate			No Charge
	784572	Rear Tow Hook			\$363.00
	784573	Drawbar Not used with Semi-U or Straight PT commercial models.			\$1,130.00
	784627	Drawbar with Step			\$1,293.00
	784604	Winch Ready Kit Must order with option 784508 - Cab Rear Screen for all models. 1150M - Must order option 784607 - 4 spool valve w/o plugs for PAT models. 1650M - Must order option 784607 - 4 spool valve w/o plugs for PAT models or 784611 - 3 spool valve w/o plugs for Semi-U 2050M - Must order option 784607 - 4 spool valve w/o plugs for PAT models or 784611 - 3 spool valve w/o plugs for Semi-U or straight blade models. Winch Ready Kit includes joystick, hardware and hydraulic plumbing to rear of machine.			\$2,259.00
	784007	Ripper, 3 shanks Must order option 784607 - 4 Spool Valve w/o Plugs for PAT models or 784611 - 3 Spool Valve w/o Plugs for Semi-U or straight blade models. MUST order 784565 Rearview mirror on all cab units. 1150M / 1650M - 2" Shank with 2.6" Replaceable Point 2050M - 3" Shank with Replaceable 6" Point	200		\$19,525.00
	784779	HD Ripper - 6" Tooth Must order option 784607 - 4 Spool Valve w/o Plugs for PAT models or 784611 - 3 Spool Valve w/o Plugs for Semi-U or straight blade models. MUST order 784565 Rearview mirror on all cab units. 2" Shank with 6" Replacement Point			\$24,954.00



**1650M CRAWLER DOZER
 US PRICE LIST**

(Ex Works Burlington, IA)

TRACK SHOES

SD_10009 TRACK CHAIN/SHOES

For 1150M LT,WT; 1650M XLTs					
	784792	CHAIN/A Closed SALT HD 22IN 22" Closed Sealed and Lubricated Track (HD)			No Charge
For 1650M XLT					
	784800	CHAIN/A Open ULTRALIFE 22 22" Open CASE Ultra Life Chain			\$5,894.00
For XLT					
	784785	CHAIN/A Closed SALT HD 24IN 24" Closed Sealed and Lubricated Track (HD)			\$2,383.00
	784788	CHAIN/A Open ULTRALIFE 24 24" Open CASE Ultra Life Chain			\$6,162.00
For 1650M/2050M LGP					
	784786	CHAIN/A Closed SALT HD 28IN 28" Closed Sealed and Lubricated Track (HD)			No Charge
	784789	CHAIN/A Open ULTRALIFE 28 28" Open CASE Ultra Life Chain			\$6,145.00
For 1650M WT/LGP					
	784794	CHAIN/A Closed SALT HD 32IN 32" Closed Sealed and Lubricated Track (HD)			\$2,869.00
	784802	CHAIN/A Open ULTRALIFE 32 32" Open CASE Ultra Life Chain			\$6,518.00
	784795	CHAIN/A Closed SALT HD 34IN 34" Closed Sealed and Lubricated Track (HD)			\$3,527.00
	784803	CHAIN/A Open ULTRALIFE 34 34" Open CASE Ultra Life Chain			\$6,942.00

FRONT MOUNTED EQUIPMENT

SD_D5102 BLADES

For PAT WT/LGP					
	774188	PAT BLADE 4000MM (4.4 CUM) 1650M Blade HGT 46"; Width 156"; Blade Capacity 5.22 cu yd 2050M Blade HGT 54"; Width 157.5"; Blade Capacity 7.24 cu yd	1 LB		No Charge
	774269	PAT WT/LGP - Folded Blade 1650M Blade HGT 46"; Width 156"; Blade Capacity 5.28 cu yd 2050M Blade HGT 54"; Width 157.5"; Blade Capacity 7.24 cu yd	1 LB		\$9,600.00
For Semi-U XLT					
	784614	Semi-U Blade HSU 1650M Blade HGT 52"; Width 131"; Blade Capacity 6.33 cu yd 2050M Blade HGT 56"; Width 135"; Blade Capacity 7.29 cu yd			No Charge



**1650M CRAWLER DOZER
 US PRICE LIST**

(Ex Works Burlington, IA)

For XLT 1650M; XLT 2050M

		784615	PAT Blade - XLT 1650M Blade HGT 46.5"; Width 130"; Blade Capacity 4.28 cu yd 2050M Blade HGT 53.9"; Width 142"; Blade Capacity 6.32 cu yd	1 LB		No Charge
--	--	--------	--	------	--	-----------

ADDITIONAL EQUIPMENT CRD

SCREENS

SD_05103 REAR SCREEN

		X05103X	No Rear Screen			No Charge
		784508	Cab Rear Screen Must order w/ Cab w/Heat/AC/Defroster/Lights option 784391 Note: For full cab forestry screen and installation, contact: Paladin Custom Works, 370 Labeling Way, Chattanooga, TN 37419. Phone: 423-702-6958 Fax: 423-825-5029 E-mail: eprice@paladinbrands.com			\$953.00

GUARDS

SD_10013 TRACK ROLLER GUARD

		784880	Center Rock Guard (Long) Full Length			\$2,656.00
--	--	--------	--	--	--	------------

SD_D5904 SWEEPS

		XD5904X	No Sweeps			No Charge
		784702	Sweeps			\$1,405.00

DECALS AND OPERATOR'S MANUALS

SD_47083 OPERATOR'S MANUAL

		784138	Manuals & Decals - English			No Charge
		784140	Manuals & Decals - French			No Charge
		784142	Manuals & Decals - Spanish			No Charge

SD_02025 COLD WEATHER STARTING

		X02025X	No Grid Heater/Cold Start			No Charge
		784106	Grid Heater Cold Start			\$445.00

SD_02112 SEVERE COLD WEATHER

		X02112X	Standard Climate			No Charge
--	--	---------	------------------	--	--	-----------



**1650M CRAWLER DOZER
 US PRICE LIST**

(Ex Works Burlington, IA)

		784822	Severe Cold Weather -784822 Severe Cold Weather includes: Extreme Cold Climate Lubricants, Heated fuel filter, Block Heater, Fuel Additive, Engine Oil 0W-40 Severe Cold Climate protection in temperatures down to -30 degrees C - 22 degrees F			\$1,117.00
--	--	--------	--	--	--	------------

SD_05105 SEAT BELT

		784365	Seat Belt, 2"			No Charge
		784483	Seat belt, 3" In lieu of standard 2" seatbelt option 784365			\$121.00

SD_05131 REAR WIPER FOR CAB

		X05131X	No Rear Wiper			No Charge
		784525	Rear Wiper for Cab Must order with Cab w/Heat/AC/Defroster/Lights option 784391			\$397.00

SD_05136 RADIO OPTION

		X05136X	No Radio			No Charge
		784564	Radio Must order with Cab w/Heat/AC/Defroster/Lights option 784391			\$235.00

SD_05201 AIR QUALITY SYSTEM

		X05201X	No Cab Air System			No Charge
		784648	Cab Air Quality System Cab pre-cleaner system to improve operator comfort and improve HVAC system performance in adverse conditions.			\$2,880.00

SD_06003 WORK LIGHTS

		X06003X	No work lights			No Charge
		784529	Opt Cab Light w/o sweeps Not used with Sweeps option 784702 Must order with Cab w/Heat/AC/Defroster/Lights option 784391			\$353.00
		784530	Opt Cab Lights w/ sweeps Must order with Sweeps option 784702 Must order with Cab w/Heat/AC/Defroster/Lights option 784391			\$438.00

SD_20143 HYDRAULIC VALVES

For PAT Models

		784350	Std. 3 spool valve & control For use with No rear mounted hydraulic attachments.			No Charge
--	--	--------	--	--	--	-----------



**1650M CRAWLER DOZER
 US PRICE LIST**

(Ex Works Burlington, IA)

	784607	<p>4 Spool Valve w/o Plugs For FACTORY installed Ripper or Winch Ready Kit</p> <p>For 1150M - Must order for Factory installed Ripper 784007. If installing winch on machine, must order this valve and 784604 Winch Ready Kit. Winch Ready Kit includes joystick, mounting hardware and hyd. plumbing to rear of machine.</p> <p>For 1650M w/PAT Blades - Must order w/ Factory installed Ripper 784007 or 784779. If installing on a winch machine, must order this valve and 784604 Winch Ready Kit. Winch Ready Kit includes joystick, mounting hardware and hyd plumbing to rear of machine.</p> <p>For 2050M w/PAT Blades - Must order w/ Factory installed Ripper 784007. If installing winch on machine, must order this valve and 784604 Winch Ready Kit. Winch Ready Kit includes joystick, mounting hardware and hyd plumbing to rear of machine.</p>			No Charge
	784668	<p>Hyd. valve, 4 spool w/ plugs For field installed Ripper or Winch For 1150M - Not Required with factory installed option 784007 Ripper. Valve includes the ripper/winch control.</p> <p>For 1650M - Not Required with factory installed Rippers 784007, 784779 or Winch Ready Kit 784604. (Does not include joystick and plumbing)</p> <p>For 2050M - Not Required with factory installed option 784007 Ripper or 784604 - Winch ready kit. (Does not include joystick and plumbing)</p> <p>Note for all Models: This 4th valve is to be used if winch, ripper or hydraulic attachment is required AFTER delivery & unit does NOT already have 4 spool valve w/o plugs installed.</p>			\$926.00
For Semi-U Models					
	784566	<p>Std. 2 spool valve & control For use with No rear mounted hydraulic attachments.</p>			No Charge
	784611	<p>3 Spool Valve w/o Plugs Must order with FACTORY installed Ripper 784007 or 784779 HD Ripper for 1650M. If installing winch, this valve must be ordered & also Winch Ready Kit 784604. Winch Ready Kit provides joystick & necessary hyd. plumbing to rear of machine.</p>			No Charge



**1650M CRAWLER DOZER
 US PRICE LIST**

(Ex Works Burlington, IA)

		784612	Hydraulic valve, 3 spool For Field installed Ripper or Winch. (Does Not include joystick and plumbing) Note for All Models: This 3rd valve is to be used if winch, ripper or hyd. attachment is required AFTER delivery & unit does NOT already have 3 spool valve w/o plugs installed.			\$933.00
--	--	--------	---	--	--	----------

SD_50115 ENVIRONMENTAL DRAIN

		X50115X	No Environmental Drain			No Charge
		784729	Environmental Drain Includes valve and drain hose for fuel and hydraulic reservoir. Quick coupler for engine oil and coolant evacuation included. (DEF Drain hoses standard)			\$685.00

SD_D5113 BLADE GUIDANCE READY

		XD5113X	No Blade Guidance			No Charge
--	--	---------	-------------------	--	--	-----------



**1650M CRAWLER DOZER
 US PRICE LIST**

(Ex Works Burlington, IA)

784819	<p>Universal Ready Factory Option (This kit is for those who do NOT know their final precision solution provider. Or those that would like the option to re-configure their machine for Leica, Topcon or Trimble in the future or re-sale) *See final pages of Price Book for Blade Guide Roadmap.</p> <p>Step 1: Select the Universal Ready Factory Option. This kit is included IF the Leica, Topcon, or Trimble Factory Ready Option is ordered below. This Factory installed Option includes: Universal Slope Sensor, Module, and Mast Mounting Brackets to Blade & Body, as well as Universal Machine Wiring harness that are compatible for all 1D, 2D, and 3D Systems for Leica, Topcon and Trimble.</p> <p>Step 2: Order one of the Supplier DIA Conversion Kits below from CNH Precision Parts. The Dealer/Customer must order one of the below separately supplied Jumper Harness Kits from CNH Precision Parts for their choice of Leica, Topcon or Trimble System chosen, if Ready option in next section is NOT optioned on the factory machine.</p> <p>48078902 Leica Ready DIA Conversion Kit including jumpers from CNH Precision Parts 48078481 Topcon Ready DIA Conversion Kit including jumpers from CNH Precision Parts 48078479 Trimble Ready DIA Conversion Kit including jumpers from CNH Precision Parts</p> <p>Step 3 (a): Order Leica Completion Kit. The Dealer/Customer must order one of the required following systems to complete the solution if the preferred Precision Solution Platform is Leica. Reminder The Leica jumper harness (48078902) must still be ordered from CNH Precision Parts with the Universal Completion Kit below in order to complete the solution.</p> <p>48161202 CoPilot Machine Control Kit, Univ 48161192 Leica Manual Mast 2D Laser Kit, Univ (Requires 47863870 Slope Sensor SP14 in order to operate CoPilot Software) 48161193 Leica Power Mast 2D Laser Kit, Univ (Requires 47863870 Slope Sensor SP14 in order</p>			\$1,165.00
--------	--	--	--	------------



**1650M CRAWLER DOZER
 US PRICE LIST**

(Ex Works Burlington, IA)

			<p>to operate CoPilot Software)</p> <p>48161194 Leica Dual FMast 3D GNSS, Univ (This will include CoPilot Software & Hardware in 2018 TBD)</p> <p>48161200 Leica Single FMast 3D GNSS, Univ (This will include CoPilot Software & Hardware in 2018 TBD)</p> <p>Step 3 (b): Order Trimble/Topcon Completion Kit. IF the customers Precision worksite platform is Topcon or Trimble AND they ordered the Universal Blade Option & the appropriate DIA Conversion Kit, then one of their Supplier Specific CASE Dozer Completion Kits must be purchased separately in order to complete the system per customer requirements. Please utilize your preferred supplier to obtain these completion kits.</p>			
--	--	--	--	--	--	--



**1650M CRAWLER DOZER
 US PRICE LIST**

(Ex Works Burlington, IA)

784609	<p>Leica Ready Factory Option (Universal is included in this package) *See final pages of Price Book for Blade Guide Roadmap.</p> <p>Step 1: Select Leica Ready Factory Option. This is a Factory installed Leica Ready Option. In addition to Universal Option components outlined above, this option includes: Display jumper harness with cover in cab, Quick Connect harness, Display Post/Arm, Junction box with both Junction Box Jumpers and Radio Antenna base along with various hardware & zip ties.</p> <p>Step 2: Order Leica Completion Kit The Dealer/Customer must order one of the required following systems to complete the solution if the preferred Precision Solution Platform is Leica. Remember: The Lieca DIA Conversion Kit including Jumper harnesses (48078902) is NOT required to complete this system, as it is included in the Leica Ready Option.</p> <p>48161202 CoPilot Machine Control Kit, Univ</p> <p>48161192 Leica Manual Mast 2D Laser Kit, Univ (Requires 47863870 Slope Sensor SP14 in order to operate CoPilot Software)</p> <p>48161193 Leica Power Mast 2D Laser Kit, Univ (Requires 47863870 Slope Sensor SP14 in order to operate CoPilot Software)</p> <p>48161194 Leica Dual FMast 3D GNSS, Univ (This will include CoPilot Software & Hardware in 2018 TBD)</p> <p>48161200 Leica Single FMast 3D GNSS, Univ (This will include CoPilot Software & Hardware in 2018 TBD)</p>			\$7,646.00
--------	--	--	--	------------



**1650M CRAWLER DOZER
 US PRICE LIST**

(Ex Works Burlington, IA)

	784605	<p>Trimble Ready Factory Option Universal is included in this package *See final pages of Price Book for Blade Guide Roadmap.</p> <p>Step 1: Select Trimble Ready Factory Option. This is a Factory installed Trimble Ready option. In addition to Universal Option components outlined above, this option includes: Display jumper harness with cover in cab, Quick Connect Harness, Display Post/Arm, Power Module and Power Module Jumper, Radio Bracket and harness along with various hardware and zip ties.</p> <p>Step 2: Trimble Completion kit. After Trimble Ready Factory Option is selected, one of Trimble's Specific CASE Construction Dozer Completion Kits must be purchased separately in order to complete the system per customer requirements.</p>			\$7,506.00
	784610	<p>Topcon Ready Factory Option Universal is included in this package *See final pages of Price Book for Blade Guide Roadmap.</p> <p>Step 1: Select Topcon Ready Factory Option. This is a Factory installed Topcon Ready option. In addition to Universal Option components outlined above, this includes: Display jumper harness with cover in cab, Quick Connect Harness, Display bracket, Radio Controller jumpers and Radio Antenna base along with various hardware and zip ties.</p> <p>Step 2: Order Topcon Specific Completion kit. After Topcon Ready Factory Option is selected, one of Topcon's Specific CASE Construction Dozer Completion Kits must be purchased separately in order to complete the system per customer requirements.</p>			\$10,425.00

SD_D5801 EXTERNAL MIRROR

	XD5801X	No Rearview Attachment Mirror			No Charge
	784565	<p>Rearview Attachment Mirror For use with Cab units that have rippers or winches. Mounts to the exterior right hand side of unit.</p>			\$59.00

SD_D9501 MOVE TO BIC

	XD9501X	Do Not move to BIC			No Charge
	784805	Move to BIC			No Charge



**1650M CRAWLER DOZER
 US PRICE LIST**

(Ex Works Burlington, IA)

SD_50133 SPECIAL FEATURE

	X50133X	No Special Feature Request			No Charge
	784820	Special Feature Unit 784820 Must contact Special Feature Coordinator for approval before selecting Special Feature Request option. Special Feature Quotes may take up to 3 business days. Contact Joshua Schumacher (319) 754-3144			No Charge



**1650M CRAWLER DOZER
 US PRICE LIST**

**(Ex Works Burlington, IA)
 Factory Supplied Attachments**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Blade Guidance Ready Conv. Kit

51433170	Universal Machine Ready Conv. Kit This allows a Non-Precision Ready Machine Conversion to a Universal Blade Guidance Ready Machine	94 LB		\$1,272.00
48078902	KIT This allows a Non-Precision Ready Machine conversion to a Leica Blade Guidance Ready Machine. Still requires 784819 Universal Factory Option or 51433170 Universal Kit.	9 LB		\$4,364.00
48078481	Topcon Machine Control Ready Conv. Kit This allows a Non-Precision Ready Machine conversion to a Topcon Blade Guidance Ready Machine. Still requires 784819 Universal Factory Option or 51433170 Universal Kit.	14 LB		\$4,937.00
48078479	Trimble Machine Control Ready Conv. Kit This allows a Non-Precision Ready Machine conversion to a Trimble Blade Guidance Ready Machine. Still requires 784819 Universal Factory Option or 51433170 Universal Kit.	28 LB		\$4,960.00

Rear Attachments

47569404	Drawbar	149 LB		\$1,288.00
47569423	Rear Tow Hook	53 LB		\$268.00
47497050	Pin and Lanyard Drawbar pin with a short cable.	6 LB		\$180.00
48139983	Ripper Ripper, 3 Shanks 2" Shank with 2.6" Replaceable Point	3,876 LB		\$19,198.00
48139984	Ripper Hvy Duty Heavy Duty Ripper 2" Shank with 6" Replacement Point	4,102 LB		\$20,510.00
47569409	Drawbar Hitch with Step	198 LB		\$1,564.00
47942999	Cab Air Quality System Cab pre-cleaner system to improve operator comfort and improve HVAC system performance in adverse conditions. 1150M - Prior to s/n NEDC11058 requires additional modifications to the standard rear cover. 1650M - Prior to s/n NEDC16052 requires additional modifications to the standard rear cover.	4 LB		\$1,903.00
48192794	Winch DIA Includes joystick and hydraulic plumbing. Does Not include a winch.	89 LB		\$1,323.00

Screens and Guards

48173848	Cab Rear Screen Kit	56 LB		\$705.00
47942995	Sweeps	131 LB		\$1,147.00



**1650M CRAWLER DOZER
 US PRICE LIST**

(Ex Works Burlington, IA)

Other

	51416702	Severe Cold Weather Includes: Heated fuel filter, insulated DEF lines, DEF module insulation.	13 LB		\$710.00
	48125477	Valve, 3 to 4 Spool Conversion Adds a 4th spool valve to an existing 3 spool valve	1 LB		\$362.00
	47896996	Cold Start	6 LB		\$422.00

Lights

	47942987	Cab work Lights (for use w/o sweeps)	4 LB		\$303.00
	47942992	Cab Work Lights (for use w/ sweeps)	7 LB		\$303.00



ADDITIONAL SUPPLIER OPTIONS

650-2050M

- **Winches available through Allied Systems Company, Sherwood (Portland), OR**
- Please contact Don Thomas at (404) 229-7253 cell or at office (503)625-2560 for product information and pricing marketing@alliedsystems.com Download winch spec sheets, parts, service and operating manuals and product information at <http://www.alliedsystems.com>
 - Required Base Machine Configuration
 - Winch Ready – PTO option for 650L/M, 750M, 850M; Ripper hydraulics for 1150M, 1650M and 2050M.

ALLIED WINCHES FOR CASE	GROUP NO.	MODEL	WT. LBS.	WT. KG.	Factory Winch	DIA WINCH
H4A HYDRAULIC WINCH Includes: Attaching Parts, Gear Ratio 94/1, Power-in, Power-out and Freespool. For: 650L/M Dozers (Requires PTO)	H4AH3RR16	650L/M	1710	776	784730	
H4A HYDRAULIC WINCH Includes: Attaching Parts, Gear Ratio 94/1, Power-in, Power-out and Freespool. For: 750 - 850M Dozers (Requires PTO)	H4AH3RR17	750M 850M	1710	776	784730	47423045
H5C HYDRAULIC WINCH Includes: Attaching Parts, Gear Ratio 48/1, Freespool, Brake Off, and Drawbar. For: 1150M Dozer (Requires ripper control on dozer).	H5CT2DR371	1150M	1980	898	784604	47756296
H6H HYDRAULIC WINCH Includes: Attaching Parts, Gear Ratio 153/1, Brake-Off, Freespool, and Drawbar. For: 1650M, 2050M Dozer (Requires ripper control on dozer)	H6HT1NR42	1650M 2050M	2830	1280	784604	1650M 48192794 2050M 48192793

Install Allied Winches on CASE 650L/M – 2050M Crawler Dozers in Burlington, IA - BIC

CASE Dealers, you may now order Allied winches to be installed on the CASE 650L/M – 2050M Crawler Dozers. How it works:

1. Order 650L/M – 2050M through CASE
2. Order the matching Allied winch directly with Allied. Advise Allied your dozer expected delivery time.
3. On order, must select option 784805 Move to BIC.

650 – 2050M

- **Forestry Screens, Light Guards, A/C condenser guards and other custom work provided by Paladin CustomWorks Ooltewah, TN**
- Please contact **Eric B. Price** at 423-702-6958 for product information and pricing eprice@paladinattachments.com
 - Required Base Machine Configuration
 - Cab Rear Screen

2050M

- **Landfill Package provided by Paladin CustomWorks Ooltewah, TN**
- Please contact **Eric B. Price** at 423-702-6958 for product information and pricing eprice@paladinattachments.com
- Recommended Base Machine Configuration:
 - Semi-U Blade
 - Turbine Precleaner
 - Case Extended life tracks (CELT)
 - Cab Rear Screen

Last updated January 2019



(This page intentionally left blank)



**2050M CRAWLER DOZER
US PRICE LIST**

**(Ex Works Burlington, IA)
Standard Equipment**

ENGINE:

FPT 6 Cyl. F4HFE613J Diesel
Tier IV Final certified
409 Displacement
Horsepower:
- Gross (SAE) 231
- Net (SAE) 214
Air cleaner - dry type, 2 stage,
radial seal
Anti-freeze solution to -34° F
Fan, Hyd Driven, variable speed,
Reversible
Fuel tank: 107 gal. (US)
Hand throttle
Radiator: V-shaped cooling package
Improved DEF Routing
Coolant Heated DEF Lines

DRIVETRAIN:

Dual path infinitely variable, single-
lever controlled hydrostatic drive with
electronic straight tracking, power
turns & counter-rotation
Final drive - triple reduction - helical
gear/planetary
Brake/Decelerator Pedal
Spring applied hydraulic
release parking brake

OPERATOR'S PROTECTIVE

STRUCTURE:

Cab, modular, isolation
mounted with Heat and AC
Adjustable armrests
Foot rests
Seat belt, 2" retractable
Air Suspension seat, cloth, with back
adjustment and lumbar support
Tool storage area
Headliner
Floor mat
Seat tilts for access
Front windshield wipers

UNDERCARRIAGE:

Hydraulic track adjusters
Sealed and lubricated track chain
Track and carrier rollers permanently
lubricated
Track adjuster guard
Track gauge: 76" or 89"
Track guides (front and rear)
Track on ground: 104" or 128"
Track rollers: 8 per side

ELECTRICAL:

Alternator: 120 AMP
24 volt electrical system
Dual Batteries (Two 12V Batteries)
1200 CCA
Fuse circuit protection
Lights: 2 front, 1 rear (halogen)
Master disconnect switch
Single key start switch

GUARDS:

Crankcase
Engine side shields
Transmission bottom
Integral final drive seal

DOZER BLADE:

Hydraulic angle and tilt
Single lever hydraulic control for lift,
angle and tilt
Laser/GPS-Capable Joystick
PAT Blade Width:
Variable mechanical pitch adjustment
(55° - 60°)
142" Extra Long Track (76" gauge)
157.5" Wide Track & LGP (86"
gauge)
Semi-U Blade Width: 135"
Straight PT Blade Width: 154"



**2050M CRAWLER DOZER
US PRICE LIST**

**(Ex Works Burlington, IA)
Standard Equipment**

INSTRUMENTATION:

Warning/Indicator Lights:

- Air filter
- Alternator
- Diagnostic fault indicator
- Engine coolant temperature
- Engine oil pressure
- Hydraulic filter
- Low fuel level
- DEF fluid level
- Park brake engaged
- Service soon indicator
- Transmission filter
- Transmission charge pressure

Audible Warnings:

- Engine coolant temperature
- Engine oil pressure
- Low fuel level
- Transmission charge pressure
- Transmission/hydraulic temperature

Gauges:

- Battery voltage
- Fuel level
- Digital hourmeter/tachometer/
diagnostic/service reminder
- Transmission oil temperature
- Transmission speed indicator
- Water temperature

OTHER STANDARD EQUIPMENT:

- Backup alarm
- Hinged grill
- Horn
- Lockup package
- Mirror
- Operators manual enclosure
- Pre-cleaner
- Front pull hook
- F-N-R detent controlled for direction,
speed and steering
- DEF Drain Hose
- Refer to Additional Supplier Options for
further Allied & Paladin options.
- CASE ProCare
3-yr/3000-hr factory warranty,
planned maintenance and
SiteWatch™ telematics
- CASE SiteWatch™ Telematics
includes hardware and a 3-yr
Advanced data subscription



**2050M CRAWLER DOZER
 US PRICE LIST**

(Ex Works Burlington, IA)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
2050M PAT WT/LGP.	48,756 LB		\$460,043.00
2050M PAT XLT.	45,414 LB		\$435,498.00
2050M SEMI-U XLT.	45,398 LB		\$404,895.00
2050M STR PT WT/LGP.	31,020 LB		\$417,747.00
Includes the following Equipment			
Straight PT Blade (784247)		\$11,783.00	



**2050M CRAWLER DOZER
 US PRICE LIST**

**(Ex Works Burlington, IA)
 Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

REAR MOUNTED EQUIPMENT

SD_D7007 3 SHANK RIPPER

	784649	Rear Cover Plate		No Charge
	784572	Rear Tow Hook		\$363.00
	784573	Drawbar Not used with Semi-U or Straight PT commercial models.		\$1,130.00
	784627	Drawbar with Step		\$1,293.00
	784604	Winch Ready Kit Must order with option 784508 - Cab Rear Screen for all models. 1150M - Must order option 784607 - 4 spool valve w/o plugs for PAT models. 1650M - Must order option 784607 - 4 spool valve w/o plugs for PAT models or 784611 - 3 spool valve w/o plugs for Semi-U 2050M - Must order option 784607 - 4 spool valve w/o plugs for PAT models or 784611 - 3 spool valve w/o plugs for Semi-U or straight blade models. Winch Ready Kit includes joystick, hardware and hydraulic plumbing to rear of machine.		\$2,259.00
	784007	Ripper, 3 shanks Must order option 784607 - 4 Spool Valve w/o Plugs for PAT models or 784611 - 3 Spool Valve w/o Plugs for Semi-U or straight blade models. MUST order 784565 Rearview mirror on all cab units. 1150M / 1650M - 2" Shank with 2.6" Replaceable Point 2050M - 3" Shank with Replaceable 6" Point	200	\$24,950.00

TRACK SHOES

SD_10009 TRACK CHAIN/SHOES

For XLT				
	784785	CHAIN/A Closed SALT HD 24IN 24" Closed Sealed and Lubricated Track (HD)		No Charge
	784788	CHAIN/A Open ULTRALIFE 24 24" Open CASE Ultra Life Chain		\$5,079.00



**2050M CRAWLER DOZER
 US PRICE LIST**

(Ex Works Burlington, IA)

For 1650M/2050M LGP					
	784786	CHAIN/A Closed SALT HD 28IN 28" Closed Sealed and Lubricated Track (HD)			No Charge
	784789	CHAIN/A Open ULTRALIFE 28 28" Open CASE Ultra Life Chain			\$6,232.00
For 1150WT/LGP, 2050BD/PAT LGP					
	784787	CHAIN/A Closed SALT HD 30IN 30" Closed Sealed and Lubricated Track (HD)			\$4,529.00
For 2050M BD/PAT LGP					
	784790	CHAIN/A Open ULTRALIFE 30 30" Open CASE Ultra Life Chain			\$7,376.00
For 2050M LGP					
	784796	CHAIN/A Closed SALT HD 36IN 36" Closed Sealed and Lubricated Track (HD)			\$6,492.00
	784804	CHAIN/A Open ULTRALIFE 36 36" Open CASE Ultra Life Chain			\$7,714.00

FRONT MOUNTED EQUIPMENT

SD_D5102 BLADES

For PAT WT/LGP					
	774188	PAT BLADE 4000MM (4.4 CUM) 1650M Blade HGT 46"; Width 156"; Blade Capacity 5.22 cu yd 2050M Blade HGT 54"; Width 157.5"; Blade Capacity 7.24 cu yd	1 LB		No Charge
	774269	PAT WT/LGP - Folded Blade 1650M Blade HGT 46"; Width 156"; Blade Capacity 5.28 cu yd 2050M Blade HGT 54"; Width 157.5"; Blade Capacity 7.24 cu yd	1 LB		\$9,940.00
	784812	5.6 CU YD PAT BLADE Blade HGT 46"; Width 157.5"; Blade Capacity 5.6 cu yd			(\$1,733.00)
For Semi-U XLT					
	784613	Straight Blade HS 2050M Blade HGT 44"; Width 131"; Blade Capacity 4.21 cu yd			(\$2,314.00)
	784614	Semi-U Blade HSU 1650M Blade HGT 52"; Width 131"; Blade Capacity 6.33 cu yd 2050M Blade HGT 56"; Width 135"; Blade Capacity 7.29 cu yd			No Charge
For XLT 1650M; XLT 2050M					
	784615	PAT Blade - XLT 1650M Blade HGT 46.5"; Width 130"; Blade Capacity 4.28 cu yd 2050M Blade HGT 53.9"; Width 142"; Blade Capacity 6.32 cu yd	1 LB		No Charge
2050M BD WT/LGP					
	784247	Straight PT Blade Blade Height 43.7"; Blade Width 154"; Blade Capacity 4.94 cu yd Order 2050M STR PT WT/LGP & Blade 784247 for a Straight Blade			\$11,783.00



**2050M CRAWLER DOZER
 US PRICE LIST**

(Ex Works Burlington, IA)

		784824	SEMI-U BD LGP BLADE Blade Height 53.1"; Blade Width 157"; Blade Capacity 8.0 cu yd Order 2050M STR PT WT/LGP & Blade 784824 for Semi-U Blade Note: Requested Delivery Date MUST be September 1, 2018 or after within eEquipment.			\$13,800.00
--	--	--------	--	--	--	-------------

ADDITIONAL EQUIPMENT CRD

SCREENS

SD_05103 REAR SCREEN

		X05103X	No Rear Screen			No Charge
		784508	Cab Rear Screen Must order w/ Cab w/Heat/AC/Defroster/Lights option 784391 Note: For full cab forestry screen and installation, contact: Paladin Custom Works, 370 Labeling Way, Chattanooga, TN 37419. Phone: 423-702-6958 Fax: 423-825-5029 E-mail: eprice@paladinbrands.com			\$953.00

GUARDS

SD_10013 TRACK ROLLER GUARD

		784173	XLT/LGP Center Rock Guard Full Length			\$4,291.00
--	--	--------	---	--	--	------------

SD_D5904 SWEEPS

		XD5904X	No Sweeps			No Charge
		784702	Sweeps			\$1,405.00

DECALS AND OPERATOR'S MANUALS

SD_47083 OPERATOR'S MANUAL

		784138	Manuals & Decals - English			No Charge
		784140	Manuals & Decals - French			No Charge
		784142	Manuals & Decals - Spanish			No Charge

SD_02005 ENGINE PRE-CLEANER

		784725	Air Cleaner Cap			No Charge
		784731	Turbine Pre-Cleaner			\$133.00

SD_02025 COLD WEATHER STARTING

		X02025X	No Grid Heater/Cold Start			No Charge
		784106	Grid Heater Cold Start			\$445.00



**2050M CRAWLER DOZER
 US PRICE LIST**

(Ex Works Burlington, IA)

SD_02112 SEVERE COLD WEATHER

	X02112X	Standard Climate			No Charge
	784822	Severe Cold Weather -784822 Severe Cold Weather includes: Extreme Cold Climate Lubricants, Heated fuel filter, Block Heater, Fuel Additive, Engine Oil 0W-40 Severe Cold Climate protection in temperatures down to -30 degrees C - 22 degrees F			\$1,238.00

SD_05105 SEAT BELT

	784365	Seat Belt, 2"			No Charge
	784483	Seat belt, 3" In lieu of standard 2" seatbelt option 784365			\$121.00

SD_05131 REAR WIPER FOR CAB

	X05131X	No Rear Wiper			No Charge
	784525	Rear Wiper for Cab Must order with Cab w/Heat/AC/Defroster/Lights option 784391			\$397.00

SD_05136 RADIO OPTION

	X05136X	No Radio			No Charge
	784564	Radio Must order with Cab w/Heat/AC/Defroster/Lights option 784391			\$235.00

SD_05201 AIR QUALITY SYSTEM

	X05201X	No Cab Air System			No Charge
	784648	Cab Air Quality System Cab pre-cleaner system to improve operator comfort and improve HVAC system performance in adverse conditions.			\$2,880.00

SD_06003 WORK LIGHTS

	X06003X	No work lights			No Charge
	784529	Opt Cab Light w/o sweeps Not used with Sweeps option 784702 Must order with Cab w/Heat/AC/Defroster/Lights option 784391			\$353.00
	784530	Opt Cab Lights w/ sweeps Must order with Sweeps option 784702 Must order with Cab w/Heat/AC/Defroster/Lights option 784391			\$438.00



**2050M CRAWLER DOZER
 US PRICE LIST**

(Ex Works Burlington, IA)

SD_20143 HYDRAULIC VALVES

For PAT Models					
	784350	Std. 3 spool valve & control For use with No rear mounted hydraulic attachments.			No Charge
	784607	4 Spool Valve w/o Plugs For FACTORY installed Ripper or Winch Ready Kit For 1150M - Must order for Factory installed Ripper 784007. If installing winch on machine, must order this valve and 784604 Winch Ready Kit. Winch Ready Kit includes joystick, mounting hardware and hyd. plumbing to rear of machine. For 1650M w/PAT Blades - Must order w/ Factory installed Ripper 784007 or 784779. If installing on a winch machine, must order this valve and 784604 Winch Ready Kit. Winch Ready Kit includes joystick, mounting hardware and hyd plumbing to rear of machine. For 2050M w/PAT Blades - Must order w/ Factory installed Ripper 784007. If installing winch on machine, must order this valve and 784604 Winch Ready Kit. Winch Ready Kit includes joystick, mounting hardware and hyd plumbing to rear of machine.			No Charge
	784668	Hyd. valve, 4 spool w/ plugs For field installed Ripper or Winch For 1150M - Not Required with factory installed option 784007 Ripper. Valve includes the ripper/winch control. For 1650M - Not Required with factory installed Rippers 784007, 784779 or Winch Ready Kit 784604. (Does not include joystick and plumbing) For 2050M - Not Required with factory installed option 784007 Ripper or 784604 - Winch ready kit. (Does not include joystick and plumbing) Note for all Models: This 4th valve is to be used if winch, ripper or hydraulic attachment is required AFTER delivery & unit does NOT already have 4 spool valve w/o plugs installed.			\$926.00
For Semi-U Models					
	784566	Std. 2 spool valve & control For use with No rear mounted hydraulic attachments.			No Charge



**2050M CRAWLER DOZER
 US PRICE LIST**

(Ex Works Burlington, IA)

	784611	3 Spool Valve w/o Plugs Must order with FACTORY installed Ripper 784007 or 784779 HD Ripper for 1650M. If installing winch, this valve must be ordered & also Winch Ready Kit 784604. Winch Ready Kit provides joystick & necessary hyd. plumbing to rear of machine.			No Charge
	784612	Hydraulic valve, 3 spool For Field installed Ripper or Winch. (Does Not include joystick and plumbing) Note for All Models: This 3rd valve is to be used if winch, ripper or hyd. attachment is required AFTER delivery & unit does NOT already have 3 spool valve w/o plugs installed.			\$933.00

SD_50115 ENVIRONMENTAL DRAIN

	X50115X	No Environmental Drain			No Charge
	784729	Environmental Drain Includes valve and drain hose for fuel and hydraulic reservoir. Quick coupler for engine oil and coolant evacuation included. (DEF Drain hoses standard)			\$685.00

SD_D5113 BLADE GUIDANCE READY

	XD5113X	No Blade Guidance			No Charge
--	---------	-------------------	--	--	-----------



**2050M CRAWLER DOZER
 US PRICE LIST**

(Ex Works Burlington, IA)

	784819	<p>Universal Ready Factory Option (This kit is for those who do NOT know their final precision solution provider. Or those that would like the option to re-configure their machine for Leica, Topcon or Trimble in the future or re-sale) *See final pages of Price Book for Blade Guide Roadmap.</p> <p>Step 1: Select the Universal Ready Factory Option. This kit is included IF the Leica, Topcon, or Trimble Factory Ready Option is ordered below. This Factory installed Option includes: Universal Slope Sensor, Module, and Mast Mounting Brackets to Blade & Body, as well as Universal Machine Wiring harness that are compatible for all 1D, 2D, and 3D Systems for Leica, Topcon and Trimble.</p> <p>Step 2: Order one of the Supplier DIA Conversion Kits below from CNH Precision Parts. The Dealer/Customer must order one of the below separately supplied Jumper Harness Kits from CNH Precision Parts for their choice of Leica, Topcon or Trimble System chosen, if Ready option in next section is NOT optioned on the factory machine.</p> <p>48078902 Leica Ready DIA Conversion Kit including jumpers from CNH Precision Parts 48078481 Topcon Ready DIA Conversion Kit including jumpers from CNH Precision Parts 48078479 Trimble Ready DIA Conversion Kit including jumpers from CNH Precision Parts</p> <p>Step 3 (a): Order Leica Completion Kit. The Dealer/Customer must order one of the required following systems to complete the solution if the preferred Precision Solution Platform is Leica. Reminder The Leica jumper harness (48078902) must still be ordered from CNH Precision Parts with the Universal Completion Kit below in order to complete the solution.</p> <p>48161202 CoPilot Machine Control Kit, Univ 48161192 Leica Manual Mast 2D Laser Kit, Univ (Requires 47863870 Slope Sensor SP14 in order to operate CoPilot Software) 48161193 Leica Power Mast 2D Laser Kit, Univ (Requires 47863870 Slope Sensor SP14 in order</p>			\$1,165.00
--	--------	--	--	--	------------



**2050M CRAWLER DOZER
 US PRICE LIST**

(Ex Works Burlington, IA)

			<p>to operate CoPilot Software)</p> <p>48161194 Leica Dual FMast 3D GNSS, Univ (This will include CoPilot Software & Hardware in 2018 TBD)</p> <p>48161200 Leica Single FMast 3D GNSS, Univ (This will include CoPilot Software & Hardware in 2018 TBD)</p> <p>Step 3 (b): Order Trimble/Topcon Completion Kit. IF the customers Precision worksite platform is Topcon or Trimble AND they ordered the Universal Blade Option & the appropriate DIA Conversion Kit, then one of their Supplier Specific CASE Dozer Completion Kits must be purchased separately in order to complete the system per customer requirements. Please utilize your preferred supplier to obtain these completion kits.</p>		
--	--	--	--	--	--



**2050M CRAWLER DOZER
 US PRICE LIST**

(Ex Works Burlington, IA)

	784609	<p>Leica Ready Factory Option (Universal is included in this package) *See final pages of Price Book for Blade Guide Roadmap.</p> <p>Step 1: Select Leica Ready Factory Option. This is a Factory installed Leica Ready Option. In addition to Universal Option components outlined above, this option includes: Display jumper harness with cover in cab, Quick Connect harness, Display Post/Arm, Junction box with both Junction Box Jumpers and Radio Antenna base along with various hardware & zip ties.</p> <p>Step 2: Order Leica Completion Kit The Dealer/Customer must order one of the required following systems to complete the solution if the preferred Precision Solution Platform is Leica. Remember: The Lieca DIA Conversion Kit including Jumper harnesses (48078902) is NOT required to complete this system, as it is included in the Leica Ready Option.</p> <p>48161202 CoPilot Machine Control Kit, Univ</p> <p>48161192 Leica Manual Mast 2D Laser Kit, Univ (Requires 47863870 Slope Sensor SP14 in order to operate CoPilot Software)</p> <p>48161193 Leica Power Mast 2D Laser Kit, Univ (Requires 47863870 Slope Sensor SP14 in order to operate CoPilot Software)</p> <p>48161194 Leica Dual FMast 3D GNSS, Univ (This will include CoPilot Software & Hardware in 2018 TBD)</p> <p>48161200 Leica Single FMast 3D GNSS, Univ (This will include CoPilot Software & Hardware in 2018 TBD)</p>			\$7,646.00
--	--------	---	--	--	------------



**2050M CRAWLER DOZER
 US PRICE LIST**

(Ex Works Burlington, IA)

	784605	<p>Trimble Ready Factory Option Universal is included in this package *See final pages of Price Book for Blade Guide Roadmap.</p> <p>Step 1: Select Trimble Ready Factory Option. This is a Factory installed Trimble Ready option. In addition to Universal Option components outlined above, this option includes: Display jumper harness with cover in cab, Quick Connect Harness, Display Post/Arm, Power Module and Power Module Jumper, Radio Bracket and harness along with various hardware and zip ties.</p> <p>Step 2: Trimble Completion kit. After Trimble Ready Factory Option is selected, one of Trimble's Specific CASE Construction Dozer Completion Kits must be purchased separately in order to complete the system per customer requirements.</p>			\$7,506.00
	784610	<p>Topcon Ready Factory Option Universal is included in this package *See final pages of Price Book for Blade Guide Roadmap.</p> <p>Step 1: Select Topcon Ready Factory Option. This is a Factory installed Topcon Ready option. In addition to Universal Option components outlined above, this includes: Display jumper harness with cover in cab, Quick Connect Harness, Display bracket, Radio Controller jumpers and Radio Antenna base along with various hardware and zip ties.</p> <p>Step 2: Order Topcon Specific Completion kit. After Topcon Ready Factory Option is selected, one of Topcon's Specific CASE Construction Dozer Completion Kits must be purchased separately in order to complete the system per customer requirements.</p>			\$10,425.00

SD_D5801 EXTERNAL MIRROR

	XD5801X	No Rearview Attachment Mirror			No Charge
	784565	<p>Rearview Attachment Mirror For use with Cab units that have rippers or winches. Mounts to the exterior right hand side of unit.</p>			\$59.00

SD_D9501 MOVE TO BIC

	XD9501X	Do Not move to BIC			No Charge
	784805	Move to BIC			No Charge



**2050M CRAWLER DOZER
 US PRICE LIST**

(Ex Works Burlington, IA)

SD_50133 SPECIAL FEATURE

	X50133X	No Special Feature Request			No Charge
	784820	Special Feature Unit 784820 Must contact Special Feature Coordinator for approval before selecting Special Feature Request option. Special Feature Quotes may take up to 3 business days. Contact Joshua Schumacher (319) 754-3144			No Charge



**2050M CRAWLER DOZER
 US PRICE LIST**

(Ex Works Burlington, IA)

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Blade Guidance Ready Conv. Kit

51433170	Universal Machine Ready Conv. Kit This allows a Non-Precision Ready Machine Conversion to a Universal Blade Guidance Ready Machine	94 LB		\$1,272.00
48078902	KIT This allows a Non-Precision Ready Machine conversion to a Leica Blade Guidance Ready Machine. Still requires 784819 Universal Factory Option or 51433170 Universal Kit.	9 LB		\$4,364.00
48078481	Topcon Machine Control Ready Conv. Kit This allows a Non-Precision Ready Machine conversion to a Topcon Blade Guidance Ready Machine. Still requires 784819 Universal Factory Option or 51433170 Universal Kit.	14 LB		\$4,937.00
48078479	Trimble Machine Control Ready Conv. Kit This allows a Non-Precision Ready Machine conversion to a Trimble Blade Guidance Ready Machine. Still requires 784819 Universal Factory Option or 51433170 Universal Kit.	28 LB		\$4,960.00

Other

48149093	Turbine-Precleaner	3 LB		\$155.00
48125477	Valve, 3 to 4 Spool Conversion Adds a 4th spool valve to an existing 3 spool valve	1 LB		\$362.00
47896996	Cold Start	6 LB		\$422.00

Rear Attachments

48192793	Winch DIA Includes joystick and hydraulic plumbing. Does Not include a winch.	89 LB		\$1,102.00
47569404	Drawbar	149 LB		\$1,288.00
47569423	Rear Tow Hook	53 LB		\$268.00
47497050	Pin and Lanyard Drawbar pin with a short cable.	6 LB		\$180.00
48139979	Ripper Ripper, 3 Shank, 2 position with 6" Point and 3" shanks	4,317 LB		\$23,940.00
47569409	Drawbar Hitch with Step	198 LB		\$1,564.00
47943013	Cab Air Quality System Cab pre-cleaner system to improve operator comfort and improve HVAC system performance in adverse conditions. 2050M - Prior to s/n NEDC20091 requires additional modifications to the standard rear cover.	261 LB		\$1,903.00

Screens and Guards

47943401	Sweeps	130 LB		\$1,147.00
48173848	Cab Rear Screen Kit	56 LB		\$705.00



**2050M CRAWLER DOZER
US PRICE LIST**

(Ex Works Burlington, IA)

Lights

	47942987	Cab work Lights (for use w/o sweeps)	4 LB		\$303.00
	47942992	Cab Work Lights (for use w/ sweeps)	7 LB		\$303.00



ADDITIONAL SUPPLIER OPTIONS

650-2050M

- **Winches available through Allied Systems Company, Sherwood (Portland), OR**
- Please contact Don Thomas at (404) 229-7253 cell or at office (503)625-2560 for product information and pricing marketing@alliedsystems.com Download winch spec sheets, parts, service and operating manuals and product information at <http://www.alliedsystems.com>
 - Required Base Machine Configuration
 - Winch Ready – PTO option for 650L/M, 750M, 850M; Ripper hydraulics for 1150M, 1650M and 2050M.

ALLIED WINCHES FOR CASE	GROUP NO.	MODEL	WT. LBS.	WT. KG.	Factory Winch	DIA WINCH
H4A HYDRAULIC WINCH Includes: Attaching Parts, Gear Ratio 94/1, Power-in, Power-out and Freespool. For: 650L/M Dozers (Requires PTO)	H4AH3RR16	650L/M	1710	776	784730	
H4A HYDRAULIC WINCH Includes: Attaching Parts, Gear Ratio 94/1, Power-in, Power-out and Freespool. For: 750 - 850M Dozers (Requires PTO)	H4AH3RR17	750M 850M	1710	776	784730	47423045
H5C HYDRAULIC WINCH Includes: Attaching Parts, Gear Ratio 48/1, Freespool, Brake Off, and Drawbar. For: 1150M Dozer (Requires ripper control on dozer).	H5CT2DR371	1150M	1980	898	784604	47756296
H6H HYDRAULIC WINCH Includes: Attaching Parts, Gear Ratio 153/1, Brake-Off, Freespool, and Drawbar. For: 1650M, 2050M Dozer (Requires ripper control on dozer)	H6HT1NR42	1650M 2050M	2830	1280	784604	1650M 48192794 2050M 48192793

Install Allied Winches on CASE 650L/M – 2050M Crawler Dozers in Burlington, IA - BIC

CASE Dealers, you may now order Allied winches to be installed on the CASE 650L/M – 2050M Crawler Dozers.
 How it works:

1. Order 650L/M – 2050M through CASE
2. Order the matching Allied winch directly with Allied. Advise Allied your dozer expected delivery time.
3. On order, must select option 784805 Move to BIC.

650 – 2050M

- **Forestry Screens, Light Guards, A/C condenser guards and other custom work provided by Paladin CustomWorks Ooltewah, TN**
- Please contact **Eric B. Price** at 423-702-6958 for product information and pricing eprice@paladinattachments.com
 - Required Base Machine Configuration
 - Cab Rear Screen

2050M

- **Landfill Package provided by Paladin CustomWorks Ooltewah, TN**
- Please contact **Eric B. Price** at 423-702-6958 for product information and pricing eprice@paladinattachments.com
- Recommended Base Machine Configuration:
 - Semi-U Blade
 - Turbine Precleaner
 - Case Extended life tracks (CELT)
 - Cab Rear Screen

Last updated January 2019



DIA SYSTEM COMPLETION KITS
ADDITIONAL BLADE GUIDANCE KITS 1150M, 1650M, 2050M

(These are for NON-UNIVERSAL Machines - See S/N Breaks Below) 1150M-2050M)

1150M – Any S/N before NJC105501 – Require the Kits shown below because the Universal Kits do NOT work.

These are to be ordered from CNHi Parts

- 48081801--KIT, 1150M LEICA READY (Non-Universal)
- 48081803--KIT, 1150M TOPCON READY (Non-Universal)
- 48081807--KIT, 1150M TRIMBLE READY (Non-Universal)

1650M – Any S/N before NJC107201 – Require the Kits shown below because the Universal Kits do NOT work.

These are to be ordered from CNHi Parts

- 47677960--KIT, 1650M LEICA READY (Non-Universal)
- 47487270--KIT, 1650M TOPCON READY (Non-Universal)
- 48046350--KIT, 1650M TRIMBLE READY (Non-Universal)

2050M - Any S/N before NJC109200 – Require the Kits shown below because the Universal Kits do NOT work.


These are to be ordered from CNHi Parts

- 47677961--KIT, 2050M LEICA READY (Non-Universal)
- 47651595--KIT, 2050M TOPCON READY (Non-Universal)
- 48046353--KIT, 2050M TRIMBLE READY (Non-Universal)


The S/N break is the starting serial numbers where the cab, mainframe, mounting plate, and blade changes occurred to accommodate the new harness routing and mounting locations of the universal harness. The Old harness will fit on new machines, but the new harness will not fit on older machines.

1150M – 2050M Blade Guidance Road map overview


No Blade Guidance option selected from the Factory



1150M – 2050M Universal option Selected from the Factory



1150M – 2050M Leica Ready, Trimble Ready or Topcon Ready when selected from the Factory





(This page intentionally left blank)