

CONSTRUCTION EQUIPMENT

U.S. PRICE LIST

EXCAVATORS

PL-200 CX SAP REVISION 29

EFFECTIVE JANUARY 1, 2019

THIS IS AN ELECTRONIC COPY ONLY – HARD COPIES WILL NOT BE DISTRIBUTED.

This price list is intended for dealers with the Excavators (CX) contract only.

The prices included in this revision supersede any prices established prior to the effective date shown unless specifically identified in a price bulletin as superseding this price list.

Below is a list of Family(s) and Model(s) that are included in this price list.

Crawler Excavator (Midi)

CX75C Tier 4 Final

CX80C Tier 4 Final

Crawler Excavator (Conventional)

CX130D Tier 4 Final

CX145D Tier 4 Final

CX160D Tier 4 Final

CX210D Tier 4 Final

CX245D Tier 4 Final

CX250D Tier 4 Final

CX290D Tier 4 Final

CX300D Tier 4 Final

CX350D Tier 4 Final

CX490D Tier 4 Final

CX500D Tier 4 Final

CX750D RTC Tier 4 Final

CX750D RTC ME Tier 4 Final

PLEASE NOTE: Retain the price book pages of the discontinued series for your records.

Copyright 2019 By

CNH Industrial America LLC



(This page intentionally left blank)



General Information

Prices shown herein are suggested prices only and in no way are they to be construed as limiting or restricting the dealer in his determination of the ultimate retail selling price. It is understood that the dealers are free to determine their selling price. Subject to any Federal, State or local laws.

Where shown herein liquid capacities are U.S. measure unless otherwise noted.

ADVANCE FREIGHT

Advance freight will be added to the machinery invoice as a separate net charge for machinery shipped from field locations or from other than specified Ex Works locations.

PRICES

Prices are Ex Works factory, where the goods are manufactured, except where noted. For detailed information concerning prices, please refer to your OPERATING GUIDE.

Prices and specifications are subject to change without notice.

CONTENTS OF ORGANIZATION

Case Construction Equipment Inc issues price lists and revisions covering each Case contract. U.S. Price List is published in U.S. funds. Canadian Price List is published in Canadian funds. Assure that you are using the correct price list. The Canadian price lists are denoted by a Maple Leaf on the price list cover page and the symbol "(CDN)" is printed at the head of the Factory Supplied Attachments List columns.

Freight, duty and sales taxes are NOT included in any wholegoods or attachment prices shown in the price list. Any appropriate freight, duty, Federal, State, and Provincial taxes will be added to the machinery invoice as separate net charges.

PROCEDURE

The price pages for each machine (or group of machines) lists both "Factory" and "Factory Supplied Attachments".

Each price list is comprised of the various machines sold under that contract. Each price book section has "Factory", "Factory Supplied Attachments", or "Third Party Supplied Attachments" pages. When ordering and pricing a machine follow the ordering instructions listed for that machine. Attachments listed following the "Factory Supplied Attachments" or "Third Party Supplied Attachments" heading are available for installation in the field.

ATTACHMENTS

Expect Attachments to be shipped within 2 -3 weeks from order entry.



General Information

DISTRIBUTION OF PRICE LISTS / REQUESTS FOR ADDITIONAL COPIES

Price lists will be provided electronically via that Dealer Portal.

Contact information for additional copies of Case Construction Equipment Price Lists

Additional price lists, divider tabs and binders may be ordered at the Document Management Center. From Dealer Portal click on Tools then Document Management Center link. Any questions you can call the Document Management Center at 262-636-7540

You will only receive price lists for contracts covered by your current Dealer Agreement with the Company.

The revisions are dated and are effective as of that date. However, PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.



**EXCAVATORS
 TABLE OF CONTENTS**

CX SERIES EXCAVATORS

CX75C MINIMUM SWING RADIUS CRAWLER EXCAVATOR	
Standard Features	7
Price List	9
Factory Supplied Accessories	13
CX80C CRAWLER EXCAVATOR	
Standard Features	15
Price List	17
Factory Supplied Accessories	20
CX130D STANDARD EXCAVATOR	
Standard Features	21
Price List	24
Factory Supplied Accessories	30
CX145D LC and STD/DZ CRAWLER EXCAVATOR	
Standard Features	33
Price List	35
Factory Supplied Accessories	41
CX160D CRAWLER EXCAVATOR	
Standard Features	43
Price List	46
Factory Supplied Accessories	52
CX210D CRAWLER EXCAVATOR	
Standard Features	55
Price List	58
Factory Supplied Accessories	66
CX210D LR CRAWLER EXCAVATOR	
Standard Features	67
Price List	70
Factory Supplied Accessories	74
CX245D LC and LC/DZ CRAWLER EXCAVATOR	
Standard Features	75
Price List	77
Factory Supplied Accessories	83
CX250D STD CRAWLER EXCAVATOR	
Standard Features	85
Price List	88
Factory Supplied Accessories	95
CX250D LR CRAWLER EXCAVATOR	
Standard Features	97
Price List	100
Factory Supplied Accessories	104
CX290D LC MATERIAL HANDLER CRAWLER EXCAVATOR	
Standard Features	105
Price List	107
CX290D LC SCRAP CRAWLER EXCAVATOR	
Standard Features	111
Price List	113



**EXCAVATORS
TABLE OF CONTENTS**

CX300D CRAWLER EXCAVATOR	
Standard Features	117
Price List	120
Factory Supplied Accessories	126
CX350D CRAWLER EXCAVATOR	
Standard Features	135
Price List	138
Factory Supplied Accessories	144
CX350D LR CRAWLER EXCAVATOR	
Standard Features	141
Price List	144
Factory Supplied Accessories	148
CX490D CRAWLER EXCAVATOR	
Standard Features	149
Price List	152
Factory Supplied Accessories	158
CX500D MASS CRAWLER EXCAVATOR	
Standard Features	159
Price List	162
Factory Supplied Accessories	168
CX750D RTC CRAWLER EXCAVATOR	
Standard Features	169
Price List	171
Factory Supplied Accessories	176
CX750D RTC ME CRAWLER EXCAVATOR	
Standard Features	177
Price List	179
Factory Supplied Accessories	184



**CX75C MIN SWING RADIUS CRAWLER EXCAVATOR
US PRICE LIST**

(Ex Works Port of Entry)

Standard Equipment

ENGINE:

Isuzu AP-4LE2X turbocharged
Tier 4 Final Certified
4 Cylinder liquid cooled diesel
High Pressure Common Rail
Cooled EGR with variable controlled
valve
DOC - diesel oxidation catalyst
133 cu. in. (2.2 liter) displacement
Horsepower:
- Net (SAE) 53.6 (40.0kw) at
2000 RPM
Fuel Tank Capacity: 31.7 gal. (US)
Long Life Anti-freeze (protect to -
34°F)

OPERATOR'S CAB:

4-point viscous-mounted ROPS cab
Pressurized cab
- Climate control: AC/Heat/Defrost
- Fully adjustable deluxe seat with
3" seat-belt
- AM/FM radio with dual speakers
- Floor mats
- 12-volt outlet
- In-cab light
Cab roof skylight
Safety glass:
- Two-piece front window
- Front windshield wiper with washer
Waterproof/illuminated membrane
switches
Low-effort pilot controls
Full-color LCD display - rearview
camera ready
Dial type throttle control for engine
speed
Work mode selector: SP, H, Auto
One-touch idle
External rearview mirrors
Programmable anti-theft protection

ELECTRICAL:

24 Volt system
Alternator: 50 AMP
Batteries: 2

BLADE:

CX75C W/DOZER BLADE ONLY
Hydraulically controlled dozer blade
- Blade width: 7'7"
- Blade height: 1'6"

UPPER STRUCTURE:

Swing brake
Casted counterweight
Upper undercovers
500 hour greasing interval - turntable
bearing

UNDERCARRIAGE:

X-pattern car-body
LC/long undercarriage: 9'4" (2.85M)
Track gauge: 6'6" (1.99M)
Shoes: 3-bar/18" (39 per side)
Hydraulic adjustable track tension
Tapered upper track frame
Front track guides
Lower under covers

TRACK DRIVE:

2-speed independent hydrostatic travel
(max. 3.2 mph)
SAHR disc brakes
Drive motor guards



**CX75C MIN SWING RADIUS CRAWLER EXCAVATOR
US PRICE LIST**

(Ex Works Port of Entry)

Standard Equipment

HYDRAULICS:

- Control pattern change selector
- Open-center system
- Two - variable displacement axial piston pumps with regulating system
- One - pilot control gear pump
- Auxiliary hydraulic valve
- Boom anti-drift valve
- 5000 hour hydraulic oil change interval
- 1000 hour hydraulic filter change interval

ATTACHMENTS:

- Arm: 5'6" (less bucket)
- Boom: 12'4" one piece
- Hammer operation adaptable - Reinforcing required for crusher/cutter operation
- Swing brake

MISCELLANEOUS:

- Parts catalogue
- Single key lock-up
- Travel alarm and horn
- Centralized lube bank
- Rubber bumpers for upper sides (order through Service Parts)
- Working lights: 1x boom, 1 x cab

Order from Factory Supplied

Attachments:

- Please consult excavator attachments weight limits prior to selecting a coupler and large bucket. Excessive bucket and coupler weight will negatively impact machine performance.



**CX75C MIN SWING RADIUS CRAWLER EXCAVATOR
US PRICE LIST**

(Ex Works Port of Entry)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
CX75C W/DOZER BLADE	17,400 LBS		\$118,190.00



**CX75C MIN SWING RADIUS CRAWLER EXCAVATOR
 US PRICE LIST**

**(Ex Works Port of Entry)
 Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

BOOMS

SD_E5311 BOOM

481858	Std Boom 12'4" (3.75 M) Standard Boom			No Charge
461025	Offset Boom 12'9" (3.89 M) Offset Boom			\$7,730.00

ARMS

SD_E5320 ARM/DIPPERSTICK

For use with Standard Boom				
781172	5'7" (1.69 M) Arm			No Charge
481265	7'2" (2.19 M) Arm			\$635.00
For use with Offset Boom				
481062	5'9" (1.75 M) Standard Arm			\$942.00
481063	6' 11" (2.11 M) Standard Arm			\$1,484.00

TRACK SHOES

SD_E5199 TRACK SHOES

9560017	18" (450mm) Steel Shoes, 3-bar			No Charge
9560002	23.6"(600mm) Steel Shoes Blade will not fully cover track width when using 24" shoes			\$763.00
9560018	18"(450mm) Bolt-on Rubber Track Rubber pads bolted on regular 18" track			\$5,882.00
9560020	17.7"(450mm) Full Rubber Tracks			\$3,588.00

LANGUAGE

SD_47083 OPERATOR'S MANUAL

781981	English Literature			No Charge
461540	French Canadian Literature			No Charge
781980	Spanish Literature			No Charge



**CX75C MIN SWING RADIUS CRAWLER EXCAVATOR
 US PRICE LIST**

(Ex Works Port of Entry)

ADDITIONAL EQUIPMENT CXM

ADDITIONAL OPTIONS

SD_E5443 CAB GUARD (FOPS)

		XE5443X	No FOPS Top Cab Guard			No Charge
		481070	FOPS Top Cab Guard			\$1,146.00

SD_E5444 CAB GUARD (FRONT)

		XE5444X	No Front Guard			No Charge
		461142	Front Guard - Wire Mesh Screen			\$1,326.00
		461024	Front Stone Guard (OPG L2) vertical bars (one piece/full length)			\$2,324.00

SD_E6410 AUXILIARY HYDRAULICS

		XE6410X	No Optional Hydraulics			No Charge
--	--	---------	------------------------	--	--	-----------

For use with Standard Boom

		461868	Multi Function - Proportional Multi-Function Auxiliary Hydraulics For use with multiple applications: hammers/thumbs/grapples/crushers Does not include the in-cab Electronic Pressure Control feature Joystick activated with Electronic Proportional Controls Provides single or dual pump, two-way flow Secondary Low-flow Auxiliary Hydraulics can be added Includes manually adjustable relief valve to set required pressures Is switchable to single acting flow for hammer applications Notes: 1) Not for use with other Auxiliary Hydraulics options with the exception of Low Flow. 2) Heavy duty bucket linkage is standard equipment on C Series excavators. 3) For dealer installed auxiliary hydraulic kits contact: HydraulicCircuit Technology (HCT) (1-888-603-0080 or sales@hctkits.com or www.hctkits.com)			\$6,885.00
--	--	--------	---	--	--	------------



**CX75C MIN SWING RADIUS CRAWLER EXCAVATOR
 US PRICE LIST**

(Ex Works Port of Entry)

For use with Offset Boom					
	461873	Offset Boom Double Aux Hyd Offset Boom Double Acting Auxiliary Hydraulics For use with Offset Boom option 461025 ONLY For use with Offset Short Arm 481062 ONLY For use with thumb applications Joystick Activated with Electronic Proportional Controls Provides single pump, two-way flow Hydraulic plumbing provided to the end of the boom only, no piping to the arm This system is not switchable to single acting flow Notes: 1) Not for use other Auxiliary Hydraulics options with the exception of Low Flow. 2) Heavy duty bucket linkage is standard equipment on C series excavators. 3) For dealer installed auxiliary hydraulic kits contact: HydraulicCircuit Technology (HCT) (1-888-603-0080 or sales@hctkits.com or www.hctkits.com)			\$3,783.00

SD_E6417 SECONDARY AUXILIARY HYDRAULICS

	XE6417X	No Low Flow Circuit			No Charge
	461863	Secondary Auxiliary Hydraulics Secondary Low Flow Auxiliary Hydraulics Provides low-flow for rotation or tilt hydraulic attachments. For use with Standard Boom option 481858 Not for use with Offset Boom option 461025 Joystick Activated with Electronic Proportional Controls			\$4,039.00

SD_E9702 REAR VIEW CAMERA

	XE9702X	No Rear View Camera			No Charge
	461504	Rear View Camera			\$646.00

SD_E9730 SAFETY VALVE

	XE9730X	No Hose Burst Check Valve			No Charge
	461559	Hose Burst Check Valve Located on Boom and Arm Cylinder			\$4,051.00

SD_E9874 REFUEL PUMP

	XE9874X	No Refuel Pump			No Charge
	481257	Refuel Pump			\$1,296.00



**CX75C MIN SWING RADIUS CRAWLER EXCAVATOR
 US PRICE LIST**

**(Ex Works Port of Entry)
 Factory Supplied Attachments**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Case Coupler

47603261	Multi-Fit S Hyd.Pin Grabber Coupler Kit Full Kit and Pins Optimized for use with Case coupler buckets. Also can be used with a wide range of buckets from other manufacturers including pin-on types. Includes hydraulic installation kit and instructions.	205 LB		\$6,193.00
----------	---	--------	--	------------

Case Coupler Buckets

84422902	18" Heavy-Duty Coupler Bucket with 3 teeth (.24 cu. yd.)	440 LB		\$1,749.00
84422903	24" Heavy-Duty Coupler Bucket with 4 teeth (.32 cu. yd.)	520 LB		\$2,067.00
84422906	30" Heavy-Duty Coupler Bucket with 5 teeth (.41 cu. yd.)	585 LB		\$2,292.00
84422909	36" Heavy-Duty Coupler Bucket with 5 teeth (.50 cu. yd.)	670 LB		\$2,550.00
84422911	42" Heavy-Duty Coupler Bucket with 6 teeth (.59 cu. yd.)	760 LB		\$2,798.00

Case Pin-On Buckets

84404122	42" Ditching Pin-On Bucket (.60 cu. yd.) (.60 cu. yd.)			\$1,871.00
84404123	48" Ditching Pin-On Bucket (.70 cu. yd.)			\$1,947.00
84422873	18" Heavy-Duty Pin-On Bucket with 3 teeth (.21 cu. yd.)	450 LB		\$1,375.00
84422885	24" Heavy-Duty Pin-On Bucket with 4 teeth (.31 cu. yd.)	530 LB		\$1,617.00
84422889	30" Heavy-Duty Pin-On Bucket with 5 teeth (.39 cu. yd.)	600 LB		\$1,802.00
84422894	36" Heavy-Duty Pin-On Bucket with 5 teeth (.48 cu. yd.)	685 LB		\$2,003.00
84422897	42" Heavy-Duty Pin-On Bucket with 6 teeth (.57 cu. yd.)	790 LB		\$2,196.00

Direct Link Thumb

47609053	KIT, THUMB, HYD, 2-TINE, use with bucket only (2 tine - for use with buckets with odd number of teeth)	425 LB		\$4,043.00
47609054	KIT, THUMB, HYD, 2-TINE, use with bucket and coupler (2 tine - for use with buckets with odd number of teeth)	475 LB		\$4,285.00
47625914	KIT, THUMB, HYD, 2-TINE, use with bucket only (2 tine - for use with buckets with even number of teeth)	425 LB		\$4,043.00
47625915	KIT, THUMB, HYD, 2-TINE, use with bucket and coupler (2 tine - for use with buckets with even number of teeth)	475 LB		\$4,285.00



(This page intentionally left blank)



**CX80C CRAWLER EXCAVATOR - W/ DOZER BLADE
US PRICE LIST**

(Ex Works Port of Entry)

Standard Equipment

ENGINE:

Isuzu AU-4LE2X turbocharged
Tier 4 Final Certified
4 Cylinder liquid cooled diesel
High pressure common rail
Cooled EGR with variable
controlled valve
DOC - diesel oxidation catalyst
133 cu. in. (2.2 liter) displacement
Horsepower:
- Net (SAE) 53.6 (40.0 kw) at
2000 RPM
Fuel Tank Capacity: 31.7 gal. (US)
Long Life Anti-freeze
(protect to - 34°F)

OPERATOR'S CAB:

4-point viscous-mounted ROPS cab
Pressurized cab
- Climate control: AC/Heat/Defrost
- Fully adjustable deluxe seat with
3" seat-belt
- AM/FM radio with dual speakers
- Floor mats
- 12-volt outlet
- In-cab light
Cab roof skylight
Safety glass:
- Two-piece front window
- Front windshield wiper with washer
Waterproof/illuminated membrane
switches
Low-effort pilot controls
Full-color LCD display - rearview
camera ready
Dial type throttle control for engine
speed
Work mode selector: SP, H, Auto
One-touch idle
External rearview mirrors
Programmable anti-theft protection

ELECTRICAL:

24 Volt system
Alternator: 50 AMP
Batteries: 2

BLADE:

Hydraulically controlled dozer blade
- Blade width: 7'7"
- Blade height: 1'6"

UPPER STRUCTURE:

Swing brake
Casted counterweight
Upper undercovers
500 hour greasing interval - turntable
bearing

UNDERCARRIAGE:

X-pattern car-body
LC/long undercarriage: 9'4" (2.85M)
Track gauge: 6'2" (1.99M)
Shoes: 3-bar/18" (39 per side)
Hydraulic adjustable track tension
Tapered upper track frame
Front track guides
Lower under covers

TRACK DRIVE:

2 speed independent hydrostatic travel
(max. 3.2 mph)
SAHR disc brakes
Drive motor guards



**CX80C CRAWLER EXCAVATOR - W/ DOZER BLADE
US PRICE LIST**

**(Ex Works Port of Entry)
Standard Equipment**

HYDRAULICS:

Control pattern change selector
Open-center system
Two - variable displacement axial
piston pumps with regulating
system
One - pilot control gear pump
One position mode selector
Auxiliary hydraulic valve
Boom anti-drift valve
5000 hour hydraulic oil change interval
1000 hour hydraulic filter change
interval

ATTACHMENTS:

Arm: 5'6" (less bucket)
Swing Boom: 11'6" one piece
Hammer operation adaptable -
Reinforcing required for
crusher/cutter operation

MISCELLANEOUS:

Parts catalogue
Single key lock-up
Travel alarm and horn
Centralized lube bank
Rubber bumpers for upper sides
(order through Service Parts)
Working lights: 1 x boom, 1 x cab,
1 x house

Order from Factory Supplied

Attachments:

Please consult excavator
attachments weight limits prior to
selecting a coupler and large bucket.
Excessive bucket and coupler weight
will negatively impact machine
performance.



**CX80C CRAWLER EXCAVATOR - W/ DOZER BLADE
US PRICE LIST**

(Ex Works Port of Entry)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
CX80C	18,900 LBS		\$123,498.00



**CX80C CRAWLER EXCAVATOR - W/ DOZER BLADE
 US PRICE LIST**

(Ex Works Port of Entry)
Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

ARMS

SD_E5320 ARM/DIPPERSTICK

781172	5'7" (1.69 M) Arm			No Charge
481265	7'2" (2.19 M) Arm			\$635.00

TRACK SHOES

SD_E5199 TRACK SHOES

9560017	18" (450mm) Steel Shoes, 3-bar			No Charge
9560002	23.6"(600mm) Steel Shoes			\$763.00
9560018	18"(450mm) Bolt-on Rubber Track Rubber pads bolted on regular 18" track			\$5,882.00
9560020	17.7"(450mm) Full Rubber Tracks			\$3,588.00

LANGUAGE

SD_47083 OPERATOR'S MANUAL

781981	English Literature			No Charge
461540	French Canadian Literature			No Charge
781980	Spanish Literature			No Charge

ADDITIONAL EQUIPMENT CXM

ADDITIONAL OPTIONS

SD_E5443 CAB GUARD (FOPS)

XE5443X	No FOPS Top Cab Guard			No Charge
481070	FOPS Top Cab Guard			\$1,146.00

SD_E5444 CAB GUARD (FRONT)

XE5444X	No Front Guard			No Charge
461142	Front Guard - Wire Mesh Screen			\$1,326.00
461024	Front Stone Guard (OPG L2) vertical bars (one piece/full length)			\$2,324.00

SD_E6410 AUXILIARY HYDRAULICS

XE6410X	No Optional Hydraulics			No Charge
---------	------------------------	--	--	-----------



**CX80C CRAWLER EXCAVATOR - W/ DOZER BLADE
 US PRICE LIST**

(Ex Works Port of Entry)

	461868	Multi Function - Proportional Multi-Function Auxiliary Hydraulics For use with multiple applications: hammers/thumbs/grapples/crushers Does not include the in-cab Electronic Pressure Control feature Joystick activated with Electronic Proportional Controls Provides single or dual pump, two-way flow Secondary Low-flow Auxiliary Hydraulics can be added Includes manually adjustable relief valve to set required pressures Is switchable to single acting flow for hammer applications Notes: 1) Not for use with other Auxiliary Hydraulics options with the exception of Low Flow. 2) Heavy duty bucket linkage is standard equipment on C Series excavators. 3) For dealer installed auxiliary hydraulic kits contact: HydraulicCircuit Technology (HCT) (1-888-603-0080 or sales@hctkits.com or www.hctkits.com)			\$6,885.00
--	--------	---	--	--	------------

SD_E6417 SECONDARY AUXILIARY HYDRAULICS

	XE6417X	No Low Flow Circuit			No Charge
	461863	Secondary Auxiliary Hydraulics Secondary Low Flow Auxiliary Hydraulics Provides low-flow for rotation or tilt hydraulic attachments. For use with Standard Boom option 481858 Not for use with Offset Boom option 461025 Joystick Activated with Electronic Proportional Controls			\$4,039.00

SD_E9702 REAR VIEW CAMERA

	XE9702X	No Rear View Camera			No Charge
	461504	Rear View Camera			\$646.00

SD_E9730 SAFETY VALVE

	XE9730X	No Hose Burst Check Valve			No Charge
	461559	Hose Burst Check Valve Located on Boom and Arm Cylinder			\$4,051.00

SD_E9874 REFUEL PUMP

	XE9874X	No Refuel Pump			No Charge
	481257	Refuel Pump			\$1,296.00



**CX80C CRAWLER EXCAVATOR - W/ DOZER BLADE
 US PRICE LIST**

**(Ex Works Port of Entry)
 Factory Supplied Attachments**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Case Coupler Buckets

	84422902	18" Heavy-Duty Coupler Bucket with 3 teeth (.24 cu. yd.)	440 LB		\$1,749.00
	84422903	24" Heavy-Duty Coupler Bucket with 4 teeth (.32 cu. yd.)	520 LB		\$2,067.00
	84422906	30" Heavy-Duty Coupler Bucket with 5 teeth (.41 cu. yd.)	585 LB		\$2,292.00
	84422909	36" Heavy-Duty Coupler Bucket with 5 teeth (.50 cu. yd.)	670 LB		\$2,550.00
	84422911	42" Heavy-Duty Coupler Bucket with 6 teeth (.59 cu. yd.)	760 LB		\$2,798.00

Case Multi Fit Coupler

	47603261	Multi-Fit S Hyd.Pin Grabber Coupler Kit Full Kit and Pins Optimized for use with Case coupler buckets. Also can be used with a wide range of buckets from other manufacturers including pin-on types. Includes hydraulic installation kit and instructions.	205 LB		\$6,193.00
--	----------	--	--------	--	------------

Case Pin On Buckets

	84404122	42" Ditching Pin-On Bucket (.60 cu. yd.) (.60 cu. yd.)			\$1,871.00
	84404123	48" Ditching Pin-On Bucket (.70 cu. yd.)			\$1,947.00
	84422873	18" Heavy-Duty Pin-On Bucket with 3 teeth (.21 cu. yd.)	450 LB		\$1,375.00
	84422885	24" Heavy-Duty Pin-On Bucket with 4 teeth (.31 cu. yd.)	530 LB		\$1,617.00
	84422889	30" Heavy-Duty Pin-On Bucket with 5 teeth (.39 cu. yd.)	600 LB		\$1,802.00
	84422894	36" Heavy-Duty Pin-On Bucket with 5 teeth (.48 cu. yd.)	685 LB		\$2,003.00
	84422897	42" Heavy-Duty Pin-On Bucket with 6 teeth (.57 cu. yd.)	790 LB		\$2,196.00

Direct Link Thumb

	47609053	KIT, THUMB, HYD, 2-TINE, use with bucket only (2 tine - for use with buckets with odd number of teeth)	425 LB		\$4,043.00
	47609054	KIT, THUMB, HYD, 2-TINE, use with bucket and coupler (2 tine - for use with buckets with odd number of teeth)	475 LB		\$4,285.00
	47625914	KIT, THUMB, HYD, 2-TINE, use with bucket only (2 tine - for use with buckets with even number of teeth)	425 LB		\$4,043.00
	47625915	KIT, THUMB, HYD, 2-TINE, use with bucket and coupler (2 tine - for use with buckets with even number of teeth)	475 LB		\$4,285.00

**CX130D CRAWLER EXCAVATOR
US PRICE LIST**

**(Ex Works Port of Entry)
Standard Equipment**

ENGINE:

Isuzu AR-4JJ1X
Tier 4 Final Certified
Selective Catalytic Reduction (SCR)
Diesel Oxidation Catalyst (DOC)
Cooled Exhaust Gas Recirculation
(CEGR)
Four-cylinder turbo-charged diesel
VGT turbocharger
Electronic fuel injection
High pressure common rail system
Neutral safety start
Auto-engine warm up
Glow-plug pre-heat
Fuel Economy Assist System (FEA)
Engine Protection Feature (EPF)
Dual-stage fuel filtration
Dual element air filter
Remote oil filter
Drain for fuel tank
Remote engine oil drain
500-hour engine oil change interval
24-volt system
Engine oil sample port
Battery disconnect switch
Emergency engine stop
External Fuel and DEF gauges
Fan housing
Fuel cooler
Fuel filter restriction indicator
Fuel shut-off valve
Idle start
Radiator, oil cooler, intercooler -
protective screen

FUEL ECONOMY SYSTEMS:

Engine Idle / Fuel Economy System:
Auto-idle
One-touch idle
Auto-idle shut-down
BEC- Boom Economy Control
AEC- Auto Economy Control
SWC- Swing Relief Control
SSC- Spool Stroke Control

HYDRAULICS:

Auto power boost
Auto swing priority
Arm speed assistance (2 pump flow)
Auxiliary flow control
Auxiliary valve
Boom speed assistance (2 pump flow)
Bucket curl assist
Control levers pre-wired for auxiliary
hydraulics
Electronically controlled hydraulic
pumps
Holding valve (Boom and Arm)
Fire wall
Hydraulic filter restriction indicator
Neutral pump de-stroke
Oil cooler
Power save
Pump stand-by pressure
Auto travel speed change
Selectable work modes
Free swing - switch activated
Hydraulic oil sample port
Control pattern selector
Pre-set auxiliary pump settings
Auxiliary valve
5,000-hour hydraulic oil change
interval
1,000-hour hydraulic filter change
interval
SAHR brake

UPPER STRUCTURE:

ISO mirrors (3)
Cab viscous-mounts (fluid)
Upper mounted work light (70 watt)
Swivel guard belly pan
Center cover (over main CV)
Fuel tank belly pan
Handrail (RH access)
Lifting eyes for counterweight
Lockable fuel cap, service doors and
toolbox

**CX130D CRAWLER EXCAVATOR
US PRICE LIST**

**(Ex Works Port of Entry)
Standard Equipment**

ATTACHMENTS:

Boom— 15 ft. 2 in. (4.63 m)
Arm— 8 ft. 2 in. (2.50 m)
Heavy-duty bucket linkage
Boom mounted work light (70 watt)
Auxiliary pipe brackets
Centralized grease fittings
Attachment cushion valve
Arm and boom regeneration
Bucket anti-clatter device
Chrome pins
Easy Maintenance System (EMS)
bushings
Teardrop pin retention keepers

OPERATOR STATION:

ROPS protection
FOPS cab (Level 1)
Pressurized cab
Face vent
Cab lights (2)
Interior dome light
One-touch lock front window
One piece window (right)
Safety glass windows
Gate lock hydraulic activation
Emergency exit and hammer
Clear (polycarbonate) roof window w/
sunshade
AC/heat/defrost w/ auto climate
control
LED Color monitor— 7 in (180 mm)
26 selectable languages for monitor
On-board diagnostic system
10 programmable attachments settings
on monitor - 5 single flow, 5 dual
flow
Seatbelt— 3 in. (76 mm)
Heated high-back cloth seat with air
suspension and 65o tilt adjustment
Sliding seat — 3.54 in. (90 mm)
Adjustable armrests
Tilting consoles— 4-position
Sliding cockpit — 3.15 in. (80 mm)
Low-effort joystick controls

OPERATOR STATION (continued):

Controls pre-wired for auxiliary
Straight travel
AM/FM radio w/ antenna, 2 speakers
and Bluetooth capabilities
Aux-in port for personal electronics
Radio mute switch (joystick)
Rear-view & Side-view camera
Anti-theft system (start code system)
Rubber floormat
12-volt electric outlet
24-volt cigarette lighter
Windshield wiper/washer
Cup holder
Storage compartments
Warm/cool storage compartment
Travel alarm with cancel switch
Ignition keys
One key start & lock-up
Cab filter (external)
Cab handrails
Operator's manual

UNDERCARRIAGE:

Long undercarriage
23.6 in. (600 mm) steel shoes, triple
semi-grouser
Full overlap turntable bearing tub
No track chain guides
Hydraulic track adjustment
Sealed link chain
Steps
Carbody belly pan (swivel guard)
X-pattern carbody
Lashing points (tie downs)

FRONT DOZER BLADE:

8 ft. 6 in. (2.59m) width - comes with
23.6 in. (600 mm) steel shoes



**CX130D CRAWLER EXCAVATOR
US PRICE LIST**

(Ex Works Port of Entry)

Standard Equipment

EXTRA FILTER KIT:

Engine oil filter
Filter wrench
Fuel filters
Grease gun
Green plug oil drain hose for
engine oil drain
Hydraulic return filter
Pilot circuit hydraulic filter

CASE SiteWatch™ Telematics
includes hardware and a 3-yr
Advanced data subscription

PARTS OFFERING:

Hammers; Thumbs
Rubber bumper guard

CASE ProCare

3-yr/3000-hr factory warranty,
planned maintenance and
SiteWatch™ telematics

**CX130D CRAWLER EXCAVATOR
US PRICE LIST**

(Ex Works Port of Entry)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
CX130D STD LC	28,400 LB		\$186,269.00
CX130D STD DZB	30,400 LB		\$199,451.00



**CX130D CRAWLER EXCAVATOR
 US PRICE LIST**

**(Ex Works Port of Entry)
 Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

LIGHTS

SD_E5408 WORKING LIGHTS

488134	Halogen Working Lights			No Charge
488135	LED Working Lights 8 LED light and 1 side camera: 2 LED light are mounted on the front (1 on boom, 1 on house) 2 LED lights are mounted on the rear (above the rear view camera) 1 LED light mounted on each side (2) 2 LED lights mounted on the top of the cab			\$2,754.00

BOOMS

SD_E5311 BOOM

481858	Std Boom 15'2" (4.63 M) Boom			No Charge
781917	No Boom Less boom, hoist and arm cylinders and plumbing. Boom-foot and cylinder pins are provided.			(\$3,293.00)

ARMS

SD_E5320 ARM/DIPPERSTICK

461574	6'10" (2.11 m) HD Arm			(\$433.00)
781174	8'2" (2.50 m) Std Arm			No Charge
781178	9'10" (3.01 m) Std Arm			\$737.00
XE5320X	No Arm/Dipperstick Less arm, bucket cylinder and linkage			(\$2,080.00)

TRACK SHOES

SD_E5199 TRACK SHOES

9560013	23.6" (600 mm) Steel Shoes Triple-Grouser Steel Shoes			No Charge
9560003	27.6" (700mm) TG Steel Shoes Triple-Grouser Steel Shoes			\$1,245.00

**CX130D CRAWLER EXCAVATOR
 US PRICE LIST**

(Ex Works Port of Entry)

	9560052	20" (500mm) Rubber Track Steel Chain with individual rubber tracks (steel base coated with rubber)			\$10,106.00
--	---------	--	--	--	-------------

LANGUAGE

SD_47083 OPERATOR'S MANUAL

	461540	French Canadian Literature			No Charge
	781980	Spanish Literature			No Charge
	781981	English Literature			No Charge

ADDITIONAL EQUIPMENT CXC

HYDRAULIC OPTIONS

SD_E6410 AUXILIARY HYDRAULICS

	XE6410X	No Optional Hydraulics			No Charge
--	---------	------------------------	--	--	-----------

Not for use with No Boom

	461871	Thumb - Proportional SW Double Acting Auxiliary Hydraulics For use with thumb applications Joystick Activated with Electronic Proportional Controls Provides single pump, two-way flow Hydraulic plumbing provided to the end of the boom only, no piping to the arm This system is not switchable to single acting flow Notes: 1) Not for use other Auxiliary Hydraulics options with the exception of Low Flow. 2) Heavy duty bucket linkage is standard equipment on C/D series excavators. 3) For dealer installed auxiliary hydraulic kits contact: HydraulicCircuit Technology (HCT) (1-888-603-0080 or sales@hctkits.com or www.hctkits.com)			\$5,714.00
--	--------	---	--	--	------------



**CX130D CRAWLER EXCAVATOR
 US PRICE LIST**

(Ex Works Port of Entry)

	461869	<p>MF w/ pressure setting - Prop</p> <p>Multi-Function Auxiliary Hydraulics with Electronic Pressure Control (EPC)</p> <p>For use with multiple applications: hammers/thumbs/grapples/crushers.</p> <p>Includes in-cab Electronic Pressure Control feature</p> <p>Pressure Control feature allows hydraulic pressure setting from the cab monitor and maintaining pressure settings in memory when multiple tools are used.</p> <p>Joystick Activated with Electronic Proportional Controls</p> <p>Provides single or dual pump, two-way flow, Secondary Low-flow Auxiliary Hydraulics can be added Includes in-cab electronically controlled pressure setting feature Is switchable to single acting flow for hammer application.</p> <p>Notes:</p> <p>1) Not for use with other Auxiliary Hydraulics options, with the exception of Low Flow.</p> <p>2) Heavy duty bucket linkage is standard equipment on C/D series excavators.</p> <p>3) For dealer installed auxiliary hydraulic kits contact: HydrauliTcircuit Technology (HCT) (1-888-603-0080 or sales@hctkits.com or www.hctkits.com)</p>			\$9,331.00
--	--------	--	--	--	------------

SD_E6417 SECONDARY AUXILIARY HYDRAULICS

	XE6417X	No Low Flow Circuit			No Charge
	461863	<p>Secondary Auxiliary Hydraulics</p> <p>Low Flow Electrical Proportional Control</p> <p>Joystick Activated</p> <p>Provides low-flow for rotation or tilt of hydraulic tools.</p> <p>Notes:</p> <p>1) May be used stand alone or with any Case Excavator Auxiliary Hydraulics option.</p> <p>2) For dealer installed auxiliary hydraulic kits contact: HydrauliTcircuit Technology (HCT) (1-888-603-0080 or sales@hctkits.com or www.hctkits.com)</p>			\$6,643.00

CAB OPTIONS

SD_E5443 CAB GUARD (FOPS)

	XE5443X	No FOPS Top Cab Guard			No Charge
	481070	FOPS Top Cab Guard			\$1,146.00



**CX130D CRAWLER EXCAVATOR
 US PRICE LIST**

(Ex Works Port of Entry)

SD_E5444 CAB GUARD (FRONT)

		XE5444X	No Front Guard			No Charge
		461142	Front Guard - Wire Mesh Screen			\$1,326.00
		781986	Front Stone Guard (OPG L1) vertical bars (two piece/upper and lower)			\$1,973.00
		461024	Front Stone Guard (OPG L2) vertical bars (one piece/full length)			\$2,324.00
		461552	Vandal Guard Removable steel panels for front windshield			\$574.00

SD_E5449 RAIN DEFLECTOR

		XE5449X	No Rain Deflector			No Charge
		461555	Rain Deflector Not for use with Front grill guard - 2 x 2 mesh option 461142, Front rock guard (OPG 1) option 781986, or Front rock guard (OPG 2) option 461024.			\$380.00

SD_E5451 SUN VISOR

		XE5451X	No Sun Visor			No Charge
		461554	Sun Visor			\$108.00

BUCKETS

SD_E6300 EXCAVATOR BUCKET(S)

		XE6300X	No Bucket Buckets may be ordered using Order Codes listed in the Factory Supplied Attachments Section			No Charge
--	--	---------	---	--	--	-----------

ADDITIONAL OPTIONS

SD_E5206 TRACK CHAIN GUIDE

		XE5206X	No Track Chain Guide			No Charge
		461542	Double Track Chain Guide			\$728.00

SD_E6400 MEC/HYD QUICK COUPLER

		XE6400X	No Quick Coupler			No Charge
		781128	Hydraulic Quick Coupler Ready Does not come with coupler. Must order coupler from Factory Supplied Attachments section			\$1,974.00

SD_E9730 SAFETY VALVE

		XE9730X	No Hose Burst Check Valve			No Charge
		481064	Hose Burst Check Valve (HBCV) Located on Boom and Arm Cylinder			\$7,913.00

SD_E9739 FULL VIEW CAMERA

		XE9739X	No max view monitor			No Charge
--	--	---------	---------------------	--	--	-----------

**CX130D CRAWLER EXCAVATOR
 US PRICE LIST**

(Ex Works Port of Entry)

	488055	Case Max View Monitor			\$1,700.00
--	--------	-----------------------	--	--	------------

SD_E9874 REFUEL PUMP

	XE9874X	No Refuel Pump			No Charge
	481257	Refuel Pump			\$1,296.00



**CX130D CRAWLER EXCAVATOR
 US PRICE LIST**

**(Ex Works Port of Entry)
 Factory Supplied Attachments**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Case Coupler

47867959	Multi-Fit S Hyd.Pin Grabber Coupler Kit	551 LB		\$5,197.00
----------	---	--------	--	------------

Case Coupler Buckets

84404117	24" Heavy Duty (HD) Coupler Bucket with 4 teeth (.43 cu. yd.)			\$4,075.00
84404118	30" Heavy Duty (HD) Coupler Bucket with 4 teeth (.56 cu. yd.)			\$4,523.00
84404119	36" Heavy Duty (HD) Coupler Bucket with 5 teeth (.70 cu. yd.)			\$4,905.00
84404121	42" Heavy Duty (HD) Coupler Bucket with 5 teeth (.83 cu. yd.)			\$5,133.00

Case Pin-On Buckets

84404093	24" Heavy-Duty Pin-On Bucket with 4 teeth (.50 cu. yd.)			\$2,948.00
84404095	30" Heavy-Duty Pin-On Bucket with 4 teeth (.65 cu. yd.)			\$3,073.00
84404103	36" Heavy-Duty Pin-On Bucket with 5 teeth (.79 cu. yd.)			\$3,329.00
84406310	42" Heavy-Duty Pin-On Bucket with 5 teeth (.93 cu. yd.)			\$3,740.00
84404105	24" HD Hi-Capacity Pin-On Bucket with 4 teeth (.58 cu. yd.)			\$3,158.00
84404108	30" HD Hi-Capacity Pin-On Bucket with 4 teeth (.74 cu. yd.)			\$3,505.00
84404109	36" HD Hi-Capacity Pin-On Bucket with 5 teeth (.91 cu. yd.)			\$3,838.00
84404110	42" HD Hi-Capacity Pin-On Bucket with 5 teeth (1.08 cu. yd.)			\$4,097.00
84404113	48" Ditching Pin-On Bucket (.79 cu. yd.)			\$2,992.00
84404115	60" Ditching Pin-On Bucket (1.02 cu yd.)			\$3,394.00

Direct Link Thumb

47609058	Hydraulic Main Pin Direct Link Thumb use with bucket only (2 tine)	830 LB		\$6,569.00
47609059	KIT, THUMB, HYD, 4-TINE, use with bucket only (3 tine)	860 LB		\$6,953.00
47609060	KIT, THUMB, HYD, 3-TINE, use with bucket and coupler (2 tine)	870 LB		\$6,813.00
47609061	KIT, THUMB, HYD, 4-TINE, use with bucket and coupler (3 tine)	910 LB		\$7,293.00

Progressive Link Thumb

47609095	KIT, THUMB, PROG LINK, 3-use with bucket only (2 tine)	1,170 LB		\$8,256.00
47609096	KIT, THUMB, PROG LINK, 4-use with bucket only (3 tine)	1,200 LB		\$8,640.00



**CX130D CRAWLER EXCAVATOR
 US PRICE LIST**

(Ex Works Port of Entry)

	47609097	KIT, THUMB, PROG LINK, 3- use with bucket and coupler (2 tine)	1,200 LB		\$8,504.00
	47609098	KIT, THUMB, PROG LINK, 4- use with bucket and coupler (3 tine)	1,210 LB		\$8,980.00



(This page intentionally left blank)



CX145D LC AND CX145D STD/DZ
US PRICE LIST

(Ex Works Port of Entry)
Standard Equipment

ENGINE:

Isuzu AM-4JJ1X
Tier-4 Final Certified
Selective Catalytic Reduction (SCR)
Diesel Oxidation Catalyst (DOC)
Cooled Exhaust Gas Recirculation
(CEGR)
183 cubic in. displacement/3.0 Liter
Turbocharged/air cooled intercooler
Horsepower:
Net: 102 (76.4 kW) @ 2000 RPM
High pressure common rail system
Auto engine warm-up
FEA (Fuel Economy Assist System)
Engine Idle/Fuel Economy System:
Auto Idle
One-touch Idle
Idle Shut-down
Fuel Capacity:
53 gallons (200 L)
AEC (auto economy control)
BEC (boom economy control)

HYDRAULICS:

Open-center system design
Optional auxiliary hydraulics
Selectable work modes (3)
Auto power boost
Auto swing priority
SWC (swing relief control)
SSC (spool stroke control)
5000 hour hydraulic oil change interval
1000 hour hyd. filter change interval
Free Swing - switch activated
Control Pattern Selector Valve

ELECTRICAL:

24-volt system
Two batteries (12 volt/92 Ah)
50 Amp Alternator
Worklights (4 x 70 watt)
Boom mounted (1)
Upper mounted (1)
Cab top mounted (2)

OPERATOR'S CAB:

ROPS protection
Pressurized cab area
AC/heat/defrost with auto control
Electronics:
Color monitor (7 in/180 mm)
with Rearview camera view
Rear-view camera
Side-view camera
AM/FM radio with antenna and
2-speakers
Aux-in port for personal electronics
12-volt electric socket
24-volt cigarette lighter
KAB ® Air-suspension seat (cloth)
Seat belt
Adjustable arm rests
4-position tilting consoles
Sliding cockpit (7 in/180 mm)
Low-effort joystick controls
Clear (poly carbonate) roof window
External rearview mirrors
Rubber floor mat
Standard Handrails
Cab interior features:
Cup holder
Storage compartments
Warm/cool storage compartments
Easy access fuse box
Interior dome light
One touch lock front window
One key start & lock-up
Interior Light (1 x 10 watt)
Two-speed independent travel
Straight travel
Travel alarm and horn
Windshield wiper and washer
Programmable anti-theft system

**CX145D LC AND CX145D STD/DZ
US PRICE LIST**

**(Ex Works Port of Entry)
Standard Equipment**

UNDERCARRIAGE:

X-pattern carbody
Undercarriage:
STD LC: 12' 4" (3.76 M) length
STD DZB: 11' 6" (3.50 M) length
Track Gauge:
STD: 6' 6" (1.99 M) gauge
Shoe:
STD: 23.6" triple grouser
6.75" pitch
43 shoes per side
LC: Carrier rollers (2 per side)
DZB: Carrier rollers (1 per side)
LC: Track rollers (7 per side)
DZB: Track rollers (7 per side)
Grease lubricated and strutted track chains
Hydraulic track adjustment
Single track chain guides
SAHR disc parking break
Tapered upper track frame

DOZER BLADE:

Dozer blade width: 8' 6" (2590 mm)
Dozer blade height: 22" (570 mm)

ATTACHMENTS:

Standard LC and DZB Versions:
Boom: 15' 2" (4.63M)
Arm: 8' 2" (2.50 M)
Heavy-duty bucket linkage
Auxiliary pipe brackets
Attachment cushion valve
Arm and boom regeneration
Arm and boom holding valves
Centralized grease bank

CASE ProCare

3-yr/3000-hr factory warranty,
planned maintenance and
SiteWatch™ telematics

CASE SiteWatch™ Telematics

includes hardware and a 3-yr
Advanced data subscription

Undercarriage:

Rubber shoes: 20.0" (500 mm)
Steel/triple-grouser: 27.6" (700 mm)
Track chain guides - double

Order from Wholegood Attachments

-Third Party section:
Buckets
Coupler/Case multi-pin grabber

**CX145D LC AND CX145D STD/DZ
US PRICE LIST**

(Ex Works Port of Entry)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
CX145D MSR LC	32,100 LB		\$182,395.00
CX145D MSR W/DOZER	33,600 LB		\$192,622.00



**CX145D LC AND CX145D STD/DZ
 US PRICE LIST**

**(Ex Works Port of Entry)
 Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

LIGHTS

SD_E5408 WORKING LIGHTS

488134	Halogen Working Lights			No Charge
488135	LED Working Lights 8 LED lights: 2 LED light are mounted on the front (1 on boom, 1 on house) 2 LED lights are mounted on the rear (above the rear view camera) 1 LED light mounted on each side (2) 2 LED lights mounted on the top of the cab			\$2,754.00

BOOMS

SD_E5311 BOOM

481858	Std Boom 15' 6" (4.72 M) Standard Boom			No Charge
461025	Offset Boom 15' 6" (4.72 M) Offset Boom For use with CX145C/D MSR W/DOZER			\$21,600.00
781917	No Boom Less boom, hoist and arm cylinders and plumbing. Boom foot and cylinder pins are provided.			(\$3,378.00)

ARMS

SD_E5320 ARM/DIPPERSTICK

781174	8'2" (2.50 m) Std Arm FOR USE WITH STANDARD BOOM (options 481858)			No Charge
461574	6'10" (2.11 m) HD Arm FOR USE WITH STANDARD BOOM (options 481858) (Recommended for heavy-duty applications - example: hammer)			\$576.00
781178	9'10" (3.01 m) Std Arm FOR USE WITH STANDARD BOOM (options 481858)			\$1,089.00
XE5320X	No Arm/Dipperstick Less arm, bucket cylinder and linkage			(\$2,051.00)

**CX145D LC AND CX145D STD/DZ
 US PRICE LIST**

(Ex Works Port of Entry)

TRACK SHOES

SD_E5199 TRACK SHOES

	9560013	23.6" (600 mm) Steel Shoes			(\$1,547.00)
	9560039	27.5" (700 mm) Steel Shoes			No Charge
	9560052	20" (500mm) Rubber Track Steel Chain with individual rubber tracks (steel base coated with rubber)			\$8,277.00

LANGUAGE

SD_47083 OPERATOR'S MANUAL

	781981	English Literature			No Charge
	461540	French Canadian Literature			No Charge
	781980	Spanish Literature			No Charge

ADDITIONAL EQUIPMENT CXC

HYDRAULIC OPTIONS

SD_E6410 AUXILIARY HYDRAULICS

	XE6410X	No Optional Hydraulics			No Charge
For use with Standard Boom					
	461865	Single Acting Auxiliary Hyd Single Acting Auxiliary Hydraulics For use with hammers or vibratory compaction plate applications Joystick activated with Electronic Proportional Controls Provides single direction flow Includes manually adjustable relief valve to set required pressures Notes: 1) Not for use with other Auxiliary Hydraulic options, with the exception of Low Flow. 2) Heavy duty bucket linkage is standard equipment on C/D series excavators. 3) For dealer installed auxiliary hydraulic kits contact: HydraulicCircuit Technology (HCT) (1-888-603-0080 or sales@hctkits.com or www.hctkits.com)			\$7,027.00

**CX145D LC AND CX145D STD/DZ
 US PRICE LIST**

(Ex Works Port of Entry)

		<p>461869 MF w/ pressure setting - Prop Multi-Function Auxiliary Hydraulics with Electronic Pressure Control (EPC) For use with multiple applications: hammers/thumbs/grapples/crushers. Includes in-cab Electronic Pressure Control feature Pressure Control feature allows hydraulic pressure setting from the cab monitor and maintaining pressure settings in memory when multiple tools are used. Joystick Activated with Electronic Proportional Controls Provides single or dual pump, two-way flow, Secondary Low-flow Auxiliary Hydraulics can be added Includes in-cab electronically controlled pressure setting feature Is switchable to single acting flow for hammer application. Notes: 1) Not for use with other Auxiliary Hydraulics options, with the exception of Low Flow. 2) Heavy duty bucket linkage is standard equipment on C/D series excavators. 3) For dealer installed auxiliary hydraulic kits contact: HydrauliCircuit Technology (HCT) (1-888-603-0080 or sales@hctkits.com or www.hctkits.com)</p>			\$9,905.00
For use with Offset Boom					
		<p>461871 Thumb - Proportional SW Double Acting Auxiliary Hydraulics For use with thumb applications Joystick Activated with Electronic Proportional Controls Provides single pump, two-way flow Hydraulic plumbing provided to the end of the boom only, no piping to the arm This system is not switchable to single acting flow Notes: 1) Not for use other Auxiliary Hydraulics options with the exception of Low Flow. 2) Heavy duty bucket linkage is standard equipment on C/D series excavators. 3) For dealer installed auxiliary hydraulic kits contact: HydrauliCircuit Technology (HCT) (1-888-603-0080 or sales@hctkits.com or www.hctkits.com)</p>			\$5,864.00



**CX145D LC AND CX145D STD/DZ
 US PRICE LIST**

(Ex Works Port of Entry)

SD_E6417 SECONDARY AUXILIARY HYDRAULICS

		XE6417X	No Low Flow Circuit			No Charge
		461863	Secondary Auxiliary Hydraulics Secondary Low Flow Auxiliary Hydraulics Provides low-flow for rotation or tilt hydraulic attachments. For use with Standard Boom option 481858 Not for use with Offset Boom option 461025 Joystick Activated with Electronic Proportional Controls Notes: 1) May be used stand alone or with any Case Excavator Auxiliary Hydraulics option. 2) For dealer installed auxiliary hydraulic kits contact: HydraulicCircuit Technology (HCT) (1-888-603-0080 or sales@hctkits.com or www.hctkits.com)			\$6,683.00

CAB OPTIONS

SD_E5443 CAB GUARD (FOPS)

		XE5443X	No FOPS Top Cab Guard			No Charge
		481070	FOPS Top Cab Guard			\$1,146.00

SD_E5444 CAB GUARD (FRONT)

		XE5444X	No Front Guard			No Charge
		461142	Front Guard - Wire Mesh Screen			\$1,326.00
		781986	Front Stone Guard (OPG L1) vertical bars (two piece/upper and lower)			\$1,973.00
		461024	Front Stone Guard (OPG L2) vertical bars (one piece/full length)			\$2,324.00
		461552	Vandal Guard Removable steel panels for front windshield			\$574.00

SD_E5449 RAIN DEFLECTOR

		XE5449X	No Rain Deflector			No Charge
		461555	Rain Deflector Not for use with Front grill guard - 2 x 2 mesh option 461142, Front rock guard (OPG 1) option 781986, or Front rock guard (OPG 2) option 461024.			\$380.00

SD_E5451 SUN VISOR

		XE5451X	No Sun Visor			No Charge
		461554	Sun Visor			\$108.00



**CX145D LC AND CX145D STD/DZ
 US PRICE LIST**

(Ex Works Port of Entry)

BUCKETS

SD_E6300 EXCAVATOR BUCKET(S)

		XE6300X	No Bucket Buckets may be ordered using Order Codes listed in the Factory Supplied Attachments Section			No Charge
--	--	---------	--	--	--	-----------

ADDITIONAL OPTIONS

SD_E5206 TRACK CHAIN GUIDE

		XE5206X	No Track Chain Guide			No Charge
		461542	Double Track Chain Guide			\$728.00

SD_E6400 MEC/HYD QUICK COUPLER

		XE6400X	No Quick Coupler			No Charge
		781128	Hydraulic Quick Coupler Ready Only available on the D series			\$2,304.00

SD_E9730 SAFETY VALVE

		XE9730X	No Hose Burst Check Valve			No Charge
		481064	Hose Burst Check Valve (HBCV) Located on Boom and Arm Cylinder			\$8,667.00

SD_E9739 FULL VIEW CAMERA

		XE9739X	No max view monitor			No Charge
		488055	Case Max View Monitor			\$1,700.00



**CX145D LC AND CX145D STD/DZ
 US PRICE LIST**

**(Ex Works Port of Entry)
 Factory Supplied Attachments**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Case Coupler Buckets

84404117	24" Heavy Duty (HD) Coupler Bucket with 4 teeth (.43 cu. yd.)			\$4,075.00
84404118	30" Heavy Duty (HD) Coupler Bucket with 4 teeth (.56 cu. yd.)			\$4,523.00
84404119	36" Heavy Duty (HD) Coupler Bucket with 5 teeth (.70 cu. yd.)			\$4,905.00
84404121	42" Heavy Duty (HD) Coupler Bucket with 5 teeth (.83 cu. yd.)			\$5,133.00

Case Pin-On Buckets

84404093	24" Heavy-Duty Pin-On Bucket with 4 teeth (.50 cu. yd.)			\$2,948.00
84404095	30" Heavy-Duty Pin-On Bucket with 4 teeth (.65 cu. yd.)			\$3,073.00
84404103	36" Heavy-Duty Pin-On Bucket with 5 teeth (.79 cu. yd.)			\$3,329.00
84406310	42" Heavy-Duty Pin-On Bucket with 5 teeth (.93 cu. yd.)			\$3,740.00
84404105	24" HD Hi-Capacity Pin-On Bucket with 4 teeth (.58 cu. yd.)			\$3,158.00
84404108	30" HD Hi-Capacity Pin-On Bucket with 4 teeth (.74 cu. yd.)			\$3,505.00
84404109	36" HD Hi-Capacity Pin-On Bucket with 5 teeth (.91 cu. yd.)			\$3,838.00
84404110	42" HD Hi-Capacity Pin-On Bucket with 5 teeth (1.08 cu. yd.)			\$4,097.00
84404113	48" Ditching Pin-On Bucket (.79 cu. yd.)			\$2,992.00
84404115	60" Ditching Pin-On Bucket (1.02 cu yd.)			\$3,394.00

Direct Link Thumb

47609058	Hydraulic Main Pin Direct Link Thumb use with bucket only (2 tine)	830 LB		\$6,569.00
47609059	KIT, THUMB, HYD, 4-TINE, use with bucket only (3 tine)	860 LB		\$6,953.00
47609060	KIT, THUMB, HYD, 3-TINE, use with bucket and coupler (2 tine)	870 LB		\$6,813.00
47609061	KIT, THUMB, HYD, 4-TINE, use with bucket and coupler (3 tine)	910 LB		\$7,293.00
47609095	KIT, THUMB, PROG LINK, 3-use with bucket only (2 tine)	1,170 LB		\$8,256.00
47609096	KIT, THUMB, PROG LINK, 4-use with bucket only (3 tine)	1,200 LB		\$8,640.00
47609097	KIT, THUMB, PROG LINK, 3-use with bucket and coupler (2 tine)	1,200 LB		\$8,504.00
47609098	KIT, THUMB, PROG LINK, 4-use with bucket and coupler (3 tine)	1,210 LB		\$8,980.00

**CX145D LC AND CX145D STD/DZ
US PRICE LIST**

(Ex Works Port of Entry)

	47867959	Multi-Fit S Hyd.Pin Grabber Coupler Kit	551 LB	\$5,197.00
--	----------	---	--------	------------



**CX160D CRAWLER EXCAVATOR (STD LC)
US PRICE LIST**

(Ex Works Port of Entry)

Standard Equipment

ENGINE:

Isuzu AR-4JJ1X
Tier 4 Final Certified
183 cubic in. displacement/3.0 Liter
Selective Catalytic Reduction (SCR)
Diesel Oxidation Catalyst (DOC)
Cooled Exhaust Gas Recirculation
(CEGR)
Four-cylinder turbo-charged diesel
Turbocharged/air cooled intercooler
Horsepower:
Net: 112 (83.2 kW) @ 2200 rpm
Electronic fuel injection
High pressure common rail system
Neutral safety start, Idle start
Auto-engine warm up
Glow-plug pre-heat
Fuel Economy Assist System (FEA)
Engine Protection Feature (EPF)
Dual-stage fuel filtration
Dual element air filter
Remote oil filter
Drain for fuel tank
Remote engine oil drain
500-hour engine oil change interval
24-volt system
Engine oil sample port
Battery disconnect switch
Emergency engine stop
External Fuel and DEF gauges
Fan housing
Fuel cooler, Fuel shut-off valve
Fuel filter restriction indicator
Radiator, oil cooler, intercooler -
protective screen

FUEL ECONOMY SYSTEMS:

Engine Idle / Fuel Economy System:
Auto-idle
One-touch idle
Auto-idle shut-down
BEC- Boom Economy Control
AEC- Auto Economy Control
SWC- Swing Relief Control
SSC- Spool Stroke Control

HYDRAULICS:

Auto power boost
Auto swing priority
Arm speed assistance (2 pump flow)
Auxiliary flow control
Auxiliary valve
Boom speed assistance (2 pump flow)
Bucket curl assist
Control levers pre-wired for auxiliary
hydraulics
Electronically controlled hydraulic
pumps
Holding valve (Boom and Arm)
Fire wall
Hydraulic filter restriction indicator
Neutral pump de-stroke
Oil cooler
Power save
Pump stand-by pressure
Auto travel speed change
Selectable work modes
Free swing - switch activated
Hydraulic oil sample port
Control pattern selector
Pre-set auxiliary pump settings
Auxiliary valve
5,000-hour hydraulic oil change
interval
1,000-hour hydraulic filter change
interval
SAHR brake

UPPER STRUCTURE:

ISO mirrors (3)
Cab viscous-mounts (fluid)
Upper mounted work light (70 watt)
Swivel guard belly pan
Center cover (over main CV)
Fuel tank belly pan
Handrail (RH access)
ISO guard rails (2 right side)
Lifting eyes for counterweight
Lockable fuel cap, service doors and
tool box



**CX160D CRAWLER EXCAVATOR (STD LC)
US PRICE LIST**

(Ex Works Port of Entry)

Standard Equipment

ATTACHMENTS:

Boom— 16 ft. 11 in. (5.15 m)
Arm— 8 ft. 7 in. (2.62 m)
Heavy-duty bucket linkage
Boom mounted work light (70 watt)
Auxiliary pipe brackets
Centralized grease fittings
Attachment cushion valve
Arm and boom regeneration
Bucket anti-clatter device
Chrome pins
Easy Maintenance System (EMS)
bushings
Teardrop pin retention keepers

OPERATOR STATION:

ROPS protection
FOPS cab (Level 1)
Pressurized cab
Face vent
Cab lights (2)
Interior dome light
One-touch lock front window
One piece window (right)
Safety glass windows
Gate lock hydraulic activation
Emergency exit and hammer
Clear (polycarbonate) roof window w/
sunshade
AC/heat/defrost w/ auto climate
control
LED Color monitor— 7 in (180 mm)
26 selectable languages for monitor
On-board diagnostic system
10 programmable attachments settings
on monitor - 5 single flow, 5 dual
flow
Seatbelt— 3 in. (76 mm)
Heated high-back cloth seat with air
suspension and 65o tilt adjustment
Sliding seat — 3.54 in. (90 mm)
Adjustable armrests
Tilting consoles— 4-position
Sliding cockpit — 3.15 in. (80 mm)
Low-effort joystick controls

OPERATOR STATION (continued):

Controls pre-wired for auxiliary
Straight travel
AM/FM radio w/ antenna, 2 speakers
and Bluetooth capabilities
Aux-in port for personal electronics
Radio mute switch (joystick)
Rear-view & Side-view camera
Anti-theft system (start code system)
Rubber floormat
12-volt electric outlet
24-volt cigarette lighter
Windshield wiper/washer
Cup holder
Storage compartments
Warm/cool storage compartment
Travel alarm with cancel switch
Ignition keys
One key start & lock-up
Cab filter (external)
Cab handrails
Operator's manual

UNDERCARRIAGE:

23.6 in. (600 mm) steel shoes, triple
semi-grouser
Full overlap turntable bearing tub
Single track chain guides
Hydraulic track adjustment
Sealed link chain
Steps
Carbody belly pan (swivel guard)
X-pattern carbody
Lashing points (tie downs)

EXTRA FILTER KIT:

Engine oil filter
Filter wrench
Fuel filters
Grease gun
Green plug oil drain hose for
engine oil drain
Hydraulic return filter
Pilot circuit hydraulic filter



**CX160D CRAWLER EXCAVATOR (STD LC)
US PRICE LIST**

**(Ex Works Port of Entry)
Standard Equipment**

CASE ProCare
3-yr/3000-hr factory warranty,
planned maintenance and
SiteWatch™ telematics
CASE SiteWatch™ Telematics
includes hardware and a 3-yr
Advanced data subscription



**CX160D CRAWLER EXCAVATOR (STD LC)
US PRICE LIST**

(Ex Works Port of Entry)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
CX160D STD LC	38,400 LB		\$223,212.00



**CX160D CRAWLER EXCAVATOR (STD LC)
 US PRICE LIST**

(Ex Works Port of Entry)

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

LIGHTS

SD_E5408 WORKING LIGHTS

488134	Halogen Working Lights			No Charge
488135	LED Working Lights 8 LED light and 1 side camera: 2 LED light are mounted on the front (1 on boom, 1 on house) 2 LED lights are mounted on the rear (above the rear view camera) 1 LED light mounted on each side (2) 2 LED lights mounted on the top of the cab			\$2,754.00

BOOMS

SD_E5311 BOOM

481858	Std Boom 16' 11" (5.15 m) Standard Boom			No Charge
781917	No Boom Less boom, hoist and arm cylinders and plumbing. Boom-foot and cylinder pins are provided.			(\$4,767.00)

ARMS

SD_E5320 ARM/DIPPERSTICK

781176	8'7" (2.63 m) Std Arm			No Charge
781178	9'10" (3.01 m) Std Arm			\$1,300.00
XE5320X	No Arm/Dipperstick Less arm, bucket cylinder and linkage			(\$2,600.00)

TRACK SHOES

SD_E5199 TRACK SHOES

9560013	23.6" (600 mm) Steel Shoes Triple-Grouser Steel Shoes			No Charge
9560003	27.6" (700mm) TG Steel Shoes Triple-Grouser Steel Shoes			\$1,612.00



**CX160D CRAWLER EXCAVATOR (STD LC)
 US PRICE LIST**

(Ex Works Port of Entry)

LANGUAGE

SD_47083 OPERATOR'S MANUAL

	781981	English Literature			No Charge
	461540	French Canadian Literature			No Charge
	781980	Spanish Literature			No Charge

ADDITIONAL EQUIPMENT CXC

HYDRAULIC OPTIONS

SD_E6410 AUXILIARY HYDRAULICS

	XE6410X	No Optional Hydraulics			No Charge
Not for use with No Boom					
	461865	<p>Single Acting Auxiliary Hyd Single Acting Auxiliary Hydraulics For use with hammers or vibratory compaction plate applications</p> <p>Joystick activated with Electronic Proportional Controls Provides single direction flow Includes manually adjustable relief valve to set required pressures</p> <p>Notes: 1) Not for use with other Auxiliary Hydraulic options, with the exception of Low Flow. 2) Heavy duty bucket linkage is standard equipment on C/D series excavators. 3) For dealer installed auxiliary hydraulic kits contact: HydraulicCircuit Technology (HCT) (1-888-603-0080 or sales@hctkits.com or www.hctkits.com)</p>			\$7,271.00



**CX160D CRAWLER EXCAVATOR (STD LC)
 US PRICE LIST**

(Ex Works Port of Entry)

		<p>461871 Thumb - Proportional SW Double Acting Auxiliary Hydraulics For use with thumb applications</p> <p>Joystick Activated with Electronic Proportional Controls Provides single pump, two-way flow Hydraulic plumbing provided to the end of the boom only, no piping to the arm This system is not switchable to single acting flow</p> <p>Notes: 1) Not for use other Auxiliary Hydraulics options with the exception of Low Flow. 2) Heavy duty bucket linkage is standard equipment on C/D series excavators. 3) For dealer installed auxiliary hydraulic kits contact: HydraulCircuit Technology (HCT) (1-888-603-0080 or sales@hctkits.com or www.hctkits.com)</p>			\$6,012.00
		<p>461869 MF w/ pressure setting - Prop Multi-Function Auxiliary Hydraulics with Electronic Pressure Control (EPC)</p> <p>For use with multiple applications: hammers/thumbs/grapples/crushers.</p> <p>Includes in-cab Electronic Pressure Control feature Pressure Control feature allows hydraulic pressure setting from the cab monitor and maintaining pressure settings in memory when multiple tools are used. Joystick Activated with Electronic Proportional Controls</p> <p>Provides single or dual pump, two-way flow, Secondary Low-flow Auxiliary Hydraulics can be added Includes in-cab electronically controlled pressure setting feature Is switchable to single acting flow for hammer application.</p> <p>Notes: 1) Not for use with other Auxiliary Hydraulics options, with the exception of Low Flow. 2) Heavy duty bucket linkage is standard equipment on C/D series excavators. 3) For dealer installed auxiliary hydraulic kits contact: HydraulCircuit Technology (HCT) (1-888-603-0080 or sales@hctkits.com or www.hctkits.com)</p>			\$9,905.00

SD_E6417 SECONDARY AUXILIARY HYDRAULICS

		XE6417X No Low Flow Circuit			No Charge
--	--	-----------------------------	--	--	-----------



**CX160D CRAWLER EXCAVATOR (STD LC)
 US PRICE LIST**

(Ex Works Port of Entry)

	461863	Secondary Auxiliary Hydraulics Secondary Low Flow Auxiliary Hydraulics Provides low-flow for rotation or tilt hydraulic attachments. For use with Standard Boom option 481858 Not for use with Offset Boom option 461025 Joystick Activated with Electronic Proportional Controls Notes: 1) May be used stand alone or with any Case Excavator Auxiliary Hydraulics option. 2) For dealer installed auxiliary hydraulic kits contact: HydraulicCircuit Technology (HCT) (1-888-603-0080 or sales@hctkits.com or www.hctkits.com)			\$6,721.00
--	--------	--	--	--	------------

CAB OPTIONS

SD_E5443 CAB GUARD (FOPS)

	XE5443X	No FOPS Top Cab Guard			No Charge
	481070	FOPS Top Cab Guard			\$1,146.00

SD_E5444 CAB GUARD (FRONT)

	XE5444X	No Front Guard			No Charge
	461142	Front Guard - Wire Mesh Screen			\$1,326.00
	781986	Front Stone Guard (OPG L1) vertical bars (two piece/upper and lower)			\$1,973.00
	461024	Front Stone Guard (OPG L2) vertical bars (one piece/full length)			\$2,324.00
	461552	Vandal Guard Removable steel panels for front windshield			\$574.00

SD_E5449 RAIN DEFLECTOR

	XE5449X	No Rain Deflector			No Charge
	461555	Rain Deflector Not for use with Front grill guard - 2 x 2 mesh option 461142, Front rock guard (OPG 1) option 781986, or Front rock guard (OPG 2) option 461024.			\$380.00

SD_E5451 SUN VISOR

	XE5451X	No Sun Visor			No Charge
	461554	Sun Visor			\$108.00



**CX160D CRAWLER EXCAVATOR (STD LC)
 US PRICE LIST**

(Ex Works Port of Entry)

BUCKETS

SD_E6300 EXCAVATOR BUCKET(S)

		XE6300X	No Bucket Buckets may be ordered using Order Codes listed in the Factory Supplied Attachments Section			No Charge
--	--	---------	--	--	--	-----------

ADDITIONAL OPTIONS

SD_E5206 TRACK CHAIN GUIDE

		461541	Single Track Chain Guide			No Charge
		461143	Triple Track Chain Guide			\$1,123.00

SD_E6400 MEC/HYD QUICK COUPLER

		XE6400X	No Quick Coupler			No Charge
		781128	Hydraulic Quick Coupler Ready Does not come with coupler. Must order coupler from Factory Supplied Attachments section			\$2,079.00

SD_E9730 SAFETY VALVE

		XE9730X	No Hose Burst Check Valve			No Charge
		481064	Hose Burst Check Valve (HBCV) Located on Boom and Arm Cylinder			\$7,913.00

SD_E9739 FULL VIEW CAMERA

		XE9739X	No max view monitor			No Charge
		488055	Case Max View Monitor			\$1,700.00

SD_E9874 REFUEL PUMP

		XE9874X	No Refuel Pump			No Charge
		481257	Refuel Pump			\$1,296.00



**CX160D CRAWLER EXCAVATOR (STD LC)
 US PRICE LIST**

(Ex Works Port of Entry)

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Case Coupler

47867960	Multi-Fit S Hyd.Pin Grabber Coupler Kit	793 LB		\$5,620.00
----------	---	--------	--	------------

Case Coupler Buckets

84404140	24" Heavy-Duty Coupler Bucket with 4 teeth (.51 cu. yd.)			\$4,495.00
84404141	30" Heavy-Duty Coupler Bucket with 4 teeth (.66 cu. yd.)			\$4,924.00
84404142	36" Heavy-Duty Coupler Bucket with 5 teeth (.81 cu. yd.)			\$5,193.00
84404143	42" Heavy-Duty Coupler Bucket with 5 teeth (.97 cu. yd.)			\$5,490.00

Case Pin-On Buckets

84404124	24" Heavy-Duty Pin-On Bucket with 4 teeth (.58 cu. yd.)			\$3,574.00
84404125	30" Heavy-Duty Pin-On Bucket with 4 teeth (.74 cu. yd.)			\$3,718.00
84404126	36" Heavy-Duty Pin-On Bucket with 5 teeth (.91 cu. yd.)			\$3,931.00
84404129	42" Heavy-Duty Pin-On Bucket with 5 teeth (1.08 cu. yd.)			\$4,163.00
84404131	24" HD Hi-Capacity Pin-On Bucket with 4 teeth (.65 cu. yd.)			\$3,522.00
84404132	30" HD Hi-Capacity Pin-On Bucket with 4 teeth (.84 cu. yd.)			\$3,772.00
84404133	36" HD Hi-Capacity Pin-On Bucket with 5 teeth (10.3 cu. yd.)			\$3,993.00
84404134	42" Heavy-Duty Pin-On Bucket with 5 teeth (1.22 cu. yd.)			\$4,392.00
84404136	48" Ditching Pin-On Bucket (.79 cu. yd.)			\$2,799.00
84404139	60" Ditching Pin-On Bucket (1.02 cu yd.)			\$3,176.00

Direct Link Thumb

47609064	KIT, THUMB, HYD, 3-TINE, use with bucket only (3 tine)	840 LB		\$7,220.00
47609065	KIT, THUMB, HYD, 4-TINE, use with bucket only (4 tine)	860 LB		\$7,639.00
47609066	KIT, THUMB, HYD, 3-TINE, use with bucket and coupler (3 tine)	985 LB		\$7,504.00
47609067	KIT, THUMB, HYD, 4-TINE, use with bucket and coupler (4 tine)	1,005 LB		\$7,951.00

Progressive Link Thumb

47609102	KIT, THUMB, PROG LINK, 3-use with bucket only (3 tine)	1,180 LB		\$9,307.00
47609103	KIT, THUMB, PROG LINK, 4-use with bucket only (4 tine)	1,200 LB		\$9,725.00



**CX160D CRAWLER EXCAVATOR (STD LC)
US PRICE LIST**

(Ex Works Port of Entry)

	47609104	KIT, THUMB, PROG LINK, 3-	1,325 LB		\$9,591.00
	47609106	Progressive Link Thumb Kit with Coupler use with bucket and coupler (4 tine)	1,345 LB		\$10,037.00



(This page intentionally left blank)



**CX210D CRAWLER EXCAVATOR (STD LC & NRRW)
US PRICE LIST**

**(Ex Works Port of Entry)
Standard Equipment**

ENGINE:

Isuzu AR-4HK1X
Tier 4 Final Certified
Selective Catalytic Reduction (SCR)
Diesel Oxidation Catalyst (DOC)
Cooled Exhaust Gas Recirculation
(CEGR)
317 cubic in. displacement/3.0 Liter
Turbocharged/air cooled intercooler
Horsepower:
Net: 160 (119.3 kW) @ 1800 RPM
Electronic fuel injection
High pressure common rail system
Neutral safety start, Idle start
Auto-engine warm up
Glow-plug pre-heat
Fuel Economy Assist System (FEA)
Engine Protection Feature (EPF)
Dual-stage fuel filtration
Dual element air filter
Remote oil filter
Drain for fuel tank
Remote engine oil drain
500-hour engine oil change interval
24-volt system
Engine oil sample port
Battery disconnect switch
Emergency engine stop
External Fuel and DEF gauges
Fan housing
Fuel cooler
Fuel filter restriction indicator
Fuel shut-off valve
Radiator, oil cooler, intercooler -
protective screen

FUEL ECONOMY SYSTEMS:

Engine Idle / Fuel Economy System:
Auto-idle
One-touch idle
Auto-idle shut-down
BEC- Boom Economy Control
AEC- Auto Economy Control
SWC- Swing Relief Control
SSC- Spool Stroke Control

HYDRAULICS:

Auto power boost
Auto swing priority
Arm speed assistance (2 pump flow)
Auxiliary flow control
Auxiliary valve
Boom speed assistance (2 pump flow)
Bucket curl assist
Control levers pre-wired for auxiliary
hydraulics
Electronically controlled hydraulic
pumps
Holding valve (Boom and Arm)
Fire wall
Hydraulic filter restriction indicator
Neutral pump de-stroke
Oil cooler
Power save
Pump stand-by pressure
Auto travel speed change
Selectable work modes
Free swing - switch activated
Hydraulic oil sample port
Control pattern selector
Pre-set auxiliary pump settings
Auxiliary valve
5,000-hour hydraulic oil change
interval
1,000-hour hydraulic filter change
interval
SAHR brake

UPPER STRUCTURE:

ISO mirrors (3)
Cab viscous-mounts (fluid)
Upper mounted work light (70 watt)
Swivel guard belly pan
Center cover (over main CV)
Fuel tank belly pan
Handrail (RH access)
ISO guard rails
Lifting eyes for counterweight
Lockable fuel cap, service doors and
tool box



**CX210D CRAWLER EXCAVATOR (STD LC & NRRW)
US PRICE LIST**

**(Ex Works Port of Entry)
Standard Equipment**

ATTACHMENTS:

Boom— 18 ft. 8 in. (5.70 m)
Arm— 9 ft. 8 in. (2.94 m)
Heavy-duty bucket linkage
Boom mounted work light (70 watt)
Auxiliary pipe brackets
Centralized grease fittings
Attachment cushion valve
Arm and boom regeneration
Bucket anti-clatter device
Chrome pins
Easy Maintenance System (EMS)
bushings
Teardrop pin retention keepers

OPERATOR STATION:

ROPS protection
FOPS cab (Level 1)
Pressurized cab
Face vent
Cab lights (2)
Interior dome light
One-touch lock front window
One piece window (right)
Safety glass windows
Gate lock hydraulic activation
Emergency exit and hammer
Clear (polycarbonate) roof window w/
sunshade
AC/heat/defrost w/ auto climate
control
LED Color monitor— 7 in (180 mm)
26 selectable languages for monitor
On-board diagnostic system
10 programmable attachments settings
on monitor - 5 single flow, 5 dual
flow
Seatbelt— 3 in. (76 mm)
Heated high-back cloth seat with air
suspension and 65o tilt adjustment
Sliding seat — 3.54 in. (90 mm)
Adjustable armrests
Tilting consoles— 4-position
Sliding cockpit — 3.15 in. (80 mm)
Low-effort joystick controls

OPERATOR STATION (continued):

Controls pre-wired for auxiliary
Straight travel
AM/FM radio w/ antenna, 2 speakers
and Bluetooth capabilities
Aux-in port for personal electronics
Radio mute switch (joystick)
Rear-view & Side-view camera
Anti-theft system (start code system)
Rubber floormat
12-volt electric outlet
24-volt cigarette lighter
Windshield wiper/washer
Cup holder
Storage compartments
Warm/cool storage compartment
Travel alarm with cancel switch
Ignition keys
One key start & lock-up
Cab filter (external)
Cab handrails
Operator's manual

UNDERCARRIAGE:

Long undercarriage
31.5 in. (800 mm) steel shoes, triple
semi-grouser
Narrow
23.6 in. (600 mm) steel shoes, triple
semi-grouser
Full overlap turntable bearing tub
Single track chain guides
Hydraulic track adjustment
Sealed link chain
Steps
Carbody belly pan (swivel guard)
X-pattern carbody
Lashing points (tie downs)



**CX210D CRAWLER EXCAVATOR (STD LC & NRRW)
US PRICE LIST**

(Ex Works Port of Entry)

Standard Equipment

EXTRA FILTER KIT:

- Engine oil filter
- Filter wrench
- Fuel filters
- Grease gun
- Green plug oil drain hose for engine oil drain
- Hydraulic return filter
- Pilot circuit hydraulic filter

includes hardware and a 3-yr
Advanced data subscription

CASE ProCare

- 3-yr/3000-hr factory warranty,
planned maintenance and
SiteWatch™ telematics

CASE SiteWatch™ Telematics



**CX210D CRAWLER EXCAVATOR (STD LC & NRRW)
 US PRICE LIST**

(Ex Works Port of Entry)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
CX210D STD LC	48,900 LB		\$258,171.00
CX210D NRRW	48,100 LB		\$256,176.00
Includes the following Equipment			
23.6" (600 mm) Steel Shoes (9560013)		(\$867.00)	



**CX210D CRAWLER EXCAVATOR (STD LC & NRRW)
 US PRICE LIST**

**(Ex Works Port of Entry)
 Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

LIGHTS

SD_E5408 WORKING LIGHTS

	488134	Halogen Working Lights			No Charge
	488135	LED Working Lights 8 LED light and 1 side camera: 2 LED light are mounted on the front (1 on boom, 1 on house) 2 LED lights are mounted on the rear (above the rear view camera) 1 LED light mounted on each side (2) 2 LED lights mounted on the top of the cab			\$2,754.00

BOOMS

SD_E5311 BOOM

	481858	Std Boom 18'8" (5.70 M) Standard Boom			No Charge
	781917	No Boom Less boom, hoist and arm cylinders and plumbing. Boom-foot and cylinder pins are provided. Not for use with CX210D NRRW			(\$5,374.00)

ARMS

SD_E5320 ARM/DIPPERSTICK

	461501	7'10" (2.40 m) HD Arm For use with 18'8" Standard Boom (option 481858) (Recommended for heavy-duty applications - example: hammer)			(\$548.00)
	481268	9'8" (2.94 M) Arm For use with 18'8" Standard Boom (option 481858)			No Charge
	XE5320X	No Arm/Dipperstick Less arm, bucket cylinder and linkage			(\$3,033.00)



**CX210D CRAWLER EXCAVATOR (STD LC & NRRW)
 US PRICE LIST**

(Ex Works Port of Entry)

TRACK SHOES

SD_E5199 TRACK SHOES

	9560013	23.6" (600 mm) Steel Shoes Triple-Grouser Steel Shoes For use with CX210D STD LC and CX210D NRRW			(\$867.00)
	9560003	27.6" (700mm) TG Steel Shoes Triple-Grouser Steel Shoes For use with CX210D STD LC			(\$351.00)
	9560005	31.5" (800 mm) TG Steel Shoes Triple-Grouser Steel Shoes For use with CX210D STD LC			No Charge
	9560007	35.4" (900 mm) Steel Shoes Triple-Grouser Steel Shoes For use with CX210D STD LC commercial model only			\$1,456.00
	9560055	23.6" (600 mm) Rubber Pads Rubber pads molded to steel base on standard chain For use with CX210D STD LC and CX210D NRRW			\$12,134.00

LANGUAGE

SD_47083 OPERATOR'S MANUAL

	781981	English Literature			No Charge
	461540	French Canadian Literature			No Charge
	781980	Spanish Literature			No Charge

ADDITIONAL EQUIPMENT CXC

HYDRAULIC OPTIONS

SD_E6410 AUXILIARY HYDRAULICS

	XE6410X	No Optional Hydraulics			No Charge
--	---------	------------------------	--	--	-----------



**CX210D CRAWLER EXCAVATOR (STD LC & NRRW)
 US PRICE LIST**

(Ex Works Port of Entry)

Not for use with No Boom				
	461865	<p>Single Acting Auxiliary Hyd Single Acting Auxiliary Hydraulics For use with hammers or vibratory compaction plate applications</p> <p>Joystick activated with Electronic Proportional Controls Provides single direction flow Includes manually adjustable relief valve to set required pressures</p> <p>Notes: 1) Not for use with other Auxiliary Hydraulic options, with the exception of Low Flow. 2) Heavy duty bucket linkage is standard equipment on C/D series excavators. 3) For dealer installed auxiliary hydraulic kits contact: HydrauliCircuit Technology (HCT) (1-888-603-0080 or sales@hctkits.com or www.hctkits.com)</p>		\$8,499.00
	461871	<p>Thumb - Proportional SW Double Acting Auxiliary Hydraulics For use with thumb applications</p> <p>Joystick Activated with Electronic Proportional Controls Provides single pump, two-way flow Hydraulic plumbing provided to the end of the boom only, no piping to the arm This system is not switchable to single acting flow</p> <p>Notes: 1) Not for use other Auxiliary Hydraulics options with the exception of Low Flow. 2) Heavy duty bucket linkage is standard equipment on C/D series excavators. 3) For dealer installed auxiliary hydraulic kits contact: HydrauliCircuit Technology (HCT) (1-888-603-0080 or sales@hctkits.com or www.hctkits.com)</p>		\$6,599.00



**CX210D CRAWLER EXCAVATOR (STD LC & NRRW)
 US PRICE LIST**

(Ex Works Port of Entry)

	461869	<p>MF w/ pressure setting - Prop</p> <p>Multi-Function Auxiliary Hydraulics with Electronic Pressure Control (EPC)</p> <p>For use with multiple applications: hammers/thumbs/grapples/crushers.</p> <p>Includes in-cab Electronic Pressure Control feature</p> <p>Pressure Control feature allows hydraulic pressure setting from the cab monitor and maintaining pressure settings in memory when multiple tools are used.</p> <p>Joystick Activated with Electronic Proportional Controls</p> <p>Provides single or dual pump, two-way flow, Secondary Low-flow Auxiliary Hydraulics can be added</p> <p>Includes in-cab electronically controlled pressure setting feature Is switchable to single acting flow for hammer application.</p> <p>Notes:</p> <p>1) Not for use with other Auxiliary Hydraulics options, with the exception of Low Flow.</p> <p>2) Heavy duty bucket linkage is standard equipment on C/D series excavators.</p> <p>3) For dealer installed auxiliary hydraulic kits contact: HydrauliCircuit Technology (HCT) (1-888-603-0080 or sales@hctkits.com or www.hctkits.com)</p>			\$11,374.00
--	--------	---	--	--	-------------

SD_E6417 SECONDARY AUXILIARY HYDRAULICS

	XE6417X	No Low Flow Circuit			No Charge
	461863	<p>Secondary Auxiliary Hydraulics</p> <p>Secondary Low Flow Auxiliary Hydraulics</p> <p>Provides low-flow for rotation or tilt hydraulic attachments.</p> <p>For use with Standard Boom option 481858</p> <p>Joystick Activated with Electronic Proportional Controls</p> <p>Notes:</p> <p>1) May be used stand alone or with any Case Excavator Auxiliary Hydraulics option.</p> <p>2) For dealer installed auxiliary hydraulic kits contact: HydrauliCircuit Technology (HCT) (1-888-603-0080 or sales@hctkits.com or www.hctkits.com)</p>			\$7,039.00

CAB OPTIONS

SD_E5443 CAB GUARD (FOPS)

	XE5443X	No FOPS Top Cab Guard			No Charge
--	---------	-----------------------	--	--	-----------



**CX210D CRAWLER EXCAVATOR (STD LC & NRRW)
 US PRICE LIST**

(Ex Works Port of Entry)

	481070	FOPS Top Cab Guard			\$1,146.00
--	--------	--------------------	--	--	------------

SD_E5444 CAB GUARD (FRONT)

	XE5444X	No Front Guard			No Charge
	461142	Front Guard - Wire Mesh Screen			\$1,326.00
	781986	Front Stone Guard (OPG L1) vertical bars (two piece/upper and lower)			\$1,973.00
	461024	Front Stone Guard (OPG L2) vertical bars (one piece/full length)			\$2,324.00
	461552	Vandal Guard Removable steel panels for front windshield			\$574.00

SD_E5449 RAIN DEFLECTOR

	XE5449X	No Rain Deflector			No Charge
	461555	Rain Deflector Not for use with Front grill guard - 2 x 2 mesh option 461142, Front rock guard (OPG 1) option 781986, or Front rock guard (OPG 2) option 461024.			\$380.00

SD_E5451 SUN VISOR

	XE5451X	No Sun Visor			No Charge
	461554	Sun Visor			\$108.00

BUCKETS

SD_E6300 EXCAVATOR BUCKET(S)

	XE6300X	No Bucket Buckets may be ordered using Order Codes listed in the Factory Supplied Attachments Section			No Charge
--	---------	---	--	--	-----------

ADDITIONAL OPTIONS

SD_02005 ENGINE PRE-CLEANER

	X02005X	No Pre-Cleaner			No Charge
	488031	Pre-Cleaner Cyclone			\$470.00

SD_E5206 TRACK CHAIN GUIDE

	461541	Single Track Chain Guide			No Charge
	461143	Triple Track Chain Guide			\$1,123.00

SD_E5407 COOLING PACKAGE

	XE5407X	Standard Cooling Package			No Charge
--	---------	--------------------------	--	--	-----------



**CX210D CRAWLER EXCAVATOR (STD LC & NRRW)
 US PRICE LIST**

(Ex Works Port of Entry)

	481027	Tropical Cooling Package High ambient temperature cooling package Includes hardware to support the cooling of the main machine systems. Must also order: Pre-Cleaner Cyclone option 488031 Note: Recommended for machines operating in high heat conditions not to exceed 122°F (50°C) Not for use with CX210D NRRW			\$504.00
--	--------	---	--	--	----------

SD_E6400 MEC/HYD QUICK COUPLER

	XE6400X	No Quick Coupler			No Charge
	781128	Hydraulic Quick Coupler Ready Does not come with coupler. Must order coupler from Factory Supplied Attachments section			\$2,188.00

SD_E9730 SAFETY VALVE

	XE9730X	No Hose Burst Check Valve			No Charge
	481064	Hose Burst Check Valve (HBCV) Located on Boom and Arm Cylinder			\$7,913.00

SD_E9739 FULL VIEW CAMERA

	XE9739X	No max view monitor			No Charge
	488055	Case Max View Monitor			\$1,700.00

SD_E9742 REVERSIBLE FAN

	XE9742X	No Reversible Fan			No Charge
	488121	Reversible Fan Variable pitch reversing fan features rotating blades, that provides maximum airflow in either direction when engaged by operator.			\$8,709.00

SD_E9874 REFUEL PUMP

	XE9874X	No Refuel Pump			No Charge
	481257	Refuel Pump			\$1,296.00



**CX210D CRAWLER EXCAVATOR (STD LC & NRRW)
 US PRICE LIST**

**(Ex Works Port of Entry)
 Factory Supplied Attachments**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Case Coupler Buckets

84404187	24" Heavy-Duty Coupler Bucket with 4 teeth (.63 cu. yd.)			\$5,418.00
84404188	30" Heavy-Duty Coupler Bucket with 4 teeth (.82 cu. yd.)			\$5,958.00
84404189	36" Heavy-Duty Coupler Bucket with 5 teeth (1.02 cu. yd.)			\$6,556.00
84404190	42" Heavy-Duty Coupler Bucket with 5 teeth (1.20 cu. yd.)			\$7,213.00
84404191	48" Heavy-Duty Coupler Bucket with 6 teeth (1.48 cu. yd.)			\$7,622.00

Case Pin On Buckets

84404166	24" Heavy-Duty Pin-On Bucket with 4 teeth (.50 cu. yd.)			\$3,997.00
84404167	30" Heavy-Duty Pin-On Bucket with 4 teeth (.84 cu. yd.)			\$4,475.00
84404168	36" Heavy-Duty Pin-On Bucket with 5 teeth (1.03 cu. yd.)			\$4,884.00
84404169	42" Heavy-Duty Pin-On Bucket with 5 teeth (1.22 cu. yd.)			\$5,265.00
84404170	24" HD Hi-Capacity Pin-On Bucket with 4 teeth (.79 cu. yd.)			\$4,322.00
84404175	30" HD Hi-Capacity Pin-On Bucket with 4 teeth (1.02 cu. yd.)			\$4,775.00
84404178	36" HD Hi-Capacity Pin-On Bucket with 5 teeth (1.25 cu. yd.)			\$5,278.00
84404179	42" HD Hi-Capacity Pin-On Bucket with 5 teeth (1.48 cu. yd.)			\$5,542.00
84404180	48" HD Hi-Capacity Pin-On Bucket with 6 teeth (1.72 cu. yd.)			\$6,056.00
84404181	24" Severe-Duty Pin-On Bucket with 4 teeth (.65 cu. yd.)			\$5,404.00
84404182	30" Severe-Duty Pin-On Bucket with 4 teeth (.84 cu. yd.)			\$6,054.00
84404183	36" Severe-Duty Pin-On Bucket with 5 teeth (1.03 cu. yd.)			\$6,780.00
84404184	42" Severe-Duty Pin-On Bucket with 5 teeth (1.22 cu. yd.)			\$7,015.00
84404185	60" Ditching Pin-On Bucket (1.02 cu yd.)			\$3,620.00
84404186	72" Ditching Pin-On Bucket(1.22 cu. yd.)			\$3,921.00
84405214	48" Heavy-Duty Pin-On Bucket			\$5,360.00

Coupler

47855901	KIT, COUPLER, MULTI-FIT S	683 LB		\$5,882.00
----------	---------------------------	--------	--	------------



**CX210D CRAWLER EXCAVATOR (STD LC & NRRW)
 US PRICE LIST**

(Ex Works Port of Entry)

Direct Link Thumb

	47609071	KIT, THUMB, HYD, 3-TINE, use with bucket only (3 tine)	1,155 LB		\$8,604.00
	47609072	KIT, THUMB, HYD, 4-TINE, use with bucket only (4 tine)	1,190 LB		\$9,089.00
	47609073	KIT, THUMB, HYD, 3-TINE, use with bucket and coupler (3 tine)	1,300 LB		\$8,972.00
	47609074	KIT, THUMB, HYD, 4-TINE, use with bucket and coupler (4 tine)	1,325 LB		\$9,573.00

Progressive Link Thumb

	47609109	KIT, THUMB, PROG LINK, 3- use with bucket only (3 tine)	1,680 LB		\$11,176.00
	47609110	KIT, THUMB, PROG LINK, 4- use with bucket only (4 tine)	1,680 LB		\$11,176.00
	47609111	KIT, THUMB, PROG LINK, 3- use with bucket and coupler (4 tine)	1,825 LB		\$11,059.00
	47609112	KIT, THUMB, PROG LINK, 4- use with bucket and coupler (3 tine)	1,850 LB		\$11,660.00



**CX210D LONG REACH CRAWLER EXCAVATOR (LR)
US PRICE LIST**

**(Ex Works Port of Entry)
Standard Equipment**

ENGINE:

Isuzu AR-4HK1X
Tier 4 Final Certified
Selective Catalytic Reduction (SCR)
Diesel Oxidation Catalyst (DOC)
Cooled Exhaust Gas Recirculation
(CEGR)
Turbocharged/air cooled intercooler
317 cubic in displacement/5.2 Liter
Horsepower:
Net 160 (119.3 kW) @ 1800 RPM
Electronic fuel injection
High pressure common rail system
Neutral safety start, Idle start
Auto-engine warm up
Glow-plug pre-heat
Fuel Economy Assist System (FEA)
Engine Protection Feature (EPF)
Dual-stage fuel filtration
Dual element air filter
Remote oil filter
Drain for fuel tank
Remote engine oil drain
500-hour engine oil change interval
24-volt system
Engine oil sample port
Battery disconnect switch
Emergency engine stop
External Fuel and DEF gauges
Fan housing
Fuel cooler
Fuel filter restriction indicator
Fuel shut-off valve
Radiator, oil cooler, intercooler -
protective screen

FUEL ECONOMY SYSTEMS:

Engine Idle / Fuel Economy System:
Auto-idle
One-touch idle
Auto-idle shut-down
BEC- Boom Economy Control
AEC- Auto Economy Control
SWC- Swing Relief Control
SSC- Spool Stroke Control

HYDRAULICS:

Auto power boost
Auto swing priority
Arm speed assistance (2 pump flow)
Auxiliary flow control
Auxiliary valve
Boom speed assistance (2 pump flow)
Bucket curl assist
Control levers pre-wired for auxiliary
hydraulics
Electronically controlled hydraulic
pumps
Holding valve (Boom and Arm)
Fire wall
Hydraulic filter restriction indicator
Neutral pump de-stroke
Oil cooler
Power save
Pump stand-by pressure
Auto travel speed change
Selectable work modes
Free swing - switch activated
Hydraulic oil sample port
Control pattern selector
Pre-set auxiliary pump settings
Auxiliary valve
5,000-hour hydraulic oil change
interval
1,000-hour hydraulic filter change
interval
SAHR brake

UPPER STRUCTURE:

ISO mirrors (3)
Cab viscous-mounts (fluid)
Upper mounted work light (70 watt)
Swivel guard belly pan
Center cover (over main CV)
Fuel tank belly pan
Handrail (RH access)
ISO guard rails
Lifting eyes for counterweight
Lockable fuel cap, service doors and
tool box



**CX210D LONG REACH CRAWLER EXCAVATOR (LR)
US PRICE LIST**

**(Ex Works Port of Entry)
Standard Equipment**

ATTACHMENTS:

Boom— 28 ft. 7 in. (8.70 m)
Arm— 21 ft. (6.40 m)
Heavy-duty bucket linkage
Boom mounted work light (70 watt)
Auxiliary pipe brackets
Centralized grease fittings
Attachment cushion valve
Arm and boom regeneration
Bucket anti-clatter device
Chrome pins
Easy Maintenance System (EMS)
bushings
Teardrop pin retention keepers

OPERATOR STATION:

ROPS protection
FOPS cab (Level 1)
Pressurized cab
Face vent
Cab lights (2)
Interior dome light
One-touch lock front window
One piece window (right)
Safety glass windows
Gate lock hydraulic activation
Emergency exit and hammer
Clear (polycarbonate) roof window w/
sunshade
AC/heat/defrost w/ auto climate
control
LED Color monitor— 7 in (180 mm)
26 selectable languages for monitor
On-board diagnostic system
10 programmable attachments settings
on monitor - 5 single flow, 5 dual
low
Seatbelt— 3 in. (76 mm)
Heated high-back cloth seat with air
suspension and 65o tilt adjustment
Sliding seat — 3.54 in. (90 mm)
Adjustable armrests
Tilting consoles— 4-position
Sliding cockpit — 3.15 in. (80 mm)
Low-effort joystick controls

OPERATOR STATION (continued):

Controls pre-wired for auxiliary
Straight travel
AM/FM radio w/ antenna, 2 speakers
and Bluetooth capabilities
Aux-in port for personal electronics
Radio mute switch (joystick)
Rear-view & Side-view camera
Anti-theft system (start code system)
Rubber floormat
12-volt electric outlet
24-volt cigarette lighter
Windshield wiper/washer
Cup holder
Storage compartments
Warm/cool storage compartment
Travel alarm with cancel switch
Ignition keys
One key start & lock-up
Cab filter (external)
Cab handrails
Operator's manual

UNDERCARRIAGE:

Long undercarriage
31.5 in. (800 mm) steel shoes, triple
semi-grouser
Full overlap turntable bearing tub
Single track chain guides
Hydraulic track adjustment
Sealed link chain
Steps
Carbody belly pan (swivel guard)
X-pattern carbody
Lashing points (tie downs)

EXTRA FILTER KIT:

Engine oil filter
Filter wrench
Fuel filters
Grease gun
Green plug oil drain hose for
engine oil drain
Hydraulic return filter
Pilot circuit hydraulic filter



**CX210D LONG REACH CRAWLER EXCAVATOR (LR)
US PRICE LIST**

**(Ex Works Port of Entry)
Standard Equipment**

Advanced data subscription

CASE ProCare
3-yr/3000-hr factory warranty,
planned maintenance and
SiteWatch™ telematics
CASE SiteWatch™ Telematics
includes hardware and a 3-yr



**CX210D LONG REACH CRAWLER EXCAVATOR (LR)
US PRICE LIST**

(Ex Works Port of Entry)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
CX210D LR	49,090 LB		\$282,716.00



**CX210D LONG REACH CRAWLER EXCAVATOR (LR)
 US PRICE LIST**

(Ex Works Port of Entry)
Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

LIGHTS

SD_E5408 WORKING LIGHTS

	488134	Halogen Working Lights			No Charge
	488135	LED Working Lights 8 LED light and 1 side camera: 2 LED light are mounted on the front (1 on boom, 1 on house) 2 LED lights are mounted on the rear (above the rear view camera) 1 LED light mounted on each side (2) 2 LED lights mounted on the top of the cab			\$2,754.00

BOOMS

SD_E5311 BOOM

	461029	Standard Long Reach Boom 28'7" (8.70 M) Long Reach Boom			No Charge
--	--------	---	--	--	-----------

ARMS

SD_E5320 ARM/DIPPERSTICK

	481248	21'0" (6.40 M) Arm			No Charge
--	--------	--------------------	--	--	-----------

TRACK SHOES

SD_E5199 TRACK SHOES

	9560005	31.5" (800 mm) TG Steel Shoes Triple-Grouser Steel Shoes			No Charge
	9560007	35.4" (900 mm) Steel Shoes Triple-Grouser Steel Shoes			\$1,456.00

LANGUAGE

SD_47083 OPERATOR'S MANUAL

	781981	English Literature			No Charge
	461540	French Canadian Literature			No Charge



**CX210D LONG REACH CRAWLER EXCAVATOR (LR)
 US PRICE LIST**

(Ex Works Port of Entry)

	781980	Spanish Literature			No Charge
--	--------	--------------------	--	--	-----------

ADDITIONAL EQUIPMENT CXC

HYDRAULIC OPTIONS

SD_E6417 SECONDARY AUXILIARY HYDRAULICS

	XE6417X	No Low Flow Circuit			No Charge
	461863	Secondary Auxiliary Hydraulics Secondary Low Flow Auxiliary Hydraulics Provides low-flow for rotation or tilt hydraulic attachments. Joystick Activated with Electronic Proportional Controls Notes: 1) May be used stand alone or with any Case Excavator Auxiliary Hydraulics option. 2) For dealer installed auxiliary hydraulic kits contact: HydraulicCircuit Technology (HCT) (1-888-603-0080 or sales@hctkits.com or www.hctkits.com)			\$7,874.00

CAB OPTIONS

SD_E5443 CAB GUARD (FOPS)

	XE5443X	No FOPS Top Cab Guard			No Charge
	481070	FOPS Top Cab Guard			\$1,146.00

SD_E5444 CAB GUARD (FRONT)

	XE5444X	No Front Guard			No Charge
	461142	Front Guard - Wire Mesh Screen			\$1,326.00
	781986	Front Stone Guard (OPG L1) vertical bars (two piece/upper and lower)			\$1,973.00
	461024	Front Stone Guard (OPG L2) vertical bars (one piece/full length)			\$2,324.00
	461552	Vandal Guard Removable steel panels for front windshield			\$574.00

SD_E5449 RAIN DEFLECTOR

	XE5449X	No Rain Deflector			No Charge
	461555	Rain Deflector Not for use with Front grill guard - 2 x 2 mesh option 461142, Front rock guard (OPG 1) option 781986, or Front rock guard (OPG 2) option 461024.			\$380.00

SD_E5451 SUN VISOR

	XE5451X	No Sun Visor			No Charge
	461554	Sun Visor			\$108.00



**CX210D LONG REACH CRAWLER EXCAVATOR (LR)
 US PRICE LIST**

(Ex Works Port of Entry)

BUCKETS

SD_E6300 EXCAVATOR BUCKET(S)

		XE6300X	No Bucket Buckets may be ordered using Order Codes listed in the Factory Supplied Attachments section			No Charge
--	--	---------	--	--	--	-----------

ADDITIONAL OPTIONS

SD_02005 ENGINE PRE-CLEANER

		X02005X	No Pre-Cleaner			No Charge
		488031	Pre-Cleaner Cyclone			\$470.00

SD_E5206 TRACK CHAIN GUIDE

		461541	Single Track Chain Guide			No Charge
		461143	Triple Track Chain Guide			\$1,123.00

SD_E5407 COOLING PACKAGE

		XE5407X	Standard Cooling Package			No Charge
		481027	Tropical Cooling Package High ambient temperature cooling package Includes Pre-Cleaner Cyclone option 488031 Note: Recommended for machines operating in high heat conditions not to exceed 122°F (50°C)			\$504.00

SD_E6400 MEC/HYD QUICK COUPLER

		XE6400X	No Quick Coupler			No Charge
		781128	Hydraulic Quick Coupler Ready Does not come with coupler. Must order coupler from Factory Supplied Attachments section			\$2,187.00

SD_E9730 SAFETY VALVE

		XE9730X	No Hose Burst Check Valve			No Charge
		481064	Hose Burst Check Valve (HBCV) Located on Boom and Arm Cylinder			\$7,913.00

SD_E9739 FULL VIEW CAMERA

		XE9739X	No max view monitor			No Charge
		488055	Case Max View Monitor			\$1,700.00

SD_E9874 REFUEL PUMP

		XE9874X	No Refuel Pump			No Charge
		481257	Refuel Pump			\$1,296.00



**CX210D LONG REACH CRAWLER EXCAVATOR (LR)
 US PRICE LIST**

(Ex Works Port of Entry)

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Case Pin On Buckets

	84404113	48" Ditching Pin-On Bucket (.79 cu. yd.)			\$2,992.00
	84404115	60" Ditching Pin-On Bucket (1.02 cu yd.)			\$3,394.00

Direct Link Thumb

	47609058	Hydraulic Main Pin Direct Link Thumb use with bucket only (2 tine)	830 LB		\$6,569.00
	47609059	KIT, THUMB, HYD, 4-TINE, use with bucket only (3 tine)	860 LB		\$6,953.00
	47609060	KIT, THUMB, HYD, 3-TINE, use with bucket and coupler (2 tine)	870 LB		\$6,813.00
	47609061	KIT, THUMB, HYD, 4-TINE, use with bucket and coupler (3 tine)	910 LB		\$7,293.00



CX245D LC AND CX245D LC DZ
US PRICE LIST

(Ex Works Port of Entry)
Standard Equipment

ENGINE:

Isuzu AM-4HK1X
Tier4 Final Certified
Selective Catalytic Reduction - SCR
Diesel Oxidation Catalyst - DOC
Cooled Exhaust Gas Recirculation -
CEGR
317 cubic in. displacement/5.2 Liter
Turbocharged/air cooled intercooler
Horsepower:
Net: 160 (119.3 kW) @ 1800 RPM
Electronic fuel injection
High pressure common rail system
Auto engine warm-up
FEA (Fuel Economy Assist System)
Engine Idle/Fuel Economy System:
Auto Idle
One-touch Idle
Idle Shut-down
Fuel Capacity:
85 gallons (320 L)
AEC (auto economy control)
BEC (boom economy control)

ELECTRICAL:

24-volt system
Two batteries (12 volt/92 Ah)
50 Amp Alternator
Worklights (2 x 70 watt)
Boom mounted (1)
Upper mounted (1)

HYDRAULICS:

Open-center system design
Optional auxiliary hydraulics
Selectable work modes (3)
Auto power boost
Auto swing priority
SWC (swing relief control)
SSC (spool stroke control)
5000 hour hydraulic oil change interval
1000 hour hyd. filter change interval
Control pattern change selector
Free Swing - switch activated

OPERATOR ENVIRONMENT:

ROPS protection
FOPS cab top guard - Level 1
Pressurized cab
Face vent
Cab lights - 2
Interior dome light
One-touch lock front window
One piece window - right
Safety glass windows
Gate lock hydraulic activation
Emergency exit and hammer
Clear polycarbonate roof window with
sunshade
AC/heat/defrost with auto climate
control
LED Color monitor - 7 in (180 mm)
26 selectable languages for monitor
On-board diagnostic system
10 programmable attachments settings
on monitor - 5 single flow, 5 dual
flow
Seat belt - 3 in (76 mm)
Heated high-back cloth seat with air
suspension and 65° tilt adjustment
Sliding seat - 3.54 in (90 mm)
Adjustable armrests
Tilting consoles - 4-position
Sliding cockpit - 3.15 in (80 mm)
Low-effort joystick controls
Controls pre-wired for auxiliary
Single pedal travel
AM/FM radio with antenna, 2 speakers
and Bluetooth capabilities
Aux-in port for personal electronics
Radio mute switch - joystick
Rear-view camera
Side-view camera
Anti-theft system - start code system
Rubber floormat
12 Volt electric outlet
24 Volt cigarette lighter
Windshield wiper/washer
Cup holder
Storage compartments



**CX245D LC AND CX245D LC DZ
US PRICE LIST**

(Ex Works Port of Entry)

Standard Equipment

Warm/cool storage compartment
Travel alarm with cancel switch
Ignition keys
One key start & lock-up
Cab filter - external
Cab handrails
Additional handrails (right)
Operator's manual

UNDERCARRIAGE:

X-pattern carbody
Undercarriage:
STD LC: 14' 8" (4.47 M) length
Track Gauge:
STD: 7' 10" (2.39 M) gauge
Shoe:
STD: 31.5" (800 mm) Rubber Shoe
7.5" pitch
49 shoes per side
Carrier rollers (2 per side)
Track rollers (8 per side)
Grease lubricated and strutted track
chains
Hydraulic track adjustment
Single track chain guides
SAHR disc parking break
Tapered upper track frame

DOZER BLADE:

Dozer blade width: 9' 1" (2800 mm)
Dozer blade height: 24" (610 mm)

ATTACHMENTS:

Standard LC Version:
Boom: 18' 8" (5.70 M)
Arm: 9' 8" (2.94 M)
Heavy-duty bucket linkage
Auxiliary pipe brackets
Attachment cushion valve
Arm and boom regeneration
Arm and boom holding valves
Centralized grease bank

CASE ProCare

3-yr/3000-hr factory warranty,
planned maintenance and
SiteWatch™ telematics

CASE SiteWatch™ Telematics

includes hardware and a 3-yr
Advanced data subscription



**CX245D LC AND CX245D LC DZ
US PRICE LIST**

(Ex Works Port of Entry)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
CX245D MSR LC	56,900 LB		\$276,626.00
CX245D MSR LC W/DOZER	60,400 LB		\$303,199.00



**CX245D LC AND CX245D LC DZ
 US PRICE LIST**

**(Ex Works Port of Entry)
 Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

LIGHTS

SD_E5408 WORKING LIGHTS

488134	Halogen Working Lights			No Charge
488135	LED Working Lights 8 LED lights: 2 LED light are mounted on the front (1 on boom, 1 on house) 2 LED lights are mounted on the rear (above the rear view camera) 1 LED light mounted on each side (2) 2 LED lights mounted on the top of the cab			\$2,754.00

BOOMS

SD_E5311 BOOM

481858	Std Boom 18'8" (5.70 M) Standard Boom For use with CX235C MSR LC and CX235C MSR w/dozer commercial models.			No Charge
781917	No Boom Less boom, hoist and arm cylinders and plumbing. Boom-foot and cylinder pins are provided.			(\$6,057.00)

ARMS

SD_E5320 ARM/DIPPERSTICK

481268	9'8" (2.94 M) Arm For use wtih 18'8" Standard Boom (option 481858)			No Charge
461501	7'10" (2.40 m) HD Arm For use with 18'8" Standard Boom (option 481858) (Recommended for heavy-duty applications - example: hammer)			(\$273.00)
XE5320X	No Arm/Dipperstick Less arm, bucket cylinder and linkage			(\$3,142.00)



**CX245D LC AND CX245D LC DZ
 US PRICE LIST**

(Ex Works Port of Entry)

TRACK SHOES

SD_E5199 TRACK SHOES

	9560007	35.4" (900 mm) Steel Shoes Triple-Grouser Steel Shoes Not for use with the CX245D MSR with Dozer Blade			\$1,456.00
	9560013	23.6" (600 mm) Steel Shoes			(\$1,547.00)
	9560039	27.5" (700 mm) Steel Shoes			(\$178.00)
	9560046	31.5" (800 mm) Steel Shoes			No Charge
	9560055	23.6" (600 mm) Rubber Pads Steel Chain with individual rubber tracks (steel base coated with rubber)			\$12,118.00

LANGUAGE

SD_47083 OPERATOR'S MANUAL

	781981	English Literature			No Charge
	461540	French Canadian Literature			No Charge
	781980	Spanish Literature			No Charge

BUCKETS

SD_E6300 EXCAVATOR BUCKET(S)

	XE6300X	No Bucket			No Charge
--	---------	-----------	--	--	-----------

ADDITIONAL EQUIPMENT CXC

PLUMBING AND ACTUATION FOR AUXILIARY HYDRAULICS

SD_E6423 CONTROL PATTERN SELECTION

	461558	Control Pattern Selector Valve			No Charge
--	--------	--------------------------------	--	--	-----------

HYDRAULIC OPTIONS

SD_E6410 AUXILIARY HYDRAULICS

	XE6410X	No Optional Hydraulics			No Charge
--	---------	------------------------	--	--	-----------



**CX245D LC AND CX245D LC DZ
 US PRICE LIST**

(Ex Works Port of Entry)

	461865	<p>Single Acting Auxiliary Hyd Single Acting Auxiliary Hydraulics For use with hammers or vibratory compaction plate applications</p> <p>Joystick activated with Electronic Proportional Controls Provides single direction flow Includes manually adjustable relief valve to set required pressures</p> <p>Notes: 1) Not for use with other Auxiliary Hydraulic options, with the exception of Low Flow. 2) Heavy duty bucket linkage is standard equipment on C/D series excavators. 3) For dealer installed auxiliary hydraulic kits contact: HydrauliCircuit Technology (HCT) (1-888-603-0080 or sales@hctkits.com or www.hctkits.com)</p>			\$8,606.00
	461871	<p>Thumb - Proportional SW Double Acting Auxiliary Hydraulics For use with thumb applications</p> <p>Joystick Activated with Electronic Proportional Controls Provides single pump, two-way flow Hydraulic plumbing provided to the end of the boom only, no piping to the arm This system is not switchable to single acting flow</p> <p>Notes: 1) Not for use other Auxiliary Hydraulics options with the exception of Low Flow. 2) Heavy duty bucket linkage is standard equipment on C/D series excavators. 3) For dealer installed auxiliary hydraulic kits contact: HydrauliCircuit Technology (HCT) (1-888-603-0080 or sales@hctkits.com or www.hctkits.com)</p>			\$6,719.00



**CX245D LC AND CX245D LC DZ
 US PRICE LIST**

(Ex Works Port of Entry)

	461869	<p>MF w/ pressure setting - Prop</p> <p>Multi-Function Auxiliary Hydraulics with Electronic Pressure Control (EPC)</p> <p>For use with multiple applications: hammers/thumbs/grapples/crushers.</p> <p>Includes in-cab Electronic Pressure Control feature</p> <p>Pressure Control feature allows hydraulic pressure setting from the cab monitor and maintaining pressure settings in memory when multiple tools are used.</p> <p>Joystick Activated with Electronic Proportional Controls</p> <p>Provides single or dual pump, two-way flow, Secondary Low-flow Auxiliary Hydraulics can be added Includes in-cab electronically controlled pressure setting feature Is switchable to single acting flow for hammer application.</p> <p>Notes:</p> <ol style="list-style-type: none"> 1) Not for use with other Auxiliary Hydraulics options, with the exception of Low Flow. 2) Heavy duty bucket linkage is standard equipment on C/D series excavators. 3) For dealer installed auxiliary hydraulic kits contact: HydrauliTcircuit Technology (HCT) (1-888-603-0080 or sales@hctkits.com or www.hctkits.com) 			\$11,471.00
--	--------	---	--	--	-------------

SD_E6417 SECONDARY AUXILIARY HYDRAULICS

	XE6417X	<p>No Low Flow Circuit</p>			No Charge
	461863	<p>Secondary Auxiliary Hydraulics</p> <p>Secondary Low Flow Auxiliary Hydraulics</p> <p>Provides low-flow for rotation or tilt hydraulic attachments.</p> <p>For use with Standard Boom option 481858 Not for use with Offset Boom option 461025</p> <p>Joystick Activated with Electronic Proportional Controls</p> <p>Notes:</p> <ol style="list-style-type: none"> 1) May be used stand alone or with any Case Excavator Auxiliary Hydraulics option. 2) For dealer installed auxiliary hydraulic kits contact: HydrauliTcircuit Technology (HCT) (1-888-603-0080 or sales@hctkits.com or www.hctkits.com) 			\$7,105.00



**CX245D LC AND CX245D LC DZ
 US PRICE LIST**

(Ex Works Port of Entry)

CAB OPTIONS

SD_E5443 CAB GUARD (FOPS)

		XE5443X	No FOPS Top Cab Guard			No Charge
		481070	FOPS Top Cab Guard			\$1,146.00

SD_E5444 CAB GUARD (FRONT)

		XE5444X	No Front Guard			No Charge
		461142	Front Guard - Wire Mesh Screen			\$1,326.00
		781986	Front Stone Guard (OPG L1) vertical bars (two piece/upper and lower)			\$1,973.00
		461024	Front Stone Guard (OPG L2) vertical bars (one piece/full length)			\$2,324.00
		461552	Vandal Guard Removable steel panels for front windshield			\$574.00

SD_E5449 RAIN DEFLECTOR

		XE5449X	No Rain Deflector			No Charge
		461555	Rain Deflector Not for use with Front grill guard - 2 x 2 mesh option 461142, Front rock guard (OPG 1) option 781986, or Front rock guard (OPG 2) option 461024.			\$380.00

SD_E5451 SUN VISOR

		XE5451X	No Sun Visor			No Charge
		461554	Sun Visor			\$108.00

ADDITIONAL OPTIONS

SD_E5206 TRACK CHAIN GUIDE

		461541	Single Track Chain Guide			No Charge
		461143	Triple Track Chain Guide			\$2,115.00

SD_E6400 MEC/HYD QUICK COUPLER

		XE6400X	No Quick Coupler			No Charge
		781128	Hydraulic Quick Coupler Ready			\$2,304.00

SD_E9730 SAFETY VALVE

		XE9730X	No Hose Burst Check Valve Located on Boom and Arm Cylinder			No Charge
		481064	Hose Burst Check Valve (HBCV) (BOOM/ARM) WARNING DEVICE			\$8,667.00

SD_E9739 FULL VIEW CAMERA

		XE9739X	No max view monitor			No Charge
		488055	Case Max View Monitor			\$1,700.00



**CX245D LC AND CX245D LC DZ
 US PRICE LIST**

**(Ex Works Port of Entry)
 Factory Supplied Attachments**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Case Coupler Buckets

84404187	24" Heavy-Duty Coupler Bucket with 4 teeth (.63 cu. yd.)			\$5,418.00
84404188	30" Heavy-Duty Coupler Bucket with 4 teeth (.82 cu. yd.)			\$5,958.00
84404189	36" Heavy-Duty Coupler Bucket with 5 teeth (1.02 cu. yd.)			\$6,556.00
84404190	42" Heavy-Duty Coupler Bucket with 5 teeth (1.20 cu. yd.)			\$7,213.00
84404191	48" Heavy-Duty Coupler Bucket with 6 teeth (1.48 cu. yd.)			\$7,622.00

Case Pin-On Buckets

84404166	24" Heavy-Duty Pin-On Bucket with 4 teeth (.50 cu. yd.)			\$3,997.00
84404167	30" Heavy-Duty Pin-On Bucket with 4 teeth (.84 cu. yd.)			\$4,475.00
84404168	36" Heavy-Duty Pin-On Bucket with 5 teeth (1.03 cu. yd.)			\$4,884.00
84404169	42" Heavy-Duty Pin-On Bucket with 5 teeth (1.22 cu. yd.)			\$5,265.00
84404170	24" HD Hi-Capacity Pin-On Bucket with 4 teeth (.79 cu. yd.)			\$4,322.00
84404175	30" HD Hi-Capacity Pin-On Bucket with 4 teeth (1.02 cu. yd.)			\$4,775.00
84404179	42" HD Hi-Capacity Pin-On Bucket with 5 teeth (1.48 cu. yd.)			\$5,542.00
84404180	48" HD Hi-Capacity Pin-On Bucket with 6 teeth (1.72 cu. yd.)			\$6,056.00
84404181	24" Severe-Duty Pin-On Bucket with 4 teeth (.65 cu. yd.)			\$5,404.00
84404182	30" Severe-Duty Pin-On Bucket with 4 teeth (.84 cu. yd.)			\$6,054.00
84404183	36" Severe-Duty Pin-On Bucket with 5 teeth (1.03 cu. yd.)			\$6,780.00
84404184	42" Severe-Duty Pin-On Bucket with 5 teeth (1.22 cu. yd.)			\$7,015.00
84404185	60" Ditching Pin-On Bucket (1.02 cu yd.)			\$3,620.00
84404186	72" Ditching Pin-On Bucket(1.22 cu. yd.)			\$3,921.00

Direct Link Thumb

47609071	KIT, THUMB, HYD, 3-TINE, use with bucket only (3 tine)	1,155 LB		\$8,604.00
47609072	KIT, THUMB, HYD, 4-TINE, use with bucket only (4 tine)	1,190 LB		\$9,089.00
47609073	KIT, THUMB, HYD, 3-TINE, use with bucket and coupler (3 tine)	1,300 LB		\$8,972.00



**CX245D LC AND CX245D LC DZ
 US PRICE LIST**

(Ex Works Port of Entry)

	47609074	KIT, THUMB, HYD, 4-TINE, use with bucket and coupler (4 tine)	1,325 LB		\$9,573.00
--	----------	--	----------	--	------------

Coupler

	47855901	KIT, COUPLER, MULTI-FIT S	683 LB		\$5,882.00
--	----------	---------------------------	--------	--	------------



**CX250D STD CRAWLER EXCAVATOR
US PRICE LIST**

(Ex Works Port of Entry)

Standard Equipment

ENGINE:

Isuzu AQ-4HK1X
Tier 4 Final Certified
Selective Catalytic Reduction (SCR)
Diesel Oxidation Catalyst (DOC)
Cooled Exhaust Gas Recirculation
(CEGR)
Turbocharged/air cooled intercooler
Horsepower:
Net: 177 (132.1 kW) @ 2000 rpm
Electronic fuel injection
High pressure common rail system
Neutral safety start
Auto-engine warm up
Glow-plug pre-heat
Fuel Economy Assist System (FEA)
Engine Protection Feature (EPF)
Dual-stage fuel filtration
Dual element air filter
Remote oil filter
Drain for fuel tank
Remote engine oil drain
500-hour engine oil change interval
24-volt system
Engine oil sample port
Battery disconnect switch
Emergency engine stop
External Fuel and DEF gauges
Fan housing
Fuel cooler
Fuel filter restriction indicator
Fuel shut-off valve
Idle start
Radiator, oil cooler, intercooler -
protective screen

FUEL ECONOMY SYSTEMS:

Engine Idle / Fuel Economy System:
Auto-idle
One-touch idle
Auto Idle shut-down
BEC- Boom Economy Control
AEC- Auto Economy Control
SWC- Swing Relief Control
SSC- Spool Stroke Control

HYDRAULICS:

Auto power boost
Auto swing priority
Arm speed assistance (2 pump flow)
Auxiliary flow control
Auxiliary valve
Boom speed assistance (2 pump flow)
Bucket curl assist
Control levers pre-wired for auxiliary
hydraulics
Electronically controlled hydraulic
pumps
Holding valve (Boom and Arm)
Fire wall
Hydraulic filter restriction indicator
Neutral pump de-stroke
Oil cooler
Power save
Pump stand-by pressure
Auto travel speed change
Selectable work modes
Free swing - switch activated
Hydraulic oil sample port
Control pattern selector
Pre-set auxiliary pump settings
Auxiliary valve
5,000-hour hydraulic oil change
interval
1,000-hour hydraulic filter change
interval
SAHR brake



**CX250D STD CRAWLER EXCAVATOR
US PRICE LIST**

**(Ex Works Port of Entry)
Standard Equipment**

UPPER STRUCTURE:

- ISO mirrors (3)
- Cab viscous-mounts (fluid)
- Upper mounted work light (70 watt)
- Swivel guard belly pan
- Center cover (over main CV)
- Fuel tank belly pan
- Handrail (RH access)
- ISO guard rails
- Lifting eyes for counterweight
- Lockable fuel cap, service doors and tool box

ATTACHMENTS:

- Boom— 19 ft. 2 in. (5.85 m)
- Arm— 9 ft. 10 in. (3.00 m)
- Heavy-duty bucket linkage
- Boom mounted work light (70 watt)
- Auxiliary pipe brackets
- Centralized grease fittings
- Attachment cushion valve
- Arm and boom regeneration
- Bucket anti-clatter device
- Chrome pins
- Easy Maintenance System (EMS) bushings
- Teardrop pin retention keepers

OPERATOR STATION:

- ROPS protection
- FOPS cab (Level 1)
- Pressurized cab
- Face vent
- Cab lights (2)
- Interior dome light
- One-touch lock front window
- One piece window (right)
- Safety glass windows
- Gate lock hydraulic activation
- Emergency exit and hammer
- Clear (polycarbonate) roof window w/ sunshade
- AC/heat/defrost w/ auto climate control

OPERATOR STATION (continued):

- LED Color monitor— 7 in (180 mm)
- 26 selectable languages for monitor
- On-board diagnostic system
- 10 programmable attachments settings on monitor - 5 single flow, 5 dual flow
- Seatbelt— 3 in. (76 mm)
- Heated high-back cloth seat with air suspension and 65o tilt adjustment
- Sliding seat — 3.54 in. (90 mm)
- Adjustable armrests
- Tilting consoles— 4-position
- Sliding cockpit — 3.15 in. (80 mm)
- Low-effort joystick controls
- Controls pre-wired for auxiliary
- Single pedal travel
- Straight travel
- AM/FM radio w/ antenna, 2 speakers and Bluetooth capabilities
- Aux-in port for personal electronics
- Radio mute switch (joystick)
- Rear-view & Side-view camera
- Anti-theft system (start code system)
- Rubber floormat
- 12-volt electric outlet
- 24-volt cigarette lighter
- Windshield wiper/washer
- Cup holder
- Storage compartments
- Warm/cool storage compartment
- Travel alarm with cancel switch
- Ignition keys
- One key start & lock-up
- Cab filter (external)
- Cab handrails
- Operator's manual



**CX250D STD CRAWLER EXCAVATOR
US PRICE LIST**

(Ex Works Port of Entry)

Standard Equipment

UNDERCARRIAGE:

Long undercarriage
31.5 in. (800 mm) steel shoes, triple
semi-grouser
Full overlap turntable bearing tub
Single track chain guides
Hydraulic track adjustment
Sealed link chain
Steps
Carbody belly pan (swivel guard)
X-pattern carbody
Lashing points (tie downs)

Filter wrench
Fuel filters
Grease gun
Green plug oil drain hose for
engine oil drain
Hydraulic return filter
Pilot circuit hydraulic filter

CASE ProCare
3-yr/3000-hr factory warranty,
planned maintenance and
SiteWatch™ telematics
CASE SiteWatch™ Telematics
includes hardware and a 3-yr
Advanced data subscription

EXTRA FILTER KIT:

Engine oil filter



**CX250D STD CRAWLER EXCAVATOR
US PRICE LIST**

(Ex Works Port of Entry)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
CX250D STD	56,909 LBS		\$335,348.00



**CX250D STD CRAWLER EXCAVATOR
 US PRICE LIST**

**(Ex Works Port of Entry)
 Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

LIGHTS

SD_E5408 WORKING LIGHTS

488134	Halogen Working Lights			No Charge
488135	LED Working Lights 8 LED light and 1 side camera: 2 LED light are mounted on the front (1 on boom, 1 on house) 2 LED lights are mounted on the rear (above the rear view camera) 1 LED light mounted on each side (2) 2 LED lights mounted on the top of the cab			\$2,754.00

BOOMS

SD_E5311 BOOM

481858	Std Boom 19'2" (5.85 M) Standard Boom			No Charge
781917	No Boom Less boom, hoist and arm cylinders and plumbing. Boom-foot and cylinder pins are provided.			(\$6,769.00)

ARMS

SD_E5320 ARM/DIPPERSTICK

461548	8'2" (2.50 m) HD Arm For use with 19'2" Standard Boom (option 481858) (Recommended for heavy-duty applications - example: hammer)			\$217.00
781178	9'10" (3.01 m) Std Arm For use with 19'2" Standard Boom (option 481858)			No Charge
781149	11'6" (3.52 M) Standard Arm For use with 19'2" Standard Boom (option 481858)			\$1,300.00
XE5320X	No Arm/Dipperstick Less arm, bucket cylinder and linkage.			(\$3,467.00)



**CX250D STD CRAWLER EXCAVATOR
 US PRICE LIST**

(Ex Works Port of Entry)

TRACK SHOES

SD_E5199 TRACK SHOES

	9560013	23.6" (600 mm) Steel Shoes Triple-Grouser Steel Shoes			(\$1,153.00)
	9560003	27.6" (700mm) TG Steel Shoes Triple-Grouser Steel Shoes			(\$568.00)
	9560005	31.5" (800 mm) TG Steel Shoes Triple-Grouser Steel Shoes			No Charge
	9560007	35.4" (900 mm) Steel Shoes			\$1,377.00

LANGUAGE

SD_47083 OPERATOR'S MANUAL

	781981	English Literature			No Charge
	461540	French Canadian Literature			No Charge
	781980	Spanish Literature			No Charge

ADDITIONAL EQUIPMENT CXC

HYDRAULIC OPTIONS

SD_E6410 AUXILIARY HYDRAULICS

	XE6410X	No Optional Hydraulics			No Charge
	461865	Single Acting Auxiliary Hyd Single Acting Auxiliary Hydraulics For use with hammers or vibratory compaction plate applications Joystick activated with Electronic Proportional Controls Provides single direction flow Includes manually adjustable relief valve to set required pressures Notes: 1) Not for use with other Auxiliary Hydraulic options, with the exception of Low Flow. 2) Heavy duty bucket linkage is standard equipment on C/D series excavators. 3) For dealer installed auxiliary hydraulic kits contact: HydrauliCircuit Technology (HCT) (1-888-603-0080 or sales@hctkits.com or www.hctkits.com)			\$8,710.00



**CX250D STD CRAWLER EXCAVATOR
 US PRICE LIST**

(Ex Works Port of Entry)

		<p>461871 Thumb - Proportional SW Double Acting Auxiliary Hydraulics For use with thumb applications</p> <p>Joystick Activated with Electronic Proportional Controls Provides single pump, two-way flow Hydraulic plumbing provided to the end of the boom only, no piping to the arm This system is not switchable to single acting flow</p> <p>Notes: 1) Not for use other Auxiliary Hydraulics options with the exception of Low Flow. 2) Heavy duty bucket linkage is standard equipment on C/D series excavators. 3) For dealer installed auxiliary hydraulic kits contact: HydraulicCircuit Technology (HCT) (1-888-603-0080 or sales@hctkits.com or www.hctkits.com)</p>			<p align="right">\$6,838.00</p>
		<p>461869 MF w/ pressure setting - Prop Multi-Function Auxiliary Hydraulics with Electronic Pressure Control (EPC)</p> <p>For use with multiple applications: hammers/thumbs/grapples/crushers.</p> <p>Includes in-cab Electronic Pressure Control feature Pressure Control feature allows hydraulic pressure setting from the cab monitor and maintaining pressure settings in memory when multiple tools are used. Joystick Activated with Electronic Proportional Controls</p> <p>Provides single or dual pump, two-way flow, Secondary Low-flow Auxiliary Hydraulics can be added Includes in-cab electronically controlled pressure setting feature Is switchable to single acting flow for hammer application.</p> <p>Notes: 1) Not for use with other Auxiliary Hydraulics options, with the exception of Low Flow. 2) Heavy duty bucket linkage is standard equipment on C/D series excavators. 3) For dealer installed auxiliary hydraulic kits contact: HydraulicCircuit Technology (HCT) (1-888-603-0080 or sales@hctkits.com or www.hctkits.com)</p>			<p align="right">\$11,536.00</p>

SD_E6417 SECONDARY AUXILIARY HYDRAULICS

		<p>XE6417X No Low Flow Circuit</p>			<p align="right">No Charge</p>
--	--	------------------------------------	--	--	--------------------------------



**CX250D STD CRAWLER EXCAVATOR
 US PRICE LIST**

(Ex Works Port of Entry)

	461863	Secondary Auxiliary Hydraulics Secondary Low Flow Auxiliary Hydraulics Provides low-flow for rotation or tilt hydraulic attachments. For use with Standard Boom option 481858 Not for use with Offset Boom option 461025 Joystick Activated with Electronic Proportional Controls Notes: 1) May be used stand alone or with any Case Excavator Auxiliary Hydraulics option. 2) For dealer installed auxiliary hydraulic kits contact: HydraulicCircuit Technology (HCT) (1-888-603-0080 or sales@hctkits.com or www.hctkits.com)			\$7,171.00
--	--------	--	--	--	------------

CAB OPTIONS

SD_E5443 CAB GUARD (FOPS)

	XE5443X	No FOPS Top Cab Guard			No Charge
	481070	FOPS Top Cab Guard			\$1,146.00

SD_E5444 CAB GUARD (FRONT)

	XE5444X	No Front Guard			No Charge
	461142	Front Guard - Wire Mesh Screen			\$1,326.00
	781986	Front Stone Guard (OPG L1) vertical bars (two piece/upper and lower)			\$1,973.00
	461024	Front Stone Guard (OPG L2) vertical bars (one piece/full length)			\$2,324.00
	461552	Vandal Guard Removable steel panels for front windshield			\$574.00

SD_E5449 RAIN DEFLECTOR

	XE5449X	No Rain Deflector			No Charge
	461555	Rain Deflector Not for use with Front grill guard - 2 x 2 mesh option 461142, Front rock guard (OPG 1) option 781986, or Front rock guard (OPG 2) option 461024.			\$380.00

SD_E5451 SUN VISOR

	XE5451X	No Sun Visor			No Charge
	461554	Sun Visor			\$108.00



**CX250D STD CRAWLER EXCAVATOR
 US PRICE LIST**

(Ex Works Port of Entry)

BUCKETS

SD_E6300 EXCAVATOR BUCKET(S)

		XE6300X	No Bucket Buckets may be ordered using Order Codes listed in the Factory Supplied Attachments Section			No Charge
--	--	---------	---	--	--	-----------

ADDITIONAL OPTIONS

SD_02005 ENGINE PRE-CLEANER

		X02005X	No Pre-Cleaner			No Charge
		488031	Pre-Cleaner Cyclone			\$470.00

SD_E5206 TRACK CHAIN GUIDE

		461541	Single Track Chain Guide			No Charge
		461143	Triple Track Chain Guide			\$1,123.00

SD_E5407 COOLING PACKAGE

		XE5407X	Standard Cooling Package			No Charge
		481027	Tropical Cooling Package High ambient temperature cooling package Includes hardware to support the cooling of the main machine systems. Must also order: Pre-Cleaner Cyclone option 488031 Note: Recommended for machines operating in high heat conditions not to exceed 122°F (50°C)			\$504.00

SD_E6400 MEC/HYD QUICK COUPLER

		XE6400X	No Quick Coupler			No Charge
		781128	Hydraulic Quick Coupler Ready Does not come with coupler. Must order coupler from Factory Supplied Attachments section			\$2,304.00

SD_E9730 SAFETY VALVE

		XE9730X	No Hose Burst Check Valve			No Charge
		481064	Hose Burst Check Valve (HBCV) Located on Boom and Arm Cylinder			\$7,913.00

SD_E9739 FULL VIEW CAMERA

		XE9739X	No max view monitor			No Charge
		488055	Case Max View Monitor			\$1,700.00

SD_E9742 REVERSIBLE FAN

		XE9742X	No Reversible Fan			No Charge
		488121	Reversible Fan Variable pitch reversing fan features rotating blades, that provides maximum airflow in either direction when engaged by operator.			\$8,709.00



**CX250D STD CRAWLER EXCAVATOR
 US PRICE LIST**

(Ex Works Port of Entry)

SD_E9874 REFUEL PUMP

		XE9874X	No Refuel Pump			No Charge
		481257	Refuel Pump			\$1,296.00



**CX250D STD CRAWLER EXCAVATOR
 US PRICE LIST**

**(Ex Works Port of Entry)
 Factory Supplied Attachments**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Case Pin On Buckets

84404217	36" Heavy-Duty Pin-On Bucket with 5 teeth (1.25 cu. yd.)			\$5,659.00
84404219	42" Heavy-Duty Pin-On Bucket with 5 teeth (1.48 cu. yd.)			\$6,226.00
84404220	48" Heavy-Duty Pin-On Bucket with 6 teeth (1.72 cu. yd.)			\$6,510.00
84404224	36" HD Hi-Capacity Pin-On Bucket with 5 teeth (1.36 cu. yd.)			\$6,103.00
84404228	42" HD Hi-Capacity Pin-On Bucket with 5 teeth (1.62 cu. yd.)			\$6,713.00
84404230	48" Extra Heavy Duty Bucket with 6 teeth (1.88 cu. yd.)			\$7,103.00
84404232	54" HD Hi-Capacity Pin-On Bucket with 6 teeth (2.14 cu. yd.)			\$7,438.00
84404234	36" Severe-Duty Pin-On Bucket with 5 teeth (1.25 cu. yd.)			\$7,291.00
84404237	42" Severe-Duty Pin-On Bucket with 5 teeth (1.48 cu. yd.)			\$8,022.00
84404240	48" Severe-Duty Pin-On Bucket with 6 teeth (1.72 cu. yd.)			\$8,824.00
84404242	60" Ditching Pin-On Bucket (1.38 cu yd.)			\$5,059.00
84404244	72" Ditching Pin-On Bucket(1.77 cu. yd.)			\$5,398.00

Case Coupler Buckets

84404245	36" Heavy-Duty Coupler Bucket with 5 teeth (1.16 cu. yd.)			\$7,114.00
84404246	42" Heavy-Duty Coupler Bucket with 5 teeth (1.38 cu. yd.)			\$7,589.00
84404249	48" Heavy-Duty Coupler Bucket with 6 teeth (1.60 cu. yd.)			\$8,315.00
84404251	54" Heavy-Duty Coupler Bucket with 6 teeth (1.84 cu. yd.)			\$8,999.00

Coupler

47848464	Multi-Fit S Coupler Kit	1,265 LB		\$8,414.00
----------	-------------------------	----------	--	------------

Direct Link Thumb

47609075	KIT, THUMB, HYD, 3-TINE, use with bucket only (3 tine)	1,235 LB		\$9,136.00
47609076	KIT, THUMB, HYD, 4-TINE, use with bucket only (4 tine)	1,275 LB		\$9,621.00
47609077	KIT, THUMB, HYD, 3-TINE, use with bucket and coupler (3 tine)	1,380 LB		\$9,539.00
47609078	KIT, THUMB, HYD, 4-TINE, use with bucket and coupler (4 tine)	1,415 LB		\$10,155.00



**CX250D STD CRAWLER EXCAVATOR
 US PRICE LIST**

(Ex Works Port of Entry)

Progressive Link Thumb

	47609115	KIT, THUMB, PROG LINK, 3- use with bucket only (3 tine)	1,760 LB		\$11,776.00
	47609116	KIT, THUMB, PROG LINK, 4- use with bucket only (4 tine)	1,800 LB		\$12,261.00
	47609117	KIT, THUMB, PROG LINK, 3- use with bucket and coupler (3 tine)	1,905 LB		\$12,179.00
	47609118	KIT, THUMB, PROG LINK, 4- use with bucket and coupler (4 tine)	1,940 LB		\$12,795.00



**CX250D LONG REACH CRAWLER EXCAVATOR
US PRICE LIST**

(Ex Works Port of Entry)

Standard Equipment

ENGINE:

Isuzu AQ-4HK1X
Tier 4 Final Certified
Selective Catalytic Reduction (SCR)
Diesel Oxidation Catalyst (DOC)
Cooled Exhaust Gas Recirculation
(CEGR)
EGR Coolers
Four-cylinder turbo-charged diesel
Turbocharged/air cooled intercooler
Horsepower:
Net: 177 (132.1 kW) @ 2000 RPM
Electronic fuel injection
High pressure common rail system
Neutral safety start
Auto-engine warm up
Glow-plug pre-heat
Fuel Economy Assist System (FEA)
Engine Protection Feature (EPF)
Dual-stage fuel filtration
Dual element air filter
Remote oil filter
Drain for fuel tank
Remote engine oil drain
500-hour engine oil change interval
24-volt system
Engine oil sample port
Battery disconnect switch
Emergency engine stop
External Fuel and DEF gauges
Fan housing
Fuel cooler
Fuel filter restriction indicator
Fuel shut-off valve
Idle start
Radiator, oil cooler, intercooler -
protective screen

FUEL ECONOMY SYSTEMS:

Engine Idle/Fuel Economy System:
Auto-idle
One-touch idle
Auto-Idle shut-down
BEC- Boom Economy Control
AEC- Auto Economy Control
SWC- Swing Relief Control
SSC- Spool Stroke Control

HYDRAULICS:

Auto power boost
Auto swing priority
Arm speed assistance (2 pump flow)
Auxiliary flow control
Auxiliary valve
Boom speed assistance (2 pump flow)
Bucket curl assist
Control levers pre-wired for auxiliary
hydraulics
Electronically controlled hydraulic
pumps
Holding valve (Boom and Arm)
Fire wall
Hydraulic filter restriction indicator
Neutral pump de-stroke
Oil cooler
Power save
Pump stand-by pressure
Auto travel speed change
Selectable work modes
Free swing
Hydraulic oil sample port
Control pattern selector
Pre-set auxiliary pump settings
Auxiliary valve
5,000-hour hydraulic oil change
interval
1,000-hour hydraulic filter change
interval
SAHR brake



**CX250D LONG REACH CRAWLER EXCAVATOR
US PRICE LIST**

(Ex Works Port of Entry)

Standard Equipment

UPPER STRUCTURE:

ISO mirrors (3)
Cab viscous-Mounts (fluid)
Upper mounted work light (70 watt)
Swivel guard belly pan
Center cover (over main CV)
Fuel tank belly pan
Handrail (RH access)
ISO guard rails
Lifting eyes for counterweight
Lockable fuel cap, service doors and
tool box

ATTACHMENTS:

Boom— 33 ft. 10 in. (10.30 m)
Arm— 26 ft. 3 in. (8.00 m)
Heavy-duty bucket linkage
Boom mounted work light (70 watt)
Auxiliary pipe brackets
Centralized grease fittings
Attachment cushion valve
Arm and boom regeneration
Bucket anti-clatter device
Chrome pins
Easy Maintenance System (EMS)
bushings
Teardrop pin retention keepers

OPERATOR STATION:

ROPS protection
FOPS cab (Level 1)
Pressurized cab
Face vent
Cab lights (2)
Interior dome light
One-touch lock front window
One piece window (right)
Safety glass windows
Gate lock hydraulic activation
Emergency exit and hammer
Clear (polycarbonate) roof window
w/sunshade

OPERATOR STATION (continued):

AC/heat/defrost w/ auto climate
control
LED Color monitor— 7 in (180 mm)
26 selectable languages for monitor
On-board diagnostic system
10 programmable attachments settings
on monitor - 5 single flow, 5 dual
flow
Seatbelt— 3 in. (76 mm)
Heated high-back cloth seat with air
suspension and 65o tilt adjustment
Sliding seat — 3.54 in. (90 mm)
Adjustable armrests
Tilting consoles— 4-position
Sliding cockpit — 3.15 in. (80 mm)
Low-effort joystick controls
Controls pre-wired for auxiliary
Single pedal travel
Straight travel
AM/FM radio w/ antenna, 2 speakers
and Bluetooth capabilities
Aux-in port for personal electronics
Radio mute switch (joystick)
Rear-view & Side-view camera
Anti-theft system (start code system)
Rubber floormat
12-volt electric outlet
24-volt cigarette lighter
Windshield wiper/washer
Cup holder
Storage compartments
Warm/cool storage compartment
Travel alarm with cancel switch
Ignition keys
One key start & lock-up
Cab filter (external)
Cab handrails
Operators manual



**CX250D LONG REACH CRAWLER EXCAVATOR
US PRICE LIST**

(Ex Works Port of Entry)

Standard Equipment

UNDERCARRIAGE:

Long undercarriage
31.5 in. (800 mm) steel shoes, triple
semi-grouser
Full overlap turntable bearing tub
Single track chain guides
Hydraulic track adjustment
Sealed link chain
Steps
Carbody belly pan (swivel guard)
X-pattern carbody
Lashing points (tie downs)

Grease gun
Green plug oil drain hose for
engine oil drain
Hydraulic return filter
Pilot circuit hydraulic filter

CASE ProCare
3-yr/3000-hr factory warranty,
planned maintenance and
SiteWatch™ telematics
CASE SiteWatch™ Telematics
includes hardware and a 3-yr
Advanced data subscription

EXTRA FILTER KIT:

Engine oil filter
Filter wrench
Fuel filters



**CX250D LONG REACH CRAWLER EXCAVATOR
US PRICE LIST**

(Ex Works Port of Entry)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
CX250D LR	62,100 LBS		\$374,350.00



**CX250D LONG REACH CRAWLER EXCAVATOR
 US PRICE LIST**

**(Ex Works Port of Entry)
 Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

LIGHTS

SD_E5408 WORKING LIGHTS

488134	Halogen Working Lights			No Charge
488135	LED Working Lights 8 LED light and 1 side camera: 2 LED light are mounted on the front (1 on boom, 1 on house) 2 LED lights are mounted on the rear (above the rear view camera) 1 LED light mounted on each side (2) 2 LED lights mounted on the top of the cab			\$2,754.00

BOOMS

SD_E5311 BOOM

461029	Standard Long Reach Boom 33'10" (10.30 M) Long Reach Boom			No Charge
--------	---	--	--	-----------

ARMS

SD_E5320 ARM/DIPPERSTICK

481238	26'3" (8.00 M) Arm For use with 33'10" Standard Long Reach Boom (option 461029)			No Charge
--------	---	--	--	-----------

TRACK SHOES

SD_E5199 TRACK SHOES

9560005	31.5" (800 mm) TG Steel Shoes Triple-Grouser Steel Shoes			No Charge
---------	--	--	--	-----------

LANGUAGE

SD_47083 OPERATOR'S MANUAL

781981	English Literature			No Charge
461540	French Canadian Literature			No Charge
781980	Spanish Literature			No Charge



**CX250D LONG REACH CRAWLER EXCAVATOR
 US PRICE LIST**

(Ex Works Port of Entry)

ADDITIONAL EQUIPMENT CXC

HYDRAULIC OPTIONS

SD_E6417 SECONDARY AUXILIARY HYDRAULICS

		XE6417X	No Low Flow Circuit			No Charge
		461863	Secondary Auxiliary Hydraulics Secondary Low Flow Auxiliary Hydraulics Provides low-flow for rotation or tilt hydraulic attachments. Joystick Activated with Electronic Proportional Controls Notes: 1) May be used stand alone or with any Case Excavator Auxiliary Hydraulics option. 2) For dealer installed auxiliary hydraulic kits contact: HydraulicCircuit Technology (HCT) (1-888-603-0080 or sales@hctkits.com or www.hctkits.com)			\$8,083.00

CAB OPTIONS

SD_E5443 CAB GUARD (FOPS)

		XE5443X	No FOPS Top Cab Guard			No Charge
		481070	FOPS Top Cab Guard			\$1,146.00

SD_E5444 CAB GUARD (FRONT)

		XE5444X	No Front Guard			No Charge
		461142	Front Guard - Wire Mesh Screen			\$1,326.00
		781986	Front Stone Guard (OPG L1) vertical bars (two piece/upper and lower)			\$1,973.00
		461024	Front Stone Guard (OPG L2) vertical bars (one piece/full length)			\$2,324.00
		461552	Vandal Guard Removable steel panels for front windshield			\$574.00

SD_E5449 RAIN DEFLECTOR

		XE5449X	No Rain Deflector			No Charge
		461555	Rain Deflector Not for use with Front grill guard - 2 x 2 mesh option 461142, Front rock guard (OPG 1) option 781986, or Front rock guard (OPG 2) option 461024.			\$380.00

SD_E5451 SUN VISOR

		XE5451X	No Sun Visor			No Charge
		461554	Sun Visor			\$108.00



**CX250D LONG REACH CRAWLER EXCAVATOR
 US PRICE LIST**

(Ex Works Port of Entry)

BUCKETS

SD_E6300 EXCAVATOR BUCKET(S)

		XE6300X	No Bucket Buckets may be ordered using Order Codes listed in the Factory Supplied Attachments Section			No Charge
--	--	---------	---	--	--	-----------

ADDITIONAL OPTIONS

SD_02005 ENGINE PRE-CLEANER

		X02005X	No Pre-Cleaner			No Charge
		488031	Pre-Cleaner Cyclone			\$470.00

SD_E5206 TRACK CHAIN GUIDE

		461541	Single Track Chain Guide			No Charge
		461143	Triple Track Chain Guide			\$1,123.00

SD_E5407 COOLING PACKAGE

		XE5407X	Standard Cooling Package			No Charge
		481027	Tropical Cooling Package High ambient temperature cooling package Includes Pre-Cleaner Cyclone option 488031 Note: Recommended for machines operating in high heat conditions not to exceed 122°F (50°C)			\$504.00

SD_E9730 SAFETY VALVE

		XE9730X	No Hose Burst Check Valve Located on Boom and Arm Cylinder			No Charge
		481064	Hose Burst Check Valve (HBCV) boom and arm			\$7,913.00

SD_E9739 FULL VIEW CAMERA

		XE9739X	No max view monitor			No Charge
		488055	Case Max View Monitor			\$1,700.00

SD_E9874 REFUEL PUMP

		XE9874X	No Refuel Pump			No Charge
		481257	Refuel Pump			\$1,296.00



**CX250D LONG REACH CRAWLER EXCAVATOR
 US PRICE LIST**

(Ex Works Port of Entry)

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Case Pin On Buckets

84404095	30" Heavy-Duty Pin-On Bucket with 4 teeth (.65 cu. yd.)			\$3,073.00
84404103	36" Heavy-Duty Pin-On Bucket with 5 teeth (.79 cu. yd.)			\$3,329.00
84404113	48" Ditching Pin-On Bucket (.79 cu. yd.)			\$2,992.00
84404115	60" Ditching Pin-On Bucket (1.02 cu yd.)			\$3,394.00

Direct Link Thumb

47609058	Hydraulic Main Pin Direct Link Thumb use with bucket only (2 tine)	830 LB		\$6,569.00
47609059	KIT, THUMB, HYD, 4-TINE, use with bucket only (3 tine)	860 LB		\$6,953.00
47609060	KIT, THUMB, HYD, 3-TINE, use with bucket and coupler (2 tine)	870 LB		\$6,813.00
47609061	KIT, THUMB, HYD, 4-TINE, use with bucket and coupler (3 tine)	910 LB		\$7,293.00

Fabco Buckets

84404117	24" Heavy Duty (HD) Coupler Bucket with 4 teeth (.43 cu. yd.)			\$4,075.00
84404118	30" Heavy Duty (HD) Coupler Bucket with 4 teeth (.56 cu. yd.)			\$4,523.00



**CX290D LC MATERIAL HANDLING
US PRICE LIST**

Standard Equipment

ENGINE:

Isuzu AQ-4HK1X
Tier 4 Final Certified
Selective Catalytic Reduction (SCR)
Diesel Oxidation Catalyst (DOC)
Cooled Exhaust Gas Recirculation
(CEGR)
Four-cylinder turbo-charged diesel
VGT turbocharger
Electronic fuel injection
High pressure common rail system
Neutral safety start
Auto-engine warm up
Glow-plug pre-heat
Fuel Economy Assist System (FEA)
Engine Protection Feature (EPF)
Dual-stage fuel filtration
Dual element air filter
Remote oil filter
Drain for fuel tank
Remote engine oil drain
500-hour engine oil change interval
24-volt system
Engine oil sample port
Battery disconnect switch
Emergency engine stop
External Fuel and DEF gauges
Fan housing
Fuel cooler
Fuel filter restriction indicator
Fuel shut-off valve
Idle start
Radiator, oil cooler, intercooler -
protective screen

FUEL ECONOMY SYSTEMS:

Engine Idle / Fuel Economy System:
Auto-idle
One-touch idle
Auto Idle shut-down
BEC- Boom Economy Control
AEC- Auto Economy Control
SWC- Swing Relief Control
SSC- Spool Stroke Control

HYDRAULICS:

Auto power boost
Auto swing priority
Arm speed assistance (2 pump flow)
Auxiliary flow control
Auxiliary valve
Boom speed assistance (2 pump flow)
Bucket curl assist
Control levers pre-wired for auxiliary
hydraulics
Electronically controlled hydraulic
pumps
Holding valve (Boom and Arm)
Fire wall
Double-acting (2 pumps) plus 2nd
auxiliary
Hydraulic filter restriction indicator
Neutral pump de-stroke
Oil cooler
Power save
Pump stand-by pressure
Auto travel speed change
Selectable work modes
Free swing
Hydraulic oil sample port
Control pattern selector
Pre-set auxiliary pump settings
Auxiliary valve
5,000-hour hydraulic oil change
interval
1,000-hour hydraulic filter change
interval
SAHR brake

UPPER STRUCTURE:

ISO mirrors (3)
Elevated Hydraulic Cab
7'6" (3.2M) riser
Emergency cab lowering device#
Upper mounted work light (70 watt)
Swivel guard belly pan
Center cover (over main CV)
Fuel tank belly pan
Handrail (RH access)

**CX290D LC MATERIAL HANDLING
US PRICE LIST**

Standard Equipment

UPPER STRUCTURE CONT.

ISO guard rails
Lifting eyes for counterweight
Lockable fuel cap, service doors and
tool box
Anti-interference device

ATTACHMENTS:

Boom- 16 ft. 5 in. (7.1 m)
Arm- 9 ft. 10 in. (5.0 m)
Boom mounted work light (70 watt)
Auxiliary pipe brackets
Centralized grease fittings
Attachment cushion valve
Arm and boom regeneration
Chrome pins
Easy Maintenance System (EMS)
bushings
Teardrop pin retention keepers

OPERATOR STATION:

ROPS protection
FOPS cab (Level 1)
Pressurized cab
Face vent
Cab lights (2)
Interior dome light
One-touch lock front window
One piece window (right)
Safety glass windows
Gate lock hydraulic activation
Emergency exit and hammer
Clear (polycarbonate) roof window w/
sunshade
AC/heat/defrost w/ auto climate
control
LED Color monitor- 7 in (180 mm)
26 selectable languages for monitor
On-board diagnostic system
10 programmable attachments settings
on monitor - 5 single flow, 5 dual
flow
Seatbelt- 3 in. (76 mm)
Heated high-back cloth seat with air
suspension and 65o tilt adjustment
Sliding seat - 3.54 in. (90 mm)

Adjustable armrests
Tilting consoles- 4-position
Sliding cockpit - 3.15 in. (80 mm)
Low-effort joystick controls
Controls pre-wired for auxiliary
Single pedal travel
Straight travel
AM/FM radio w/ antenna, 2 speakers
and Bluetooth capabilities
Aux-in port for personal electronics
Radio mute switch (joystick)
Rear-view camera
Side-view camera
Anti-theft system (start code system)
Rubber floor mat
12-volt electric outlet
24-volt cigarette lighter
Windshield wiper/washer
Cup holder
Storage compartments
Warm/cool storage compartment
Travel alarm with cancel switch
Ignition keys
One key start & lock-up
Cab filter (external)
Cab handrails
Operator's manual

UNDERCARRIAGE:

Long undercarriage
23.6 in. (600 mm) steel shoes, flat-
grouser
Full overlap turntable bearing tub
Single track chain guides
Hydraulic track adjustment
Sealed link chain, Steps
Carbody belly pan (swivel guard)
X-pattern carbody
Lashing points (tie downs)
CASE ProCare
3-yr/3000-hr factory warranty,
planned maintenance and
SiteWatch™ telematics
CASE SiteWatch™ Telematics
includes hardware and a 3-yr
Advanced data subscription

**CX290D LC MATERIAL HANDLING
US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
CX290D LC MH	72,100 LB		\$495,947.00

**CX290D LC MATERIAL HANDLING
 US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

LIGHTS

SD_E5408 WORKING LIGHTS

	488134	Halogen Working Lights		No Charge
	488135	LED Working Lights 8 LED light and 1 side camera: 2 LED light are mounted on the front (1 on boom, 1 on house) 2 LED lights are mounted on the rear (above the rear view camera) 1 LED light mounted on each side (2) 2 LED lights mounted on the top of the cab		\$2,754.00

BOOMS

SD_E5311 BOOM

	461031	MATERIAL HANDLING B		No Charge
--	--------	---------------------	--	-----------

ARMS

SD_E5320 ARM/DIPPERSTICK

	781930	16'5" (5.0 M) Arm		No Charge
--	--------	-------------------	--	-----------

TRACK SHOES

SD_E5199 TRACK SHOES

	9560025	23.6" (600mm) Flat Steel Shoes		No Charge
	9560003	27.6" (700mm) TG Steel Shoes		(\$11,022.00)
	9560013	23.6" (600 mm) Steel Shoes		(\$11,749.00)
	9560005	31.5" (800 mm) TG Steel Shoes		(\$10,308.00)

LANGUAGE

SD_47083 OPERATOR'S MANUAL

	461540	French Canadian Literature		No Charge
	781980	Spanish Literature		No Charge
	781981	English Literature		No Charge

**CX290D LC MATERIAL HANDLING
 US PRICE LIST**

ADDITIONAL EQUIPMENT CXC

CAB OPTIONS

SD_E5443 CAB GUARD (FOPS)

		XE5443X	No FOPS Top Cab Guard			No Charge
		481070	FOPS Top Cab Guard Not for use with Vandal Guard option 461552			\$1,089.00

SD_E5444 CAB GUARD (FRONT)

		461552	Vandal Guard Removable steel panels for front windshield			(\$1,399.00)
		781986	Front Stone Guard (OPG L1)			No Charge
		461024	Front Stone Guard (OPG L2)			\$351.00

ADDITIONAL OPTIONS

SD_02005 ENGINE PRE-CLEANER

		X02005X	No Pre-Cleaner			No Charge
		488031	Pre-Cleaner Cyclone			\$470.00

SD_E5206 TRACK CHAIN GUIDE

		461541	Single Track Chain Guide			No Charge
		461143	Triple Track Chain Guide			\$1,123.00

SD_E5449 RAIN DEFLECTOR

		XE5449X	No Rain Deflector			No Charge
		461555	Rain Deflector Not for use with Front Stone Guard option listed in the Cab Guard Section			\$380.00

SD_E9739 FULL VIEW CAMERA

		XE9739X	No max view monitor			No Charge
		488055	Case Max View Monitor			\$1,700.00

SD_E9742 REVERSIBLE FAN

		XE9742X	No Reversible Fan			No Charge
		488121	Reversible Fan Variable pitch reversing fan features rotating blades, that provides maximum airflow in either direction when engaged by operator.			\$8,709.00

TELEMATICS

SD_E9908 TELEMATICS ON BOARD

		461860	CASE SiteWatch Telematics			No Charge
--	--	--------	---------------------------	--	--	-----------

**CX290D LC MATERIAL HANDLING
US PRICE LIST**

SD_E9909 TELEMATICS SERVICE

	461742	3 YEARS ADV SUB			No Charge
--	--------	-----------------	--	--	-----------



**CX290D LC SCRAP
US PRICE LIST**

Standard Equipment

ENGINE:

Isuzu AQ-4HK1X
Tier 4 Final Certified
Selective Catalytic Reduction (SCR)
Diesel Oxidation Catalyst (DOC)
Cooled Exhaust Gas Recirculation
(CEGR)
Four-cylinder turbo-charged diesel
VGT turbocharger
Horsepower:
Net 177 (132.1 kW) @ 2000 RPM
Electronic fuel injection
High pressure common rail system
Neutral safety start
Auto-engine warm up
Glow-plug pre-heat
Fuel Economy Assist System (FEA)
Engine Protection Feature (EPF)
Dual-stage fuel filtration
Dual element air filter
Remote oil filter
Drain for fuel tank
Remote engine oil drain
500-hour engine oil change interval
24-volt system
Engine oil sample port
Battery disconnect switch
Emergency engine stop
External Fuel and DEF gauges
Fan housing
Fuel cooler
Fuel filter restriction indicator
Fuel shut-off valve
Idle start
Radiator, oil cooler, intercooler -
protective screen

FUEL ECONOMY SYSTEMS:

Engine Idle / Fuel Economy System:
Auto-idle
One-touch idle
Auto Idle shut-down
BEC- Boom Economy Control
AEC- Auto Economy Control
SWC- Swing Relief Control
SSC- Spool Stroke Control

HYDRAULICS:

Auto power boost
Auto swing priority
Arm speed assistance (2 pump flow)
Auxiliary flow control
Auxiliary valve
Boom speed assistance (2 pump flow)
Bucket curl assist
Control levers pre-wired for auxiliary
hydraulics
Electronically controlled hydraulic
pumps
Holding valve (Boom and Arm)
2nd Auxiliary valve (proportional)
Fire wall
Hydraulic filter restriction indicator
Neutral pump de-stroke
Oil cooler
Power save
Pump stand-by pressure
Auto travel speed change
Selectable work modes
Free swing
Hydraulic oil sample port
Control pattern selector
Pre-set auxiliary pump settings
Auxiliary valve
5,000-hour hydraulic oil change
interval
1,000-hour hydraulic filter change
interval
SAHR brake

UPPER STRUCTURE:

ISO mirrors (3)
Elevated Hydraulic Cab
7'6" (3.2M) riser
Emergency cab lowering device#
Upper mounted work light (70 watt)
Swivel guard belly pan
Center cover (over main CV)
Fuel tank belly pan
Handrail (RH access)
ISO guard rails
Lifting eyes for counterweight



**CX290D LC SCRAP
US PRICE LIST**

Standard Equipment

UPPER STRUCTURE CONT.

- Lockable fuel cap, service doors and tool box
- Anti-interference device

ATTACHMENTS:

- Boom— 24 ft. 4 in. (7.4 m)
- Arm— 19 ft. 2 in. (5.8 m)
- Boom mounted work light (70 watt)
- Auxiliary pipe brackets
- Centralized grease fittings
- Attachment cushion valve
- Arm and boom regeneration
- Chrome pins
- Easy Maintenance System (EMS) bushings
- Teardrop pin retention keepers

OPERATOR STATION:

- ROPS protection
- FOPS cab (Level 1)
- Pressurized cab
- Face vent
- Cab lights (2)
- Interior dome light
- One-touch lock front window
- One piece window (right)
- Safety glass windows
- Gate lock hydraulic activation
- Emergency exit and hammer
- Clear (polycarbonate) roof window w/ sunshade
- AC/heat/defrost w/ auto climate control
- LED Color monitor— 7 in (180 mm)
- 26 selectable languages for monitor
- On-board diagnostic system
- 10 programmable attachments settings on monitor - 5 single flow, 5 dual flow
- Seatbelt— 3 in. (76 mm)
- Heated high-back cloth seat with air suspension and 65o tilt adjustment
- Sliding seat — 3.54 in. (90 mm)
- Adjustable armrests

- Tilting consoles— 4-position
- Sliding cockpit — 3.15 in. (80 mm)
- Low-effort joystick controls
- Controls pre-wired for auxiliary
- Single pedal travel
- Straight travel
- AM/FM radio w/ antenna, 2 speakers and Bluetooth capabilities
- Aux-in port for personal electronics
- Radio mute switch (joystick)
- Rear-view camera
- Side-view camera
- Anti-theft system (start code system)
- Rubber floormat
- 12-volt electric outlet
- 24-volt cigarette lighter
- Windshield wiper/washer
- Cup holder
- Storage compartments
- Warm/cool storage compartment
- Travel alarm with cancel switch
- Ignition keys
- One key start & lock-up
- Cab filter (external)
- Cab handrails
- Operator's manual

UNDERCARRIAGE:

- Long undercarriage
- 23.6 in. (600 mm) steel shoes, flat-grouser
- Full overlap turntable bearing tub
- Single track chain guides
- Hydraulic track adjustment
- Sealed link chain
- Steps
- Carbody belly pan (swivel guard)
- X-pattern carbody
- Lashing points (tie downs)
- CASE ProCare
- 3-yr/3000-hr factory warranty, planned maintenance and SiteWatch™ telematics
- CASE SiteWatch™ Telematics includes hardware and a 3-yr Advanced data subscription



**CX290D LC SCRAP
US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
CX290D LC SC	71,700 LB		\$493,587.00



**CX290D LC SCRAP
 US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

LIGHTS

SD_E5408 WORKING LIGHTS

488134	Halogen Working Lights			No Charge
488135	LED Working Lights 8 LED light and 1 side camera: 2 LED light are mounted on the front (1 on boom, 1 on house) 2 LED lights are mounted on the rear (above the rear view camera) 1 LED light mounted on each side (2) 2 LED lights mounted on the top of the cab			\$2,754.00

BOOMS

SD_E5311 BOOM

461032	MATERIAL HANDLING S			No Charge
--------	---------------------	--	--	-----------

ARMS

SD_E5320 ARM/DIPPERSTICK

461033	GOOSE NECK ARM			No Charge
--------	----------------	--	--	-----------

TRACK SHOES

SD_E5199 TRACK SHOES

9560025	23.6" (600mm) Flat Steel Shoes			No Charge
9560003	27.6" (700mm) TG Steel Shoes			(\$11,022.00)
9560013	23.6" (600 mm) Steel Shoes			(\$11,749.00)
9560005	31.5" (800 mm) TG Steel Shoes			(\$10,308.00)

LANGUAGE

SD_47083 OPERATOR'S MANUAL

461540	French Canadian Literature			No Charge
781980	Spanish Literature			No Charge
781981	English Literature			No Charge



**CX290D LC SCRAP
 US PRICE LIST**

ADDITIONAL EQUIPMENT CXC

CAB OPTIONS

SD_E5443 CAB GUARD (FOPS)

		XE5443X	No FOPS Top Cab Guard			No Charge
		481070	FOPS Top Cab Guard Not for use with Vandal Guard option 461552			\$1,089.00

SD_E5444 CAB GUARD (FRONT)

		461552	Vandal Guard Removable steel panels for front windshield			(\$1,399.00)
		781986	Front Stone Guard (OPG L1)			No Charge
		461024	Front Stone Guard (OPG L2)			\$351.00

ADDITIONAL OPTIONS

SD_02005 ENGINE PRE-CLEANER

		X02005X	No Pre-Cleaner			No Charge
		488031	Pre-Cleaner Cyclone			\$470.00

SD_E5206 TRACK CHAIN GUIDE

		461541	Single Track Chain Guide			No Charge
		461143	Triple Track Chain Guide			\$1,123.00

SD_E5449 RAIN DEFLECTOR

		XE5449X	No Rain Deflector			No Charge
		461555	Rain Deflector Not for use with Front Stone Guard option listed in the Cab Guard Section			\$380.00

SD_E9739 FULL VIEW CAMERA

		XE9739X	No max view monitor			No Charge
		488055	Case Max View Monitor			\$1,700.00

SD_E9742 REVERSIBLE FAN

		XE9742X	No Reversible Fan			No Charge
		488121	Reversible Fan Variable pitch reversing fan features rotating blades, that provides maximum airflow in either direction when engaged by operator.			\$8,709.00

TELEMATICS

SD_E9908 TELEMATICS ON BOARD

		461860	CASE SiteWatch Telematics			No Charge
--	--	--------	---------------------------	--	--	-----------



CX290D LC SCRAP US PRICE LIST
--

SD_E9909 TELEMATICS SERVICE

	461742	3 YEARS ADV SUB				No Charge
--	--------	-----------------	--	--	--	-----------



**CX300D CRAWLER EXCAVATOR
US PRICE LIST**

**(Ex Works Port of Entry)
Standard Equipment**

ENGINE:

Isuzu AQ-6HK1X
Tier 4 Final Certified
Selective Catalytic Reduction (SCR)
Diesel Oxidation Catalyst (DOC)
Cooled Exhaust Gas Recirculation
(CEGR)
Turbocharged/air cooled intercooler
Horsepower:
Net: 207 (154 kW) @ 1800 RPM
Electronic fuel injection
High pressure common rail system
Neutral safety start
Auto-engine warm up
Glow-plug pre-heat
Fuel Economy Assist System (FEA)
Engine Protection Feature (EPF)
Dual-stage fuel filtration
Dual element air filter
Remote oil filter
Drain for fuel tank
Remote engine oil drain
500-hour engine oil change interval
24-volt system
Engine oil sample port
Battery disconnect switch
High ambient temperature cooling
package
Emergency engine stop
External Fuel and DEF gauges
Fan housing
Fuel cooler
Fuel filter restriction indicator
Fuel shut-off valve
Idle start
Radiator, oil cooler, intercooler -
protective screen

FUEL ECONOMY SYSTEMS:

Engine Idle / Fuel Economy System:
Auto-idle
One-touch idle
Auto-Idle shut-down
BEC- Boom Economy Control
AEC- Auto Economy Control
SWC- Swing Relief Control
SSC- Spool Stroke Control

HYDRAULICS:

Auto power boost
Auto swing priority
Arm speed assistance (2 pump flow)
Auxiliary flow control
Auxiliary valve
Boom speed assistance (2 pump flow)
Bucket curl assist
Control levers pre-wired for auxiliary
hydraulics
Electronically controlled hydraulic
pumps
Holding valve (Boom and Arm)
Fire wall
Hydraulic filter restriction indicator
Neutral pump de-stroke
Oil cooler
Power save
Pump stand-by pressure
Auto travel speed change
Selectable work modes
Free swing
Hydraulic oil sample port
Control pattern selector
Pre-set auxiliary pump settings
Auxiliary valve
5,000-hour hydraulic oil change
interval
1,000-hour hydraulic filter change
interval
SAHR brake

**CX300D CRAWLER EXCAVATOR
US PRICE LIST**

**(Ex Works Port of Entry)
Standard Equipment**

UPPER STRUCTURE:

- ISO mirrors (3)
- Cab viscous-mounts (fluid)
- Upper mounted work light (70 watt)
- Swivel guard belly pan
- Center cover (over main CV)
- Fuel tank belly pan
- Handrail (RH access)
- ISO guard rails
- Lifting eyes for counterweight
- Lockable fuel cap, service doors and tool box

ATTACHMENTS:

- Boom— 20 ft. 2 in. (6.15 m)
- Arm— 10 ft. 5 in. (3.18 m)
- Heavy-duty bucket linkage
- Boom mounted work light (70 watt)
- Auxiliary pipe brackets
- Centralized grease fittings
- Attachment cushion valve
- Arm and boom regeneration
- Bucket anti-clatter device
- Chrome pins
- Easy Maintenance System (EMS) bushings
- Teardrop pin retention keepers

OPERATOR STATION:

- ROPS protection
- FOPS cab (Level 1)
- Pressurized cab
- Face vent
- Cab lights (2)
- Interior dome light
- One-touch lock front window
- One piece window (right)
- Safety glass windows
- Gate lock hydraulic activation
- Emergency exit and hammer
- Clear (polycarbonate) roof window w/ sunshade

OPERATOR STATION (Continued):

- AC/heat/defrost w/ auto climate control
- LED Color monitor— 7 in (180 mm)
- 26 selectable languages for monitor
- On-board diagnostic system
- 10 programmable attachments settings on monitor - 5 single flow, 5 dual flow
- Seatbelt— 3 in. (76 mm)
- Heated high-back cloth seat with air suspension and 65o tilt adjustment
- Sliding seat — 3.54 in. (90 mm)
- Adjustable armrests
- Tilting consoles— 4-position
- Sliding cockpit — 3.15 in. (80 mm)
- Low-effort joystick controls
- Controls pre-wired for auxiliary
- Single pedal travel
- Straight travel
- AM/FM radio w/ antenna, 2 speakers and Bluetooth capabilities
- Aux-in port for personal electronics
- Radio mute switch (joystick)
- Rear-view & Side-view camera
- Anti-theft system (start code system)
- Rubber floormat
- 12-volt electric outlet
- 24-volt cigarette lighter
- Windshield wiper/washer
- Cup holder
- Storage compartments
- Warm/cool storage compartment
- Travel alarm with cancel switch
- Ignition keys
- One key start & lock-up
- Cab filter (external)
- Cab handrails
- Operator's manual



**CX300D CRAWLER EXCAVATOR
US PRICE LIST**

(Ex Works Port of Entry)

Standard Equipment

UNDERCARRIAGE:

Long undercarriage
31.5 in. (800 mm) steel shoes, triple
semi-grouser
Full overlap turntable bearing tub
Single track chain guides
Hydraulic track adjustment
Sealed link chain
Steps
Carbody belly pan (swivel guard)
X-pattern carbody
Lashing points (tie downs)

Fuel filters
Grease gun
Green plug oil drain hose for
engine oil drain
Hydraulic return filter
Pilot circuit hydraulic filter

CASE ProCare
3-yr/3000-hr factory warranty,
planned maintenance and
SiteWatch™ telematics
CASE SiteWatch™ Telematics
includes hardware and a 3-yr
Advanced data subscription

EXTRA FILTER KIT:

Engine oil filter
Filter wrench

**CX300D CRAWLER EXCAVATOR
US PRICE LIST**

(Ex Works Port of Entry)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
CX300D STD	67,271 LBS		\$393,361.00

**CX300D CRAWLER EXCAVATOR
 US PRICE LIST**

(Ex Works Port of Entry)
Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

LIGHTS

SD_E5408 WORKING LIGHTS

488134	Halogen Working Lights			No Charge
488135	LED Working Lights 8 LED light and 1 side camera: 2 LED light are mounted on the front (1 on boom, 1 on house) 2 LED lights are mounted on the rear (above the rear view camera) 1 LED light mounted on each side (2) 2 LED lights mounted on the top of the cab			\$2,754.00

BOOMS

SD_E5311 BOOM

481858	Std Boom 20'2" (6.15 M) Standard Boom			No Charge
781917	No Boom Less boom, hoist and arm cylinders and plumbing. Boom-foot and cylinder pins are provided.			(\$7,367.00)

ARMS

SD_E5320 ARM/DIPPERSTICK

481243	8'8" (2.65 M) Standard Arm For use with 20'2" Standard Boom (option 481858)			(\$433.00)
781180	10'5" (3.18 M) Standard Arm For use with 20'2" Standard Boom (option 481858)			No Charge
481850	12' (3.66 M) Standard Arm For use with 20'2" Standard Boom (option 481858)			\$1,127.00
XE5320X	No Arm/Dipperstick Less arm, bucket cylinder and linkage			(\$3,909.00)

**CX300D CRAWLER EXCAVATOR
 US PRICE LIST**

(Ex Works Port of Entry)

TRACK SHOES

SD_E5199 TRACK SHOES

	9560013	23.6" (600 mm) Steel Shoes Triple-Grouser Steel Shoes			(\$871.00)
	9560003	27.6" (700mm) TG Steel Shoes Triple-Grouser Steel Shoes			(\$672.00)
	9560005	31.5" (800 mm) TG Steel Shoes Triple-Grouser Steel Shoes			No Charge

LANGUAGE

SD_47083 OPERATOR'S MANUAL

	781981	English Literature			No Charge
	461540	French Canadian Literature			No Charge
	781980	Spanish Literature			No Charge

ADDITIONAL EQUIPMENT CXC

HYDRAULIC OPTIONS

SD_E6410 AUXILIARY HYDRAULICS

	XE6410X	No Optional Hydraulics			No Charge
	461865	Single Acting Auxiliary Hyd Single Acting Auxiliary Hydraulics For use with hammers or vibratory compaction plate applications Joystick activated with Electronic Proportional Controls Provides single direction flow Includes manually adjustable relief valve to set required pressures Notes: 1) Not for use with other Auxiliary Hydraulic options, with the exception of Low Flow. 2) Heavy duty bucket linkage is standard equipment on C/D series excavators. 3) For dealer installed auxiliary hydraulic kits contact: HydraulicCircuit Technology (HCT) (1-888-603-0080 or sales@hctkits.com or www.hctkits.com)			\$9,379.00



**CX300D CRAWLER EXCAVATOR
 US PRICE LIST**

(Ex Works Port of Entry)

		<p>461871 Thumb - Proportional SW Double Acting Auxiliary Hydraulics For use with thumb applications</p> <p>Joystick Activated with Electronic Proportional Controls Provides single pump, two-way flow Hydraulic plumbing provided to the end of the boom only, no piping to the arm This system is not switchable to single acting flow</p> <p>Notes: 1) Not for use other Auxiliary Hydraulics options with the exception of Low Flow. 2) Heavy duty bucket linkage is standard equipment on C/D series excavators. 3) For dealer installed auxiliary hydraulic kits contact: HydraulicCircuit Technology (HCT) (1-888-603-0080 or sales@hctkits.com or www.hctkits.com)</p>			<p align="right">\$6,996.00</p>
		<p>461869 MF w/ pressure setting - Prop Multi-Function Auxiliary Hydraulics with Electronic Pressure Control (EPC) For use with multiple applications: hammers/thumbs/grapples/crushers.</p> <p>Includes in-cab Electronic Pressure Control feature</p> <p>Pressure Control feature allows hydraulic pressure setting from the cab monitor and maintaining pressure settings in memory when multiple tools are used. Joystick Activated with Electronic Proportional Controls</p> <p>Provides single or dual pump, two-way flow, Secondary Low-flow Auxiliary Hydraulics can be added Includes in-cab electronically controlled pressure setting feature Is switchable to single acting flow for hammer application.</p> <p>Notes: 1) Not for use with other Auxiliary Hydraulics options, with the exception of Low Flow. 2) Heavy duty bucket linkage is standard equipment on C/D series excavators. 3) For dealer installed auxiliary hydraulic kits contact: HydraulicCircuit Technology (HCT) (1-888-603-0080 or sales@hctkits.com or www.hctkits.com)</p>			<p align="right">\$11,934.00</p>

SD_E6417 SECONDARY AUXILIARY HYDRAULICS

		<p>XE6417X No Low Flow Circuit</p>			<p align="right">No Charge</p>
--	--	------------------------------------	--	--	--------------------------------

**CX300D CRAWLER EXCAVATOR
 US PRICE LIST**

(Ex Works Port of Entry)

	461863	Secondary Auxiliary Hydraulics Secondary Low Flow Auxiliary Hydraulics Provides low-flow for rotation or tilt hydraulic attachments. For use with Standard Boom option 481858 Not for use with Offset Boom option 461025 Joystick Activated with Electronic Proportional Controls Notes: 1) May be used stand alone or with any Case Excavator Auxiliary Hydraulics option. 2) For dealer installed auxiliary hydraulic kits contact: HydraulicCircuit Technology (HCT) (1-888-603-0080 or sales@hctkits.com or www.hctkits.com)			\$7,647.00
--	--------	--	--	--	------------

CAB OPTIONS

SD_E5443 CAB GUARD (FOPS)

	XE5443X	No FOPS Top Cab Guard			No Charge
	481070	FOPS Top Cab Guard			\$1,146.00

SD_E5444 CAB GUARD (FRONT)

	XE5444X	No Front Guard			No Charge
	461142	Front Guard - Wire Mesh Screen			\$1,326.00
	781986	Front Stone Guard (OPG L1) vertical bars (two piece/upper and lower)			\$1,973.00
	461024	Front Stone Guard (OPG L2) vertical bars (one piece/full length)			\$2,324.00
	461552	Vandal Guard Removable steel panels for front windshield			\$574.00

SD_E5449 RAIN DEFLECTOR

	XE5449X	No Rain Deflector			No Charge
	461555	Rain Deflector Not for use with Front grill guard - 2 x 2 mesh option 461142, Front rock guard (OPG 1) option 781986, or Front rock guard (OPG 2) option 461024.			\$380.00

SD_E5451 SUN VISOR

	XE5451X	No Sun Visor			No Charge
	461554	Sun Visor			\$108.00

**CX300D CRAWLER EXCAVATOR
 US PRICE LIST**

(Ex Works Port of Entry)

BUCKETS

SD_E6300 EXCAVATOR BUCKET(S)

		XE6300X	No Bucket Buckets may be ordered using Order Codes listed in the Factory Supplied Attachments Section			No Charge
--	--	---------	---	--	--	-----------

ADDITIONAL OPTIONS

SD_02005 ENGINE PRE-CLEANER

		X02005X	No Pre-Cleaner			No Charge
		488031	Pre-Cleaner Cyclone			\$972.00

SD_E5206 TRACK CHAIN GUIDE

		461541	Single Track Chain Guide			No Charge
		461143	Triple Track Chain Guide			\$1,996.00

SD_E6400 MEC/HYD QUICK COUPLER

		XE6400X	No Quick Coupler			No Charge
		781128	Hydraulic Quick Coupler Ready Does not come with coupler. Must order coupler from Factory Supplied Attachments section			\$2,764.00

SD_E9730 SAFETY VALVE

		XE9730X	No Hose Burst Check Valve			No Charge
		481064	Hose Burst Check Valve (HBCV) Located on Boom and Arm Cylinder			\$9,165.00

SD_E9739 FULL VIEW CAMERA

		XE9739X	No max view monitor			No Charge
		488055	Case Max View Monitor			\$1,700.00

SD_E9742 REVERSIBLE FAN

		XE9742X	No Reversible Fan			No Charge
		488121	Reversible Fan Variable pitch reversing fan features rotating blades, that provides maximum airflow in either direction when engaged by operator.			\$8,709.00

SD_E9874 REFUEL PUMP

		XE9874X	No Refuel Pump			No Charge
		481257	Refuel Pump			\$1,296.00

**CX300D CRAWLER EXCAVATOR
 US PRICE LIST**

**(Ex Works Port of Entry)
 Factory Supplied Attachments**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Case Pin On Buckets

84404254	36" Heavy-Duty Pin-On Bucket with 5 teeth (1.36 cu. yd.)			\$6,357.00
84404255	42" Heavy-Duty Pin-On Bucket with 5 teeth (1.62 cu. yd.)			\$6,824.00
84404256	48" Heavy-Duty Pin-On Bucket with 6 teeth (1.88 cu. yd.)			\$7,506.00
84404257	36" HD Hi-Capacity Pin-On Bucket with 5 teeth (1.71 cu. yd.)			\$7,208.00
84404258	42" HD Hi-Capacity Pin-On Bucket with 5 teeth (2.03 cu. yd.)			\$7,642.00
84404259	48" HD Hi-Capacity Pin-On Bucket with 6 teeth (2.36 cu. yd.)			\$8,405.00
84404260	54" HD Hi-Capacity Pin-On Bucket with 6 teeth (2.69 cu. yd.)	3,649 LB		\$9,246.00
84404261	36" Severe-Duty Pin-On Bucket with 5 teeth (1.36 cu. yd.)			\$7,445.00
84404262	42" Severe-Duty Pin-On Bucket with 5 teeth (1.62 cu. yd.)			\$7,998.00
84404265	48" Severe-Duty Pin-On Bucket with 6 teeth (1.88 cu. yd.)			\$8,798.00
84404266	60" Ditching Pin-On Bucket (1.71 cu yd.)			\$5,693.00
84404267	72" Ditching Pin-On Bucket (2.09 cu yd.)			\$6,068.00

Case Coupler Buckets

84404268	36" Heavy-Duty Coupler Bucket with 5 teeth (1.26 cu. yd.)			\$7,615.00
84404269	42" Heavy-Duty Coupler Bucket with 5 teeth (1.52 cu. yd.)			\$8,375.00
84404270	48" Heavy-Duty Coupler Bucket with 6 teeth (1.78 cu. yd.)			\$9,213.00
84404272	54" Heavy-Duty Coupler Bucket with 6 teeth (2.03 cu. yd.)			\$10,133.00

Coupler

47848465	Multi-Fit S Hyd.Pin Grabber Coupler Kit	1,009 LB		\$8,414.00
----------	---	----------	--	------------

Direct Link Thumb

47609082	KIT, THUMB, HYD, 3-TINE, use with bucket only (3 tine)	1,235 LB		\$10,896.00
47609084	KIT, THUMB, HYD, 4-TINE, use with bucket only (4 tine)	1,275 LB		\$11,540.00
47609085	KIT, THUMB, HYD, 3-TINE, use with bucket and coupler (3 tine)	1,380 LB		\$11,199.00
47609086	KIT, THUMB, HYD, 4-TINE, use with bucket and coupler (4 tine)	1,415 LB		\$11,740.00



**CX300D CRAWLER EXCAVATOR
 US PRICE LIST**

(Ex Works Port of Entry)

Progressive Link Thumb

	47609119	KIT, THUMB, PROG LINK, 3- use with bucket only (3 tine)	1,760 LB		\$13,136.00
	47609120	KIT, THUMB, PROG LINK, 4- use with bucket only (4 tine)	1,800 LB		\$13,380.00
	47609121	KIT, THUMB, PROG LINK, 3- use with bucket and coupler (3 tine)	1,905 LB		\$13,439.00
	47609122	Progressive Link Thumb Kit with Coupler use with bucket and coupler (4 tine)	1,940 LB		\$13,899.00



(This page intentionally left blank)

**CX350D CRAWLER EXCAVATOR
US PRICE LIST**

**(Ex Works Port of Entry)
Standard Equipment**

ENGINE:

Isuzu AQ-6HK1X
Tier 4 Final Certified
Selective Catalytic Reduction (SCR)
Diesel Oxidation Catalyst (DOC)
Cooled Exhaust Gas Recirculation
(CEGR)
Turbocharged/air cooled intercooler
Horsepower:
Net 268 (200 kW) @ 1900 RPM
Electronic fuel injection
High pressure common rail system
Neutral safety start
Auto-engine warm up
Glow-plug pre-heat
Fuel Economy Assist System (FEA)
Engine Protection Feature (EPF)
Dual-stage fuel filtration
Dual element air filter
Remote oil filter
Drain for fuel tank
Remote engine oil drain
500-hour engine oil change interval
24-volt system
Engine oil sample port
Battery disconnect switch
Air pre-cleaner (Cyclone)
High ambient temperature cooling
package
Emergency engine stop
External Fuel and DEF gauges
Fan housing
Fuel cooler
Fuel filter restriction indicator
Fuel shut-off valve
Idle start
Radiator, oil cooler, intercooler -
protective screen

FUEL ECONOMY SYSTEMS:

Engine Idle / Fuel Economy System:
Auto-idle
One-touch idle
Auto-Idle shut-down
BEC- Boom Economy Control
AEC- Auto Economy Control
SWC- Swing Relief Control
SSC- Spool Stroke Control

HYDRAULICS:

Auto power boost
Auto swing priority
Arm speed assistance (2 pump flow)
Auxiliary flow control
Auxiliary valve
Boom speed assistance (2 pump flow)
Bucket curl assist
Control levers pre-wired for auxiliary
hydraulics
Electronically controlled hydraulic
pumps
Holding valve (Boom and Arm)
Fire wall
Hydraulic filter restriction indicator
Neutral pump de-stroke
Oil cooler
Power save
Pump stand-by pressure
Auto travel speed change
Selectable work modes
Free swing - switch activated
Hydraulic oil sample port
Control pattern selector
Pre-set auxiliary pump settings
Auxiliary valve
5,000-hour hydraulic oil change
interval
1,000-hour hydraulic filter change
interval
SAHR brake



**CX350D CRAWLER EXCAVATOR
US PRICE LIST**

**(Ex Works Port of Entry)
Standard Equipment**

UPPER STRUCTURE:

- ISO mirrors (3)
- Cab viscous-mounts (fluid)
- Upper mounted work light (70 watt)
- Swivel guard belly pan
- Center cover (over main CV)
- Fuel tank belly pan
- Handrail (RH access)
- ISO guard rails
- Lifting eyes for counterweight
- Lockable fuel cap, service doors and tool box

ATTACHMENTS:

- Boom— 21 ft. 2 in. (6.45 m)
- Arm— 10 ft. 8 in. (3.25 m)
- Heavy-duty bucket linkage
- Boom mounted work light (70 watt)
- Auxiliary pipe brackets
- Centralized grease fittings
- Attachment cushion valve
- Arm and boom regeneration
- Bucket anti-clatter device
- Chrome pins
- Easy Maintenance System (EMS) bushings
- Teardrop pin retention keepers

OPERATOR STATION:

- ROPS protection
- FOPS cab (Level 1)
- Pressurized cab
- Face vent
- Cab lights (2)
- Interior dome light
- One-touch lock front window
- One piece window (right)
- Safety glass windows
- Gate lock hydraulic activation
- Emergency exit and hammer
- Clear (polycarbonate) roof window w/ sunshade

OPERATOR STATION (continued):

- AC/heat/defrost w/ auto climate control
- LED Color monitor— 7 in (180 mm)
- 26 selectable languages for monitor
- On-board diagnostic system
- 10 programmable attachments settings on monitor - 5 single flow, 5 dual flow
- Seatbelt— 3 in. (76 mm)
- Heated high-back cloth seat with air suspension and 65o tilt adjustment
- Sliding seat — 3.54 in. (90 mm)
- Adjustable armrests
- Tilting consoles— 4-position
- Sliding cockpit — 3.15 in. (80 mm)
- Low-effort joystick controls
- Controls pre-wired for auxiliary
- Single pedal travel
- Straight travel
- AM/FM radio w/ antenna, 2 speakers and Bluetooth capabilities
- Aux-in port for personal electronics
- Radio mute switch (joystick)
- Rear-view & Side-view camera
- Anti-theft system (start code system)
- Rubber floormat
- 12-volt electric outlet
- 24-volt cigarette lighter
- Windshield wiper/washer
- Cup holder
- Storage compartments
- Warm/cool storage compartment
- Travel alarm with cancel switch
- Ignition keys
- One key start & lock-up
- Cab filter (external)
- Cab handrails
- Operator's manual



**CX350D CRAWLER EXCAVATOR
US PRICE LIST**

(Ex Works Port of Entry)

Standard Equipment

UNDERCARRIAGE:

Long undercarriage
31.5 in. (800 mm) steel shoes, triple
semi-grouser
Full overlap turntable bearing tub
Double track chain guides
Hydraulic track adjustment
Sealed link chain
Steps
Carbody belly pan (swivel guard)
X-pattern carbody
Lashing points (tie downs)

Fuel filters
Grease gun
Green plug oil drain hose for
engine oil drain
Hydraulic return filter
Pilot circuit hydraulic filter

CASE ProCare
3-yr/3000-hr factory warranty,
planned maintenance and
SiteWatch™ telematics
CASE SiteWatch™ Telematics
includes hardware and a 3-yr
Advanced data subscription

EXTRA FILTER KIT:

Engine oil filter
Filter wrench

**CX350D CRAWLER EXCAVATOR
US PRICE LIST**

(Ex Works Port of Entry)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
CX350D STD	82,483 LBS		\$437,242.00



**CX350D CRAWLER EXCAVATOR
 US PRICE LIST**

**(Ex Works Port of Entry)
 Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

LIGHTS

SD_E5408 WORKING LIGHTS

488134	Halogen Working Lights			No Charge
488135	LED Working Lights 8 LED light and 1 side camera: 2 LED light are mounted on the front (1 on boom, 1 on house) 2 LED lights are mounted on the rear (above the rear view camera) 1 LED light mounted on each side (2) 2 LED lights mounted on the top of the cab			\$2,754.00

BOOMS

SD_E5311 BOOM

481858	Std Boom 21'2" (6.45 M) Standard Boom			No Charge
461543	Heavy-Duty Boom 21'2" (6.45 M)			\$2,639.00
781917	No Boom Less boom, hoist and arm cylinders and plumbing. Boom-foot and cylinder pins are provided.			(\$7,800.00)

ARMS

SD_E5320 ARM/DIPPERSTICK

481245	10' 8" (3.25 m) Std Arm For use with 21'2" Standard Boom (option 481858)			No Charge
781184	13'3" (4.03 m) Std Arm For use with 21'2" Standard Boom (option 481858)			\$2,769.00
461546	8'8" (2.63 m) HD Arm For use with either boom option 481858 or 461543			\$139.00
461545	10'8" (3.25 m) HD Arm For use with either boom option 481858 or 461543			\$2,279.00
XE5320X	No Arm/Dipperstick Less arm, bucket cylinder and linkage.			(\$5,200.00)

**CX350D CRAWLER EXCAVATOR
 US PRICE LIST**

(Ex Works Port of Entry)

TRACK SHOES

SD_E5199 TRACK SHOES

	9560003	27.6" (700mm) TG Steel Shoes Triple-Grouser Steel Shoes			(\$780.00)
	9560005	31.5" (800 mm) TG Steel Shoes Triple-Grouser Steel Shoes			No Charge
	9560006	33.5" (850 mm) TG Steel Shoes Triple-Grouser Steel Shoes			\$680.00
	9560049	27.6" (700 mm) SG Steel Shoes Single-Grouser Steel Shoes			\$4,993.00

LANGUAGE

SD_47083 OPERATOR'S MANUAL

	781981	English Literature			No Charge
	461540	French Canadian Literature			No Charge
	781980	Spanish Literature			No Charge

ADDITIONAL EQUIPMENT CXC

HYDRAULIC OPTIONS

SD_E6410 AUXILIARY HYDRAULICS

	XE6410X	No Optional Hydraulics			No Charge
	461865	Single Acting Auxiliary Hyd Single Acting Auxiliary Hydraulics For use with hammers or vibratory compaction plate applications Joystick activated with Electronic Proportional Controls Provides single direction flow Includes manually adjustable relief valve to set required pressures Notes: 1) Not for use with other Auxiliary Hydraulic options, with the exception of Low Flow. 2) Heavy duty bucket linkage is standard equipment on C/D series excavators. 3) For dealer installed auxiliary hydraulic kits contact: HydraulicCircuit Technology (HCT) (1-888-603-0080 or sales@hctkits.com or www.hctkits.com)			\$9,440.00



**CX350D CRAWLER EXCAVATOR
 US PRICE LIST**

(Ex Works Port of Entry)

		<p>461871 Thumb - Proportional SW Double Acting Auxiliary Hydraulics For use with thumb applications</p> <p>Joystick Activated with Electronic Proportional Controls Provides single pump, two-way flow Hydraulic plumbing provided to the end of the boom only, no piping to the arm This system is not switchable to single acting flow</p> <p>Notes: 1) Not for use other Auxiliary Hydraulics options with the exception of Low Flow. 2) Heavy duty bucket linkage is standard equipment on C/D series excavators. 3) For dealer installed auxiliary hydraulic kits contact: HydraulicCircuit Technology (HCT) (1-888-603-0080 or sales@hctkits.com or www.hctkits.com)</p>			\$7,217.00
		<p>461869 MF w/ pressure setting - Prop Multi-Function Auxiliary Hydraulics with Electronic Pressure Control (EPC)</p> <p>For use with multiple applications: hammers/thumbs/grapples/crushers.</p> <p>Includes in-cab Electronic Pressure Control feature Pressure Control feature allows hydraulic pressure setting from the cab monitor and maintaining pressure settings in memory when multiple tools are used. Joystick Activated with Electronic Proportional Controls</p> <p>Provides single or dual pump, two-way flow, Secondary Low-flow Auxiliary Hydraulics can be added Includes in-cab electronically controlled pressure setting feature Is switchable to single acting flow for hammer application.</p> <p>Notes: 1) Not for use with other Auxiliary Hydraulics options, with the exception of Low Flow. 2) Heavy duty bucket linkage is standard equipment on C/D series excavators. 3) For dealer installed auxiliary hydraulic kits contact: HydraulicCircuit Technology (HCT) (1-888-603-0080 or sales@hctkits.com or www.hctkits.com)</p>			\$12,571.00

SD_E6417 SECONDARY AUXILIARY HYDRAULICS

		XE6417X No Low Flow Circuit			No Charge
--	--	-----------------------------	--	--	-----------

**CX350D CRAWLER EXCAVATOR
 US PRICE LIST**

(Ex Works Port of Entry)

	461863	Secondary Auxiliary Hydraulics Secondary Low Flow Auxiliary Hydraulics Provides low-flow for rotation or tilt hydraulic attachments. Not for use with Offset Boom option 461025 Joystick Activated with Electronic Proportional Controls Notes: 1) May be used stand alone or with any Case Excavator Auxiliary Hydraulics option. 2) For dealer installed auxiliary hydraulic kits contact: HydrauliCircuit Technology (HCT) (1-888-603-0080 or sales@hctkits.com or www.hctkits.com)			\$9,285.00
--	--------	--	--	--	------------

CAB OPTIONS

SD_E5443 CAB GUARD (FOPS)

	XE5443X	No FOPS Top Cab Guard			No Charge
	481070	FOPS Top Cab Guard			\$1,146.00

SD_E5444 CAB GUARD (FRONT)

	XE5444X	No Front Guard			No Charge
	461142	Front Guard - Wire Mesh Screen			\$1,326.00
	781986	Front Stone Guard (OPG L1) vertical bars (two piece/upper and lower)			\$1,973.00
	461024	Front Stone Guard (OPG L2) vertical bars (one piece/full length)			\$2,324.00
	461552	Vandal Guard Removable steel panels for front windshield			\$574.00

SD_E5449 RAIN DEFLECTOR

	XE5449X	No Rain Deflector			No Charge
	461555	Rain Deflector Not for use with Front grill guard - 2 x 2 mesh option 461142, Front rock guard (OPG 1) option 781986, or Front rock guard (OPG 2) option 461024.			\$380.00

SD_E5451 SUN VISOR

	XE5451X	No Sun Visor			No Charge
	461554	Sun Visor			\$108.00

BUCKETS

SD_E6300 EXCAVATOR BUCKET(S)

	XE6300X	No Bucket Buckets may be ordered using Order Codes listed in the Factory Supplied Attachments Section			No Charge
--	---------	---	--	--	-----------

**CX350D CRAWLER EXCAVATOR
 US PRICE LIST**

(Ex Works Port of Entry)

ADDITIONAL OPTIONS

SD_E5448 CATWALK

		XE5448X	No Catwalk			No Charge
		461553	Catwalk - Left and Right Sides (Note: catwalk is not compliant with ISO standards)			\$2,110.00

SD_E6400 MEC/HYD QUICK COUPLER

		XE6400X	No Quick Coupler			No Charge
		781128	Hydraulic Quick Coupler Ready Does not come with coupler. Must order coupler from Factory Supplied Attachments section			\$2,909.00

SD_E9730 SAFETY VALVE

		XE9730X	No Hose Burst Check Valve			No Charge
		481064	Hose Burst Check Valve (HBCV) Located on Boom and Arm Cylinder			\$9,501.00

SD_E9739 FULL VIEW CAMERA

		XE9739X	No max view monitor			No Charge
		488055	Case Max View Monitor			\$1,700.00

SD_E9874 REFUEL PUMP

		XE9874X	No Refuel Pump			No Charge
		481257	Refuel Pump			\$1,296.00



**CX350D CRAWLER EXCAVATOR
 US PRICE LIST**

**(Ex Works Port of Entry)
 Factory Supplied Attachments**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Case Coupler Buckets

84404288	42" Heavy-Duty Coupler Bucket with 5 teeth (1.73 cu. yd.)			\$9,389.00
84404289	48" Heavy-Duty Coupler Bucket with 5 teeth (2.03 cu. yd.)			\$10,077.00
84404290	54" Heavy-Duty Coupler Bucket with 6 teeth (2.33 cu. yd.)			\$10,950.00

Case Pin-On Buckets

84404275	36" Heavy-Duty Pin-On Bucket with 4 teeth (1.47 cu. yd.)			\$7,321.00
84404276	42" Heavy-Duty Pin-On Bucket with 5 teeth (1.75 cu. yd.)			\$7,875.00
84404277	48" Heavy-Duty Pin-On Bucket with 5 teeth (2.03 cu. yd.)			\$8,154.00
84405399	60" Heavy-Duty Pin-On Bucket with 6 teeth (2.60 cu. yd.)			\$10,781.00
84404278	42" HD Hi-Capacity Pin-On Bucket with 5 teeth (2.03 cu. yd.)			\$9,168.00
84404279	48" HD Hi-Capacity Pin-On Bucket with 5 teeth (2.36 cu. yd.)			\$9,784.00
84404280	54" HD Hi-Capacity Pin-On Bucket with 6 teeth (2.69 cu. yd.)			\$10,461.00
84404282	36" Severe-Duty Pin-On Bucket with 4 teeth (1.47 cu. yd.)			\$8,234.00
84404284	42" Severe-Duty Pin-On Bucket with 5 teeth (1.75 cu. yd.)			\$9,206.00
84404286	48" Severe-Duty Pin-On Bucket with 5 teeth (2.03 cu. yd.)			\$10,033.00

Direct Link Thumb

47609087	KIT, THUMB, HYD, 3-TINE, use with bucket only (3 tine)	1,365 LB		\$11,840.00
47609088	KIT, THUMB, HYD, 4-TINE, use with bucket only (4 tine)	1,425 LB		\$12,836.00
47609089	KIT, THUMB, HYD, 3-TINE, use with bucket and coupler (3 tine)	1,445 LB		\$12,280.00
47609090	KIT, THUMB, HYD, 4-TINE, use with bucket and coupler (4 tine)	1,505 LB		\$13,323.00

Progressive Link Thumb

47609123	KIT, THUMB, PROG LINK, 3-use with bucket only (3 tine)	1,890 LB		\$15,080.00
47609124	KIT, THUMB, PROG LINK, 4-use with bucket and coupler (3 tine)	1,950 LB		\$15,376.00
47609125	KIT, THUMB, PROG LINK, 3-use with bucket only (4 tine)	1,970 LB		\$15,320.00



**CX350D CRAWLER EXCAVATOR
 US PRICE LIST**

(Ex Works Port of Entry)

	47609126	Progressive Link Thumb Kit with Coupler use with bucket and coupler (4 tine)	2,030 LB	\$15,963.00
--	----------	---	----------	-------------

Case Coupler

	47848466	Multi-Fit S Hyd.Pin Grabber Coupler Kit	2,100 LB	\$9,567.00
--	----------	---	----------	------------



(This page intentionally left blank)



**CX350D LONG REACH CRAWLER EXCAVATOR (LR)
US PRICE LIST**

(Ex Works Port of Entry)

Standard Equipment

ENGINE:

Isuzu AQ-6HK1X
Tier 4 Final Certified
Selective Catalytic Reduction (SCR)
Diesel Oxidation Catalyst (DOC)
Cooled Exhaust Gas Recirculation
(CEGR)
Turbocharged/air cooled intercooler
Horsepower:
Net 268 (200 kW) @ 1900 RPM
Electronic fuel injection
High pressure common rail system
Neutral safety start
Auto-engine warm up
Glow-plug pre-heat
Fuel Economy Assist System (FEA)
Engine Protection Feature (EPF)
Dual-stage fuel filtration
Dual element air filter
Remote oil filter
Drain for fuel tank
Remote engine oil drain
24-volt system
Engine oil sample port
Battery disconnect switch
Air pre-cleaner (Cyclone)
High ambient temperature cooling
package
Emergency engine stop
External Fuel and DEF gauges
Fan housing
Fuel cooler
Fuel filter restriction indicator
Fuel shut-off valve
Idle start
Radiator, oil cooler, intercooler -
protective screen

FUEL ECONOMY SYSTEMS:

Engine Idle / Fuel Economy System:
Auto-idle
One-touch idle
Auto-Idle shut-down
BEC- Boom Economy Control
AEC- Auto Economy Control
SWC- Swing Relief Control
SSC- Spool Stroke Control

HYDRAULICS:

Auto power boost
Auto swing priority
Arm speed assistance (2 pump flow)
Auxiliary flow control
Auxiliary valve
Boom speed assistance (2 pump flow)
Bucket curl assist
Control levers pre-wired for auxiliary
hydraulics
Electronically controlled hydraulic
pumps
Holding valve (Boom and Arm)
Fire wall
Hydraulic filter restriction indicator
Neutral pump de-stroke
Oil cooler
Power save
Pump stand-by pressure
Auto travel speed change
Selectable work modes
Free swing - switch activated
Hydraulic oil sample port
Control pattern selector
Pre-set auxiliary pump settings
Auxiliary valve
SAHR brake



**CX350D LONG REACH CRAWLER EXCAVATOR (LR)
US PRICE LIST**

**(Ex Works Port of Entry)
Standard Equipment**

UPPER STRUCTURE:

- ISO mirrors (3)
- Cab viscous-mounts (fluid)
- Upper mounted work light (70 watt)
- Swivel guard belly pan
- Center cover (over main CV)
- Fuel tank belly pan
- Handrail (RH access)
- ISO guard rails
- Lifting eyes for counterweight
- Lockable fuel cap, service doors and tool box

ATTACHMENTS:

- Boom— 35 ft. 4 in. (10.78 m)
- Arm— 25 ft. 0 in. (7.63 m)
- Heavy-duty bucket linkage
- Boom mounted work light (70 watt)
- Auxiliary pipe brackets
- Centralized grease fittings
- Attachment cushion valve
- Arm and boom regeneration
- Bucket anti-clatter device
- Chrome pins
- Easy Maintenance System (EMS) bushings
- Teardrop pin retention keepers

OPERATOR STATION:

- ROPS protection
- FOPS cab (Level 1)
- Pressurized cab
- Face vent
- Cab lights (2)
- Interior dome light
- One-touch lock front window
- One piece window (right)
- Safety glass windows
- Gate lock hydraulic activation
- Emergency exit and hammer
- Clear (polycarbonate) roof window w/ sunshade

OPERATOR STATION (continued):

- AC/heat/defrost w/ auto climate control
- LED Color monitor— 7 in (180 mm)
- 26 selectable languages for monitor
- On-board diagnostic system
- 10 programmable attachments settings on monitor - 5 single flow, 5 dual flow
- Seatbelt— 3 in. (76 mm)
- Heated high-back cloth seat with air suspension and 65o tilt adjustment
- Sliding seat — 3.54 in. (90 mm)
- Adjustable armrests
- Tilting consoles— 4-position
- Sliding cockpit — 3.15 in. (80 mm)
- Low-effort joystick controls
- Controls pre-wired for auxiliary
- Single pedal travel
- Straight travel
- AM/FM radio w/ antenna, 2 speakers and Bluetooth capabilities
- Aux-in port for personal electronics
- Radio mute switch (joystick)
- Rear-view & Side-view camera
- Anti-theft system (start code system)
- Rubber floormat
- 12-volt electric outlet
- 24-volt cigarette lighter
- Windshield wiper/washer
- Cup holder
- Storage compartments
- Warm/cool storage compartment
- Travel alarm with cancel switch
- Ignition keys
- One key start & lock-up
- Cab filter (external)
- Cab handrails
- Operator's manual



**CX350D LONG REACH CRAWLER EXCAVATOR (LR)
US PRICE LIST**

(Ex Works Port of Entry)

Standard Equipment

UNDERCARRIAGE:

- Long undercarriage
- 31.5 in. (800 mm) steel shoes, triple semi-grouser
- Full overlap turntable bearing tub
- Double track chain guides
- Hydraulic track adjustment
- Sealed link chain
- Steps
- Carbody belly pan (swivel guard)
- X-pattern carbody
- Lashing points (tie downs)

- Fuel filters
- Grease gun
- Green plug oil drain hose for engine oil drain
- Hydraulic return filter
- Pilot circuit hydraulic filter

- CASE ProCare
- 3-yr/3000-hr factory warranty, planned maintenance and SiteWatch™ telematics
- CASE SiteWatch™ Telematics includes hardware and a 3-yr Advanced data subscription

EXTRA FILTER KIT:

- Engine oil filter
- Filter wrench



**CX350D LONG REACH CRAWLER EXCAVATOR (LR)
US PRICE LIST**

(Ex Works Port of Entry)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
CX350D LR			\$483,818.00



**CX350D LONG REACH CRAWLER EXCAVATOR (LR)
 US PRICE LIST**

(Ex Works Port of Entry)
Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

LIGHTS

SD_E5408 WORKING LIGHTS

		488134	Halogen Working Lights			No Charge
		488135	LED Working Lights 8 LED light and 1 side camera: 2 LED light are mounted on the front (1 on boom, 1 on house) 2 LED lights are mounted on the rear (above the rear view camera) 1 LED light mounted on each side (2) 2 LED lights mounted on the top of the cab			\$2,754.00

BOOMS

SD_E5311 BOOM

		461029	Standard Long Reach Boom			No Charge
--	--	--------	--------------------------	--	--	-----------

ARMS

SD_E5320 ARM/DIPPERSTICK

		488194	7,60 M ARM			No Charge
--	--	--------	------------	--	--	-----------

TRACK SHOES

SD_E5199 TRACK SHOES

		9560005	31.5" (800 mm) TG Steel Shoes Triple-Grouser Steel Shoes			No Charge
		9560006	33.5" (850 mm) TG Steel Shoes Triple-Grouser Steel Shoes			\$680.00

LANGUAGE

SD_47083 OPERATOR'S MANUAL

		781981	English Literature			No Charge
		781980	Spanish Literature			No Charge
		461540	French Canadian Literature			No Charge



**CX350D LONG REACH CRAWLER EXCAVATOR (LR)
 US PRICE LIST**

(Ex Works Port of Entry)

ADDITIONAL EQUIPMENT CXC

CAB OPTIONS

SD_E5443 CAB GUARD (FOPS)

		XE5443X	No FOPS Top Cab Guard			No Charge
		481070	FOPS Top Cab Guard			\$1,146.00

SD_E5444 CAB GUARD (FRONT)

		XE5444X	No Front Guard			No Charge
		461142	Front Guard - Wire Mesh Screen			\$1,326.00
		781986	Front Stone Guard (OPG L1) vertical bars (two piece/upper and lower)			\$1,973.00
		461024	Front Stone Guard (OPG L2) vertical bars (one piece/full length)			\$2,324.00
		461552	Vandal Guard Removable steel panels for front windshield			\$574.00

SD_E5449 RAIN DEFLECTOR

		XE5449X	No Rain Deflector			No Charge
		461555	Rain Deflector Not for use with Front grill guard - 2 x 2 mesh option 461142, Front rock guard (OPG 1) option 781986, or Front rock guard (OPG 2) option 461024.			\$380.00

SD_E5451 SUN VISOR

		XE5451X	No Sun Visor			No Charge
		461554	Sun Visor			\$108.00

BUCKETS

SD_E6300 EXCAVATOR BUCKET(S)

		XE6300X	No Bucket			No Charge
--	--	---------	-----------	--	--	-----------

ADDITIONAL OPTIONS

SD_E5448 CATWALK

		XE5448X	No Catwalk			No Charge
		461553	Catwalk - Left and Right Sides (Note: catwalk is not compliant with ISO standards)			\$2,110.00

SD_E9739 FULL VIEW CAMERA

		XE9739X	No max view monitor			No Charge
		488055	Case Max View Monitor			\$1,700.00



**CX350D LONG REACH CRAWLER EXCAVATOR (LR)
 US PRICE LIST**

(Ex Works Port of Entry)

SD_E9874 REFUEL PUMP

		XE9874X	No Refuel Pump			No Charge
		481257	Refuel Pump			\$1,296.00



**CX350D LONG REACH CRAWLER EXCAVATOR (LR)
 US PRICE LIST**

(Ex Works Port of Entry)

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
84404166	24" Heavy-Duty Pin-On Bucket with 4 teeth (.50 cu. yd.)			\$3,997.00
84404167	30" Heavy-Duty Pin-On Bucket with 4 teeth (.84 cu. yd.)			\$4,475.00
84404168	36" Heavy-Duty Pin-On Bucket with 5 teeth (1.03 cu. yd.)			\$4,884.00
84404185	60" Ditching Pin-On Bucket (1.02 cu yd.)			\$3,620.00
84404186	72" Ditching Pin-On Bucket(1.22 cu. yd.)			\$3,921.00

**CX490D CRAWLER EXCAVATOR
US PRICE LIST**

**(Ex Works Port of Entry)
Standard Equipment**

ENGINE:

Isuzu AQ-6UZ1X
Tier 4 Final Certified
Selective Catalytic Reduction - SCR
Diesel Oxidation Catalyst - DOC
Cooled Exhaust Gas Recirculation -
CEGR
Turbocharged/air cooled intercooler
Horsepower:
Net 362 (270 kW) @ 2000 RPM
Electronic fuel injection
High pressure common rail system
Neutral safety start
Auto-engine warm up
Glow-plug pre-heat
Fuel Economy Assist System - FEA
Engine Protection Feature - EPF
Dual-stage fuel filtration
Dual element air filter
Remote oil filter
Drain for fuel tank
Remote engine oil drain
500-hour engine oil change interval
24 Volt system
Engine oil sample port
Battery disconnect switch
Air pre-cleaner - Cyclone
High ambient temperature cooling
package
Emergency engine stop
External Fuel and DEF gauges
Fan housing
Fuel cooler
Fuel filter restriction indicator
Fuel shut-off valve
Idle start
Radiator, oil cooler, intercooler -
protective screen

FUEL ECONOMY SYSTEMS:

Engine Idle/Fuel Economy System:
Auto-idle
One-touch idle
Auto-idle shut-down
BEC - Boom Economy Control
AEC - Auto Economy Control
SWC - Swing Relief Control
SSC - Spool Stroke Control

HYDRAULICS:

Auto power boost
Auto swing priority
Arm speed assistance - 2 pump flow
Auxiliary flow control
Auxiliary valve
Boom speed assistance - 2 pump flow
Bucket curl assist
Control levers pre-wired for auxiliary
hydraulics
Electronically controlled hydraulic
pumps
Holding valve - Boom and Arm
Fire wall
Hydraulic filter restriction indicator
Neutral pump de-stroke
Oil cooler
Power save
Pump stand-by pressure
Auto travel speed change
Selectable work modes
Free swing - switch activated
Hydraulic oil sample port
Control pattern selector
Pre-set auxiliary pump settings
Auxiliary valve
5,000-hour hydraulic oil change interval
1,000-hour hydraulic filter change
interval
SAHR brake

**CX490D CRAWLER EXCAVATOR
US PRICE LIST**

**(Ex Works Port of Entry)
Standard Equipment**

UPPER STRUCTURE:

- ISO mirrors - 3
- Cab viscous-mounts (fluid)
- Upper mounted work light - 70 watt
- Swivel guard belly pan
- Center cover - over main CV
- Fuel tank belly pan
- Handrail - RH access
- ISO guard rails
- Lifting eyes for counterweight
- Lockable fuel cap, service doors and toolbox

ATTACHMENTS:

- Boom - 21 ft 6 in (6.55 m)
- Arm - 8 ft 4 in (2.53 m)
- Heavy-duty bucket linkage
- Boom mounted work light - 70 watt
- Auxiliary pipe brackets
- Centralized grease fittings
- Attachment cushion valve
- Arm and boom regeneration
- Bucket anti-clatter device
- Chrome pins
- Easy Maintenance System (EMS) bushings
- Teardrop pin retention keepers

OPERATOR ENVIRONMENT:

- ROPS protection
- FOPS cab top guard - Level 1
- Pressurized cab
- Face vent
- Cab lights - 2
- Interior dome light
- One-touch lock front window
- One piece window - right
- Safety glass windows
- Gate lock hydraulic activation
- Emergency exit and hammer
- Clear polycarbonate roof window with sunshade
- AC/heat/defrost with auto climate control
- LED Color monitor - 7 in (180 mm)

OPERATOR ENVIRONMENT (cont'd):

- 26 selectable languages for monitor
- On-board diagnostic system
- 10 programmable attachments settings on monitor - 5 single flow, 5 dual flow
- Seat belt - 3 in (76 mm)
- Heated high-back cloth seat with air suspension and 65° tilt adjustment
- Sliding seat - 3.54 in (90 mm)
- Adjustable armrests
- Tilting consoles - 4-position
- Sliding cockpit - 3.15 in (80 mm)
- Low-effort joystick controls
- Controls pre-wired for auxiliary
- Single pedal travel
- Straight travel
- AM/FM radio with antenna, 2 speakers and Bluetooth capabilities
- Aux-in port for personal electronics
- Radio mute switch - joystick
- Rear-view camera
- Anti-theft system - start code system
- Rubber floor mat
- 12 Volt electric outlet
- 24 Volt cigarette lighter
- Windshield wiper/washer
- Cup holder
- Storage compartments
- Warm/cool storage compartment
- Travel alarm with cancel switch
- Ignition keys
- One key start & lock-up
- Cab filter - external
- Cab handrails
- Operator's manual

**CX490D CRAWLER EXCAVATOR
US PRICE LIST**

**(Ex Works Port of Entry)
Standard Equipment**

UNDERCARRIAGE:

Long undercarriage
35.4 in (900 mm) steel shoes,
triple semi-grouser
Full overlap turntable bearing tub
Double track chain guides
Hydraulic track adjustment
Sealed link chain
Steps
Carbody belly pan - swivel guard
X-pattern carbody
Lashing points - tie downs

Extra Filter Kit:

Engine oil filter
Filter wrench
Fuel filters
Grease gun

Green plug oil drain hose for engine
oil drain
Hydraulic return filter
Pilot circuit hydraulic filter

TELEMATICS:

CASE SiteWatch™ Telematics -
includes hardware and a
3-yr Advanced data subscription

**CX490D CRAWLER EXCAVATOR
US PRICE LIST**

(Ex Works Port of Entry)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
CX490D STD	109,300 LB		\$595,639.00
CX490D RTC	112,400 LB		\$622,200.00

**CX490D CRAWLER EXCAVATOR
 US PRICE LIST**

(Ex Works Port of Entry)
Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

LIGHTS

SD_E5408 WORKING LIGHTS

488134	Halogen Working Lights			No Charge
488135	LED Working Lights 8 LED light and 1 side camera: 2 LED light are mounted on the front (1 on boom, 1 on house) 2 LED lights are mounted on the rear (above the rear view camera) 1 LED light mounted on each side (2) 2 LED lights mounted on the top of the cab			\$3,100.00

BOOMS

SD_E5311 BOOM

481858	Std Boom 22'11" (6.98 M) Standard Boom For use with CX470C (Standard and RTC) Commercial Model			No Charge
781917	No Boom Less boom, hoist and arm cylinders and plumbing. Boom-foot and cylinder pins are provided.			(\$16,186.00)

ARMS

SD_E5320 ARM/DIPPERSTICK

461549	11'1" (3.38 M) Heavy-duty Arm For use with 22'11" Standard Boom (option 481858)			No Charge
461548	8'2" (2.50 m) HD Arm For use with 22'11" Standard Boom (option 481858)			(\$108.00)
781184	13'3" (4.03 m) Std Arm For use with 22'11" Standard Boom (option 481858)			\$671.00
461544	15'11" (4.85 M) Standard Arm For use with 22'11" Standard Boom (option 481858)			\$3,137.00
XE5320X	No Arm/Dipperstick Less arm, bucket cylinder and linkage			(\$9,542.00)

**CX490D CRAWLER EXCAVATOR
 US PRICE LIST**

(Ex Works Port of Entry)

TRACK SHOES

SD_E5199 TRACK SHOES

	9560007	35.4" (900 mm) Steel Shoes Triple-Grouser Steel Shoes			No Charge
	9560004	29.5"(750mm)Steel Shoes - 2bar Triple-Grouser Steel Shoes			(\$1,079.00)

LANGUAGE

SD_47083 OPERATOR'S MANUAL

	781981	English Literature			No Charge
	461540	French Canadian Literature			No Charge
	781980	Spanish Literature			No Charge

ADDITIONAL EQUIPMENT CXC

HYDRAULIC OPTIONS

SD_E6410 AUXILIARY HYDRAULICS

	XE6410X	No Optional Hydraulics			No Charge
	461865	Single Acting Auxiliary Hyd Single Acting Auxiliary Hydraulics For use with hammers or vibratory compaction plate applications Joystick activated with Electronic Proportional Controls Provides single direction flow Includes manually adjustable relief valve to set required pressures Notes: 1) Not for use with other Auxiliary Hydraulic options, with the exception of Low Flow. 2) Heavy duty bucket linkage is standard equipment on C/D series excavators. 3) For dealer installed auxiliary hydraulic kits contact: HydraulicCircuit Technology (HCT) (1-888-603-0080 or sales@hctkits.com or www.hctkits.com)			\$10,378.00



**CX490D CRAWLER EXCAVATOR
 US PRICE LIST**

(Ex Works Port of Entry)

		<p>461871 Thumb - Proportional SW Double Acting Auxiliary Hydraulics For use with thumb applications</p> <p>Joystick Activated with Electronic Proportional Controls Provides single pump, two-way flow Hydraulic plumbing provided to the end of the boom only, no piping to the arm This system is not switchable to single acting flow</p> <p>Notes: 1) Not for use other Auxiliary Hydraulics options with the exception of Low Flow. 2) Heavy duty bucket linkage is standard equipment on C/D series excavators. 3) For dealer installed auxiliary hydraulic kits contact: HydraulCircuit Technology (HCT) (1-888-603-0080 or sales@hctkits.com or www.hctkits.com)</p>			<p align="right">\$7,789.00</p>
		<p>461869 MF w/ pressure setting - Prop Multi-Function Auxiliary Hydraulics with Electronic Pressure Control (EPC)</p> <p>For use with multiple applications: hammers/thumbs/grapples/crushers.</p> <p>Includes in-cab Electronic Pressure Control feature Pressure Control feature allows hydraulic pressure setting from the cab monitor and maintaining pressure settings in memory when multiple tools are used. Joystick Activated with Electronic Proportional Controls</p> <p>Provides single or dual pump, two-way flow, Secondary Low-flow Auxiliary Hydraulics can be added Includes in-cab electronically controlled pressure setting feature Is switchable to single acting flow for hammer application.</p> <p>Notes: 1) Not for use with other Auxiliary Hydraulics options, with the exception of Low Flow. 2) Heavy duty bucket linkage is standard equipment on C/D series excavators. 3) For dealer installed auxiliary hydraulic kits contact: HydraulCircuit Technology (HCT) (1-888-603-0080 or sales@hctkits.com or www.hctkits.com)</p>			<p align="right">\$13,434.00</p>

SD_E6417 SECONDARY AUXILIARY HYDRAULICS

		<p>XE6417X No Low Flow Circuit</p>			<p align="right">No Charge</p>
--	--	------------------------------------	--	--	--------------------------------



**CX490D CRAWLER EXCAVATOR
 US PRICE LIST**

(Ex Works Port of Entry)

	461863	Secondary Auxiliary Hydraulics Secondary Low Flow Auxiliary Hydraulics Provides low-flow for rotation or tilt hydraulic attachments. For use with Standard Boom option 481858 Not for use with Offset Boom option 461025 Joystick Activated with Electronic Proportional Controls Notes: 1) May be used stand alone or with any Case Excavator Auxiliary Hydraulics option. 2) For dealer installed auxiliary hydraulic kits contact: HydraulicCircuit Technology (HCT) (1-888-603-0080 or sales@hctkits.com or www.hctkits.com)			\$11,449.00
--	--------	--	--	--	-------------

CAB OPTIONS

SD_E5443 CAB GUARD (FOPS)

	XE5443X	No FOPS Top Cab Guard			No Charge
	481070	FOPS Top Cab Guard			\$1,146.00

SD_E5444 CAB GUARD (FRONT)

	XE5444X	No Front Guard			No Charge
	461142	Front Guard - Wire Mesh Screen			\$1,326.00
	781986	Front Stone Guard (OPG L1) vertical bars (two piece/upper and lower)			\$1,973.00
	461024	Front Stone Guard (OPG L2) vertical bars (one piece/full length)			\$2,324.00
	461552	Vandal Guard Removable steel panels for front windshield			\$574.00

SD_E5451 SUN VISOR

	XE5451X	No Sun Visor			No Charge
	461554	Sun Visor			\$108.00

BUCKETS

SD_E6300 EXCAVATOR BUCKET(S)

	XE6300X	No Bucket Buckets may be ordered using Order Codes listed in the Factory Supplied Attachments Section			No Charge
--	---------	---	--	--	-----------

ADDITIONAL OPTIONS

SD_E5206 TRACK CHAIN GUIDE

	461542	Double Track Chain Guide			No Charge
	481264	Full Track Chain Guide -3			\$4,505.00



**CX490D CRAWLER EXCAVATOR
 US PRICE LIST**

(Ex Works Port of Entry)

SD_E5302 HYDRAULIC CWT REMOVAL DEVICE

		XE5302X	No Hyd CWT Removal Device			No Charge
		481263	Hydraulic CWT Removal Device			\$16,467.00

SD_E5448 CATWALK

		XE5448X	No Catwalk			No Charge
		461553	Catwalk - Left and Right Sides (Note: catwalk is not compliant with ISO standards)			\$2,452.00

SD_E5449 RAIN DEFLECTOR

		XE5449X	No Rain Deflector			No Charge
		461555	Rain Deflector Not for use with Front grill guard - 2 x 2 mesh option 461142, Front rock guard (OPG 1) option 781986, or Front rock guard (OPG 2) option 461024.			\$380.00

SD_E9730 SAFETY VALVE

		XE9730X	No Hose Burst Check Valve			No Charge
		481064	Hose Burst Check Valve (HBCV) Located on Boom and Arm Cylinder			\$11,205.00

SD_E9739 FULL VIEW CAMERA

		XE9739X	No max view monitor			No Charge
		488055	Case Max View Monitor			\$1,907.00

SD_E9740 SIDE VIEW CAMERA

		XE9740X	No Side View Camera			No Charge
		461560	Side View Camera			\$694.00

SD_E9874 REFUEL PUMP

		XE9874X	No Refuel Pump			No Charge
		481257	Refuel Pump			\$1,296.00

**CX490D CRAWLER EXCAVATOR
 US PRICE LIST**

**(Ex Works Port of Entry)
 Factory Supplied Attachments**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Case Pin On Buckets

84404291	48" Heavy-Duty Pin-On Bucket with 5 teeth (2.36 cu. yd.)			\$9,427.00
84404292	54" Heavy-Duty Pin-On Bucket with 6 teeth (2.69 cu. yd.)			\$10,059.00
84404293	60" Heavy-Duty Pin-On Bucket with 6 teeth (3.03 cu. yd.)			\$10,864.00
84404294	48" HD Hi-Capacity Pin-On Bucket with 5 teeth (2.83 cu. yd.)			\$10,545.00
84404295	54" HD Hi-Capacity Pin-On Bucket with 6 teeth (3.22 cu. yd.)			\$10,873.00
84404296	60" HD Hi-Capacity Pin-On Bucket with 6 teeth (3.62cu. yd.)			\$11,743.00
84404297	48" Severe-Duty Pin-On Bucket with 5 teeth (2.36 cu. yd.)			\$12,707.00
84404298	54" Severe-Duty Pin-On Bucket with 6 teeth (2.69 cu. yd.)			\$13,724.00
84404299	60" Severe-Duty Pin-On Bucket with 6 teeth (3.03 cu. yd.)			\$14,823.00

47467932	72" Severe-Duty Pin-On Bucket	6,000 LB		\$25,056.00
84422403	66" Heavy Duty Pin-On Bucket"	4,674 LB		\$19,875.00
84422408	72" Heavy Duty Pin-On Bucket	4,899 LB		\$20,706.00
84422413	66" HD High Capacity Pin-On Bucket	5,080 LB		\$22,090.00
84422414	72" HD High Capacity Pin-On Bucket	6,649 LB		\$22,959.00
84422419	66" Severe-Duty Pin-On Bucket	5,650 LB		\$24,046.00



**CX500D MASS EXCAVATION CRAWLER EXCAVATOR
US PRICE LIST**

(Ex Works Port of Entry)

Standard Equipment

ENGINE:

Isuzu AQ-6UZ1X
Tier 4 Final Certified
Selective Catalytic Reduction - SCR
Diesel Oxidation Catalyst - DOC
Cooled Exhaust Gas Recirculation -
CEGR
Turbocharged/air cooled intercooler
Horsepower:
Net 362 (270 kW) @ 2000 RPM
Electronic fuel injection
High pressure common rail system
Neutral safety start
Auto-engine warm up
Glow-plug pre-heat
Fuel Economy Assist System - FEA
Engine Protection Feature - EPF
Dual-stage fuel filtration
Dual element air filter
Remote oil filter
Drain for fuel tank
Remote engine oil drain
500-hour engine oil change interval
24 Volt system
Engine oil sample port
Battery disconnect switch
Air pre-cleaner - Cyclone
High ambient temperature cooling
package
Emergency engine stop
External Fuel and DEF gauges
Fan housing
Fuel cooler
Fuel filter restriction indicator
Fuel shut-off valve
Idle start
Radiator, oil cooler, intercooler -
protective screen

FUEL ECONOMY SYSTEMS:

Engine Idle/Fuel Economy System:
Auto-idle
One-touch idle
Auto-idle shut-down
BEC - Boom Economy Control
AEC - Auto Economy Control
SWC - Swing Relief Control
SSC - Spool Stroke Control

HYDRAULICS:

Auto power boost
Auto swing priority
Arm speed assistance - 2 pump flow
Auxiliary flow control
Auxiliary valve
Boom speed assistance - 2 pump flow
Bucket curl assist
Control levers pre-wired for auxiliary
hydraulics
Electronically controlled hydraulic
pumps
Holding valve - Boom and Arm
Fire wall
Hydraulic filter restriction indicator
Neutral pump de-stroke
Oil cooler
Power save
Pump stand-by pressure
Auto travel speed change
Selectable work modes
Free swing - switch activated
Hydraulic oil sample port
Control pattern selector
Pre-set auxiliary pump settings
Auxiliary valve
5,000-hour hydraulic oil change interval
1,000-hour hydraulic filter change
interval
SAHR brake



**CX500D MASS EXCAVATION CRAWLER EXCAVATOR
US PRICE LIST**

(Ex Works Port of Entry)

Standard Equipment

UPPER STRUCTURE:

- ISO mirrors - 3
- Cab viscous-Mounts (fluid)
- Upper mounted work light - 70 watt
- Swivel guard belly pan
- Center cover - over main CV
- Fuel tank belly pan
- Handrail - RH access
- ISO guard rails
- Lifting eyes for counterweight
- Lockable fuel cap, service doors and toolbox

ATTACHMENTS:

- Boom - 21 ft 6 in (6.55 m)
- Arm - 8 ft 4 in (2.53 m)
- Heavy-duty bucket linkage
- Boom mounted work light - 70 watt
- Auxiliary pipe brackets
- Centralized grease fittings
- Attachment cushion valve
- Arm and boom regeneration
- Bucket anti-clatter device
- Chrome pins
- Easy Maintenance System (EMS) bushings
- Teardrop pin retention keepers

OPERATOR ENVIRONMENT:

- ROPS protection
- FOPS cab top guard - Level 1
- Pressurized cab
- Face vent
- Cab lights - 2
- Interior dome light
- One-touch lock front window
- One piece window - right
- Safety glass windows
- Gate lock hydraulic activation
- Emergency exit and hammer
- Clear polycarbonate roof window with sunshade
- AC/heat/defrost with auto climate control
- LED Color monitor - 7 in (180 mm)

OPERATOR ENVIRONMENT (cont'd):

- 26 selectable languages for monitor
- On-board diagnostic system
- 10 programmable attachments settings on monitor - 5 single flow, 5 dual flow
- Seat belt - 3 in (76 mm)
- Heated high-back cloth seat with air suspension and 65° tilt adjustment
- Sliding seat - 3.54 in (90 mm)
- Adjustable armrests
- Tilting consoles - 4-position
- Sliding cockpit - 3.15 in (80 mm)
- Low-effort joystick controls
- Controls pre-wired for auxiliary
- Single pedal travel
- Straight travel
- AM/FM radio with antenna, 2 speakers and Bluetooth capabilities
- Aux-in port for personal electronics
- Radio mute switch - joystick
- Rear-view camera
- Anti-theft system - start code system
- Rubber floor mat
- 12 Volt electric outlet
- 24 Volt cigarette lighter
- Windshield wiper/washer
- Cup holder
- Storage compartments
- Warm/cool storage compartment
- Travel alarm with cancel switch
- Ignition keys
- One key start & lock-up
- Cab filter - external
- Cab handrails
- Operator's manual

UNDERCARRIAGE:

- Long undercarriage
- 35.4 in (900 mm) steel shoes, triple semi-grouser
- Full overlap turntable bearing tub
- Double track chain guides
- Hydraulic track adjustment
- Sealed link chain



**CX500D MASS EXCAVATION CRAWLER EXCAVATOR
US PRICE LIST**

(Ex Works Port of Entry)

Standard Equipment

Steps

Carbody belly pan - swivel guard

X-pattern carbody

Lashing points - tie downs

Extra Filter Kit:

Engine oil filter

Filter wrench

Fuel filters

Grease gun

Green plug oil drain hose for engine

oil drain

Hydraulic return filter

Pilot circuit hydraulic filter

TELEMATICS:

CASE SiteWatch™ Telematics -
includes hardware and a 3-yr
Advanced data subscription



**CX500D MASS EXCAVATION CRAWLER EXCAVATOR
US PRICE LIST**

(Ex Works Port of Entry)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
CX500D ME	111,800 LB		\$610,446.00
CX500D RTC ME	114,600 LB		\$636,995.00



**CX500D MASS EXCAVATION CRAWLER EXCAVATOR
 US PRICE LIST**

**(Ex Works Port of Entry)
 Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

LIGHTS

SD_E5408 WORKING LIGHTS

488134	Halogen Working Lights			No Charge
488135	LED Working Lights 8 LED light and 1 side camera: 2 LED light are mounted on the front (1 on boom, 1 on house) 2 LED lights are mounted on the rear (above the rear view camera) 1 LED light mounted on each side (2) 2 LED lights mounted on the top of the cab			\$3,100.00

BOOMS

SD_E5311 BOOM

461028	Mass Excavation Boom (6.58 M) 21' 6" (6.55 M) Mass Excavation Boom For use with CX470C (Standard ME and RTC ME) commercial model.			No Charge
--------	---	--	--	-----------

ARMS

SD_E5320 ARM/DIPPERSTICK

461572	Mass Ex. Arm Mass Excavation Arm - 2.53M (8 ft, 4in) HD For use with 21'6" Mass Ex. Boom			No Charge
XE5320X	No Arm/Dipperstick Less arm, bucket cylinder and linkage.			(\$18,235.00)

TRACK SHOES

SD_E5199 TRACK SHOES

9560007	35.4" (900 mm) Steel Shoes Triple-Grouser Steel Shoes			No Charge
9560004	29.5"(750mm)Steel Shoes - 2bar Triple-Grouser Steel Shoes			(\$1,079.00)



**CX500D MASS EXCAVATION CRAWLER EXCAVATOR
 US PRICE LIST**

(Ex Works Port of Entry)

LANGUAGE

SD_47083 OPERATOR'S MANUAL

	781981	English Literature			No Charge
	461540	French Canadian Literature			No Charge
	781980	Spanish Literature			No Charge

ADDITIONAL EQUIPMENT CXC

HYDRAULIC OPTIONS

SD_E6410 AUXILIARY HYDRAULICS

	XE6410X	No Optional Hydraulics			No Charge
	461865	<p>Single Acting Auxiliary Hyd</p> <p>Single Acting Auxiliary Hydraulics</p> <p>For use with hammers or vibratory compaction plate applications</p> <p>Joystick activated with Electronic Proportional Controls</p> <p>Provides single direction flow</p> <p>Includes manually adjustable relief valve to set required pressures</p> <p>Notes:</p> <p>1) Not for use with other Auxiliary Hydraulic options, with the exception of Low Flow.</p> <p>2) Heavy duty bucket linkage is standard equipment on C/D series excavators.</p> <p>3) For dealer installed auxiliary hydraulic kits contact: HydrauliCircuit Technology (HCT) (1-888-603-0080 or sales@hctkits.com or www.hctkits.com)</p>			\$10,378.00



**CX500D MASS EXCAVATION CRAWLER EXCAVATOR
 US PRICE LIST**

(Ex Works Port of Entry)

		461871	<p>Thumb - Proportional SW Double Acting Auxiliary Hydraulics For use with thumb applications</p> <p>Joystick Activated with Electronic Proportional Controls Provides single pump, two-way flow Hydraulic plumbing provided to the end of the boom only, no piping to the arm This system is not switchable to single acting flow</p> <p>Notes: 1) Not for use other Auxiliary Hydraulics options with the exception of Low Flow. 2) Heavy duty bucket linkage is standard equipment on C/D series excavators. 3) For dealer installed auxiliary hydraulic kits contact: HydraulCircuit Technology (HCT) (1-888-603-0080 or sales@hctkits.com or www.hctkits.com)</p>			\$7,789.00
		461869	<p>MF w/ pressure setting - Prop Multi-Function Auxiliary Hydraulics with Electronic Pressure Control (EPC)</p> <p>For use with multiple applications: hammers/thumbs/grapples/crushers.</p> <p>Includes in-cab Electronic Pressure Control feature Pressure Control feature allows hydraulic pressure setting from the cab monitor and maintaining pressure settings in memory when multiple tools are used. Joystick Activated with Electronic Proportional Controls</p> <p>Provides single or dual pump, two-way flow, Secondary Low-flow Auxiliary Hydraulics can be added Includes in-cab electronically controlled pressure setting feature Is switchable to single acting flow for hammer application.</p> <p>Notes: 1) Not for use with other Auxiliary Hydraulics options, with the exception of Low Flow. 2) Heavy duty bucket linkage is standard equipment on C/D series excavators. 3) For dealer installed auxiliary hydraulic kits contact: HydraulCircuit Technology (HCT) (1-888-603-0080 or sales@hctkits.com or www.hctkits.com)</p>			\$13,433.00

SD_E6417 SECONDARY AUXILIARY HYDRAULICS

		XE6417X	No Low Flow Circuit			No Charge
--	--	---------	---------------------	--	--	-----------



**CX500D MASS EXCAVATION CRAWLER EXCAVATOR
 US PRICE LIST**

(Ex Works Port of Entry)

	461863	Secondary Auxiliary Hydraulics Secondary Low Flow Auxiliary Hydraulics Provides low-flow for rotation or tilt hydraulic attachments. For use with Standard Boom option 481858 Not for use with Offset Boom option 461025 Joystick Activated with Electronic Proportional Controls Notes: 1) May be used stand alone or with any Case Excavator Auxiliary Hydraulics option. 2) For dealer installed auxiliary hydraulic kits contact: HydraulicCircuit Technology (HCT) (1-888-603-0080 or sales@hctkits.com or www.hctkits.com)			\$11,449.00
--	--------	--	--	--	-------------

CAB OPTIONS

SD_E5443 CAB GUARD (FOPS)

	XE5443X	No FOPS Top Cab Guard			No Charge
	481070	FOPS Top Cab Guard			\$1,146.00

SD_E5444 CAB GUARD (FRONT)

	XE5444X	No Front Guard			No Charge
	461142	Front Guard - Wire Mesh Screen			\$1,326.00
	781986	Front Stone Guard (OPG L1) vertical bars (two piece/upper and lower)			\$1,973.00
	461024	Front Stone Guard (OPG L2) vertical bars (one piece/full length)			\$2,324.00
	461552	Vandal Guard Removable steel panels for front windshield			\$574.00

SD_E5451 SUN VISOR

	XE5451X	No Sun Visor			No Charge
	461554	Sun Visor			\$108.00

BUCKETS

SD_E6300 EXCAVATOR BUCKET(S)

	XE6300X	No Bucket Buckets may be ordered using Order Codes listed in the Factory Supplied Attachments Section			No Charge
--	---------	---	--	--	-----------

ADDITIONAL OPTIONS

SD_E5206 TRACK CHAIN GUIDE

	461542	Double Track Chain Guide			No Charge
	481264	Full Track Chain Guide -3			\$4,505.00



**CX500D MASS EXCAVATION CRAWLER EXCAVATOR
 US PRICE LIST**

(Ex Works Port of Entry)

SD_E5302 HYDRAULIC CWT REMOVAL DEVICE

		XE5302X	No Hyd CWT Removal Device			No Charge
		481263	Hydraulic CWT Removal Device			\$16,467.00

SD_E5448 CATWALK

		XE5448X	No Catwalk			No Charge
		461553	Catwalk - Left and Right Sides (Note: catwalk is not compliant with ISO standards)			\$2,452.00

SD_E5449 RAIN DEFLECTOR

		XE5449X	No Rain Deflector			No Charge
		461555	Rain Deflector			\$380.00

SD_E9730 SAFETY VALVE

		XE9730X	No Hose Burst Check Valve			No Charge
		481064	Hose Burst Check Valve (HBCV) Located on Boom and Arm Cylinder			\$11,205.00

SD_E9739 FULL VIEW CAMERA

		XE9739X	No max view monitor			No Charge
		488055	Case Max View Monitor			\$1,907.00

SD_E9740 SIDE VIEW CAMERA

		XE9740X	No Side View Camera			No Charge
		461560	Side View Camera			\$694.00

SD_E9874 REFUEL PUMP

		XE9874X	No Refuel Pump			No Charge
		481257	Refuel Pump			\$1,296.00



**CX500D MASS EXCAVATION CRAWLER EXCAVATOR
 US PRICE LIST**

(Ex Works Port of Entry)

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
47957624	54" Heavy-Duty Pin-On Bucket	5,655 LB		\$18,831.00
47957625	60" Heavy-Duty Pin-On Bucket	5,952 LB		\$20,231.00
47957626	66" Heavy-Duty Pin-On Bucket	6,239 LB		\$21,736.00
47957630	54" Severe-Duty Pin-On Bucket	6,757 LB		\$22,597.00
47957633	60" Severe-Duty Pin-On Bucket	7,154 LB		\$24,278.00
47957634	66" Severe-Duty Pin-On Bucket	7,452 LB		\$25,956.00



**CX750D RTC
US PRICE LIST**

Standard Equipment

ENGINE:

Isuzu AQ-6WG1X turbocharged
EGR with cooler, SCR System
6 Cylinder liquid cooled diesel
957 cu. in. (15.6L) displacement
Common rail Injection
Charge air cooling
Tier 4 Final Certified
Horsepower:
- Net 512 (382 kW) at 1800 RPM
Fuel Tank Capacity: 238 gal. (US)
(900 L)
Long Life Anti-freeze
(protect to - 34°F)
Automatic engine warm-up
Auto idle warm-up/one-touch auto idle
Neutral safety start
Auto power boost
Cold idle start
Dual element air filter
Emergency engine shutdown
Reversible cooling fan

OPERATOR ENVIRONMENT:

ROPS protection
FOPS cab top guard - Level 1
Pressurized cab
Face vent
Cab lights - 2
Interior dome light
One-touch lock front window
One piece window - right
Safety glass windows
Gate lock hydraulic activation
Emergency exit and hammer
Clear polycarbonate roof window with
sunshade
AC/heat/defrost with auto climate
control
LED Color monitor - 7 in (180 mm)
26 selectable languages for monitor
On-board diagnostic system
10 programmable attachments settings
on monitor - 5 single flow, 5 dual
flow

Seat belt - 3 in (76 mm)
Heated high-back cloth seat with air
suspension and 65° tilt adjustment
Sliding seat - 3.54 in (90 mm)
Adjustable armrests
Tilting consoles - 4-position
Sliding cockpit - 3.15 in (80 mm)
Low-effort joystick controls
Controls pre-wired for auxiliary
Single pedal travel
AM/FM radio with antenna, 2 speakers
and Bluetooth capabilities
Aux-in port for personal electronics
Radio mute switch - joystick
Rear-view camera
Anti-theft system - start code system
Rubber floormat
12 Volt electric outlet
24 Volt cigarette lighter
Windshield wiper/washer
Cup holder
Storage compartments
Warm/cool storage compartment
Travel alarm with cancel switch
Ignition keys
One key start & lock-up
Cab filter - external
Cab handrails
Operator's manual

ELECTRICAL:

24 Volt system
Alternator: 50 AMP
Batteries: 2
Electronic Systems Monitor
Work lights (70 watt)
2 Boom, 1 upper, 2 cab

UPPER STRUCTURE:

ISO mirrors - 3
Cab viscous-mounts - (fluid)
Swivel guard belly pan
Center cover - over main CV
Fuel tank belly pan



CX750D RTC
US PRICE LIST

Standard Equipment

UPPER STRUCTURE CONT:

Handrail - RH access
ISO guard rails
Lifting eyes for counter weight
Lockable fuel cap, service doors and
toolbox

Bucket curl assist
Control lever pre-wired for auxiliary
hydraulics
Electronically controlled hydraulics
pumps
Holding valve - boom and arm
Fire wall
Hydraulic filter restriction indicator
Neutral pump de-stroke
Oil cooler
Power save
Pump stand-by pressure
Auto travel speed change
Selectable work modes
Free swing
Hydraulic oil sample ports
Control pattern selector
Pre-set auxiliary pump settings
Auxiliary valve
5,000 hour hydraulic oil change interval
1,000 hour hydraulic filter change
interval

UNDERCARRIAGE:

X-pattern car-body
Undercarriage:
- HD:
19' 4" (5 880 mm)
Track gauge:
- HD: 10' 10" (3 350 mm)
- Retracted: 8'10" (2 740 mm)
Shoes:
- 3-bar/36" (900MM) (47 per side)
Hydraulic adjustable track tension
Tapered upper track frame
Sealed outer flange rollers
Front track guides
Lower under covers

ATTACHMENTS:

Arm: 11'6" (3.55 m)
Boom: 25'3" (7.70 M)

TRACK DRIVE:

Two-speed independent hydrostatic
travel
SAHR disc parking brake
Reinforced drive motor guards

CASE ProCare

3-yr/3000-hr factory warranty,
planned maintenance and
SiteWatch™ telematics

HYDRAULICS:

Auto power boost
Auto swing priority
Arm speed assist - 2 pump flow
Auxiliary flow control
Auxiliary valve
Boom speed assist - 2 pump flow

CASE SiteWatch™ Telematics
includes hardware and a 3-yr
Advanced data subscription



**CX750D RTC
US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
CX750D RTC	158,300 LB		\$822,074.00



**CX750D RTC
 US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

LIGHTS

SD_E5408 WORKING LIGHTS

488134	Halogen Working Lights			No Charge
488135	LED Working Lights 8 LED light and 1 side camera: 2 LED light are mounted on the front (1 on boom, 1 on house) 2 LED lights are mounted on the rear (above the rear view camera) 1 LED light mounted on each side (2) 2 LED lights mounted on the top of the cab			\$3,100.00

BOOMS

SD_E5311 BOOM

461543	Heavy-Duty Boom 25'3" (7.7M)			No Charge
781917	No Boom Less boom, hoist and arm cylinders, and plumbing. Boom foot and cylinder pins are retained.			(\$24,178.00)

ARMS

SD_E5320 ARM/DIPPERSTICK

488132	11'8" (3.55M) HD ARM For use with 25'3" (7.7 M) Reach Boom - 461543			No Charge
781677	13'6" (4.11 M) Arm For use with 25'3" (7.7 M) Reach Boom - 461543			\$1,553.00
781930	16'5" (5.0 M) Arm For use with 25'3" (7.7 M) Reach Boom - 461543			\$3,561.00
XE5320X	No Arm/Dipperstick This option is less arm, bucket cylinder and linkage.			(\$12,566.00)



**CX750D RTC
 US PRICE LIST**

TRACK SHOES

SD_E5199 TRACK SHOES

	9560048	26" (650MM)Steel Shoes - 2bar			(\$4,691.00)
	9560004	29.5"(750mm)Steel Shoes - 2bar			(\$4,223.00)
	9560007	35.4" (900 mm) Steel Shoes			No Charge

LANGUAGE

SD_47083 OPERATOR'S MANUAL

	461540	French Canadian Literature			No Charge
	781980	Spanish Literature			No Charge
	781981	English Literature			No Charge

BUCKETS

SD_E6300 EXCAVATOR BUCKET(S)

	XE6300X	No Bucket Buckets may be ordered using Order Codes listed in the Direct Ship Attachment Section			No Charge
--	---------	--	--	--	-----------



**CX750D RTC
 US PRICE LIST**

ADDITIONAL EQUIPMENT CXC

HYDRAULIC OPTIONS

SD_E6410 AUXILIARY HYDRAULICS

	461869	<p>MF w/ pressure setting - Prop Multi-Function Auxiliary Hydraulics with Electronic Pressure Control (EPC) For use with multiple applications: Hammers/thumbs/grapples/crushers.</p> <p>Includes in-cab Electronic Pressure Control feature. Pressure Control feature allows hydraulic pressure setting from the cab monitor and maintaining pressure settings in memory when multiple tools are used.</p> <p>Joystick Activated with Electronic Proportional Controls. Provides single or dual pump, two-way flow, Secondary Low-flow Auxiliary Hydraulics can be added Includes in-cab electronically controlled pressure setting feature Is switchable to single acting flow for hammer application.</p> <p>Notes: 1) Not for use with other Auxiliary Hydraulics options, with the exception of Low Flow. 2) Heavy duty bucket linkage is standard equipment on D series excavators. 3) For dealer installed auxiliary hydraulic kits contact: HydraulCircuit Technology (HCT) (1-888-603-0080 or sales@hctkits.com or www.hctkits.com)</p>			\$15,046.00
	461871	<p>Thumb - Proportional SW Recommended for use with a thumb kit. Plumbing to the end of the boom, no hydraulics provided on the arm. Actuated by trigger switches in the right and left hand controls. Right controls one-way flow, left controls opposite flow. Right hand switch is the same switch that controls power boost.</p> <p>Order 2 code 284600A1, Adapter fittings, from Parts to connect 3/4" BSPP to SAE-12 Male JIC.</p> <p>For dealer installed auxiliary hydraulic kits contact: HydraulCircuit Technology (HCT) (1-888-603-0080 or sales@hctkits.com or www.hctkits.com)</p>			\$10,950.00
	XE6410X	No Optional Hydraulics			No Charge



**CX750D RTC
 US PRICE LIST**

SD_E6417 SECONDARY AUXILIARY HYDRAULICS

		XE6417X	No Low Flow Circuit			No Charge
		461863	Secondary Auxiliary Hydraulics			\$13,717.00

CAB OPTIONS

SD_E5443 CAB GUARD (FOPS)

		XE5443X	No FOPS Top Cab Guard			No Charge
		481070	FOPS Top Cab Guard Not for use with Vandal Guard option 461552			\$1,089.00

SD_E5444 CAB GUARD (FRONT)

		XE5444X	No Front Guard			No Charge
		461142	Front Guard - Wire Mesh Screen			\$1,259.00
		781986	Front Stone Guard (OPG L1)			\$1,973.00
		461024	Front Stone Guard (OPG L2)			\$2,207.00
		461552	Vandal Guard Removable steel panels for front windshield			\$574.00

ADDITIONAL OPTIONS

SD_E5206 TRACK CHAIN GUIDE

		461542	Double Track Chain Guide			No Charge
		481264	Full Track Chain Guide -3			\$7,573.00

SD_E5302 HYDRAULIC CWT REMOVAL DEVICE

		XE5302X	No Hyd CWT Removal Device			No Charge
		481263	Hydraulic CWT Removal Device			\$22,217.00

SD_E5449 RAIN DEFLECTOR

		XE5449X	No Rain Deflector			No Charge
		461555	Rain Deflector Not for use with Front Grill Guard or Front Rock Guard options listed in the Cab Guard Section			\$380.00

SD_E9730 SAFETY VALVE

		XE9730X	No Hose Burst Check Valve			No Charge
		481064	Hose Burst Check Valve (HBCV) Located on Boom and Arm Cylinder			\$12,095.00

SD_E9739 FULL VIEW CAMERA

		XE9739X	No max view monitor			No Charge
		488055	Case Max View Monitor			\$1,907.00

SD_E9740 SIDE VIEW CAMERA

		XE9740X	No Side View Camera			No Charge
		461560	Side View Camera			\$694.00



**CX750D RTC
 US PRICE LIST**

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
47526679	36" Heavy-Duty Pin-On Bucket with 4 teeth, 1.94 cu. yd.	5,550 LB		\$13,409.00
47526680	42" Heavy-Duty Pin-On Bucket with 5 teeth, 2.32 cu. yd.	6,050 LB		\$14,481.00
47526684	48" Heavy-Duty Pin-On Bucket with 5 teeth, 2.68 cu. yd.	6,350 LB		\$15,642.00
47526687	54" Heavy-Duty Pin-On Bucket with 6 teeth, 3.05 cu. yd. (3.05 cu. m.)	6,750 LB		\$16,892.00
47526690	60" Heavy-Duty Pin-On Bucket with 6 teeth, 3.44 cu. yd.	7,150 LB		\$18,244.00
47526691	66" Heavy-Duty Pin-On Bucket with 7 teeth, 3.82 cu. yd.	7,750 LB		\$19,702.00
47526699	72" Heavy-Duty Pin-On Bucket with 7 teeth, 4.20 cu. yd.	8,000 LB		\$21,279.00
47526717	54" HD Hi-Capacity Pin-On Bucket with 5 teeth, 3.41 cu. yd. (2.61 cu. m.)	6,300 LB		\$17,906.00
47526724	66" HD Hi-Capacity Pin-On Bucket with 6 teeth, 4.27 cu. yd. (3.26 cu. m.)	7,100 LB		\$20,883.00
47526727	72" HD Hi-Capacity Pin-On Bucket with 7 teeth, 4.69 cu. yd. (3.59 cu. m.)	7,460 LB		\$22,553.00
47526731	36" Severe-Duty Pin-On Bucket with 4 teeth, 1.94 cu. yd. (1.48 cu. m.)	6,050 LB		\$15,644.00
47526742	42" Severe-Duty Pin-On Bucket with 5 teeth, 2.31 cu. yd. (1.77 cu. m.)	6,550 LB		\$16,871.00
47526748	48" Severe-Duty Pin-On Bucket with 5 teeth, 2.68 cu. yd. (2.05 cu. m.)	6,850 LB		\$18,125.00
47526751	54" Severe-Duty Pin-On Bucket with 6 teeth, 3.05 cu. yd. (2.33 cu. m.)	7,250 LB		\$19,723.00
47526753	60" Severe-Duty Pin-On Bucket with 6 teeth, 3.44 cu. yd. (2.63 cu. m.)	7,650 LB		\$21,243.00
47526763	66" Severe-Duty Pin-On Bucket with 7 teeth, 3.82 cu. yd. (2.92 cu. m.)	8,075 LB		\$23,046.00



**CX750D RTC ME
US PRICE LIST**

Standard Equipment

ENGINE:

Isuzu AQ-6WG1X turbocharged
EGR with cooler, SCR System
6 Cylinder liquid cooled diesel
957 cu. in. (15.6L) displacement
Common rail Injection
Charge air cooling
Tier 4 Final Certified
Horsepower:
- Net 512 (382 kW) at 1800 RPM
Fuel Tank Capacity: 238 gal. (US)
(900 L)
Long Life Anti-freeze
(protect to - 34°F)
Automatic engine warm-up
Auto idle warm-up/one-touch auto idle
Neutral safety start
Auto power boost
Cold idle start
Dual element air filter
Emergency engine shutdown
Reversible cooling fan

OPERATOR ENVIRONMENT:

ROPS protection
FOPS cab top guard - Level 1
Pressurized cab
Face vent
Cab lights - 2
Interior dome light
One-touch lock front window
One piece window - right
Safety glass windows
Gate lock hydraulic activation
Emergency exit and hammer
Clear polycarbonate roof window with
sunshade
AC/heat/defrost with auto climate
control
LED Color monitor - 7 in (180 mm)
26 selectable languages for monitor
On-board diagnostic system
10 programmable attachments settings
on monitor - 5 single flow, 5 dual
flow

Seat belt - 3 in (76 mm)
Heated high-back cloth seat with air
suspension and 65° tilt adjustment
Sliding seat - 3.54 in (90 mm)
Adjustable armrests
Tilting consoles - 4-position
Sliding cockpit - 3.15 in (80 mm)
Low-effort joystick controls
Controls pre-wired for auxiliary
Single pedal travel
AM/FM radio with antenna, 2 speakers
and Bluetooth capabilities
Aux-in port for personal electronics
Radio mute switch - joystick
Rear-view camera
Anti-theft system - start code system
Rubber floor mat
12 Volt electric outlet
24 Volt cigarette lighter
Windshield wiper/washer
Cup holder
Storage compartments
Warm/cool storage compartment
Travel alarm with cancel switch
Ignition keys
One key start & lock-up
Cab filter - external
Cab handrails
Operator's manual

ELECTRICAL:

24 Volt system
Alternator: 50 AMP
Batteries: 2
Electronic Systems Monitor
Work lights (70 watt)
2 Boom, 1 upper, 2 cab

UPPER STRUCTURE:

ISO mirrors - 3
Cab viscous-mounts (fluid)
Swivel guard belly pan
Center cover - over main CV
Fuel tank belly pan
Handrail - RH access



CX750D RTC ME
US PRICE LIST

Standard Equipment

UPPER STRUCTURE(cont):

- Iso guard rails
- Lifting eyes for counter weight
- Lockable fuel cap, service doors and toolbox

UNDERCARRIAGE:

- X-pattern car-body
- Undercarriage:

- HD:
19' 4" (5 880 mm)

Track gauge:

- HD: 10' 10" (3 350 mm)
- Retracted: 8'10" (2 740 mm)

Shoes:

- 3-bar/36" (900MM) (47 per side)

- Hydraulic adjustable track tension
- Tapered upper track frame
- Sealed outer flange rollers
- Front track guides
- Lower under covers

TRACK DRIVE:

- Two-speed independent hydrostatic travel
- SAHR disc parking brake
- Reinforced drive motor guards

HYDRAULICS:

- Auto power boost
- Auto swing priority
- Arm speed assist - 2 pump flow
- Auxiliary flow control
- Auxiliary valve
- Boom speed assist - 2 pump flow

Bucket curl assist

Control lever pre-wired for auxiliary hydraulics

Electronically controlled hydraulics pumps

Holding valve - boom and arm

Fire wall

Hydraulic filter restriction indicator

Neutral pump de-stroke

Oil cooler

Power save

Pump stand-by pressure

Auto travel speed change

Selectable work modes

Free swing

Hydraulic oil sample ports

Control pattern selector

Pre-set auxiliary pump settings

Auxiliary valve

5,000 hour hydraulic oil change interval

1,000 hour hydraulic filter change interval

ATTACHMENTS:

Arm: 11'6" (3.55 m)

Boom: 25'3" (7.70 M)

CASE ProCare

3-yr/3000-hr factory warranty,
planned maintenance and
SiteWatch™ telematics

CASE SiteWatch™ Telematics

includes hardware and a 3-yr
Advanced data subscription



**CX750D RTC ME
US PRICE LIST**

Models

COMMERCIAL MODEL	TECHNICAL TYPE	Weight	Factory Data	List Price
CX750D RTC ME	540425764	159,600 LB		\$833,616.00



CX750D RTC ME
 US PRICE LIST

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

LIGHTS

SD_E5408 WORKING LIGHTS

488134	Halogen Working Lights			No Charge
488135	LED Working Lights 8 LED light and 1 side camera: 2 LED light are mounted on the front (1 on boom, 1 on house) 2 LED lights are mounted on the rear (above the rear view camera) 1 LED light mounted on each side (2) 2 LED lights mounted on the top of the cab			\$3,100.00

BOOMS

SD_E5311 BOOM

461028	Mass Excavation Boom (6.58 M)			No Charge
781917	No Boom Less boom, hoist and arm cylinders, and plumbing. Boom foot and cylinder pins are retained.			(\$24,178.00)

ARMS

SD_E5320 ARM/DIPPERSTICK

461572	Mass Ex. Arm Mass Excavation Arm 2.90M			No Charge
XE5320X	No Arm/Dipperstick This option is less arm, bucket cylinder and linkage.			(\$12,566.00)

TRACK SHOES

SD_E5199 TRACK SHOES

9560004	29.5"(750mm)Steel Shoes - 2bar			(\$4,223.00)
9560007	35.4" (900 mm) Steel Shoes			No Charge
9560048	26" (650MM)Steel Shoes - 2bar			(\$4,691.00)



**CX750D RTC ME
 US PRICE LIST**

LANGUAGE

SD_47083 OPERATOR'S MANUAL

	461540	French Canadian Literature			No Charge
	781980	Spanish Literature			No Charge
	781981	English Literature			No Charge

BUCKETS

SD_E6300 EXCAVATOR BUCKET(S)

	XE6300X	No Bucket Buckets may be ordered using Order Codes listed in the Direct Ship Attachment Section			No Charge
--	---------	--	--	--	-----------

ADDITIONAL EQUIPMENT CXC

HYDRAULIC OPTIONS

SD_E6410 AUXILIARY HYDRAULICS

	461865	<p>Single Acting Auxiliary Hyd</p> <p>Provides single pump flow plumbing to end of arm and return to tank through additional filter.</p> <p>Includes remote adjustable relief valve to match attachment pressure requirements.</p> <p>Order 2 of code 284600A1, Adapter fittings, from Parts to connect 3/4" BSPP to SAE-12 Male JIC.</p> <p>Recommended for heavy hammer use and thumb applications.</p> <p>Includes heavy duty bucket linkage.</p> <p>For dealer installed auxiliary hydraulic kits contact: HydrauliCircuit Technology (HCT) (1-888-603-0080 or sales@hctkits.com or www.hctkits.com)</p>			\$13,860.00
--	--------	--	--	--	-------------



**CX750D RTC ME
 US PRICE LIST**

461869	<p>MF w/ pressure setting - Prop Multi-Function Auxiliary Hydraulics with Electronic Pressure Control (EPC) For use with multiple applications: Hammers/thumbs/grapples/crushers.</p> <p>Includes in-cab Electronic Pressure Control feature. Pressure Control feature allows hydraulic pressure setting from the cab monitor and maintaining pressure settings in memory when multiple tools are used.</p> <p>Joystick Activated with Electronic Proportional Controls. Provides single or dual pump, two-way flow, Secondary Low-flow Auxiliary Hydraulics can be added Includes in-cab electronically controlled pressure setting feature Is switchable to single acting flow for hammer application.</p> <p>Notes: 1) Not for use with other Auxiliary Hydraulics options, with the exception of Low Flow. 2) Heavy duty bucket linkage is standard equipment on C/D series excavators. 3) For dealer installed auxiliary hydraulic kits contact: HydraulCircuit Technology (HCT) (1-888-603-0080 or sales@hctkits.com or www.hctkits.com)</p>			\$17,740.00
461871	<p>Thumb - Proportional SW Recommended for use with a thumb kit. Plumbing to the end of the boom, no hydraulics provided on the arm. Actuated by trigger switches in the right and left hand controls. Right controls one-way flow, left controls opposite flow. Right hand switch is the same switch that controls power boost.</p> <p>Order 2 code 284600A1, Adapter fittings, from Parts to connect 3/4" BSPP to SAE-12 Male JIC.</p> <p>For dealer installed auxiliary hydraulic kits contact: HydraulCircuit Technology (HCT) (1-888-603-0080 or sales@hctkits.com or www.hctkits.com)</p>			\$10,950.00
XE6410X	No Optional Hydraulics			No Charge

SD_E6417 SECONDARY AUXILIARY HYDRAULICS

XE6417X	No Low Flow Circuit			No Charge
461863	Secondary Auxiliary Hydraulics			\$13,717.00



**CX750D RTC ME
 US PRICE LIST**

CAB OPTIONS

SD_E5443 CAB GUARD (FOPS)

		XE5443X	No FOPS Top Cab Guard			No Charge
		481070	FOPS Top Cab Guard Not for use with Vandal Guard option 461552			\$1,089.00

SD_E5444 CAB GUARD (FRONT)

		XE5444X	No Front Guard			No Charge
		461552	Vandal Guard Removable steel panels for front windshield			\$574.00
		461142	Front Guard - Wire Mesh Screen			\$1,259.00
		781986	Front Stone Guard (OPG L1)			\$1,973.00
		461024	Front Stone Guard (OPG L2)			\$2,207.00

ADDITIONAL OPTIONS

SD_E5206 TRACK CHAIN GUIDE

		461542	Double Track Chain Guide			No Charge
		481264	Full Track Chain Guide -3			\$7,573.00

SD_E5302 HYDRAULIC CWT REMOVAL DEVICE

		XE5302X	No Hyd CWT Removal Device			No Charge
		481263	Hydraulic CWT Removal Device			\$22,217.00

SD_E5449 RAIN DEFLECTOR

		XE5449X	No Rain Deflector			No Charge
		461555	Rain Deflector Not for use with Front Grill Guard or Front Rock Guard options listed in the Cab Guard Section			\$380.00

SD_E9730 SAFETY VALVE

		XE9730X	No Hose Burst Check Valve			No Charge
		481064	Hose Burst Check Valve (HBCV) Located on Boom and Arm Cylinder			\$12,095.00

SD_E9739 FULL VIEW CAMERA

		XE9739X	No max view monitor			No Charge
		488055	Case Max View Monitor			\$1,907.00

SD_E9740 SIDE VIEW CAMERA

		XE9740X	No Side View Camera			No Charge
		461560	Side View Camera			\$694.00



**CX750D RTC ME
 US PRICE LIST**

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
47526679	36" Heavy-Duty Pin-On Bucket with 4 teeth, 1.94 cu. yd.	5,550 LB		\$13,409.00
47526680	42" Heavy-Duty Pin-On Bucket with 5 teeth, 2.32 cu. yd.	6,050 LB		\$14,481.00
47526684	48" Heavy-Duty Pin-On Bucket with 5 teeth, 2.68 cu. yd.	6,350 LB		\$15,642.00
47526687	54" Heavy-Duty Pin-On Bucket with 6 teeth, 3.05 cu. yd. (3.05 cu. m.)	6,750 LB		\$16,892.00
47526690	60" Heavy-Duty Pin-On Bucket with 6 teeth, 3.44 cu. yd.	7,150 LB		\$18,244.00
47526691	66" Heavy-Duty Pin-On Bucket with 7 teeth, 3.82 cu. yd.	7,750 LB		\$19,702.00
47526699	72" Heavy-Duty Pin-On Bucket with 7 teeth, 4.20 cu. yd.	8,000 LB		\$21,279.00
47526717	54" HD Hi-Capacity Pin-On Bucket with 5 teeth, 3.41 cu. yd. (2.61 cu. m.)	6,300 LB		\$17,906.00
47526724	66" HD Hi-Capacity Pin-On Bucket with 6 teeth, 4.27 cu. yd. (3.26 cu. m.)	7,100 LB		\$20,883.00
47526727	72" HD Hi-Capacity Pin-On Bucket with 7 teeth, 4.69 cu. yd. (3.59 cu. m.)	7,460 LB		\$22,553.00
47526731	36" Severe-Duty Pin-On Bucket with 4 teeth, 1.94 cu. yd. (1.48 cu. m.)	6,050 LB		\$15,644.00
47526742	42" Severe-Duty Pin-On Bucket with 5 teeth, 2.31 cu. yd. (1.77 cu. m.)	6,550 LB		\$16,871.00
47526748	48" Severe-Duty Pin-On Bucket with 5 teeth, 2.68 cu. yd. (2.05 cu. m.)	6,850 LB		\$18,125.00
47526751	54" Severe-Duty Pin-On Bucket with 6 teeth, 3.05 cu. yd. (2.33 cu. m.)	7,250 LB		\$19,723.00
47526753	60" Severe-Duty Pin-On Bucket with 6 teeth, 3.44 cu. yd. (2.63 cu. m.)	7,650 LB		\$21,243.00
47526763	66" Severe-Duty Pin-On Bucket with 7 teeth, 3.82 cu. yd. (2.92 cu. m.)	8,075 LB		\$23,046.00