

CATERPILLAR MACHINE PRICE LIST

# D10T2

D10T2 TRACK-TYPE TRACTOR  
EAST PEORIA, IL, USA (SAP)

Ship Weight  
lbs

LIST PRICE  
AT DEALER

Standard Equipment:

### POWERTRAIN

- C27 engine with ACERT technology
- 24-volt electric start
- Air filters, dual with precleaner
- Aftercoolers, air-to-air
- Coolant, extended life
- Enhanced auto-shift
- APECS
- Directional shift management
- Ether starting aid, automatic
- Fan, suction with hydraulic demand drive
- Fast fuel system
- Fuel priming pump, electric
- Oil change system
- Parking brake, electronic
- Prescreener
- Separator, water/fuel
- Thermal shields
- Torque divider
- Transmission, powershift, ECPC, 3F/3R

### UNDERCARRIAGE

- Rollers and idlers, lifetime lubricated
- Sprocket rim segments, replaceable
- Suspension-type undercarriage, 8-roller tubular track roller frame -carrier roller ready
- Track adjusters, hydraulic
- Track guides
- Two-piece master links

### HYDRAULICS

- Hydraulic system, electronically controlled load sensing
- Ripper hydraulics

### STARTERS, BATTERIES, & ALTERNATORS

- Alternator, 150 amp
- Batteries, 12V (2), 200 amp-hour maintenance free

### ELECTRICAL

- Alarm, back-up
- Converter, 12 volt, 30 amp total
- Diagnostic connector
- Horn, forward warning
- Light, engine compartment
- Starting receptacle

### OPERATOR ENVIRONMENT

- Armrest, adjustable
- Information display
- Work monitor
- Air conditioner and heater
- Cab, ROPS
- Controls, electronic implement
- Decelerator pedal
- Fingertip control (FTC) steering
- Governor switch, electronic
- Instrument panel guard
- Mirror, rearview
- Radio ready, entertainment
- ROPS rollbar
- Wipers, intermittent, low & high speeds

### SAFETY AND SECURITY

- Seatbelt, retractable, 3" (76mm)
- Seatbelt warning system
- Operator not presence detection
- Steps, heavy-duty and handles
- Fender guard rails
- Slope and side-slope monitor

### OTHER STANDARD EQUIPMENT

- Auto-blade assist ready (for dual tilt)
- Ecology drains
- Engine enclosure
- Fluid sampling ports
- Grade control ready
- Mounting, lift cylinders
- Product link ready
- VIMS 3G
- Vandalism protection
- CD ROM parts book
- Ripper hydraulics
- Work positioning points

CATERPILLAR MACHINE PRICE LIST

# D10T2

---

D10T2 TRACK-TYPE TRACTOR EAST PEORIA, IL, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

---

<p><b>444-5738</b>      <b>D10T2 TRACTOR, US</b> . . . . . 0</p> <p>                  LANE 2 - AVAILABLE FROM EAST PEORIA FACTORY</p> <p>                  LANE 3 - AVAILABLE FROM EAST PEORIA FACTORY</p>	0	\$1,465,000
--	---	-------------

Includes US EPA compliant engine and necessary attachments for sale into the US.

<p><b>0P-2917</b>      <b>D10 MISC MATL EAST PEORIA</b> . . . . . 0</p> <p>                  AVAILABLE FROM EAST PEORIA FACTORY</p>	0	NC
---	---	----

Use this reference number when ordering miscellaneous material other than a body or body attachments.

CATERPILLAR MACHINE PRICE LIST

# D10T2

---

USE	REF NO.	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	--------------------	-------------------------

---

## NOTE

For a more detailed description of price list items, please refer to the D10T2 Price List Attachment Guide on one of the following websites:

dealer.cat.com - <https://dealer.cat.com/cda/layout?m=686126&x=7>  
mining.cat.com - <https://mining.cat.com/cda/layout?m=686126&x=7>

Each machine will be shipped with a Parts Book on CD ROM. The CD will be shipped with the other D10T2 literature. If a paper copy is desired, please order through the dealer parts department.

CATERPILLAR MACHINE PRICE LIST

**D10T2**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**LANE SELECTION**

OP-9002	LANE 2 ORDER . . . . .	0	NC
	Cannot be ordered with items listed as LANE 3 ONLY.		
OP-9003	LANE 3 ORDER . . . . .	0	NC

**SPECIAL ARRANGEMENTS**

**SPECIAL ARRANGEMENT**

L	359-6428	<b>BASIC TRACTOR ARRANGEMENT . . . . .</b>	0	NC
		Includes basic engine compartment enclosures, standard engine precleaner with dust ejector and hydraulically driven cooling fan.		
L	359-6429	<b>HIGH DEBRIS ARRANGEMENT . . . . .</b>	0	\$22, 550
		For use in heavy debris applications, excluding stockpile. Includes perforated engine compartment enclosures with seals, turbine engine precleaners and dust ejectors, and ducted alternator. REQUIRES: 361-2158 GUARD, FAN DEBRIS 462-1768 FAN, REVERSING		
L	359-6430	<b>STOCKPILE ARRANGEMENT . . . . .</b>	0	\$31, 060
		FOR USE IN LANE 3 ONLY For use in stockpile applications (woodchip, coal, etc.) Includes perforated engine compartment enclosures with seals, turbine engine precleaners and dust ejectors, and ducted alternator. REQUIRES: 419-8211 OPERATORS AR, QUICK OPENING 371-6934 GUARD, BOTTOM PARTIAL 361-2158 GUARD, FAN DEBRIS 462-1768 FAN, REVERSING 384-8844 SCREENS, GRILL DOOR		
L	359-6454	<b>SOUND ARRANGEMENT . . . . .</b>	0	\$4, 180
		FOR USE IN LANE 3 ONLY For use in applications where spectator sound reduction is required. Includes sound reducing engine compartment hood and enclosures, standard engine precleaner and dust ejector, and hydraulically driven cooling fan. REQUIRES: 381-0191 UNDERCARRIAGE, SOUND 371-6933 GUARDS, BOTTOM, SEALED		

**POWERTRAIN**

**RADIATOR ARRANGEMENT**

L	359-6479	<b>RADIATOR, 6 FPI . . . . .</b>	0	NC
		Aluminum bar-plate radiator with 6 fins per inch spacing.		
L	375-0788	<b>RADIATOR, MESABI . . . . .</b>	0	\$30, 110
		FOR USE IN LANE 3 ONLY		

**HIGH SPEED OIL CHANGE ARRANGEMENT**

L	359-6492	<b>OIL CHANGE SYSTEM, HIGH SPEED . . . . .</b>	0	NC
		High speed engine and powertrain oil change system mounted in the engine compartment.		

CATERPILLAR MACHINE PRICE LIST

**D10T2**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**POWERTRAIN (CONT.)**

**HIGH SPEED OIL CHANGE ARRANGEMENT (Cont.)**

L	359-6493	<b>OIL CHANGE SYSTEM, RIPPER</b> . . . . . 0 High speed engine and powertrain oil change system mounted to the ripper. MUST BE ORDERED DETACHED. REQUIRES: RIPPER		\$605
L	359-6494	<b>OIL CHANGE SYSTEM, CTWT</b> . . . . . 0 High speed engine and powertrain oil change system mounted to the rear counterweight. MUST BE ORDERED DETACHED. REQUIRES: 399-7223 COUNTERWEIGHT, REAR or 399-7224 COUNTERWEIGHT, REAR, 4		\$605

**FINAL DRIVE ARRANGEMENT**

L	372-4564	<b>FINAL DRIVES, STANDARD</b> . . . . . 0 Includes two standard final drives.		NC
L	372-4566	<b>FINAL DRIVES, GUARDED</b> . . . . . 0 Includes two final drives designed to optimize performance in mud packing environments.		\$9,260
L	372-4565	<b>FINAL DRIVES, COLD WEATHER</b> . . . . . 0 Includes two final drives designed to optimize performance in cold weather applications.		\$1,155
L	372-4567	<b>FINAL DRIVES, CLAMSHELL</b> . . . . . 0 Includes cast guards with inspection covers that protect the final drive seal from damage. Designed for high debris and waste applications.		\$18,000

**UNDERCARRIAGE**

**UNDERCARRIAGE ARRANGEMENT**

L	381-0194	<b>UNDERCARRIAGE, BASIC.</b> . . . . . 0 For use in standard applications. Includes standard idlers, sprocket segments, single flange and double flange rollers, bogie pins, roller frames and recoil system.		NC
L	381-0195	<b>UNDERCARRIAGE, ABRASION.</b> . . . . . 0 For use in highly abrasive applications. Includes all single flange rollers.		\$1,655
L	381-0192	<b>UNDERCARRIAGE, GUARDED.</b> . . . . . 0 Includes guarded idlers and guarded pivot shaft seal.		\$5,360
L	506-2017	<b>UNDERCARRIAGE, ABRASION, HD</b> . . . . . 0 For use in highly abrasive applications. Extended life. Includes all single flange rollers with two larger single flange rollers in position one and eight. REQUIRES: 495-3883 TRACK, 610MM SES DURALINK 495-3887 TRACK, 610MM SES DURALINK RND 495-3889 TRACK, 710MM SES DURALINK 495-3891 TRACK, 710MM SES DURALINK RND		\$3,240
L	381-0191	<b>UNDERCARRIAGE, SOUND.</b> . . . . . 0 For sound reduction. Includes sound reducing idlers and sprocket segments. ONLY FOR USE WITH: OTHER SOUND REDUCING FEATURES FOR FULL EFFECT		\$83,660

CATERPILLAR MACHINE PRICE LIST

**D10T2**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**UNDERCARRIAGE (CONT.)**

**UNDERCARRIAGE ARRANGEMENT (Cont.)**

L	381-0190	<b>UNDERCARRIAGE, COLD WEATHER</b> . . . . . 0 For use in standard applications with cold ambient temperatures. Includes cold weather idlers, single flange and double flange rollers, roller frames, and recoil system. Includes extreme cold weather bogie pins (arctic platinum grease.)		\$6,840
L	381-0189	<b>UNDERCARRIAGE, COLD ABRASION</b> . . . . . 0 For use in highly abrasive applications with cold ambient temperatures. Includes cold weather idlers, single flange rollers, roller frames, and recoil system. Includes cold weather bogie pins (arctic platinum grease.)		\$8,880

**TRACK ARRANGEMENT**

NOTE: All include single tooth master link with coarse thread bolts.

L	380-5939	<b>TRACK, 610MM ES</b> . . . . . 0 Extreme service shoes (24"/610mm).		NC
L	398-5247	<b>TRACK, 610MM ES ROUND</b> . . . . . 0 Extreme service shoes (24"/610mm). Round holes.		\$4,535
L	380-5941	<b>TRACK, 610MM SES</b> . . . . . 0 Super extreme service shoes (24"/610mm).		\$6,060
L	495-3883	<b>TRACK, 610MM SES DURALINK</b> . . . . . 0 Super extreme service shoes (24"/610mm). Heavy duty Duralink. ONLY FOR USE WITH: 506-2017 UNDERCARRIAGE, ABRASION, HD		\$15,330
L	495-3887	<b>TRACK, 610MM SES DURALINK RND</b> . . . . . 0 Super extreme service shoes (24"/610mm). Heavy duty Duralink. 90mm round holes. ONLY FOR USE WITH: 506-2017 UNDERCARRIAGE, ABRASION, HD		\$16,140
L	380-5943	<b>TRACK, 710MM ES</b> . . . . . 0 Extreme service shoes (28"/710mm).		\$5,290
L	398-5249	<b>TRACK, 710MM ES ROUND</b> . . . . . 0 Extreme service shoes (28"/710mm). Round holes.		\$6,060
L	380-5945	<b>TRACK, 710MM SES</b> . . . . . 0 Super extreme service shoes (28"/710mm).		\$7,560
L	495-3889	<b>TRACK, 710MM SES DURALINK</b> . . . . . 0 Super extreme service shoes (28"/710mm). Heavy duty Duralink. ONLY FOR USE WITH: 506-2017 UNDERCARRIAGE, ABRASION, HD		\$16,920
L	495-3891	<b>TRACK, 710MM SES DURALINK RND</b> . . . . . 0 Super extreme service shoes (28"/710mm). Heavy duty Duralink. 90mm round holes. ONLY FOR USE WITH: 506-2017 UNDERCARRIAGE, ABRASION, HD		\$18,520
L	398-5255	<b>TRACK, 786MM ES</b> . . . . . 0 Extreme service shoes (31"/786mm).		\$9,070
L	398-5259	<b>TRACK, 786MM ES ROUND</b> . . . . . 0 Extreme service shoes (31"/786mm). Round holes.		\$11,350
L	398-5261	<b>TRACK, 786MM ES ARM</b> . . . . . 0 Extreme service shoes (31"/786mm). Abrasion Resistant Material (ARM).		\$22,690

**HYDRAULICS**

**DOZER TILT HYDRAULICS**

L	359-6375	<b>HYDRAULICS, SINGLE TILT</b> . . . . . 0 Includes single tilt bulldozer hydraulics.		NC
---	----------	--	--	----

CATERPILLAR MACHINE PRICE LIST

**D10T2**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**HYDRAULICS (CONT.)**

**DOZER TILT HYDRAULICS (Cont.)**

L	526-1338	HYDRAULICS, SGL TILT, AUTORIP . . . . . 0 Includes single tilt bulldozer hydraulics and keypad for autorip.		\$525
L	359-6376	HYDRAULICS, DUAL TILT . . . . . 0 Includes hydraulic valves and lines to equip the bulldozer with dual tilt.		\$4,535
L	359-6377	HYDRAULICS, SNGL TILT, CUSHION . . . . . 0 FOR USE IN LANE 3 ONLY Includes single tilt cushion dozer hydraulics. REQUIRES: 372-9206 MAIN FRAME, CUSHION DOZER ONLY FOR USE WITH: 359-6428 BASIC TRACTOR ARRANGEMENT or 359-6429 HIGH DEBRIS ARRANGEMENT		NC
L	359-6378	HYDRAULICS, DUAL TILT, CUSHION . . . . . 0 FOR USE IN LANE 3 ONLY Includes hydraulic valves and lines to equip the cushion dozer with dual tilt. REQUIRES: 372-9206 MAIN FRAME, CUSHION DOZER ONLY FOR USE WITH: 359-6428 BASIC TRACTOR ARRANGEMENT or 359-6429 HIGH DEBRIS ARRANGEMENT		\$4,535

**ELECTRICAL**

**LIGHTING GROUP**

MUST BE ORDERED DETACHED.

L	359-6354	LIGHTS, EIGHT . . . . . 0 Includes 8 halogen work lights (2 on the sides of the dozer lift cylinders, 2 on the top of the ROPS facing forward, 2 in the fenders facing forward, and 2 in the rear of the fenders facing rearward).		NC
L	376-1378	LIGHTS, TWELVE . . . . . 0 Includes 12 halogen work lights (4 on the sides of the dozer lift cylinders, 2 on top of the ROPS facing forward, 2 on top of the ROPS facing rearward, 2 in the front of the fenders facing forward, and 2 in the rear of the fenders facing rearward.)		\$4,250
L	359-6356	LIGHTS, HID . . . . . 0 Includes 6 halogen and 5 HID work lights (2 halogen and 2 HID on the sides of the dozer lift cylinders, 2 HID on the top of the ROPS facing forward, 1 HID on the top of the ROPS facing rearward, 2 halogen in the front of the fenders facing forward and 2 halogen in the rear of the fenders facing rearward).		\$7,830
L	376-1379	LIGHTS, LED . . . . . 0 Includes 11 LED work lights (4 on the sides of the dozer lift cylinders, 2 on the top of the ROPS facing forward, 1 on the top of the ROPS facing rearward, 2 in the front of the fenders facing forward and 2 in the rear of the fenders facing rearward).		\$10,430
L	444-5644	LIGHTS, LED, HIGH INTENSITY . . . . . 0 Includes 11 LED work lights (4 on the sides of the dozer lift cylinders, 2 on the top of the ROPS facing forward, 1 on the top of the ROPS facing rearward, 2 in the front of the fenders facing forward and 2 in the rear of the fenders facing rearward).		\$12,540

CATERPILLAR MACHINE PRICE LIST

**D10T2**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT**

**CAB GLASS**

L	375-7166	<b>GLASS, SINGLE PANE</b> . . . . . 0 Includes sliding single pane tempered side windows, solid single pane tempered rear glass, and solid single pane laminated windshield and doors.		NC
L	389-7519	<b>GLASS, IMPACT RESISTANT</b> . . . . . 0 Includes solid, dual pane impact resistant windows. Refer to TEKQ1076 within the global sales library for list of certifications. HVAC Precleaner no longer included. RECOMMENDED: 374-9585 PRECLEANER, POWERED		\$5,420
L	375-7835	<b>GLASS, 40 PSI</b> . . . . . 0 FOR USE IN LANE 3 ONLY Includes solid, 40psi capable windows. HVAC precleaner no longer included. RECOMMENDED: 374-9585 PRECLEANER, POWERED		\$38,330

**CAB SEAT**

L	380-1151	<b>SEAT, AIR SUSPENSION</b> . . . . . 0 Includes cloth seat with air suspension.		NC
L	398-6907	<b>SEAT, VINYL</b> . . . . . 0 Includes vinyl seat with air suspension.		\$535
L	393-7245	<b>SEAT, HEATED &amp; VENTILATED</b> . . . . . 0 Includes heated and ventilated cloth seat with air suspension.		\$1,670

**PLATFORM GROUP**

L	446-8423	<b>OPERATORS AR, STANDARD</b> . . . . . 0 Standard operator controls and platform.		NC
L	419-8211	<b>OPERATORS AR, QUICK OPENING</b> . . . . . 0 FOR USE IN LANE 3 ONLY Standard operator controls and platform with quick opening floor plates to aid in regular cleaning. Intended for high debris applications.		\$4,080
L	446-8424	<b>OPERATORS AR, 5TH PERCENTILE</b> . . . . . 0 FOR USE IN LANE 3 ONLY Modifies operator controls and platform to allow operator to sit at the highest and most rearward position and easily reach the pedals. Designed to improve attachment visibility for the smaller operator.		\$6,230

**AIR CONDITIONING**

L	359-6455	<b>AIR CONDITIONER, UNDERHOOD</b> . . . . . 0 Air conditioner with condenser mounted in the engine compartment. ONLY FOR USE WITH: 359-6428 BASIC ARRANGEMENT 359-6454 SOUND ARRANGEMENT		NC
L	359-6456	<b>AIR CONDITIONER, FENDER</b> . . . . . 0 Air conditioner with condenser mounted on the right side fender.		\$4,570
L	359-6457	<b>AIR CONDITIONER, ROPS</b> . . . . . 0 Air conditioner with condenser mounted on the ROPS.		\$8,390



CATERPILLAR MACHINE PRICE LIST

**D10T2**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**VISIBILITY ARRANGEMENT OPTIONS**

L	327-3492	<b>VISIBILITY AR, BASIC</b> . . . . . 0 Includes mirror in the cab. CANNOT BE USED WITH: 359-6456 AIR CONDITIONER, FENDER		NC
L	374-3562	<b>VISIBILITY AR, MIRRORS</b> . . . . . 0 Includes mirror in the cab and mirrors on the lift cylinders. MUST BE ORDERED DETACHED.		\$545
L	359-6495	<b>VISIBILITY ARR, SINGLE CAMERA</b> . . . . . 0 Includes mirror in the cab, mirrors on the lift cylinders, and single camera with display. MUST BE ORDERED DETACHED.		\$5,580
L	359-6496	<b>VISIBILITY AR, DUAL CAMERA</b> . . . . . 0 Includes mirror in the cab, mirrors on the lift cylinders, and dual cameras with display. MUST BE ORDERED DETACHED. REQUIRES: 495-8246 PLATFORM ARRANGEMENT or 507-3694 ACCESS ARRANGEMENT		\$7,440

**TECHNOLOGY PRODUCTS**

**MACHINE CONTROL**

MUST BE ORDERED DETACHED.

L	359-6358	<b>MACHINE CONTROL, BASIC</b> . . . . . 0 Includes basic machine controls.		NC
L	359-6353	<b>INSTALLATION, CAT TERRAIN</b> . . . . . 0 Includes basic machine controls. Includes provisions for adding Cat Terrain for Grading. CANNOT BE USED WITH: 376-1378 LIGHTS, TWELVE		\$2,970
L	526-1337	<b>AUTORIP</b> . . . . . 0 Includes automatic ripper control. Includes provisions for adding Cat Terrain for Grading. ONLY FOR USE WITH: 359-6376 HYDRAULICS, DUAL TILT 359-6378 HYDRAULICS, DUAL TILT, CUSHION 526-1338 HYDRAULICS, SGL TILT, AUTORIP		\$20,340
L	359-6359	<b>MACHINE CONTROL, PERFORMANCE</b> . . . . . 0 Includes Autocarry blade control and Automatic Ripper Control Includes provisions for adding Cat Terrain for Grading. REQUIRES: 399-5934 CYLINDER GROUP, PERFORMANCE and ONLY FOR USE WITH: 359-6376 HYDRAULICS, DUAL TILT or 359-6378 HYDRAULICS, DUAL TILT, CUSHION		\$40,670
L	359-6360	<b>MACHINE CONTROL, TERRAIN, BC</b> . . . . . 0 Includes Autocarry blade control and Automatic Ripper Control. Includes Cat Terrain for Grading with Blade Control display and dual GNSS receivers. REQUIRES: 380-8230 CYLINDER GROUP, TERRAIN, BC ONLY FOR USE WITH: 359-6376 HYDRAULICS, DUAL TILT or 359-6378 HYDRAULICS, DUAL TILT, CUSHION CANNOT BE USED WITH: 376-1378 LIGHTS, TWELVE		\$69,730

**COMMAND FOR DOZING**

L	445-4705	<b>OPERATOR CONTROL, STANDARD</b> . . . . . 0 Standard machine control.		NC
---	----------	--	--	----

CATERPILLAR MACHINE PRICE LIST

**D10T2**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**TECHNOLOGY PRODUCTS (CONT.)**

**COMMAND FOR DOZING (Cont.)**

For additional Dealer installed technology products please refer to the following publications with in the Global Sales Library:

- AEXQ0566 - Cat MineStar
- PEDJ0116 - Cat Fleet
- PEDJ0114 - Cat Health
- AEXQ0571 - Cat Terrain
- PEDJ0117 - Cat Command
- AEHQ6721 - Cat Command for Dozing
- PEHJ0294 - AccuGrade Data Sheet

Pricing for Dealer installed technology products may be found in the following price lists:

- MINESTAR - Cat MineStar Fleet and Health
- TERAOF - Terrain Office Software
- TERAGRADE - Terrain for Grading
- COMDOZING - Command for Dozing
- ACCUTTT1 - Accugrade

**VIMS AND PRODUCT LINK**

NOTE: Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor the performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Cat marketing representative with questions.

L	482-9657	VIMS & CELL PROD LINK, PLE641 . . . . . 0		NC
		This single attachment supports activation of VIMS and/or cellular Product Link. VIMS provides historical trends, histograms, events and more through a wired connection for off-board analysis in applications including VIMS PC.		
		Product Link Elite series PLE641 offers expanded coverage including 3G UMTS and CDMA2000 as well as 2G GSM and CDMA cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		
		Not recommended for MineStar sites.		
L	505-4561	VIMS & SAT PROD LINK, PLE631 . . . . . 0		\$425
		This single attachment supports activation of VIMS and/or satellite Product Link. VIMS provides historical trends, histograms, events and more through a wired connection for off-board analysis in applications including VIMS PC. Product link Elite series PLE631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. for use in areas with poor or no cellular coverage.		

CATERPILLAR MACHINE PRICE LIST

**D10T2**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**TECHNOLOGY PRODUCTS (CONT.)**

**VIMS AND PRODUCT LINK (Cont.)**

L	505-4562	PROD LINK, DUAL PLE641 & PL631 . . . . . 0 Product Link Elite series dual mode PLE641+PL631 uses a combination of cellular and satellite networks to transmit location, and health information for viewing in Product Link user applications. For use where travel between areas of both cellular and satellite coverage is required.		\$1,243
---	----------	--	--	---------

**FUEL SYSTEMS**

**FUEL LINES**

L	359-6362	FUEL LINES, STANDARD . . . . . 0 Standard fuel lines without fuel heater.		NC
L	509-1483	FUEL LINES W/HEATER . . . . . 0 Fuel lines including fuel heater.		\$1,750

**GUARDS**

**FRAME ARRANGEMENT**

L	372-7045	MAIN FRAME, STANDARD DOZER . . . . . 0 Includes machine frame for standard dozer trunnions.		NC
L	372-9206	MAIN FRAME, CUSHION DOZER . . . . . 0 FOR USE IN LANE 3 ONLY Includes machine frame for cushion dozer trunnions for use with Cat Work Tools cushion dozer. REQUIRES: 371-6936 GUARDS, BOTTOM, CUSHION DOZER		\$21,580

**BOTTOM GUARDS**

L	371-6930	GUARDS, BOTTOM, STANDARD . . . . . 0 Includes full set of standard bottom guards.		NC
L	371-6933	GUARDS, BOTTOM, SEALED . . . . . 0 Includes full set of sealed bottom guards. REQUIRED BY: 359-6454 SOUND ARRANGEMENT		\$4,895
L	371-6936	GUARDS, BOTTOM, CUSHION DOZER . . . . . 0 FOR USE IN LANE 3 ONLY Includes full set of standard bottom guards with provisions for cushion dozer trunnions. ONLY FOR USE WITH: 372-9206 MAIN FRAME, CUSHION DOZER		NC
L	371-6934	GUARDS, BOTTOM, PARTIAL . . . . . 0 FOR USE IN LANE 3 ONLY Includes front bottom guard with tow hook and removes the three rear-most bottom guards. REQUIRED BY: 359-6430 STOCKPILE ARRANGEMENT		\$-5,460
L	371-6935	GUARDS, BOTTOM W/FRONT CTWT . . . . . 0 FOR USE IN LANE 3 ONLY Includes front counterweight and full set of standard bottom guards.		\$17,480

CATERPILLAR MACHINE PRICE LIST

**D10T2**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OTHER ATTACHMENTS**

**FUEL TANK**

L	373-3188	FUEL TANK, STANDARD . . . . . 0		NC
		Standard fuel tank.		
L	373-3189	FUEL TANK, PLATFORM READY . . . . . 0		\$2,765
		Standard fuel tank with mounting provisions for rear access platform.		

**ACCESS SYSTEMS**

L	507-6472	GUARDRAIL ARRANGEMENT. . . . . 0		NC
		Includes fender mounted guard rails.		
L	507-3688	LADDER ARRANGEMENT. . . . . 0		\$18,780
		Includes a powered access ladder on the left fender of the machine. MUST BE ORDERED DETACHED. ONLY FOR USE WITH: 374-3562 VISIBILITY AR, MIRRORS or 359-6495 VISIBILITY AR, SINGLE CAMERA		
L	495-8246	PLATFORM ARRANGEMENT. . . . . 0		\$11,610
		Includes a rear access platform on the fuel tank. MUST BE ORDERED DETACHED. ONLY FOR USE WITH: 373-3189 FUEL TANK, PLATFORM READY 359-6496 VISIBILITY AR, DUAL CAMERA		
L	507-3694	ACCESS ARRANGEMENT. . . . . 0		\$32,850
		Includes both the ladder and platform arrangements. MUST BE ORDERED DETACHED. ONLY FOR USE WITH: 373-3189 FUEL TANK, PLATFORM READY 359-6496 VISIBILITY AR, DUAL CAMERA		

**REAR ATTACHMENTS**

RIPPER SHANKS MUST BE ORDERED SEPARATELY.

The ripper mounting is included on the machine and can be ordered from the Parts Department for miscellaneous orders.

L	359-6370	RIPPER, SS STANDARD . . . . . 0		\$135,390
		ALSO AVAILABLE AS MISCELLANEOUS ORDER		
		Single-shank ripper for D10 tractor. Includes ripper, ripper light, fast fuel system and transmission guard. MUST BE ORDERED DETACHED ON MACHINE ORDERS. REQUIRES: 445-2029 or 445-2030 TOOTH, SINGLE SHANK RIPPER		\$135,390 NI
L	359-6371	RIPPER, SS STANDARD W/ PULLER . . . . . 0		\$144,100
		ALSO AVAILABLE AS MISCELLANEOUS ORDER		
		Single-shank ripper for D10 tractor. Includes ripper, ripper light, fast fuel system, transmission guard, pin puller and pin puller hydraulics. MUST BE ORDERED DETACHED ON MACHINE ORDERS. REQUIRES: 445-2029 or 445-2030 TOOTH, SINGLE SHANK RIPPER		\$144,100 NI

CATERPILLAR MACHINE PRICE LIST

**D10T2**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OTHER ATTACHMENTS (CONT.)**

**REAR ATTACHMENTS (Cont.)**

L	359-6372	<b>RIPPER, SS PUSH BLOCK W/PULLER</b> . . . . . 0	0	\$145,220 \$145,220 NI
		FOR USE IN LANE 3 ONLY ALSO AVAILABLE AS MISCELLANEOUS ORDER Single-shank ripper with push block for D10 tractor. Includes ripper, ripper light, fast fuel system, transmission guard, pin puller and pin puller hydraulics. MUST BE ORDERED DETACHED ON MACHINE ORDERS. REQUIRES: 445-2029 or 445-2030 TOOTH, SINGLE SHANK RIPPER		
L	359-6373	<b>RIPPER, MS STANDARD</b> . . . . . 0	0	\$145,290 \$145,290 NI
		ALSO AVAILABLE AS MISCELLANEOUS ORDER Multi-shank ripper for D10 tractor. Includes ripper, ripper light, fast fuel system and transmission guard. MUST BE ORDERED DETACHED ON MACHINE ORDERS. REQUIRES: 445-2028 TOOTH, MULTI-SHANK RIPPER (QTY 1, 2, or 3)		
L	359-6374	<b>RIPPER, MS DEEP</b> . . . . . 0	0	\$172,810 \$172,810 NI
		FOR USE IN LANE 3 ONLY ALSO AVAILABLE AS MISCELLANEOUS ORDER Multi-shank deep ripper for D10 tractor. Includes ripper, ripper light, fast fuel system, transmission guard, pin puller and pin puller hydraulics. Includes one deep ripper shank. If required one or two standard length MS ripper shanks must be ordered separately. Maximum depth is 1801mm below grade with standard tip. MUST BE ORDERED DETACHED ON MACHINE ORDERS. ONLY FOR USE WITH: 445-2028 TOOTH, MULTI-SHANK RIPPER (QTY 1 or 2)		
L	399-7223	<b>COUNTERWEIGHT, REAR</b> . . . . . 0	0	\$69,830 \$69,830 NI
		ALSO AVAILABLE AS MISCELLANEOUS ORDER For use with U, SU and SU Abrasion blades. Includes three plates with mounting bracket, hitch and fast fuel system. MUST BE ORDERED DETACHED ON MACHINE ORDERS.		
L	399-7224	<b>COUNTERWEIGHT, REAR, 4</b> . . . . . 0	0	\$78,860 \$78,860 NI
		ALSO AVAILABLE AS MISCELLANEOUS ORDER For use with U Abrasion and specialty blades. Includes four plates with mounting bracket, hitch and fast fuel system. MUST BE ORDERED DETACHED ON MACHINE ORDERS.		
L	399-7227	<b>NO REAR ATTACHMENT</b> . . . . . 0		\$9,560
		Includes fast fuel system, transmission guard and ripper light. Rear attachment is still required, this option is for customers who already have a rear attachment for installation.		

**FLUIDS**

**LUBRICATION GROUP**

L	371-6867	<b>LUBRICATION, STANDARD</b> . . . . . 0		NC
		Includes standard lubrication in all of the major oil compartments.		
L	371-6866	<b>LUBRICATION, ARCTIC</b> . . . . . 0		\$1,335
		Includes arctic lubrication in all of the major oil compartments		

CATERPILLAR MACHINE PRICE LIST

**D10T2**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
<b>FLUIDS (CONT.)</b>				
<b>COOLANT</b>				
L	382-5934	ENGINE COOLANT, STD (-37C) . . . . . 0 Provides cooling system antifreeze protection down to -37C (-35F)		NC
L	371-6899	ENGINE COOLANT, ARCTIC (-51C) . . . . . 0 Provides cooling system antifreeze protection down to -51C (-60F)		\$467 NET
<b>STARTING AID</b>				
L	380-8107	HEATER, ENGINE COOLANT, 120V . . . . . 0 Includes a 120-volt, 1500-watt jacket water electrical heater.		NC
L	380-8108	HEATER, ENGINE COOLANT, 240V . . . . . 0 Includes a 240-volt, 1500-watt jacket water electrical heater.		NC

CATERPILLAR MACHINE PRICE LIST

**D10T2**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**POWERTRAIN**

L	380-8106	<b>PRELUBE, ENGINE</b> . . . . . 0 Includes electrically driven lube pump which pressurizes the oil galleries prior to cranking the engine for starting.		\$4,815
L	462-1768	<b>FAN, REVERSING</b> . . . . . 0 Hydraulically driven cooling fan with reversing feature to assist in cleaning radiator during operation in high debris environments. Includes extremely low speed operation for cold climates. REQUIRES: 361-2158 GUARD, FAN DEBRIS		\$2,465

**UNDERCARRIAGE**

L	359-9904	<b>CARRIER ROLLERS</b> . . . . . 0 Includes one roller per side of the tractor. Provides proper track adjustment with less recoil adjustment required. Reduces track slap during directional shifting. CANNOT BE USED WITH: 359-6454 SOUND ARRANGEMENT		\$9,410
L	385-4710	<b>CARRIER ROLLERS, COLD WEATHER</b> . . . . . 0 Includes one cold weather roller per side of the tractor. Provides proper track adjustment with less recoil adjustment required. Reduces track slap during directional shifting. CANNOT BE USED WITH: 359-6454 SOUND ARRANGEMENT		\$9,830

**ELECTRICAL**

L	476-7086	<b>LIGHT, WARNING, STROBE</b> . . . . . 0 FOR USE IN LANE 3 ONLY Includes a heavy duty single flash (5 Joules) strobe beacon unit. MUST BE ORDERED DETACHED.		\$1,795
---	----------	--	--	---------

**OPERATOR ENVIRONMENT**

L	349-3004	<b>WINDOW SHADES</b> . . . . . 0 Includes retractable window shades on the front, left and right door and rear windows to maximize operator comfort.		\$655
L	374-9585	<b>PRECLEANER, POWERED</b> . . . . . 0 Powered HVAC precleaner designed to increase fresh air filter life.		\$710

**SAFETY AND SECURITY**

***FIRE SUPPRESSION***

L	474-4609	<b>FIRE SUPPRESSION READY</b> . . . . . 0 Includes universal tank mounting brackets; holds an ANSUL Liquid Vehicle System 10 gallon tank (or similar) on the back side of each fender.		\$1,815
---	----------	---	--	---------

CATERPILLAR MACHINE PRICE LIST

**D10T2**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**SAFETY AND SECURITY (CONT.)**

***FIRE SUPPRESSION (Cont.)***

L	471-3280	<b>FIRE SUPPRESSION</b> . . . . . 0 Factory installed ANSUL Liquid Vehicle System fire suppression. System includes: two 10 gallon tanks, engineered lines routing with 16 nozzle locations, ground level actuation switch, cab mounted actuation switch and control module.  NOTE: A local ANSUL distributor must complete the installation with the liquid chemical, two pressure cartridges and certify the system. LVS Liquid Agent has operating temp of -40 to 140 degree F or -40 to 60 degree C.		\$37,220
---	----------	---	--	----------

**GUARDS**

L	196-8565	<b>GUARD, UNDERCARRIAGE IDLERS</b> . . . . . 117 Includes rubber idler protectors. Provides additional wear protection from abrasive material to the moving undercarriage.		\$2,880
L	361-2158	<b>GUARD, FAN DEBRIS</b> . . . . . 0 Includes wire debris guards between the cooling fan and the radiator grill doors.		\$1,165

**OTHER ATTACHMENTS**

***SCREENS***

L	423-0798	<b>MOUNTING GP, SCREEN</b> . . . . . 0 Includes a rear screen over the rear cab window. ONLY FOR USE WITH: 507-6472 GUARDRAIL ARRANGEMENT or 507-3688 LADDER ARRANGEMENT		\$3,760
L	384-8844	<b>SCREENS, GRILL DOOR</b> . . . . . 0 Includes screens on the exterior surface of the radiator grill doors.		\$1,010

***PAINT***

L	255-0819	<b>PAINT, CORROSION RESISTANT</b> . . . . . 0		\$7,430
---	----------	---	--	---------

***WORK TOOL GREASE OPTIONS***

L	380-9864	<b>RIPPER LUBE, GROUND LEVEL, SS</b> . . . . . 0 Provides grouped lubrication points for a SS ripper, accessible from ground level.		\$2,055 NI
L	379-4555	<b>RIPPER LUBE, GROUND LEVEL, MS</b> . . . . . 0 Provides grouped lubrication points for a MS ripper, accessible from ground level.		\$2,130 NI
L	394-4311	<b>AUTOLUBE, SS</b> . . . . . 0 Provides automatic lubrication system for SS ripper and bulldozer lift cylinders and equalizer bar. MUST BE ORDERED DETACHED.		\$18,240
L	420-7713	<b>AUTOLUBE, MS</b> . . . . . 0 Provides automatic lubrication system for MS ripper and bulldozer lift cylinders and equalizer bar. MUST BE ORDERED DETACHED.		\$18,240



CATERPILLAR MACHINE PRICE LIST

**D10T2**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**OTHER ATTACHMENTS (CONT.)**

**STARTING AIDS**

L	359-6459	STARTING, COLD WEATHER . . . . . 0 Includes two starters and two sets of batteries.		\$5,600
---	----------	--	--	---------

**BLADES**

**BULLDOZER INSTALLATION PACKAGES**

L	422-0256	10SU/U DOZER, SINGLE TILT . . . . . 0 ALSO AVAILABLE AS MISCELLANEOUS ORDER Includes bulldozer pusharms, tilt brace, tilt cylinder, tag link, trunnions and tilt cylinder lines. ONLY FOR USE WITH: 359-6375 or 359-6377 HYDRAULICS, SINGLE TILT		\$65,430 NI
L	346-6924	10SU/U DOZER, DUAL TILT . . . . . 0 ALSO AVAILABLE AS MISCELLANEOUS ORDER Includes bulldozer pusharms, two tilt cylinders, tag link, trunnions and tilt cylinder lines. ONLY FOR USE WITH: 359-6376 or 359-6378 HYDRAULICS, DUAL TILT		\$82,460 NI
L	422-0257	10SU/U DOZER, SNGL TILT GUARD . . . . . 0 ALSO AVAILABLE AS MISCELLANEOUS ORDER Includes bulldozer pusharms, tilt brace, tilt cylinder, tag link, trunnions and guarded tilt cylinder lines. ONLY FOR USE WITH: 359-6375 or 359-6377 HYDRAULICS, SINGLE TILT		\$67,000 NI
L	422-0255	10SU/U DOZER, DUAL TILT GUARD . . . . . 0 ALSO AVAILABLE AS MISCELLANEOUS ORDER Includes bulldozer pusharms, two tilt cylinders, tag link, trunnions and guarded tilt cylinder lines. ONLY FOR USE WITH: 359-6376 or 359-6378 HYDRAULICS, DUAL TILT		\$84,050 NI
L	7T-6040	COVERS, TRUNNION . . . . . 85 Heavy duty guards in place of dozer trunnions.		\$1,195

**CYLINDER INSTALLATION PACKAGES**

A cylinder group is required when a bulldozer installation package is selected on a machine order.

L	380-8229	CYLINDER GROUP, STANDARD . . . . . 0 Includes two standard lift cylinders. ONLY FOR USE WITH: 359-6358 MACHINE CONTROL, BASIC 359-6353 INSTALLATION, CAT TERRAIN 526-1337 AUTORIP		\$21,710 NI
L	399-5934	CYLINDER GROUP, PERFORMANCE . . . . . 0 Includes one standard lift cylinder and one lift cylinder with a position sensor. ONLY FOR USE WITH: 359-6359 MACHINE CONTROL, PERFORMANCE		\$26,100 NI
L	380-8230	CYLINDER GROUP, TERRAIN, BC . . . . . 0 Includes two lift cylinders with position sensors. ONLY FOR USE WITH: 359-6360 MACHINE CONTROL, TERRAIN, BC		\$27,400 NI

CATERPILLAR MACHINE PRICE LIST

**D10T2**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**BLADES (CONT.)**

**BLADE OPTIONS**

P	491-8145	<b>BLADE, 10SU PUSH PLATE</b> . . . . . 0 ALSO AVAILABLE AS MISCELLANEOUS ORDER Includes SU blade, extended wear life cutting edges and end bits, and push plate.		\$65,410 NI
P	491-8143	<b>BLADE, 10SU ABRASION</b> . . . . . 0 ALSO AVAILABLE AS MISCELLANEOUS ORDER Includes SU blade, extended wear life cutting edges and end bits, wear plate and rock guard.		\$74,550 NI
P	491-8144	<b>BLADE, 10SU ABRASION, BLACK</b> . . . . . 0 ALSO AVAILABLE AS MISCELLANEOUS ORDER Includes SU blade, extended wear life cutting edges and end bits, wear plate and rock guard. Black paint on the back of the blade.		\$77,070 NI
P	491-8139	<b>BLADE, 10U ABRASION</b> . . . . . 0 ALSO AVAILABLE AS MISCELLANEOUS ORDER Includes U blade, extended wear life cutting edges and end bits, wear plate and rock guard.		\$87,320 NI
P	491-8140	<b>BLADE, 10U ABRASION, BLACK</b> . . . . . 0 ALSO AVAILABLE AS MISCELLANEOUS ORDER Includes U blade, extended wear life cutting edges and end bits, wear plate and rock guard. Black paint on the back of the blade.		\$89,850 NI
P	491-8142	<b>BLADE, 10U NO WEAR PLATE</b> . . . . . 0 ALSO AVAILABLE AS MISCELLANEOUS ORDER Includes U blade, extended wear life cutting edges and end bits and rock guard. Does not include a wear plate.		\$76,530 NI

For Coal U-Blade, Landfill U-Blade, or Woodchip U-Blade please refer to WT-TTT Cat Work Tools price list.

**GROUND ENGAGING TOOLS**

**RIPPER SHANK OPTIONS (Note that RIPPERS do not include any shanks.)**

L	445-2028	<b>TOOTH, MULTI-SHANK RIPPER</b> . . . . . 0 ALSO AVAILABLE AS MISCELLANEOUS ORDER Includes shank, sharp shank protector, pin, pin retainer and tip. Tip and shank protector feature CapSure hammerless installation and positive retention systems. Maximum depth is 884mm below grade with standard 331-3505 tip. Order 1, 2 or 3 teeth for multi shank ripper. ONLY FOR USE WITH: MS RIPPERS		\$10,170 NI
L	445-2029	<b>TOOTH, SINGLE SHANK RIPPER</b> . . . . . 0 ALSO AVAILABLE AS MISCELLANEOUS ORDER Includes standard shank, sharp shank protector, pin, pin retainer and tip. Tip and shank protector feature CapSure hammerless installation and positive retention systems. Maximum depth is 1496mm below grade with standard 380-1207 tip. ONLY FOR USE WITH: SS RIPPERS		\$11,440 NI

CATERPILLAR MACHINE PRICE LIST

**D10T2**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**GROUND ENGAGING TOOLS (CONT.)**

***RIPPER SHANK OPTIONS (Note that RIPPERS do not include any shanks.) (Cont.)***

L	445-2030	TOOTH, SINGLE SHANK, DEEP . . . . . 0		\$13,470 NI
		ALSO AVAILABLE AS MISCELLANEOUS ORDER Includes long shank, sharp shank protector, pin, pin retainer and tip. Tip and shank protector feature CapSure hammerless installation and positive retention systems. Maximum depth is 1982mm below grade with standard 331-3505 tip. ONLY FOR USE WITH: SS RIPPERS		

**DOCUMENTATION**

	OG-6039	FACTORY SOUND TEST . . . . . 0		NC
		REQUIRED BY: 359-6454 SOUND ARRANGEMENT or 444-5742 D10T2 TRACTOR,SOUND SUPPRESSED		

**PACKING**

***TRACTOR PACKING***

	OP-8009	PACK, DOMESTIC TRUCK . . . . . 0		\$2,245 NET
		Tractor with ROPS, ripper, and track removed.		
	OP-0424	PACK, DOMESTIC TRUCK . . . . . 0		\$3,750 NET
		Tractor with ROPS, ripper, track and track roller frame removed.		
	OP-0208	PACK,TRUCK,ALTERNATE CLEARANCE. . . . . 0		\$585 NET
		Tractor with ROPS, and ripper or counterweight detached.		
	OP-8013	PACK, DOMESTIC RAIL . . . . . 0		\$795 NET
		Tractor with ROPS, and ripper or counterweight detached.		
	OP-8012	PACK, DOMESTIC TRUCK . . . . . 0		NC
		For applicable miscellaneous shipments only.		