

CATERPILLAR MACHINE PRICE LIST

D3K2 HRC

D3K2 TRACK TYPE TRACTOR
ATHENS, GA, USA (SAP)

Ship Weight
lbs

LIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

Caterpillar C4.4 ACERT diesel engine
-Turbocharged, EPA tier 4 final and
-EU stage IV certified engine with
aftertreatment
Aftercooler, air to air (ATAAC)
Aluminum bar plate cooling system
(radiator, powertrain)
Air cleaner with precleaner, automatic
dust ejection and under-hood intake
Dual path, closed-loop, hydrostatic
transmission
Electric fuel priming pump
Fuel/water separator
Automatic traction control

UNDERCARRIAGE

Salt undercarriage (43 - section)
6 roller track frame
Track rollers, lifetime lubricated
Carrier rollers
Track adjusters, hydraulic
Guards, front/rear guiding

HYDRAULICS

3 valve hydraulics
Single lever, three function control
Hydraulic pump and oil
Stable blade control

ELECTRICAL

Alternator, 120 amp, heavy duty brushless
Alarm, backup
Horn, electric
Batteries, heavy duty ,maintenance free,
750 CCA.
Diagnostic connector
Starter electric 12V

OPERATOR ENVIRONMENT

ROPS/FOPS canopy
Seat, air suspended, cloth or vinyl
Seatbelt, retractable 76mm(3")
Foot pads, dash
Electronic monitoring system
with gauge for:
-Engine coolant temperature
-Hydraulic oil temperature
-Fuel level
-Diesel exhaust fluid (DEF)
Travel speed limiter, electronic
Engine RPM and gear display
Hour meter, electronic
Engine air cleaner service indicator,
Electronic security System
Water-in-fuel indicator, electronic
Throttle switch, rotary
Eco mode
Controls, seat mounted, fore/aft
adjustment
Armrests, adjustable
Mirror, rearview, inside
Single pedal combining deceleration and
braking functions
Independent forward/reverse speed
settings
Powerport, 12 volt
Coat hook
Storage compartment
Cup holder
Floor mat, rubber, heavy duty

FLUIDS

Antifreeze, extended life coolant (-37C)

OTHER STANDARD EQUIPMENT

C-Frame, variable pitch link,
-Hydraulic cylinders and lines
Engine enclosures
Front pull device
Rigid drawbar
Ecology drains (engine, powertrain and
implement oil, and engine coolant)
Scheduled oil sampling ports (engine,
powertrain implement oil)
Vandalism protection
Heavy duty crankcase guard

CATERPILLAR MACHINE PRICE LIST

D3K2 HRC

D3K2 TRACK TYPE TRACTOR
ATHENS, GA, USA (SAP)

Ship Weight
lbs

LIST PRICE
AT DEALER

**Lane 2 is reserved for the Base Order Management Program
Please use Lane 2 when placing orders that are part of the Base Order
Management program.**

555-0452 D3K2 LGP TRACTOR DCA1.1. 0 \$124,130
LANE 1 - AVAILABLE FROM ATHENS PDC

- INCLUDES:
 397-4124 D3K2 LGP TRACTOR
 397-4326 UNDERCARRIAGE SALT
 286-4309 TRACK, 635MM(25") MS, SALT, LGP
 394-1851 LIGHTS, 6
 522-6017 PRODUCT LINK, CELLULAR PLE642
 397-4262 CANOPY, ROPS, HEATER
 393-4240 SEAT, VINYL
 397-4311 SOUND SUPPRESSION, OMISSION
 397-4187 HYDRAULICS, 3 VALVE, PUMP STD
 397-4305 GUARD, BELLY, HD LGP
 397-4286 GRILL, RADIATOR, HD
 397-4287 GUARD, GP, REAR, OMISSION
 244-7503 COUNTERWEIGHT, OMISSION, STD
 399-9087 STARTING AID, ETHER
 399-9100 ENGINE, EPA 4F, EU IV, MLIT 5
 397-4167 BLADE, D3K LGP
 538-3976 CONTROL, BASIC, MP
 244-7433 DRAWBAR, STANDARD

NOTE: PLEASE REFER TO THE LANE 1 SECTION TO COMPLETE YOUR ORDER

515-6420 D3K2 LGP SYSTEM ONE DCA2 0 \$130,240
LANE 1 - AVAILABLE FROM ATHENS PDC

- INCLUDES:
 397-4124 D3K2 LGP TRACTOR
 397-4206 UNDERCARRIAGE, SYSTEMONE
 286-4319 TRACK, 635MM(25") MS, SYSTEMONE, LGP
 394-1851 LIGHTS, 6
 394-1884 PRODUCT LINK, CELLULAR PL641
 397-4262 CANOPY, ROPS, HEATER
 393-4240 SEAT, VINYL
 397-4311 SOUND SUPPRESSION, OMISSION
 244-7503 COUNTERWEIGHT, OMISSION, STD
 397-4187 HYDRAULICS, 3 VALVE, PUMP STD
 397-4305 GUARD, BELLY, HD LGP
 397-4286 GRILL, RADIATOR, HD
 397-4287 GUARD, GP, REAR, OMISSION
 399-9087 STARTING AID, ETHER
 399-9100 ENGINE, EPA 4F, EU IV, MLIT 5
 397-4167 BLADE, D3K LGP
 488-4921 CONTROL, BASIC
 244-7433 DRAWBAR, STANDARD

NOTE: PLEASE REFER TO THE LANE 1 SECTION TO COMPLETE YOUR ORDER

CATERPILLAR MACHINE PRICE LIST

D3K2 HRC

| D3K2 TRACK TYPE TRACTOR ATHENS, GA, USA (SAP) | Ship Weight lbs | LIST PRICE AT DEALER |
|--|--------------------|-------------------------|
|--|--------------------|-------------------------|

| | | |
|---|--|------------------|
| 555-0469 D3K2 XL TRACTOR DCA3 0 LANE 1 - AVAILABLE FROM ATHENS PDC | | \$247,440 |
|---|--|------------------|

- INCLUDES:
- 510-6878 D3K2 XL TRACTOR MULCHER
 - 510-6250 HYDRAULICS 4 VALVE, MULCHER
 - 399-9100 ENGINE, EPA 4F, EU IV, MLIT 5
 - 397-4326 UNDERCARRIAGE, SALT
 - 368-0110 TRACK, 406MM(16"), MS. SALT
 - 394-1851 LIGHTS, 6
 - 510-6254 CAB, ROPS
 - 393-4242 SEAT, CLOTH
 - 522-6017 PRODUCT LINK, CELLULAR, PL742
 - 555-0446 CONTROL, BASIC, CAMERA
 - 477-2255 GUARD, RADIATOR, HD, HINGED
 - 397-4288 GUARD GP, REAR
 - 508-8495 GUARD, FRONT, MULCHER
 - 397-4301 GUARD, BELLY, HD, XL
 - 394-1879 RADIO PREMIUM
 - 397-4341 SWEEPS, FRONT
 - 397-4342 SWEEPS, REAR
 - 250-1699 SCREEN, SIDE
 - 393-4250 SCREEN, REAR, CAB
 - 379-4986 GUARD, TRK, CENTER, SALT
 - 399-9086 HEATER, ENGINE COOLANT
 - 399-9087 STARTING AID, ETHER
 - 544-1136 FAN, REVERSING
 - 510-2450 COUNTERWEIGHT, REAR, MULCHER
 - 510-6251 MULCHER ARRANGEMENT
- NOTE: MULCHER TRACTOR

CATERPILLAR MACHINE PRICE LIST

D3K2 HRC

| D3K2 TRACK TYPE TRACTOR ATHENS, GA, USA (SAP) | Ship Weight lbs | LIST PRICE AT DEALER |
|--|--------------------|-------------------------|
|--|--------------------|-------------------------|

| | | |
|--|--|------------------|
| 555-0470 D3K2 LGP TRACTOR DCA4 0 | | \$253,650 |
| LANE 1 - AVAILABLE FROM ATHENS PDC | | |

INCLUDES:
 510-6879 D3K2 LGP TRACTOR MULCHER
 510-6250 HYDRAULICS 4 VALVE, MULCHER
 399-9100 ENGINE, EPA 4F, EU IV, MLIT 5
 397-4326 UNDERCARRIAGE, SALT
 286-4309 TRACK, 635MM(25"), MS. SALT
 394-1851 LIGHTS, 6
 510-6254 CAB, ROPS
 393-4242 SEAT, CLOTH
 522-6017 PRODUCT LINK, CELLULAR, PL742
 555-0446 CONTROL, BASIC, CAMERA
 477-2255 GUARD, RADIATOR, HD, HINGED
 397-4288 GUARD GP, REAR
 508-8495 GUARD, FRONT, MULCHER
 397-4305 GUARD, BELLY, HD, LGP
 394-1879 RADIO PREMIUM
 397-4341 SWEEPS, FRONT
 397-4342 SWEEPS, REAR
 250-1699 SCREEN, SIDE
 393-4250 SCREEN, REAR, CAB
 379-4986 GUARD, TRK, CENTER, SALT
 399-9086 HEATER, ENGINE COOLANT
 399-9087 STARTING AID, ETHER
 544-1136 FAN, REVERSING
 510-2450 COUNTERWEIGHT, REAR, MULCHER
 510-6251 MULCHER ARRANGEMENT
 NOTE: MULCHER TRACTOR

| | | |
|--|--|------------------|
| 397-4123 D3K2 XL TRACTOR 0 | | \$111,330 |
| LANE 2 - AVAILABLE FROM ATHENS FACTORY | | |
| LANE 3 - AVAILABLE FROM ATHENS FACTORY | | |

 1495MM(59") gauge

| | | |
|---|--|------------------|
| 397-4124 D3K2 LGP TRACTOR 0 | | \$117,540 |
| LANE 2 - AVAILABLE FROM ATHENS FACTORY | | |
| LANE 3 - AVAILABLE FROM ATHENS FACTORY | | |

 1725MM(68") gauge

| | | |
|--|--|------------------|
| 397-4129 D3K2 LGP TRACTOR, 30" TRACK 0 | | \$126,100 |
| LANE 3 - AVAILABLE FROM ATHENS FACTORY | | |

 1860MM(73") gauge

SSLGP MACHINES

FIRE TRACTORS

CATERPILLAR MACHINE PRICE LIST

D3K2 HRC

| D3K2 TRACK TYPE TRACTOR ATHENS, GA, USA (SAP) | Ship Weight lbs | LIST PRICE AT DEALER |
|--|--------------------|-------------------------|
|--|--------------------|-------------------------|

| | |
|--|------------------|
| 452-3715 D3K2 XL FIRE TRACTOR 0 LANE 3 - AVAILABLE FROM ATHENS FACTORY 1495MM(59") gauge | \$119,930 |
| 452-3716 D3K2 LGP FIRE TRACTOR 0 LANE 3 - AVAILABLE FROM ATHENS FACTORY 1725MM(68") gauge | \$126,140 |
| 452-3721 D3K2 LGP FIRE TRACTOR, 30" 0 LANE 3 - AVAILABLE FROM ATHENS FACTORY 1860MM(73") gauge | \$134,720 |

TWO WAY DOZER (TWD)

| | |
|---|------------------|
| 553-2576 D3K2 XL TRACTOR CFG1 0 LANE 2 - AVAILABLE FROM ATHENS FACTORY LANE 3 - AVAILABLE FROM ATHENS FACTORY | \$191,740 |
|---|------------------|

INCLUDES:

- 476-0595 D3K2 XL TRACTOR TWD
- 399-9100 ENGINE, EPA 4F, EU IV, MLIT 5
- 397-4187 HYDRAULIC, 3 VALVE
- 476-0619 UNDERCARRIAGE, SALT
- 476-0635 TRACK 406MM(16"), CENTER HOLE (TWD)
- 476-0643 SOUND SUPPRESSION, OMISSION, TWD
- 394-1888 NO PRODUCT LINK
- 476-0648 BLADE PITCH AR-TWD
- 476-0629 GRILL, RADIATOR, HD, HINGED (TWD)
- 397-4287 GUARD GP-REAR, OMISSION
- 476-0650 GUARD, BELLY, FRONT HINGED, TWD
- 476-0652 GUARD, BELLY, TWD
- 397-4297 INSTRUCTION, ISO
- 379-4986 GUARD, TRK GUIDING, CENTER, SALT
- 316-2225 GUARD, REAR, W/ LIFT EYE
- 553-2574 BLADE, TWD

Includes:

- Track Shoes with center hole
- Corrosive protection on key and electrical connections

CATERPILLAR MACHINE PRICE LIST

D3K2 HRC

| D3K2 TRACK TYPE TRACTOR ATHENS, GA, USA (SAP) | Ship Weight lbs | LIST PRICE AT DEALER |
|--|--------------------|-------------------------|
|--|--------------------|-------------------------|

| | | |
|-----------------|--|------------------|
| 553-2578 | D3K2 LGP TRACTOR CFG2 0 | \$199,880 |
| | LANE 3 - AVAILABLE FROM ATHENS FACTORY | |

INCLUDES:

- 476-0596 D3K2 XL TRACTOR TWD
- 399-9100 ENGINE, EPA 4F, EU IV, MLIT 5
- 397-4187 HYDRAULIC, 3 VALVE
- 476-0619 UNDERCARRIAGE, SALT
- 477-7824 TRACK 406MM(16"), CENTER HOLE (TWD)
- 476-0643 SOUND SUPPRESSION, OMISSION, TWD
- 394-1888 NO PRODUCT LINK
- 476-0648 BLADE PITCH AR - TWD
- 476-0629 GRILL, RADIATOR, HD, HINGED (TWD)
- 397-4287 GUARD GP-REAR, OMISSION
- 476-0650 GUARD, BELLY, FRONT HINGED, TWD
- 476-0653 GUARD, BELLY, TWD
- 397-4297 INSTRUCTION, ISO
- 379-4986 GUARD, TRK GUIDING, CENTER, SALT
- 316-2225 GUARD, REAR, W/ LIFT EYE
- 553-2574 BLADE, TWD

Includes:

- Track Shoes with center hole
- Corrosive protection on key and electrical connections

MULCHER TRACTOR

| | | |
|-----------------|--|------------------|
| 553-0284 | D3K2 XL TRACTOR FTO 1.1 0 | \$183,950 |
| | LANE 3 - AVAILABLE FROM ATHENS FACTORY | |

INCLUDES:

- 510-6878 D3K2 XL TRACTOR MULCHER
 - 510-6250 HYDRAULICS 4 VALVE, MULCHER
 - 399-9100 ENGINE, EPA 4F, EU IV, MLIT 5
 - 397-4326 UNDERCARRIAGE, SALT
 - 368-0110 TRACK, 406MM(16"), MS. SALT
 - 394-1851 LIGHTS, 6
 - 510-6254 CAB, ROPS
 - 393-4242 SEAT, CLOTH
 - 522-6017 PRODUCT LINK, CELLULAR, PL742
 - 555-0446 CONTROL, BASIC, CAMERA
 - 477-2255 GUARD, RADIATOR, HD, HINGED
 - 397-4288 GUARD GP, REAR
 - 508-8495 GUARD, FRONT, MULCHER
 - 397-4301 GUARD, BELLY, HD, XL
 - 394-1879 RADIO PREMIUM
 - 397-4341 SWEEPS, FRONT
 - 397-4342 SWEEPS, REAR
 - 250-1699 SCREEN, SIDE
 - 393-4250 SCREEN, REAR, CAB
 - 379-4986 GUARD, TRK, CENTER, SALT
 - 399-9086 HEATER, ENGINE COOLANT
 - 399-9087 STARTING AID, ETHER
 - 511-1136 FAN, REVERSING
- NOTE: MULCHER TRACTOR

Supersedes 02JAN2018

Caterpillar: Confidential Green
US-A-19-01 A

Subject to change without notice

Printed in USA
U. S. DOLLAR CURRENCY

Effective 02JAN2019

D3K2 HRC-006

CATERPILLAR MACHINE PRICE LIST

D3K2 HRC

| D3K2 TRACK TYPE TRACTOR ATHENS, GA, USA (SAP) | Ship Weight lbs | LIST PRICE AT DEALER |
|--|--------------------|-------------------------|
|--|--------------------|-------------------------|

| | | |
|-----------------|--|------------------|
| 553-0285 | D3K2 LGP TRACTOR FT02.1 0 | \$190,160 |
| | LANE 3 - AVAILABLE FROM ATHENS FACTORY | |

- INCLUDES:
- 510-6879 D3K2 LGP TRACTOR MULCHER
 - 510-6250 HYDRAULICS 4 VALVE, MULCHER
 - 399-9100 ENGINE, EPA 4F, EU IV, MLIT 5
 - 397-4326 UNDERCARRIAGE, SALT
 - 286-4309 TRACK, 635MM(25"), MS. SALT
 - 394-1851 LIGHTS, 6
 - 510-6254 CAB, ROPS
 - 393-4242 SEAT, CLOTH
 - 522-6017 PRODUCT LINK, CELLULAR, PL742
 - 555-0446 CONTROL, BASIC, CAMERA
 - 477-2255 GUARD, RADIATOR, HD, HINGED
 - 397-4288 GUARD GP, REAR
 - 508-8495 GUARD, FRONT, MULCHER
 - 397-4305 GUARD, BELLY, HD, LGP
 - 394-1879 RADIO PREMIUM
 - 397-4341 SWEEPS, FRONT
 - 397-4342 SWEEPS, REAR
 - 250-1699 SCREEN, SIDE
 - 393-4250 SCREEN, REAR, CAB
 - 379-4986 GUARD, TRACK, CENTER SALT
 - 399-9086 HEATER, ENGINE COOLANT
 - 399-9087 STARTING AID, ETHER
 - 544-1136 FAN, REVERSING
- NOTE: MULCHER TRACTOR

| | | |
|----------------|---------------------------------------|-----------|
| 0P-3882 | D3K2 MISC MATERIAL 0 | NC |
| | AVAILABLE FROM ATHENS FACTORY | |

Only reference numbers that have the text
"ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a MISC order.

CATERPILLAR MACHINE PRICE LIST

D3K2 HRC

| USE | REF NO. | LANE 1 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------|-----------------|----------------------|
|-----|---------|------------------|-----------------|----------------------|

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

LANE SELECTION

| | | | |
|---------|--|---|----|
| OP-9001 | LANE 1 ORDER | 0 | NC |
| | Order from Product Distribution Center (PDC) | | |

OPERATION AND MAINTENANCE MANUAL

| | | | |
|----------|--|---|----|
| 421-8926 | SERIALIZED TECHNICAL MEDIA KIT | 0 | NC |
| | The technical media kit will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Included in the kit, can be ordered through the media website. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com. | | |

PROTECTION

| | | | |
|---------|--|---|-----------|
| OP-2266 | SHIPPING/STORAGE PROTECTION | 0 | \$207 NET |
| | Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer. | | |

PACKING

| | | | |
|---------|--------------------------------|---|----|
| OP-0210 | PACK, DOMESTIC TRUCK | 0 | NC |
|---------|--------------------------------|---|----|

CATERPILLAR MACHINE PRICE LIST

D3K2 HRC

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|----------------------|-----------------|----------------------|
|-----|---------|----------------------|-----------------|----------------------|

LANE SELECTION

| | | | |
|---------|--|---|----|
| OP-9002 | LANE 2 ORDER | 0 | NC |
| | Only for dealers enrolled in the Base Orders Manamement (BOM) program. | | |
| OP-9003 | LANE 3 ORDER | 0 | NC |

SPECIAL ARRANGEMENTS

MANDATORY PICKS FOR TWO WAY DOZER ONLY

| | | | | |
|---|----------|---|---|-----------|
| L | 488-4961 | CANOPY, ROPS, TWD | 0 | NC |
| | | Includes: 6 lights Vinyl seat | | |
| | | ONLY FOR USE WITH: 498-3451 D3K2 XL TRACTOR TWD OR 498-3452 D3K2 LGP TRACTOR TWD | | |
| L | 488-4963 | CAB, ROPS, TWD | 0 | \$15, 650 |
| | | Includes: 6 lights Cloth seat | | |
| | | ONLY FOR USE WITH: 498-3451 D3K2 XL TRACTOR TWD OR 498-3452 D3K2 LGP TRACTOR TWD | | |
| L | 488-4967 | NO ROPS, TWD | 0 | \$5, 890 |
| | | Includes: Operator platform Vinyl seat 6 lights Excludes ROPS | | |
| | | ONLY FOR USE WITH: 498-3451 D3K2 XL TRACTOR TWD OR 498-3452 D3K2 LGP TRACTOR TWD | | |

MANDATORY PICKS FOR MULCHER ONLY

NOTE: May select Winch, Ripper, or Counterweight. Must select Mulcher.

| | | | | |
|---|----------|--|--------|--------------|
| L | 510-6255 | WINCH AR, RETRIEVAL | 0 | \$24, 820 |
| | | Retrieval Winch (slower speed) uses oil flow from 4th Valve Hydraulic Circuit to power winch. Maximum Line Pull-bare Drum - 32,150 Lbs (14,583 kg) Maximum Line Speed-bare DDrum - 50 ft/min (15 m/min) Includes: 3 Fairlead Rollers - 2 Side and 1 Top Rollers | | |
| | | ONLY FOR USE WITH: 553-0284 D3K2 XL TRACTOR FTO 1.1 OR 553-0285 D3K2 LGP TRACTOR FTO 2.1 OR 553-0286 D3K2 XL TRACTOR FTO 10.1 OR 553-0287 D3K2 LGP TRACTOR FTO 11.1 | | |
| | | CANNOT BE USED WITH: 397-4317 RIPPER 510-2450 COUNTERWEIGHT, REAR, MULCHER | | |
| L | 397-4317 | RIPPER | 1, 349 | \$11, 510 |
| | | | 1, 349 | \$11, 510 NI |
| | | ONLY FOR USE WITH: 553-0284 D3K2 XL TRACTOR FTO 1.1 OR 553-0285 D3K2 LGP TRACTOR FTO 2.1 OR 553-0286 D3K2 XL TRACTOR FTO 10.1 OR 553-0287 D3K2 LGP TRACTOR FTO 11.1 | | |
| | | CANNOT BE USED WITH: 510-3255 WINCH AR, RETRIEVAL 510-2450 COUNTERWEIGHT, REAR, MULCHER | | |

CATERPILLAR MACHINE PRICE LIST

D3K2 HRC

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|----------------------|-----------------|----------------------|
|-----|---------|----------------------|-----------------|----------------------|

SPECIAL ARRANGEMENTS (CONT.)

MANDATORY PICKS FOR MULCHER ONLY (Cont.)

| | | | | |
|---|----------|---|--|----------|
| L | 510-2450 | COUNTERWEIGHT, REAR, MULCHER 0 INCLUDES: 244-7433 DRAWBAR, STANDARD ONLY FOR USE WITH: 553-0284 D3K2 XL TRACTOR FTO 1.1 OR 553-0285 D3K2 LGP TRACTOR FTO 2.1 OR 553-0286 D3K2 XL TRACTOR FTO 10.1 OR 553-0287 D3K2 LGP TRACTOR FTO 11.1 CANNOT BE USED WITH: 510-3255 WINCH AR, RETRIEVAL 397-4317 RIPPER | | \$4,110 |
| L | 510-6251 | MULCHER ARRANGEMENT. 3,682 Mulcher, HM518 1822mm(72") drum width - 38 fixed carbide teeth 2122mm(84") overall width For use in hardwoods applications Includes: Single bolt tooth retention Pressure gauge Hydraulically adjustable push/guard frame Hydraulically operated front hood Closed loop hydrostatic circuit REQUIRED BY: 553-0284 D3K2 XL TRACTOR FTO 1.1 553-0285 D3K2 LGP TRACTOR FTO 2.1 553-0286 D3K2 XL TRACTOR FTO 10.1 553-0287 D3K2 LGP TRACTOR FTO 11.1 | | \$58,819 |

POWERTRAIN

ENGINE INSTALLATION - Standard Tractor

| | | | | |
|---|----------|--|--|----|
| L | 399-9100 | ENGINE,EPA 4F,EU IV,JAPAN 2014 0 ONLY FOR USE WITH: 397-4123 D3K2 XL TRACTOR OR 397-4124 D3K2 LGP TRACTOR OR 397-4129 D3K2 LGP TRACTOR, 30" TRACK | | NC |
|---|----------|--|--|----|

ENGINE INSTALLATION - Fire Tractor

| | | | | |
|---|----------|--|--|---------|
| L | 488-4956 | INSTALLATION ARRANGEMENT, ENG 0 ONLY FOR USE WITH: 452-3715 D3K2 XL FIRE TRACTOR OR 452-3716 D3K2 LGP FIRE TRACTOR OR 452-3721 D3K2 LGP FIRE TRACTOR, 30" | | \$2,110 |
| L | 488-4957 | INSTALLATION ARR, ENG HHP 0 ONLY FOR USE WITH: 452-3715 D3K2 XL FIRE TRACTOR OR 452-3716 D3K2 LGP FIRE TRACTOR OR 452-3721 D3K2 LGP FIRE TRACTOR, 30" | | \$3,810 |

CATERPILLAR MACHINE PRICE LIST

D3K2 HRC

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|----------------------|-----------------|----------------------|
|-----|---------|----------------------|-----------------|----------------------|

UNDERCARRIAGE

UNDERCARRIAGE

SystemOne can be used in most of the HD sealed and lubricated applications.

Center tread idlers now run on the bushings instead of the links, eliminating link scalloping, substantially increasing links life, O&O costs are significantly reduced by elimination of bushing turns and increased components wear life.

Due to the potential increase in undercarriage life resulting from SystemOne, Extremem Service (ES) shoes should be considered for applications that are anticipated to be shoe-life limited in order to match shoe life with link life.

Customers should carefully select between SystemOne and Heavy Duty undercarriage based on expected application. For attachment guiding / guarding (for SystemOne and Heavy Duty configurations), see the Track Guiding Guard Arrangements section.

It is recommended the machines use Heavy Duty undercarriage in high debris packing applications.

| | | | | |
|---|----------|------------------------------------|---|---------|
| L | 397-4326 | UNDERCARRIAGE, SALT | 0 | NC |
| L | 397-4206 | UNDERCARRIAGE, SYSTEMONE | 0 | \$6,120 |

TRACK PAIRS

SALT

| | | | | |
|---|----------|---|-----|---------|
| L | 368-0118 | TRACK, 14", TG, SALT FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 397-4326 UNDERCARRIAGE, SALT AND 397-4123 D3K2 XL TRACTOR | 0 | \$740 |
| L | 368-0110 | TRACK, 16", MS, SALT ONLY FOR USE WITH: 397-4326 UNDERCARRIAGE, SALT AND 397-4123 D3K2 XL TRACTOR | 0 | NC |
| L | 286-4309 | TRACK, 25", MS, SALT, LGP ONLY FOR USE WITH: 397-4326 UNDERCARRIAGE, SALT AND 397-4124 D3K2 LGP TRACTOR OR 452-3716 D3K2 LGP FIRE TRACTOR | 0 | NC |
| L | 319-9514 | TRACK, 25", SELF CLEANING,SALT FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 397-4326 UNDERCARRIAGE, SALT AND 397-4124 D3K2 LGP TRACTOR OR 452-3716 D3K2 LGP FIRE TRACTOR | 440 | \$8,100 |
| L | 368-0112 | TRACK, 30", MS, SALT, LGP FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 397-4326 UNDERCARRIAGE, SALT AND 397-4129 D3K2 LGP TRACTOR, 30" TRACK | 0 | NC |

CATERPILLAR MACHINE PRICE LIST

D3K2 HRC

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|----------------------|-----------------|----------------------|
|-----|---------|----------------------|-----------------|----------------------|

UNDERCARRIAGE (CONT.)

TRACK PAIRS (Cont.)

SYSTEMONE

| | | | | |
|---|----------|--|--|----|
| L | 368-0114 | TRACK, 16", MS, SYSTEMONE 0 | | NC |
| | | ONLY FOR USE WITH: 397-4206 UNDERCARRIAGE, SYSTEMONE | | |
| L | 286-4319 | TRACK, 25", MS, SYSTEMONE, LGP 0 | | NC |
| | | ONLY FOR USE WITH: 397-4206 UNDERCARRIAGE, SYSTEMONE AND 397-4124 D3K2 LGP TRACTOR OR 397-4129 D3K2 LGP TRACTOR, 30" TRACK | | |
| L | 368-0115 | TRACK, 30", MS, SYSTEMONE, LGP 0 | | NC |
| | | FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 397-4206 UNDERCARRIAGE, SYSTEMONE AND 397-4129 D3K2 LGP TRACTOR, 30" TRACK | | |

HYDRAULICS

HYDRAULICS - Standard Tractor

| | | | | |
|---|----------|---|--|---------|
| L | 397-4187 | HYDRAULICS, 3 VALVE, PUMP STD 0 | | NC |
| | | ONLY FOR USE WITH: 397-4123 D3K2 XL TRACTOR OR 397-4124 D3K2 LGP TRACTOR OR 397-4129 D3K2 LGP TRACTOR, 30" TRACK CANNOT BE USED WITH: 397-4317 RIPPER | | |
| L | 397-4189 | HYDRAULICS, 3 VALVE, WINCH 0 | | \$4,595 |
| | | REQUIRES: 397-4389 WINCH, MOUNTING PLATE ONLY FOR USE WITH: 397-4123 D3K2 XL TRACTOR OR 397-4124 D3K2 LGP TRACTOR OR 397-4129 D3K2 LGP TRACTOR, 30" TRACK CANNOT BE USED WITH: 397-4317 RIPPER | | |
| L | 397-4191 | HYDRAULICS, 4 VALVE, PUMP STD 35 | | \$1,060 |
| | | REQUIRED BY: 397-4317 RIPPER ONLY FOR USE WITH: 397-4123 D3K2 XL TRACTOR OR 397-4124 D3K2 LGP TRACTOR OR 397-4129 D3K2 LGP TRACTOR, 30" TRACK | | |
| L | 397-4193 | HYDRAULICS, 4 VALVE, WINCH 22 | | \$5,650 |
| | | Provides additional 4 valve hyd circuit when winch is installed REQUIRES: 397-4389 WINCH, MOUNTING PLATE ONLY FOR USE WITH: 397-4123 D3K2 XL TRACTOR OR 397-4124 D3K2 LGP TRACTOR OR 397-4129 D3K2 LGP TRACTOR, 30" TRACK CANNOT BE USED WITH: 397-4317 RIPPER | | |

HYDRAULICS - Fire Tractor

| | | | | |
|---|----------|--|--|---------|
| L | 474-5469 | HYD, 4 VALVE, FLOAT 0 | | \$1,185 |
| | | Unsheathed Hoses MAY BE USED WITH: 510-3522 WINCH, AR, RETRIEVAL ONLY FOR USE WITH: 452-3715 D3K2 XL FIRE TRACTOR OR 452-3716 D3K2 LGP FIRE TRACTOR OR 452-3721 D3K2 LGP FIRE TRACTOR, 30" | | |

CATERPILLAR MACHINE PRICE LIST

D3K2 HRC

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|----------------------|-----------------|----------------------|
|-----|---------|----------------------|-----------------|----------------------|

HYDRAULICS (CONT.)

HYDRAULICS - Fire Tractor (Cont.)

| | | | | |
|---|----------|---|--|---------|
| L | 474-5473 | HYD, 4 VALVE, FLOAT, WINCH 0 Unsheathed Hoses ONLY FOR USE WITH: 452-3715 D3K2 XL FIRE TRACTOR OR 452-3716 D3K2 LGP FIRE TRACTOR OR 452-3721 D3K2 LGP FIRE TRACTOR, 30" AND 397-4389 WINCH OR 397-4320 WINCH, MOUNTING PLATE | | \$5,800 |
| L | 474-5477 | HYD, 5 VALVE, FLOAT 0 Unsheathed Hoses MAY BE USED WITH: 510-3522 WINCH, AR, RETRIEVAL ONLY FOR USE WITH: 452-3715 D3K2 XL FIRE TRACTOR OR 452-3716 D3K2 LGP FIRE TRACTOR OR 452-3721 D3K2 LGP FIRE TRACTOR, 30" | | \$1,815 |
| L | 474-5481 | HYD, 5 VALVE, FLOAT, WINCH 0 Unsheathed Hoses ONLY FOR USE WITH: 452-3715 D3K2 XL FIRE TRACTOR OR 452-3716 D3K2 LGP FIRE TRACTOR OR 452-3721 D3K2 LGP FIRE TRACTOR, 30" AND 397-4389 WINCH OR 397-4320 WINCH, MOUNTING PLATE | | \$6,410 |
| L | 474-5471 | HYD, 4 VALVE, FLOAT, FS 0 Sheathed Hoses MAY BE USED WITH: 510-3522 WINCH, AR, RETRIEVAL ONLY FOR USE WITH: 452-3715 D3K2 XL FIRE TRACTOR OR 452-3716 D3K2 LGP FIRE TRACTOR OR 452-3721 D3K2 LGP FIRE TRACTOR, 30" | | \$1,470 |
| L | 474-5475 | HYD, 4 VALVE, FLOAT, WINCH, FS 0 Sheathed Hoses ONLY FOR USE WITH: 452-3715 D3K2 XL FIRE TRACTOR OR 452-3716 D3K2 LGP FIRE TRACTOR OR 452-3721 D3K2 LGP FIRE TRACTOR, 30" AND 397-4389 WINCH OR 397-4320 WINCH, MOUNTING PLATE | | \$6,950 |
| L | 474-5479 | HYD, 5 VALVE, FLOAT, FS 0 Sheathed Hoses MAY BE USED WITH: 510-3522 WINCH, AR, RETRIEVAL ONLY FOR USE WITH: 452-3715 D3K2 XL FIRE TRACTOR OR 452-3716 D3K2 LGP FIRE TRACTOR OR 452-3721 D3K2 LGP FIRE TRACTOR, 30" | | \$2,095 |
| L | 474-5483 | HYD, 5 VALVE, FLOAT, WINCH, FS 0 Sheathed Hoses ONLY FOR USE WITH: 397-4389 WINCH, or 397-4320 WINCH, MOUNTING PLATE 452-3715 D3K2 XL FIRE TRACTOR OR 452-3716 D3K2 LGP FIRE TRACTOR OR 452-3721 D3K2 LGP FIRE TRACTOR, 30" AND 397-4389 WINCH OR 397-4320 WINCH, MOUNTING PLATE | | \$7,560 |

ELECTRICAL

LIGHTS

| | | | | |
|---|----------|---|--|----|
| L | 394-1850 | LIGHTS, 4 0 Includes: 4 halogen lights- 2 front, 2 rear. | | NC |
|---|----------|---|--|----|

CATERPILLAR MACHINE PRICE LIST

D3K2 HRC

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|----------------------|-----------------|----------------------|
|-----|---------|----------------------|-----------------|----------------------|

ELECTRICAL (CONT.)

LIGHTS (Cont.)

| | | | | |
|---|----------|--|--|-------|
| L | 394-1851 | LIGHTS, 6 2 | | \$314 |
| | | Includes: 6 halogen lights- 4 front, 2 rear. | | |
| L | 508-3301 | LIGHTS, 6, LED 0 | | \$940 |
| | | Includes: 6 LED lights- 4 front, 2 rear. | | |

OPERATOR ENVIRONMENT

OPERATOR STATION - Standard Tractor

| | | | | |
|---|----------|--|--|----------|
| L | 397-4262 | CANOPY, ROPS, HEATER 0 | | NC |
| | | Includes: Heater | | |
| | | ONLY FOR USE WITH: 397-4123 D3K2 XL TRACTOR OR 397-4124 D3K2 LGP TRACTOR OR 397-4129 D3K2 LGP TRACTOR, 30" TRACK | | |
| | | CANNOT BE USED WITH: 393-4242 SEAT, CLOTH | | |
| L | 397-4264 | CAB, ROPS, HEATER & A/C 477 | | \$15,650 |
| | | Includes: Air conditioner Glass windows | | |
| | | ONLY FOR USE WITH: 397-4123 D3K2 XL TRACTOR OR 397-4124 D3K2 LGP TRACTOR OR 397-4129 D3K2 LGP TRACTOR, 30" TRACK | | |
| L | 397-4309 | CAB, ROPS, POLYCARBONATE 477 | | \$16,090 |
| | | Includes: Air conditioner Polycarbonate windows | | |
| | | ONLY FOR USE WITH: 397-4123 D3K2 XL TRACTOR OR 397-4124 D3K2 LGP TRACTOR OR 397-4129 D3K2 LGP TRACTOR, 30" TRACK | | |

OPERATOR STATION - Fire Tractor

| | | | | |
|---|----------|---|--|----------|
| L | 474-5486 | CAB, ROPS, HEATER & AC 0 | | \$15,500 |
| | | Includes: Air conditioner Glass windows Quick release floor plate In cab fuel shutoff | | |
| | | ONLY FOR USE WITH: 452-3715 D3K2 XL FIRE TRACTOR OR 452-3716 D3K2 LGP FIRE TRACTOR OR 452-3721 D3K2 LGP FIRE TRACTOR, 30" | | |
| L | 474-5488 | CAB, ROPS, POLYCARBONATE 0 | | \$15,940 |
| | | Includes: Air conditioner Polycarbonate windows Quick release floor plate In cab fuel shutoff | | |
| | | ONLY FOR USE WITH: 452-3715 D3K2 XL FIRE TRACTOR OR 452-3716 D3K2 LGP FIRE TRACTOR OR 452-3721 D3K2 LGP FIRE TRACTOR, 30" | | |

CATERPILLAR MACHINE PRICE LIST

D3K2 HRC

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|----------------------|-----------------|----------------------|
|-----|---------|----------------------|-----------------|----------------------|

OPERATOR ENVIRONMENT (CONT.)

OPERATOR STATION - Fire Tractor (Cont.)

| | | | | |
|---|----------|--|--|----------|
| L | 474-5490 | CAB, ROPS, HEATER & AC 0 | | \$21,750 |
| | | Includes: Air conditioner Glass windows Quick release floor plate In cab fuel shutoff ONLY FOR USE WITH: 452-3715 D3K2 XL FIRE TRACTOR OR 452-3716 D3K2 LGP FIRE TRACTOR OR 452-3721 D3K2 LGP FIRE TRACTOR, 30" | | |
| L | 474-5492 | CAB, ROPS, POLYCARBONATE 0 | | \$22,180 |
| | | Includes: Air conditioner Polycarbonate windows Quick release floor plate In cab fuel shutoff ONLY FOR USE WITH: 452-3715 D3K2 XL FIRE TRACTOR OR 452-3716 D3K2 LGP FIRE TRACTOR OR 452-3721 D3K2 LGP FIRE TRACTOR, 30" | | |

SEAT

| | | | | |
|---|----------|---|--|---------|
| P | 393-4240 | SEAT, VINYL 0 | | NC |
| | | ONLY FOR USE WITH: 397-4262 CANOPY, ROPS, HEATER | | |
| P | 393-4241 | SEAT, VINYL, HEATED SEAT & CNTRLS 1 | | \$1,115 |
| | | Includes: Vinly heated seat Heated joystick control handles ONLY FOR USE WITH: 397-4262 CANOPY, ROPS, HEATER | | |
| P | 393-4242 | SEAT CLOTH 0 | | NC |
| | | ONLY FOR USE WITH: 397-4262 CANOPY, ROPS, HEATER OR Cab | | |
| P | 393-4243 | SEAT, CLOTH, HEATED SEAT & CNTRLS 1 | | \$1,115 |
| | | Includes: Cloth seat Heated seat Heated joystick control handles ONLY FOR USE WITH: Cab | | |
| P | 393-4244 | SEAT, CLOTH, HEATED, VENTILATED 1 | | \$1,720 |
| | | Includes: Cloth seat Heated and cooled seat Heated joystick control handles ONLY FOR USE WITH: Cab | | |

SOUND SUPPRESSION

| | | | | |
|---|----------|--|--|---------|
| L | 397-4311 | SOUND SUPPRESSION, OMISSION 0 | | NC |
| L | 397-4312 | SOUND SUPPRESSION 18 | | \$4,250 |

NOTE: Cannot be used with D3K2 Fire Tractor

CATERPILLAR MACHINE PRICE LIST

D3K2 HRC

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|----------------------|-----------------|----------------------|
|-----|---------|----------------------|-----------------|----------------------|

OPERATOR ENVIRONMENT (CONT.)

SOUND SUPPRESSION - Fire Tractor

| | | | | |
|---|----------|---|---|-------|
| L | 474-5493 | SOUND SUPPRESSION FIRE TRACTOR. | 0 | \$990 |
| | | Includes: | | |
| | | Engine Enclosure Door | | |
| | | LH Hinged Engine Enclosure Door | | |
| | | RH Fast Pins Flex Pipe Exhaust | | |
| | | REQUIRES: Front Sweeps | | |
| | | ONLY FOR USE WITH: | | |
| | | 452-3715 D3K2 XL FIRE TRACTOR OR | | |
| | | 452-3716 D3K2 LGP FIRE TRACTOR OR | | |
| | | 452-3721 D3K2 LGP FIRE TRACTOR, 30" | | |

CATERPILLAR MACHINE PRICE LIST

D3K2 HRC

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|----------------------|-----------------|----------------------|
|-----|---------|----------------------|-----------------|----------------------|

TECHNOLOGY PRODUCTS

MACHINE CONTROL ORDERING

1) Cat GRADE with Slope Assist - Machine Integrated System that provides slope/angular guidance to the cutting edge for both blade slope and mainfall applications. This feature does not require a base station, laser transmitter, design file, or additional hardware. A sensor and valve calibration is required to be functional and is completed at the factory for machines ordered with blades. This system includes an upgraded machine display and an angle sensor on the blade.

Ordering Cat GRADE with Slope Assist allows the machine to be equipped with an AccuGrade GNSS, Laser, or UTS Grade Control System Electronics Kit. Site infrastructure is also necessary to operate the AccuGrade System.

For example, GNSS systems require a GNSS base station.
Laser systems require a laser transmitter.
UTS requires a Universal Total Station.
AccuGrade electronics kits and site infrastructure must be ordered separately from Cat and/or SITECH dealer.

2) Cat GRADE with 3D - Factory installed, chassis mounted grade control system that moves blade mounted grade control components to the top of the cab. Includes a 3D display, factory enabled SEA, dual mounted GNSS receivers and antennas. Requires an "off-board" radio network or GNSS base station to be functional. Additional requirements via SITECH dealer include on-board data radio installation and measure up.

MACHINE CONTROL

Packages below include Mechanical Blade Pitch

| | | | | |
|---|----------|---|--|---------|
| L | 538-3976 | CONTROL, BASIC, MP 0 | | NC |
| | | Includes: Mechanical Blade Pitch | | |
| | | ONLY FOR USE WITH: 397-4123 D3K2 XL TRACTOR OR 397-4124 D3K2 LGP TRACTOR | | |
| L | 538-3978 | CONTROL, BASIC, MP 0 | | NC |
| | | Includes: Mechanical Blade Pitch | | |
| | | ONLY FOR USE WITH: 397-4129 D3K2 LGP TRACTOR, 30" TRACK | | |
| L | 538-3981 | CONTROL, BASIC, MP, CAMERA 0 | | \$1,065 |
| | | Includes: Mechanical Blade Pitch Rear Camera | | |
| | | ONLY FOR USE WITH: 397-4123 D3K2 XL TRACTOR OR 397-4124 D3K2 LGP TRACTOR | | |
| L | 538-3983 | CONTROL, BASIC, MP, CAMERA 0 | | \$1,065 |
| | | Includes: Mechanical blade pitch Rear camera | | |
| | | ONLY FOR USE WITH: 397-4129 D3K2 LGP TRACTOR, 30" TRACK 397-4129 D3K2 LGP TRACTOR, 30" TRACK | | |

CATERPILLAR MACHINE PRICE LIST

D3K2 HRC

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|----------------------|-----------------|----------------------|
|-----|---------|----------------------|-----------------|----------------------|

TECHNOLOGY PRODUCTS (CONT.)

MACHINE CONTROL ORDERING (Cont.)

| | | | | |
|---|----------|---|---|----------|
| L | 538-3986 | GRADE W/ SA 0 Includes: Cat GRADE with Slope Assist AccuGrade Ready option (ARO) Mechanical blade pitch Rear camera REQUIRES: 397-4172 BLADE, D3K XL, ACCUGRADE OR 397-4173 BLADE, D3K LGP, ACCUGRADE AND 522-6017 PRODUCT LINK, CELLULAR PLE742 OR 522-6014 PRODUCT LINK, SATELLITE PLE732 ONLY FOR USE WITH: 397-4123 D3K2 XL TRACTOR OR 397-4124 D3K2 LGP TRACTOR | 0 | \$7,290 |
| L | 538-3988 | GRADE W/ SA 0 Includes: Cat GRADE with Slope Assist t AccuGrade ready option (ARO) Mechanical blade pitch Rear camera REQUIRES: 397-4173 BLADE, D3K LGP, ACCUGRADE AND 522-6017 PRODUCT LINK, CELLULAR PLE742 OR 522-6014 PRODUCT LINK, SATELLITE PLE732 ONLY FOR USE WITH: 397-4129 D3K2 LGP TRACTOR, 30" TRACK | 0 | \$7,290 |
| L | 538-3991 | GRADE W/ 3D 0 Includes: Cat GRADE with 3D Cat GRADE with Slope Assist AccuGrade ready option (ARO) Mechanical blade pitch Rear camera REQUIRES: 397-4172 BLADE, D3K XL, ACCUGRADE OR 397-4173 BLADE, D3K LGP, ACCUGRADE AND 522-6017 PRODUCT LINK, CELLULAR PLE742 OR 522-6014 PRODUCT LINK, SATELLITE PLE732 ONLY FOR USE WITH: 397-4123 D3K2 XL TRACTOR OR 397-4124 D3K2 LGP TRACTOR | 0 | \$55,100 |
| L | 538-3993 | GRADE W/ 3D 0 Includes: Cat GRADE with 3D Cat GRADE with Slope Assist AccuGrade ready option (ARO) Mechanical blade pitch Rear camera REQUIRES: 397-4173 BLADE, D3K LGP, ACCUGRADE AND 522-6017 PRODUCT LINK, CELLULAR PLE742 OR 522-6014 PRODUCT LINK, SATELLITE PLE732 ONLY FOR USE WITH: 397-4129 D3K2 LGP TRACTOR, 30" TRACK | 0 | \$55,100 |

Packages below include Power Blade Pitch (PP)

CATERPILLAR MACHINE PRICE LIST

D3K2 HRC

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|----------------------|-----------------|----------------------|
|-----|---------|----------------------|-----------------|----------------------|

TECHNOLOGY PRODUCTS (CONT.)

MACHINE CONTROL ORDERING (Cont.)

| | | | | |
|---|----------|--|--|----------|
| L | 538-3996 | CONTROL, BASIC, PP 0 Includes: Power blade pitch ONLY FOR USE WITH: 397-4123 D3K2 XL TRACTOR OR 397-4124 D3K2 LGP TRACTOR | | \$3,280 |
| L | 538-3998 | CONTROL, BASIC, PP 0 Includes: Power blade pitch ONLY FOR USE WITH: 397-4129 D3K2 LGP TRACTOR, 30" TRACK | | \$3,280 |
| L | 538-4001 | CONTROL, BASIC, PP, CAMERA 0 Includes: Power blade pitch Rear camera ONLY FOR USE WITH: 397-4123 D3K2 XL TRACTOR OR 397-4124 D3K2 LGP TRACTOR | | \$4,345 |
| L | 538-4003 | CONTROL, BASIC, PP, CAMERA 0 Includes: Power blade pitch Rear camera ONLY FOR USE WITH: 397-4129 D3K2 LGP TRACTOR, 30" TRACK | | \$4,345 |
| L | 538-4006 | GRADE W/ SA, PP 0 Includes: Cat GRADE with Slope Assist AccuGrade ready option (ARO) Power blade pitch Rear camera REQUIRES: 397-4172 BLADE, D3K XL, ACCUGRADE OR 397-4173 BLADE, D3K LGP, ACCUGRADE AND 522-6017 PRODUCT LINK, CELLULAR PLE742 OR 522-6014 PRODUCT LINK, SATELLITE PLE732 ONLY FOR USE WITH: 397-4123 D3K2 XL TRACTOR OR 397-4124 D3K2 LGP TRACTOR | | \$10,570 |
| L | 538-4008 | GRADE W/ SA, PP 0 Includes: Cat GRADE with Slope Assist AccuGrade Ready Option (ARO) Power Blade Pitch Rear Camera REQUIRES: 397-4173 BLADE, D3K LGP, ACCUGRADE AND 522-6017 PRODUCT LINK, CELLULAR PLE742 OR 522-6014 PRODUCT LINK, SATELLITE PLE732 ONLY FOR USE WITH: 397-4129 D3K2 LGP TRACTOR, 30" TRACK | | \$10,570 |
| L | 538-4011 | GRADE W/ 3D, PP 0 Includes: Cat GRADE with 3D Cat GRADE with Slope Assist AccuGrade ready option (ARO) Power blade pitch Rear camera REQUIRES: 397-4172 BLADE, D3K XL, ACCUGRADE OR 397-4173 BLADE, D3K LGP, ACCUGRADE AND 522-6017 PRODUCT LINK, CELLULAR PLE742 OR 522-6014 PRODUCT LINK, SATELLITE PLE732 ONLY FOR USE WITH: 397-4123 D3K2 XL TRACTOR OR 397-4124 D3K2 LGP TRACTOR | | \$58,350 |

CATERPILLAR MACHINE PRICE LIST

D3K2 HRC

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|----------------------|-----------------|----------------------|
|-----|---------|----------------------|-----------------|----------------------|

TECHNOLOGY PRODUCTS (CONT.)

MACHINE CONTROL ORDERING (Cont.)

| | | | | |
|---|----------|--|--|----------|
| L | 538-4013 | GRADE W/ 3D, PP 0 | | \$58,350 |
| | | Includes: Cat GRADE with 3D Cat GRADE with Slope Assist AccuGrade Ready option (ARO) Power Blade Pitch Rear Camera REQUIRES: 397-4173 BLADE, D3K LGP, ACCUGRADE AND 522-6017 PRODUCT LINK, CELLULAR PLE742 OR 522-6014 PRODUCT LINK, SATELLITE PLE732 ONLY FOR USE WITH: 397-4129 D3K2 LGP TRACTOR, 30" TRACK | | |

MACHINE CONTROL - Fire Tractor

| | | | | |
|---|----------|---|--|----|
| L | 474-5494 | PITCH ARRANGEMENT 0 | | NC |
| | | REQUIRED BY: 452-3715 D3K2 XL FIRE TRACTOR AND 452-3716 D3K2 LGP FIRE TRACTOR AND 452-3721 D3K2 LGP FIRE TRACTOR, 30" | | |

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Cat marketing representative with questions.

| | | | | |
|---|----------|---|--|-------|
| L | 522-6017 | PRODUCT LINK, CELLULAR PLE742 0 | | NC |
| | | Product Link Elite series PLE742 offers expanded coverage including 3G, UMTS and 2G GSM cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Provides support for remote services, CPM and advanced grade control (may be dependent on corresponding machine features). Cellular technology enables more frequent transmission and larger volumes of data. | | |
| L | 522-6014 | PRODUCT LINK, SATELLITE PLE732 0 | | \$432 |
| | | Product Link Elite series PLE732 uses a satellite network to transmit location, utilization and health information for viewing in Product Link user applications. For use in areas with poor or no cellular coverage. | | |

GUARDS

RADIATOR GRILL

| | | | | |
|---|----------|---------------------------------------|--|-------|
| P | 397-4285 | GRILL, RADIATOR, STANDARD 0 | | NC |
| P | 397-4286 | GRILL, RADIATOR, HD 84 | | \$715 |

CATERPILLAR MACHINE PRICE LIST

D3K2 HRC

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|----------------------|-----------------|----------------------|
|-----|---------|----------------------|-----------------|----------------------|

GUARDS (CONT.)

RADIATOR GRILL - Fire Tractor

| | | | | |
|---|----------|---|--|-------|
| P | 477-2255 | GUARD, RADIATOR, HD, HINGED 0 | | \$835 |
| | | ONLY FOR USE WITH: 452-3715 D3K2 XL FIRE TRACTOR OR 452-3716 D3K2 LGP FIRE TRACTOR OR 452-3721 D3K2 LGP FIRE TRACTOR, 30" | | |

REAR GUARD

| | | | | |
|---|----------|---|--|---------|
| L | 397-4287 | GUARD GP, REAR OMISSION 0 | | NC |
| L | 397-4288 | GUARD GP, REAR 253 | | \$1,705 |
| | | ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides protection below rear window, fuel and hyd fill points. | | |

BOTTOM GUARD

| | | | | |
|---|----------|--|--|----------|
| L | 397-4381 | GUARD, BELLY, XL 0 | | NC |
| | | ONLY FOR USE WITH: 397-4123 D3K2 XL TRACTOR | | |
| L | 397-4301 | GUARD, BELLY, HD XL 0 | | \$865 |
| | | ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides HD .5" (12mm) thick bottom guard for XL tractor | | \$865 NI |
| | | ONLY FOR USE WITH: 397-4123 D3K2 XL TRACTOR | | |
| L | 397-4385 | GUARD, BELLY, LGP 0 | | NC |
| | | ONLY FOR USE WITH: 397-4124 D3K2 LGP TRACTOR | | |
| L | 397-4305 | GUARD, BELLY, HD LGP 0 | | \$860 |
| | | ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides HD .5" (12mm) thick bottom guard for LGP tractor | | \$860 NI |
| | | ONLY FOR USE WITH: 397-4124 D3K2 LGP TRACTOR | | |
| L | 397-4383 | GUARD, BELLY, 30" 0 | | NC |
| | | ONLY FOR USE WITH: 397-4129 D3K2 LGP TRACTOR, 30" TRACK | | |
| L | 397-4303 | GUARD, BELLY, HD 30" 0 | | \$865 |
| | | ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides HD .5" (12mm) thick bottom guard for 30" tractor | | \$865 NI |
| | | ONLY FOR USE WITH: 397-4129 D3K2 LGP TRACTOR, 30" TRACK | | |

OTHER ATTACHMENTS

REAR ATTACHMENT

| | | | | |
|---|----------|---|-------|-------------|
| L | 244-7433 | DRAWBAR, STANDARD 0 | | NC |
| | | Drawbar extends 5 inches (127 mm). | | |
| L | 244-7434 | DRAWBAR, TOWING 18 | | \$545 |
| | | Drawbar extends 9.5 inches (241 mm). | | |
| L | 397-4317 | RIPPER. 1,349 | | \$11,510 |
| | | ALSO AVAILABLE ON A MISCELLANEOUS ORDER | 1,349 | \$11,510 NI |
| | | ONLY FOR USE WITH: 397-4191 HYDRAULICS, 4 VALVE, PUMP STD | | |

CATERPILLAR MACHINE PRICE LIST

D3K2 HRC

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|----------------------|-----------------|----------------------|
|-----|---------|----------------------|-----------------|----------------------|

OTHER ATTACHMENTS (CONT.)

REAR ATTACHMENT (Cont.)

| | | | | |
|---|----------|---|-----|-------------|
| L | 397-4320 | WINCH, PA40 | 0 | \$21,450 |
| | | High Performance Winch Maximum Line Pull-bare Drum - 40,000 Lbs (18,144 kg) Maximum Line Speed-bare Drum - 131 ft/min (40 m/min) INCLUDES: 397-4389 WINCH, MOUNTING PLATE REQUIRES: Winch hydraulics AND 393-4251 SCREEN, REAR CANOPY OR 393-4250 Screen , Rear Cab | | |
| L | 397-4389 | WINCH, MOUNTING PLATE | 245 | \$1,255 |
| | | REQUIRES: 397-4189 Hydraulics, 3 Valve, Winch OR 397-4193 Hydraulics, 4 Valve, Winch AND 393-4251 Screen, Rear Canopy OR 393-4250 Screen , Rear Cab | | |
| L | 510-6255 | WINCH AR, RETRIEVAL | 0 | \$24,820 |
| | | ALSO AVAILABLE ON A MISCELLANEOUS ORDER Retrieval Winch (Slower Speed) uses oil flow from 4th valve hydraulic circuit to power winch. Maximum Line Pull-bare Drum - 32,150 Lbs (14,583 kg) Maximum Line Speed-bare Drum - 50 ft/min (15 m/min) Includes: 3 Fairlead Rollers - 2 Side and 1 Top Rollers REQUIRES: Hydraulics, winch, retrieval AND 393-4251 SCREEN, REAR CANOPY OR 393-4250 SCREEN, REAR CAB | 0 | \$24,820 NI |

COUNTERWEIGHT

| | | | | |
|---|----------|--|-----|-------|
| P | 244-7503 | COUNTERWEIGHT, OMISSION, STD | 0 | NC |
| P | 244-7516 | COUNTERWEIGHT, FRONT | 631 | \$995 |
| | | Provides 662 lbs.(300 kg) front counter weight | | |

NOTE: RECOMMENDED FOR RIPPER OR WINCH

APPLICATION SPECIFIC COMPONENTS

Tanks Fuel and Hydraulic - Fire Tractor

| | | | | |
|---|----------|---|---|---------|
| L | 474-5467 | TANK ARRANGEMENT, METAL | 0 | \$2,915 |
| | | Provides Metal Fuel and Hydraulic Tanks with Remote Fuel Tank Drain ONLY FOR USE WITH: 452-3715 D3K2 XL FIRE TRACTOR OR 452-3716 D3K2 LGP FIRE TRACTOR OR 452-3721 D3K2 LGP FIRE TRACTOR, 30" | | |

LINES GROUPS - Fire Tractor

| | | | | |
|---|----------|---|---|----|
| L | 474-5451 | LINES AR, STANDARD | 0 | NC |
| | | Unsheathed Lines ONLY FOR USE WITH: 4523715 D3K2 XL FIRE TRACTOR | | |

CATERPILLAR MACHINE PRICE LIST

D3K2 HRC

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|----------------------|-----------------|----------------------|
|-----|---------|----------------------|-----------------|----------------------|

APPLICATION SPECIFIC COMPONENTS (CONT.)

LINES GROUPS - Fire Tractor (Cont.)

| | | | | |
|---|----------|---|--|---------|
| L | 474-5452 | LINES AR, STANDARD 0 Unsheathed Lines ONLY FOR USE WITH: 4523716 D3K2 LGP FIRE TRACTOR | | NC |
| L | 474-5457 | LINES AR, STANDARD 0 Unsheathed Lines ONLY FOR USE WITH: 452-3721 D3K2 LGP FIRE TRACTOR, 30" | | NC |
| L | 474-5459 | LINES ARR, SHEATHED 0 Sheathed Lines ONLY FOR USE WITH: 452-3715 D3K2 XL FIRE TRACTOR | | \$7,150 |
| L | 474-5460 | LINES ARR, SHEATHED 0 Sheathed Lines ONLY FOR USE WITH: 452-3716 D3K2 LGP FIRE TRACTOR | | \$7,150 |
| L | 474-5465 | LINES ARR, SHEATHED 0 Sheathed Lines ONLY FOR USE WITH: 452-3721 D3K2 LGP FIRE TRACTOR, 30" | | \$7,150 |

FILTER, CAB - Fire Tractor

| | | | | |
|---|----------|---|--|-------|
| L | 484-1266 | FILTER, CAB 0 ONLY FOR USE WITH: 452-3715 D3K2 XL FIRE TRACTOR OR 452-3716 D3K2 LGP FIRE TRACTOR OR 452-3721 D3K2 LGP FIRE TRACTOR, 30" | | \$820 |
|---|----------|---|--|-------|

INSTRUCTIONS

SERVICE INSTRUCTIONS

| | | | | |
|--|----------|---|--|----|
| | 421-8926 | SERIALIZED TECHNICAL MEDIA KIT 0 The technical media kit will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. included in the kit, can be ordered through the media website. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com. | | NC |
|--|----------|---|--|----|

CATERPILLAR MACHINE PRICE LIST

D3K2 HRC

| USE | REF NO. | OPTIONAL ATTACHMENTS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|----------------------|-----------------|----------------------|
|-----|---------|----------------------|-----------------|----------------------|

OPERATOR ENVIRONMENT

RADIO

| | | | | |
|---|----------|--|--|-------|
| P | 394-1879 | RADIO PREMIUM 4 | | \$550 |
| | | 12V AM/FM Stereo with Bluetooth technology and USB connection. Includes individual bass/treble controls, loudness adjustment and station pre-set capability. Pre-set memory is maintained by internal battery. ONLY FOR USE WITH: Cab | | |

SAFETY AND SECURITY

| | | | | |
|---|----------|---|--|-------|
| L | 394-1849 | SECURITY SYSTEM, MACHINE 2 | | \$995 |
|---|----------|---|--|-------|

GUARDS

SWEEPS

ALSO AVAILABLE ON A MISCELLANEOUS ORDER

| | | | | |
|---|----------|--|---|------------|
| P | 397-4341 | SWEEPS, FRONT 291 | | \$2,425 |
| | | | 0 | \$2,425 NI |
| P | 397-4342 | SWEEPS, REAR 123 | | \$1,100 |
| | | | 0 | \$1,100 NI |
| | | Provides protection to rear top portion of cab or canopy REQUIRES: 397-4341 SWEEPS, FRONT | | |

GUARDS

ALSO AVAILABLE ON A MISCELLANEOUS ORDER

| | | | | |
|---|----------|---|-----|------------|
| P | 343-3525 | SCREEN, FRONT & DOORS, CANOPY 172 | | \$3,110 |
| | | | 172 | \$3,110 NI |
| | | REQUIRES: 250-1699 SCREEN, SIDE AND 393-4251 SCREEN, REAR ONLY FOR USE WITH: Canopy | | |
| P | 250-1699 | SCREEN, SIDE 267 | | \$1,550 |
| | | | 0 | \$1,550 NI |
| | | ONLY FOR USE WITH: Canopy and Cab, ROPS | | |
| P | 393-4251 | SCREEN, REAR, CANOPY 86 | | \$1,180 |
| | | | 0 | \$1,180 NI |
| | | ONLY FOR USE WITH: Canopy | | |
| P | 393-4250 | SCREEN, REAR, CAB 95 | | \$1,320 |
| | | | 0 | \$1,320 NI |
| | | ONLY FOR USE WITH: Cab, ROPS | | |

Guards, Track Roller, Full Length

ALSO AVAILABLE ON A MISCELLANEOUS ORDER

| | | | | |
|---|----------|--|---|------------|
| P | 397-4333 | GUARD, TRACK ROLLER, FULL, S1 159 | | \$1,715 |
| | | | 0 | \$1,715 NI |
| | | ONLY FOR USE WITH: 397-4206 UNDERCARRIAGE, SYSTEMONE | | |
| P | 397-4343 | GUARD, TRACK ROLLER, FULL, SALT 163 | | \$1,370 |
| | | | 0 | \$1,370 NI |
| | | ONLY FOR USE WITH: 397-4326 UNDERCARRIAGE, SALT | | |

CATERPILLAR MACHINE PRICE LIST

D3K2 HRC

| USE | REF NO. | OPTIONAL ATTACHMENTS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|----------------------|-----------------|----------------------|
|-----|---------|----------------------|-----------------|----------------------|

GUARDS (CONT.)

Guards, Track Roller, Center

ALSO AVAILABLE ON A MISCELLANEOUS ORDER

| | | | | |
|---|----------|--|----------|-------------------|
| P | 379-4991 | GUARD,TRK GUIDING,CENTER,S1 | 0 0 | \$880 \$880 NI |
| | | ONLY FOR USE WITH: 397-4206 UNDERCARRIAGE, SYSTEMONE | | |
| P | 379-4986 | GUARD,TRK GUIDING,CENTER,SALT | 59 59 | \$880 \$880 NI |
| | | ONLY FOR USE WITH: 397-4326 UNDERCARRIAGE, SALT | | |

OTHER ATTACHMENTS

STARTING AIDS

| | | | | |
|---|----------|---|---|-------|
| L | 399-9086 | HEATER, ENGINE COOLANT (120V) | 3 | \$229 |
| P | 399-9087 | STARTING AID, ETHER | 0 | \$388 |

WINCH ROLLERS

| | | | | |
|---|----------|---|---|---------|
| L | 397-4392 | FAIRLEAD, 3 ROLLERS | 0 | \$3,120 |
| | | Provides 2 side rollers and 1 top roller. | | |
| L | 397-4393 | FAIRLEAD, 4TH ROLLER | 0 | \$1,045 |
| | | Provides 1 bottom roller. REQUIRES: 397-4392 FAIRLEAD, 3 ROLLERS | | |

BLADES

BLADES

ALSO AVAILABLE ON A MISCELLANEOUS ORDER

| | | | | |
|---|----------|---|----------------|-----------------------|
| P | 397-4166 | BLADE, D3K XL | 1,247 1,247 | \$3,830 \$3,830 NI |
| | | 1.99 cyd (1.52 cum). 104.2 inches (2646 mm) width variable pitch, power angle and tilt | | |
| P | 537-2444 | BLADE, 97", D3K XL | 0 0 | \$3,830 \$3,830 NI |
| | | 1.85 cyd (1.41 cum). 97 inches (2464 mm) width variable pitch, power angle and tilt | | |
| P | 397-4172 | BLADE, D3K XL, ACCUGRADE | 1,327 1,327 | \$4,110 \$4,110 NI |
| | | 1.99 cyd (1.52 cum). 104.2 inches (2646 mm) width variable pitch, power, angle tilt blade. Includes: Mounting brackets for receivers. ONLY FOR USE WITH: Installation, AccuGrade ready | | |
| P | 397-4167 | BLADE, D3K LGP | 1,373 1,373 | \$4,290 \$4,290 NI |
| | | 2.17 cyd (1.66 cum). 124 inches (3149 mm) width variable pitch, power, angle tilt blade. | | |
| P | 397-4173 | BLADE, D3K LGP, ACCUGRADE | 1,452 1,452 | \$4,585 \$4,585 NI |
| | | 2.17 cyd (1.66 cum). 124 inches (3149 mm) width variable pitch, power, angle tilt blade. Includes: Mounting brackets for receivers. ONLY FOR USE WITH: Installation, AccuGrade ready | | |

CATERPILLAR MACHINE PRICE LIST

D3K2 HRC

| USE | REF NO. | OPTIONAL ATTACHMENTS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|----------------------|-----------------|----------------------|
|-----|---------|----------------------|-----------------|----------------------|

BLADES (CONT.)

BLADES (Cont.)

| | | | | |
|---|----------|---|----------------|-----------------------|
| P | 397-4180 | BLADE, INTERMEDIATE | 1,454 1,454 | \$4,045 \$4,045 NI |
| | | 1.96 cyd (1.50 cum). 115 inches (2921 mm) width variable pitch, power, angle tilt blade. | | |
| P | 397-4181 | BLADE, INTERMEDIATE, ACCUGRADE | 1,533 1,533 | \$4,305 \$4,305 NI |
| | | 1.96 cyd (1.50 cum). 115 inches (2921 mm) width variable pitch, power, angle tilt blade. Includes: Mounting brackets for receivers. ONLY FOR USE WITH: Installation, AccuGrade ready | | |

FLUIDS

ANTIFREEZE

| | | | | |
|--|---------|-----------------------------------|---|-----------|
| | 0P-6123 | ANTIFREEZE, -50C (-58F) | 0 | \$220 NET |
|--|---------|-----------------------------------|---|-----------|

NOTE: Standard machine protection includes extended life coolant protection to -37C (-34F).

FACTORY SOURCED KITS

MISC Material

Misc Material Available for Shipment from Athens, GA
Use Misc Top Level 0P-3882 to order.
Quantity limited to 1 per part number.
8 Week Lead Time on All Items Except Blades.
6 Week Lead Time on Blades.

| | | | | |
|---|----------|--|-------|-------------|
| W | 256-3738 | WINCH, HYDROSTATIC | 1,345 | \$18,325 NI |
| | | High Performance Winch Maximum Line Pull-bare Drum - 40,000 Lbs (18,144 kg) Maximum Line Speed-bare Drum - 131 ft/min (40 m/min) REQUIRES: 397-4189 HYDRAULICS, 3 VALVE, WINCH OR 397-4193 HYDRAULICS, 4 VALVE, WINCH OR 397-4389 WINCH, MOUNTING PLATE AND 0P-3929 PACK, WINCH CANNOT BE USED WITH: 513-8108 D3K2 XL TRACTOR, MULCHER, FTO OR 513-8109 D3K2 LGP TRACTOR, MULCHER, FTO | | |

CATERPILLAR MACHINE PRICE LIST

D3K2 HRC

| USE | REF NO. | OPTIONAL ATTACHMENTS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|----------------------|-----------------|----------------------|
|-----|---------|----------------------|-----------------|----------------------|

PACKING

PROTECTION

| | | | |
|---------|--|---|------------------|
| OP-2266 | SHIPPING/STORAGE PROTECTION | 0 | \$207 NET |
| | Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer. REQUIRED BY: Lane 1 Orders and Export Orders | | |

PACKING

| | | | |
|---------|--|---|------------------|
| OP-0210 | PACK, DOMESTIC TRUCK | 0 | NC |
| OP-7133 | PACK, BLADE FOR MISC ORDER | 0 | \$935 NET |
| | REQUIRED BY: OP-4086 D3K2 MISC MATERIAL AND BLADES | | |
| OP-3923 | PACKING, GUARDS, BOTTOM | 0 | \$182 NET |
| | REQUIRED BY: OP-4086 D3K2 MISC MATERIAL AND 397-4301 GUARD, BELLY, HD XL OR 397-4305 GUARD, BELLY, HD LGP OR 397-4303 GUARD, BELLY, HD 30" | | |
| OP-3924 | PACKING, GUARD, REAR | 0 | \$182 NET |
| | REQUIRED BY: OP-4086 D3K2 MISC MATERIAL AND 397-4288 GUARD GP, REAR | | |
| OP-3922 | PACKING, GUARDS, TRACK ROLLER | 0 | \$182 NET |
| | REQUIRED BY: OP-4086 D3K2 MISC MATERIAL AND GUARDS, TRACK ROLLER | | |
| OP-3928 | PACKING, RIPPER | 0 | \$182 NET |
| | REQUIRED BY: OP-4086 D3K2 MISC MATERIAL AND 397-4317 RIPPER | | |
| OP-3921 | PACKING, SCREEN | 0 | \$182 NET |
| | REQUIRED BY: OP-4086 D3K2 MISC MATERIAL AND SCREENS | | |
| OP-3925 | PACKING, SWEEPS | 0 | \$182 NET |
| | REQUIRED BY: OP-4086 D3K2 MISC MATERIAL AND 397-4341 SWEEPS, FRONT OR 397-4342 SWEEPS, REAR | | |
| OP-3929 | PACKING, WINCH | 0 | \$182 NET |
| | REQUIRED BY: OP-4086 D3K2 MISC MATERIAL AND WINCHES | | |