

CATERPILLAR MACHINE PRICE LIST

# D6K-BR

D6K TRACK TYPE TRACTOR  
PIRACICABA, BRAZIL

Ship Weight  
lbs

LIST PRICE  
AT DEALER

Standard Equipment:

## POWERTRAIN

Air To Air AfterCooler (ATAAC)  
Glowplug starting aid  
3000 meter altitude operation capability w/o de-rating  
Hydraulically driven, variable speed fan  
Aluminum bar plate cooling system (radiator, powertrain, aftercooler)  
Air cleaner with integrated pre-cleaner, dust ejector and under hood air intake  
Dual path, electronic control, closed-loop hydrostatic transmission  
Electric fuel priming pump  
Fuel/water separator  
Programmable/selectable bi-directional shifting  
Engine idle shutdown  
Auto engine speed control

## UNDERCARRIAGE

Heavy duty undercarriage  
Center tread, sprocketed idler with SystemOne, standard idler with HD  
Lifetime lubricated track rollers (8) and idlers  
Carrier rollers (2)  
Hydraulic track adjusters  
Replaceable sprocket rim segments

## HYDRAULICS

Three valve hydraulics  
Load sensing hydraulics

## ELECTRICAL

Horn  
Back-up alarm  
12V converter, 10 Amp  
Diagnostic connector  
Batteries, heavy duty, maintenance free, 900 CCA  
Integrated lights (4 front, 2 rear)  
100A alternator (24 volt)  
24V electric starter

## OPERATOR ENVIRONMENT

ROPS/FOPS Cab  
Integrated A/C with automatic temperature control  
Seat, air suspended, cloth for cab  
Seatbelt, retractable 3" (76 mm)  
Foot pads, dash  
Color graphic 7" display with gauge for:  
-engine coolant temperature,  
-hydraulic oil temperature,  
-fuel level

Travel speed limiter, electronic  
Engine RPM and gear display  
Hour meter, electronic  
Engine air cleaner service indicator, electronic  
Water-in-fuel indicator, electronic  
Throttle switch, rotary  
Eco mode  
Controls, seat mounted, fore/aft adjustment  
Armrests, adjustable  
Mirror, rearview, inside  
Single pedal combining deceleration and braking functions  
Independent forward/reverse speed settings  
Product Link ready  
Powerport, 12 volt  
Coat Hook  
Storage compartment  
Cup holder  
Floor mat, rubber, heavy duty  
Intermittent wiper  
12V radio ready (plug and play)

## FLUIDS

Antifreeze coolant (-37 degrees Celsius / -34.6 degrees Fahrenheit)  
Extended life coolant

## OTHER STANDARD EQUIPMENT

C-frame, variable pitch link, hydraulic cylinder and lines  
Engine enclosures  
Hinged radiator louvered grill  
Swing-out radiator fan  
Front pull device  
Rigid drawbar  
Vandalism protection  
Ecology drains (engine, powertrain and implement oil, engine coolant)  
Scheduled Oil Sampling (SOS) ports (engine, powertrain, implement oil)  
Heavy duty crankcase guard

CATERPILLAR MACHINE PRICE LIST

# D6K-BR

D6K TRACK TYPE TRACTOR PIRACICABA, BRAZIL	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

**Lane 2 is reserved for the Base Order Management Program.  
Please use Lane 2 when placing orders that are part of the Base Order Management program.**

<b>456-8039</b>	<b>D6K2 XL TRACTOR</b> ..... 11,468 LANE 3 - AVAILABLE FROM PIRACICABA FACTORY	<b>\$214,010</b>
-----------------	---	------------------

Caterpillar C4.4 ACERT diesel engine turbocharged.  
EPA Tier 4 Final / EU Stage IV / Japan 2014 (Tier 4 Final) certified engine with aftertreatment.

<b>424-5551</b>	<b>D6K2 LGP TRACTOR</b> ..... 11,552 LANE 2 - AVAILABLE FROM PIRACICABA FACTORY LANE 3 - AVAILABLE FROM PIRACICABA FACTORY	<b>\$224,990</b>
-----------------	--	------------------

Caterpillar C4.4 ACERT diesel engine turbocharged.  
EPA Tier 4 Final / EU Stage IV / Japan 2014 (Tier 4 Final) certified engine with aftertreatment.  
Stable blade control  
Traction control  
Slope assist

<b>0P-4165</b>	<b>D6K2 MISC MATL PIRACICABA</b> ..... 0 AVAILABLE FROM PIRACICABA FACTORY	<b>NC</b>
----------------	---	-----------

Only reference numbers that have the text  
"ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a MISC order.

CATERPILLAR MACHINE PRICE LIST

**D6K-BR**

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**LANE 1 AM-NORTH MANDATORY ATTACHMENTS**

**LANE SELECTION**

OP-9001	LANE 1 ORDER . . . . .	0	NC
---------	------------------------	---	----

**BLADE**

P	348-6300	BLADE, 126" ARO XL . . . . . Power-Angle-Tilt XL blade with mechanical variable pitch and finishing end bits. PLEASE ORDER THIS ATTACHMENT AS DETACHED ONLY FOR USE WITH: 510-4675 D6K2 LGP GRADE W/3D TTT, DCA7	2,136	\$8,070
---	----------	--	-------	---------

**DRAWBAR**

L	246-8384	DRAWBAR . . . . .	176	NC
---	----------	-------------------	-----	----

**PRODUCT LINK**

L	517-8081	PRODUCT LINK, CELLULAR PLE641 . . . . . Product Link Elite series PLE641 offers expanded coverage including 3G UMTS and CDMA2000 as well as 2G GSM and CDMA cellular networks to transmit location, utilization and condition information for viewing in Product Link-s remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.	0	NC
---	----------	--	---	----

**SERVICE INSTRUCTIONS**

OP-0996	MANUAL, ENGLISH . . . . .	0	NC
---------	---------------------------	---	----

**OTHERS**

OP-1939	ANTIFREEZE WINDSHIELD WASHER . . . . .	0	NC
---------	--	---	----

**ANTIFREEZE**

OP-3978	FUEL ANTIFREEZE, -25C (-13F) . . . . . Provides fuel (diesel) antifreeze protection down to -25C (-13F)	0	NC
---------	--	---	----

**FLUID FILM**

OP-3940	PROTECTION, CYLINDER ROD . . . . .	0	NC
---------	------------------------------------	---	----

**LANE 1 AM-NORTH OPTIONAL ATTACHMENTS**

**PACKING**

OP-6637	ROLL ON-ROLL OFF . . . . .	0	\$204 NET
---------	----------------------------	---	-----------

CATERPILLAR MACHINE PRICE LIST

**D6K-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**LANE SELECTION**

OP-9002	LANE 2 ORDER . . . . .	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
OP-9003	LANE 3 ORDER . . . . .	0	NC

**REGIONAL PACKAGES**

L	465-0450	REGIONAL PACKAGE, AM-N . . . . .	1,221	NC
		INCLUDES: SOUND SUPPRESSION HOOD		

**POWERTRAIN**

**ENGINE AIR CLEANER**

L	554-3642	AIR CLEANER, STANDARD . . . . .	0	NC
		ONLY FOR USE WITH: 456-8039 D6K2 XL TRACTOR or 424-5551 D6K2 LGP TRACTOR		
L	554-3643	PRECLEANER, TURBINE W/SCREEN . . . . .	0	\$940
		FOR USE IN LANE 3 ONLY Turbine air precleaner with screen. Improves filter life. Recommended in high debris application. Recommended in high debris application ONLY FOR USE WITH: 456-8039 D6K2 XL TRACTOR or 424-5551 D6K2 LGP TRACTOR		

**UNDERCARRIAGE**

SystemOne can be used in most of the HD sealed and lubricated applications.  
Center tread idlers now run on the bushings instead of the links, eliminating link scalloping, substantially increasing links life, O&O costs are significantly reduced by elimination of bushing turns and increased components wear life.  
Due to the potential increase in undercarriage life resulting from systemOne, extreme service (ES) shoes should be considered for applications that are anticipated to be shoe-life limited in order to match shoe life with link life.  
Customers should carefully select between SystemOne and Heavy Duty undercarriage based on expected application.  
For attachment guiding / guarding (for SystemOne and Heavy Duty configurations), see the Track Guiding Guard Arrangements section  
It is recommended the machines use Heavy Duty undercarriage in high debris packing applications.

L	431-7079	UNDERCARRIAGE, SYSTEMONE . . . . .	0	\$6,320
		SystemOne undercarriage with 8 rollers and 2 carriers rollers.		
L	431-7080	UNDERCARRIAGE, HEAVY DUTY . . . . .	0	NC
		Heavy Duty undercarriage with 8 rollers and 2 carriers rollers. INCLUDED IN: 516-6864 D6K XL TRACTOR FORESTRY CFG1		

CATERPILLAR MACHINE PRICE LIST

**D6K-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**UNDERCARRIAGE (CONT.)**

**TRACKS**

**Track Pairs, XL, SystemOne**

L	379-3980	TRACK, 22", ES, XL Extreme Service shoes ONLY FOR USE WITH: 431-7079 UNDERCARRIAGE, SYSTEMONE or	4,863	\$975
L	390-2808	TRACK, 22", MS, XL FOR USE IN LANE 3 ONLY Moderate Service shoes ONLY FOR USE WITH: 431-7079 UNDERCARRIAGE, SYSTEMONE	4,497	NC
L	390-2809	TRACK, 20", MS, XL FOR USE IN LANE 3 ONLY Moderate Service shoes ONLY FOR USE WITH: 431-7079 UNDERCARRIAGE, SYSTEMONE	4,295	\$-140
L	390-2810	TRACK, 20", ES, XL FOR USE IN LANE 3 ONLY Extreme Service shoes ONLY FOR USE WITH: 431-7079 UNDERCARRIAGE, SYSTEMONE	4,612	\$835

**Track Pairs, XL, Heavy Duty**

L	391-3941	TRACK, 20", ES, XL, HD Extreme Service shoes ONLY FOR USE WITH: 456-8039 D6K2 XL TRACTOR and 431-7080 UNDERCARRIAGE, HEAVY DUTY	0	\$-140
L	379-3982	TRACK, 22" ES XL HD Moderate Service shoes ONLY FOR USE WITH: 456-8039 D6K2 XL TRACTOR and 431-7080 UNDERCARRIAGE, HEAVY DUTY	0	NC

**Track Pairs, LGP, SystemOne**

L	390-2812	TRACK, 30", MS, LGP Moderate Service shoes ONLY FOR USE WITH: 424-5551 D6K2 LGP TRACTOR and 431-7079 UNDERCARRIAGE, SYSTEMONE	5,401	NC
L	379-3981	TRACK, 30", ES, LGP Extreme Service shoes ONLY FOR USE WITH: 424-5551 D6K2 LGP TRACTOR and 431-7079 UNDERCARRIAGE, SYSTEMONE	5,900	\$1,400

**Track Pairs, LGP, Heavy Duty**

CATERPILLAR MACHINE PRICE LIST

**D6K-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**UNDERCARRIAGE (CONT.)**

**TRACKS (Cont.)**

L	379-3983	TRACK, 30", ES, LGP, HD Extreme Service shoes ONLY FOR USE WITH: 424-5551 D6K2 LGP TRACTOR or 431-7080 UNERCARRIAGE, HEAVY DUTY 504-3741 D6K LGP TRACTOR and 431-7080 UNERCARRIAGE, HEAVY DUTY REQUIRED BY: 504-3741 D6K LGP TRACTOR	5,900	\$1,400
L	416-0036	TRACK, 30", SELF CLEAN, LGP FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 424-5551 D6K2 LGP TRACTOR and 431-7080 UNERCARRIAGE, HEAVY DUTY	5,410	\$15,680

**TRACK GUIDING GUARDS**

**Track Guiding Guards, SystemOne**

L	382-6523	GUARD, TRACK GUIDING, CENTER Center guard section ONLY FOR USE WITH: 431-7079 UNERCARRIAGE, SYSTEMONE	88	\$995
L	382-6525	GUARD, TRACK GUIDING, F&R. Front and rear guard section ONLY FOR USE WITH: 431-7079 UNERCARRIAGE, SYSTEMONE	0	\$1,780
L	368-9742	GUARD, TRACK GUIDING, FULL FOR USE IN LANE 3 ONLY Full length guard section ONLY FOR USE WITH: 431-7079 UNERCARRIAGE, SYSTEMONE	0	\$2,705

**Track Guiding Guards, Heavy Duty**

L	382-6524	GUARD, TRACK GUIDING, F&R. Front and rear guard section ONLY FOR USE WITH: 431-7080 UNERCARRIAGE, HEAVY DUTY INCLUDED IN: 516-6864 D6K XL TRACTOR FRST MACH CFG1	0	\$1,780
L	368-9741	GUARD, TRACK GUIDING, FULL Full length guard section ONLY FOR USE WITH: 431-7080 UNERCARRIAGE, HEAVY DUTY	0	\$2,705
L	368-9744	GUARD, TRACK GUIDING, CTR Center guard section ONLY FOR USE WITH: 431-7080 UNERCARRIAGE, HEAVY DUTY	0	\$995

**No guiding guard**

P	234-4747	GUARD, TRACK GUIDING, NONE No track guiding will be provided when selecting this attachment ONLY FOR USE WITH: 431-7079 UNERCARRIAGE, SYSTEMONE or 431-7080 UNERCARRIAGE, HEAVY DUTY	0	NC
---	----------	---	---	----

CATERPILLAR MACHINE PRICE LIST

**D6K-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**HYDRAULICS**

**HYDRAULIC OIL**

L	525-6315	HYDRAULIC OIL, STANDARD . . . . . 0 Standard hydraulic oil, factory filled. For the implement hydraulic system only. INCLUDED IN: 516-6864 D6K2 XL TRACTOR FORESTRY CFG1		NC
---	----------	---	--	----

**REAR CONTROL PACKAGES**

L	465-0442	NO REAR HYDRAULIC PACKAGE . . . . . 2 The machine will not be ripper ready neither winch ready when selecting this package. INCLUDES: HYDRAULICS, 3 VALVE, STANDARD CONTROL, NO REAR ATTACHMENT -Standard console cover HYDRAULICS, STANDARD REQUIRES: 295-7680 WINCH PREPARATION or 246-8384 DRAWBAR or 340-5429 COUNTERWEIGHT, REAR or 449-5863 NO REAR ATTACHMENTS		NC
L	465-0443	RIPPER READY PACKAGE . . . . . 99 The machine will be ripper ready when selecting this package INCLUDES: HYDRAULICS, 4 VALVE -For VPAT hydraulic lift, tilt -Angle, and ripper Control, ripper -Ripper control lever -Console cover HYDRAULICS, STANDARD REQUIRES: 488-2587 NO ARO, MECHANICAL PITCH or 522-0648 ARO, MECHANICAL PITCH or 465-0464 GRADE W/3D		\$1,595

L	465-0444	RIPPER READY PKG, POWERPITCH . . . . . 99 FOR USE IN LANE 3 ONLY REQUIRES: 488-2589 NO ARO, POWER PITCH or 522-0649 ARO, POWER PITCH		\$1,595
---	----------	---	--	---------

L	465-0445	WINCH READY PACKAGE . . . . . 370 FOR USE IN LANE 3 ONLY The machine will be winch ready when selecting this package. Includes: Hydraulics, 3 valve, standard Control, winch -Includes standard console cover Hydraulics, standard REQUIRES: 488-2587 NO ARO, MECHANICAL PITCH or 522-0648 ARO, MECHANICAL PITCH or 465-0464 GRADE W3D, MECH PITCH and 424-7004 FAN, DEMAND, WINCH or 424-7005 FAN, DEMAND, REVERSING, WINCH AND ONLY FOR USE WITH: 295-7680 WINCH PREPARATION REQUIRED BY: 295-7680 WINCH PREPARATION		\$6,960
---	----------	--	--	---------

CATERPILLAR MACHINE PRICE LIST

**D6K-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**HYDRAULICS (CONT.)**

**REAR CONTROL PACKAGES (Cont.)**

L	465-0447	<b>DUAL CONTROL PACKAGE</b> . . . . . 392 FOR USE IN LANE 2 ONLY The machine will be ripper and winch ready when selecting this package. INCLUDES: Hydraulics, 4 valve -For VPAT blade hydraulic lift, tilt -Angle, and ripper Control, ripper or winch -Control lever to operate either ripper or winch -Console cover Hydraulics, winch ready REQUIRES: 488-2587 NO ARO, MECHANICAL PITCH or 522-0648 ARO, MECHANICAL PITCH or 465-0464 GRADE W/3D and 424-7004 FAN, DEMAND, WINCH or 424-7005 FAN, DEMAND, REVERSING, WINCH		<b>\$8,420</b>
L	465-0448	<b>DUAL READY PKG, POWERPITCH</b> . . . . . 392 FOR USE IN LANE 3 ONLY REQUIRES: 488-2589 NO ARO, POWER PITCH or 522-0649 ARO, POWER PITCH and 424-7004 FAN, DEMAND, WINCH or 424-7005 FAN, DEMAND, REVERSING, WINCH		<b>\$8,420</b>

**STARTERS, BATTERIES, & ALTERNATORS**

**STARTERS**

L	465-5604	<b>STARTER, STANDARD</b> . . . . . 0		<b>NC</b>
L	465-5611	<b>STARTER, LOW TEMPERATURE</b> . . . . . 0 Recommended with a cold weather package in extremely low temperature.		<b>\$845</b>

**OPERATOR ENVIRONMENT**

**CAB PACKAGES**

L	487-6134	<b>CAB COMFORT PACKAGE</b> . . . . . 0 INCLUDES: Standard cab Air suspension, heated and ventilated seat Heated joystick control handles Wiring camera-ready cab Note: Recommended with the kit visibility, single camera		<b>\$2,080</b>
L	493-2899	<b>CAB PACKAGE, HD</b> . . . . . 0 FOR USE IN LANE 3 ONLY Includes: Heavy Duty cab with polycarbonate windows, Air suspension seat, Standard joystick control handles, Wiring camera-ready cab. Note: Recommended with the kit visibility, single camera		<b>\$1,605</b>
L	422-5372	<b>CAB STANDARD PACKAGE</b> . . . . . 0 Includes standard cab and air suspension seat		<b>NC</b>

CATERPILLAR MACHINE PRICE LIST

**D6K-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**TECHNOLOGY PRODUCTS**

***BULLDOZER / ACCUGRADE CONTROL***

ACCUGRADE CONTROL SYSTEM ORDERING

- (1) Ordering installation. accugrade ready (ARO) allows the machine to be equipped with an accugrade GNSS (GPS and GLONASS satellite constellations), laser or UTS grade control system electronics kit.
- (2) An accuGrade electronics kit (GNSS, Laser, or UTS) must be ordered separately and additional to the machine.
- (3) The purchase of a accugrade software enabled attachment (SEA) premium configuration is required for those configurations requiring automatic blade control and must be ordered separately and additional to the machine and the accuGrade electronics kit.
- (4) Site infrastructure is also necessary to operate the accugrade system. For example, GNSS systems require a GNSS base station laser systems require a laser transmitter UTS requires a universal total station.

Please consult the ACCUTTT1 price list for ordering instructions for electronics kits, Accugrade SEA and site infrastructure.

L	488-2587	NO ARO, MECHANICAL PITCH . . . . .	0	NC
L	488-2589	NO ARO, POWER PITCH . . . . . FOR USE IN LANE 3 ONLY	0	\$3,910
L	522-0648	ARO, MECHANICAL PITCH . . . . .	0	\$5,190
L	522-0649	ARO, POWER PITCH . . . . . FOR USE IN LANE 3 ONLY REQUIRED BY: 516-6864 D6K XL TRACTOR FRST MACH CFG1	0	\$9,090
L	465-0464	GRADE W/3D . . . . .	0	\$53,160

***PRODUCT LINK***

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet.

Availability varies by country, please contact your Cat marketing representative with questions or click on the link below:  
[HTTPS://DEALER.CAT.COM/en/bt/otd/machine-price-list.html](https://dealer.cat.com/en/bt/otd/machine-price-list.html)  
From there click on the "PRODUCT LINK Hardware Certification" link

L	517-8081	PRODUCT LINK, CELLULAR PLE641 . . . . . Product Link Elite series PLE641 offers expanded coverage including 3G UMTS and CDMA2000 as well as 2G GSM and CDMA cellular networks to transmit location, utilization and condition information for viewing in Product Link-s remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.	0	NC
---	----------	---	---	----

CATERPILLAR MACHINE PRICE LIST

**D6K-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**TECHNOLOGY PRODUCTS (CONT.)**

**PRODUCT LINK (Cont.)**

L	460-5843	PROD LINK, DUAL PLE641 + PL631 . . . . . 0		\$1,243
		The Product Link Elite series dual solution uses a combination of UMTS and CDMA 3G cellular and satellite networks to transmit location, utilization and condition information for viewing in Product Link-s remote monitoring web interface. For applications that require travel between areas of both cellular and satellite coverage.		

**FUEL SYSTEMS**

**TANK FUEL**

L	459-1505	TANK FUEL, FF & REFILL READY . . . . . 15		\$224
		FOR USE IN LANE 3 ONLY Provides fuel tank with openings for either the fast fill system or the refilling fuel pump CANNOT BE USED WITH: 459-1756 PROTECTION PACKAGE, HEAVY DUTY REQUIRED BY: 498-1977 PROTECTION PACKAGE, HD, FF READY		
L	425-7127	TANK FUEL, STANDARD . . . . . 0		NC
		Standard tank fuel		

**COOLING**

**FAN**

L	424-7002	FAN, DEMAND . . . . . 13		NC
		Electronically controlled hydraulic demand fan drive Automatically adapts cooling to engine heat load Note: Recommended when the machine is used in cold and hot environments. CANNOT BE USED WITH: 465-0445 WINCH READY PACKAGE 465-0447 DUAL CONTROL PACKAGE 465-0448 DUAL READY PKG, POWERPITCH		
L	424-7003	FAN, DEMAND, REVERSING . . . . . 18		\$1,800
		Electronically controlled hydraulic demand fan drive Automatically adapts cooling to engine heat load Allows to reverse air flow through the radiator Note: Recommended for applications with a risk of radiator plugging CANNOT BE USED WITH: 465-0445 WINCH READY PACKAGE 465-0447 DUAL CONTROL PACKAGE 465-0448 DUAL READY PKG, POWERPITCH		
L	424-7004	FAN, DEMAND, WINCH . . . . . 13		NC
		Electronically controlled hydraulic demand fan drive Automatically adapts cooling to engine heat load Note: Recommended when the machine is used in cold and hot environments RECOMMENDED BY: 438-1061 PA50 WINCH, VARIABLE SPEED ONLY FOR USE WITH: 465-0445 WINCH READY PACKAGE or 465-0447 DUAL CONTROL PACKAGE or 465-0448 DUAL READY PKG, POWERPITCH CANNOT BE USED WITH: 465-0443 RIPPER READY PACKAGE 465-0442 NO REAR HYDRAULIC PACKAGE		

CATERPILLAR MACHINE PRICE LIST

**D6K-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**COOLING (CONT.)**

**FAN (Cont.)**

L	424-7005	<b>FAN, DEMAND, REVERSING, WINCH</b> . . . . . 18 Electronically controlled hydraulic demand fan drive Automatically adapts cooling to engine heat load Allows to reverse air flow through the radiator Note: Recommended for applications with a risk of radiator plugging RECOMMENDED BY: 438-1061 PA50 WINCH, VARIABLE SPEED ONLY FOR USE WITH: 465-0445 WINCH READY PACKAGE or 465-0447 DUAL CONTROL PACKAGE or 465-0448 DUAL READY PKG, POWERPITCH CANNOT BE USED WITH: 465-0443 RIPPER READY PACKAGE 465-0442 NO REAR HYDRAULIC PACKAGE		\$1,800
---	----------	---	--	---------

**GUARDS**

**PROTECTION PACKAGES**

L	459-1753	<b>PROTECTION PACKAGE, STANDARD</b> . . . . . 516 INCLUDES: GRILL RADIATOR, STANDARD GUARD, CRANKCASE, STANDARD		NC
L	459-1755	<b>PROTECTION PACKAGE, FRONT</b> . . . . . 692 This package is recommended in harsh environments INCLUDES: GRILL, RADIATOR, HEAVY DUTY (Provides additional protection to the radiator) GUARD, CRANKCASE, STANDARD		\$565
L	459-1756	<b>PROTECTION PACKAGE, HEAVY DUTY</b> . . . . . 1,045 This package is recommended for severe applications Includes: Guard, Heavy duty for tank fuel, standard -10 mm-thick steel guard protecting rear of the machine Grill, radiator, Heavy duty -Provides additional protection to the radiator Guard, crankcase, heavy duty Note: Recommended in harsh environments CANNOT BE USED WITH: 459-1505 TANK FUEL, FF + REFILL READY INCLUDED IN: 516-6864 D6K XL FRST MACH CFG1		\$2,520
L	498-1977	<b>PROTECTION PKG, HD, FF READY</b> . . . . . 0 FOR USE IN LANE 3 ONLY This package is recommended for severe applications Includes: Guard, Heavy duty for tank fuel, fast fill and refill ready -10 mm-thick steel guard protecting rear of the machine -Grill, radiator, Heavy duty -Provides additional protection to the radiator Guard, crankcase, heavy duty Note: Recommended in harsh environments RECOMMENDED BY: 459-1505 TANK FUEL, FF + REFILL READY		\$2,520

CATERPILLAR MACHINE PRICE LIST

**D6K-BR**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OTHER ATTACHMENTS**

**REAR ATTACHMENTS**

L	246-8384	<b>DRAWBAR</b> . . . . .	176	NC
L	492-4972	<b>DRAWBAR GP-SWING</b> . . . . . Swing drawbar for use with rear attachments that demand free movement or smaller turn radius when the tractor is equipped with plow or similar attachment.	0	\$3,330
P	487-6095	<b>PACKAGE RIPPER, TEETH CURVED</b> . . . . . ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes: Ripper, Multi-shank -Ripper, hydraulic, parallelogram rear-mounted When installed on an LGP machine, the ripper is intended for scarifying hard soil only, not for normal ripping applications Teeth curved, set of 3 -Three curved shank ripper teeth	2,167 0	\$15,510 \$15,510 NI
P	487-6096	<b>PACKAGE RIPPER, TEETH STRAIGHT</b> . . . . . ALSO AVAILABLE ON A MISCELLANEOUS ORDER INCLUDES: Ripper, Multi-shank -Ripper, hydraulic, parallelogram rear-mounted. When installed on an LGP machine, the ripper is intended for scarifying hard soil only, not for normal ripping applications. Teeth straight, set of 3 -Three straight shank ripper teeth	2,167 0	\$15,510 \$15,510 NI
P	295-7680	<b>WINCH PREPARATION</b> . . . . . FOR USE IN LANE 3 ONLY PA50 winch, listed under Field Installed Attachments section, requires this Winch Preparation and Winch ready Hydraulics Please refer to Field Installed Attachments section for winch ordering instructions. REQUIRES: 441-5461 SCREEN, REAR or 465-0427 CAB, PROTECTION PACKAGE or 465-0428 CAB, PROTECTION PACKAGE, HD	0	\$-315
P	340-5429	<b>COUNTERWEIGHT, REAR</b> . . . . . ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides a 540 kg (1190 lbs) rear counterweight (includes a rear drawbar) to reach optimum balance if extra weight is added to the front of the machine and when no ripper or winch is installed. Extra slabs (78 kg / 172 lbs) each are available.	1,190 0	\$4,025 \$4,025 NI
L	449-5863	<b>NO REAR ATTACHMENT</b> . . . . . This reference must be selected only when the dealer wants to install his own rear attachments at the dealership or in the field In any case, the machine must be sold to the final customer with an appropriate rear attachment (drawbar, ripper, winch, counterweight) to reach the optimum balance of the complete machine and to keep a safe access to the fuel tank. Orders with this no rear attachment will be accepted by the factory only if the final rear configuration is explained and justified with a note in the MSO. Please check the global configuration of the machine is consistent with the intended rear equipment, including the appropriate PTO filter and rear hydraulic protections.	0	NC

CATERPILLAR MACHINE PRICE LIST

# D6K-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
<b>BLADES</b>				
P	348-6300	BLADE, 126" ARO XL . . . . .	2,136 0	\$8,070 \$8,070 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Power-Angle-Tilt XL ARO blade with mechanical variable pitch and finishing end bits PLEASE ORDER THIS ATTACHMENT AS DETACHED		
P	348-6280	BLADE, 145" ARO LGP . . . . .	2,143 0	\$8,440 \$8,440 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Power-Angle-Tilt LGP ARO blade with mechanical variable pitch and finishing end bits PLEASE ORDER THIS ATTACHMENT AS DETACHED REQUIRED BY: 504-3741 D6K LGP TRACTOR		
P	371-0749	BLADE, 126" FOLDABLE ARO XL . . . . .	0 0	\$12,110 \$12,110 NI
		FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER Power-Angle-Tilt XL blade with finishing end bits Blade has one foldable end which can be manually folded toward the front of the machine to fit within the 2.50 meter (8.36 ft) transportation width PLEASE ORDER THIS ATTACHMENT AS DETACHED ONLY FOR USE WITH: 456-8039 D6K2 XL TRACTOR		
P	371-0779	BLADE, 145" FOLDABLE ARO LGP . . . . .	0 0	\$12,660 \$12,660 NI
		FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER Power-Angle-Tilt LGP Blade with finishing end bits Blade has one foldable end which can be manually folded toward the front of the machine to fit within the 3.00 meter (9.84 ft) transportation width PLEASE ORDER THIS ATTACHMENT AS DETACHED ONLY FOR USE WITH: 424-5551 D6K2 LGP TRACTOR		
P	483-9320	BLADE, 145" FOLDABLE ARO LGP . . . . .	0	\$12,660 NI
		FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER Power-Angle-Tilt LGP Blade with finishing end bits. Blade has one foldable end which can be manually folded toward the front of the machine to fit within the 3.00 meter (9.84 ft) transportation width. ONLY FOR USE WITH: 424-5551 D6K2 LGP TRACTOR		
P	483-9250	BLADE, 126" FOLDABLE ARO XL . . . . .	0 0	\$12,110 \$12,110 NI
		FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER Power-Angle-Tilt XL blade with finishing end bits. Blade has one foldable end which can be manually folded toward the front of the machine to fit within the 2.50 meter (8.36 ft) transportation width. PLEASE ORDER THIS ATTACHMENT AS DETACHED		
P	340-7729	NO BLADE . . . . .	0	NC
		Select this attachment when the machine needs to be shipped without blade		

CATERPILLAR MACHINE PRICE LIST

**D6K-BR**

USE	REF NO.	<b>LANE 2 / 3 MANDATORY</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	-----------------	----------------------

**FLUIDS**

***FLUID FILM***

0P-3940	PROTECTION, CYLINDER ROD . . . . .	0	NC
---------	------------------------------------	---	----

***ANTIFREEZE***

0P-1939	ANTIFREEZE WINDSHIELD WASHER . . . . .	0	NC
---------	--	---	----

0P-3978	FUEL ANTIFREEZE, -25C (-13F) . . . . . Provides fuel (diesel) antifreeze protection down to -25C (-13F)	0	NC
---------	--	---	----

**INSTRUCTIONS**

0P-0996	MANUAL, ENGLISH . . . . .	0	NC
---------	---------------------------	---	----

CATERPILLAR MACHINE PRICE LIST

**D6K-BR**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**STARTERS, BATTERIES, & ALTERNATORS**

**COLD WEATHER PACKAGES**

L	465-5002	<b>COLD WEATHER, 120V, PACKAGE</b> . . . . . 2 Recommended in cold ambient temperature environments Includes: Heater, engine coolant, 120V Ether starting aid		\$250
---	----------	---	--	-------

**BREATHER**

L	485-7652	<b>ELECTRICAL INSULATED BREATHER.</b> . . . . . 0 FOR USE IN LANE 3 ONLY For operation on ambient climates of -25C to -40C, it is recommended that the cold climate pack is fitted This consists of a heated filter canister and insulated hoses		\$1,955
---	----------	---	--	---------

**ELECTRICAL**

L	358-3947	<b>BEACON, ROTATING</b> . . . . . 7 Rotating Beacon. Heavy duty bracket design allows beacon to be retracted to avoid damage during transportation in wooded areas		\$655
---	----------	---	--	-------

**OPERATOR ENVIRONMENT**

P	438-8473	<b>KIT VISIBILITY, SINGLE CAMERA</b> . . . . . 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER The camera system can be used to enhance the operators visibility of his surroundings, or provide a better view of his work tool. The image is included in the main machine display when the machine is placed in reverse gear. ONLY FOR USE WITH: 456-8039 D6K2 XL TRACTOR or 424-5551 D6K2 LGP TRACTOR and 493-2899 CAB PACKAGE, HD or 487-6134 CAB COMFORT PACKAGE or 456-8107 D6K XL TRACTOR or 504-3741 D6K LGP TRACTOR and 504-4593 CAB PACKAGE, HD	0	\$540 \$540 NI
P	495-1449	<b>RADIO, AM/FM/AUX/USB/BLUETOOTH</b> . . . . . 0 12V AM/FM Stereo with Bluetooth technology and USB connection. Includes individual bass/treble controls, loudness adjustment and station pre-set capability. Pre-set memory is maintained by internal battery.		\$550

CATERPILLAR MACHINE PRICE LIST

**D6K-BR**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**GUARDS**

**GUARD PACKAGE**

L	465-0427	<b>CAB, PROTECTION PACKAGE</b> . . . . . 525 This Package is recommended for forestry and severe applications Includes: Sweeps, Cab -Bolt-on sweeps Screen, Rear Cab -Protective screen for rear window CANNOT BE USED WITH: 441-5461 SCREEN, REAR 250-1699 SCREEN, SIDE 515-2041 CAB ARRANGEMENT REQUIRED BY: 295-7680 WINCH PREPARATION		<b>\$4, 675</b>
L	465-0428	<b>CAB, PROTECTION PACKAGE, HD</b> . . . . . 791 This Package is recommended for forestry and severe applications Includes: Sweeps, Cab -Bolt-on sweeps Screen, rear Cab -Protective screen for rear window Guard, lights, rear -Protective screen for rear lights Screen, side -Protective screens for side windows CANNOT BE USED WITH: 441-5461 SCREEN, REAR 250-1699 SCREEN, SIDE REQUIRED BY: 295-7680 WINCH PREPARATION 515-2041 CAB ARRANGEMENT		<b>\$6, 680</b>

**SCREEN GUARD**

L	441-5461	<b>SCREEN, REAR</b> . . . . . 75 FOR USE IN LANE 3 ONLY Protective screen for rear window Note: Recommended for forestry and severe applications RECOMMENDED BY: 295-7680 WINCH PREPARATION		<b>\$1, 265</b>
P	250-1699	<b>SCREEN, SIDE</b> . . . . . 267 FOR USE IN LANE 3 ONLY Protective screen for rear window		<b>\$1, 550</b>

**OTHER ATTACHMENTS**

**MAINTENANCE AND RELATED ATTACHMENTS**

P	432-8643	<b>FUEL PUMP, REFILLING</b> . . . . . 0 FOR USE IN LANE 3 ONLY Provides an electrical fuel refilling pump (50 liters/min), with automatic shut-off. Refills the fuel tank in about 6 min. Includes: 3 meter hose Filter ONLY FOR USE WITH: 459-1505 TANK FUEL, FF + REFILL READY		<b>\$1, 410</b>
---	----------	--	--	-----------------

CATERPILLAR MACHINE PRICE LIST

**D6K-BR**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OTHER ATTACHMENTS (CONT.)**

**MAINTENANCE AND RELATED ATTACHMENTS (Cont.)**

L	553-0886	<b>OIL CHANGE SYSTEM, HIGH SPEED</b> . . . . . 0 Easy access drain line and Wiggins connector for remote engine oil drain. Provides quick, clean and easy engine oil change without having to go under the machine to access a gravity drain.		<b>\$314</b>
L	460-1189	<b>SHOVEL FASTENER</b> . . . . . 0 FOR USE IN LANE 3 ONLY Convenient feature to fasten the shovel on the machine.		<b>\$169</b>

**COUNTERWEIGHT ADDITIONAL**

P	340-5433	<b>COUNTERWEIGHT, REAR SLAB</b> . . . . . 172 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Additional weight 78kg / 172 lbs per slab. Slabs can be ordered quantity 1 or 2, INSTALLED with the machine ONLY FOR USE WITH: 340-5429 COUNTERWEIGHT, REAR		<b>\$459</b> <b>\$459 NI</b>
---	----------	--	--	---------------------------------

**INSTRUCTIONS**

**EXPOSITION INSTRUCTIONS**

	OP-2949	<b>EXPOSITION INSTRUCTION</b> . . . . . 0 This special instruction must be selected whenever dealer is placing an order for a unit intended for use at expositions and/or trade fairs.		<b>NC</b>
--	---------	---	--	-----------

**PACKING**

	OP-6637	<b>ROLL ON-ROLL OFF</b> . . . . . 0 Packing for a dismounted or not installed blade		<b>\$204 NET</b>
	OP-6706	<b>BUNDLE EXPORT PACKING</b> . . . . . 0 This OP should be ordered for all miscellaneous orders		<b>NC</b>

**AM-NORTH INFORMATION**

**REGIONAL ORDERING INFORMATION FOR WINCH ATTACHMENTS**

Winches available from CAT Work Tools for North America only.  
Please refer to the Work Tools - TTT Price list for current prices and contact info for availability.

CATERPILLAR MACHINE PRICE LIST

# D6K-BR

---

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	----------------------	--------------------	-------------------------

---

**AM-NORTH INFORMATION (CONT.)**

4381061 PA50 WINCH, VARIABLE SPEED  
Variable speed, hydrostatic winch  
Bare drum line pull: 50.000lbs  
ONLY FOR USE WITH: 295-7680 WINCH PREPARATION

1871713 KIT, CONVERSION, PA50 4TH ROLL  
REQUIRES: 187-1710 FAIRLEAD, 3 ROLLERS

1871710 FAIRLEAD, PA50 3 ROLLERS  
ONLY FOR USE WITH: 438-1061 PA50 WINCH, VARIABLE SPEED  
504-9635 WINCH ARRANGEMENT, TOWING