

CATERPILLAR MACHINE PRICE LIST

D6N-BR

D6N TRACK TYPE TRACTOR
PIRACICABA, BRAZIL

Ship Weight
lbs

LIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

3000 meter altitude operation capability w/o de-rating
Air cleaner, pre-cleaner with dust ejector or pre-cleaner under hood air intake system
Aluminum bar-plate cooling system (radiator, powertrain oil cooler, ATAAC, hydraulic Oil cooler)
Coolant, extended life
Electric fuel priming pump

UNDERCARRIAGE

Center tread idler
Lifetime lubricated track rollers (7 XL & 8 LGP) and idlers
Carrier rollers
Hydraulic track adjusters

HYDRAULICS

Load sensing hydraulics

ELECTRICAL

Horn
Hour meter-LRC
Back-up alarm
12V converter, 10A
Diagnostic connector
950CCA class 31 batteries
Integrated lights (4 front, 2 rear)
95 AMP HD alternator
24V electric starter

OPERATOR ENVIRONMENT

ROPS/FOPS Cab
Integrated A/C with automatic temperature control
Seat, air suspension, cloth for cab
Seat belt, retractable 76 mm (3")
Adjustable armrests
Foot rests for slope work
Decelerator and brake pedal
Color graphic 178mm (7") display
Powertrain Control Module
-Electronic engine air cleaner service indicator
-Electronic water-in-fuel sensor service indicator
Electro-hydraulic implement and differential steering controls
12V radio ready (plug and play)
Storage compartment
Cup holder
Coat hook
Rear view mirror

OTHER STANDARD EQUIPMENT

C-Frame, cylinders (VPAT) and lines
Extended service intervals (500 hrs engine, 1000 hrs powertrain)
Ecology drains (engine oil, engine coolant, powertrain case, hydraulic)
Scheduled Oil Sampling ports (engine, powertrain, hydraulics and engine coolant)
Centralized remote mounted pressure taps
Front pull device
Hinged radiator louvered grill
Lockable engine enclosures

CATERPILLAR MACHINE PRICE LIST

D6N-BR

D6N TRACK TYPE TRACTOR PIRACICABA, BRAZIL	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

**Lane 2 is reserved for the Base Order Management Program.
Please use Lane 2 when placing orders that are part of the Base Order
Management program.**

525-0897	D6N LGP HD WASTE TRACTOR,DCA6C 0	\$374,640
	LANE 1 - AVAILABLE FROM GALVESTON PDC	

INCLUDES:

- 384-0228 D6N LGP TRACTOR
- 205-6131 GUARD GUIDING CENTER, HD
- 369-7330 HYDRAULIC OIL, STANDARD
- 384-1728 TRACK,33",ES,CENT HOLE LGP HD
- 392-6891 TANK FUEL, FF & REFILL READY
- 395-0150 DEMAND FAN STANDARD
- 417-0432 PRECLEANER, TURBINE W/SCREEN
- 510-7531 NO ARO INSTALLATION, VPAT
- 419-7632 REGIONAL PACKAGE ADSD-N
- 421-3718 NO REAR HYDRAULIC PACKAGE
- 421-4061 COLD WEATHER, 120V, PACKAGE
- 421-6899 NO GUARD
- 423-7623 PTO FILTER, NO WINCH
- 445-2338 WASTE HANDLING PACKAGE, LGP
- 451-8903 RADIATOR, TRASH RESISTANT
- 473-5047 UC, LGP, HEAVY DUTY, WASTE
- 478-7977 BULLDOZER, VPAT, LGP, HD, PKG
- 480-9985 OIL CHANGE SYSTEM, HIGH SPEED
- 482-4146 REAR BOX WITH STRIKER BAR
- 523-3908 CAB COMFORT PACKAGE
- 476-1415 LIGHTS

NOTE: Please refer to the Lane 1 section to complete your order.

CATERPILLAR MACHINE PRICE LIST

D6N-BR

D6N TRACK TYPE TRACTOR PIRACICABA, BRAZIL	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

525-0896 D6N LGP HD GRADE 3D TTT, DCA5C	0	\$404,420
LANE 1 - AVAILABLE FROM GALVESTON PDC		

INCLUDES:

- 384-0228 D6N LGP TRACTOR
- 205-6131 GUARD GUIDING CENTER, HD
- 369-7330 HYDRAULIC OIL, STANDARD
- 392-6891 TANK FUEL, FF & REFILL READY
- 395-0150 DEMAND FAN STANDARD
- 510-7530 ARO INSTALLATION, VPAT
- 417-5031 AIR CLEANER, STANDARD
- 419-7632 REGIONAL PACKAGE ADSD-N
- 419-9110 GUARD, REAR, STANDARD
- 421-3712 RIPPER READY PACKAGE
- 421-4061 COLD WEATHER, 120V, PACKAGE
- 423-7623 PTO FILTER, NO WINCH
- 445-2333 STANDARD PACKAGE, LGP
- 445-8574 GUARD, VPAT, HEAVY DUTY, PKG
- 448-0193 UC, LGP, HEAVY DUTY
- 450-9588 TRACK, 33" ES LGP HD
- 457-6563 BULLDOZER VPAT LGP, GRADE W/3D
- 462-6165 RADIATOR, STANDARD
- 480-9985 OIL CHANGE SYSTEM, HIGH SPEED
- 523-3908 CAB COMFORT PACKAGE
- 517-7918 LIGHTS, GRADE W/3D

NOTE: Please refer to the Lane 1 section to complete your order.

384-0227 D6N XL TRACTOR	11,563	\$325,880
LANE 2 - AVAILABLE FROM PIRACICABA FACTORY		
LANE 3 - AVAILABLE FROM PIRACICABA FACTORY		

- C7.1 Caterpillar diesel engine Tier 4 Final / EU Stage IV / Japan
- 2014 (Tier 4 Final) certified engine with aftertreatment (DPF & SRC)
- Diesel exhaust fluid
- Single poly-vee belt with auto belt tensioner
- Glow plug starting aid
- Engine driven, viscous clutch fan (variable controlled fan speed)
- 3 speed planetary, powershift transmission with lock up clutch torque converter
- Enhanced auto shift (EAS)
- Infinite ground speed adjustment (GSA)
- Shift management
- Automatic directional and downshift
- Controlled throttle, Load compensated
- Differential steering
- Engine idle shutdown
- Auto engine speed control
- Extended life coolant

CATERPILLAR MACHINE PRICE LIST

D6N-BR

D6N TRACK TYPE TRACTOR PIRACICABA, BRAZIL	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

384-0228	D6N LGP TRACTOR 0	\$340,070
	LANE 2 - AVAILABLE FROM PIRACICABA FACTORY	
	LANE 3 - AVAILABLE FROM PIRACICABA FACTORY	
	C7.1 Caterpillar diesel engine Tier 4 Final / EU Stage IV / Japan 2014 (Tier 4 Final) certified engine with aftertreatment (DPF & SRC) Diesel exhaust fluid Single poly-vee belt with auto belt tensioner Glow plug starting aid Engine driven, viscous clutch fan (variable controlled fan speed) 3 speed planetary, powershift transmission with lock up clutch torq converter Enhanced auto shift (EAS) Infinite ground speed adjustment (GSA) Shift management -Automatic directional and downshift -Controlled throttle, Load compensated Differential steering Engine idle shutdown Auto engine speed control Extended life coolant	

0P-4166	D6N MISCL MATERIAL 0	NC
	AVAILABLE FROM PIRACICABA FACTORY	

Only reference numbers that have the text
"ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a MISC order.

CATERPILLAR MACHINE PRICE LIST

D6N-BR

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

LANE SELECTION

OP-9001	LANE 1 ORDER	0	NC
---------	------------------------	---	----

PRODUCT LINK

L	517-0463	PRODUCT LINK, CELLULAR PLE641 Product Link Elite series PLE641 offers expanded coverage including 3G UMTS and CDMA2000 as well as 2G GSM and CDMA cellular networks to transmit location, utilization and condition information for viewing in Product Link-s remote monitoring web interface. Cellular provides capabilities for frequent transmission and larger volumes of data.	0	NC
---	----------	--	---	----

REAR ATTACHMENT

L	387-2239	DRAWBAR Rigid drawbar ONLY FOR USE WITH: 525-0896 D6N LGP HD GRADE 3D TTT, DCA5C	249	NC
---	----------	--	-----	----

BLADE

P	485-4171	BLADE, 161" LANDFILL LGP The landfill blade is equipped with a trash rack to increase its productive capacity when machine works in lighter material such as waste.	3,166	\$16,110
---	----------	--	-------	----------

INCLUDES:
VPAT LANDFILL BLADE, 4080MM WIDE
SLOPE SENSOR
PLEASE ORDER THIS ATTACHMENT AS DETACHED
ONLY FOR USE WITH: 525-0897 D6N LGP HD WASTE TRACTOR,DCA6C

P	480-8597	BLADE, 161" ARO LGP INCLUDES: VPAT BLADE, 4080MM WIDE, 3.9CUM. MOUNTING BRACKET FOR RECEIVERS ANGLE SENSOR PLEASE ORDER THIS ATTACHMENT AS DETACHED ONLY FOR USE WITH: 525-0896 D6N LGP HD GRADE 3D TTT, DCA5C	2,720	\$12,070
---	----------	--	-------	----------

ANTIFREEZE

OP-1939	ANTIFREEZE WINDSHIELD WASHER	0	NC
---------	--	---	----

OP-3978	FUEL ANTIFREEZE, -25C (-13F) Provides fuel (diesel) antifreeze protection down to -25C (-13F)	0	NC
---------	--	---	----

FLUID FILM

OP-3940	PROTECTION, CYLINDER ROD	0	NC
---------	------------------------------------	---	----

INSTRUCTIONS

OP-0996	MANUAL, ENGLISH	0	NC
---------	---------------------------	---	----

CATERPILLAR MACHINE PRICE LIST

D6N-BR

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

ELECTRICAL

L	349-5602	BEACON, ROTATING 4		\$700
		Rotating beacon. The magnetic mounting allows the beacon to be retracted to avoid damage during transportation in wooded areas.		
		ONLY FOR USE WITH: 525-0897 D6N LGP HD WASTE TRACTOR,DCA6C		

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

PACKING

	OP-6637	ROLL ON-ROLL OFF 0		\$204 NET
--	---------	------------------------------	--	-----------

CATERPILLAR MACHINE PRICE LIST

D6N-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
OP-9003	LANE 3 ORDER	0	NC

REGIONAL PACKAGES

L	419-7632	REGIONAL PACKAGE, AM-N	0	NC
		INCLUDES: WARNING DECALS, ANSI RADIO AR		

SPECIAL ARRANGEMENTS

L	445-2332	STANDARD PACKAGE, XL	3,946	NC
		This package is designed for all standard types of general earthmoving tasks INCLUDES: ENCLOSURE FENDER FINAL DRIVE ONLY FOR USE WITH: 384-0227 D6N TRACTOR XL		
L	445-2333	STANDARD PACKAGE, LGP	4,056	NC
		This package is designed for all standard types of general earthmoving tasks INCLUDES: ENCLOSURE FENDER FINAL DRIVE ONLY FOR USE WITH: 384-0228 D6N TRACTOR LGP		

CATERPILLAR MACHINE PRICE LIST

D6N-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

SPECIAL ARRANGEMENTS (CONT.)

L	445-2337	<p>WASTE HANDLING PACKAGE, XL 5,840</p> <p>FOR USE IN LANE 3 ONLY</p> <p>Includes:</p> <ul style="list-style-type: none"> Heavy duty fenders (10mm thick) Heavy duty battery box and sheet metal (6mm thick) Heavier duty latches on sheet metal access panels Hydraulic tank cap guard Heavy duty fuel tank guard (10mm thick) Final Drive Seal Guards. These are tightly fitted, overlapping steel rings, pressed and welded to the final drive hub and spindle to help keep damaging wire out of the final drive seals Heavy duty crankcase guard Heavy duty front grill louvered <p>RECOMMENDED OPTIONS:</p> <ul style="list-style-type: none"> 417-0432 PRECLEANER, TURBINE W/SCREEN 384-1712 TRACK,600MM,ES CENT HOLE XL HD 485-4170 BLADE, 3270MM LANDFILL XL <p>REQUIRES: 482-4146 REAR BOX WITH STRICKER BAR, or 419-9111 GUARD, REAR, HEAVY DUTY and 451-8903 RADIATOR, TRASH RESISTANT and 523-3908 CAB COMFORT PACKAGE 535-8333 FAN, DIRECT DRIVE, FLEXXAIRE</p> <p>ONLY FOR USE WITH: 384-0227 D6N XL TRACTOR</p>	5,840	\$10,570
L	445-2338	<p>WASTE HANDLING PACKAGE, LGP 5,840</p> <p>FOR USE IN LANE 3 ONLY</p> <p>Waste package for Low Ground Pressure Heavy Duty undercarriage</p> <p>Includes:</p> <ul style="list-style-type: none"> Heavy duty fenders (10mm thick) Heavy duty battery box and sheet metal (6mm thick) Heavier duty latches on sheet metal access panels Hydraulic tank cap guard Heavy duty fuel tank guard (10mm thick) Final Drive Seal Guards. These are tightly fitted, overlapping steel rings, pressed and welded to the final drive hub and spindle to help keep damaging wire out of the final drive seals Heavy duty crankcase guard Heavy duty front grill louvered <p>RECOMMENDED OPTIONS:</p> <ul style="list-style-type: none"> 417-0432 PRECLEANER, TURBINE W/SCREEN 384-1728 TRACK,840MM ES, C.HOLE LGP HD 485-4171 BLADE, 4080MM LANDFILL LGP <p>REQUIRES: 482-4146 REAR BOX WITH STRICKER BAR, or 419-9111 GUARD, REAR, HEAVY DUTY and 451-8903 RADIATOR, TRASH RESISTANT and 523-3908 CAB COMFORT PACKAGE 535-8333 FAN, DIRECT DRIVE, FLEXXAIRE</p> <p>ONLY FOR USE WITH: 384-0228 D6N LGP TRACTOR</p>	5,840	\$10,570

CATERPILLAR MACHINE PRICE LIST

D6N-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	--------------------	-------------------------

SPECIAL ARRANGEMENTS (CONT.)

L	445-2334	FORESTRY PROTECTION PKG, XL 6,296 FOR USE IN LANE 3 ONLY Includes: Grill, front louvered Grill, front pinched Heavy duty fenders (10mm thick) Heavy duty battery box and enclosure (6mm thick) Hydraulic tank cap guard Heavy duty fuel tank guard (10mm thick) Guard, Crankcase, HD Full width sweeps painted black to reduce glare Bolt on solid panel above cab Side screens painted black Hinged rear screen painted black Roof forestry with harness extensions for lights Heavy duty guarding for landclearing and forestry applications ONLY FOR USE WITH: 384-0227 D6N XL TRACTOR	6,296	\$16,350
L	445-2335	FORESTRY PROTECTION PKG, LGP 6,407 FOR USE IN LANE 3 ONLY Forestry package for Low Ground Pressure undercarriage Includes: Grill, front louvered Grill, front pinched Heavy duty fenders (10mm thick) Heavy duty battery box and enclosure (6mm thick) Hydraulic tank cap guard Heavy duty fuel tank guard (10mm thick) Full width sweeps painted black to reduce glare Guard, Crankcase, HD Bolt on solid panel above cab Side screens painted black Side screens painted black Hinged rear screen painted black Roof forestry with harness extensions for lights Heavy duty guarding for landclearing and forestry applications RECOMMENDED OPTION: Heavy Duty Undercarriage, Extreme Service track Shoes Guard, rear HD when winch is not ordered ONLY FOR USE WITH: 384-0228 D6N LGP TRACTOR	6,407	\$16,350

CATERPILLAR MACHINE PRICE LIST

D6N-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

SPECIAL ARRANGEMENTS (CONT.)

C	516-6770	FIRE TRACTOR PACKAGE, XL 0 FOR USE IN LANE 3 ONLY Includes: Non-Derate engine registered National Security Exempt (NSE) for emergency vehicles All the modifications included in the forestry package All internal and external hydraulic lines and harnesses fire-resistant wrapped Emergency fuel shut-off inside the cab All bottom guards heavy duty (0.62" / 16mm thick) Features inside the base fire dozer cab RECOMMENDED OPTIONS: UC, XL, heavy duty, tie downs, UC fine grading for machines working in slopes on loose material to enhance the machine stability when configured with a winch, Lights firedozer, 12 lights, Cab with enhanced filtration (EF), Blade, brush guard, XL, Fire resistant oil REQUIRES: 502-9463 DUAL CONTROL PACKAGE, FIRE DOZER and 509-0240 DIR. DRIVE HYD FAB, REVERSIBLE and 519-7625 LIGHTS, FIRE DOZER and 522-5183 CAB COMFORT PKG, FIRE DOZER or 516-6784 CAB COMFORT PKG, FIRE DOZER or 522-5184 CAB COMFORT PKG, FIRE DOZER or 522-5178 CAB COMFORT PKG, FIRE DOZER and 523-6222 PTO FILTER, NO WINCH or 523-6223 PTO FILTER, WINCH and 516-8008 BULLDOZER, VPAT XL, FIRE DOZER and 515-9038 KIT VISIBILITY, SINGLE CAMERA		\$42,040
---	----------	---	--	-----------------

CATERPILLAR MACHINE PRICE LIST

D6N-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

SPECIAL ARRANGEMENTS (CONT.)

C	522-5190	FIRE TRACTOR PACKAGE, LGP 0 FOR USE IN LANE 3 ONLY INCLUDES: Non-Derate engine registered National Security Exempt (NSE) for emergency vehicles All the modifications included in the forestry package All internal and external hydraulic lines and harnesses fire-resistant wrapped Emergency fuel shut-off inside the cab All bottom guards heavy duty (0.62" / 16mm thick) Features inside the base fire dozer cab RECOMMENDED OPTIONS: Lights firedozer, 12 lights Cab with enhanced filtration (EF) Blade, brush guard, LGP Fire resistant oil REQUIRES: 502-9463 DUAL CONTROL PACKAGE, FIRE DOZER and 509-0240 DIR. DRIVE HYD FAB, REVERSIBLE and 519-7625 LIGHTS, FIRE TRACTOR, STANDARD and 522-5190 FIRE DOZER PACKAGE, LGP and 522-5183 CAB COMFORT PKG, FIRE DOZER or 516-6784 CAB COMFORT PKG, FIRE DOZER or 522-5184 CAB COMFORT PKG, FIRE DOZER or 522-5178 CAB COMFORT PKG, FIRE DOZER and 523-6222 PTO FILTER, NO WINCH or 523-6223 PTO FILTER, WINCH and 516-8009 BULLDOZER,VPAT LGP,FIRETRACTOR and 515-9038 KIT VISIBILITY, SINGLE CAMERA	0	\$42,040
---	----------	--	---	----------

POWERTRAIN

ENGINE AIR CLEANER

L	417-5031	AIR CLEANER, STANDARD 15	15	NC
L	417-0432	PRECLEANER, TURBINE W/SCREEN 29 Turbine air precleaner with screen. Improves filter life RECOMMENDED in Waste Handling application	29	\$945

CATERPILLAR MACHINE PRICE LIST

D6N-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

UNDERCARRIAGE

SystemOne can be used in most of the HD sealed and lubricated applications.
Center tread idlers now run on the bushings instead of the links, eliminating link scalloping, substantially increasing links life, O&O costs are significantly reduced by elimination of bushing turns and increased components wear life.
Due to the potential increase in undercarriage life resulting from systemOne, Extreme Service (ES) shoes should be considered for applications that are anticipated to be shoe-life limited in order to match shoe life with link life.
Customers should carefully select between SystemOne and Heavy Duty undercarriage based on expected application.
For attachment guiding / guarding (for SystemOne and Heavy Duty configurations), see the Track Guiding Guard Arrangements section
It is recommended the machines use Heavy Duty undercarriage in high debris packing applications.

SYSTEMONE XL

L	448-0200	UC, XL, SYSTEMONE	6,834	\$9,260
		ONLY FOR USE WITH: 384-0227 D6N XL TRACTOR		
L	448-0196	UC,XL, SYSTEMONE, FINE GRADING	7,657	\$17,860
		FOR USE IN LANE 3 ONLY Uses 8 roller track frame of the LGP version, including carrier roller and track guiding guards, front and rear, on the XL machine. Provides more track on the ground for increased fore/aft stability. ONLY FOR USE WITH: 384-0227 D6N XL TRACTOR		

SYSTEMONE LGP

L	448-0191	UC, LGP, SYSTEMONE	7,436	\$9,710
		ONLY FOR USE WITH: 384-0228 D6N LGP TRACTOR		

HEAVY DUTY XL

L	448-0192	UC, XL, HEAVY DUTY	6,515	NC
		Recommended in debris packing applications. ONLY FOR USE WITH: 384-0227 D6N XL TRACTOR		
L	473-5044	UC, XL, HEAVY DUTY, WASTE	0	\$-810
		FOR USE IN LANE 3 ONLY Idler Seal Guards. Machined parts are used to help prevent wrapping materials from damaging the idler seals. Recommended with track groups with center hole ONLY FOR USE WITH: 384-0227 D6N XL TRACTOR and 445-2337 WASTE HANDLING PACKAGE, XL		
L	448-0197	UC,XL,HEAVY DUTY, FINE GRADING	7,372	\$9,120
		FOR USE IN LANE 3 ONLY Uses 8 roller track frame of the LGP version, including carrier roller and track guiding guard, center on the XL machine. Provides more track on the ground for increased fore/aft stability. ONLY FOR USE WITH: 384-0227 D6N XL TRACTOR		

CATERPILLAR MACHINE PRICE LIST

D6N-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

UNDERCARRIAGE (CONT.)

L	448-0194	UC,XL, HEAVY DUTY W/DBL FLANGE 6,585 FOR USE IN LANE 3 ONLY Includes higher flange track guiding rollers in all positions except end rollers. ONLY FOR USE WITH: 384-0227 D6N XL TRACTOR		\$560
C	516-6870	UC, XL, HEAVY DUTY, TIE DOWNS 0 CONTACT CUSTOM PRODUCTS FOR AVAILABILITY. FOR USE IN LANE 3 ONLY Provides two D-rings per track roller frames as an alternative mean to tie down a machine on a lowboy more quickly. RECOMMENDED BY: 516-6770 FIRE DOZER PACKAGE, XL ONLY FOR USE WITH: 516-6770 FIRE DOZER PACKAGE, XL		\$1,770

HEAVY DUTY LGP

L	448-0193	UC, LGP, HEAVY DUTY 7,105 Recommended in debris packing applications ONLY FOR USE WITH: 384-0228 D6N LGP TRACTOR		NC
L	473-5047	UC, LGP, HEAVY DUTY, WASTE 0 FOR USE IN LANE 3 ONLY Idler Seal Guards. Machined parts are used to help prevent wrapping materials from damaging the idler seals. Recommended in debris packing applications Recommended with track groups with center hole ONLY FOR USE WITH: 384-0228 D6N LGP TRACTOR and 445-2338 WASTE HANDLING PACKAGE, LGP		\$-820
L	448-0195	UC,LGP,HEAVY DUTY W/DBL FLANGE 7,183 Includes higher flange track guiding rollers in all positions except end rollers. ONLY FOR USE WITH: 384-0228 D6N LGP TRACTOR		\$560

TRACKS XL SYSTEMONE

L	384-1705	TRACK, 24" ES XL S1 5,785 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 384-0227 D6N XL TRACTOR and 448-0200 UC, XL, SYSTEMONE		NC
L	384-1709	TRACK, 22", ES, XL 5,397 40 Sections ONLY FOR USE WITH: 384-0227 D6N XL TRACTOR and 448-0200 UC, XL, SYSTEMONE		\$-220
L	451-0643	TRACK, 24" MS, (46 SEC) 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 384-0227 D6N XL TRACTOR and 448-0196 UC, XL, SYSTEMONE, FINE GRADING		\$3,150
L	445-0287	TRACK, 24" MS, XL HD (46 SEC) 0 FOR USE IN LANE 3 ONLY 600MM(46SEC)24" track shoes, Moderate service ONLY FOR USE WITH: 384-0227 D6N XL TRACTOR and 448-0197 UC, XL, HEAVY DUTY, FINE GRADING		\$3,150

CATERPILLAR MACHINE PRICE LIST

D6N-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

UNDERCARRIAGE (CONT.)

TRACK XL HEAVY DUTY

L	450-9590	TRACK, 24", ES, XL, HD 40 Sections Recommended in debris packing applications ONLY FOR USE WITH: 384-0227 D6N XL TRACTOR and 448-0192 UC, XL, HEAVY DUTY or 448-0194 UC, XL, HEAVY DUTY W/ DBL FLANGE	6,250	NC
L	384-1712	TRACK, 24" ES CTR HOLE XL HD FOR USE IN LANE 3 ONLY 40 Sections Extreme Service shoes with Center Holes. Center Hole shoes let the sprocket push out debris, to reduce packing within the track and chain Recommended in Waste Applications ONLY FOR USE WITH: 384-0227 D6N XL TRACTOR	6,574	\$1,020
L	524-5200	TRACK, 22" ES XL HD 560MM (22") extreme service track shoes. ONLY FOR USE WITH: 486-7271 D6N XL SU TRACTOR or 462-5229 D6N XL VPAT TRACTOR and 489-4642 UNDERCARRIAGE, HD or 492-0421 UNDERCARRIAGE, HD, CTR GUIDE or 489-4643 UNDERCARRIAGE, HD, WASTE or 491-4974 UNDERCARRIAGE, HD, END GUIDE or 492-0417 UNDERCARRIAGE, HD, FULL GUIDE or 384-0227 D6N XL TRACTOR and 489-4642 UNDERCARRIAGE, HD or 448-0192 UC, XL, HEAVY DUTY or 448-0194 UC,XL, HEAVY DUTY W/DBL FLANGE or 516-6870 UC, XL, HEAVY DUTY, TIE DOWNS	0	\$1,020
L	451-1419	TRACK, 24" ES (46 SEC) HD ONLY FOR USE WITH: 384-0228 D6N LGP TRACTOR and 448-0193 UC, LGP, HEAVY DUTY or 448-0195 UC, LGP, HEAVY DUTY W/DBL FLANGE	0	\$1,350

TRACKS LGP SYSTEMONE

L	384-1729	TRACK, 33", MS, LGP ONLY FOR USE WITH: 384-0228 D6N LGP TRACTOR 448-0191 UC, LGP, SYSTEMONE	7,441	NC
L	384-1721	TRACK, 33", ES, LGP ONLY FOR USE WITH: 384-0228 D6N LGP TRACTOR 448-0191 UC, LGP, SYSTEMONE	9,103	\$790
L	384-1717	TRACK, 34" ES (46 SEC) FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 384-0228 D6N LGP TRACTOR 448-0191 UC, LGP, SYSTEMONE	220	\$1,655

TRACKS LGP HEAVY DUTY

L	384-1716	TRACK, 34", ES, LGP, HD FOR USE IN LANE 3 ONLY Recommended in debris packing applications ONLY FOR USE WITH: 384-0228 D6N LGP TRACTOR 448-0193 UC, LGP, HEAVY DUTY 448-0195 UC, LGP, HEAVY DUTY W/DBL FLANGE	9,508	\$1,375
---	----------	---	-------	---------

CATERPILLAR MACHINE PRICE LIST

D6N-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

UNDERCARRIAGE (CONT.)

TRACKS LGP HEAVY DUTY (Cont.)

L	384-1728	TRACK,33",ES,CENT HOLE LGP HD 9,202 FOR USE IN LANE 3 ONLY 840MM (33") center hole extreme service track shoes Recommended in waste applications ONLY FOR USE WITH: 384-0228 D6N LGP TRACTOR 448-0193 UC, LGP, HEAVY DUTY 448-0195 UC, LGP, HEAVY DUTY W/DBL FLANGE 473-5047 UC, LGP, HEAVY DUTY, WASTE		\$2,145
L	450-9588	TRACK, 33" ES LGP HD 9,352 Recommended in debris packing applications. ONLY FOR USE WITH: 384-0228 D6N LGP TRACTOR 448-0193 UC, LGP, HEAVY DUTY 448-0195 UC, LGP, HEAVY DUTY W/DBL FLANGE		\$1,130

TRACK GUIDING GUARDS

L	394-7564	GUARD GUIDING, CENTER 104 Center guard section ONLY FOR USE WITH: 384-0228 D6N LGP TRACTOR and 448-0191 UC, LGP, SYSTEMONE		NC
L	384-7413	GUARD GUIDING CENTER, HD 152 Center guard section, heavy duty ONLY FOR USE WITH: 384-0227 D6N XL TRACTOR and 448-0192 UC, XL, HEAVY DUTY or 448-0194 UC, XL, HEAVY DUTY W/DBL FLANGE or 448-0197 UC, XL,HEAVY DUTY, FINE GRADING or 473-5044 UC, XL, HEAVY DUTY, WASTE		\$1,225
L	205-6131	GUARD GUIDING CENTER, HD 236 Center guard section, heavy duty ONLY FOR USE WITH: 384-0228 D6N LGP TRACTOR and 448-0193 UC, LGP, HEAVY DUTY or 448-0195 UC, LGP, HEAVY DUTY W/DBL FLANGE or 473-5047 UC, LGP, HEAVY DUTY, WASTE		\$1,225
L	271-6164	GUARD GUIDING, CENTER 104 FOR USE IN LANE 3 ONLY Center guard section ONLY FOR USE WITH: 384-0227 D6N XL TRACTOR and 448-0200 UC, XL, SYSTEMONE or 448-0196 UC,XL, SYSTEMONE, FINE GRADING		\$1,235
L	384-7414	GUARD GUIDING, FRONT & REAR. 183 Front and rear guard sections ONLY FOR USE WITH: 384-0228 D6N LGP TRACTOR and 448-0191 UC, LGP, SYSTEMONE or 384-0227 D6N XL TRACTOR and 448-0191 UC, LGP, SYSTEMONE		\$2,095
L	251-8616	GUARD GUIDING, FRONT AND REAR 207 FOR USE IN LANE 3 ONLY Front and rear guard sections (2nd and 6th roller) ONLY FOR USE WITH: 448-0200 UC, XL, SYSTEMONE		\$2,095

CATERPILLAR MACHINE PRICE LIST

D6N-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

UNDERCARRIAGE (CONT.)

TRACK GUIDING GUARDS (Cont.)

L	205-6130	GUARD, GUIDING, ES, FULL, HD 600 Track guides and guard for heavy duty service Includes full length track roller guiding guards with scalloped design Provides superior track guiding in applications with sideslopes greater than 2:1 ONLY FOR USE WITH: 384-0228 D6N LGP TRACTOR and 448-0193 UC, LGP, HEAVY DUTY or 448-0195 UC, LGP, HEAVY DUTY W/DBL FLANGE or 516-6870 UC, XL, HEAVY DUTY, TIE DOWMNS		\$3,280
L	205-6128	GUARD GUIDING ES FULL, HD 485 FOR USE IN LANE 3 ONLY Full length guard f":356-2925 UNDERCARRIAGE, XL, HEAVY DUTY ONLY FOR USE WITH: 384-0227 D6N XL TRACTOR and 448-0194 UC, XL, HEAVY DUTY W/DBL FLANGE or 448-0197 UC, XL, HEAVY DUTY, FINE GRADING or 516-6870 UC, XL, HEAVY DUTY, TIE DOWMNS		\$3,615
L	251-8619	GUARD GUIDING, FULL 359 Full length guard ONLY FOR USE WITH: 384-0227 D6N XL TRACTOR and 448-0200 UC, XL, SYSTEMONE or 448-0196 UC, XL, SYSTEMONE, FINE GRADING		\$3,655
L	384-7415	GUARD GUIDING, FULL 434 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 384-0228 D6N LGP TRACTOR and 448-0191 UC, LGP, SYSTEMONE		\$3,655
L	394-7564	GUARD GUIDING, CENTER 104 Center guard section ONLY FOR USE WITH: 384-0228 D6N LGP TRACTOR and 448-0191 UC, LGP, SYSTEMONE		NC
L	384-7412	NO GUIDING GUARD 0 Select this attachment when no track guiding guard is required, especially with complete and special undercarriages: Finegrading or super LGP. CANNOT BE USED WITH: 448-0194 UC, XL, HEAVY DUTY W/DBL FLANGE 448-0195 UC, LGP, HEAVY DUTY W/DBL FLANGE		NC

HYDRAULICS

REAR CONTROL PACKAGES

L	421-3718	NO REAR HYDRAULIC PACKAGE 146 With this option, the machine will not be ripper ready or winch ready INCLUDES: HYDRAULICS, 3 VALVE, 6VPAT COVER, CONSOLE		NC
L	421-3715	WINCH READY PACKAGE 148 FOR USE IN LANE 3 ONLY INCLUDES: HYDRAULICS, 3 VALVE, 6VPAT COVER, CONSOLE, WINCH CANNOT BE USED WITH: 424-0661 BULLDOZER SU XL, PACKAGE 388-1177 RIPPER, TEETH STRAIGHT, PKG 388-1178 RIPPER, TEETH CURVED, PACKAGE		NC

CATERPILLAR MACHINE PRICE LIST

D6N-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

REAR CONTROL PACKAGES (Cont.)

L	421-3712	RIPPER READY PACKAGE 152 INCLUDES: HYDRAULICS, 4 VALVE, 6VPAT COVER, CONSOLE, RIPPER CANNOT BE USED WITH: 424-0661 BULLDOZER, SU XL, PACKAGE 479-6436 PA55 WINCH, STANDARD SPEED PKG 479-6437 PA55 WINCH, SLOW SPEED, PKG		\$1,805
L	421-3710	DUAL CONTROL PACKAGE, SU 152 FOR USE IN LANE 3 ONLY Intended for machines that can be fitted either with a ripper or a winch INCLUDES: CONTROL, DUAL, CAB HYDRAULICS, 4 VALVE, 6SU ONLY FOR USE WITH: 384-0227 D6N XL TRACTOR CANNOT BE USED WITH: 424-0659 BULLDOZER, VPAT XL, STD PKG 478-7976 BULLDOZER, VPAT XL, HD PKG		\$2,565
L	421-3706	DUAL CONTROL PACKAGE 152 FOR USE IN LANE 3 ONLY Intended for machines that can be fitted either with a ripper or a winch. INCLUDES: CONTROL, DUAL, CAB HYDRAULICS, 4 VALVE, 6VPAT CANNOT BE USED WITH: 424-0661 BULLDOZER, SU XL, PACKAGE		\$3,260

FIRE TRACTOR REAR CONTROL PACKAGES

C	502-9463	DUAL CONTROL PKG, FIRE TRACTOR 0 CONTACT CUSTOM PRODUCTS FOR AVAILABILITY. Intended for machines fitted with a plow (powered by ripper lines) towed by a winch INCLUDES: CONTROL, DUAL, CAB HYDRAULICS, 4 VALVE, 6VPAT REQUIRED BY: 516-6770 FIRE TRACTOR PACKAGE, XL 522-5190 FIRE TRACTOR PACKAGE, LGP		\$3,260
---	----------	--	--	----------------

HYDRAULIC FAN

L	545-5050	FAN, DEMAND, STANDARD 86		NC
L	545-5051	FAN, DIRECT DRIVE, REVERSIBLE 73 Direct drive fan replacing demand fan standard. Manual operation allows to reverse air flow through the radiator. This fan arrangement is not appropriate for waste handling applications. The reverse airflow is intended for cold climates, not for dislodging debris in the cooling system.		\$1,355

CATERPILLAR MACHINE PRICE LIST

D6N-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

HYDRAULIC FAN (Cont.)

L	535-8333	FAN, DIRECT DRIVE, FLEXXAIRE 0		\$2,880
		FOR USE IN LANE 3 ONLY The fan automatically reverses the air flow and purges material away. Recommended for applications where debris causes cooling problems. The fan pitch is controlled manually (On and Off) or automatically with adjustments of the frequency and duration. ONLY FOR USE WITH: 445-2337 WASTE HANDLING PACKAGE, XL or 445-2338 WASTE HANDLING PACKAGE, LGP or 445-2334 FORESTRY PROTECTION PKG, XL or 445-2335 FORESTRY PROTECTION PKG, LGP REQUIRED BY: 445-2337 WASTE HANDLING PACKAGE, XL 445-2338 WASTE HANDLING PACKAGE, LGP		

FIRE TRACTOR HYDRAULIC FAN

L	509-0240	DIRECT DRIVE FAN, FLEXXAIRE 0		\$2,880
		FOR USE IN LANE 3 ONLY The fan automatically reverses the air flow and purges material away. Recommended for applications where debris causes cooling problems. The fan pitch is controlled manually (On and Off) or automatically with adjustments of the frequency and duration. ONLY FOR USE WITH: 516-6770 FIRE DOZER PACKAGE, XL or 522-5190 FIRE DOZER PACKAGE, LGP		

REAR HYDRAULICS

FIRE TRACTOR REAR HYDRAULICS

Fire-resistant wrap of powertrain oil lines

C	523-6222	PTO FILTER, NO WINCH 0		NC
		FOR USE IN LANE 3 ONLY REQUIRED BY: 516-6770 FIRE TRACTOR PACKAGE, XL 522-5190 FIRE TRACTOR PACKAGE, LGP		
C	523-6223	PTO FILTER, WINCH 0		NC
		FOR USE IN LANE 3 ONLY REQUIRED BY: 516-6770 FIRE TRACTOR PACKAGE, XL 522-5190 FIRE TRACTOR PACKAGE, LGP		

WINCH REAR HYDRAULICS

L	423-7624	PTO FILTER, WINCH 40		NC
		PTO filter in low position ONLY FOR USE WITH: 421-3715 WINCH READY PACKAGE 421-3706 DUAL CONTROL PACKAGE		

CATERPILLAR MACHINE PRICE LIST

D6N-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

REAR HYDRAULICS (Cont.)

L	423-7623	PTO FILTER, NO WINCH	20	NC
		PTO filter in standard position CANNOT BE USED WITH: 479-6436 PA55 WINCH, STANDARD SPEED PKG 479-6437 PA55 WINCH, SLOW SPEED, PKG		

STARTERS, BATTERIES, & ALTERNATORS

WEATHER PACKAGES AND BATTERIES

L	421-4063	BATTERY, STANDARD, PACKAGE	123	NC
		Standard 950 CCA Batteries		
L	421-4065	BATTERY, HEAVY DUTY, PACKAGE	143	\$424
		FOR USE IN LANE 3 ONLY Two 12-Volt batteries, 1400 CCA, replacing standard batteries RECOMMENDED: in cold ambient temperature environments		
L	421-4061	COLD WEATHER, 120V, PACKAGE	152	\$965
		Two 12-Volt batteries, 1400 CCA, replacing standard batteries Recommended in cold ambient temperature environments INCLUDES: HEATER, ENGINE COOLANT, 120V ETHER STARTING AID BATTERY, HEAVY DUTY STARTER, HEAVY DUTY		

ELECTRICAL

LIGHT GROUP

L	476-1415	LIGHTS	0	NC
		CANNOT BE USED WITH: 457-6563 BULLDOZER VPAT LGP, GRADE W/3D 457-7676 BULLDOZER, VPAT XL, CGC PKG 445-2334 FORESTRY PROTECTION PKG, XL 445-2335 FORESTRY PROTECTION PKG, LGP		
L	517-7918	LIGHTS, GRADE W/3D	0	NC
		ONLY FOR USE WITH: 457-6563 BULLDOZER VPAT LGP, GRADE W/3D 457-7676 BULLDOZER, VPAT XL, CGC PKG		
L	519-7020	LIGHTS, FORESTRY	0	NC
		FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 445-2334 FORESTRY PROTECTION PKG, XL 445-2335 FORESTRY PROTECTION PKG, LGP		

FIRE TRACTOR LIGHTS

C	519-7625	LIGHTS, FIRE TRACTOR, STANDARD	0	NC
		FOR USE IN LANE 3 ONLY Standard lights with harness fire-resistant wrapped ONLY FOR USE WITH: 516-6770 FIRE DOZER PACKAGE, XL 522-5190 FIRE DOZER PACKAGE, LGP		
C	519-7626	LIGHTS, FIRE TRACTOR, 12 LIGHTS	0	\$6,180
		CONTACT CUSTOM PRODUCTS FOR AVAILABILITY. FOR USE IN LANE 3 ONLY Additional standard lights with harness fire-resistant wrapped ONLY FOR USE WITH: 516-6770 FIRE DOZER PACKAGE, XL 522-5190 FIRE DOZER PACKAGE, LGP		

CATERPILLAR MACHINE PRICE LIST

D6N-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT

CAB PACKAGES

L	523-3907	CAB STANDARD PACKAGE 0		NC
		INCLUDES: STANDARD CAB, AIR SUSPENSION SEAT, WIRING CAMERA-READY CAB CANNOT BE USED WITH: 445-2334 FORESTRY PROTECTION PKG, XL 445-2335 FORESTRY PROTECTION PKG, LGP FIRE DOZER PACKAGES		
L	523-3908	CAB COMFORT PACKAGE 0		\$1,605
		INCLUDES: STANDARD CAB AIR SUSPENSION, HEATED AND VENTILATED SEAT WIRING CAMERA-READY CAB CANNOT BE USED WITH: 445-2334 FORESTRY PROTECTION PKG, XL 445-2335 FORESTRY PROTECTION PKG, LGP 483-7815 KIT VISIBILITY, SINGLE CAMERA FIRE DOZER PACKAGES REQUIRED BY: 445-2337 WASTE HANDLING PACKAGE, XL 445-2338 WASTE HANDLING PACKAGE, LGP		
L	523-3909	CAB COMFORT PACKAGE, HD 0		\$4,270
		FOR USE IN LANE 3 ONLY INCLUDES: HEAVY DUTY CAB WITH POLYCARBONATE FRONT WINDSHIELD AND HINGED DOOR SCREENS PAINTED BLACK AIR SUSPENSION, HEATED AND VENTILATED SEAT WIRING CAMERA-READY CAB ONLY FOR USE WITH: 445-2334 FORESTRY PROTECTION PKG, XL 445-2334 FORESTRY PROTECTION PKG, XL		

FIRE TRACTOR CAB PACKAGES

C	522-5183	CAB COMFORT PKG, HD, S&T, SF 0		NC
		CONTACT CUSTOM PRODUCTS FOR AVAILABILITY. INCLUDES: FORESTRY TYPE HINGED DOOR SCREENS, PAINTED BLACK ALL WINDOWS SEALED AND TEMPERED (S&T), BUT FRONT WINDSHIELD WHICH IS SAFETY LAMINATED CAB FLOOR ACCEDD DOOR ENGINE AIR FILTER RESTRICTION GAUGE ON DASHBOARD HARNESSES & HOSES WITH FIRE-RESISTANT WRAP STANDARD CAB AIR FILTRATION (SF) AIR SUSPENSION, HEATED AND VENTILATED SEAT WIRING CAMERA-READY CAB PROVISIONS FOR ADDITIONAL LIGHTS REQUIRED BY: 516-6770 FIRE DOZER PACKAGE, XL		

CATERPILLAR MACHINE PRICE LIST

D6N-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

FIRE TRACTOR CAB PACKAGES (Cont.)

C	516-6784	CAB COMFORT PKG, HD, S&L, SF 0 FOR USE IN LANE 3 ONLY CONTACT CUSTOM PRODUCTS FOR AVAILABILITY. INCLUDES: BASE FIRE DOZER CAB ALL GLASSES SEALED & LAMINATED (S&L) INSTEAD OF SEALED & TEMPERED (S&T) ONLY FOR USE WITH: 516-6770 FIRE DOZER PACKAGE, XL 522-5190 FIRE DOZER PACKAGE, LGP		\$2,415
C	522-5184	CAB COMFORT PKG, HD, S&T, EF 0 FOR USE IN LANE 3 ONLY CONTACT CUSTOM PRODUCTS FOR AVAILABILITY. INCLUDES: BASE FIRE DOZER CAB ENHANCED CAB AIR FILTRATION (EF) INCLUDING SPARK ARRESTER, CARBON FILTER, POWERED TURBINE PRECLEANER ONLY FOR USE WITH: 516-6770 FIRE DOZER PACKAGE, XL 522-5190 FIRE DOZER PACKAGE, LGP		\$5,160
C	522-5178	CAB COMFORT PKG, HD, S&L, EF 0 FOR USE IN LANE 3 ONLY CONTACT CUSTOM PRODUCTS FOR AVAILABILITY. INCLUDES: BASE FIRE DOZER CAB ALL GLASSES SEALED & LAMINATED (S&L) INSTEAD OF SEALED & TEMPERED (S&T) ENHANCED CAB AIR FILTRATION (EF) INCLUDING SPARK ARRESTER, CARBON FILTER, POWERED TURBINE PRECLEANER ONLY FOR USE WITH: 516-6770 FIRE DOZER PACKAGE, XL 522-5190 FIRE DOZER PACKAGE, LGP		\$7,570

TECHNOLOGY PRODUCTS

MACHINE CONTROL OPTIONS ACCUGRADE

For a complete AccuGrade ready machine, you must order the AccuGrade Ready attachment (ARO). AccuGrade blade mounts are standard on all blades unless otherwise stated.

L	510-7529	NO ARO INSTALLATION, SU 0 FOR USE IN LANE 3 ONLY The machine is NOT AccuGrade ready if this reference is ordered. REQUIRES: 424-0661 BULLDOZER, SU XL, PACKAGE ONLY FOR USE WITH: 421-3710 DUAL CONTROL PACKAGE, SU		NC
L	510-7528	ARO INSTALLATION, SU 0 FOR USE IN LANE 3 ONLY The machine is AccuGrade ready if this reference is ordered. Includes blade joystick with 3 buttons, connection at the front of the machines. Power Module is included, but Receivers, Masts and other necessary equipment will need to be ordered through the proper distribution channel. REQUIRES: 424-0661 BULLDOZER, SU XL, PACKAGE ONLY FOR USE WITH: 421-3710 DUAL CONTROL PACKAGE, SU		\$5,460

CATERPILLAR MACHINE PRICE LIST

D6N-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

MACHINE CONTROL OPTIONS ACCUGRADE (Cont.)

L	510-7531	NO ARO INSTALLATION, VPAT 0 FOR USE IN LANE 3 ONLY The machine is NOT AccuGrade ready if this reference is ordered. REQUIRES: 424-0659 BULLDOZER, VPAT XL, STD PKG 424-0660 BULLDOZER, VPAT LGP, STD PKG 478-7976 BULLDOZER, VPAT XL, HD PACKAGE 478-7977 BULLDOZER, VPAT, LGP, HD, PKG 516-8008 BULLDOZER,VPAT XL,FIRE TRACTOR 516-8009 BULLDOZER,VPAT LGP,FIRETRACTOR		NC
L	510-7530	ARO INSTALLATION, VPAT 0 The machine is AccuGrade ready if this reference is ordered. Includes blade joystick with 3 buttons, connection at the front of the machines. Power Module is included, but Receivers, Masts and other necessary equipment will need to be ordered through the proper distribution channel. ARO installation is REQUIRED BY CGC Bulldozers. REQUIRES: 457-7676 BULLDOZER VPAT XL, GRADE W/3D 424-0659 BULLDOZER, VPAT XL, STD PKG 424-0660 BULLDOZER, VPAT LGP, STD PKG 478-7976 BULLDOZER, VPAT XL, HD PACKAGE 478-7977 BULLDOZER, VPAT, LGP, HD, PKG 457-6563 BULLDOZER VPAT LGP, GRADE W/3D		\$5,460

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of Fowning and operating your fleet.

Availability varies by country, please contact your Cat marketing representative with questions or click on the link below:
[HTTPS://DEALER.CAT.COM/en/bt/otd/machine-price-list.html](https://dealer.cat.com/en/bt/otd/machine-price-list.html)
From there click on the "PRODUCT LINK Hardware Certification" link

L	517-0463	PRODUCT LINK, CELLULAR PLE641 0 Product Link Elite series PLE641 offers expanded coverage including 3G UMTS and CDMA2000 as well as 2G GSM and CDMA cellular networks to transmit location, utilization and condition information for viewing in Product Link-s remote monitoring web interface. Cellular provides capabilities for frequent transmission and larger volumes of data. CANNOT BE USED WITH: 445-2334 FORESTRY PROTECTION PKG XL 445-2335 FORESTRY PROTECTION PKG LGP		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

D6N-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

PRODUCT LINK (Cont.)

L	524-4442	PRODUCT LINK, CELLULAR PLE641 0 Product Link Elite series PLE641 offers expanded coverage including 3G UMTS and CDMA2000 as well as 2G GSM and CDMA cellular networks to transmit location, utilization and condition information for viewing in Product Link-s remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data. ONLY FOR USE WITH: 445-2334 FORESTRY PROTECTION PKG XL 445-2335 FORESTRY PROTECTION PKG LGP 516-6770 FIRE TRACTOR PACKAGE XL 522-5190 FIRE TRACTOR PACKAGE LGP		NC
L	446-7162	PROD LINK, DUAL PLE641 + PL631 0 The Product Link Elite series dual solution uses a combination of cellular and satellite networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For applications that require travel between areas of both cellular and satellite coverage. CANNOT BE USED WITH: 445-2334 FORESTRY PROTECTION PKG XL 445-2335 FORESTRY PROTECTION PKG LGP		\$1,243
L	524-4441	PROD LINK, DUAL PLE641 + PL631 0 The Product Link Elite series dual solution uses a combination of cellular and satellite networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For applications that require travel between areas of both cellular and satellite coverage. ONLY FOR USE WITH: 445-2334 FORESTRY PROTECTION PKG XL 445-2335 FORESTRY PROTECTION PKG LGP 516-6770 FIRE TRACTOR PACKAGE XL 522-5190 FIRE TRACTOR PACKAGE LGP		\$1,243

FUEL SYSTEMS

TANK FUEL

L	392-6886	TANK FUEL, STANDARD 291 Standard tank fuel CANNOT BE USED WITH: 424-5510 FUEL PUMP, REFILLING		NC
L	392-6891	TANK FUEL, FF & REFILL READY 15 FOR USE IN LANE 3 ONLY Provides fuel tank with openings for either the fast fill system or the refilling fuel pump. CANNOT BE USED WITH: 445-2334 FORESTRY PROTECTION PKG, XL 445-2335 FORESTRY PROTECTION PKG, LGP 479-6436 PA55 WINCH, STANDARD SPEED PKG 479-6437 PA55 WINCH, SLOW SPEED, PKG 516-6770 FIRE TRACTOR PACKAGE, XL		\$225

COOLING

L	462-6165	RADIATOR, STANDARD 258 CANNOT BE USED WITH: 445-2337 WASTE HANDLING PACKAGE, XL 445-2338 WASTE HANDLING PACKAGE, LGP		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

D6N-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

COOLING (CONT.)

L	451-8903	RADIATOR, TRASH RESISTANT 298 FOR USE IN LANE 3 ONLY Provides wider fin spacing radiator (6fpi instead of 9fpi) straight through fin design enhances cleanability and aluminium material provides efficient heat transfer. Recommended for high debris applications such as land clearing or waste handling REQUIRED BY: 445-2337 WASTE HANDLING PACKAGE, XL 445-2338 WASTE HANDLING PACKAGE, LGP		\$1,430
---	----------	---	--	----------------

GUARDS

L	445-8573	GUARD, VPAT, STANDARD, PACKAGE 465 Includes: Guard, Crankcase, Standard Grill, Front Louvered, Standard CANNOT BE USED WITH: 445-2334 FORESTRY PROTECTION PKG, XL 445-2335 FORESTRY PROTECTION PKG, LGP 445-2337 WASTE HANDLING PACKAGE, XL 445-2338 WASTE HANDLING PACKAGE, LGP 421-3710 DUAL CONTROL PACKAGE, SU		NC
L	445-8576	GUARD, SU, HEAVY DUTY, PACKAGE 833 FOR USE IN LANE 3 ONLY Provides protection in harsh environments INCLUDES: GRILL SU GUARD, CRANKCASE, HD FUEL TANK GUARD (6 mm thick) Recommended for extreme service applications ONLY FOR USE WITH: 384-0227 D6N XL TRACTOR 421-370 DUAL CONTROL PACKAGE, SU		\$3,005
L	445-8574	GUARD, VPAT, HEAVY DUTY, PKG 176 Provides protection in harsh environments INCLUDES: GUARD, CRANKCASE, HD GRILL, FRONT LOUVERED, HD FUEL TANK GUARD (6 mm thick) Recommended for extreme service applications CANNOT BE USED WITH: 445-2334 FORESTRY PROTECTION PKG, XL 445-2335 FORESTRY PROTECTION PKG, LGP 445-2337 WASTE HANDLING PACKAGE, XL 445-2338 WASTE HANDLING PACKAGE, LGP 421-3710 DUAL CONTROL PACKAGE, SU 516-6770 FIRE TRACTOR PACKAGE, XL		\$2,610

REAR HYDRAULIC PROTECTIONS

L	421-6899	NO GUARD 0		NC
---	----------	-----------------------------	--	-----------

CATERPILLAR MACHINE PRICE LIST

D6N-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

GUARDS (CONT.)

REAR HYDRAULIC PROTECTIONS (Cont.)

L	419-9110	GUARD, REAR, STANDARD 64 Provides a box at the rear of the machine to protect the PTO filter and the pressure tap. Door with key lock also provides vandalism protection. CANNOT BE USED WITH: 479-6436 PA55 WINCH STANDARD SPEED PKG 479-6437 PA55 WINCH SLOW SPEED PKG 482-4146 REAR BOX WITH STRIKER BAR		NC
L	419-9111	GUARD, REAR, HEAVY DUTY 139 FOR USE IN LANE 3 ONLY Provides a heavy duty box at the rear of the machine to protect the PTO filter and the pressure tap. Door with key lock also provides vandalism protection. CANNOT BE USED WITH: 479-6436 PA55 WINCH STANDARD SPEED PKG 479-6437 PA55 WINCH SLOW SPEED PKG 482-4146 REAR BOX WITH STRIKER BAR 424-5510 FUEL PUMP REFILLING REQUIRED BY: 445-2337 WASTE HANDLING PACKAGE, XL 445-2338 WASTE HANDLING PACKAGE, LGP		\$945

OTHER ATTACHMENTS

REAR ATTACHMENTS

L	387-2239	DRAWBAR 249 Rigid drawbar CANNOT BE USED WITH: 421-6899 NO GUARD		NC
L	482-4146	REAR BOX WITH STRIKER BAR 1,442 FOR USE IN LANE 3 ONLY The rear stricker bar includes a rigid drawbar and large opening doors that access a handy storage space. The rear striker bar includes a tool box. ONLY FOR USE WITH: 421-6899 NO GUARD REQUIRED BY: 445-2334 FORESTRY PROTECTION PKG, XL 445-2335 FORESTRY PROTECTION PKG, LGP 445-2337 WASTE HANDLING PACKAGE, XL 445-2338 WASTE HANDLING PACKAGE, LGP		\$15,500
P	388-1177	RIPPER, TEETH STRAIGHT, PKG 3,320 Ripper, hydraulic, parallelogram, rear-mounted Includes three teeth with straight shanks, and an anti-slip step When installed on an LGP machine, the ripper is intended for scarifying hard soil only, not for normal ripping applications. ONLY FOR USE WITH: 423-7623 PTO FILTER, NO WINCH CANNOT BE USED WITH: 421-6899 NO GUARD 421-3718 NO REAR HYDRAULIC PACKAGE 421-3715 WINCH READY PACKAGE	0	\$22,420 \$22,420 NI

CATERPILLAR MACHINE PRICE LIST

D6N-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
OTHER ATTACHMENTS (CONT.)				
REAR ATTACHMENTS (Cont.)				
P	388-1178	RIPPER, TEETH CURVED, PACKAGE	3,340 0	\$22,420 \$22,420 NI
		Ripper, hydraulic, parallelogram, rear-mounted Includes three teeth with curved shanks, and an anti-slip step When installed on an LGP machine, the ripper is intended for scarifying hard soil only, not for normal ripping applications. ONLY FOR USE WITH: 423-7623 PTO FILTER, NO WINCH CANNOT BE USED WITH: 421-6899 NO GUARD 421-3718 NO REAR HYDRAULIC PACKAGE 421-3715 WINCH READY PACKAGE		
P	479-6437	PA55 WINCH, SLOW SPEED, PKG	2,646	\$39,839
		FOR USE IN LANE 3 ONLY Transmission PTO driven Bare drum line speed 41-63 feet (12.5-19.2 meters) per minute Maximum rated line pull 51,200lbs (23,245kg bare drum) Cable dia. 0.75 inch (19mm). Wire rope is NOT included Powershift standard speed gears with free-spool ONLY FOR USE WITH: 421-3715 WINCH READY PACKAGE or 421-3706 DUAL CONTROL PACKAGE or 502-9463 DUAL CONTROL PACKAGE, FIRE TRACTOR and 421-6899 NO GUARD and 445-2334 FORESTRY PROTECTION PKG, XL or 445-2335 FORESTRY PROTECTION PKG, LGP or 457-9729 SCREEN REAR or 448-1001 CAB, PROTECTION PACKAGE or 516-6770 FIRE TRACTOR PACKAGE, XL or 522-5190 FIRE TRACTOR PACKAGE, LGP		
P	479-6436	PA55 WINCH, STANDARD SPEED PKG	2,615	\$40,807
		FOR USE IN LANE 3 ONLY Transmission PTO driven Bare drum line speed 96-151 feet (29.2-46 meters) per minute Maximum rated line pull 51,200lbs (23,245kg bare drum) Cable dia 0.75 inch(19mm). Wire rope is NOT included Powershift standard speed gears with free-spool ONLY FOR USE WITH: 421-3715 WINCH READY PACKAGE or 421-3706 DUAL CONTROL PACKAGE and 421-6899 NO GUARD and 445-2334 FORESTRY PROTECTION PKG, XL or 445-2335 FORESTRY PROTECTION PKG, LGP or 457-9729 SCREEN REAR or 448-1001 CAB, PROTECTION PACKAGE		
L	449-5863	NO REAR ATTACHMENT	0	NC
		This reference must be selected only when the dealer wants to his own rear attachments at the dealership or in the field. In any case, the machine must be sold to the final customer with an appropriate rear attachment (drawbar, ripper, winch, counterweight) to reach the optimum balance of the complete machine and to keep a safe access to the fuel tank. Orders with this no rear attachment will be accepted by the factory only if the final rear configuration is explained and justified with a note in the MSO. Please check the global configuration of the machine is consistent with the intended rear equipment, including the appropriate PTO filter and rear hydraulic protections.		

CATERPILLAR MACHINE PRICE LIST

D6N-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BLADES

BULLDOZERS VPAT XL

L	424-0659	BULLDOZER, VPAT XL, STD PKG 2,981 INCLUDES: BULLDOZER 6VPAT, XL (with C-frame, 2 lift, 2 angle and 1 tilt cylinders) GUARD, FRONT LINES, XL, STD DOORS, ENGINE, STANDARD CANNOT BE USED WITH: 421-3710 DUAL CONTROL PACKAGE, SU 448-0196 UC, XL, SYSTEMONE, FINE GRADING 448-0197 UC, XL, HEAVY DUTY, FINE GRADING REQUIRED BY: 510-7531 NO ARO INSTALLATION, VPAT 510-7530 ARO INSTALLATION, VPAT		NC
L	478-7976	BULLDOZER, VPAT XL, HD PACKAGE 3,031 INCLUDES: BULLDOZER 6VPAT, XL (with C-frame, 2 lift, 2 angle and 1 tilt cylinders) HYDRAULIC LINES WITH FRONT LINES PROTECTION HEAVY DUTY DOORS, ENGINE, STANDARD COVER CANNOT BE USED WITH: 421-3710 DUAL CONTROL PACKAGE, SU 448-0196 UC, XL, SYSTEMONE, FINE GRADING 448-0197 UC, XL, HEAVY DUTY, FINE GRADING REQUIRED BY: 510-7531 NO ARO INSTALLATION, VPAT 510-7530 ARO INSTALLATION, VPAT		\$464
L	457-7676	BULLDOZER VPAT XL, GRADE W/3D 0 Control system that moves blade mounted grade control components to the top of the cab. Includes a Cat grade with 3D display, factory enabled SEA, dual mounted receivers and dual mounted GNSS antennas. Requires an "off-board" radio network and GPS base station to be functional. Additional requirements via SITECH dealer include on-board data radio and measure up and calibration. INCLUDES: BULLDOZER 6VPAT, XL (with C-frame, 2 lift, 2 angle and 1 tilt cylinders) HYDRAULIC LINES WITH FRONT LINES PROTECTION HEAVY DUTY DOORS, ENGINE, STANDARD ONLY FOR USE WITH: 510-7530 ARO INSTALLATION, VPAT CANNOT BE USED WITH: 421-3710 DUAL CONTROL PACKAGE, SU 445-2334 FORESTRY PROTECTION PKG, XL		\$49,010

CATERPILLAR MACHINE PRICE LIST

D6N-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BLADES (CONT.)

BULLDOZER VPAT LGP

L	424-0660	BULLDOZER, VPAT LGP, STD PKG 3,413		NC
		INCLUDES: BULLDOZER 6VPAT, LGP (with C-Frame, 2 lift, 2 angle and 1 tilt cylinders) GUARD, FRONT LINES, LGP, std DOORS, ENGINE, STANDARD COVER ONLY FOR USE WITH: 384-0227 D6N XL TRACTOR and 448-0196 UC, XL, SYSTEMONE, FINE GRADING or 448-0197 UC, XL, HEAVY DUTY, FINE GRADING and 384-0228 D6N LGP TRACTOR CANNOT BE USED WITH: 421-3710 DUAL COTROL PACKAGE, SU REQUIRED BY: 510-7531 NO ARO INSTALLATION, VPAT 510-7530 ARO INSTALLATION, VPAT		
L	478-7977	BULLDOZER, VPAT, LGP, HD, PKG 3,463		\$464
		INCLUDES: BULLDOZER 6VPAT, LGP (with C-frame, 2 lift, 2 angle and 1 tilt cylinders) HYDRAULIC LINES WITH FRONT LINES PROTECTION HEAVY DUTY DOORS, ENGINE, STANDARD COVER ONLY FOR USE WITH: 384-0227 D6N XL TRACTOR and 448-0196 UC, XL, SYSTEMONE, FINE GRADING or 448-0197 UC, XL, HEAVY DUTY, FINE GRADING and 384-0228 D6N LGP TRACTOR CANNOT BE USED WITH: 421-3710 DUAL CONTROL PACKAGE, SU REQUIRED BY: 510-7531 NO ARO INSTALLATION, VPAT 510-7530 ARO INSTALLATION, VPAT		
L	457-6563	BULLDOZER VPAT LGP, GRADE W/3D 0		\$49,010
		Cat grade with 3D is a factory installed, chassis mounted grade control system that moves blade mounted grade control components to the top of the cab. Includes a Cat grade with 3D display, factory enabled SEA, dual mounted receivers and dual mounted GNSS antennas Requires an "off-board" radio network and GPS base station to be functional. Additional requirements via SITECH dealer include on-board data radio and measure up and calibration. INCLUDES: BULLDOZER 6VPAT, LGP (with C-frame, 2 lift, 2 angle and 1 tilt cylinders) HYDRAULIC LINES WITH FRONT LINES PROTECTION HEAVY DUTY DOORS, ENGINE, STANDARD COVER CANNOT BE USED WITH: 421-3710 DUAL CONTROL PACKAGE, SU 445-2335 FORESTRY PROTECTION PKG, LGP REQUIRED BY: 510-7530 ARO INSTALLATION, VPAT		

CATERPILLAR MACHINE PRICE LIST

D6N-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BLADES (CONT.)

BULLDOZER SU

L	424-0661	BULLDOZER, SU XL, PACKAGE 0		\$1,090
		FOR USE IN LANE 3 ONLY INCLUDES: LIFT CYLINDERS MOUNTINGS DOORS SU COVER PLEASE ORDER THIS ATTACHMENT AS DETACHED ONLY FOR USE WITH: 421-3710 DUAL CONTROL PACKAGE, SU CANNOT BE USED WITH: 445-2334 FORESTRY PROTECTION PKG, XL		

FIRE TRACTOR BULLDOZER VPAT PACKAGES

C	516-8008	BULLDOZER,VPAT XL,FIRE TRACTOR 0		NC
		FOR USE IN LANE 3 ONLY CONTACT CUSTOM PRODUCTS FOR AVAILABILITY. INCLUDES: BULLDOZER 6VPAT, XL GUARD, FRONT LINES WITH FIRE-RESISTANT WRAP HARNESSES WITH FIRE-RESISTANT WRAP REQUIRED BY: 516-6770 FIRE TRACTOR PACKAGE, XL 510-7531 NO ARO INSTALLATION, VPAT		

C	516-8009	BULLDOZER,VPAT LGP,FIRETRACTOR 0		NC
		FOR USE IN LANE 3 ONLY CONTACT CUSTOM PRODUCTS FOR AVAILABILITY. INCLUDES: BULLDOZER 6VPAT, XL GUARD, FRONT LINES WITH FIRE-RESISTANT WRAP HARNESSES WITH FIRE-RESISTANT WRAP REQUIRED BY: 522-5190 FIRE TRACTOR PACKAGE, LGP 510-7531 NO ARO INSTALLATION, VPAT		

BLADE XL

L	364-6200	BLADE 123" SU XL, PACKAGE 0		\$9,190
		FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER INCLUDES: PUSH ARMS 6SU BLADE TRUNNIONS TILT CYLINDER PLEASE ORDER THIS ATTACHMENT AS DETACHED ONLY FOR USE WITH: 384-0227 D6N XL TRACTOR 424-0661 BULLDOZER, SU XL, PACKAGE, XL	0	\$9,190 NI

CATERPILLAR MACHINE PRICE LIST

D6N-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BLADES (CONT.)

BLADE XL (Cont.)

P	480-8595	BLADE, 129" ARO XL	2,341 0	\$10,220 \$10,220 NI
---	----------	--------------------------	------------	-------------------------

ALSO AVAILABLE ON A MISCELLANEOUS ORDER

INCLUDES:

VPAT BLADE, 3272MM WIDE, 3.3CUM
MOUNTING BRACKET FOR RECEIVERS
ANGLE SENSOR

PLEASE ORDER THIS ATTACHMENT AS DETACHED

ONLY FOR USE WITH: 384-0227 D6N XL TRACTOR

CANNOT BE USED WITH: 445-2337 WASTE HANDLING PACKAGE, XL
445-2338 WASTE HANDLING PACKAGE, LGP
424-0661 BULLDOZER, SU XL, PACKAGE

P	485-4170	BLADE, 129" LANDFILL XL	2,912 0	\$14,310 \$14,310 NI
---	----------	-------------------------------	------------	-------------------------

FOR USE IN LANE 3 ONLY

ALSO AVAILABLE ON A MISCELLANEOUS ORDER

The landfill blade is equipped with a trash rack to increase its
productive capacity when machine works in lighter material such as
waste

INCLUDES:

VPAT LANDFILL BLADE, 3270MM WIDE
SLOPE SENSOR

PLEASE ORDER THIS ATTACHMENT AS DETACHED

ONLY FOR USE WITH: 384-0227 D6N XL TRACTOR

445-2337 WASTE HANDLING PACKAGE, XL

P	480-8596	BLADE, 129" ARO XL FOLDABLE	2,762 0	\$15,870 \$15,870 NI
---	----------	-----------------------------------	------------	-------------------------

FOR USE IN LANE 3 ONLY

ALSO AVAILABLE ON A MISCELLANEOUS ORDER

INCLUDES:

VPAT BLADE, 3272MM WIDE, 3.3CUM, CAN BE FOLDED AND ANGLE TO LIMIT
SHIPPING WIDTH TO 3000MM
MOUNTING BRACKET FOR RECEIVERS
ANGLE SENSOR

PLEASE ORDER THIS ATTACHMENT AS DETACHED

ONLY FOR USE WITH: 384-0227 D6N XL TRACTOR

CANNOT BE USED WITH: 445-2338 WASTE HANDLING PACKAGE, LGP
424-0661 BULLDOZER, SU XL, PACKAGE

BLADE LGP

P	480-8597	BLADE, 161" ARO LGP	2,720 0	\$12,070 \$12,070 NI
---	----------	---------------------------	------------	-------------------------

ALSO AVAILABLE ON A MISCELLANEOUS ORDER

INCLUDES:

VPAT BLADE, 4080MM WIDE, 3.9CUM.
MOUNTING BRACKET FOR RECEIVERS
ANGLE SENSOR

PLEASE ORDER THIS ATTACHMENT AS DETACHED

ONLY FOR USE WITH: 384-0228 D6N LGP TRACTOR

CANNOT BE USED WITH: 445-2338 WASTE HANDLING PACKAGE, LGP

CATERPILLAR MACHINE PRICE LIST

D6N-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
BLADES (CONT.)				
BLADE XL (Cont.)				
P	485-4171	BLADE, 161" LANDFILL LGP	3,166 0	\$16,110 \$16,110 NI
		FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER The landfill blade is equipped with a trash rack to increase its productive capacity when machine works in lighter material such as waste. INCLUDES: VPAT LANDFILL BLADE, 4080MM WIDE SLOPE SENSOR PLEASE ORDER THIS ATTACHMENT AS DETACHED ONLY FOR USE WITH: 384-0228 D6N LGP TRACTOR 445-2338 WASTE HANDLING PACKAGE, LGP		
P	480-8598	BLADE, 161" ARO LGP FOLDABLE	3,287 0	\$20,000 \$20,000 NI
		FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER INCLUDES: VPAT BLADE, 4080MM WIDE, 3.9CUM, CAN BE FOLDED AND ANGLE TO LIMIT SHIPPING WIDTH TO 3000mm MOUNTING BRACKET FOR RECEIVERS ANGLE SENSOR PLEASE ORDER THIS ATTACHMENT AS DETACHED ONLY FOR USE WITH: 384-0228 D6N LGP TRACTOR CANNOT BE USED WITH: 445-2338 WASTE HANDLING PACKAGE, LGP		
P	340-7729	NO BLADE	0	NC
		Select this reference when no blade desired with the machine		

FIRE TRACTOR BLADES VPAT ATTACHMENTS

C	516-8010	BLADE, 129" BRUSH GUARD XL	0 0	\$17,040 \$17,040 NI
		FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER The VPAT blade is 129" / 3270mm wide and 66"/ 1680mm tall. The blade is equipped with a brush guard with the top corners cut (min 30 deg) to ease maneuverability into the wood when blade is fully angled. The brush guard includes vertical beams with a maximum 3.34" / 85mm spacing. The blade does not include mounting brackets for receivers and angle sensor (not ARO) but is equipped with Stable blade sensor. PLEASE ORDER THIS ATTACHMENT AS DETACHED		

CATERPILLAR MACHINE PRICE LIST

D6N-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BLADES (CONT.)

FIRE TRACTOR BLADES VPAT ATTACHMENTS (Cont.)

C	516-8011	BLADE, 161" BRUSH GUARD LGP	0 0	\$18,810 \$18,810 NI
<p>FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER The VPAT blade is 161" / 4080mm wide and 56.5" / 1435mm tall. The blade is equipped with a brush guard with the top corners cut (min 30 deg) to ease maneuverability into the wood when blade is fully angled. The brush guard includes vertical beams with a maximum 4.1" / 104mm spacing. The blade does not include mounting brackets for receivers and angle sensor (not ARO) but is equipped with Stable blade sensor. PLEASE ORDER THIS ATTACHMENT AS DETACHED</p>				

FLUIDS

HYDRAULIC OIL

L	369-7330	HYDRAULIC OIL, STANDARD	121	NC
---	----------	-----------------------------------	-----	----

FIRE TRACTOR HYDRAULIC OIL

C	522-5180	HYDRAULIC OIL, FIRE RETARDANT	0	\$1,555
<p>FOR USE IN LANE 3 ONLY CONTACT CUSTOM PRODUCTS FOR AVAILABILITY. Fire resistant oil. Ecosafe FR46 RECOMMENDED for fire dozer applications.</p>				

FLUID FILM

	0P-3940	PROTECTION, CYLINDER ROD	0	NC
--	---------	------------------------------------	---	----

OTHERS

	0P-1939	ANTIFREEZE WINDSHIELD WASHER	0	NC
--	---------	--	---	----

ANTIFREEZE

	0P-3978	FUEL ANTIFREEZE, -25C (-13F)	0	NC
<p>Provides fuel (diesel) antifreeze protection down to -25C (-13F)</p>				

INSTRUCTIONS

	0P-0996	MANUAL, ENGLISH	0	NC
--	---------	---------------------------	---	----

CATERPILLAR MACHINE PRICE LIST

D6N-BR

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

STARTERS, BATTERIES, & ALTERNATORS

BREATHER KIT

L	381-6262	ELECTRICAL INSULATED BREATHER. 0 FOR USE IN LANE 3 ONLY For operation on ambient climates of -25C to -40C, it is recommended that the cold climate pack is fitted. This consists of a heated filter canister and insulated hoses.		\$1,965
---	----------	---	--	---------

ELECTRICAL

L	349-5602	BEACON, ROTATING 4 FOR USE IN LANE 3 ONLY Rotating beacon. The magnetic mounting allows the beacon to be retracted to avoid damage during transportation in wooded areas.		\$700
---	----------	--	--	-------

OPERATOR ENVIRONMENT

P	515-9038	KIT VISIBILITY, SINGLE CAMERA 0 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER The camera system can be used to enhance the operators visibility of his surroundings, or provide a better view of his work tool. The single camera system is compact, rugged, reliable, and extremely simple to use. It is designed to be operated in the "automatic" mode where the picture remains dark until the machine is placed in reverse gear. The 7" color display is mounted on the right hand side of the dash, and is designed to have a sharp, clear picture with a 115 degree horizontal camera mounted on ROPS. Recommended with Waste Handling Arrangement. This kit visibility can be ordered installed on the machine, or through MISCELLANEOUS orders. This camera is REQUIRED BY the forestry protection package to provide sufficient visibility assistance to the operator. REQUIRED BY: 445-2334 FORESTRY PROTECTION PKG, XL 445-2335 FORESTRY PROTECTION PKG, LGP 516-6770 FIRE TRACTOR PACKAGE, XL 522-5190 FIRE TRACTOR PACKAGE, LGP		\$530 \$530 NI
---	----------	---	--	-------------------

GUARDS

CAB PROTECTIONS

L	448-1001	CAB PROTECTION PACKAGE 668 Bolt-on sweeps for cab RECOMMENDED for land clearing and waste applications INCLUDES: SCREEN, PROTECTIVE, CAB SWEEPS, CAB CANNOT BE USED WITH: 445-2334 FORESTRY PROTECTION PKG, XL 445-2335 FORESTRY PROTECTION PKG, LGP 457-9729 SCREEN, REAR		\$4,890
---	----------	---	--	---------

CATERPILLAR MACHINE PRICE LIST

D6N-BR

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

GUARDS (CONT.)

CAB PROTECTIONS (Cont.)

L	478-7978	CAB PROTECTION PKG, GRADE W/3D 0 FOR USE IN LANE 3 ONLY Bolt-on sweeps for cab. Specific design for Cat Grade Control configuration. Recommended for land clearing and waste applications INCLUDES: SCREEN, PROTECTIVE, CAB SWEEPS, CAB ONLY FOR USE WITH: 457-7676 BULLDOZER, VPAT XL, CGC PKG 457-6563 BULLDOZER, VPAT LGP, CGC PKG		\$4,890
L	457-9729	SCREEN, REAR 179 FOR USE IN LANE 3 ONLY Provides a rear mesh screen for use with machines equipped with winch. REQUIRED BY: 421-3715 WINCH READY PACKAGE		\$1,310

FRONT PROTECTIONS

L	445-7830	GRID, SANDBLAST 35 Sand blast grid located between radiator and fan protects radiator from abrasive materials and debris.		\$670
---	----------	---	--	--------------

DRAWBAR PROTECTION

L	292-7949	GUARD,REAR,DRAWBAR & WINCH RDY 42 FOR USE IN LANE 3 ONLY Provides PTO filter protection when the machine is ordered with a winch-ready configuration. ONLY FOR USE WITH: 421-3715 WINCH READY PACKAGE, or 421-3706 DUAL CONTROL PACKAGE and 419-9110 GUARD, REAR, STANDARD, or 419-9111 GUARD, REAR, HEAVY DUTY and 423-7624 PTO FILTER, WINCH and 387-2239 DRAWBAR		NC
---	----------	--	--	-----------

OTHER ATTACHMENTS

WINCH OPTIONS

MAINTENANCE AND RELATED ATTACHMENTS

L	480-9985	OIL CHANGE SYSTEM, HIGH SPEED 0 Easy access drain line and Wiggins connector for remote engine oil drain. Provides quick, clean and easy engine oil change without having to climb under the machine to access a gravity drain.		\$314
---	----------	---	--	--------------

CATERPILLAR MACHINE PRICE LIST

D6N-BR

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

MAINTENANCE AND RELATED ATTACHMENTS (Cont.)

P	424-5510	FUEL PUMP, REFILLING	0	\$1,420
			0	\$1,420 NI
		FOR USE IN LANE 3 ONLY Provides an electrical fuel refilling pump (50 liters/min), with automatic shut-off. Refills the fuel tank in about 6 min. INCLUDES: 3 METER HOSE FILTER ONLY FOR USE WITH: 423-7623 PTO FILTER, NO WINCH CANNOT BE USED WITH: 479-6436 PA55 WINCH, STANDARD SPEED PKG 392-6886 TANK FUEL, STANDARD 479-6437 PA55 WINCH, SLOW SPEED PKG 419-9111 GUARD, REAR, HEAVY DUTY 482-4146 REAR BOX WITH STRIKER BAR		

PACKING

	OP-6637	ROLL ON-ROLL OFF	0	\$204 NET
	OP-6706	BUNDLE EXPORT PACKING	0	NC
		This OP should be ordered for all miscellaneous orders		

SPECIAL INSTRUCTIONS

EXPOSITION MACHINE

	OP-2949	EXPOSITION INSTRUCTION	0	NC
		This special instruction must be selected whenever dealer is placing an order for a unit intended for use at expositions and/or trade fairs		

AM-NORTH INFORMATION

REGIONAL ORDERING INFORMATION FOR WINCH ATTACHMENTS

Winches available from CAT Work Tools for North America only.
Please refer to the Work Tools - TTT Price list for current prices and contact info for availability.

CATERPILLAR MACHINE PRICE LIST

D6N-BR

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	----------------------	--------------------	-------------------------

AM-NORTH INFORMATION (CONT.)

3960515 KIT, PA55 STD SPEED & INST ARR
Retrofit kit includes winch and complete installation arrangement for dealer instalation.

3960516 KIT, PA55 LOW SPEED & INST ARR
Retrofit kit includes winch and complete installation arrangement for dealer installation.

4441165 FAIRLEAD, 3 ROLLERS
Fits PA55 and PA56 winches