

CATERPILLAR MACHINE PRICE LIST

D6T-GR

D6T TRACK-TYPE TRACTOR
GRENOBLE, FRANCE

Ship Weight
lbs

LIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

C9.3 ACERT diesel engine
EPA/ARB Tier 4 final and EU stage IV certified engine with aftertreatment
Air cleaner, strata tube precleaner with dust ejection
Air filter with electronic service indicator
Aftercooler, air to air (ATAAC)
Coolant, extended life
Full auto shift
Fan, hydraulic
Final drives, single reduction planetary
Fuel priming pump, electric
Parking brake, electronic
Radiator, aluminum bar plate
Starting aid, ether, automatic
Torque divider, lock-up
Transmission, electronically controlled powershift, 4 speed
Turbocharger, wastegate
Fuel water separator
Ecology drain

Electro-hydraulics implement & steering controls
7" (180mm) full color LCD display (engine coolant, powertrain oil and hydraulic oil temperature, fuel and DEF level and engine RPM/gear display hours, time and slope indicate)
Foot pads, dash
Heater
Hour meter, electronic
Mirror, rearview
Powertrain control module
-Throttle dial, electronic
-Manual shift mode switch
-Bi-directional shift dial
Radio, AM/FM
Seat, cloth, air-suspension
Seatbelt, retractable 3" (76mm)
Wipers, two speed
Glove box

UNDERCARRIAGE

Carrier rollers
Clamp master link
Equalizer bar
Guards, end track guiding
Idlers, center tread
Rollers, lifetime lubricated
Track, lifetime lubricated
Track roller frames, tubular
Track adjusters, hydraulic
Sprocket rim segments, replaceable

TECHNOLOGY PRODUCTS

Cat GRADE with slope assist
Product link
Stable blade control (SBC)

OTHER STANDARD EQUIPMENT

CD ROM parts book
Engine enclosures, perforated
Front pull device
Guards, hinged bottom
Ground level service center with remote electrical disconnect, secondary shutdown switch & hour meter
Hood, perforated
Hydraulics, independent steering, work tool and fan pumps
Hydraulics, load sensing, dozer lift and tilt
Mounting, lift cylinder
Oil cooler, hydraulic
Radiator doors, perforated, louvered, and hinged
S.O.S sampling ports
Vandalism protection for fluid compartments and battery box

ELECTRICAL

Alarm, backup
Alternator, brushless
Batteries, 2 maintenance free 12V (1400 cca) (24V system), heavy duty
Converter, two 10 Amp 12V outlets
Connector, diagnostic
Starter, Heavy Duty, 24V
Horn, forward warning
Light, work, underhood

OPERATOR ENVIRONMENT

Air conditioner, ROPS mounted
Armrest, adjustable
Cab, ROPS/FOPS, sound suppressed and pressurized
Cup holders
Decelerator and brake pedal

CATERPILLAR MACHINE PRICE LIST

D6T-GR

D6T TRACK-TYPE TRACTOR
GRENOBLE, FRANCE

Ship Weight
lbs

LIST PRICE
AT DEALER

**LANE 2 is reserved for the Base Order Management Program.
Please use Lane 2 when placing orders that are part of the Base
Order Management Program.**

**2018 YOY list price reductions will be offset by reductions in
discounts or merchandising support.**

CATERPILLAR MACHINE PRICE LIST

D6T-GR

D6T TRACK-TYPE TRACTOR GRENOBLE, FRANCE	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

552-6788	D6T-19A XL TRACTOR DCA5 0	\$471,870
	LANE 1 - AVAILABLE FROM BALTIMORE PDC	

- INCLUDES:
- 458-3880 D6T-19A XL TRACTOR
 - 313-2673 SWEEPS
 - 361-1882 CERT EMISSIONS, EPA/EU
 - 375-3356 ALTERNATOR, 150 AMP
 - 378-3773 UNDERCARRIAGE, HD, PART GUIDE
 - 378-3824 FINAL DRIVE, XL
 - 380-8311 OIL CHANGE SYSTEM, HIGH SPEED
 - 382-7710 FILM, AFTERTREATMENT, ENGLISH
 - 385-2697 TRACK, 610MM / 24" ES HD
 - 390-0900 GUARD, BOTTOM, SEALED, HD
 - 390-1849 HANDLES, HEAVY DUTY, SWEEPS
 - 390-9389 GUARD, FUEL TANK
 - 393-3706 SCREEN, REAR
 - 433-6933 TOWING DEVICE, PULL-HOOK
 - 452-8203 NO REAR ATTACHMENT
 - 457-7583 FLUIDS, STD (-37C)
 - 458-3878 ACCUGRADE READY
 - 458-3918 FAN, AUTO REVERSING
 - 462-8456 PRECLEANER, BASIC
 - 475-0216 ENGINE
 - 475-4771 CYLINDERS, LIFT, STD, XL/XW
 - 480-0279 AIR CONDITIONER, ROPS
 - 481-4880 BLADE, 6SU XL ARO
 - 481-4907 6SU XL BULLDOZER
 - 482-7004 FENDER, BASIC
 - 482-7006 SEAL GROUP, HIGH DEBRIS
 - 486-7003 PRODUCT LINK, CELLULAR PLE641
 - 490-0501 HYDRAULICS, WINCH/RIPPER
 - 492-4217 BASIC ARRANGEMENT
 - 493-6860 FUEL TANK, BASIC
 - 497-7892 REGIONAL PACKAGE, US
 - 507-6875 CAB STANDARD PACKAGE
 - 509-7659 ALARM, BACKUP
 - 513-9350 LIGHTS, 8, SWEEPS

- MANDATORY ATTACHMENTS:
- 0P-9001 LANE 1 ORDER
 - 0G-9236 COMPLETE STORAGE PROTECTION
 - 0G-3256 PACK-DISMOUNTED OR N.I. BLADE

- OPTIONAL ATTACHMENTS (ONLY AVAILABLE ON A MISCELLANEOUS ORDER):
- 3W-6866 DRAWBAR, RIGID LONG
 - 487-3445 6 RIPPER, MULTI-SHANK
 - 9J-8926 TOOTH, CURVED (x3)
 - 8J-2189 TOOTH, STRAIGHT (x3)

CATERPILLAR MACHINE PRICE LIST

D6T-GR

D6T TRACK-TYPE TRACTOR GRENOBLE, FRANCE	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

0G-0581 D6T MISC MATERIAL, GRENOBLE 0		NC
AVAILABLE FROM GRENOBLE FACTORY		

Only reference numbers that have the text
"ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a MISC order.

AVAILABLE FOR: EU DEALERS
KOREAN DEALERS
AUSTRALIAN AND NEW ZEALAND DEALERS
JAPANESE DEALERS
NORTHERN AMERICAN DEALERS

CATERPILLAR MACHINE PRICE LIST

D6T-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

	0P-9003	LANE 3 ORDER	0	NC
--	---------	------------------------	---	----

REGIONAL PACKAGES

L	497-7892	REGIONAL PACKAGE, US INCLUDES: Cold weather starting package, Radio AM/FM/AUX/USB/Bluetooth with microphone, Engine enclosures for sound non-regulated markets, Warning decals, ANSI, Warning decals, Canada.	0	NC
---	----------	---	---	----

FILM GROUP

This film includes regional operator instructions for regeneration events, delayed engine shutdown, and battery disconnect.

L	382-7710	FILM, AFTERTREATMENT, ENGLISH	0	NC
---	----------	---	---	----

FEATURE PACKAGES

L	492-4217	BASIC ARRANGEMENT ONLY FOR USE WITH: 458-3880 D6T XL TRACTOR 458-3881 D6T XW TRACTOR 458-3882 D6T LGP TRACTOR	0	NC
---	----------	--	---	----

L	492-4222	BASIC ARRANGEMENT, VPAT FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 458-3883 D6T XL VPAT TRACTOR 458-3884 D6T XW VPAT TRACTOR 458-3885 D6T LGP VPAT TRACTOR	0	NC
---	----------	---	---	----

POWERTRAIN

FINAL DRIVE ARRANGEMENTS

XL SU FINAL DRIVES

L	378-3824	FINAL DRIVE, XL Includes two basic final drives. ONLY FOR USE WITH: 458-3880 D6T XL TRACTOR 492-4217 BASIC ARRANGEMENT	0	NC
---	----------	---	---	----

XL VPAT FINAL DRIVE

CATERPILLAR MACHINE PRICE LIST

D6T-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

POWERTRAIN (CONT.)

FINAL DRIVE ARRANGEMENTS (Cont.)

L	378-3833	FINAL DRIVE, XL VPAT 0 FOR USE IN LANE 3 ONLY Includes two basic final drives. ONLY FOR USE WITH: 458-3883 D6T XL VPAT TRACTOR 492-4222 BASIC ARRANGEMENT, VPAT		NC
---	----------	---	--	----

XW S/SU FINAL DRIVE

L	378-3827	FINAL DRIVE, XW 0 FOR USE IN LANE 3 ONLY Includes two basic final drives. ONLY FOR USE WITH: 458-3881 D6T XW TRACTOR 492-4217 BASIC ARRANGEMENT		NC
---	----------	---	--	----

XW VPAT FINAL DRIVES

L	378-3830	FINAL DRIVE, XW/LGP 0 Includes two basic final drives. ONLY FOR USE WITH: 458-3884 D6T XW VPAT TRACTOR 492-4222 BASIC ARRANGEMENT, VPAT		NC
---	----------	--	--	----

LGP S FINAL DRIVES

L	378-3830	FINAL DRIVE, XW/LGP 0 Includes two basic final drives. ONLY FOR USE WITH: 458-3882 D6T LGP TRACTOR 492-4217 BASIC ARRANGEMENT		NC
---	----------	--	--	----

LGP VPAT FINAL DRIVE

L	378-3830	FINAL DRIVE, XW/LGP 0 Includes two basic final drives. ONLY FOR USE WITH: 458-3885 D6T LGP VPAT TRACTOR 492-4222 BASIC ARRANGEMENT, VPAT		NC
---	----------	---	--	----

ENGINES

L	475-0212	ENGINE, BASIC 0 Standard engine.		NC
---	----------	---	--	----

ENGINE AIR PRECLEANERS

L	462-8456	PRECLEANER, BASIC. 0 CANNOT BE USED WITH: 492-4229 WASTE HANDLING PACKAGE		NC
---	----------	--	--	----

CATERPILLAR MACHINE PRICE LIST

D6T-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

POWERTRAIN (CONT.)

ENGINE AIR PRECLEANERS (Cont.)

L	464-3634	PRECLEANER, WITH SCREEN 0 FOR USE IN LANE 3 ONLY INCLUDES SCREEN. For use in heavy debris applications, such as landfills and woodchip piles. May improve filter life. Removes strata-tube precleaner. OPTIMAX dual-stage precleaner powered by engine's intake and exhaust air flows. Intake air is spun by flow-driven impeller. Debris stratify along outer wall and are ejected back into environment. Any remaining contaminants are collected and removed by secondary scavenger system, allowing only precleaned air to continue to engine's air filter. INCLUDED IN: 492-4229 WASTE HANDLING PACKAGE		\$1,375
---	----------	--	--	---------

MAINTENANCE AND RELATED ATTACHMENTS

L	382-4250	OIL DRAIN, BASIC 0		NC
L	380-8311	OIL CHANGE SYSTEM, HIGH SPEED 0 Easy access drain line and Wiggins connector for remote engine and powertrain oil drain. Provides quick, clean and easy oil changes without having to climb under the machine to access a gravity drain.		\$875

CATERPILLAR MACHINE PRICE LIST

D6T-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

UNDERCARRIAGE

Customers should carefully select between SystemOne and Heavy Duty undercarriage based on expected application. Please refer to the Undercarriage Selection and Application Guide.

SystemOne Undercarriage is recommended for use in applications where moderate to high abrasive underfoot conditions exist.

Due to the potential increase in undercarriage life resulting from SystemOne, Extreme Service (ES) shoes should be considered for applications that are anticipated to be shoe-life limited in order to match shoe life with link life.

Track guide guards provide improved protection to track, roller and end guides. Partial guide guards are recommended in applications with sideslopes greater than 4:1 but less than 2:1 and/or applications with objects between 1" and 3" in size (25 to 75 mm). Full length guide guards are recommended for applications with sideslopes greater than 2:1, and/or applications with objects exceeding 3" in size (75 mm).

Based on the Undercarriage Application Guide, some applications will require quad-track. To fulfill this need, a quad-track attachment is available that provides track shoes pre-drilled for installation of the additional track link assembly at the dealership or customer location.

XL SU SYSTEMONE UNDERCARRIAGES

L	378-3769	UNDERCARRIAGE, S1, PART GUIDE 0 Includes SystemOne undercarriage components and two center track guiding guards. ONLY FOR USE WITH: 458-3880 D6T XL TRACTOR CANNOT BE USED WITH: 492-4229 WASTE HANDLING PACKAGE	\$10,390
L	378-3770	UNDERCARRIAGE, S1, FULL GUIDE 0 FOR USE IN LANE 3 ONLY Includes SystemOne undercarriage components and full length guiding guards. ONLY FOR USE WITH: 458-3880 D6T XL TRACTOR CANNOT BE USED WITH: 492-4229 WASTE HANDLING PACKAGE	\$15,460

XL SU HEAVY DUTY UNDERCARRIAGES

L	378-3772	UNDERCARRIAGE, HD 0 FOR USE IN LANE 3 ONLY Includes Heavy Duty Undercarriage Components. ONLY FOR USE WITH: 458-3880 D6T XL TRACTOR CANNOT BE USED WITH: 492-4229 WASTE HANDLING PACKAGE	NC
---	-----------------	---	-----------

CATERPILLAR MACHINE PRICE LIST

D6T-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

UNDERCARRIAGE (CONT.)

XL SU HEAVY DUTY UNDERCARRIAGES (Cont.)

L	378-3773	UNDERCARRIAGE, HD, PART GUIDE 0 FOR USE IN LANE 3 ONLY Includes Heavy Duty Undercarriage Components and two center track guide guards and higher flange track guiding rollers in all positions except end rollers. ONLY FOR USE WITH: 458-3880 D6T XL TRACTOR CANNOT BE USED WITH: 492-4229 WASTE HANDLING PACKAGE		\$4,280
L	378-3774	UNDERCARRIAGE, HD, FULL GUIDE 0 FOR USE IN LANE 3 ONLY Includes Heavy Duty Undercarriage Components, full length heavy duty cast steel track roller guiding guards and higher flange track guiding rollers in all positions except end rollers. ONLY FOR USE WITH: 458-3880 D6T XL TRACTOR CANNOT BE USED WITH: 492-4229 WASTE HANDLING PACKAGE		\$4,725

XL SU FINEGRADING UNDERCARRIAGES

L	436-5555	UNDERCARRIAGE XL, S1, FINEGRAD 419 FOR USE IN LANE 3 ONLY FINE GRADING WORK ONLY. NOT for heavy duty applications such as land cleaning, rock work nor significant side sloping applications. Includes Standard gauge, 8-roller track frame, center section track frame. REQUIRES: 385-2692 TRACK, 610MM/24" MS S1 507-9857 6SU XL BULLDOZER, FINEGRADING 475-4772 CYLINDERS, LIFT, STANDARD ONLY FOR USE WITH: 458-3880 D6T XL TRACTOR CANNOT BE USED WITH: 492-4229 WASTE HANDLING PACKAGE GRADE W/3D		\$5,740
---	----------	---	--	---------

XL VPAT SYSTEMONE UNDERCARRIAGES

L	378-3805	UNDERCARRIAGE, S1, PART GUIDE 0 FOR USE IN LANE 3 ONLY Includes SystemOne undercarriage components and two center track guiding guards. ONLY FOR USE WITH: 458-3883 D6T XL VPAT TRACTOR		\$12,310
L	378-3806	UNDERCARRIAGE, S1, FULL GUIDE 0 FOR USE IN LANE 3 ONLY Includes SystemOne undercarriage components and full length guiding guards. ONLY FOR USE WITH: 458-3883 D6T XL VPAT TRACTOR		\$17,370

CATERPILLAR MACHINE PRICE LIST

D6T-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

UNDERCARRIAGE (CONT.)

XL VPAT HEAVY DUTY UNDERCARRIAGES

L	378-3807	UNDERCARRIAGE, HD. 0 FOR USE IN LANE 3 ONLY Includes Heavy Duty Undercarriage components. ONLY FOR USE WITH: 458-3883 D6T XL VPAT TRACTOR		NC
L	378-3808	UNDERCARRIAGE, HD, PART GUIDE 0 FOR USE IN LANE 3 ONLY Includes two center track guide guards and higher flange track guiding rollers in all positions except end rollers. ONLY FOR USE WITH: 458-3883 D6T XL VPAT TRACTOR		\$4,270
L	378-3809	UNDERCARRIAGE, HD, FULL GUIDE 0 FOR USE IN LANE 3 ONLY Includes full length heavy duty cast steel track roller guiding guards. ONLY FOR USE WITH: 458-3883 D6T XL VPAT TRACTOR		\$4,705

XW SU SYSTEMONE UNDERCARRIAGES

L	378-3776	UNDERCARRIAGE, S1, PART GUIDE 0 FOR USE IN LANE 3 ONLY Includes SystemOne undercarriage components and two center track guiding guards. ONLY FOR USE WITH: 458-3881 D6T XW TRACTOR		\$13,120
L	378-3777	UNDERCARRIAGE, S1, FULL GUIDE 0 FOR USE IN LANE 3 ONLY Includes SystemOne undercarriage components and full length guiding guards. ONLY FOR USE WITH: 458-3881 D6T XW TRACTOR		\$18,180

XW SU HEAVY DUTY UNDERCARRIAGES

L	378-3779	UNDERCARRIAGE, HD. 0 FOR USE IN LANE 3 ONLY Includes Heavy Duty Undercarriage components ONLY FOR USE WITH: 458-3881 D6T XW TRACTOR		NC
L	378-3780	UNDERCARRIAGE, HD, PART GUIDE 0 FOR USE IN LANE 3 ONLY Includes two center track guide guard and higher flange track guiding rollers in all positions except end rollers. ONLY FOR USE WITH: 458-3881 D6T XW TRACTOR		\$4,270
L	378-3781	UNDERCARRIAGE, HD, FULL GUIDE 0 FOR USE IN LANE 3 ONLY Includes full length heavy duty cast steel track roller guiding guards and higher flange track guiding rollers in all positions except end rollers. ONLY FOR USE WITH: 458-3881 D6T XW TRACTOR		\$4,705

CATERPILLAR MACHINE PRICE LIST

D6T-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

UNDERCARRIAGE (CONT.)

XW VPAT / LGP VPAT SYSTEMONE UNDERCARRIAGES

L	381-2593	UNDERCARRIAGE, S1, CTR GUIDE 0 FOR USE IN LANE 3 ONLY Includes SystemOne undercarriage components and one center track guide guard. ONLY FOR USE WITH: 458-3884 D6T XW VPAT TRACTOR 458-3885 D6T LGP VPAT TRACTOR		\$10,730
L	449-9141	UNDERCARRIAGE, S1, PART GUIDE 0 FOR USE IN LANE 3 ONLY Includes SystemOne undercarriage components and two center track guide guards. ONLY FOR USE WITH: 458-3884 D6T XW VPAT TRACTOR 458-3885 D6T LGP VPAT TRACTOR		\$11,630
L	449-9135	UNDERCARRIAGE, S1, FULL GUIDE 0 FOR USE IN LANE 3 ONLY Includes SystemOne undercarriage components and full length guiding guards. ONLY FOR USE WITH: 458-3884 D6T XW VPAT TRACTOR 458-3885 D6T LGP VPAT TRACTOR		\$16,220

XW VPAT / LGP VPAT HEAVY DUTY UNDERCARRIAGES

L	449-9137	UNDERCARRIAGE, HD, CTR GUIDE 0 FOR USE IN LANE 3 ONLY Includes one center track guide guard. ONLY FOR USE WITH: 458-3884 D6T XW VPAT TRACTOR 458-3885 D6T LGP VPAT TRACTOR		NC
L	449-9138	UNDERCARRIAGE, HD, PART GUIDE 0 FOR USE IN LANE 3 ONLY Includes two center track guide guards and higher flange track guiding rollers in all positions except end rollers. ONLY FOR USE WITH: 458-3884 D6T XW VPAT TRACTOR 458-3885 D6T LGP VPAT TRACTOR		\$3,415
L	449-9139	UNDERCARRIAGE, HD, FULL GUIDE 0 FOR USE IN LANE 3 ONLY Includes full length track guide guards and higher flange track guiding rollers in all positions except end rollers. ONLY FOR USE WITH: 458-3884 D6T XW VPAT TRACTOR 458-3885 D6T LGP VPAT TRACTOR		\$4,705

LGP S SYSTEMONE UNDERCARRIAGES

L	449-9128	UNDERCARRIAGE, S1, CTR GUIDE 0 FOR USE IN LANE 3 ONLY Includes SystemOne undercarriage components and one center track guide guard. ONLY FOR USE WITH: 458-3882 D6T LGP TRACTOR CANNOT BE USED WITH: 492-4229 WASTE HANDLING PACKAGE		\$16,250
---	----------	--	--	----------

CATERPILLAR MACHINE PRICE LIST

D6T-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

UNDERCARRIAGE (CONT.)

LGP S SYSTEMONE UNDERCARRIAGES (Cont.)

L	449-9134	UNDERCARRIAGE, S1, PART GUIDE 0 Includes SystemOne undercarriage components and two center track guide guards. ONLY FOR USE WITH: 458-3882 D6T LGP TRACTOR CANNOT BE USED WITH: 492-4229 WASTE HANDLING PACKAGE		\$18,020
L	449-9129	UNDERCARRIAGE, S1, FULL GUIDE 0 FOR USE IN LANE 3 ONLY Includes SystemOne undercarriage components and full length guiding guards. ONLY FOR USE WITH: 458-3882 D6T LGP TRACTOR CANNOT BE USED WITH: 492-4229 WASTE HANDLING PACKAGE		\$22,170

LGP S HEAVY DUTY UNDERCARRIAGES

L	449-9131	UNDERCARRIAGE, HD, CTR GUIDE 0 Includes one center track guide guard. ONLY FOR USE WITH: 458-3882 D6T LGP TRACTOR CANNOT BE USED WITH: 492-4229 WASTE HANDLING PACKAGE		NC
L	449-9132	UNDERCARRIAGE, HD, PART GUIDE 0 FOR USE IN LANE 3 ONLY Includes two center track guide guard and higher flange track guiding rollers in all positions except end rollers. ONLY FOR USE WITH: 458-3882 D6T LGP TRACTOR CANNOT BE USED WITH: 492-4229 WASTE HANDLING PACKAGE		\$2,540
L	381-2592	UNDERCARRIAGE, HD, FULL GUIDE 0 FOR USE IN LANE 3 ONLY Includes full length, heavy duty cast steel track roller guiding guards and higher flange track guiding rollers in all positions except for end rollers. ONLY FOR USE WITH: 458-3882 D6T LGP TRACTOR CANNOT BE USED WITH: 492-4229 WASTE HANDLING PACKAGE		\$4,695

TRACK GROUPS

XL SU, TRACK PAIRS (41 SECTIONS)

L	385-2688	TRACK, 560MM / 22" MS S1 0 FOR USE IN LANE 3 ONLY		\$296
L	384-1713	TRACK, 560MM / 22" ES S1 7,449		\$2,130
L	385-2693	TRACK, 610MM / 24" MS S1 0 FOR USE IN LANE 3 ONLY		\$1,190
L	385-2695	TRACK, 610MM / 24" ES S1 7,813 FOR USE IN LANE 3 ONLY		\$3,200
L	385-2699	TRACK, 610MM / 24" ES CTR, S1 0 FOR USE IN LANE 3 ONLY SystemOne center hole.		\$4,505

CATERPILLAR MACHINE PRICE LIST

D6T-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

UNDERCARRIAGE (CONT.)

TRACK GROUPS (Cont.)

L	385-2689	TRACK, 560MM / 22" MS HD FOR USE IN LANE 3 ONLY	6,689	NC
L	385-2691	TRACK, 560MM / 22" ES HD FOR USE IN LANE 3 ONLY	7,361	\$1,845
L	385-2698	TRACK, 610MM / 24" ES TRAP HD FOR USE IN LANE 3 ONLY HD trapezoidal holes. RECOMMENDED with Waste Handling Package	7,635	\$4,215
L	385-2697	TRACK, 610MM / 24" ES HD FOR USE IN LANE 3 ONLY Extreme service shoes. Heavy duty.	0	\$2,910

XL SU FINEGRADING, TRACK PAIRS (45 sections)

L	385-2692	TRACK, 610MM / 24" MS S1 FOR USE IN LANE 3 ONLY	0	\$-1,665
---	----------	--	---	----------

XL VPAT, TRACK PAIRS (41 sections)

L	385-2688	TRACK, 560MM / 22" MS S1 FOR USE IN LANE 3 ONLY	0	\$296
L	384-1713	TRACK, 560MM / 22" ES S1 FOR USE IN LANE 3 ONLY	7,449	\$2,130
L	385-2689	TRACK, 560MM / 22" MS HD FOR USE IN LANE 3 ONLY	6,689	NC
L	385-2691	TRACK, 560MM / 22" ES HD FOR USE IN LANE 3 ONLY	7,361	\$1,845

XW SU, TRACK PAIRS (41 sections)

L	385-2693	TRACK, 610MM / 24" MS S1 FOR USE IN LANE 3 ONLY	0	\$1,190
L	385-2695	TRACK, 610MM / 24" ES S1 FOR USE IN LANE 3 ONLY	7,813	\$3,200
L	385-5463	TRACK, 710MM / 28" MS S1 FOR USE IN LANE 3 ONLY	0	\$-605
L	385-5464	TRACK, 760MM / 30" MS S1 FOR USE IN LANE 3 ONLY	0	\$297
L	385-5466	TRACK, 760MM / 30" ES S1 FOR USE IN LANE 3 ONLY	0	\$2,800
L	385-5465	TRACK, 760MM / 30" MS HD FOR USE IN LANE 3 ONLY.	0	NC

XW VPAT, TRACK PAIRS (45 sections)

L	385-7768	TRACK, 710MM / 28" MS S1 FOR USE IN LANE 3 ONLY	0	\$314
L	385-7775	TRACK, 710MM / 28" ES S1 FOR USE IN LANE 3 ONLY	0	\$2,880

CATERPILLAR MACHINE PRICE LIST

D6T-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

UNDERCARRIAGE (CONT.)

TRACK GROUPS (Cont.)

L	385-2684	TRACK, 710MM / 28" ES HD FOR USE IN LANE 3 ONLY	0	\$5,070
---	----------	--	---	---------

LGP S, TRACK PAIRS (45 sections)

L	385-7758	TRACK, 915MM / 36" MS S1	0	\$317
L	385-7760	TRACK, 915MM / 36" ES S1	10,961	\$3,620
L	385-7759	TRACK, 915MM / 36" MS HD	9,786	NC
L	385-7757	TRACK, 760MM / 30" ES TRAP HD FOR USE IN LANE 3 ONLY Extreme service shoes. Heavy duty. Includes trapezoidal holes. RECOMMENDED with Waste Handling Package	0	\$1,455
L	385-7762	TRACK, 915MM / 36" ES TRAP HD FOR USE IN LANE 3 ONLY HD trapezoidal holes. RECOMMENDED with Waste Handling Package	10,803	\$8,660
L	385-7764	TRACK, 990MM/39" SELF-CLEAN HD	9,530	\$28,230

LGP VPAT, TRACK PAIRS (45 Sections)

L	385-7767	TRACK,790MM / 31" MS OFFSET S1 FOR USE IN LANE 3 ONLY Offset / MS tracks.	0	\$321
L	385-7771	TRACK,790MM / 31" MS OFFSET HD FOR USE IN LANE 3 ONLY Offset / MS tracks.	0	NC

HYDRAULICS

REAR ATTACHMENT HYDRAULICS & CONTROLS

NON-VPAT REAR IMPLEMENTS HYDRAULICS

L	490-0470	NO REAR HYDRAULICS FOR USE IN LANE 3 ONLY EXCEPTIONALLY ALSO AVAILABLE IN LANE 2 FOR JAPAN (STANDARD BOM ORDERS) CANNOT BE USED WITH: 487-3445 6 RIPPER, MULTI-SHANK 371-0953 PA56 WINCH PACKAGE, STD SPEED 371-0954 PA56 WINCH PACKAGE, SLOW SPEED	0	NC
L	490-0496	HYDRAULICS, RIPPER EXCEPTIONALLY AVAILABLE ONLY IN LANE 3 FOR JAPAN Includes lines, ripper control valve, and ripper control. CANNOT BE USED WITH: 371-0953 PA56 WINCH PACKAGE, STD SPEED 371-0954 PA56 WINCH PACKAGE, SLOW SPEED	0	\$3,100

CATERPILLAR MACHINE PRICE LIST

D6T-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

REAR ATTACHMENT HYDRAULICS & CONTROLS (Cont.)

L	490-0501	HYDRAULICS, WINCH/RIPPER 0 FOR USE IN LANE 3 ONLY Includes ripper lines, ripper control valve and combined ripper and winch control. Allows for the factory installation of either a ripper or a PA56 winch.		\$4,240
---	----------	--	--	---------

VPAT REAR IMPLEMENTS HYDRAULICS

L	490-0475	NO REAR HYDRAULICS, VPAT 0 FOR USE IN LANE 3 ONLY CANNOT BE USED WITH: 487-3445 6 RIPPER, MULTI-SHANK 371-0953 PA56 WINCH PACKAGE, STD SPEED 371-0954 PA56 WINCH PACKAGE, SLOW SPEED		NC
L	490-0497	HYDRAULICS, RIPPER, VPAT 0 FOR USE IN LANE 3 ONLY Includes lines ripper control valve, and ripper control. CANNOT BE USED WITH: 371-0953 PA56 WINCH PACKAGE, STD SPEED 371-0954 PA56 WINCH PACKAGE, SLOW SPEED		\$3,100
L	490-0513	HYDRAULICS, WINCH/RIPPER, VPAT 0 Includes ripper lines, ripper control valve and combined ripper and winch control. Allows for the factory installation of either a ripper or a PA56 winch.		\$4,240

HYDRAULIC FAN

L	458-3917	FAN, BASIC 0 Hydraulically driven demand fan with a hydraulic valve that allows for reduced fan speed to improve cold weather performance. CANNOT BE USED WITH: 492-4229 WASTE HANDLING PACKAGE		NC
L	458-3918	FAN, AUTO REVERSING 0 Hydraulically driven, auto-reversing fan which changes direction automatically to purge debris from radiator and enclosures. Also includes a hydraulic valve that allows for reduced fan speed to improve cold weather performance. INCLUDED IN: 492-4229 WASTE HANDLING PACKAGE		\$1,800

STARTERS, BATTERIES, & ALTERNATORS

ALTERNATORS

L	375-3356	ALTERNATOR, 150 AMP 0 CANNOT BE USED WITH: 492-4229 WASTE HANDLING PACKAGE		NC
L	463-8636	ALTERNATOR, 150 AMP, DUCTED 0 Ducted version recommended in debris laden environment. INCLUDED IN: 492-4229 WASTE HANDLING PACKAGE		\$675

CATERPILLAR MACHINE PRICE LIST

D6T-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

ELECTRICAL

LIGHTING GROUP

L	513-9345	LIGHTS, 6, BASIC 0 2 lights mounted on the radiator guard facing forward, 2 lights mounted on the cab facing forward, and 2 lights mounted on the ROPS, facing rearward. REQUIRES : WIRING GRADE W/3D if the machine is equipped with a grade control. Two wiring attachments are available as options, depending on the S/SU or VPAT machine configuration. CANNOT BE USED WITH: 492-4229 WASTE HANDLING PACKAGE		\$1,975
L	513-9357	LIGHTS, 6, BASIC, REAR SCREEN 0 FOR USE IN LANE 3 ONLY 2 lights mounted on the radiator guard facing forward, 2 lights mounted on the cab facing forward, and 2 lights mounted to the rear screen facing rearward. REQUIRES : WIRING GRADE W/3D if the machine is equipped with a grade control. Two wiring attachments are available as options, depending on the S/SU or VPAT machine configuration. REQUIRES: 393-3706 SCREEN, REAR CANNOT BE USED WITH: 492-4229 WASTE HANDLING PACKAGE		\$1,975
L	513-9346	LIGHTS, 10, PREMIUM 0 Provides 4 lights mounted on TOP of dozer lift cylinders facing forward, 2 mounted on ROPS facing forward, 4 mounted on ROPS facing rearward. Also includes underhood light.		\$3,300
L	513-9358	LIGHTS, 10, PREMIUM, REAR SCREEN 0 FOR USE IN LANE 3 ONLY Provides 4 lights mounted on top of dozer lift cylinders facing forward, 2 mounted on cab facing forward, 4 lights mounted to the rear screen facing rearward. Also includes underhood light. REQUIRES: 393-3706 SCREEN, REAR		\$3,300
L	513-9350	LIGHTS, 8, SWEEPS 0 FOR USE IN LANE 3 ONLY Provides 4 guarded lights on front of sweeps facing forward, 2 lights mounted on sweeps near the top of the cab facing forward and 2 lights mounted to the rear screen facing rearward. Also includes underhood light. REQUIRES : WIRING GRADE W/3D if the machine is equipped with a grade control. Two wiring attachments are available as options, depending on the S/SU or VPAT machine configuration. REQUIRES: 313-2673 SWEEPS and 393-3706 SCREEN, REAR CANNOT BE USED WITH: 492-4229 WASTE HANDLING PACKAGE		\$2,755

CATERPILLAR MACHINE PRICE LIST

D6T-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT

CAB PACKAGES

All cabs are rear-camera ready. The camera itself needs to be separately selected from the optional section of this price list.

L	507-6875	CAB STANDARD PACKAGE 0 Includes standard cab and air suspension seat.		NC
L	518-2915	CAB COMFORT PACKAGE 0 Includes standard cab and air suspension, heated and ventilated seat.		\$1, 680
L	518-3820	CAB COMFORT PACKAGE, ENHANCED 0 FOR USE IN LANE 3 ONLY Includes : -Enhanced cab with higher pressurization for improved air quality in dusty applications. Includes a power precleaner & dual pane glass and high efficiency filter which reduces system maintenance intervals, -Air suspension, heated and ventilated seat. RECOMMENDED WITH WASTE HANDLING PACKAGE CANNOT BE USED WITH: GRADE W/3D 426-0970 LIGHT, WARNING, STROBE W/PLATE 313-2673 SWEEPS		\$7, 740

TECHNOLOGY PRODUCTS

MACHINE CONTROL OPTIONS

ACCUGRADE

For a complete AccuGrade ready machine, you must order the AccuGrade Ready attachment (ARO). AccuGrade blade mounts are standard on all blades unless otherwise stated.

NON VPAT Controls

L	457-7668	CONTROL, BASIC 0 FOR USE IN LANE 3 ONLY Control group for machines without Accugrade technology.		NC
L	458-3878	ACCUGRADE READY. 0 Includes brackets and hardware for the complete installation of the AccuGrade system components including the PM400 module. Supports blade-mounted dual GPS receivers for fully automated blade control.		\$5, 640

VPAT Controls

CATERPILLAR MACHINE PRICE LIST

D6T-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

MACHINE CONTROL OPTIONS (Cont.)

L	457-7669	CONTROL, BASIC, VPAT 0 FOR USE IN LANE 3 ONLY Control group for VPAT machines without Accugrade technology.		NC
L	458-3879	ACCUGRADE READY, VPAT 0 FOR USE IN LANE 3 ONLY Includes brackets and hardware for the complete installation of the AccuGrade system components including the PM400 module. Supports blade-mounted dual GPS receivers for fully automated blade control.		\$5,640

GRADE WITH 3D

Cat Grade Control 3D is a factory installed, chassis mounted grade control system that moves blade mounted grade control components to the top of the cab. Includes a Cat Grade Control 3D display, factory enabled SEA, dual mounted receivers and dual mounted GNSS antennas. Requires an "off-board" radio network and GPS base station to be functional. Additional requirements via SITECH dealer include on-board data radio and measure up and calibration. Dealer must meet specific "market ready" requirements. Contact your Caterpillar Technology or Sales Representative before ordering.

NON VPAT Controls

L	462-7660	GRADE W/3D 0 REQUIRES: 475-4773 CYLINDERS, LIFT, GRADE W/3D (XL, XW) 475-4774 CYLINDERS, LIFT, GRADE W/3D (LGP) 482-7066 WIRING, GRADE W/3D, only if 6 or 8 lights installed (no need of this wiring if 10 lights installed). CANNOT BE USED WITH: 436-5555 UNDERCARRIAGE XL, S1, FINEGRAD 518-3820 CAB COMFORT PACKAGE, ENHANCED 503-4187 BLADE, 6SU XL NARROW		\$43,870
---	----------	--	--	----------

VPAT Controls

L	462-7661	GRADE W/3D, VPAT 0 FOR USE IN LANE 3 ONLY REQUIRES: 481-4914 VPAT XL DOZER PKG, GRADE W/3D, or 481-4916 VPAT XW/LGP DZR PKG, GRADE W/3D, or 523-3930 VPAT XW/LGP DZR,FLD, GRADE W/3D, and 458-3018 WIRING, GRADE W/3D, VPAT, only if 6 or 8 lights installed (no need of this wiring if 10 lights installed). CANNOT BE USED WITH: 518-3820 CAB COMFORT PACKAGE, ENHANCED		\$43,870
---	----------	---	--	----------

CATERPILLAR MACHINE PRICE LIST

D6T-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country. Please reference <https://Dealer.cat.com/PL/Certification> for certified countries.

Please contact your Cat marketing representative with questions.

For a CELLULAR-ONLY technology, please select the cellular product link attachment only.

For a SATELLITE-ONLY or DUAL technology, please select the cellular product link attachment and make sure to ADD the satellite reference.

L	486-7003	PRODUCT LINK, CELLULAR PLE641 0 Product Link Elite series PLE641 offers expanded coverage including 3G UMTS and CDMA2000 as well as 2G GSM and CDMA cellular networks to transmit location, utilization and condition information for viewing in Product Link-s remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		NC
L	486-7001	PRODUCT LINK, SATELLITE PLE631 0 Product Link Elite series PLE631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage. REQUIRES: 486-7003 PRODUCT LINK, CELLULAR PLE641		\$432

SAFETY AND SECURITY

BACK-UP ALARM

L	509-7659	ALARM, BACKUP 0 Back-up alarm mounted to the bottom face of the fuel tank. CANNOT BE USED WITH: 514-0441 STRIKER BAR BOX, REAR 514-0443 STRIKER BAR BOX, REAR		NC
L	509-7660	ALARM, BACKUP, GUARDED 0 FOR USE IN LANE 3 ONLY Back-up alarm mounted to the rear face of the fuel tank guard and guarded with metal plates and wire mesh guarding. REQUIRES: Fuel tank guard ONLY FOR USE WITH: 514-0441 STRIKER BAR BOX, REAR 514-0443 STRIKER BAR BOX, REAR		\$250

CATERPILLAR MACHINE PRICE LIST

D6T-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

FUEL SYSTEMS

FUEL TANK

L	493-6860	FUEL TANK, BASIC Provides standard fuel tank.	0	NC
L	494-2343	FUEL TANK, FF & REFILL READY Provides fuel tank with openings for either the fast fill system or the refilling pump. REQUIRES: 439-6270 COVER, or 439-6269 FUEL SYSTEM, FAST FILL, or 439-6271 REFILLING FUEL PUMP	0	\$1,010

GUARDS

BOTTOMS GUARDS

L	388-2648	GUARD, BOTTOM INCLUDES: HITCH, FRONT CANNOT BE USED WITH: 492-4229 WASTE HANDLING PACKAGE	0	NC
L	390-0900	GUARD, BOTTOM, SEALED, HD Includes Heavy Duty and Sealed Bottom Guards. REQUIRES: HITCH or PULL HOOK, FRONT INCLUDED IN: 492-4229 WASTE HANDLING PACKAGE	0	\$2,075

OTHER ATTACHMENTS

FENDER

NON VPAT

L	482-7004	FENDER, BASIC ONLY FOR USE WITH: 493-6860 FUEL TANK, BASIC	0	NC
L	493-7291	FENDER, BASIC, FAST FILL READY ONLY FOR USE WITH: 494-2343 FUEL TANK, FF & REFILL READY	0	NC

VPAT

L	482-7005	FENDER, BASIC, VPAT FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 493-6860 FUEL TANK, BASIC	0	NC
L	493-7295	FENDER, BASIC, FF READY, VPAT FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 494-2343 FUEL TANK, FF & REFILL READY	0	NC

CATERPILLAR MACHINE PRICE LIST

D6T-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

REAR ATTACHMENTS

When a VPAT bulldozer is ordered, it is recommended to equip the machine with a ripper, winch or other counterweights to reach the optimum balance of the machine.

P	487-3445	6 RIPPER, MULTI-SHANK	0	\$22,880
			0	\$22,880 NI
		<p>DOES NOT INCLUDE RIPPER SHANKS THAT MUST BE ORDERED SEPARATELY. Parallelogram ripper. Can accomodate 3 teeth. Rear mounted. This ripper is not intended for normal ripping applications when installed on the LGP. It is intended for scarifying hard soil only when used with the LGP. AVAILABLE INSTALLED OR NOT INSTALLED ALSO AVAILABLE ON A MISCELLANEOUS ORDER REQUIRES: 9J-8926 TOOTH, CURVED 8J-2189 TOOTH, STRAIGHT Teeth will be ordered Installed if the ripper is Installed, they will be ordered Not Installed if ripper Not Installed. ONLY FOR USE WITH: 490-0496 HYDRAULICS, RIPPER, or 490-0501 HYDRAULICS, WINCH/RIP, or 490-0497 HYDRAULICS, RIPPER, VPAT, or 490-0513 HYDRAULICS, WINCH/RIP, VPAT and 509-7659 ALARM, BACKUP</p>		
L	3W-6866	DRAWBAR, RIGID LONG	256	\$1,440
		ONLY FOR USE WITH: 509-7659 ALARM, BACKUP		
L	514-0441	STRIKER BAR BOX, REAR	0	\$14,020
		<p>FOR USE IN LANE 3 ONLY Includes drawbar and storage area. Mounts to rear of machine and helps protect fenders and other sheet metal from debris carried by tracks. RECOMMENDED with Waste Handling Package. Additional counterweights (minimum of 2) recommended if ordered with waste handling arrangements. RECOMMENDED WITH WASTE HANDLING PACKAGE ONLY FOR USE WITH: 458-3880 D6T XL TRACTOR, or 458-3881 D6T XW TRACTOR, or 458-3883 D6T XL VPAT TRACTOR, and 490-0470 NO REAR HYDRAULICS, or 490-0475 NO REAR HYDRAULICS, VPAT, and 509-7660 ALARM, BACKUP, GUARDED</p>		

CATERPILLAR MACHINE PRICE LIST

D6T-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

REAR ATTACHMENTS (Cont.)

L	514-0443	STRIKER BAR BOX, REAR 0 FOR USE IN LANE 3 ONLY Includes drawbar and storage area. Mounts to rear of machine and helps protect fenders and other sheet metal from debris carried by tracks. RECOMMENDED with Waste Handling Package. Additional counterweights (minimum of 2) recommended if ordered with waste handling arrangements REQUIRES: Back-up alarm, guarded ONLY FOR USE WITH: 458-3882 D6T LGP TRACTOR, or 458-3884 D6T XW VPAT TRACTOR, or 458-3885 D6T LGP VPAT TRACTOR, and 490-0470 NO REAR HYDRAULICS, or 490-0475 NO REAR HYDRAULICS, VPAT, and 509-7660 ALARM, BACKUP, GUARDED		\$14,100
L	452-8203	NO REAR ATTACHMENT 0 This reference must be selected only when the dealer wants to install his own rear attachments at the dealership or in the field. In any case, the machine must be sold to the final customer with an appropriate rear attachment (drawbar, ripper, winch, counterweight) to reach the optimum balance of the complete machine. Orders with this no rear attachment will be accepted by the factory only if the final rear configuration is explained and justified with a note in the MSO. Please check the global configuration of the machine is consistent with the intended rear equipment.		NC

GRAB HANDLES

NON VPAT

L	390-1847	HANDLES, BASIC 0 CANNOT BE USED WITH: 492-4229 WASTE HANDLING PACKAGE 313-2673 SWEEPS		NC
L	390-1848	HANDLES, HEAVY DUTY 0 FOR USE IN LANE 3 ONLY Increased strength grab irons to resist damage caused by debris in landfill or other severe applications. CANNOT BE USED WITH: 313-2673 SWEEPS INCLUDED IN: 492-4229 WASTE HANDLING PACKAGE		\$940
L	390-1849	HANDLES, HEAVY DUTY, SWEEPS 0 FOR USE IN LANE 3 ONLY Increased strength grab irons to resist damage caused in severe applications. ONLY FOR USE WITH: 313-2673 SWEEPS CANNOT BE USED WITH: 492-4229 WASTE HANDLING PACKAGE		\$940

CATERPILLAR MACHINE PRICE LIST

D6T-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

GRAB HANDLES (Cont.)

VPAT

L	451-9115	HANDLES, VPAT FOR USE IN LANE 3 ONLY CANNOT BE USED WITH: 313-2673 SWEEPS	0	NC
L	451-9116	HANDLES, HEAVY DUTY, VPAT FOR USE IN LANE 3 ONLY Increased strength grab irons to resist damage caused by debris in landfill or other severe applications.	0	\$940

BLADES

VPAT BULLDOZER ARRANGEMENTS (COMPLETE)

The VPAT Bulldozer (Power, Angle and Tilt) are complete packages, including the blade and cylinders that must not be ordered on their own. Straight blades will be dismantled for shipment.

L	481-4913	VPAT XL DOZER PACKAGE FOR USE IN LANE 3 ONLY Includes trunnions, c-frame, VPAT blade, two lift cylinders with lines, valve group with lines. Includes finish dozing cutting edges and end bits. REQUIRES: EITHER A REAR MOUNTED COUNTERWEIGHT WITH 2 EXTRA COUNTERWEIGHT SLABS, A RIPPER OR A WINCH CANNOT BE USED WITH: 462-7661 GRADE W/3D, VPAT	0	\$43,180
L	481-4914	VPAT XL DOZER PKG, GRADE W/3D FOR USE IN LANE 3 ONLY Includes trunnions, c-frame, VPAT blade. Also includes specific attachments for grade w/3D : two lift cylinders with lines, angle and tilt cylinders, wiring for stable blade sensor. REQUIRES: EITHER A REAR MOUNTED COUNTERWEIGHT WITH 2 EXTRA COUNTERWEIGHT SLABS, A RIPPER OR A WINCH ONLY FOR USE WITH: 462-7661 GRADE W/3D, VPAT	0	\$55,310
L	481-4915	VPAT XW/LGP DOZER PACKAGE FOR USE IN LANE 3 ONLY Includes trunnions, c-frame, VPAT blade, two lift cylinders with lines, valve group with lines. Includes finish dozing cutting edges and end bits. REQUIRES: EITHER A REAR MOUNTED COUNTERWEIGHT, A RIPPER OR A WINCH CANNOT BE USED WITH: 462-7661 GRADE W/3D, VPAT	0	\$45,660

CATERPILLAR MACHINE PRICE LIST

D6T-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BLADES (CONT.)

VPAT BULLDOZER ARRANGEMENTS (COMPLETE) (Cont.)

L	481-4916	VPAT XW/LGP DZR PKG, GRADE W/3D 0 FOR USE IN LANE 3 ONLY Includes trunnions, c-frame, VPAT blade. Also includes specific attachments for grade w/3D : two lift cylinders with lines, angle and tilt cylinders, wiring for stable blade sensor. Includes finish dozing cutting edges and end bits. REQUIRES: EITHER A REAR MOUNTED COUNTERWEIGHT, A RIPPER OR A WINCH ONLY FOR USE WITH: 462-7661 GRADE W/3D, VPAT	0	\$55,310
---	----------	---	---	----------

6SU XL BULLDOZER ARRANGEMENTS (TO CONSTITUTE)

6SU XL bulldozer arrangements are made of separate attachments to consistently order from the following bulldozer, cylinder and blade sections.

6SU XL BULLDOZER INSTALLATION PACKAGES

L	481-4907	6SU XL BULLDOZER 0 Includes push arms, trunnions, tilt cylinder lines and tilt cylinder. CANNOT BE USED WITH: 492-4229 WASTE HANDLING PACKAGE	0	\$13,730 NI
L	481-4908	6SU XL BULLDOZER, GUARDED 0 FOR USE IN LANE 3 ONLY Provides sleeves to protect cylinder lines in harsh applications. Includes push arms, trunnions, tilt cylinder lines and tilt cylinder. REQUIRED BY: 492-4229 WASTE HANDLING PACKAGE	0	\$14,710 NI
L	507-9859	6SU XL BULLDOZER, NARROW 0 FOR USE IN LANE 3 ONLY NON SLOPE ASSIST BULLDOZER This bulldozer can be ordered INSTALLED on the machine, if selected with the NARROW blade, all listed INSTALLED. CANNOT BE USED WITH: 492-4229 WASTE HANDLING PACKAGE 462-7660 GRADE W/3D	0	\$13,730 \$13,730 NI
L	507-9857	6SU XL BULLDOZER, FINEGRADING 0 FOR USE IN LANE 3 ONLY NON SLOPE ASSIST BULLDOZER NARROW bulldozer for specific fine grading applications. This bulldozer can be ordered INSTALLED on the machine, if selected with the NARROW blade, all listed INSTALLED. REQUIRES: 475-4772 LGP CYLINDERS, LIFT, STANDARD CANNOT BE USED WITH: 492-4229 WASTE HANDLING PACKAGE 462-7660 GRADE W/3D	0	\$18,500 \$18,500 NI

CATERPILLAR MACHINE PRICE LIST

D6T-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BLADES (CONT.)

6SU XL BULLDOZER ARRANGEMENTS (TO CONSTITUTE) (Cont.)

6SU XL BULLDOZER LIFT CYLINDERS

L	475-4771	CYLINDERS, LIFT, STD, XL/XW 0 CANNOT BE USED WITH: 462-7660 GRADE W/3D 507-9857 6SU XL BULLDOZER, FINEGRADING		\$7,580
L	475-4773	CYLINDERS, LIFT, GRADE, XL/XW 0 ONLY FOR USE WITH: 462-7660 GRADE W/3D CANNOT BE USED WITH: 507-9857 6SU XL BULLDOZER, FINEGRADING		\$16,930

6SU XL BLADES

P	481-4880	BLADE, 6SU XL ARO 0 Includes finish dozing cutting edges, end bits and left, right and center accugrade mounts. ALSO AVAILABLE ON A MISCELLANEOUS ORDER ONLY FOR USE WITH: 481-4907 6SU XL BULLDOZER 481-4908 6SU XL BULLDOZER, GUARDED 507-9857 6SU XL BULLDOZER, FINEGRADING		\$11,610 NI
P	481-4883	BLADE, 6SU XL LANDFILL 0 FOR USE IN LANE 3 ONLY Includes TRASH RACK. Includes finish dozing cutting edges and end bits. Blade capacity for 6SU is 11.2m3/14.3 yd3. Increases dozing capacity on machines when working in lighter materials such as in landfills. Must be retrofitted with mounting plates when ordered with the Accugrade Ready, AC. See Special Instruction REHS7213 for information on retrofitting the mounting plates. RECOMMENDED WITH WASTE HANDLING PACKAGE ALSO AVAILABLE ON A MISCELLANEOUS ORDER ONLY FOR USE WITH: 481-4908 6SU XL BULLDOZER, GUARDED CANNOT BE USED WITH: 313-2673 SWEEPS		\$15,690 NI
P	503-4187	BLADE, 6SU XL NARROW 0 0 This blade comes Accugrade ready and includes brackets for Accugrade receivers. This blade can be ordered INSTALLED on the machine, if selected with a NARROW bulldozer, all listed INSTALLED. ALSO AVAILABLE ON A MISCELLANEOUS ORDER ONLY FOR USE WITH: 507-9859 6SU XL BULLDOZER, NARROW 507-9857 6SU XL BULLDOZER, FINEGRADING CANNOT BE USED WITH: 462-7660 GRADE W/3D		\$9,920 \$9,920 NI
L	340-7729	NO BLADE 0 Select this reference when no blade desired with the machine. Not to be used with VPAT COMPLETE bulldozers.		NC

CATERPILLAR MACHINE PRICE LIST

D6T-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BLADES (CONT.)

6SU XW BULLDOZER ARRANGEMENTS (TO CONSTITUTE)

6SU XW bulldozer arrangements are made of separate attachments to consistently order from the following bulldozer, cylinder and blade sections.

6SU XW BULLDOZER INSTALLATION PACKAGES

L	481-4909	6SU XW BULLDOZER 0 FOR USE IN LANE 3 ONLY Includes push arms, trunnions, tilt cylinder lines and tilt cylinder.		\$16,750 NI
L	481-4910	6SU XW BULLDOZER, GUARDED 0 FOR USE IN LANE 3 ONLY Provides sleeves to protect cylinder lines in harsh applications. Includes push arms, trunnions, tilt cylinder lines and tilt cylinder.		\$17,730 NI

6SU XW BULLDOZER LIFT CYLINDERS

L	475-4771	CYLINDERS, LIFT, STD, XL/XW 0 CANNOT BE USED WITH: 462-7660 GRADE W/3D		\$7,580
L	475-4773	CYLINDERS, LIFT, GRADE, XL/XW 0 ONLY FOR USE WITH: 462-7660 GRADE W/3D		\$16,930

6SU XW BLADES

P	481-4885	BLADE, 6SU XW, ARO 0 FOR USE IN LANE 3 ONLY Includes finish dozing cutting edges, end bits and left, right and center accugrade mounts. ALSO AVAILABLE ON A MISCELLANEOUS ORDER ONLY FOR USE WITH: 481-4909 6SU XW BULLDOZER 481-4910 6SU XW BULLDOZER, GUARDED		\$12,910 NI
L	340-7729	NO BLADE 0 Select this reference when no blade desired with the machine. Not to be used with VPAT COMPLETE bulldozers.		NC

CATERPILLAR MACHINE PRICE LIST

D6T-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BLADES (CONT.)

6S LGP BULLDOZER ARRANGEMENTS (TO CONSTITUTE)

6S LGP bulldozer arrangements are made of separate attachments to consistently order from the following bulldozer, cylinder and blade sections.

6S LGP BULLDOZER INSTALLATION PACKAGES

L	481-4911	6S LGP BULLDOZER 0 Includes push arms, trunnions, tilt cylinder lines and tilt cylinder. CANNOT BE USED WITH: 492-4229 WASTE HANDLING PACKAGE		\$16,830 NI
L	481-4912	6S LGP BULLDOZER, GUARDED 0 FOR USE IN LANE 3 ONLY Provides sleeves to protect cylinder lines in harsh applications. Included: Push arms, trunnions, tilt cylinder lines and tilt cylinder. REQUIRED BY: 492-4229 WASTE HANDLING PACKAGE		\$17,820 NI

6S LGP BULLDOZER LIFT CYLINDERS

L	475-4772	CYLINDERS, LIFT, STD, LGP 0 CANNOT BE USED WITH: 462-7660 GRADE W/3D REQUIRED BY: 507-9857 6SU XL BULLDOZER, FINEGRADING		\$8,070
L	475-4774	CYLINDERS, LIFT, GRADE, LGP 0 ONLY FOR USE WITH: 462-7660 GRADE W/3D		\$16,930

6S LGP BLADES

P	481-4890	BLADE, 6S LGP ARO 0 Includes finish dozing cutting edges, end bits and left, right and center accugrade mounts. ALSO AVAILABLE ON A MISCELLANEOUS ORDER ONLY FOR USE WITH: 481-4911 6S LGP BULLDOZER 481-4912 6S LGP BULLDOZER, GUARDED		\$11,370 NI
---	----------	---	--	-------------

CATERPILLAR MACHINE PRICE LIST

D6T-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BLADES (CONT.)

6S LGP BULLDOZER ARRANGEMENTS (TO CONSTITUTE) (Cont.)

P	481-4893	BLADE, 6S LGP, LANDFILL 0 FOR USE IN LANE 3 ONLY Landfill blade is equipped with a TRASH RACK to increase productive capacity of the blade and protect the radiator. Blade capacity is 9.3 m3/12.1 yd3. Increases dozing capacity on machines when working in lighter materials such as landfills. Includes finish dozing cutting edges and end bits. Must be retrofitted with mounting plates when ordered with the Accugrade Ready, AC. See Special Instruction REHS7213 for information on retrofitting the mounting plates. RECOMMENDED WITH WASTE HANDLING PACKAGE ALSO AVAILABLE ON A MISCELLANEOUS ORDER ONLY FOR USE WITH: 481-4912 6S LGP BULLDOZER, GUARDED CANNOT BE USED WITH: 313-2673 SWEEPS		\$16,950 NI
L	340-7729	NO BLADE 0 Select this reference when no blade desired with the machine. Not to be used with VPAT complete bulldozers.		NC

FLUIDS

ENGINE COOLANTS / TRANSMISSION OIL

L	457-7583	FLUIDS, STD (-37C) 0 Includes standard engine and transmission oil. Provides cooling system antifreeze protection, down to -37C (-34F).		NC
L	458-3877	FLUIDS, STD (-37C), BIO 0 FOR USE IN LANE 3 ONLY This Hydraulic Environmental Ester Synthetic oil is recommended when required for environmental compliance. Factory filled, it applies to the implement and differential steering hydraulic systems. Includes standard oil for engine and transmission. Provides cooling system antifreeze protection, down to -37C (-34F).		\$2,410
L	457-7671	FLUIDS, ARCTIC (-51C) 0 FOR USE IN LANE 3 ONLY Includes standard engine and transmission oil. Provides cooling system antifreeze protection, down to -51C (-58F).		\$252 NET

PACKING

	OG-9236	COMPLETE STORAGE PROTECTION 0 Machines have been sprayed with Fluid Film TM. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer. Cilix AND foam protection on all cylinders are also included in this storage protection procedure. Recommended : Sea and all type or long distance shipment		\$242 NET
--	---------	--	--	-----------

CATERPILLAR MACHINE PRICE LIST

D6T-GR

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

ELECTRICAL

BEACON

Beacons are delivered detached to avoid transportation damages.

L	378-7927	LIGHT, WARNING, STROBE 0 FOR USE IN LANE 3 ONLY Provides a heavy duty single flash strobe beacon unit, which is weather sealed and water resistant with the power supply encased in gel (anti-vibration). The beacon is wired directly and can only be turned off by using the disconnect switch. ONLY FOR USE WITH: 518-3820 CAB COMFORT PACKAGE, ENHANCED		\$1,175 NI
L	426-0970	LIGHT, WARNING, STROBE W/PLATE 0 FOR USE IN LANE 3 ONLY Provides a heavy duty single flash strobe beacon unit, which is weather sealed and water resistant with the power supply encased in gel (anti-vibration). The beacon is wired directly and can only be turned off by using the disconnect switch. Includes a mounting plate installed on the standard cab. CANNOT BE USED WITH: 518-3820 CAB COMFORT PACKAGE, ENHANCED 313-2673 SWEEPS		\$1,175

GRADE CONTROL PREPARATION

Wiring option for electrical power supply to the specific CAT GRADE CONTROL cylinders. This option is only available for 6 or 8 light configurations. Not needed if 10 lights ordered as the electrical power is then supplied by the cylinder lights.

L	482-7066	WIRING, GRADE W/3D 0 ONLY FOR USE WITH: 462-7660 GRADE W/3D, and 513-9345 LIGHTS, 6, BASIC, or 513-9357 LIGHTS, 6, BASIC, REAR SCREEN, or 513-9350 LIGHTS, 8, SWEEPS		NC
L	458-3018	WIRING, GRADE W/3D, VPAT 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 462-7661 GRADE W/3D, VPAT, and 513-9345 LIGHTS, 6, BASIC, or 513-9357 LIGHTS, 6, BASIC, REAR SCREEN, or 513-9350 LIGHTS, 8, SWEEPS		NC

CATERPILLAR MACHINE PRICE LIST

D6T-GR

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT

P	509-7665	VISIBILITY ARR, SINGLE CAMERA	0 0	\$530 \$530 NI
		The camera system can be used to enhance the operators visibility of his surroundings, or provide a better view of his work tool. The image is included in the main machine display when the machine is placed in reverse gear. RECOMMENDED WITH WASTE HANDLING PACKAGE AVAILABLE INSTALLED ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER		
L	480-0279	AIR CONDITIONER, ROPS	0	NC
		Provides ROPS mounted air conditioning condenser core and fans. Prevents early plugging of air conditioning condenser core in debris laden environments such as waste handling sites. Mounts to rear of ROPS.		

SAFETY AND SECURITY

FRONT TOWING DEVICES

L	433-6933	TOWING DEVICE, PULL-HOOK	0	\$590
		Provides a front pull hook on the sealed bottom guard. REQUIRED BY: 492-4229 WASTE HANDLING PACKAGE 390-0900 GUARD, BOTTOM, SEALED, HD		

FUEL SYSTEMS

FUEL TANK COVER

This section lists the different options to complete the fuel tank, fast fill & refill-ready only. The basic fuel tank has no acces to this section as it includes its own standard covers.

L	439-6270	COVER.	0	\$167
		Provides 2 covers to close fuel tank openings. ONLY FOR USE WITH: 494-2343 FUEL TANK, FF & REFILL READY		
P	439-6269	FUEL SYSTEM, FAST FILL	15 0	\$1,100 \$1,100 NI
		Provides a complete SHAW fast fill installation. AVAILABLE INSTALLED ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER ONLY FOR USE WITH: 494-2343 FUEL TANK, FF & REFILL READY		
P	439-6271	REFILLING FUEL PUMP.	0 0	\$1,390 \$1,390 NI
		Provides an electrical fuel refilling pump (50 liters/min), with automatic shut-off. Refills the D6T fuel tank in about 6 min. Includes 3 meter hose and filter. AVAILABLE INSTALLED ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER ONLY FOR USE WITH: 494-2343 FUEL TANK, FF & REFILL READY		

CATERPILLAR MACHINE PRICE LIST

D6T-GR

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

GUARDS

L	390-9389	GUARD, FUEL TANK 0 FOR USE IN LANE 3 ONLY REQUIRED BY: 492-4229 WASTE HANDLING PACKAGE 509-7660 ALARM, BACKUP, GUARDED 482-7006 SEAL GROUP, HIGH DEBRIS		\$2,960
L	426-5281	GUARD, LIGHTS 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 513-9346 LIGHTS, 10, PREMIUM 513-9358 LIGHTS, 10, PREMIUM, REAR SCREEN INCLUDED IN: 492-4229 WASTE HANDLING PACKAGE		\$276
L	313-2673	SWEEPS 0 FOR USE IN LANE 3 ONLY REQUIRES: 513-9350 LIGHTS, 8, SWEEPS, and 390-1849 HANDLES, HEAVY DUTY, SWEEPS (for SU/S machines) 451-9116 HANDLES, HEAVY DUTY, VPAT (for VPAT machines) CANNOT BE USED WITH: 518-3820 CAB COMFORT PACKAGE, ENHANCED 481-4883 BLADE, 6SU XL LANDFILL 481-4893 BLADE, 6S LGP, LANDFILL 426-0970 LIGHT, WARNING, STROBE W/PLATE		\$6,800
L	393-3706	SCREEN, REAR 0 FOR USE IN LANE 3 ONLY Provides a protective screen covering the rear cab window. REQUIRED BY Winch. ONLY FOR USE WITH: 513-9357 LIGHTS, 6, BASIC, REAR SCREEN 513-9358 LIGHTS, 10, PREMIUM, REAR SCREEN 513-9350 LIGHTS, 8, SWEEPS REQUIRED BY: 371-0953 PA56 WINCH PACKAGE, STD SPEED 371-0954 PA56 WINCH PACKAGE, SLOW SPEED		\$1,295

OTHER ATTACHMENTS

REAR ATTACHMENTS

P	1Q-4324	COUNTERWEIGHT, REAR 2,000 2,000 SPECIFIC COUNTERWEIGHT TO BE INSTALLED WITH THE DRAWBAR. Provides a 910kg rear counterweight, which includes the weight of the rear drawbar. Rear counterweight is STRONGLY RECOMMENDED for optimum tractor balance when ripper or winch is not ordered. AVAILABLE INSTALLED ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER ONLY FOR USE WITH: 3W-6866 DRAWBAR, RIGID LONG REQUIRED BY: ALL VPAT BULLDOZERS		\$6,650 \$6,650 NI
---	---------	---	--	-----------------------

CATERPILLAR MACHINE PRICE LIST

D6T-GR

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

REAR ATTACHMENTS (Cont.)

L	117-9058	COUNTERWEIGHT, REAR SLAB 760 FOR USE IN LANE 3 ONLY SPECIFIC SLABS TO BE INSTALLED ON THE COUNTERWEIGHT, REAR. Can order two of these slabs maximum to provide an additional counterweight of 340 kg each. QUANTITY OF 2 REQUIRED WITH XL VPAT AND ALL VPAT FOLDABLE BULLDOZERS, AND RECOMMENDED WITH XW VPAT AND LGP VPAT BULLDOZERS. ONLY FOR USE WITH: 1Q-4324 COUNTERWEIGHT, REAR		\$2,940
L	238-1177	COUNTERWEIGHT, ADDITIONAL 672 FOR USE IN LANE 3 ONLY SPECIFIC COUNTERWEIGHT TO BE INSTALLED WITH THE STRIKER BARS. Adds approximately a 300kg weight and a 610mm length to the machine. QUANTITY OF 2 RECOMMENDED IN WASTE HANDLING APPLICATIONS. QUANTITY OF 2 REQUIRED WITH XL VPAT AND ALL VPAT FOLDABLE BULLDOZERS, AND RECOMMENDED WITH XW VPAT AND LGP VPAT BULLDOZERS. ONLY FOR USE WITH: 514-0441 STRIKER BAR BOX, REAR 514-0443 STRIKER BAR BOX, REAR		\$2,750

APPLICATION SPECIFIC COMPONENTS

SEALING

L	482-7006	SEAL GROUP, HIGH DEBRIS 0 FOR USE IN LANE 3 ONLY Enhances the sealing of interfaces between chassis, cab, engine enclosure, fenders, radiator guard and fuel tank. RECOMMENDED IN HIGH DEBRIS ENVIRONMENT REQUIRES: 390-0900 GUARD, BOTTOM, SEALED, HD, and 390-9389 GUARD, FUEL TANK INCLUDED IN: 492-4229 WASTE HANDLING PACKAGE		\$1,580
---	----------	--	--	----------------

GROUND ENGAGING TOOLS

RIPPER TEETH

Ripper does not include any shank.
Teeth will be ordered Installed if the ripper is Installed,
They will be ordered Not Installed if ripper Not Installed.

P	9J-8926	TOOTH, CURVED 481 481		\$1,340 \$1,340 NI
		One tooth. Curved shank with centerline tip. Must be ordered in quantity of 3. ALSO AVAILABLE ON A MISCELLANEOUS ORDER REQUIRED BY: 487-3445 6 RIPPER, MULTI-SHANK		

CATERPILLAR MACHINE PRICE LIST

D6T-GR

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

GROUND ENGAGING TOOLS (CONT.)

RIPPER TEETH (Cont.)

P	8J-2189	TOOTH, STRAIGHT	456 456	\$1,380 \$1,380 NI
		One tooth. Straight shank with penetration tip. Must be ordered in quantity of 3. ALSO AVAILABLE ON A MISCELLANEOUS ORDER REQUIRED BY: 487-3445 6 RIPPER, MULTI-SHANK		

FLUIDS

	OG-6009	ANTIFREEZE, -50C (-58F)	117	\$252 NET
		Provides cooling system antifreeze protection down to -50C		

DOCUMENTATION

	OP-2046	PREPARATION FOR INSPECTION	0	\$406 NET
		Inspector is sent by the dealer to review the machine. Plant must be contacted 2 weeks before the CSD date.		

PACKING

EXPORT PACKING

	OG-3256	PACK-DISMOUNTED OR N.I. BLADE	0	\$212 NET
		Packing for a dismantled or not installed blade.		
	OG-3257	PACK-NOT INSTALLED RIPPER	0	\$262 NET
		Packing for a dismantled or not installed ripper.		
	OG-0370	PACK - SPECIAL MISC. MATERIAL	0	\$105 NET
		Packing for a dismantled or not installed attachment, out of the blades and rippers.		