

CATERPILLAR MACHINE PRICE LIST

D7E

D7E TRACK-TYPE TRACTOR
EAST PEORIA, IL, USA (SAP)

Ship Weight
lbs

LIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

- Aftercooler, air to air
- Air cleaner, precleaner with strata tube dust ejector
- C9.3 ACERT engine
- EPA/ARB tier 4 final and EU stage IV certified engine with aftertreatment
- Coolant, extended life
- Differential steering
- Ecology drains (engine oil, coolant, hydraulic oil, fuel tank, and powertrain oil tank)
- Electronic air cleaner service indicator
- Fan, hydraulically driven demand
- Final drives, double reduction
- Generator, AC
- Parking brake
- Power inverter
- Propulsion module, transmission, continuously variable
- Prescreener
- Radiator, core, aluminum bar plate
- Separate circuit core, aluminum bar plate
- Starting aid, ether
- Turbocharger, wastegated
- Water separator, primary fuel filter

UNDERCARRIAGE

- Guards, end track guiding
- Master link
- Rollers and idlers, lifetime lubricated
- Sprocket rim segments, replaceable
- Track adjusters, gas spring recoil,
- Undercarriage, heavy duty

ELECTRICAL

- Accessory power converter (APC)
- Alarm, backup
- Batteries, maintenance free (1000 CCA)
- Converter, 24V to 12V, 10 AMP
- Heater, engine coolant, 120V
- Horn, forward warning
- Starter, heavy duty

OPERATOR ENVIRONMENT

- Armrest, adjustable
- Bidirectional shift switch
- CB ready
- Cab, center post, integral ROPS/FOPS
- Continuously variable speed control
- Controls, electro-hydraulic, pilot operated w/ electronic deactivation switch
- Foot supports, dash
- Hour meter, electronic
- Machine isolation
- Mirror, rearview
- Modular HVAC, cab mounted
- Monitoring system, electronic, with coolant, power train oil, and hydraulic oil temperature, fuel gauge, tachometer, tear indicator and diagnostic functions
- Operator presence
- Pedal, travel control
- Radio ready, 12V
- Seat belt, retractable, 3" (76mm)
- Seat, cloth, air suspension
- Speed recall button
- Throttle dial, electronic with eco mode
- Wipers, intermittent

OTHER STANDARD EQUIPMENT

- CD ROM parts book
- Cab, tilt
- Engine enclosures, perforated
- Front tow hook
- Guards, hinged bottom
- Guard, final drive flange
- Hood, perforated
- Hydraulics, load sensing, dozer lift and tilt
- Oil cooler, hydraulic
- Oil cooler, powertrain
- Product link
- Radiator doors, louvered, double hinged
- Screen, grill door fan
- S.O.S sampling ports
- Vandalism protection for fluid compartments and battery box
- Ground level hour meter
- Ground level engine shut down

CATERPILLAR MACHINE PRICE LIST

D7E

D7E TRACK-TYPE TRACTOR EAST PEORIA, IL, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

**Lane 2 is reserved for the Base Order Management Program.
Please use Lane 2 when placing orders that are part of the Base Order
Management Program.**

381-7885	D7E TRACTOR 0	\$639,840
	LANE 2 - AVAILABLE FROM EAST PEORIA FACTORY	
	LANE 3 - AVAILABLE FROM EAST PEORIA FACTORY	

381-7886	D7E LGP TRACTOR 0	\$691,280
	LANE 2 - AVAILABLE FROM EAST PEORIA FACTORY	
	LANE 3 - AVAILABLE FROM EAST PEORIA FACTORY	

461-7053	D7E LGP TRACTOR,WASTE HANDLING 0	\$762,050
	LANE 3 - AVAILABLE FROM EAST PEORIA FACTORY	

Includes heavy duty fenders, mainframe with chassis guards and sealed guard group.

INCLUDES:

- 396-7552 PRECLEANER, WITH SCREEN
- 383-9058 FINAL DRIVE, LGP, CLAMSHELL
- 381-7904 UNDERCARRIAGE, LGP, GUARDED
- 399-4037 PRECLEANER, ENHANCED CAB, ROOF
- 399-6707 GUARDS, BOTTOM, SEALED
- 399-9171 GUARD, FUEL TANK, WASTE
- 483-5569 GUARD, FINAL DRIVE FLANGE, HD
- 422-1553 DOORS, WITH SCREENS

REQUIRED ATTACHMENTS:

- 381-7840 GUARD, FAST FUEL
- 385-0317 OR 377-0062 ENGINE, THERMAL SHIELD
- 382-1381 RIPPER & STRIKER BAR OR 261-3035 STRIKER BAR BOX, REAR
- 377-0149 FUEL SYSTEM, FAST FILL
- 438-7161 OR 438-7163 GUARDED BULLDOZER
- 398-0335 OR 398-0336 FAN, HYDRAULIC, REVERSING
- 377-0067 OR 377-0068 LIGHTS, PREMIUM OR LIGHTS, PREMIUM, REAR SCREEN

RECOMMENDED ATTACHMENTS:

- 383-0836 TRACK, 915MM / 36" ES TRAP HD OR
- 383-0838 TRACK, 660 MM / 26" ES TRAP HD
- 417-0750 LIGHT, WARNING, STROBE
- 438-5372 7S LGP LANDFILL BLADE
- 439-2799 VISIBILITY AR, SINGLE CAMERA

CANNOT BE USED WITH 434-2890 SWEEPS

CATERPILLAR MACHINE PRICE LIST

D7E

D7E TRACK-TYPE TRACTOR EAST PEORIA, IL, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

377-0093 For use in bulk material handling applications such as coal and woodchip. Includes engine enclosures with perforated corrugated doors, heavy duty fenders, mainframe with chassis guards, sealed guard group, raised solid hood and HVAC debris shield. INCLUDES: 396-7552 PRECLEANER, WITH SCREEN 399-6707 GUARDS, BOTTOM, SEALED 399-4037 PRECLEANER, ENHANCED CAB, ROOF 399-9171 GUARD, FUEL TANK, WASTE REQUIRED ATTACHMENTS: 385-0317 or 377-0062 ENGINE, THERMAL SHIELD 398-0335 OR 398-0336 FAN, HYDRAULIC, REVERSING 7S/SU/U BULLDOZER INSTALLATION PACKAGE RECOMMENDED ATTACHMENTS: 327-0147 COUNTERWEIGHT BOX, REAR 417-0750 LIGHT, WARNING, STROBE 448-3361 DOORS, W/HALF SCREENS 439-2799 VISIBILITY AR, SINGLE CAMERA Woodchip or Coal blade from Cat Work Tools	D7E TRACTOR, STOCKPILE 0 LANE 3 - AVAILABLE FROM EAST PEORIA FACTORY	\$664,490
---	--	------------------

381-7880 For use in bulk material handling applications such as coal and woodchip. Includes engine enclosures with perforated corrugated doors, heavy duty frames, mainframe with chassis guards, sealed guard group, raised solid hood and HVAC debris shield. INCLUDES: 396-7552 PRECLEANER, WITH SCREEN 399-6707 GUARDS, BOTTOM, SEALED 399-4037 PRECLEANER, ENHANCED CAB, ROOF 399-9171 GUARD, FUEL TANK, WASTE REQUIRED ATTACHMENTS: 385-0317 or 377-0062 ENGINE, THERMAL SHIELD 398-0335 OR 398-0336 FAN, HYDRAULIC, REVERSING 7LGP BULLDOZER INSTALLATION PACKAGE RECOMMENDED ATTACHMENTS: 327-0147 COUNTERWEIGHT BOX, REAR 417-0750 LIGHT, WARNING, STROBE 448-3361 DOORS, W/HALF SCREENS 439-2799 VISIBILITY AR, SINGLE CAMERA Woodchip or Coal blade from Cat Work Tools	D7E LGP TRACTOR, STOCKPILE 0 LANE 3 - AVAILABLE FROM EAST PEORIA FACTORY	\$715,300
---	--	------------------

478-9869 For use in water fording and salt water dredging applications. Includes corrosion resistant paint applied to various components that may be exposed to water. RECOMMENDED ATTACHMENTS: 474-3297 UNDERCARRIAGE, STD, DREDGING	D7E TRACTOR, DREDGING 0 LANE 3 - AVAILABLE FROM EAST PEORIA FACTORY	\$644,890
---	---	------------------

CATERPILLAR MACHINE PRICE LIST

D7E

D7E TRACK-TYPE TRACTOR EAST PEORIA, IL, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

478-9870	D7E LGP TRACTOR, DREDGING 0 LANE 3 - AVAILABLE FROM EAST PEORIA FACTORY	\$696,320
-----------------	---	------------------

For use in water fording and salt water dredging applications.
Includes corrosion resistant paint applied to various components that,
may be exposed to water.
RECOMMENDED ATTACHMENTS:
474-3298 UNDERCARRIAGE, LGP, DREDGING

0P-1843	D7E MISC MATL, EAST PEORIA 0 AVAILABLE FROM EAST PEORIA PDC	NC
----------------	---	-----------

Only reference numbers that have the text
"ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a MISC order.

CATERPILLAR MACHINE PRICE LIST

D7E

USE	REF NO.		Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--	-----------------	----------------------

NOTE

Please refer to the WT-TTT price list for additional not-installed work tools.

LANE SELECTION

OP-9002	LANE 2 ORDER	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
OP-9003	LANE 3 ORDER	0	NC

REGIONAL PACKAGES

FILM GROUP

L	382-7710	FILM, AFTERTREATMENT, ENGLISH	0	NC
		Includes regional operator instructions for regeneration events, delayed engine shutdown, and the battery disconnect.		
L	382-7711	FILM, AFTERTREATMENT, SPANISH	0	NC
		Includes regional operator instructions for regeneration events, delayed engine shutdown, and the battery disconnect.		
L	382-7712	FILM, AFTERTREATMENT, FRENCH	0	NC
		Includes regional operator instructions for regeneration events, delayed engine shutdown, and the battery disconnect.		

POWERTRAIN

FINAL DRIVES

L	383-9053	FINAL DRIVE, STANDARD	0	NC
		Includes two standard final drives.		
L	383-9054	FINAL DRIVES, LGP	0	NC
		Includes two LGP final drives.		
L	383-9057	FINAL DRIVE, STD, CLAMSHELL	0	\$7,160
		FOR USE IN LANE 3 ONLY Includes two final drives with double Kevlar final drive seals guards for applications where protection from abrasive or winding materials is needed. Includes cast clamshell guards that protect the seal from damage due to winding material.		
L	383-9055	FINAL DRIVE, STD, COLD WEATHER	0	\$870
		FOR USE IN LANE 3 ONLY Includes two standard final drives designed with low temperature final drive seals for cold weather applications. Does not include cold weather final drive fluids. REQUIRES: 381-7894 FLUIDS, STANDARD, COLD WEATHER		
L	383-9058	FINAL DRIVE, LGP, CLAMSHELL	0	\$7,160
		FOR USE IN LANE 3 ONLY Includes two final drives with double Kevlar final drive seals guards for applications where protection from abrasive or winding materials is needed. Includes cast clamshell guards that protect the seal from damage due to winding material. INCLUDED IN: 461-7053 D7E LGP TRACTOR,WASTE HANDLING		

CATERPILLAR MACHINE PRICE LIST

D7E

USE	REF NO.	MANDATORY ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------	-----------------	----------------------

POWERTRAIN (CONT.)

FINAL DRIVES (Cont.)

L	383-9056	FINAL DRIVE, LGP, COLD WEATHER 0 FOR USE IN LANE 3 ONLY Includes two standard final drives designed with low temperature final drive seals cold weather applications. Does not include cold weather final drive fluids. REQUIRES: 381-7895 FLUIDS, LGP, COLD WEATHER		\$870
---	----------	---	--	-------

ENGINE

All Engines are C9.3 ACERT Diesel Engines EU Stage V Certified with with Aftertreatment.

L	382-9095	ENGINE, BASIC 0		NC
L	385-0317	ENGINE, THERMAL SHIELD 0 FOR USE IN LANE 3 ONLY Meets 200 degrees Celsius surface temperature limit with water-cooled turbo and exhaust insulation.		\$11,380

ENGINE AIR PRECLEANER

L	396-7546	PRECLEANER, BASIC. 0		NC
L	396-7552	PRECLEANER, WITH SCREEN. 0 FOR USE IN LANE 3 ONLY Includes screen. For use in heavy debris applications. May improve filter life. INCLUDED IN: WASTE HANDLING and STOCKPILE ARRANGEMENTS		\$1,380

OIL CHANGE SYSTEM

L	397-8791	OIL DRAIN, BASIC 0		NC
L	382-5958	OIL CHANGE SYSTEM, HIGH SPEED 0 For fast engine & powertrain oil change. Provides the capability to change engine & powertrain oil using Wiggins connectors.		\$875

UNDERCARRIAGE

ROLLER FRAME

For use with 40 section track.

L	381-7940	UNDERCARRIAGE, STD. 0 Includes end track guiding guards.		NC
L	381-7941	UNDERCARRIAGE, STD, MS GUIDE 0 Includes end and two center track guiding guards and maximum double Flange Rollers.		\$3,880
L	381-7942	UNDERCARRIAGE, STD, FULL GUIDE 0 Includes full length guide/guard.		\$7,120
L	381-7944	UNDERCARRIAGE, STD, GUARDED 0 FOR USE IN LANE 3 ONLY Includes HD end guards and sealed idler.		\$1,650

CATERPILLAR MACHINE PRICE LIST

D7E

USE	REF NO.	MANDATORY ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------	-----------------	----------------------

UNDERCARRIAGE (CONT.)

ROLLER FRAME (Cont.)

L	381-7902	UNDERCARRIAGE, STD, ARCTIC 0 FOR USE IN LANE 3 ONLY Includes arctic rollers, idlers, and end track guiding guards. Recommended with Fluids, Cold Weather.		\$4,315
L	474-3297	UNDERCARRIAGE, STD, DREDGING 0 Includes end track guiding guards, one piece sprocket segment, and seal saver boot. REQUIRES: 394-9014 TRACK, 610MM / 24" ES RBT or 444-8038 TRACK, 610MM / 24" MS RBT		\$6,260

LGP Roller Frame

L	381-7945	UNDERCARRIAGE, LGP 0 Includes end and one center track guiding guards.		NC
L	381-7946	UNDERCARRIAGE, LGP, MS GUIDE 0 Includes end and two center track guiding guards and maximum double Flange Rollers.		\$2,890
L	381-7947	UNDERCARRIAGE, LGP, FULL GUIDE 0 Includes full length guide/guard.		\$6,160
L	381-7904	UNDERCARRIAGE, LGP, GUARDED 0 FOR USE IN LANE 3 ONLY Includes HD end guards and idler seal guards. Recommended with Fluids, Cold Weather. INCLUDED IN: 461-7053 D7E LGP TRACTOR,WASTE HANDLING		\$1,475
L	381-7903	UNDERCARRIAGE, LGP, ARCTIC 0 FOR USE IN LANE 3 ONLY Includes arctic rollers, idlers, and end and one center track guiding guards. Recommended with Fluids, cold Weather.		\$4,315
L	474-3298	UNDERCARRIAGE, LGP, DREDGING 0 Includes end track guiding guards, one center track guiding guard, one piece sprocket segment, and seal saver boot. REQUIRES: 394-9015 TRACK, 915MM / 36" MS RBT		\$6,260

TRACK ARRANGEMENTS

D7E STD, 40 Section Sealed and lubricated, single grouser shoes.

L	383-0833	TRACK, 610MM /24" MS HD 0 Moderate service shoes. Heavy duty.		NC
L	383-0829	TRACK, 610MM / 24" ES HD 0 Extreme service shoes. Heavy duty.		\$3,310
L	383-0828	TRACK, 660MM / 26" MS HD 0 Moderate service shoes. Heavy duty.		\$3,015
L	383-0831	TRACK, 610MM / 24" MS TRAP HD 0 FOR USE IN LANE 3 ONLY Moderate service shoes. Heavy duty. Includes trapezoidal holes.		\$3,685
L	383-0830	TRACK, 610MM / 24" ES TRAP HD 0 FOR USE IN LANE 3 ONLY Extreme service shoes. Heavy duty. Includes trapezoidal holes.		\$4,265
L	383-0832	TRACK, 660MM / 26" ES HD 0 FOR USE IN LANE 3 ONLY Extreme service shoes. Heavy duty.		\$4,885

CATERPILLAR MACHINE PRICE LIST

D7E

USE	REF NO.	MANDATORY ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------	-----------------	----------------------

UNDERCARRIAGE (CONT.)

TRACK ARRANGEMENTS (Cont.)

L	394-9014	TRACK, 610MM / 24" ES RBT FOR USE IN LANE 3 ONLY Extreme service shoes. Sealed and lubricated/ rotating bushing.	0	\$4,750
L	444-8038	TRACK, 610MM / 24" MS RBT FOR USE IN LANE 3 ONLY Moderate service shoes. Rotary Bushing Track.	0	\$4,560

D7E LGP, 44 Section Sealed and lubricated, single grouser shoes.

L	383-0834	TRACK, 915MM / 36" MS HD Moderate service shoes. Heavy duty.	0	NC
L	383-0835	TRACK, 915MM / 36" ES HD Extreme services shoes. Heavy duty.	0	\$3,650
L	383-0838	TRACK, 660MM / 26" ES TRAP HD FOR USE IN LANE 3 ONLY Extreme service shoes. Heavy duty. Includes trapezoidal holes.	0	\$3,115
L	383-0836	TRACK, 915MM / 36" ES TRAP HD FOR USE IN LANE 3 ONLY Extreme service shoes. Heavy duty. Includes trapezoidal holes.	0	\$5,010
L	383-0837	TRACK, 915MM/36" SELF CLEAN HD FOR USE IN LANE 3 ONLY Heavy duty self-cleaning track. Cast steel apex design track shoes for very soft underfoot conditions. Not intended for landfill use.	0	\$27,880
L	394-9015	TRACK, 915MM / 36" MS RBT FOR USE IN LANE 3 ONLY Moderate service shoes. Sealed and lubricated rotating bushing.	0	\$5,470

HYDRAULICS

DOZER TILT HYDRAULICS

L	443-2979	HYDRAULICS, SINGLE TILT Includes, lines, dozer control valve and manifold.	0	NC
L	397-9381	HYDRAULICS, DUAL TILT Includes, lines, dozer control valve and manifold.	0	\$3,555

HYDRAULICS FAN

L	398-0334	FAN, BASIC Hydraulically Driven Demand fan with High Ambient Capability. CANNOT BE USED WITH: WASTE HANDLING or STOCKPILE ARRANGEMENTS	0	NC
L	398-0335	FAN, HYDRAULIC, AUTO REVERSING Hydraulically Driven Demand fan with High Ambient Capability. Changes direction automatically to purge debris from the cooling system with ANSI film.	0	\$3,490

REAR ATTACHMENT HYDRAULICS

L	377-0108	HYDRAULICS, RIPPER Includes lines, two function ripper control valve, ripper light, and manifold and solenoid guard. The rear hydraulics are externally mounted and are not recommended unless a ripper or other rear attachment is installed on the machine.	0	\$6,550
---	----------	--	---	---------

CATERPILLAR MACHINE PRICE LIST

D7E

USE	REF NO.	MANDATORY ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

REAR ATTACHMENT HYDRAULICS (Cont.)

L	377-0104	PA90 WINCH, VARIABLE SPEED 0 Capacity rating 90,000 lbs. maximum line pull. Rated line speed of 32 feet per minute. Includes rigid drawbar plus lines and wiring group necessary to connect the PA90 Winch with the D7E tractor. REQUIRES: 381-7838 SCREEN, REAR or 381-7839 SCREENS, REAR & SIDE		\$63,180
L	377-0109	HYDRAULIC IMPLEMENT TOWING AR 0 FOR USE IN LANE 3 ONLY Provides three function rear hydraulics that allows the tractor to work with various hydraulically controlled towed attachments such as a towed scraper. Includes rear implement control valve, rear implement controls and drawbar with detachable hitch assembly.		\$19,360
L	377-0100	NO REAR ATTACHMENT HYDRAULICS 0		NC

STARTERS, BATTERIES, & ALTERNATORS

BATTERIES

L	379-4960	BATTERY 0 Maintenance free batteries (1000 CCA).		NC
L	379-4961	BATTERY, HEAVY DUTY 0 Heavy duty, 1400 CCA batteries. Recommended for ambient conditions below 15 degrees Fahrenheit.		\$441

STARTING AIDS - ENGINE HEATERS (Must Select One)

L	437-2268	HEATER, ENGINE COOLANT (120V) 0 Provides a jacket water electrical heater to warm the engine. 120 volt external power source required.		NC
---	----------	---	--	----

ELECTRICAL

LIGHT GROUP

L	377-0066	LIGHTS, BASIC 0 Provides 6 halogen lamps (2 mounted with guards on either side of the lift cylinder, 2 mounted on the cab facing forward, and 2 on top of fuel tank facing rearward). REQUIRES: 415-2881 or 415-2882 CYLINDER, LIFT W/LINES CANNOT BE USED WITH: 434-2890 SWEEPS 381-7838 SCREEN, REAR 381-7839 SCREENS, REAR & SIDE		\$1,995
L	377-0067	LIGHTS, PREMIUM 0 Provides 11 LED lamps (4 on the cab C-post facing rearward, 2 on the B-post facing sideways, 2 on the lift cylinder facing forward, 2 on the B-post facing forward, and 1 lamp under the hood for service). REQUIRES: 415-2881 or 415-2882 CYLINDER, LIFT W/LINES CANNOT BE USED WITH: 434-2890 SWEEPS 381-7838 SCREEN, REAR 381-7839 SCREENS, REAR & SIDE		\$3,585

CATERPILLAR MACHINE PRICE LIST

D7E

USE	REF NO.	MANDATORY ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------	-----------------	----------------------

ELECTRICAL (CONT.)

LIGHT GROUP (Cont.)

L	377-0068	LIGHTS, PREMIUM, REAR SCREEN 0 Provides 11 LED lamps (4 on the cab C-post facing rearward, 2 on the B-post facing sideways, 2 on the lift cylinder facing forward, 2 on the B-post facing forward, and 1 lamp under the hood for service). REQUIRES: 415-2881 or 415-2882 CYLINDER, LIFT W/LINES 381-7838 SCREEN, REAR or 381-7839 SCREENS, REAR & SIDE CANNOT BE USED WITH: 461-7053 SWEEPS		\$3,585
L	377-0077	LIGHTS, SWEEPS 0 Provides 10 halogen lamps (4 on front of sweeps facing forward, 2 on side of sweeps facing forward, 4 on the cab C-post facing rearward, and 1 lamp under the hood for service). REQUIRES: 461-7053 SWEEPS 415-2881 or 415-2882 CYLINDER, LIFT W/LINES CANNOT BE USED WITH: 381-7838 SCREEN, REAR 381-7839 SCREENS, REAR & SIDE		\$3,015
L	377-0078	LIGHTS, SWEEPS, REAR SCREEN 0 Provides 10 halogen lamps (4 on front of sweeps facing forward, 2 on side of sweeps facing forward, 4 in the rear screen facing rearward, and 1 lamp under the hood for service). REQUIRES: 434-2890 SWEEPS 381-7838 SCREEN, REAR or 381-7839 SCREENS, REAR & SIDE 415-2881 or 415-2882 CYLINDER, LIFT W/LINES		\$3,015
L	439-4624	NO LIGHTS 0 Required if lift cylinder is not ordered.		NC

OPERATOR ENVIRONMENT

CAB PRECLEANER

L	375-0201	PRECLEANER, CAB, BASIC 0 Includes a standard Air cleaner with precleaner, automatic dust ejection and under-hood intake		NC
L	399-4037	PRECLEANER, ENHANCED CAB, ROOF 0 FOR USE IN LANE 3 ONLY Enhanced cab provides higher cab pressurization for improved cab air quality in dusty applications. This roof mounted module includes a powered precleaner and high efficiency filter. INCLUDED IN: WASTE HANDLING and STOCKPILE ARRANGEMENTS		\$1,790

CAB SEAT

L	398-6908	SEAT, CLOTH, AIR SUSPENSION 0 Includes cloth seat with air suspension.		NC
L	398-6910	SEAT, CLOTH, HEATED, AIR SUSP 0 Air suspension seat that also includes a heating element within the seat cushion to provide warmth when operating in cold environments.		\$690
L	398-6911	SEAT, HEATED & VENTILATED 0 Air suspension seat that also includes heating and ventilation elements within the seat cushion to provide warmth or air when operating in extreme weather environments.		\$1,680

CATERPILLAR MACHINE PRICE LIST

D7E

USE	REF NO.	MANDATORY ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

RADIO

L	487-5821	RADIO, AM/FM 0 12V AM/FM stereo with Bluetooth technology and USB connection. Includes individual bass/treble controls, loudness adjustment and station pre-set capability.		NC
---	----------	---	--	----

VISIBILITY ARRANGEMENT

L	322-5577	VISIBILITY AR, BASIC 0 Provides a rearview mirror mounted in the top, center area inside the cab. Does not meet EU visibility requirements.		NC
L	439-2799	VISIBILITY ARR, SINGLE CAMERA 0 The camera system can be used to enhance the operator's visibility of his surroundings or to provide a better view of his work tool. This replaces the rearview mirror.		\$2,205

REAR WINDOW

L	375-0196	WINDOW, REAR, SOLID 0		NC
L	375-0217	WINDOW, REAR, SLIDING 0		\$1,135

TECHNOLOGY PRODUCTS

MACHINE CONTROL

The standard D7E tractor contains all of the basic dash mounting structures for both AccuGrade and CAES installations.

L	381-7854	CONTROL BASIC, SINGLE TILT 0 ONLY FOR USE WITH: 443-2979 HYDRAULICS, SINGLE TILT		NC
L	381-7855	CONTROL BASIC, DUAL TILT 0 ONLY FOR USE WITH: 397-9381 HYDRAULICS, DUAL TILT		NC
L	381-7853	INSTALLATION, ACCUGRADE READY 0 Compatible with single or dual tilt hydraulics. Includes wiring harness with connectors for control box; data radio and blade mounted sensors; mounting brackets for control box/display and data radio; implement joystick with AccuGrade switches and pitch control (dual tilt only); and PM 400 power module to support blade mounted GPS, LASER and UTS AccuGrade systems for fully automated blade control. NOTE: D7E U/SU/S blades include factory installed left and right mast mount brackets. Single GPS, LASER and UTS systems also require a center mast bracket. Order either 325-1502 (STD) OR 325-1503 (LGP) to have center bracket factory installed on D7E U/SU/S blades. ONLY FOR USE WITH: BASIC or STOCKPILE ARRANGEMENTS CANNOT BE USED WITH: 442-7275 7A BULLDOZER		\$5,770

CATERPILLAR MACHINE PRICE LIST

D7E

USE	REF NO.	MANDATORY ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

PRODUCT LINK

NOTE: Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor the performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Cat marketing representative with questions.

L	545-6795	PRODUCT LINK, CELLULAR PLE641 0 Product Link Elite series PLE641 offers expanded coverage including 3G UMTS and CDMA2000 as well as 2G GSM and CDMA cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		NC
L	545-6796	PROD LINK, DUAL PLE641 & PL631 0 Product Link Elite series dual mode PLE641+PL631 uses a combination of cellular and satellite networks to transmit location, utilization and health information for viewing in Product Link user applications. For use where travel between areas of both cellular and satellite coverage is required.		\$1,243

FUEL SYSTEMS

FUEL LINES

L	492-9505	FUEL LINES, STANDARD 0		NC
L	492-9506	FUEL LINES WITH HEATER 0 FOR USE IN LANE 3 ONLY For cold weather applications. Prevents fuel filter waxing/restriction and extends the life of the fuel system components. Warms the fuel from the fuel tank to the primary fuel filter/water separator, using the warm fuel returning from the engine.		\$1,900

FUEL SYSTEM

L	386-1425	FUEL FILL, BASIC 0		NC
L	377-0149	FUEL SYSTEM, FAST FILL 0 This fast fuel system is designed to be compatible with the 4C-6716 Wiggins fuel fill nozzle system. It may or may not be compatible with other fuel fill nozzle systems. It is recommended that Dealers determine what fill systems are used by their customers.		\$3,060

GUARDS

BOTTOM GUARDS

L	399-6706	GUARD, BOTTOM STANDARD 0 Includes full set of standard bottom guards.		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

D7E

USE	REF NO.	MANDATORY ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------	-----------------	----------------------

GUARDS (CONT.)

BOTTOM GUARDS (Cont.)

L	399-6707	GUARD, BOTTOM SEALED 0 Includes heavy duty and sealed bottom guards. INCLUDED IN: WASTE HANDLING and STOCKPILE ARRANGEMENTS		\$2,085
---	----------	--	--	---------

FUEL TANK GUARD

L	415-8297	NO FUEL TANK GUARD 0		NC
L	415-7466	GUARD, FUEL TANK 0 Includes guarding for fuel tank, hydraulic tank and battery box.		\$2,930
L	399-9171	GUARD, FUEL TANK, WASTE 0 FOR USE IN LANE 3 ONLY Includes guarding for fuel tank, hydraulic tank and battery box. CANNOT BE USED WITH: BASIC ARRANGEMENT INCLUDED IN: WASTE HANDLING and STOCKPILE ARRANGEMENTS		\$2,930

SWEEPS

L	377-0102	NO SWEEPS 0		NC
L	434-2890	SWEEPS 0 REQUIRES: 420-9474 DOORS, SCREEN OR SWEEPS READY CANNOT BE USED WITH: 461-7053 D7E LGP TRACTOR, WASTE HANDLING		\$8,290

WINDOW SCREENS

L	381-7847	NO WINDOW SCREENS 0		NC
L	381-7838	SCREEN, REAR 0 Includes rear protective screen for use with tractor equipped with a towing winch. The screen for the rear window has two hinged doors built in to facilitate cleaning of the rear window. ONLY FOR USE WITH: REAR SCREEN LIGHTING GROUP		\$2,380
L	381-7839	SCREENS, REAR & SIDE 0 FOR USE IN LANE 3 ONLY Includes protective screens for the side and rear of the cab. For use in forestry applications. ONLY FOR USE WITH: REAR SCREEN LIGHTING GROUP		\$10,140

DOOR SCREENS

L	420-9473	DOORS, BASIC 0 ONLY FOR USE WITH: 381-7847 NO WINDOW SCREENS or 381-7838 SCREEN, REAR CANNOT BE USED WITH: STOCKPILE ARRANGEMENTS		NC
L	420-9474	DOORS, SCREEN OR SWEEPS READY 0 FOR USE IN LANE 3 ONLY Includes Screen ready doors and HD Cab Mounts.		\$895
L	422-1553	DOORS, WITH SCREENS 0 FOR USE IN LANE 3 ONLY Includes protective screens for both cab doors and HD Cab Mounts. For use in applications where full protection is needed for the cab doors such as forestry. INCLUDED IN: WASTE HANDLING ARRANGEMENT		\$5,580

CATERPILLAR MACHINE PRICE LIST

D7E

USE	REF NO.	MANDATORY ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------	-----------------	----------------------

GUARDS (CONT.)

DOOR SCREENS (Cont.)

L	448-3361	DOORS, WITH HALF SCREENS 0 FOR USE IN LANE 3 ONLY Includes protective screens for both cab doors and HD Cab Mounts. For use in applications where additional protection is needed for the cab doors such as waste.		\$2,680
---	----------	--	--	---------

FINAL DRIVE FLANGE GUARD

L	483-5568	GUARD, FINAL DRIVE FLANGE 0 Provides guarding for the lower areas of the final drive and mainframe.		NC
L	483-5569	GUARD, FINAL DRIVE FLANGE, HD 0 Provides guarding for the lower areas of the final drive and mainframe. Provides improved wear life for high abrasion applications. INCLUDED IN: WASTE HANDLING ARRANGEMENT		\$640

OTHER ATTACHMENTS

LADDER GROUP

L	399-5946	LADDER GROUP, STANDARD 0 Folding access ladder to assist with standard fuel fill in the rear of standard machines. CANNOT BE USED WITH: 382-1381 RIPPER WITH STRIKER BAR 261-3035 STRIKER BAR, BOX		\$1,115
L	310-2203	LADDER GROUP, WASTE 0 Folding access ladder to assist with standard fuel fill in the rear of waste machines. ONLY FOR USE WITH: WASTE HANDLING or STOCKPILE ARRANGEMENT CANNOT BE USED WITH: 382-1381 RIPPER WITH STRIKER BAR		\$1,115
L	476-6293	NO LADDER 0 REQUIRES: 382-1381 RIPPER WITH STRIKER BAR		NC

REAR ATTACHMENT

L	245-1212	7 RIPPER, MULTI-SHANK 6,670 ALSO AVAILABLE AS MISCELLANEOUS ORDER Includes one ripper tooth. ONLY FOR USE WITH: 377-0108 HYDRAULICS, RIPPER		\$46,910
L	261-1460	DRAWBAR, RIGID 732 ALSO AVAILABLE AS MISCELLANEOUS ORDER The drawbar is pinned to the mainframe and is compatible with rear hydraulic valve. ONLY FOR USE WITH: 377-0108 HYDRAULICS, RIPPER 377-0100 NO REAR ATTACHMENT HYDRAULICS		\$2,820
L	381-7850	NO REAR ATTACHMENT 0 This allows the selection of the no rear attachment, however dealers must ensure that a rear attachment is installed upon delivery. Minimum requirement is a drawbar as a retrieval device.		NC

CATERPILLAR MACHINE PRICE LIST

D7E

USE	REF NO.	MANDATORY ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

REAR ATTACHMENT (Cont.)

L	382-1381	RIPPER, MS W/ STRIKER BAR 0 FOR USE IN LANE 3 ONLY Includes a multi-shank ripper with striker bars mounted to the ripper frame and one ripper tooth. ONLY FOR USE WITH: 377-0108 HYDRAULICS, RIPPER 476-6293 NO LADDER		\$49,140
L	327-0147	COUNTERWEIGHT BOX, REAR 2,640 FOR USE IN LANE 3 ONLY ALSO AVAILABLE AS MISCELLANEOUS ORDER Provides a 2600 lb rear counterweight, which includes the weight of the rear drawbar. Includes a rigid drawbar and an enclosure with wide opening doors, which provides storage space for tools or a fire suppression system. RECOMMENDED WITH: Stockpile Arrangement ONLY FOR USE WITH: 377-0100 NO REAR ATTACHMENT HYDRAULICS CANNOT BE USED WITH: WASTE HANDLING ARRANGEMENTS		\$16,960
L	261-3035	STRIKER BAR, BOX 2,589 FOR USE IN LANE 3 ONLY ALSO AVAILABLE AS MISCELLANEOUS ORDER Provides a 2600 lb rear counterweight box, which includes the weight of the rear drawbar. Includes rear striker bars mounted to the counterweight box. Includes a rigid drawbar and an enclosure with wide opening doors, which provides storage space for tools or a fire suppression system. ONLY FOR USE WITH: 377-0100 NO REAR ATTACHMENT HYDRAULICS	0	\$18,210 \$18,210 NI

FLUIDS

LUBRICANT

L	381-7892	FLUIDS, STANDARD 0		NC
L	381-7893	FLUIDS, LGP 0		NC
L	381-7894	FLUIDS, STANDARD, COLD WEATHER 0 For cold weather applications. See Special Publication SEBU6250 for additional machine fluid recommendations.		\$580
L	381-7895	FLUIDS, LGP, COLD WEATHER 0 For cold weather applications. See Special Publication SEBU6250 for additional machine fluid recommendations.		\$580

COOLANT

L	382-5934	ENGINE COOLANT, STD (-37C) 0 Provides cooling system antifreeze protection down to -37C (-35F).		NC
L	371-6899	ENGINE COOLANT, ARCTIC (-51C) 0 Provides cooling system antifreeze protection down to -51C (-60F).		\$467 NET

CATERPILLAR MACHINE PRICE LIST

D7E

USE	REF NO.	MANDATORY ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	------------------------------	--------------------	-------------------------

INSTRUCTIONS

INSTRUCTIONS

L	377-0081	INSTRUCTIONS, DOMESTIC 0	0	NC
---	----------	------------------------------------	---	----

CATERPILLAR MACHINE PRICE LIST

D7E

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
ELECTRICAL				
L	377-3055	RECEPTACLE, JUMP START 0 Provides an SAE J1283 compatible receptacle for jump starting or battery charging. This SAE Standard defines the requirements for a plug and receptacle used in an auxiliary starting system. This system provides proper polarity during connector mating, secure electrical connections, and standard circuit color coding.		\$125
L	383-2631	CONVERTER, 24 VOLT TO 12 VOLT 0 Provides another 10 amp converter in addition to standard 10 amp converter. For use at sites using equipment similar to high powered 2-way radio that requires more power than the standard power converter provides.		\$459
L	417-0750	LIGHT, WARNING, STROBE 0 FOR USE IN LANE 3 ONLY Provides a heavy duty Federal Signal Pulsator single flash (5 Joules) strobe beacon unit. ONLY FOR USE WITH: 377-0067 LIGHTS, PREMIUM or 377-0068 LIGHTS, PREMIUM, REAR SCREEN 399-4037 PRECLEANER, ENHANCED CAB, ROOF		\$1,165 NI
L	438-3368	LIGHT, WARNING, STROBE 0 FOR USE IN LANE 3 ONLY Provides a heavy duty Federal Signal Pulsator single flash (5 Joules) strobe beacon unit. Includes mounting bracket. ONLY FOR USE WITH: 377-0067 LIGHTS, PREMIUM or 377-0068 LIGHTS, PREMIUM, REAR SCREEN 375-0201 PRECLEANER, CAB, BASIC		\$1,165 NI
GUARDS				
L	381-7840	GUARD, FAST FUEL 0 Includes guard to protect fast fuel adaptor. REQUIRED BY: WASTE HANDLING ONLY FOR USE WITH: 377-0149 FUEL SYSTEM, FAST FILL 415-7466 GUARD,FUEL TANK or 399-9171 GUARD,FUEL TANK,WASTE		\$1,205
L	415-8270	GUARD, LIGHTS 0 Provides a wire guard over bulbs on front cylinder and rear of cab. ONLY FOR USE WITH: 377-0066 LIGHTS, BASIC CANNOT BE USED WITH: 434-2890 SWEEPS		\$277
L	415-8268	GUARD, LIGHTS, PREMIUM, SCREEN 0 FOR USE IN LANE 3 ONLY Provides a wire guard over bulbs on front cylinder. ONLY FOR USE WITH: 377-0068 LIGHTS, PREMIUM, REAR SCREEN CANNOT BE USED WITH: 434-2890 SWEEPS		\$277
L	415-8271	GUARD, LIGHTS, PREMIUM 0 FOR USE IN LANE 3 ONLY Provides a wire guard over bulbs on front cylinder and rear of cab. ONLY FOR USE WITH: 377-0067 LIGHTS, PREMIUM CANNOT BE USED WITH: 434-2890 SWEEPS		\$277

CATERPILLAR MACHINE PRICE LIST

D7E

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

OTHER ATTACHMENTS

L	399-3120	FAN SPEED, LOW, COLD WEATHER 0 Hydraulic valve that allows for reduced fan speed to improve cold weather performance.		NC
---	----------	--	--	----

BLADES

CYLINDER MOUNTING AND LIFT CYLINDERS (FOR 7S, 7SU, 7U, and 7A BLADES)

L	439-2710	MOUNTING, CYLINDER 0		\$3,090
L	415-2881	CYLINDER, STD, LIFT W/LINES 0		\$8,890
L	415-2882	CYLINDER, LIFT W/LINES, LGP 0		\$8,920

7S/SU/U BULLDOZER INSTALLATION PACKAGES

Bulldozer installation packages do NOT include a blade and Lift cylinder. The Bulldozer and blade should be ordered not installed. Bulldozers and blades are available on miscellaneous orders.

L	438-7152	7S/SU/U DOZER, SINGLE TILT 0 ALSO AVAILABLE AS MISCELLANEOUS ORDER Includes push arms, trunnions, cylinder lines, and single tilt cylinder.		\$22,720 NI
L	438-7158	7S/SU/U DOZER, DUAL TILT 0 ALSO AVAILABLE AS MISCELLANEOUS ORDER Includes push arms, trunnions, cylinder lines, and dual tilt cylinders.		\$31,690 NI
L	457-5270	7S/SU/U DOZER, SNGL TILT GUARD 0 ALSO AVAILABLE AS MISCELLANEOUS ORDER Includes push arms, trunnions, cylinder lines, and single tilt cylinders. Provides sleeves to protect cylinder lines in harsh applications.		\$23,690 NI
L	457-5271	7S/SU/U DOZER, DUAL TILT GUARD 0 ALSO AVAILABLE AS MISCELLANEOUS ORDER Includes push arms, trunnions, cylinder lines, and dual tilt cylinders. Provides sleeves to protect cylinder lines in harsh applications.		\$32,640 NI

7 S/SU/U Blades

L	438-5328	BLADE, 7SU WITH WEAR PLATES 0 ALSO AVAILABLE AS MISCELLANEOUS ORDER Provides 1/2" (12 mm) thick wear plates on moldboard center section and wings. Includes general duty cutting edges, end bits and stable blade sensor.		\$19,630 NI
L	438-5333	BLADE, 7U 0 ALSO AVAILABLE AS MISCELLANEOUS ORDER Includes general duty cutting edges, end bits, and stable blade sensor.		\$19,340 NI

CATERPILLAR MACHINE PRICE LIST

D7E

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

BLADES (CONT.)

7 S/SU/U Blades (Cont.)

L	437-0101	BLADE, 7SU 0 ALSO AVAILABLE AS MISCELLANEOUS ORDER Includes general duty cutting edges end bits, and stable blade sensor.		\$16,460 NI
L	438-5337	BLADE, 7S 0 ALSO AVAILABLE AS MISCELLANEOUS ORDER FOR USE IN LANE 3 ONLY Includes general duty cutting edges, end bits, and stable blade sensor.		\$14,670 NI
L	438-5330	BLADE, 7SU ROCK GRD & WEAR PLT 0 ALSO AVAILABLE AS MISCELLANEOUS ORDER Includes rock guard, wear plate, general duty cutting edges, end bits, and stable blade sensor.		\$20,080 NI
L	438-5334	BLADE, 7U ROCK GRD & WEAR PLT 0 ALSO AVAILABLE AS MISCELLANEOUS ORDER Includes rock guard, wear plate, general duty cutting edges end bits, and stable blade sensor.		\$20,990 NI

7A BULLDOZER INSTALLATION PACKAGE

L	482-7557	7A BULLDOZER 0 ALSO AVAILABLE AS MISCELLANEOUS ORDER Includes c-frame, trunnions, cylinder lines, and two tilt cylinders.		\$29,860 NI
---	----------	--	--	-------------

7A BLADES

NOTE: To order 7A LGP blades, contact Cat Work Tools.

L	481-8310	BLADE, 7A 0 ALSO AVAILABLE AS MISCELLANEOUS ORDER Includes general duty cutting edges, end bits and stable blade sensor.		\$10,500 NI
---	----------	---	--	-------------

7LGP BULLDOZER INSTALLATION PACKAGES

L	438-7160	7LGP DOZER, SINGLE TILT 0 ALSO AVAILABLE AS MISCELLANEOUS ORDER Includes push arms, trunnions, cylinder lines, and single tilt Cylinder.		\$25,380 NI
L	438-7162	7LGP DOZER, DUAL TILT 0 ALSO AVAILABLE AS MISCELLANEOUS ORDER Includes push Arms, trunnions, cylinder lines, and dual tilt Cylinders.		\$34,300 NI
L	438-7161	7LGP DOZER, SINGLE TILT GUARD 0 ALSO AVAILABLE AS MISCELLANEOUS ORDER Includes push Arms, trunnions, cylinder lines, and single tilt cylinder. Provides sleeves to protect cylinder lines in harsh applications.		\$26,320 NI

CATERPILLAR MACHINE PRICE LIST

D7E

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

BLADES (CONT.)

7LGP BULLDOZER INSTALLATION PACKAGES (Cont.)

L	438-7163	7LGP DOZER, DUAL TILT GUARD 0 ALSO AVAILABLE AS MISCELLANEOUS ORDER Includes push arms, trunnions, cylinder lines, and dual tilt Cylinders. Provides sleeves to protect cylinder lines in harsh applications.		\$35,260 NI
---	----------	--	--	-------------

7 LGP BLADES

L	438-5371	BLADE, 7S LGP 0 ALSO AVAILABLE AS MISCELLANEOUS ORDER Includes general duty cutting edges, end bits, and stable blade sensor.		\$16,610 NI
L	438-5372	BLADE, 7S LGP, LANDFILL 0 ALSO AVAILABLE AS MISCELLANEOUS ORDER FOR USE IN LANE 3 ONLY Includes general duty cutting edges, end bits, trash rack, a 1/2" (12mm) thick wear plate on the moldboard, and stable blade sensor. Blade capacity with trash rack is 19.1 CUM/25 CYD. ONLY FOR USE WITH: 438-7161 7LGP DOZER, SINGLE TILT GUARD or 438-7163 7LGP DOZER, DUAL TILT GUARD		\$29,570 NI

ACCUGRADE MOUNTING RECEIVERS

Brackets for grade control masts on the left and right side of the blade are standard on all U/SU/S blades. Order one of the options below to have a third grade control mast bracket welded in the center of the blade.

L	325-1502	MOUNTING, ACCUGRADE RECEIVERS. 0 Provides bracket for blade-mounted AccuGrade receiver mast welded on the center of the blade and bracket for slope sensor bolted to rear of blade. ONLY FOR USE WITH: 7SU BLADE WITH WEAR PLATES or 7U/7SU/7S BLADE		\$580 NI
L	325-1503	MOUNTING, ACCUGRADE REC. LGP. 0 Provides bracket for blade-mounted AccuGrade receiver mast welded on the center of the blade and bracket for slope sensor bolted to rear of blade. ONLY FOR USE WITH: 438-5371 BLADE, 7S LGP		\$580 NI

GROUND ENGAGING TOOLS

RIPPER SHANK OPTIONS

L	9J-1641	TOOTH, RIPPER, ADDITIONAL 320 One additional (each) shank with penetration tip.		\$2,420
---	---------	---	--	---------

CATERPILLAR MACHINE PRICE LIST

D7E

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

PACKING

TRACTOR PACKING (Must Select One)

OP-8025	PACK, DOMESTIC TRUCK, MTTT	0	NC
	Tractor ships complete.		
OP-8026	PACK, DOMESTIC RAIL, MTTT	0	NC
	Tractor ships complete.		

FREIGHT, RAIL DELIVERY

OP-3995	FREIGHT, RAIL DELIVERY	0	\$-2,070 NET
	Machine credit for rail delivery when paired with a second machine from the same source facility.		
	AVAILABLE FOR: PRE-APPROVED DEALERS		

AM-NORTH INFORMATION

REGIONAL ORDERING INFORMATION FOR WINCH ATTACHMENTS

WINCHES AVAILABLE FROM CAT WORK TOOLS FOR NORTH AMERICA ONLY
PLEASE REFER TO THE WORK TOOLS-TTT PRICE LIST FOR CURRENT PRICES AND CONTACT INFO FOR AVAILABILITY.

439-7359 KIT, PA90, VARIABLE SPEED

PA90 variable speed, hydraulic winch manufactured for Caterpillar by Paccar. Integrated fairlead and drawbar. Line speed up to 70 feet (21 meters) per minute and capacity rating up to 90,000 lbs. (40,800 kg) (bare drum). Utilizes 1" (26mm) diameter cable (not included). Includes complete installation arrangement for dealer installation, including mounting hardware and controls.