



2018


**JCB COMPACT EXCAVATOR
45Z-I**



**JCB, Inc. North American
MACHINE PRICE LIST
in U.S. Dollars**

EFFECTIVE: January 1, 2018


**CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR.
PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATE**

	<p align="center">45Z-I COMPACT EXCAVATOR</p>	<p align="center">U.S. DOLLAR PRICE PAGES</p>	<p align="center">F.O.B. SAVANNAH, GA</p>	<p align="center">EFFECTIVE: January 1, 2018</p>
-----------------------------------------------------------------------------------	------------------------------------------------------	---------------------------------------------------	-----------------------------------------------	--------------------------------------------------

STANDARD EQUIPMENT

ENGINE	Tier IV Final compliant 48.7 SAE gross hp diesel engine, centrifugal dry type air cleaner. Water separator, spin-on oil filter, thermostart assist, antifreeze protection to -35 degrees F.
TRANSMISSION	Independent left and right track control. Hydraulic pumps drive integral track motors and gearbox. Two speed travel 1.8 mph and 2.8 mph.
TRACKS	Rubber grease adjusted. Under carriage rollers 5 per side. Track width 13.7". Ground pressure 4.55 lbs per square inch. Ground clearance 12in .
ELECTRICAL	12 volt, with 100 amp alternator, 410 CCA heavy duty battery. Waterproof wire harness connectors.
EXCAVATOR	Maximum dig depth with standard dipper 11' 11". Servo controls, SAE and ISO patterns both available on 45Z-I Compact Excavator with DPC - Dual Pattern Control system. Auxiliary circuit provides 23.7 GPM on high flow for JCB hydraulic breakers and other approved attachments. Dozer control. Boom swing left 70 degree, right 55 degree. Less excavator bucket. Double Acting Hydraulics Standard fit.
CANOPY	Meets SAE TOPS/FOPS/FOGS requirements, left side entry Canopy equipped with adjustable vinyl suspension mid-back seat. 45Z is available with Zero tailswing for operation in very tight, confining areas. This design does not compromise serviceability or ergonomics of operator compartment.

SECTIONS ARE ORGANIZED AS FOLLOWS:
Section 1 - YELLOW SERIES PACKAGE BUILD
Section 2 - CUSTOM BUILD - NEW FACTORY BUILT ORDERS
Section 3 - OPTIONS - NEW FACTORY BUILT ORDERS
Section 4 - ATTACHMENTS - YELLOW SERIES
DEALER FIT - COMPACT (LISTED SEPARATELY FOR ALL COMPACT EXCAVATORS)


	45Z-I COMPACT EXCAVATOR	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: January 1, 2018
-----------------------------------------------------------------------------------	--------------------------------	----------------------------	------------------------	----------------------------

SECTION I - PACKAGE BUILDS

Select the following machine **PACKAGE BUILD** code and **ATTACHMENTS** as required from Section 4. Package Build configurations cannot normally be changed. If a Package Build does not meet your requirements please order a machine using the Custom Build, Attachments & Options Sections following.

		YELLOW SERIES PACKAGE BUILD CODE:	8454
SALES CODE	ITEM		45Z-I CAB
8454	45Z-I Compact Base Machine		\$48,694
840A450	Canopy (Non EU)		\$2,271
840B450	13.7" (350mm) Rubber Tracks		\$0
840C611	ISO/SAE Control Pattern: High& Low Flow; Double Acting Aux T4 (for 2 way blade)		\$3,322
840D600	Vinyl Suspension Seat (Mid-Back)		\$0
840E770	American Language Pack: Including Battery Isolator and Travel Alarm		\$302
840F451	5'7" (1450mm) Dipper: For High & Low flow Aux		\$0
840G450	Standard Dozer Blade		\$0
840H605	Dozer Float: For Machines Without Hydraulic Quick Hitch & 2 Way Blade		\$544
840M649	Thumb Ready Dipper		\$242
840M652	600MM Gp Bucket With Teeth: No pivot Pins Supplied		\$601
YWSLLLM	ADD LIVELINK LITE INCLUDING 24MTHS AIRTIME SUBSCRIPTION		\$705

SUGGESTED LIST PRICE **\$56,802**


	45Z-I COMPACT EXCAVATOR	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: January 1, 2018
-----------------------------------------------------------------------------------	--------------------------------	----------------------------	------------------------	----------------------------

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	ITEM	U.S. LIST
BASE MACHINE (E)		
8454	45Z-I Compact Base Machine	\$48,694
OPERATOR'S AREA (E)		
840A450	Canopy (Non EU)	\$2,271
UNDERCARRIAGE (E)		
840B450	15.7" (400mm) Rubber Tracks	\$0
CONTROLS (E)		
840C603	ISO/SAE Control Pattern: Highflow; Single Acting Aux T4	\$1,396
840C606	ISO Control Pattern: High Flow; Double Acting Aux: T4	\$1,223
840C607	ISO/SAE Control Pattern: Highflow; Double Acting Aux T4	\$1,869
840C610	ISO Control Pattern: High & Low Flow; Double Acting Aux: T4 (For 2 Way Blade)	\$2,676
840C611	ISO/SAE Control Pattern: High& Low Flow; Double Acting Aux T4 (for 2 way blade)	\$3,322
SEATS (E)		
840D600	Vinyl Suspension Seat (Mid-Back)	\$0
OPERATORS HANDBOOK (E)		
840E770	American Language Pack: Including Battery Isolator and Travel Alarm	\$302
DIPPER (E)		
840F450	5'7" (1450mm) Dipper: For High Flow Aux	\$0
840F451	5'7" (1450mm) Dipper: For High & Low flow Aux	\$0
DOZER BLADE (E)		
840G450	Standard Dozer Blade	\$0
HYDRAULIC CIRCUIT & PIPEWORK OPTIONS		
840H603	Dozer Float: For Machines With Hydraulic Quick Hitch & 2 Wayblade	\$544
840H605	Dozer Float: For Machines Without Hydraulic Quick Hitch & 2 Way Blade	\$544
OPERATORS COMPARTMENT OPTIONS		
840J056	Rotating Beacon	\$193
840J057	Magnetic Strobe Warning Lightbeacon:	\$343
840J072	Liveline	\$784
840J602	Pin Pad Immobiliser (Not Uk)	\$499
840J604	Halogen Worklights: 2 Front & 1 Rear (Boom Light Fitted As Std)	\$225
840J605	Led Worklights: 2 Front, 1 Boom & 1 Rear	\$800
840J606	Led Worklights: 4 Front, 2 Boom & 1 Rear	\$1,188


	45Z-I COMPACT EXCAVATOR	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: January 1, 2018
-----------------------------------------------------------------------------------	--------------------------------	----------------------------	------------------------	----------------------------

SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
EXCAVATOR & BUCKET OPTIONS		
840M649	Thumb Ready Dipper	\$242
840M650	400MM Gp Bucket With Teeth: No pivot Pins Supplied	\$504
840M651	450MM Gp Bucket With Teeth: No pivot Pins Supplied	\$533
840M652	600MM Gp Bucket With Teeth: No pivot Pins Supplied	\$601
840M653	900MM Gp Bucket With Teeth: No pivot Pins Supplied	\$765
840M654	Grading Bucket: 1500Mm Wide: No Pivot Pins Supplied	\$840
840M655	Grading Bucket: 1200Mm Wide: No Pivot Pins Supplied	\$615
840M656	Grading Bucket: 1800Mm Wide: No Pivot Pins Supplied	\$765
840M657	750MM Gp Bucket With Teeth: No pivot Pins Supplied	\$671
840M658	300MM Gp Bucket With Teeth: No pivot Pins Supplied	\$432
840M659	250MM Gp Bucket With Teeth: No pivot Pins Supplied	\$432
840M660	800MM Gp Bucket With Teeth: No pivot Pins Supplied	\$765
840M661	350MM Gp Bucket With Teeth: No pivot Pins Supplied	\$432
840M662	1 Additional Set Of Pivot pins	\$108
840M663	2 Additional Sets Of Pivot pins	\$218
840M664	3 Additional Sets Of Pivot pins	\$327
EXCAVATOR QUICK HITCH		
840M647	Mechanical Quick Hitch: For Non Hbcv Machines	\$1,333
840M648	Mechanical Quick Hitch: For Hbcv Machines	\$1,333
OTHER OPTIONS		
840K600	2 Front Worklight Guards	\$108
840K601	4 Front Worklight Guards	\$218
840L450	Bushed Kingpost	\$121
840L557	Exterior Mirrors (Left & Right)	\$162
840L559	Rear View Wide Angled Mirror (Mounted On Rear Of The Cab)	\$209
840L560	Fire Extinguisher: 1Kg Abc	\$87
840L561	External Left Hand Mirror:	\$87
840L575	White Noise Alarm: T4	\$349
840L601	Refuelling Pump:	\$688
840L603	Cold Climate Kit: Inc Hd Battery,Grid Heater & Cold Climatefluids/Fuel (T4)	\$609
840L604	Block Heater 110V: Inc Grid Heater & Cold Climate Fluids/Fuel	\$231
840L605	Block Heater 230V: Inc Grid Heater & Cold Climate Fluids/Fuel	\$231
840L617	Toolkit & Grease Gun + Cartridge	\$76
840L618	Grease Gun + Cartridge	\$24
840L619	Hydraulic Biodegradable Oil:	\$1,759
840T450	Model Decals Supplied Loosewith Machine: Warning Decals fitted	\$0

**** A COMPLETE LINE OF HIGH QUALITY RADIO & OBSERVATION SYSTEMS IS AVAILABLE THROUGH JCB AFTERMARKET ACCESSORIES. CONTACT YOUR PARTS DEPARTMENT FOR COMPLETE DETAILS AND REFER TO TECHWEB BULLETIN 3441.**

	45Z-I COMPACT EXCAVATOR	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: January 1, 2018
-----------------------------------------------------------------------------------	--------------------------------	----------------------------	------------------------	----------------------------

SECTION 3 - OPTIONS - Yellow Series Attachments

Select Optional Equipment as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
YELLOW SERIES ATTACHMENTS		
YWSMA07	30" GP Bucket	\$917
YWSMA08	36" GP Bucket	\$1,019
YWSMA09	48" Grading Bucket	\$1,280
YWSMA10	Mech. Quick Coupler	\$1,520
YWSMA11	Auger Drive	\$2,200
YWSMA12	HM026T Hammer	\$7,265
YWSMR03	REMOVE 840M662 ADDITIONAL SET OF PIVOT PINS FOR 245MM ATTACHMENTS	-\$108
YWSMR04	REMOVE 840M652 600MM GP BUCKET WITH TEETH: NO PIVOT PINS SUPPLIED: 245MM PIN CENTRES: 45MM PINS	-\$601
YWSLLM	ADD LIVELINK LITE INCLUDING 24MTHS AIRTIME SUBSCRIPTION	\$705

SECTION 4 - ATTACHMENTS

*SEE DEALER FIT SECTION FOR ALL OTHER AVAILABLE ATTACHMENTS FOR 45Z

**** A COMPLETE LINE OF HIGH QUALITY RADIO & OBSERVATION SYSTEMS IS AVAILABLE THROUGH JCB AFTERMARKET ACCESSORIES. CONTACT YOUR PARTS DEPARTMENT FOR COMPLETE DETAILS AND REFER TO TECHWEB BULLETIN 3441**



2018


**JCB COMPACT EXCAVATOR
48Z-1**



**JCB, Inc. North American
MACHINE PRICE LIST
in U.S. Dollars**

EFFECTIVE: January 1, 2018


**CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR.
PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATE**

	<p align="center">48Z-I COMPACT EXCAVATOR</p>	<p align="center">U.S. DOLLAR PRICE PAGES</p>	<p align="center">F.O.B. SAVANNAH, GA</p>	<p align="center">EFFECTIVE: January 1, 2018</p>
-----------------------------------------------------------------------------------	------------------------------------------------------	---------------------------------------------------	-----------------------------------------------	--------------------------------------------------

STANDARD EQUIPMENT

- ENGINE** Tier IV Final compliant 48.7 SAE gross hp diesel engine, centrifugal dry type air cleaner. Water separator, spin-on oil filter, thermostart assist, antifreeze protection to -35 degrees F.
- TRANSMISSION** Independent left and right track control. Hydraulic pumps drive integral track motors and gearbox. Two speed travel 1.8 mph and 2.8 mph.
- TRACKS** Rubber (optional steel) grease adjusted. Under carriage rollers 5 per side. Track width 15.75". Ground pressure 4.7 lbs per square inch. Ground clearance 12in .
- ELECTRICAL** 12 volt, with 100 amp alternator, 410 CCA heavy duty battery. Waterproof wire harness connectors.
- EXCAVATOR** Maximum dig depth with standard dipper 11' 11". Servo controls, SAE and ISO patterns both available on 48Z Compact Excavator with DPC - Dual Pattern Control system. Auxiliary circuit provides 23.7 GPM for JCB hydraulic breakers and other approved attachments. Dozer control. Boom swing left 70 degree, right 55 degree. Less excavator bucket. Double Acting Hydraulics Standard fit.
- CAB** Meets SAE TOPS/FOPS/FOGS requirements, left side entry Cab equipped with fabric suspension seat and is adjustable forward and comes equipped with heater, wiper, front and side opening windows. 48Z is available as Zero tailswing for operation in very tight, confining areas. This design does not compromise serviceability or ergonomics of operator compartment.

SECTIONS ARE ORGANIZED AS FOLLOWS:
Section 1 - YELLOW SERIES PACKAGE BUILD
Section 2 - CUSTOM BUILD - NEW FACTORY BUILT ORDERS
Section 3 - OPTIONS - NEW FACTORY BUILT ORDERS
Section 4 - ATTACHMENTS - YELLOW SERIES
DEALER FIT - COMPACT (LISTED SEPARATELY FOR ALL COMPACT EXCAVATORS)

	48Z-I COMPACT EXCAVATOR	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: January 1, 2018
-----------------------------------------------------------------------------------	--------------------------------	----------------------------	------------------------	----------------------------

SECTION I - PACKAGE BUILDS

Select the following machine **PACKAGE BUILD** code and **ATTACHMENTS** as required from Section 4. Package Build configurations cannot normally be changed. If a Package Build does not meet your requirements please order a machine using the Custom Build, Attachments & Options Sections following.

		YELLOW SERIES PACKAGE BUILD CODE:	8484
			48Z
SALES			CAB
CODE	ITEM		
8484	48Z-I Compact Base Machine		\$48,694
840A613	Cab With Air Condition (Standard Glass)		\$6,067
840B600	15.7" (400mm) Rubber Tracks		\$0
840C615	ISO/SAE Control Pattern: High& Low Flow; Double Acting Aux T4 (for 4 way blade)		\$3,322
840D603	Fabric Suspension Seat (High Back)		\$125
840E770	American Language Pack: Including Battery Isolator and Travel Alarm		\$302
840F601	5'7" (1450mm) Dipper: For High & Low flow Aux		\$0
840G602	4 Way Dozer Blade: For 57" (400mm) Wide Tracks		\$2,820
840H608	Dozer Float: For Machines With Hydraulic Quick Hitch & 4 Way Blade		\$544
840J604	Halogen Worklights: 2 Front & 1 Rear (Boom Light Fitted As Std)		\$225
840L564	Full Radio Kit:		\$338
840L600	Bushed Kingpost		\$121
840M649	Thumb Ready Dipper		\$242
840M652	600MM Gp Bucket With Teeth: No pivot Pins Supplied		\$601
840M662	1 Additional Set Of Pivot pins		\$108
YW5LLLM	Add LiveLink Lite including 24 months airtime subscription		\$705

SUGGESTED LIST PRICE **\$64,214**


	48Z-I COMPACT EXCAVATOR	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: January 1, 2018
-----------------------------------------------------------------------------------	--------------------------------	----------------------------	------------------------	----------------------------

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	ITEM	U.S. LIST
BASE MACHINE (E)		
8484	48Z-I Compact Base Machine	\$48,694
OPERATOR'S AREA (E)		
840A609	Cab With Heater (Standard Glass)	\$3,922
840A613	Cab With Air Condition (Standard Glass)	\$6,067
840A624	Canopy (Non EU)	\$2,271
UNDERCARRIAGE (E)		
840B600	15.7" (400mm) Rubber Tracks	\$0
840B601	15.7" (400mm) Steel Tracks	\$0
840B602	21.7" (550mm) Steel Tracks	\$1,453
840B603	Bridgestone - 15.7" (400mm) Geogrip	\$5,370
CONTROLS (E)		
840C602	ISO Control Pattern: High Flow; Single Acting Aux: T4	\$751
840C603	ISO/SAE Control Pattern: Highflow; Single Acting Aux T4	\$1,396
840C606	ISO Control Pattern: High Flow; Double Acting Aux: T4	\$1,223
840C607	ISO/SAE Control Pattern: Highflow; Double Acting Aux T4	\$1,869
840C610	ISO Control Pattern: High & Low Flow; Double Acting Aux: T4 (For 2 Way Blade)	\$2,676
840C611	ISO/SAE Control Pattern: High& Low Flow; Double Acting Aux T4 (for 2 way blade)	\$3,322
840C614	ISO Control Pattern: High & Low Flow; Double Acting Aux: T4 (For 4 Way Blade)	\$2,676
840C615	ISO/SAE Control Pattern: High& Low Flow; Double Acting Aux T4 (for 4 way blade)	\$3,322
SEATS (E)		
840D600	Vinyl Suspension Seat (Mid-Back)	\$0
840D601	Fabric Suspension Seat (Mid-Back)	\$0
840D602	Vinyl Suspension Seat (High Back)	\$125
840D603	Fabric Suspension Seat (High Back)	\$125
840D604	Fabric Air Suspension Heated Seat (High Back) With Headrest	\$606
OPERATORS HANDBOOK (E)		
840E770	American Language Pack: Including Battery Isolator and Travel Alarm	\$302
DIPPER (E)		
840F600	5'7" (1450mm) Dipper: For High Flow Aux	\$0
840F601	5'7" (1450mm) Dipper: For High & Low flow Aux	\$0
DOZER BLADE (E)		
840G600	Standard Dozer Blade	\$0
840G602	4 Way Dozer Blade: For 57" (400mm) Wide Tracks	\$2,820
840G603	4 Way Dozer Blade: For 400MM Wide Tracks (Not Compatible With Dozer Float)	\$3,707


	48Z-I COMPACT EXCAVATOR	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: January 1, 2018
-----------------------------------------------------------------------------------	--------------------------------	----------------------------	------------------------	----------------------------

SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
HYDRAULIC CIRCUIT & PIPEWORK OPTIONS		
840H600	Bucket To Grab Change Over Valve: For 1450Mm Dipper	\$585
840H603	Dozer Float: For Machines With Hydraulic Quick Hitch & 2 Wayblade	\$544
840H605	Dozer Float: For Machines Without Hydraulic Quick Hitch & 2 Way Blade	\$544
840H606	Dozer Float: For Machines With Hydraulic Quick Hitch & 4 Way Blade	\$544
840H608	Dozer Float: For Machines With Hydraulic Quick Hitch & 4 Way Blade	\$544
BOOM AND DIPPER OPTIONS		
840V600	Dozer,Boom & Dipper Hbcv: (For high Flow Aux Without Hyd Quick Hitch)	\$1,135
840V602	Boom & Dipper Hbcv: (For High flow Aux Without Hyd Quick Hitch)	\$1,019
840V604	Dozer,Boom & Dipper Hbcv: (For high Flow Aux With Hyd Quick hitch)	\$1,135
840V606	Boom & Dipper Hbcv: (For Highflow Aux With Hyd Quick Hitch)	\$1,019
840V608	Dozer,Boom & Dipper Hbcv: (For high & Low Aux Without Hyd Quich Hitch)	\$1,135
840V610	Boom & Dipper Hbcv: (For High & Low Aux Without Hyd Quick Hitch)	\$1,019
840V612	Dozer,Boom & Dipper Hbcv: (For high &Low Aux With Hyd Quick hitch)	\$1,135
840V614	Boom & Dipper Hbcv: (For High & Low Aux With Hyd Quick Hitch)	\$1,019
OPERATORS COMPARTMENT OPTIONS		
840J056	Rotating Beacon	\$193
840J057	Magnetic Strobe Warning Lightbeacon:	\$343
840J072	Livelink	\$784
840J603	Media Socket	\$99
840J604	Halogen Worklights: 2 Front & 1 Rear (Boom Light Fitted As Std)	\$225
840J605	Led Worklights: 2 Front, 1 Boom & 1 Rear	\$0
840J606	Led Worklights: 4 Front, 2 Boom & 1 Rear	\$0
840J607	Halogen Worklights: 2 Front & 1 Rear (Not For A/C Or Fogs) (Boom Light Fitted As Std)	\$225
840J608	Led Worklights: 2 Front, 1 Boom & 1 Rear:(Not For A/C Or Fogsbuilds)	\$800
840J609	Led Worklights: 4 Front, 2 Boom & 1 Rear:(Not For A/C Or Fogsbuilds)	\$1,188
EXCAVATOR & BUCKET OPTIONS		
840M649	Thumb Ready Dipper	\$242
840M650	400MM Gp Bucket With Teeth: No pivot Pins Supplied	\$504
840M651	450MM Gp Bucket With Teeth: No pivot Pins Supplied	\$533
840M652	600MM Gp Bucket With Teeth: No pivot Pins Supplied	\$601
840M653	900MM Gp Bucket With Teeth: No pivot Pins Supplied	\$765
840M654	Grading Bucket: 1500Mm Wide: No Pivot Pins Supplied	\$840
840M655	Grading Bucket: 1200Mm Wide: No Pivot Pins Supplied	\$615
840M656	Grading Bucket: 1800Mm Wide: No Pivot Pins Supplied	\$765
840M657	750MM Gp Bucket With Teeth: No pivot Pins Supplied	\$671
840M658	300MM Gp Bucket With Teeth: No pivot Pins Supplied	\$432
840M659	250MM Gp Bucket With Teeth: No pivot Pins Supplied	\$432
840M660	800MM Gp Bucket With Teeth: No pivot Pins Supplied	\$765
840M661	350MM Gp Bucket With Teeth: No pivot Pins Supplied	\$432
840M662	1 Additional Set Of Pivot pins	\$108
840M663	2 Additional Sets Of Pivot pins	\$218
840M664	3 Additional Sets Of Pivot pins	\$327
840M701	Hydraulic Hitch: For High Flowaux With Hbcv T4	\$3,876
840M705	Hydraulic Hitch: For High Flowaux Without Hbcv T4	\$3,876
840M709	Pipework For Hyd Hitch: For High Flow Aux With Hbcv T4	\$1,211
840M713	Pipework For Hyd Hitch: For High Flow Aux Without Hbcv T4	\$1,211
840M717	Hydraulic Hitch: For High &Lowaux With Hbcv T4	\$3,876
840M721	Hydraulic Hitch: For High &Lowaux Without Hbcv T4 (245mm Pincentres) Inc pipework	\$3,876
840M725	Pipework For Hyd Hitch: For High &Low Aux With Hbcv T4	\$1,211
840M729	Pipework For Hyd Hitch: For High &Low Aux Without Hbcv T4	\$1,211

**** A COMPLETE LINE OF HIGH QUALITY RADIO & OBSERVATION SYSTEMS IS AVAILABLE THROUGH JCB AFTERMARKET ACCESSORIES. CONTACT YOUR PARTS DEPARTMENT FOR COMPLETE DETAILS AND REFER TO TECHWEB BULLETIN 3441.**

	48Z-I COMPACT EXCAVATOR	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: January 1, 2018
-----------------------------------------------------------------------------------	--------------------------------	----------------------------	------------------------	----------------------------

SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
EXCAVATOR QUICK HITCH		
840M647	Mechanical Quick Hitch: For Non Hbcv Machines	\$1,333
840M648	Mechanical Quick Hitch: For Hbcv Machines	\$1,333
OTHER OPTIONS		
840K549	Fogs Guard Kit, Level 1 Operator Protection:	\$209
840K600	2 Front Worklight Guards	\$108
840K601	4 Front Worklight Guards	\$218
840K602	Dipper Ram Guard Protection (For Machines Without Hbcv)	\$249
840K603	Dipper Ram Guard Protection (For Machines With Hbcv)	\$249
840K624	Bucket Ram Guard Protection:	\$249
840K645	Fan Guard (For A/C Builds Only)	\$209
840L556	Interior Mirror	\$87
840L557	Exterior Mirrors (Left & Right)	\$162
840L559	Rear View Wide Angled Mirror (Mounted On Rear Of The Cab)	\$209
840L560	Fire Extinguisher: 1Kg Abc	\$87
840L561	External Left Hand Mirror:	\$87
840L564	Full Radio Kit:	\$338
840L565	Speaker Kit: Excludes Radio	\$218
840L567	Sun Blind	\$76
840L570	Rear Camera	\$1,759
840L575	White Noise Alarm: T4	\$349
840L600	Bushed Kingpost	\$121
840L601	Refuelling Pump:	\$688
840L603	Cold Climate Kit: Inc Hd Battery,Grid Heater & Cold Climatefluids/Fuel (T4)	\$609
840L617	Toolkit & Grease Gun + Cartridge	\$76
840L618	Grease Gun + Cartridge	\$24
840L619	Hydraulic Biodegradable Oil:	\$1,759
840T600	Model Decals Supplied Loosewith Machine: Warning Decals fitted	\$0
840T601	Wax Protection	\$178
YELLOW SERIES ATTACHMENTS		
YWSMA07	30" GP Bucket	\$917
YWSMA08	36" GP Bucket	\$1,019
YWSMA09	48" Grading Bucket	\$1,280
YWSMA10	Mech. Quick Coupler	\$1,520
YWSMA11	Auger Drive	\$2,200
YWSMA12	HM026T Hammer	\$7,265
YWSMR03	REMOVE 840M662 ADDITIONAL SET OF PIVOT PINS FOR 245MM ATTACHMENTS	-\$108
YWSMR04	REMOVE 840M652 600MM GP BUCKET WITH TEETH: NO PIVOT PINS SUPPLIED: 245MM PIN CENTRES: 45MM PINS	-\$601
YWSLLLM	ADD LIVELINK LITE INCLUDING 24MTHS AIRTIME SUBSCRIPTION	\$705

SECTION 4 - ATTACHMENTS

*SEE DEALER FIT SECTION FOR ALL OTHER AVAILABLE ATTACHMENTS FOR 48Z

**** A COMPLETE LINE OF HIGH QUALITY RADIO & OBSERVATION SYSTEMS IS AVAILABLE THROUGH JCB AFTERMARKET ACCESSORIES. CONTACT YOUR PARTS DEPARTMENT FOR COMPLETE DETAILS AND REFER TO TECHWEB BULLETIN 3441**



2018


**JCB COMPACT EXCAVATOR
55Z-1**



**JCB, Inc. North American
MACHINE PRICE LIST
in U.S. Dollars**

EFFECTIVE: JANUARY 1, 2018


**CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR.
PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATE**

	55Z-I COMPACT EXCAVATOR	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
-----------------------------------------------------------------------------------	--------------------------------	----------------------------	------------------------	----------------------------

STANDARD EQUIPMENT

- ENGINE** Tier 4 Final compliant 48.7 SAE gross hp diesel engine, centrifugal dry type air cleaner. Water separator, spin-on oil filter, thermostart assist, antifreeze protection to -35 degrees F.
- TRANSMISSION** Independent left and right track control. Hydraulic pumps drive integral track motors and gearbox. Two speed travel 1.8 mph and 2.8 mph.
- TRACKS** Rubber (optional steel) grease adjusted. Under carriage rollers 5 per side. Track width 15.75". Ground pressure 4.7 lbs per square inch. Ground clearance 12inch.
- ELECTRICAL** 12 volt, with 100 amp alternator, 410 CCA heavy duty battery. Waterproof wire harness connectors.
- EXCAVATOR** Maximum dig depth with standard dipper 12' 7". Servo controls, SAE and ISO patterns both available on 55Z Compact Excavator with DPC - Dual Pattern Control system. Auxiliary circuit provides 23.7 GPM for JCB hydraulic breakers and other approved attachments. Dozer control. Boom swing left 70 degree, right 55 degree. Less excavator bucket. Double Acting Hydraulics optional fit.
- CAB** Meets SAE TOPS/FOPS/FOGS requirements, left side entry Cab equipped with fabric suspension seat and is adjustable forward and aft comes equipped with heater, wiper, front and side opening windows. 55Z-I is available as ZTS with zero tailswing for operation in very tight, confining areas. This design does not compromise serviceability or ergonomics of operator compartment.

SECTIONS ARE ORGANIZED AS FOLLOWS:
Section 1 - PACKAGE BUILDS
Section 2 - CUSTOM BUILD - NEW FACTORY BUILT ORDERS
Section 3 - OPTIONS - NEW FACTORY BUILT ORDERS
Section 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS
DEALER FIT - COMPACT (LISTED SEPARATELY FOR ALL COMPACT EXCAVATORS)

	55Z-I COMPACT EXCAVATOR	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
-----------------------------------------------------------------------------------	--------------------------------	----------------------------	------------------------	----------------------------


SECTION I - PACKAGE BUILDS

Select the following machine **PACKAGE BUILD** code and **ATTACHMENTS** as required from Section 4. Package Build configurations cannot normally be changed. If a Package Build does not meet your requirements please order a machine using the Custom Build, Attachments & Options Sections following.

YELLOW SERIES PACKAGE BUILD CODE: 8554

SALES CODE	ITEM	8554 55Z-I CAB
8554	55Z-I Compact Base Machine	\$57,644
850A613	Cab With Air Condition (Standard Glass)	\$6,469
850B600	15.7" (400mm) Rubber Tracks	\$0
850C615	ISO/SAE Control Pattern: High & Low Flow; Double Acting Aux: T4 (For 4 Way Blade)	\$3,542
850D603	Fabric Suspension Seat (High Back)	\$133
850E770	American operator handbook Incl Travel Alarm and Immobilizer	\$322
850F601	57" (1570mm) Dipper: For High & Low flow Aux	\$0
850G602	4 Way Dozer Blade: For 57" (400mm) Wide Tracks	\$3,241
850H627	Dozer Float for Machines without Hydraulic Quick Hitch and 4 way Blade	\$580
850J604	Halogen Work Lights: 2 Front and 1 Rear (Boom Light Fitted ASSTD)	\$240
850L612	Bushed Kingpost	\$129
850L664	Full Radio Kit	\$361
850M649	Thumb Ready Dipper	\$258
850M652	24" (610mm) Gp Bucket With Teeth: Nopivot Pins Supplied	\$640
850M662	1 Additional Set Of Pivot pins.	\$116
YWSLLME	ADD LIVELINK LITE INCLUDING 24MTHS AIRTIME SUBSCRIPTION	\$705

SUGGESTED LIST PRICE **\$74,380**


	55Z-I COMPACT EXCAVATOR	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
-----------------------------------------------------------------------------------	--------------------------------	----------------------------	------------------------	----------------------------

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	ITEM	U.S. LIST
BASE MACHINE (E)		
8554	55Z-I Compact Base Machine	\$57,644
OPERATOR'S AREA (E)		
850A605	Cab With Air Condition : With JCB Imp Act Protection Glass	\$8,650
850A613	Cab With Air Condition (Standard Glass)	\$6,469
850A625	Canopy	\$2,984
UNDERCARRIAGE (E)		
850B600	15.7" (400mm) Rubber Tracks	\$0
850B601	15.7" (400mm) Steel Tracks	\$0
850B602	21.7" (550mm) Steel Tracks	\$1,549
850B603	Bridgestone - 15.7" (400mm) Geogrip	\$5,727
CONTROLS (E)		
850C602	ISO Control Pattern: High Flow; Single Acting Aux: T4	\$801
850C603	ISO/SAE Control Pattern: Highflow; Single Acting Aux T4	\$1,488
850C606	ISO Control Pattern: High Flow; Double Acting Aux: T4	\$1,304
850C607	ISO/SAE Control Pattern: Highflow; Double Acting Aux T4	\$1,993
850C610	ISO Control Pattern: High & Low Flow; Double Acting Aux: T4	\$2,854
850C611	ISO/SAE Control Pattern: High& Low Flow; Double Acting AuxT4	\$3,542
850C614	ISO Control Pattern: High & Low Flow; Double Acting Aux: T4 (For 4 Way Blade)	\$2,854
850C615	ISO/SAE Control Pattern: High & Low Flow; Double Acting Aux: T4 (For 4 Way Blade)	\$3,542
SEATS (E)		
850D600	Vinyl Suspension Seat (Mid-Back)	\$0
850D601	Fabric Suspension Seat (Mid-Back)	\$0
850D602	Vinyl Suspension Seat (High Back)	\$133
850D603	Fabric Suspension Seat (High Back)	\$133
850D604	Fabric Air Suspension Heated Seat (High Back) With Headrest	\$647
OPERATORS HANDBOOK (E)		
850E770	American operator handbook Incl Travel Alarm and Immobilizer	\$322
DIPPER (E)		
850F600	57" (1570mm) Dipper: For High Flow Aux	\$0
850F601	57" (1570mm) Dipper: For High & Low flow Aux	\$0
DOZER BLADE (E)		
850G600	Standard Dozer Blade	\$0
850G601	Wide Dozer Blade: For 22.6" (550mm) wide Steel Tracks	\$0
850G602	4 Way Dozer Blade: For 57" (400mm) Wide Tracks	\$3,241


	55Z-I COMPACT EXCAVATOR	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
-----------------------------------------------------------------------------------	--------------------------------	----------------------------	------------------------	----------------------------

SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
HYDRAULIC CIRCUIT & PIPEWORK OPTIONS		
850H610	Bucket to Grab Change Over Valve for 62" (1570mm) Dipper	\$632
850H614	Dozer Float for Machines with Hydraulic Quick Hitch and 2 way Blade	\$580
850H618	Dozer Float for Machines without Hydraulic Quick Hitch and 2 way Blade	\$580
850H625	Dozer Float for Machines with Hydraulic Quick Hitch and 4 way Blade	\$580
850H627	Dozer Float for Machines without Hydraulic Quick Hitch and 4 way Blade	\$580
BOOM AND DIPPER OPTIONS		
850V600	Dozer, Boom & Dipper Hbcv: (For high Flow Aux Without Hyd Quick Hitch)	\$1,211
850V602	Boom & Dipper Hbcv: (For High flow Aux Without Hyd Quick Hitch)	\$1,086
850V604	Dozer, Boom & Dipper Hbcv: (For high Flow Aux With Hyd Quick hitch)	\$1,211
850V606	Boom & Dipper Hbcv: (For Highflow Aux With Hyd Quick Hitch)	\$1,086
850V608	Dozer, Boom & Dipper Hbcv: (For high & Low Aux Without Hyd Quick Hitch)	\$1,211
850V610	Boom & Dipper Hbcv: (For High & Low Aux Without Hyd Quick Hitch)	\$1,086
850V612	Dozer, Boom & Dipper Hbcv: (For high & Low Aux With Hyd Quick hitch)	\$1,211
850V614	Boom & Dipper Hbcv: (For High & Low Aux With Hyd Quick Hitch)	\$1,086
OPERATORS COMPARTMENT OPTIONS		
850J056	Rotating Beacon	\$264
850J057	Magnetic Strobe Warning Light Beacon	\$366
850J074	LiveLink	\$836
850J603	Media Socket	\$90
850J604	Halogen Work Lights: 2 Front and 1 Rear (Boom Light Fitted ASSTD)	\$240
850J605	Led Work Lights: 2 Front, 1 Boom, and 1 Rear	\$853
850J606	Led Work Lights: 4 Front, 2 Boom, and 1 Rear	\$1,267
850J607	Halogen Work Lights: 2 Front and 1 Rear (Not for A/C or Fogs Builds)	\$240
850J609	Led Work Lights: 2 Front and 1 Rear (Not for A/C or Fogs Builds)	\$1,267
EXCAVATOR & BUCKET OPTIONS		
850M649	Thumb Ready Dipper	\$258
850M650	15.7" (400mm) Gp Bucket With Teeth: Nopivot Pins Supplied	\$538
850M651	17.7" (450mm) Gp Bucket With Teeth: Nopivot Pins Supplied	\$568
850M652	24" (610mm) Gp Bucket With Teeth: Nopivot Pins Supplied	\$640
850M653	35.4" (900mm) Gp Bucket With Teeth: Nopivot Pins Supplied	\$816
850M654	Grading Bucket: 60" (1500mm) Wide: No Pivot Pins Supplied	\$896
850M655	Grading Bucket: 47.2" (1200mm) Wide: No Pivot Pins Supplied	\$655
850M656	Grading Bucket: 70.8" (1800mm) Wide: No Pivot Pins Supplied	\$896
850M657	29.5" (750mm) Gp Bucket With Teeth: No pivot Pins Supplied	\$715
850M658	11.8" (300mm) Gp Bucket With Teeth: No pivot Pins Supplied	\$461
850M659	9.8" (250mm) Gp Bucket With Teeth: No pivot Pins Supplied	\$461
850M660	31.5" (800mm) Gp Bucket With Teeth: No pivot Pins Supplied	\$896
850M661	13.7" (350mm) Gp Bucket With Teeth: No pivot Pins Supplied	\$461
850M662	1 Additional Set Of Pivot pins.	\$116
850M663	2 Additional Sets Of Pivot pins.	\$233
850M664	3 Additional Sets Of Pivot pins.	\$348
850M701	Hydraulic Hitch: For High Flowaux With Hbcv T4	\$4,133
850M705	Hydraulic Hitch: For High Flowaux Without HBC T4	\$4,133
850M709	Pipework For Hyd Hitch: For High Flow Aux With HBCV T4	\$1,291
850M713	Pipework For Hyd Hitch: For High Flow Aux Without Hbcv T4	\$1,291
850M717	Hydraulic Hitch: For High & Lowaux With Hbcv T4	\$4,133
850M725	Pipe Work for HYD Hitch for High and Low Aux with HBCV T4	\$1,291
850M729	Piper Work for HYD Hitch for High and Low Aux Without HBCV T4	\$1,291

**** A COMPLETE LINE OF HIGH QUALITY RADIO & OBSERVATION SYSTEMS IS AVAILABLE THROUGH JCB AFTERMARKET ACCESSORIES. CONTACT YOUR PARTS DEPARTMENT FOR COMPLETE DETAILS AND REFER TO TECHWEB BULLETIN 3441.**

	55Z-I COMPACT EXCAVATOR	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
-----------------------------------------------------------------------------------	--------------------------------	----------------------------	------------------------	----------------------------

SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
EXCAVATOR QUICK HITCH		
850M647	Mechanical Quick Hitch: For Non Hbcv Machines	\$1,422
850M648	Mechanical Quick Hitch: For Hbcv Machines	\$1,422
OTHER OPTIONS		
850K548	FOGS Guards Kit, Level I Operator Protection	\$223
850K620	2 Front Work Light Guards	\$116
850K621	4 Front Work Light Guards	\$233
850K622	Dipper Arm Guard Protection (for machine without HBCV)	\$266
850K623	Dipper Arm Guard Protection (for machine with HBCV)	\$266
850K624	Bucket ram Guard Protection	\$266
850K644	Fan Guard (Heater Builds Only)	\$223
850K645	Fan Guard (A/C Builds Only)	\$223
850L575	White Noise Alarm T4	\$372
850L616	Refueling pump	\$733
850L617	Tool Kit (Grease gun and Cartridge)	\$83
850L618	Grease Gun and Cartridge Kit	\$28
850L619	Cold Climate Kit: HD Battery, Grid Heater and Cold Climate Fluids/Fuel	\$649
850L635	Panolin Biodegradable Hydraulic Oil	\$1,875
850L656	Interior Mirror	\$90
850L657	Exterior mirror (left and Right)	\$173
850L659	Rear view wide angled mirror (Mounted on Rear of the Cab)	\$461
850L660	Fire Extinguisher 1KG ABC Powder	\$90
850L661	External Left hang Mirror	\$90
850L664	Full Radio Kit	\$361
850L665	Speaker Kit (excludes Radio)	\$233
850L667	Sun Blind	\$81
850T600	Model Decals Supplied Loose With Machine Warning Decals Fitted	\$0
850T601	Wax Protection	\$190
YELLOW SERIES ATTACHMENTS		
YWSMA13	30" GP Bucket	\$917
YWSMA14	36" GP Bucket	\$1,019
YWSMA15	48" Grading Bucket	\$1,280
YWSMA16	Mech. Quick Coupler	\$1,520
YWSMA17	Auger Drive	\$2,200
YWSMA18	HM026T Hammer	\$7,265
YWSMR05	REMOVE 850M662 ADDITIONAL SET OF PIVOT PINS FOR 245MM ATTACHMENTS	-\$116
YWSMR06	REMOVE 850M652 600MM GP BUCKET WITH TEETH: NO PIVOT PINS SUPPLIED: 245MM PI N CENTRES: 45MM PIN	-\$640
YWSLLME	ADD LIVELINK LITE INCLUDING 24MTHS AIRTIME SUBSCRIPTION	\$705

SECTION 4 - ATTACHMENTS

***SEE DEALER FIT SECTION FOR ALL OTHER AVAILABLE ATTACHMENTS FOR 8055**

**** A COMPLETE LINE OF HIGH QUALITY RADIO & OBSERVATION SYSTEMS IS AVAILABLE THROUGH JCB AFTERMARKET ACCESSORIES. CONTACT YOUR PARTS DEPARTMENT FOR COMPLETE DETAILS AND REFER TO TECHWEB BULLETIN 3441.**



2018


**JCB COMPACT EXCAVATOR
57C-1**



**JCB, Inc. North American
MACHINE PRICE LIST
in U.S. Dollars**

EFFECTIVE: JANUARY 1, 2018

**CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR.
PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATE**

	57C-I COMPACT EXCAVATOR	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
-----------------------------------------------------------------------------------	--------------------------------	----------------------------	------------------------	----------------------------

STANDARD EQUIPMENT

- ENGINE** Tier 4 Final compliant 48.7 SAE gross hp diesel engine, centrifugal dry type air cleaner. Water separator, spin-on oil filter, thermostart assist, antifreeze protection to -35 degrees F.

- TRANSMISSION** Independent left and right track control. Hydraulic pumps drive integral track motors and gearbox. Two speed travel 1.8 mph and 2.8 mph.


- TRACKS** Rubber (optional steel) grease adjusted. Under carriage rollers 5 per side. Track width 15.75". Ground pressure 4.7 lbs per square inch. Ground clearance 12in.

- ELECTRICAL** 12 volt, with 100 amp alternator, 410 CCA heavy duty battery. Waterproof wire harness connectors.

- EXCAVATOR** Maximum dig depth with standard dipper 13' 4". Servo controls, SAE and ISO patterns both available on 57C Compact Excavator with DPC - Dual Pattern Control system. Auxiliary circuit provides 23.7 GPM for JCB hydraulic breakers and other approved attachments. Dozer control. Boom swing left 70 degree, right 55 degree. Less excavator bucket. Double Acting Hydraulics optional fit.

- CAB** Meets SAE TOPS/FOPS/FOGS requirements, left side entry Cab equipped with fabric suspension seat and is adjustable forward and aft comes equipped with heater, wiper, front and side opening windows. 57C-I is available as CTS with minimal tailswing for operation in very tight, confining areas. This design does not compromise serviceability or ergonomics of operator compartment.

SECTIONS ARE ORGANIZED AS FOLLOWS:
Section 1 - PACKAGE BUILDS
Section 2 - CUSTOM BUILD - NEW FACTORY BUILT ORDERS
Section 3 - OPTIONS - NEW FACTORY BUILT ORDERS
Section 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS
DEALER FIT - COMPACT (LISTED SEPARATELY FOR ALL COMPACT EXCAVATORS)


	57C-I COMPACT EXCAVATOR	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
-----------------------------------------------------------------------------------	--------------------------------	----------------------------	------------------------	----------------------------

SECTION I - NEW CUSTOM FACTORY BUILT ORDERS:

Please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 2 or 3.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	ITEM	U.S. LIST
BASE MACHINE (E)		
8574	57C-I Compact Base Machine	\$59,151
OPERATOR'S AREA (E)		
850A603	Cab With Heater & JCB Impact Protection Glass	\$6,363
850A607	Cab With Air Condition : With JCB Imp Act Protection Glass	\$8,650
850A615	Cab With Air Condition (Standard Glass)	\$6,469
UNDERCARRIAGE (E)		
850B600	15.7" (400mm) Rubber Tracks	\$0
850B601	15.7" (400mm) Steel Tracks	\$0
850B602	21.7" (550mm) Steel Tracks	\$1,549
850B603	Bridgestone - 15.7" (400mm) Geogrip	\$5,727
CONTROLS (E)		
850C602	ISO Control Pattern: High Flow; Single Acting Aux: T4	\$801
850C603	ISO/SAE Control Pattern: Highflow; Single Acting Aux T4	\$1,488
850C606	ISO Control Pattern: High Flow; Double Acting Aux: T4	\$1,304
850C607	ISO/SAE Control Pattern: Highflow; Double Acting Aux T4	\$1,993
850C610	ISO Control Pattern: High & Low Flow; Double Acting Aux: T4	\$2,854
850C611	ISO/SAE Control Pattern: High& Low Flow; Double Acting AuxT4	\$3,542
850C614	ISO Control Pattern: High & Low Flow; Double Acting Aux: T4 (For 4 Way Blade)	\$2,854
850C615	ISO/SAE Control Pattern: High & Low Flow; Double Acting Aux: T4 (For 4 Way Blade)	\$3,542
SEATS (E)		
850D602	Vinyl Suspension Seat (High Back)	\$133
850D603	Fabric Suspension Seat (High Back)	\$133
850D604	Fabric Air Suspension Heated Seat (High Back) With Headrest	\$647
OPERATORS HANDBOOK (E)		
850E770	American operator handbook Incl Travel Alarm and Immobilizer	\$322
DIPPER (E)		
850F602	72" (1820mm) Dipper: For High Flow Aux	\$0
850F603	72" (1820mm) Dipper: For High & Low Flow Aux	\$0
DOZER BLADE (E)		
850G603	4 Way Dozer Blade: For 57" (400mm) Wide Tracks	\$3,241
850G605	Standard Dozer Blade For 57" (400mm) Wide Tracks	\$0
850G606	Wide Dozer Blade: For 22.6" (550mm) wide Steel Tracks	\$0


	55Z-I COMPACT EXCAVATOR	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
-----------------------------------------------------------------------------------	--------------------------------	----------------------------	------------------------	----------------------------

SECTION 2 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
HYDRAULIC CIRCUIT & PIPEWORK OPTIONS		
850H611	Bucket to Grab Change Over Valve for 72" (1820mm) Dipper	\$632
850H619	Dozer Float for Machines with Hydraulic Quick Hitch and 2 way Blade	\$580
850H621	Dozer Float for Machines without Hydraulic Quick Hitch and 2 way Blade	\$580
850H622	Dozer Float for Machines with Hydraulic Quick Hitch and 4 way Blade	\$580
850H623	Dozer Float for Machines without Hydraulic Quick Hitch and 4 way Blade	\$580
BOOM AND DIPPER OPTIONS		
850V601	Dozer, Boom & Dipper Hbcv: (For high Flow Aux Without Hyd Quick Hitch)	\$1,211
850V603	Boom & Dipper Hbcv: (For High flow Aux Without Hyd Quick Hitch)	\$1,086
850V605	Dozer, Boom & Dipper Hbcv: (For high Flow Aux With Hyd Quick hitch)	\$1,211
850V607	Boom & Dipper Hbcv: (For Highflow Aux With Hyd Quick Hitch)	\$1,086
850V609	Dozer, Boom & Dipper Hbcv: (For high & Low Aux Without Hyd Quick Hitch)	\$1,211
850V611	Boom & Dipper Hbcv: (For High & Low Aux Without Hyd Quick Hitch)	\$1,086
850V613	Dozer, Boom & Dipper Hbcv: (For high & Low Aux With Hyd Quick hitch)	\$1,211
850V615	Boom & Dipper Hbcv: (For High & Low Aux With Hyd Quick Hitch)	\$1,086
OPERATORS COMPARTMENT OPTIONS		
850J056	Rotating Beacon	\$264
850J057	Magnetic Strobe Warning Light Beacon	\$366
850J074	LiveLink	\$836
850J603	Media Socket	\$90
850J604	Halogen Work Lights: 2 Front and 1 Rear (Boom Light Fitted ASSTD)	\$240
850J605	Led Work Lights: 2 Front, 1 Boom, and 1 Rear	\$853
850J606	Led Work Lights: 4 Front, 2 Boom, and 1 Rear	\$1,267
850J607	Halogen Work Lights: 2 Front and 1 Rear (Not for A/C or Fogs Builds)	\$240
850J609	Led Work Lights: 2 Front and 1 Rear (Not for A/C or Fogs Builds)	\$1,267
EXCAVATOR & BUCKET OPTIONS		
850M649	Thumb Ready Dipper	\$258
850M650	15.7" (400mm) Gp Bucket With Teeth: Nopivot Pins Supplied	\$538
850M651	17.7" (450mm) Gp Bucket With Teeth: Nopivot Pins Supplied	\$568
850M652	24" (610mm) Gp Bucket With Teeth: Nopivot Pins Supplied	\$640
850M653	35.4" (900mm) Gp Bucket With Teeth: Nopivot Pins Supplied	\$816
850M654	Grading Bucket: 60" (1500mm) Wide: No Pivot Pins Supplied	\$896
850M655	Grading Bucket: 47.2" (1200mm) Wide: No Pivot Pins Supplied	\$655
850M656	Grading Bucket: 70.8" (1800mm) Wide: No Pivot Pins Supplied	\$896
850M657	29.5" (750mm) Gp Bucket With Teeth: No pivot Pins Supplied	\$715
850M658	11.8" (300mm) Gp Bucket With Teeth: No pivot Pins Supplied	\$461
850M659	9.8" (250mm) Gp Bucket With Teeth: No pivot Pins Supplied	\$461
850M660	31.5" (800mm) Gp Bucket With Teeth: No pivot Pins Supplied	\$896
850M661	13.7" (350mm) Gp Bucket With Teeth: No pivot Pins Supplied	\$461
850M662	1 Additional Set Of Pivot pins.	\$116
850M663	2 Additional Sets Of Pivot pins.	\$233
850M664	3 Additional Sets Of Pivot pins.	\$348
850M703	Hydraulic Hitch: For High Flow Aux With HBCV T4	\$4,133
850M707	Hydraulic Hitch: For High Flow Aux Without HBCV T4	\$4,133
850M711	Pipework For Hydraulic Hitch: For High Flow Aux with HBCT4	\$4,133
850M715	Pipework For HYD Hitch, For High flow Aux Without BCV T4	\$1,291
850M719	Hydraulic Hitch: For High & Low Aux with HBCV T4	\$4,133
850M723	Hydraulic Hitch: For High & Low Aux with HBCV T4	\$4,133
850M727	Pipe Work for HYD Hitch for High and Low Aux with HBCV T4	\$1,291
850M731	Pipe Work for HYD Hitch for High and Low Aux without HBCV T4	\$1,291

**** A COMPLETE LINE OF HIGH QUALITY RADIO & OBSERVATION SYSTEMS IS AVAILABLE THROUGH JCB AFTERMARKET ACCESSORIES. CONTACT YOUR PARTS DEPARTMENT FOR COMPLETE DETAILS AND REFER TO TECHWEB BULLETIN 3441.**

	55Z-I COMPACT EXCAVATOR	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
-----------------------------------------------------------------------------------	--------------------------------	----------------------------	------------------------	----------------------------

SECTION 2 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
EXCAVATOR QUICK HITCH		
850M647	Mechanical Quick Hitch: For Non Hbcv Machines	\$1,422
850M648	Mechanical Quick Hitch: For Hbcv Machines	\$1,422
OTHER OPTIONS		
850K548	FOGS Guards Kit, Level I Operator Protection	\$223
850K620	2 Front Work Light Guards	\$116
850K621	4 Front Work Light Guards	\$233
850K622	Dipper Arm Guard Protection (for machine without HBCV)	\$266
850K623	Dipper Arm Guard Protection (for machine with HBCV)	\$266
850K624	Bucket ram Guard Protection	\$266
850K644	Fan Guard (Heater Builds Only)	\$223
850K645	Fan Guard (A/C Builds Only)	\$223
850L575	White Noise Alarm T4	\$372
850L612	Bushed Kingpost	\$129
850L616	Refueling pump	\$733
850L617	Tool Kit (Grease gun and Cartridge)	\$83
850L618	Grease Gun and Cartridge Kit	\$28
850L619	Cold Climate Kit: HD Battery, Grid Heater and Cold Climate Fluids/Fuel	\$649
850L635	Panolin Biodegradable Hydraulic Oil	\$1,875
850L656	Interior Mirror	\$90
850L657	Exterior mirror (left and Right)	\$173
850L659	Rear view wide angled mirror (Mounted on Rear of the Cab)	\$461
850L660	Fire Extinguisher 1KG ABC Powder	\$90
850L661	External Left hang Mirror	\$90
850L666	Full Radio Kit	\$361
850L667	Sun Blind	\$81
850L669	Speaker Kit (excludes Radio)	\$233
850T601	Wax Protection	\$190
850T604	Model Decals Supplied Loose With Machine Warning Decals Fitted	\$0

SECTION 3 - ATTACHMENTS

***SEE DEALER FIT SECTION FOR ALL OTHER AVAILABLE ATTACHMENTS FOR 57C**

**** A COMPLETE LINE OF HIGH QUALITY RADIO & OBSERVATION SYSTEMS IS AVAILABLE THROUGH JCB AFTERMARKET ACCESSORIES. CONTACT YOUR PARTS DEPARTMENT FOR COMPLETE DETAILS AND REFER TO TECHWEB BULLETIN 3441.**



2018


JCB COMPACT EXCAVATOR 67C-1



JCB, Inc. North American MACHINE PRICE LIST in U.S. Dollars

EFFECTIVE: JANUARY 1, 2018


**CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR.
PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATE**

	67C-1 COMPACT EXCAVATOR	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
-----------------------------------------------------------------------------------	--------------------------------	----------------------------	------------------------	----------------------------

STANDARD EQUIPMENT

ENGINE	JCB by Kohler Tier IV Final KDI 1903 - 51.5 SAE net hp (55). Common rail, 4-valve head, turbocharger, electronic cooled EGR, turbocharger, oil control system and diesel-oxygenated catalyst (DOC).
TRANSMISSION	Independent left and right track control. Hydraulic pumps drive integral track motors and gearbox. Two speed travel 1.6 mph and 2.9 mph with Auto-kickdown track motors.
TRACKS	Rubber (optional steel) grease adjusted. Under carriage rollers 5 per side. Track width 16". Ground pressure 6.0 lbs per square inch. Ground clearance 9.0".
ELECTRICAL	12 volt, with 80 amp alternator, 410 CCA heavy duty battery. Waterproof wire harness connectors.
EXCAVATOR	Maximum dig depth with standard 6'7" dipper 13' 4", Bushed swing bracket with 500 hour dig end greasing intervals. Servo controls, SAE and ISO patterns both available on 67C-1 Compact Excavator with DPC - Dual Pattern Control system. Auxiliary circuit provides 23.8 GPM for JCB hydraulic breakers and other approved attachments. Dozer control. Boom swing left 60 degree, right 60 degree. Less excavator bucket. Double Acting Hydraulics optional fit
CAB	Meets SAE ROPS/TOPS/FOGS requirements with JCB Impact Protection front screen, left side entry Cab equipped with fabric suspension seat, tilting cab, Intermittent wiper with wash/wipe, Roof mounted worklights, 3 speed heater/demister with 9 adjustable air vents, Color LCD display, Digital clock, 12v accessory socket, Interior light, Full audio/visual warning systems, Radio ready kit, Auto idle throttle, Below idle system, 2 digging modes (Eco & Heavy), ISO servo controls with electro-hydraulic dozer lever, Electro-proportional thumb controlled high flow double acting auxiliary, 10 selectable auxiliary flow rates, Full control isolation, "2 go" hydraulic isolation, Highback suspension seat, 100% steel bodywork.


SECTIONS ARE ORGANIZED AS FOLLOWS:
Section 1 - PACKAGE BUILDS
Section 2 - CUSTOM BUILD - NEW FACTORY BUILT ORDER
Section 3 - OPTIONS - NEW FACTORY BUILT ORDERS
Section 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS

	67C-I COMPACT EXCAVATOR	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
-----------------------------------------------------------------------------------	--------------------------------	----------------------------	------------------------	----------------------------

SECTION I - NEW CUSTOM FACTORY BUILT ORDERS:

Please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 2 or 3.
 JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.


SALES CODE	ITEM	U.S. LIST
BASE MACHINE (E)		
8671	67C-I Compact Excavator Base Machine (55 hp gross, Kohler Diesel 4 cylinder Engine)	\$75,727
OPERATOR'S AREA (E)		
850A173	Cab with heater TOPS/FOPS/FOGS certified, fully glazed, with front windshield and wiper	\$0
850A174	Cab TOPS/FOPS/FOGS certified, fully glazed, with heater air conditioning - Laminated glass	\$3,186
850A195	Cab with heater and A/C TOPS/FOPS/FOGS certified fully glazed, with toughened glass and wiper	\$2,996
UNDERCARRIAGE (E)		
850B521	Rubber Tracks 16" (405mm) wide	\$0
850B534	Steel Tracks 16" (405mm) wide	\$2,035
850B535	Steel Tracks 21.7" (551mm) wide	\$2,590
850B536	Bridgestone GeoGrip Rubber Tracks 16" (405mm) wide	\$8,021
CONTROLS (E)		
850C175	Dual Pattern Control System - ISO to SAE - High Flow proportional auxiliary - Double acting hydraulic circuit controlled via right hand joystick	\$2,115
850C176	ISO Pattern Control - High & Low Flow proportional auxiliary - Double acting circuit controlled via both joysticks	\$3,499
850C177	Dual Pattern Control System - ISO to SAE - High & Low Flow proportional auxiliary - Double acting hydraulic circuit controlled via both joysticks	\$3,499
SEATS (E)		
850D309	Vinyl Suspension Seat	\$0
850D310	Fabric Suspension Seat	\$0
850D311	Vinyl Suspension Seat (High Back)	\$337
850D312	Fabric Suspension Seat (High Back)	\$337
850D313	Fabric Air Suspension heated Seat (High back) with headrest	\$693
OPERATORS HANDBOOK (E)		
850E323	American operator handbook	\$0
DIPPER (E)		
850F215	Standard dipper (with spacer ram) for High Flow Auxiliary 79" (2000mm)	\$0
850F216	Standard dipper (with spacer ram) for High & Low Flow Auxiliary 79" (2000mm)	\$0
850F217	Standard dipper (with spacer ram) for High Flow Auxiliary 65" (1650mm)	\$0
850F218	Standard dipper (with spacer ram) for High & Low Flow Auxiliary 65" (1650mm)	\$0
DOZER BLADE (E)		
850G102	Standard Dozer Blade 79" (2020mm)	\$0
850G103	4 Way Dozer 79" (2020mm)(850C177 Required)	\$3,287

	67C-1 COMPACT EXCAVATOR	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
-----------------------------------------------------------------------------------	--------------------------------	----------------------------	------------------------	----------------------------

SECTION 2 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
OPERATORS COMPARTMENT OPTIONS **		
850J054	Key Immobilizer	\$569
850J055	Pin Pad Immobilizer	\$569
850J056	Rotating Beacon	\$264
850J057	Magnetic Strobe Warning Light Beacon	\$366
850J071	LiveLink	\$897
850J129	Two LED Front Work Lights & One LED Rear Worklight	\$677
850K549	FOGS Guard Kit - Level I	\$895
850L545	Hydraulic biodegradable oil	\$1,844
850L556	Interior Mirror	\$97
850L557	Exterior mirror (left hand)	\$180
850L559	Rear view wide angled mirror	\$177
850L560	Fire Extinguisher 1KG ABC Powder	\$114
850L561	Exterior mirror (left hand)	\$104
850L568	Travel alarm	\$535
850L570	Rear Camera	\$1,377
850L617	Tool Kit (Grease gun and Cartridge)	\$83
850L618	Grease Gun and Cartridge Kit	\$28
EXCAVATOR & BUCKET OPTIONS		
850M115	18" (460mm) Heavy Duty Bucket: For 1.5" (45mm) Bucket Pins	\$1,194
850M116	24" (600mm) Heavy Duty Bucket: For 1.5" (45mm) Bucket Pins	\$1,364
850M117	32" (800mm) Heavy Duty Bucket: For 1.5" (45mm) Bucket Pins	\$1,533
850M198	Thumb Ready Dipper for 65" Dipper only	\$271
850M199	Thumb Ready Dipper Not for 65" Dipper	\$271
850M203	16" (405mm) Standard Duty - 3.0 cu-ft capacity heaped	\$936
850M204	18" (460mm) Standard Duty - 3.6 cu-ft capacity heaped	\$983
850M205	24" (610mm) Standard Duty - 5.2 cu-ft capacity heaped	\$1,069
850M206	36" (915mm) Standard Bucket - 8.8 cu-ft capacity heaped	\$1,283
850M207	60" (1525mm) Grading Bucket - 7.7 cu-ft capacity heaped	\$1,083
850M208	32" (800mm) Bucket: For 1.5" (45mm) Bucket Pins	\$1,382

	67C-I COMPACT EXCAVATOR	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
-----------------------------------------------------------------------------------	--------------------------------	----------------------------	------------------------	----------------------------

SECTION 2 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES	CODE	ITEM	U.S.
			LIST
EXCAVATOR QUICK HITCH			
	850M270	Mechanical Quickhitch for HBCV Build	\$1,747
	850M271	Mechanical Quick Hitch for dipper mounted attachments (pin set not included)	\$1,807
	850M273	12" (300mm) Heavy Duty Ribbed Bucket: For 1.5" (45mm) Bucket Pins	\$1,022
	850M211	Pivot Pins Kit for use with Quick Hitch (1 additional set)	\$142
	850M212	Pivot Pins Kit for use with Quick Hitch (2 additional sets)	\$287
	850M213	Pivot Pins Kit for use with Quick Hitch (3 additional sets)	\$430
	850M300	Hydraulic Quick Hitch for 79" (2000mm) dipper	\$4,070
	850M301	Hydraulic Quick Hitch for 65" (1650mm) dipper	\$4,070
	850M302	Hydraulic Quick Hitch for 79" (2000mm) dipper (850M314 Required)	\$4,152
	850M303	Hydraulic Quick Hitch for 65" (1650mm) dipper (850M315 Required)	\$4,152
	850M314	Pipework for Hydraulic Quick Hitch for 79" (2000mm) dipper (Excludes Hitch)	\$1,414
	850M315	Pipework for Hydraulic Quick Hitch for 65" (1650mm) dipper (Excludes Hitch)	\$1,414
BOOM AND DIPPER OPTIONS			
	850V126	HBCV Boom, Dipper and Dozer for 89" (2000mm) Dipper	\$3,510
	850V127	HBCV Boom and Dipper for 89" (2000mm) Dipper	\$2,968
	850V128	HBCV Boom, Dipper and Dozer for 65" (1650mm) Dipper	\$3,510
	850V129	HBCV Boom and Dipper for 65" (1650mm) Dipper	\$2,968

SECTION 3 - ATTACHMENTS

*SEE DEALER FIT SECTION FOR ALL OTHER AVAILABLE ATTACHMENTS FOR 67C-I

**** A COMPLETE LINE OF HIGH QUALITY RADIO & OBSERVATION SYSTEMS IS AVAILABLE THROUGH JCB AFTERMARKET ACCESSORIES. CONTACT YOUR PARTS DEPARTMENT FOR COMPLETE DETAILS AND REFER TO TECHWEB BULLETIN 344I.**



2018


JCB COMPACT EXCAVATOR 85Z-1



JCB, Inc. North American MACHINE PRICE LIST in U.S. Dollars

EFFECTIVE: JANUARY 1, 2018


**CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR.
PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATE**

	85Z-I COMPACT EXCAVATOR	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
-----------------------------------------------------------------------------------	--------------------------------	----------------------------	------------------------	----------------------------

STANDARD EQUIPMENT

- ENGINE** JCB by Kohler Tier IV Final KDI 2504 - 60.8 SAE net hp (64.4). Common rail, 4-valve head, turbocharger, electronic cooled EGR, turbocharger, oil control system and diesel-oxygenated catalyst (DOC).
- HYDRAULICS** A premium closed center pump and valve provides improved flow sharing for smooth, precise and balanced operation during multifunctioning. One variable displacement axial-type pump yields 41.8 gpm. Independent left and right track control. Hydraulic pumps drive integral track motors and gearbox.
- TRACKS** Rubber (optional steel) grease adjusted. Under carriage provides (1) upper and (5) lower rollers per side. Track width 18". Ground pressure 5.97 lbs per square inch. Ground clearance 14". Two speed travel 1.6 mph and 3.1 mph.
- ELECTRICAL** 12 volt, with 80 amp alternator, 410 CCA heavy duty battery. Waterproof wire harness connectors.
- EXCAVATOR** Maximum dig depth with standard 6' 7" dipper 11' 11", Bushed swing bracket with 500 hour dig end greasing intervals. Servo controls, SAE and ISO patterns both available on 85Z-I Compact Excavator with DPC - Dual Pattern Control system. Auxiliary circuit provides 26.4 GPM for JCB hydraulic breakers and other approved attachments. Dozer control. Boom swing left 5 degree, right 60 degree. Less excavator bucket. Double Acting Hydraulics optional fit
- OPERATORS AREA** Meets SAE ROPS/TOPS/FOGS requirements with JCB Impact Protection front screen, left side entry Cab equipped with fabric suspension seat, tilting cab, Intermittent wiper with wash/wipe, Roof mounted worklights, 3 speed heater/demister with 9 adjustable air vents, Color LCD display, Digital clock, 12v accessory socket, Interior light, Full audio/visual warning systems, Radio ready kit, Auto idle throttle, Below idle system, 2 digging modes (Eco & Heavy), ISO servo controls with electro-hydraulic dozer lever, Electro-proportional thumb controlled high flow double acting auxiliary, 10 selectable auxiliary flow rates, Full control isolation, "2 go" hydraulic isolation, Highback suspension seat, 100% steel bodywork.

SECTIONS ARE ORGANIZED AS FOLLOWS:
Section 1 - PACKAGE BUILDS
Section 2 - CUSTOM BUILD - NEW FACTORY BUILT ORDERS
Section 3 - OPTIONS - NEW FACTORY BUILT ORDERS
Section 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS
DEALER FIT - COMPACT (LISTED SEPARATELY FOR ALL COMPACT EXCAVATORS)

	85Z-I COMPACT EXCAVATOR	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
-----------------------------------------------------------------------------------	--------------------------------	----------------------------	------------------------	----------------------------

SECTION I - PACKAGE BUILDS


Select the following machine **PACKAGE BUILD** code and **ATTACHMENTS** as required from Section 4. Package Build configurations cannot normally be changed. If a Package Build does not meet your requirements please order a machine using the Custom Build, Attachments & Options Sections following.

PACKAGE BUILD CODE: 8588A

SALES CODE	ITEM	85Z-I CAB
8588	85Z-I Compact Excavator Base Machine (64.4 hp gross, Kohler Diesel 4 cylinder Engine)	✓
850A191	Cab with heater and A/C TOPS/FOPS/FOGS certified fully glazed, with toughened glass and wiper	✓
850B555	Rubber Tracks 18" (460mm) wide	✓
850C318	Dual Pattern Control System - ISO to SAE - High & Low Flow proportional auxiliary - Double acting hydraulic circuit controlled via both joysticks	✓
850D312	Fabric Suspension Seat (High Back)	✓
850E268	American operator handbook	✓
850F314	Standard Dipper for High & Low Flow Auxiliary 83" (2100mm)	✓
850G306	Standard Dozer Blade 91" (2320mm) *For use with 18" (450mm) Tracks Only	✓
850H524	Dozer Float System	✓
850J058	Radio Kit (Includes Speakers)	✓
850L554	Travel alarm	✓
850M199	Thumb Ready Dipper Not for 65" Dipper	✓
850M205	24" (610mm) Standard Duty - 5.2 cu-ft capacity heaped	✓
YWSLLME	ADD LIVELINK LITE INCLUDING 24MTHS AIRTIME SUBSCRIPTION	✓

SUGGESTED LIST PRICE

\$105,593


	85Z-I COMPACT EXCAVATOR	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
-----------------------------------------------------------------------------------	--------------------------------	----------------------------	------------------------	----------------------------

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.


SALES CODE	ITEM	U.S. LIST
BASE MACHINE (E)		
8588	85Z-I Compact Excavator Base Machine (64.4 hp gross, Kohler Diesel 4 cylinder Engine)	\$92,418
OPERATOR'S AREA (E)		
850A167	Cab TOPS/FOPS/FOGS certified, fully glazed, with heater with JCB impact protection glass	\$3,417
850A168	Cab TOPS/FOPS/FOGS certified, fully glazed, with heater, wiper and air conditioning	\$5,120
850A190	Cab with heater TOPS/FOPS/FOGS certified, fully glazed, with toughened glass and wiper	\$3,225
850A191	Cab with heater and A/C TOPS/FOPS/FOGS certified fully glazed, with toughened glass and wiper	\$4,893
UNDERCARRIAGE (E)		
850B555	Rubber Tracks 18" (460mm) wide	\$0
850B556	Steel Tracks 18" (450mm) wide	\$897
850B557	Bridgestone Geogrip Rubber Tracks 18" (450mm) wide	\$8,687
850B558	Steel Tracks 24" (600mm) wide	\$1,091
CONTROLS (E)		
850C316	Dual Pattern Control System - ISO to SAE - High Flow proportional auxiliary - Double acting hydraulic circuit controlled via right hand joystick	\$2,114
850C318	Dual Pattern Control System - ISO to SAE - High & Low Flow proportional auxiliary - Double acting hydraulic circuit controlled via both joysticks	\$3,499
SEATS (E)		
850D309	Vinyl Suspension Seat	\$0
850D310	Fabric Suspension Seat	\$0
850D311	Vinyl Suspension Seat (High Back)	\$337
850D312	Fabric Suspension Seat (High Back)	\$337
850D313	Fabric Air Suspension heated Seat (High back) with headrest	\$693
OPERATORS HANDBOOK (E)		
850E268	American operator handbook	\$0
DIPPER (E)		
850F309	Standard Dipper for High Flow Auxiliary 79" (2000mm)	\$1,026
850F313	Standard Dipper for High & Low Flow Auxiliary 79" (2000mm)	\$1,026
850F314	Standard Dipper for High & Low Flow Auxiliary 83" (2100mm)	\$1,026
850F351	Standard Dipper for High Flow Auxiliary 83" (2100mm)	\$1,026
DOZER BLADE (E)		
850G306	Standard Dozer Blade 91" (2320mm) *For use with 18" (450mm) Tracks Only	\$0
850G308	4 Way Dozer (850C318 Required)	\$3,286
850G309	Standard Dozer Blade 97" (2470mm)(850B558 Required)	\$512
850H524	Dozer Float System	\$623

	85Z-I COMPACT EXCAVATOR	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
-----------------------------------------------------------------------------------	--------------------------------	----------------------------	------------------------	----------------------------

SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES	CODE	ITEM	U.S.
			LIST
OPERATORS COMPARTMENT OPTIONS **			
	850J054	Key Immobilizer	\$569
	850J055	Pin Pad Immobilizer	\$569
	850J056	Rotating Beacon	\$264
	850J057	Magnetic Strobe Warning Light Beacon	\$366
	850J058	Radio Kit (Includes Speakers)	\$222
	850J061	Two LED Front Work Lights & One LED Rear Worklight	\$1,046
	850J065	110V Block Heater	\$263
	850J066	230V Block Heater	\$263
	850J071	LiveLink	\$897
	850K524	FOGS Guard kit - Level 1	\$894
	850K525	FOGS Guard kit - Level 2	\$1,159
	850K526	Front Screen Guard (course)	\$1,637
	850K527	Front Screen Guard (fine)	\$1,610
	850K528	Bucket ram Guard Protection	\$157
	850K531	Chaff Guard (For Air Condition Builds)	\$623
	850K533	Chaff Guard (For Heater Builds)	\$623
	850K535	Chaff and Fan Guard (For Air Condition Builds)	\$897
	850K537	Chaff and Fan Guard (For Heater Builds)	\$897
	850K539	Dipper Ram Guard Protection	\$285
	850L545	Hydraulic biodegradable oil	\$1,844
	850L548	USA parts book	\$92
	850L552	Refueling pump	\$669
	850L553	Fire Extinguisher 1KG ABC Powder	\$156
	850L554	Travel alarm	\$531
	850L557	Exterior mirror (left hand)	\$180
	850L559	Rear view wide angled mirror	\$177
	850L570	Rear Camera	\$1,377
	850L617	Tool Kit (Grease gun and Cartridge)	\$83
	850L618	Grease Gun and Cartridge Kit	\$28
	850T005	Model Decals Supplied Loose With Machine Warning Decals Fitted	\$0

	85Z-I COMPACT EXCAVATOR	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
-----------------------------------------------------------------------------------	--------------------------------	----------------------------	------------------------	----------------------------

SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
EXCAVATOR & BUCKET OPTIONS		
850V100	HBCV Boom, Dipper & Dozer	\$3,580
850H522	Grab Bucket Changeover Valve (For 83" 2100mm Dipper)	\$667
850M273	12" (300mm) Heavy Duty Ribbed Bucket: For 1.5" (45mm) Bucket Pins	\$1,022
850M115	18" (460mm) Heavy Duty Bucket: For 1.5" (45mm) Bucket Pins	\$1,194
850M116	24" (600mm) Heavy Duty Bucket: For 1.5" (45mm) Bucket Pins	\$1,364
850M117	32" (800mm) Heavy Duty Bucket: For 1.5" (45mm) Bucket Pins	\$1,533
850M198	Thumb Ready Dipper for 65" Dipper only	\$271
850M199	Thumb Ready Dipper Not for 65" Dipper	\$271
850M203	16" (405mm) Standard Duty - 3.0 cu-ft capacity heaped	\$936
850M204	18" (460mm) Standard Duty - 3.6 cu-ft capacity heaped	\$983
850M205	24" (610mm) Standard Duty - 5.2 cu-ft capacity heaped	\$1,069
850M206	36" (915mm) Standard Bucket - 8.8 cu-ft capacity heaped	\$1,283
850M207	60" (1525mm) Grading Bucket - 7.7 cu-ft capacity heaped	\$1,083
850M208	32" (800mm) Bucket: For 1.5" (45mm) Bucket Pins	\$1,382
850M280	Pipework For Hydraulic Hitch (For 65" (1650mm) Dipper & HBCV Builds (Excludes Hydraulic Hitch))	\$1,412
850M281	Pipework For Hydraulic Hitch (For 79" (2000mm) Dipper & HBCV Builds (Excludes Hydraulic Hitch))	\$1,412
850M282	Pipework For Hydraulic Hitch (For 83" (2100mm) Dipper & HBCV Builds (Excludes Hydraulic Hitch))	\$1,412
850M283	Pipework For Hydraulic Hitch (For 65" (1650mm) Dipper (Not For HBCV) Excludes Hydraulic Hitch)	\$1,412
850M284	Pipework for Hydraulic Quick Hitch for 79" (2000mm) dipper (Excludes Hitch)	\$1,413
850M285	Pipework for Hydraulic Quick Hitch for 83" (2100mm) dipper (Excludes Hitch)	\$1,413
EXCAVATOR QUICK HITCH		
850M270	Mechanical Quickhitch for HBCV Build	\$1,747
850M271	Mechanical Quick Hitch for dipper mounted attachments (pin set not included)	\$1,807
850M211	Pivot Pins Kit for use with Quick Hitch (1 additional set)	\$142
850M212	Pivot Pins Kit for use with Quick Hitch (2 additional sets)	\$287
850M213	Pivot Pins Kit for use with Quick Hitch (3 additional sets)	\$430
850M214	Hydraulic Quick Hitch (For 65" (1650mm) Dipper and HBCV Builds)	\$4,151
850M215	Hydraulic Quick Hitch (For 79" (2000mm) Dipper and HBCV Builds)	\$4,151
850M216	Hydraulic Quick Hitch (For 83" (2100mm) Dipper and HBCV Builds)	\$4,151
850M258	Hydraulic Quick Hitch (For 65" (1650mm) Dipper Without HBCV Builds)	\$4,151
850M259	Hydraulic Quick Hitch for 89" (2000mm) Dipper (850M284 Required)	\$4,152
850M260	Hydraulic Quick Hitch for 83" (2100mm) Dipper (850M285 Required)	\$4,152
YELLOW SERIES		
YWSMA19	Mechanical Quick Coupler	\$905
YWSMA20	32" GP Bucket	\$925
YWSMA21	24" Heavy Duty Bucket	\$1,030
YWSMA22	60" Grading Bucket	\$1,166
YWSMA23	HM033T Hammer	\$7,568
YWSMR07	REMOVE 850M205 24" (600MM) GP BUCKET WITH TEETH	-\$1,069

SECTION 4 - ATTACHMENTS

*SEE DEALER FIT SECTION FOR ALL OTHER AVAILABLE ATTACHMENTS FOR 85Z-I

**** A COMPLETE LINE OF HIGH QUALITY RADIO & OBSERVATION SYSTEMS IS AVAILABLE THROUGH JCB AFTERMARKET ACCESSORIES. CONTACT YOUR PARTS DEPARTMENT FOR COMPLETE DETAILS AND REFER TO TECHWEB BULLETIN 3441.**



2018


JCB COMPACT EXCAVATOR 86C-I



JCB, Inc. North American MACHINE PRICE LIST in U.S. Dollars

EFFECTIVE: JANUARY 1, 2018


**CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR.
PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATE**

	86C-1 COMPACT EXCAVATOR	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
-----------------------------------------------------------------------------------	--------------------------------	----------------------------	------------------------	----------------------------

STANDARD EQUIPMENT

- ENGINE** JCB by Kohler Tier IV Final KDI 2504 - 60.8 SAE net hp (64.4). Common rail, 4-valve head, turbocharger, electronic cooled EGR, turbocharger, oil control system and diesel-oxygenated catalyst (DOC).
- HYDRAULICS** A premium closed center pump and valve provides improved flow sharing for smooth, precise and balanced operation during multifunctioning. One variable displacement axial-type pump yields 41.8 gpm. Independent left and right track control. Hydraulic pumps drive integral track motors and gearbox.
- TRACKS** Rubber (optional steel) grease adjusted. Under carriage provides (1) upper and (5) lower rollers per side. Track width 18". Ground pressure 5.97 lbs per square inch. Ground clearance 14". Two speed travel 1.6 mph and 3.1 mph.
- ELECTRICAL** 12 volt, with 80 amp alternator, 410 CCA heavy duty battery. Waterproof wire harness connectors.
- EXCAVATOR** Maximum dig depth with standard 6' 11" dipper 14' 4", Bushed swing bracket with 500 hour dig end greasing intervals. Servo controls, SAE and ISO patterns both available on 86C-1 Compact Excavator with DPC - Dual Pattern Control system. Auxiliary circuit provides 26.4 GPM for JCB hydraulic breakers and other approved attachments. Dozer control. Boom swing left 5 degree, right 60 degree. Less excavator bucket. Double Acting Hydraulics optional fit
- OPERATORS AREA** Meets SAE ROPS/TOPS/FOGS requirements with JCB Impact Protection front screen, left side entry Cab equipped with fabric suspension seat, tilting cab, Intermittent wiper with wash/wipe, Roof mounted worklights, 3 speed heater/demister with 9 adjustable air vents, Color LCD display, Digital clock, 12v accessory socket, Interior light, Full audio/visual warning systems, Radio ready kit, Auto idle throttle, Below idle system, 2 digging modes (Eco & Heavy), ISO servo controls with electro-hydraulic dozer lever, Electro-proportional thumb controlled high flow double acting auxiliary, 10 selectable auxiliary flow rates, Full control isolation, "2 go" hydraulic isolation, Highback suspension seat, 100% steel bodywork.

SECTIONS ARE ORGANIZED AS FOLLOWS:
Section 1 - PACKAGE BUILDS
Section 2 - CUSTOM BUILD - NEW FACTORY BUILT ORDERS
Section 3 - OPTIONS - NEW FACTORY BUILT ORDERS
Section 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS
DEALER FIT - COMPACT (LISTED SEPARATELY FOR ALL COMPACT EXCAVATORS)


	86C-I COMPACT EXCAVATOR	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
-----------------------------------------------------------------------------------	--------------------------------	----------------------------	------------------------	----------------------------

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to


SALES CODE	ITEM	U.S. LIST
BASE MACHINE (E)		
8688	86C-I Compact Excavator Base Machine (64.4 hp gross, Kohler Diesel 4 cylinder Engine)	\$92,418
OPERATOR'S AREA (E)		
850A167	Cab TOPS/FOPS/FOGS certified, fully glazed, with heater with JCB impact protection glass	\$3,417
850A168	Cab TOPS/FOPS/FOGS certified, fully glazed, with heater, wiper and air conditioning	\$5,120
850A190	Cab with heater TOPS/FOPS/FOGS certified, fully glazed, with toughened glass and wiper	\$3,225
850A191	Cab with heater and A/C TOPS/FOPS/FOGS certified fully glazed, with toughened glass and wiper	\$4,893
UNDERCARRIAGE (E)		
850B555	Rubber Tracks 18" (460mm) wide	\$0
850B556	Steel Tracks 18" (450mm) wide	\$897
850B557	Bridgestone Geogrip Rubber Tracks 18" (450mm) wide	\$8,687
850B558	Steel Tracks 24" (600mm) wide	\$1,091
CONTROLS (E)		
850C316	Dual Pattern Control System - ISO to SAE - High Flow proportional auxiliary - Double acting hydraulic circuit controlled via right hand joystick	\$2,114
850C318	Dual Pattern Control System - ISO to SAE - High & Low Flow proportional auxiliary - Double acting hydraulic circuit controlled via both joysticks	\$3,499
SEATS (E)		
850D309	Vinyl Suspension Seat	\$0
850D310	Fabric Suspension Seat	\$0
850D311	Vinyl Suspension Seat (High Back)	\$337
850D312	Fabric Suspension Seat (High Back)	\$337
850D313	Fabric Air Suspension heated Seat (High back) with headrest	\$693
OPERATORS HANDBOOK (E)		
850E295	American operator handbook	\$0
DIPPER (E)		
850F324	Standard Dipper for High Flow Auxiliary 83" (2100mm)	\$1,026
850F332	Standard dipper for High & Low Flow Auxiliary 83" (2100mm)	\$1,026
850F326	Standard dipper for High Flow Auxiliary 89" (2250mm)	\$1,026
850F334	Standard Dipper for High & Low Flow Auxiliary 89" (2250mm)	\$1,026
DOZER BLADE (E)		
850G306	Standard Dozer Blade 91" (2320mm) *For use with 18" (450mm) Tracks Only	\$0
850G308	4 Way Dozer (850C318 Required)	\$3,286
850G309	Standard Dozer Blade 97" (2470mm)(850B558 Required)	\$512
850H524	Dozer Float System	\$623

	86C-1 COMPACT EXCAVATOR	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
-----------------------------------------------------------------------------------	--------------------------------	----------------------------	------------------------	----------------------------

SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES	CODE	ITEM	U.S.
			LIST
OPERATORS COMPARTMENT OPTIONS **			
850J054	Key Immobilizer		\$569
850J055	Pin Pad Immobilizer		\$569
850J056	Rotating Beacon		\$264
850J057	Magnetic Strobe Warning Light Beacon		\$366
850J058	Radio Kit (Includes Speakers)		\$222
850J061	Two LED Front Work Lights & One LED Rear Worklight		\$1,046
850J065	110V Block Heater		\$263
850J066	230V Block Heater		\$263
850J071	LiveLink		\$897
850K524	FOGS Guard kit - Level 1		\$894
850K525	FOGS Guard kit - Level 2		\$1,159
850K526	Front Screen Guard (course)		\$1,637
850K527	Front Screen Guard (fine)		\$1,610
850K528	Bucket ram Guard Protection		\$157
850K530	Fan Guard (Air Condition Builds Only)		\$286
850K532	Chaff Guard (For Air Condition Builds)		\$623
850K534	Chaff Guard (For Heater Builds)		\$623
850K536	Chaff and Fan Guard (For Air Condition Builds)		\$897
850K538	Chaff and Fan Guard (For Heater Builds)		\$897
850K540	Dipper Ram Guard Protection		\$285
850L545	Hydraulic biodegradable oil		\$1,844
850L548	USA parts book		\$92
850L552	Refueling pump		\$669
850L553	Fire Extinguisher 1KG ABC Powder		\$156
850L554	Travel alarm		\$531
850L557	Exterior mirror (left hand)		\$180
850L559	Rear view wide angled mirror		\$177
850L570	Rear Camera		\$1,377
850L617	Tool Kit (Grease gun and Cartridge)		\$83
850L618	Grease Gun and Cartridge Kit		\$28
850T007	Model Decals Supplied Loose With Machine Warning Decals Fitted		\$0

	86C-I COMPACT EXCAVATOR	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
-----------------------------------------------------------------------------------	--------------------------------	----------------------------	------------------------	----------------------------

SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
EXCAVATOR & BUCKET OPTIONS		
850V101	HBCV Boom, Dipper & Dozer	\$3,580
850V108	HBCV Boom & Dipper Kit (Excludes Dozer HBCV)	\$3,027
850H522	Grab Bucket Changeover Valve (For 83" 2100mm Dipper)	\$667
850M273	12" (300mm) Heavy Duty Ribbed Bucket: For 1.5" (45mm) Bucket Pins	\$1,022
850M115	18" (460mm) Heavy Duty Bucket: For 1.5" (45mm) Bucket Pins	\$1,194
850M116	24" (600mm) Heavy Duty Bucket: For 1.5" (45mm) Bucket Pins	\$1,364
850M117	32" (800mm) Heavy Duty Bucket: For 1.5" (45mm) Bucket Pins	\$1,533
850M198	Thumb Ready Dipper for 65" Dipper only	\$271
850M199	Thumb Ready Dipper Not for 65" Dipper	\$271
850M203	16" (405mm) Standard Duty - 3.0 cu-ft capacity heaped	\$936
850M204	18" (460mm) Standard Duty - 3.6 cu-ft capacity heaped	\$983
850M205	24" (610mm) Standard Duty - 5.2 cu-ft capacity heaped	\$1,069
850M206	36" (915mm) Standard Bucket - 8.8 cu-ft capacity heaped	\$1,283
850M207	60" (1525mm) Grading Bucket - 7.7 cu-ft capacity heaped	\$1,083
850M208	32" (800mm) Bucket: For 1.5" (45mm) Bucket Pins	\$1,382
EXCAVATOR QUICK HITCH		
850M270	Mechanical Quickhitch for HBCV Build	\$1,747
850M271	Mechanical Quick Hitch for dipper mounted attachments (pin set not included)	\$1,807
850M211	Pivot Pins Kit for use with Quick Hitch (1 additional set)	\$142
850M212	Pivot Pins Kit for use with Quick Hitch (2 additional sets)	\$287
850M213	Pivot Pins Kit for use with Quick Hitch (3 additional sets)	\$430
850M245	Hydraulic Quick Hitch (For 65" (1650mm) Dipper and HBCV Builds)	\$4,151
850M247	Hydraulic Quick Hitch (For 83" (2100mm) Dipper and HBCV Builds)	\$4,151
850M248	Hydraulic Quick Hitch (For 88" (2250mm) Dipper and HBCV Builds)	\$4,151
850M262	Hydraulic Quick Hitch (For 65" (1650mm) Dipper Without HBCV Builds)	\$4,151
850M264	Hydraulic Quick Hitch for 83" (2100mm) Dipper (850M290 Required)	\$4,152
850M265	Hydraulic Quick Hitch for 89" (2250mm) Dipper (850M291 Required)	\$4,152
850M286	Pipework For Hydraulic Hitch (For 65" (1650mm) Dipper & HBCV Builds (Excludes Hydraulic Hitch))	\$1,412
850M287	Pipework For Hydraulic Hitch (For 83" (2100mm) Dipper & HBCV Builds (Excludes Hydraulic Hitch))	\$1,412
850M288	Pipework For Hydraulic Hitch (For 88" (2250mm) Dipper & HBCV Builds (Excludes Hydraulic Hitch))	\$1,412
850M289	Pipework For Hydraulic Hitch (For 65" (1650mm) Dipper (Not For HBCV) Excludes Hydraulic Hitch)	\$1,412
850M290	Pipework for Hydraulic Quick Hitch for 83" (2100mm) dipper (Excludes Hitch)	\$1,413
850M291	Pipework for Hydraulic Quick Hitch for 89" (2250mm) dipper (Excludes Hitch)	\$1,413

SECTION 4 - ATTACHMENTS

*SEE DEALER FIT SECTION FOR ALL OTHER AVAILABLE ATTACHMENTS FOR 86C-I

**** A COMPLETE LINE OF HIGH QUALITY RADIO & OBSERVATION SYSTEMS IS AVAILABLE THROUGH JCB AFTERMARKET ACCESSORIES. CONTACT YOUR PARTS DEPARTMENT FOR COMPLETE DETAILS AND REFER TO TECHWEB BULLETIN 3441.**



2018


JCB COMPACT EXCAVATOR 86C-I TAB



**JCB, Inc. North American
MACHINE PRICE LIST
in U.S. Dollars**

EFFECTIVE: JANUARY 1, 2018


**CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR.
PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATE**

	86C-I TAB COMPACT EXCAVATOR	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
-----------------------------------------------------------------------------------	------------------------------------	----------------------------	------------------------	----------------------------

STANDARD EQUIPMENT

- ENGINE** JCB by Kohler Tier IV Final KDI 2504 - 60.8 SAE net hp (64.4). Common rail, 4-valve head, turbocharger, electronic cooled EGR, turbocharger, oil control system and diesel-oxygenated catalyst (DOC).
- HYDRAULICS** A premium closed center pump and valve provides improved flow sharing for smooth, precise and balanced operation during multifunctioning. One variable displacement axial-type pump yields 41.8 gpm. Independent left and right track control. Hydraulic pumps drive integral track motors and gearbox.
- TRACKS** Rubber (optional steel) grease adjusted. Under carriage provides (1) upper and (5) lower rollers per side. Track width 18". Ground pressure 5.97 lbs per square inch. Ground clearance 14". Two speed travel 1.6 mph and 3.1 mph.
- ELECTRICAL** 12 volt, with 80 amp alternator, 410 CCA heavy duty battery. Waterproof wire harness connectors.
- OPERATORS AREA** Meets SAE ROPS/TOPS/FOGS requirements with JCB Impact Protection front screen, left side entry Cab equipped with fabric suspension seat, tilting cab, Intermittent wiper with wash/wipe, Roof mounted worklights, 3 speed heater/demister with 9 adjustable air vents, Color LCD display, Digital clock, 12v accessory socket, Interior light, Full audio/visual warning systems, Radio ready kit, Auto idle throttle, Below idle system, 2 digging modes (Eco & Heavy), ISO servo controls with electro-hydraulic dozer lever, Electro-proportional thumb controlled high flow double acting auxiliary, 10 selectable auxiliary flow rates, Full control isolation, "2 go" hydraulic isolation, Highback suspension seat, 100% steel bodywork.

SECTIONS ARE ORGANIZED AS FOLLOWS:
Section 1 - PACKAGE BUILDS
Section 2 - CUSTOM BUILD - NEW FACTORY BUILT ORDERS
Section 3 - OPTIONS - NEW FACTORY BUILT ORDERS
Section 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS
DEALER FIT - COMPACT (LISTED SEPARATELY FOR ALL COMPACT EXCAVATORS)


	86C-I TAB COMPACT EXCAVATOR	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
-----------------------------------------------------------------------------------	------------------------------------	----------------------------	------------------------	----------------------------

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to


SALES CODE	ITEM	U.S. LIST
BASE MACHINE (E)		
8689	86C-I TAB Compact Excavator Base Machine (64.4 hp gross, Kohler Diesel 4 cylinder Engine)	\$103,983
OPERATOR'S AREA (E)		
850A171	Cab TOPS/FOPS/FOGS certified, fully glazed, with heater, wiper and air conditioning with JCB impact protection glass (TAB only)	\$5,120
UNDERCARRIAGE (E)		
850B555	Rubber Tracks 18" (460mm) wide	\$0
850B556	Steel Tracks 18" (450mm) wide	\$897
850B557	Bridgestone Geogrip Rubber Tracks 18" (450mm) wide	\$8,687
850B558	Steel Tracks 24" (600mm) wide	\$1,091
CONTROLS (E)		
850C320	Dual Pattern Control System - ISO to SAE - High & Low Flow proportional auxiliary - Double acting hydraulic circuit controlled via both joysticks	\$7,178
SEATS (E)		
850D309	Vinyl Suspension Seat	\$0
850D310	Fabric Suspension Seat	\$0
850D311	Vinyl Suspension Seat (High Back)	\$337
850D312	Fabric Suspension Seat (High Back)	\$337
850D313	Fabric Air Suspension heated Seat (High back) with headrest	\$693
OPERATORS HANDBOOK (E)		
850E295	American operator handbook	\$0
DIPPER (E)		
850F333	Standard dipper for High & Low Flow Auxiliary 83" (2100mm)	\$931
DOZER BLADE (E)		
850G306	Standard Dozer Blade 91" (2320mm) *For use with 18" (450mm) Tracks Only	\$0
850G309	Standard Dozer Blade 97" (2470mm)(850B558 Required)	\$512
850H524	Dozer Float System	\$623

	86C-1 TAB COMPACT EXCAVATOR	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
-----------------------------------------------------------------------------------	------------------------------------	----------------------------	------------------------	----------------------------

SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
OPERATORS COMPARTMENT OPTIONS **		
850J054	Key Immobilizer	\$569
850J055	Pin Pad Immobilizer	\$569
850J056	Rotating Beacon	\$264
850J057	Magnetic Strobe Warning Light Beacon	\$366
850J058	Radio Kit (Includes Speakers)	\$222
850J061	Two LED Front Work Lights & One LED Rear Worklight	\$1,046
850J065	110V Block Heater	\$263
850J066	230V Block Heater	\$263
850J071	LiveLink	\$897
850K524	FOGS Guard kit - Level 1	\$894
850K525	FOGS Guard kit - Level 2	\$1,159
850K526	Front Screen Guard (course)	\$1,637
850K527	Front Screen Guard (fine)	\$1,610
850K528	Bucket ram Guard Protection	\$157
850K530	Fan Guard (Air Condition Builds Only)	\$286
850K532	Chaff Guard (For Air Condition Builds)	\$623
850K534	Chaff Guard (For Heater Builds)	\$623
850K536	Chaff and Fan Guard (For Air Condition Builds)	\$897
850K538	Chaff and Fan Guard (For Heater Builds)	\$897
850K540	Dipper Ram Guard Protection	\$285
850L545	Hydraulic biodegradable oil	\$1,844
850L548	USA parts book	\$92
850L552	Refueling pump	\$669
850L553	Fire Extinguisher 1KG ABC Powder	\$156
850L554	Travel alarm	\$531
850L557	Exterior mirror (left hand)	\$180
850L559	Rear view wide angled mirror	\$177
850L570	Rear Camera	\$1,377
850L617	Tool Kit (Grease gun and Cartridge)	\$83
850L618	Grease Gun and Cartridge Kit	\$28
850T007	Model Decals Supplied Loose With Machine Warning Decals Fitted	\$0

	86C-I TAB COMPACT EXCAVATOR	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
-----------------------------------------------------------------------------------	------------------------------------	----------------------------	------------------------	----------------------------

SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES	ITEM	U.S. LIST
EXCAVATOR & BUCKET OPTIONS		
850H522	Grab Bucket Changeover Valve (For 83" 2100mm Dipper)	\$667
850M273	12" (300mm) Heavy Duty Ribbed Bucket: For 1.5" (45mm) Bucket Pins	\$1,022
850M115	18" (460mm) Heavy Duty Bucket: For 1.5" (45mm) Bucket Pins	\$1,194
850M116	24" (600mm) Heavy Duty Bucket: For 1.5" (45mm) Bucket Pins	\$1,364
850M117	32" (800mm) Heavy Duty Bucket: For 1.5" (45mm) Bucket Pins	\$1,533
850M198	Thumb Ready Dipper for 65" Dipper only	\$271
850M199	Thumb Ready Dipper Not for 65" Dipper	\$271
850M203	16" (405mm) Standard Duty - 3.0 cu-ft capacity heaped	\$936
850M204	18" (460mm) Standard Duty - 3.6 cu-ft capacity heaped	\$983
850M205	24" (610mm) Standard Duty - 5.2 cu-ft capacity heaped	\$1,069
850M206	36" (915mm) Standard Bucket - 8.8 cu-ft capacity heaped	\$1,283
850M207	60" (1525mm) Grading Bucket - 7.7 cu-ft capacity heaped	\$1,083
850M208	32" (800mm) Bucket: For 1.5" (45mm) Bucket Pins	\$1,382
EXCAVATOR QUICK HITCH		
850M270	Mechanical Quickhitch for HBCV Build	\$1,747
850M271	Mechanical Quick Hitch for dipper mounted attachments (pin set not included)	\$1,807
850M211	Pivot Pins Kit for use with Quick Hitch (1 additional set)	\$142
850M212	Pivot Pins Kit for use with Quick Hitch (2 additional sets)	\$287
850M213	Pivot Pins Kit for use with Quick Hitch (3 additional sets)	\$430

SECTION 4 - ATTACHMENTS

*SEE DEALER FIT SECTION FOR ALL OTHER AVAILABLE ATTACHMENTS FOR 86C-I TAB

**** A COMPLETE LINE OF HIGH QUALITY RADIO & OBSERVATION SYSTEMS IS AVAILABLE THROUGH JCB AFTERMARKET ACCESSORIES. CONTACT YOUR PARTS DEPARTMENT FOR COMPLETE DETAILS AND REFER TO TECHWEB BULLETIN 344I.**



2018


JCB COMPACT EXCAVATOR 90Z-1



JCB, Inc. North American MACHINE PRICE LIST in U.S. Dollars

EFFECTIVE: JANUARY 1, 2018


**CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR.
PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATE**

	90Z-I COMPACT EXCAVATOR	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
-----------------------------------------------------------------------------------	--------------------------------	----------------------------	------------------------	----------------------------

STANDARD EQUIPMENT

- ENGINE** JCB by Kohler Tier IV Final KDI 2504 - 70.2 net hp. Common rail, 4-valve head, turbocharger, electronic cooled EGR, turbocharger, oil control system and diesel-oxygenated catalyst (DOC).
- HYDRAULICS** A premium closed center pump and valve provides improved flow sharing for smooth, precise and balanced operation during multifunctioning. One variable displacement axial-type pump. Independent left and right track control. Hydraulic pumps drive integral track motors and gearbox.
- TRACKS** Rubber (optional steel) grease adjusted. Under carriage provides (1) upper and (5) lower rollers per side. Track width 18". Ground pressure 5.97 lbs per square inch. Ground clearance 14". Two speed travel 1.6 mph and 3.1 mph.
- ELECTRICAL** 12 volt, with 80 amp alternator, 410 CCA heavy duty battery. Waterproof wire harness connectors.
- EXCAVATOR** Maximum dig depth with standard 6' 11" dipper 13' 7", Bushed swing bracket with 500 hour dig end greasing intervals. Servo controls, SAE and ISO patterns both available on 90-I Compact Excavator with DPC - Dual Pattern Control system. Auxiliary circuit provides 26.4 GPM for JCB hydraulic breakers and other approved attachments. Dozer control. Boom swing left 5 degree, right 60 degree. Less excavator bucket. Double Acting Hydraulics optional fit
- OPERATORS AREA** Meets SAE ROPS/TOPS/FOGS requirements with JCB Impact Protection front screen, left side entry Cab equipped with fabric suspension seat, tilting cab, Intermittent wiper with wash/wipe, Roof mounted worklights, 3 speed heater/demister with 9 adjustable air vents, Color LCD display, Digital clock, 12v accessory socket, Interior light, Full audio/visual warning systems, Radio ready kit, Auto idle throttle, Below idle system, 2 digging modes (Eco & Heavy), ISO servo controls with electro-hydraulic dozer lever, Electro-proportional thumb controlled high flow double acting auxiliary, 10 selectable auxiliary flow rates, Full control isolation, "2 go" hydraulic isolation, Highback suspension seat, 100% steel bodywork.

SECTIONS ARE ORGANIZED AS FOLLOWS:
Section 1 - PACKAGE BUILDS
Section 2 - CUSTOM BUILD - NEW FACTORY BUILT ORDERS
Section 3 - OPTIONS - NEW FACTORY BUILT ORDERS
Section 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS
DEALER FIT - COMPACT (LISTED SEPARATELY FOR ALL COMPACT EXCAVATORS)


	90Z-1 COMPACT EXCAVATOR	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
-----------------------------------------------------------------------------------	--------------------------------	----------------------------	------------------------	----------------------------

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.


SALES CODE	ITEM	U.S. LIST
BASE MACHINE (E)		
8100	90Z-1 Compact Base Machine (73.8 hp gross, Kohler Diesel 4 cylinder Engine)	\$97,293
OPERATOR'S AREA (E)		
850A186	Cab TOPS/FOPS/FOGS certified, fully glazed, with heater, wiper and air conditioning with JCB laminated glass	\$5,120
UNDERCARRIAGE (E)		
850B555	Rubber Tracks 18" (460mm) wide	\$0
850B556	Steel Tracks 18" (450mm) wide	\$897
850B557	Bridgestone Geogrip Rubber Tracks 18" (450mm) wide	\$8,687
850B558	Steel Tracks 24" (600mm) wide	\$1,091
CONTROLS (E)		
850C316	Dual Pattern Control System - ISO to SAE - High Flow proportional auxiliary - Double acting hydraulic circuit controlled via right hand joystick	\$2,114
850C318	Dual Pattern Control System - ISO to SAE - High & Low Flow proportional auxiliary - Double acting hydraulic circuit controlled via both joysticks	\$3,499
SEATS (E)		
850D309	Vinyl Suspension Seat	\$0
850D310	Fabric Suspension Seat	\$0
850D311	Vinyl Suspension Seat (High Back)	\$337
850D312	Fabric Suspension Seat (High Back)	\$337
850D313	Fabric Air Suspension heated Seat (High back) with headrest	\$693
OPERATORS HANDBOOK (E)		
850E568	American operator handbook	\$0
DIPPER (E)		
850F326	Standard dipper for High Flow Auxiliary 89" (2250mm)	\$1,026
850F332	Standard dipper for High & Low Flow Auxiliary 83" (2100mm)	\$1,026
850F334	Standard Dipper for High & Low Flow Auxiliary 89" (2250mm)	\$1,026
850F351	Standard Dipper for High Flow Auxiliary 83" (2100mm)	\$1,026
DOZER BLADE (E)		
850G306	Standard Dozer Blade 91" (2320mm) *For use with 18" (450mm) Tracks Only	\$0
850G308	4 Way Dozer (850C318 Required)	\$3,286
850G309	Standard Dozer Blade 97" (2470mm)(850B558 Required)	\$512
850H524	Dozer Float System	\$623

	90Z-1 COMPACT EXCAVATOR	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
-----------------------------------------------------------------------------------	--------------------------------	----------------------------	------------------------	----------------------------

SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES	CODE	ITEM	U.S. LIST
OPERATORS COMPARTMENT OPTIONS **			
	850J054	Key Immobilizer	\$569
	850J055	Pin Pad Immobilizer	\$569
	850J056	Rotating Beacon	\$264
	850J057	Magnetic Strobe Warning Light Beacon	\$366
	850J058	Radio Kit (Includes Speakers)	\$222
	850J061	Two LED Front Work Lights & One LED Rear Worklight	\$1,046
	850J065	1 10V Block Heater	\$263
	850J066	230V Block Heater	\$263
	850J071	LiveLink	\$897
	850K524	FOGS Guard kit - Level 1	\$894
	850K525	FOGS Guard kit - Level 2	\$1,159
	850K526	Front Screen Guard (course)	\$1,637
	850K527	Front Screen Guard (fine)	\$1,610
	850K528	Bucket ram Guard Protection	\$157
	850K531	Chaff Guard (For Air Condition Builds)	\$623
	850K533	Chaff Guard (For Heater Builds)	\$623
	850K535	Chaff and Fan Guard (For Air Condition Builds)	\$897
	850K537	Chaff and Fan Guard (For Heater Builds)	\$897
	850K539	Dipper Ram Guard Protection	\$285
	850L545	Hydraulic biodegradable oil	\$1,844
	850L552	Refueling pump	\$669
	850L553	Fire Extinguisher 1KG ABC Powder	\$156
	850L554	Travel alarm	\$531
	850L557	Exterior mirror (left hand)	\$180
	850L559	Rear view wide angled mirror	\$177
	850L570	Rear Camera	\$1,377
	850L617	Tool Kit (Grease gun and Cartridge)	\$83
	850L618	Grease Gun and Cartridge Kit	\$28
	850T005	Model Decals Supplied Loose With Machine Warning Decals Fitted	\$0

	90Z-I COMPACT EXCAVATOR	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
-----------------------------------------------------------------------------------	--------------------------------	----------------------------	------------------------	----------------------------

SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
EXCAVATOR & BUCKET OPTIONS		
850H522	Grab Bucket Changeover Valve (For 83" 2100mm Dipper)	\$667
850M273	12" (300mm) Heavy Duty Ribbed Bucket: For 1.5" (45mm) Bucket Pins	\$1,022
850M115	18" (460mm) Heavy Duty Bucket: For 1.5" (45mm) Bucket Pins	\$1,194
850M116	24" (600mm) Heavy Duty Bucket: For 1.5" (45mm) Bucket Pins	\$1,364
850M117	32" (800mm) Heavy Duty Bucket: For 1.5" (45mm) Bucket Pins	\$1,533
850M198	Thumb Ready Dipper for 65" Dipper only	\$271
850M199	Thumb Ready Dipper Not for 65" Dipper	\$271
850M207	60" (1525mm) Grading Bucket - 7.7 cu-ft capacity heaped	\$1,083
EXCAVATOR QUICK HITCH		
850M270	Mechanical Quickhitch for HBCV Build	\$1,747
850M271	Mechanical Quick Hitch for dipper mounted attachments (pin set not included)	\$1,807
850M211	Pivot Pins Kit for use with Quick Hitch (1 additional set)	\$142
850M212	Pivot Pins Kit for use with Quick Hitch (2 additional sets)	\$287
850M213	Pivot Pins Kit for use with Quick Hitch (3 additional sets)	\$430
850M245	Hydraulic Quick Hitch (For 65" (1650mm) Dipper and HBCV Builds)	\$4,151
850M247	Hydraulic Quick Hitch (For 83" (2100mm) Dipper and HBCV Builds)	\$4,151
850M248	Hydraulic Quick Hitch (For 88" (2250mm) Dipper and HBCV Builds)	\$4,151
850M262	Hydraulic Quick Hitch (For 65" (1650mm) Dipper Without HBCV Builds)	\$4,151
850M264	Hydraulic Quick Hitch for 83" (2100mm) Dipper (850M290 Required)	\$4,152
850M265	Hydraulic Quick Hitch for 89" (2250mm) Dipper (850M291 Required)	\$4,152
850M286	Pipework For Hydraulic Hitch (For 65" (1650mm) Dipper & HBCV Builds (Excludes Hydraulic Hitch))	\$1,412
850M287	Pipework For Hydraulic Hitch (For 83" (2100mm) Dipper & HBCV Builds (Excludes Hydraulic Hitch))	\$1,412
850M288	Pipework For Hydraulic Hitch (For 88" (2250mm) Dipper & HBCV Builds (Excludes Hydraulic Hitch))	\$1,412
850M289	Pipework For Hydraulic Hitch (For 65" (1650mm) Dipper (Not For HBCV) Excludes Hydraulic Hitch)	\$1,412
850M290	Pipework for Hydraulic Quick Hitch for 83" (2100mm) dipper (Excludes Hitch)	\$1,413
850M291	Pipework for Hydraulic Quick Hitch for 89" (2250mm) dipper (Excludes Hitch)	\$1,413

SECTION 4 - ATTACHMENTS

*SEE DEALER FIT SECTION FOR ALL OTHER AVAILABLE ATTACHMENTS FOR 90Z-I

**** A COMPLETE LINE OF HIGH QUALITY RADIO & OBSERVATION SYSTEMS IS AVAILABLE THROUGH JCB AFTERMARKET ACCESSORIES. CONTACT YOUR PARTS DEPARTMENT FOR COMPLETE DETAILS AND REFER TO TECHWEB BULLETIN 3441.**



2018


JCB COMPACT EXCAVATOR 100C-I



JCB, Inc. North American MACHINE PRICE LIST in U.S. Dollars

EFFECTIVE: JANUARY 1, 2018


**CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR.
PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATE**

	100C-I COMPACT EXCAVATOR	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
-----------------------------------------------------------------------------------	---------------------------------	----------------------------	------------------------	----------------------------

STANDARD EQUIPMENT

- ENGINE** JCB by Kohler Tier IV Final KDI 2504 - 70.2 net hp. Common rail, 4-valve head, turbocharger, electronic cooled EGR, turbocharger, oil control system and diesel-oxygenated catalyst (DOC).
- HYDRAULICS** A premium closed center pump and valve provides improved flow sharing for smooth, precise and balanced operation during multifunctioning. One variable displacement axial-type pump. Independent left and right track control. Hydraulic pumps drive integral track motors and gearbox.
- TRACKS** Rubber (optional steel) grease adjusted. Under carriage provides (1) upper and (5) lower rollers per side. Track width 18". Ground pressure 5.97 lbs per square inch. Ground clearance 14". Two speed travel 1.6 mph and 3.1 mph.
- ELECTRICAL** 12 volt, with 80 amp alternator, 410 CCA heavy duty battery. Waterproof wire harness connectors.
- EXCAVATOR** Maximum dig depth with standard 6' 11" dipper 14' 11", Bushed swing bracket with 500 hour dig end greasing intervals. Servo controls, SAE and ISO patterns both available on 100C-I Compact Excavator with DPC - Dual Pattern Control system. Auxiliary circuit provides 26.4 GPM for JCB hydraulic breakers and other approved attachments. Dozer control. Boom swing left 5 degree, right 60 degree. Less excavator bucket. Double Acting Hydraulics optional fit
- OPERATORS AREA** Meets SAE ROPS/TOPS/FOGS requirements with JCB Impact Protection front screen, left side entry Cab equipped with fabric suspension seat, tilting cab, Intermittent wiper with wash/wipe, Roof mounted worklights, 3 speed heater/demister with 9 adjustable air vents, Color LCD display, Digital clock, 12v accessory socket, Interior light, Full audio/visual warning systems, Radio ready kit, Auto idle throttle, Below idle system, 2 digging modes (Eco & Heavy), ISO servo controls with electro-hydraulic dozer lever, Electro-proportional thumb controlled high flow double acting auxiliary, 10 selectable auxiliary flow rates, Full control isolation, "2 go" hydraulic isolation, Highback suspension seat, 100% steel bodywork.

SECTIONS ARE ORGANIZED AS FOLLOWS:
Section 1 - PACKAGE BUILDS
Section 2 - CUSTOM BUILD - NEW FACTORY BUILT ORDERS
Section 3 - OPTIONS - NEW FACTORY BUILT ORDERS
Section 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS
DEALER FIT - COMPACT (LISTED SEPARATELY FOR ALL COMPACT EXCAVATORS)


	100C-I COMPACT EXCAVATOR	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
-----------------------------------------------------------------------------------	---------------------------------	----------------------------	------------------------	----------------------------

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to


SALES CODE	ITEM	U.S. LIST
BASE MACHINE (E)		
8105	100C-I Compact Base Machine (73.8 hp gross, Kohler Diesel 4 cylinder Engine)	\$106,400
OPERATOR'S AREA (E)		
850A186	Cab TOPS/FOPS/FOGS certified, fully glazed, with heater, wiper and air conditioning with JCB laminated glass	\$5,120
UNDERCARRIAGE (E)		
850B555	Rubber Tracks 18" (460mm) wide	\$0
850B556	Steel Tracks 18" (450mm) wide	\$897
850B557	Bridgestone Geogrip Rubber Tracks 18" (450mm) wide	\$8,687
850B558	Steel Tracks 24" (600mm) wide	\$1,091
CONTROLS (E)		
850C336	Dual Pattern Control System - ISO to SAE - High Flow proportional auxiliary - Double acting hydraulic circuit controlled via right hand joystick	\$2,073
850C338	Dual Pattern Control System - ISO to SAE - High & Low Flow proportional auxiliary - Double acting hyd circuit controlled via both joysticks	\$3,499
SEATS (E)		
850D309	Vinyl Suspension Seat	\$0
850D310	Fabric Suspension Seat	\$0
850D311	Vinyl Suspension Seat (High Back)	\$337
850D312	Fabric Suspension Seat (High Back)	\$337
850D313	Fabric Air Suspension heated Seat (High back) with headrest	\$693
OPERATORS HANDBOOK (E)		
850E595	American operator handbook	\$0
DIPPER (E)		
850F351	Standard Dipper for High Flow Auxiliary 83" (2100mm)	\$1,026
#REF!	#REF!	#REF!
850F354	Standard dipper for High & Low Flow Auxiliary 83" (2100mm)	\$1,026
DOZER BLADE (E)		
850G306	Standard Dozer Blade 91" (2320mm) *For use with 18" (450mm) Tracks Only	\$0
850G309	Standard Dozer Blade 97" (2470mm)(850B558 Required)	\$512
850G315	4 Way Dozer 91" (2320mm) *For use with 18" (450mm) Tracks Only with High and Low Flow Auxiliary System	\$3,287
850H524	Dozer Float System	\$623

	100C-I COMPACT EXCAVATOR	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
-----------------------------------------------------------------------------------	---------------------------------	----------------------------	------------------------	----------------------------

SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES	CODE	ITEM	U.S.
			LIST
OPERATORS COMPARTMENT OPTIONS **			
	850J054	Key Immobilizer	\$569
	850J055	Pin Pad Immobilizer	\$569
	850J056	Rotating Beacon	\$264
	850J057	Magnetic Strobe Warning Light Beacon	\$366
	850J058	Radio Kit (Includes Speakers)	\$222
	850J061	Two LED Front Work Lights & One LED Rear Worklight	\$1,046
	850J065	110V Block Heater	\$263
	850J066	230V Block Heater	\$263
	850J071	LiveLink	\$897
	850K524	FOGS Guard kit - Level 1	\$894
	850K525	FOGS Guard kit - Level 2	\$1,159
	850K526	Front Screen Guard (course)	\$1,637
	850K527	Front Screen Guard (fine)	\$1,610
	850K557	Bucket ram guard protection	\$155
	850K558	Dipper Ram Guard Protection (For Machines Without HBCV)	\$280
	850L545	Hydraulic biodegradable oil	\$1,844
	850L552	Refueling pump	\$669
	850L553	Fire Extinguisher 1KG ABC Powder	\$156
	850L554	Travel alarm	\$531
	850L557	Exterior mirror (left hand)	\$180
	850L559	Rear view wide angled mirror	\$177
	850L570	Rear Camera	\$1,377
	850L617	Tool Kit (Grease gun and Cartridge)	\$83
	850L618	Grease Gun and Cartridge Kit	\$28
	850T007	Model Decals Supplied Loose With Machine Warning Decals Fitted	\$0

	100C-I COMPACT EXCAVATOR	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
-----------------------------------------------------------------------------------	---------------------------------	----------------------------	------------------------	----------------------------

SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
EXCAVATOR & BUCKET OPTIONS		
850H522	Grab Bucket Changeover Valve (For 83" 2100mm Dipper)	\$667
850M115	18" (460mm) Heavy Duty Bucket: For 1.5" (45mm) Bucket Pins	\$1,194
850M116	24" (600mm) Heavy Duty Bucket: For 1.5" (45mm) Bucket Pins	\$1,364
850M117	32" (800mm) Heavy Duty Bucket: For 1.5" (45mm) Bucket Pins	\$1,533
850M198	Thumb Ready Dipper for 65" Dipper only	\$271
850M199	Thumb Ready Dipper Not for 65" Dipper	\$271
850M207	60" (1525mm) Grading Bucket - 7.7 cu-ft capacity heaped	\$1,083
EXCAVATOR QUICK HITCH		
850M270	Mechanical Quickhitch for HBCV Build	\$1,747
850M271	Mechanical Quick Hitch for dipper mounted attachments (pin set not included)	\$1,807
850M273	12" (300mm) Heavy Duty Ribbed Bucket: For 1.5" (45mm) Bucket Pins	\$1,022
850M211	Pivot Pins Kit for use with Quick Hitch (1 additional set)	\$142
850M212	Pivot Pins Kit for use with Quick Hitch (2 additional sets)	\$287
850M213	Pivot Pins Kit for use with Quick Hitch (3 additional sets)	\$430
850M324	Pipework for Hydraulic Quick Hitch for 83" (2100mm) dipper (Excludes Hydraulic Hitch)	\$1,386
850M330	Hydraulic Quick Hitch for 83" (2100mm) dipper (850M324 Required)	\$4,071

SECTION 4 - ATTACHMENTS

*SEE DEALER FIT SECTION FOR ALL OTHER AVAILABLE ATTACHMENTS FOR 100C-I

**** A COMPLETE LINE OF HIGH QUALITY RADIO & OBSERVATION SYSTEMS IS AVAILABLE THROUGH JCB AFTERMARKET ACCESSORIES. CONTACT YOUR PARTS DEPARTMENT FOR COMPLETE DETAILS AND REFER TO TECHWEB BULLETIN 3441.**