

FRONTIER PRODUCTS

AY11H - 60 In. 4-In-1 Bucket for Current 300/400 Series Carrier
 Equipment for Base Machine

Cutting Width: 1524 mm (60 In.)
 Loader Series:
 300 and 400 only (Not 500 Series)
 Dimensions:
 W: 1572 mm (61.9 In.) x H: 683 mm (26.9 In.) x D:
 711 mm (28.0 In.)
 Capacity:
 3.69 Cubic Foot
 Grapple Opening: 723 mm (28.45 In.)
 Operational Weight: 163 kg (360 lbs.)
 Shipping Weight: 175 kg (385 lbs.)

Hydraulic functions on loader attachment require Third Function Hydraulic Lines and Hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

The Above Specifications are Indicative of the Base Feature Machine only and may Differ if Alternative Options/Attachments are Ordered.

Pricing and Specifications are Recommended only and are Subject to Change without Notice.

Hydraulic kit 5MP107610 is required to adapt buckets to 1/2 In. body couplers. 1/2 In. body couplers are standard equipment for 500 series loader 3rd function oil lines and hoses. (Please order through parts)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2211XF		AY11H - 60 In. 4-In-1 Bucket for Current 300/400 Series Carrier <i>Reference Loader Attachment Compatibility Chart for specific loader compatibility.</i>	2,829.00
--------	--	--	----------

TOOTH BAR

9000		Tooth Bar for 4-In-1 Bucket <i>For AY11H-60 In. Bucket.</i>	526.00
------	--	--	--------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AY11 and AY12 Series)	No Charge
------	--	--	-----------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous			
5MP43054	FRENCH OM/DECAL-LDR ATTACHMENTS		51.52
5FP10642	Tooth Bar for 60 In. 4-In-1 Bucket (AY11H)		568.08

FRONTIER PRODUCTS

AY11H - 60 In. 4-In-1 Bucket for Current 300/400 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AY11E - 72 In. 4-In-1 Bucket for Current 300/400/500 Series Carrier
 Equipment for Base Machine

Cutting Width: 72 In.
 Loader Series:
 300, 400, and 500
 Dimensions:
 W73.9 In. x H26.9 In. x D28.0 In.
 Capacity:
 4.5 Cubic Foot
 Grapple Opening: 28.45 In.
 Operational Weight: 425 lbs.
 Shipping Weight: 450 lbs.

couplers are standard equipment for 500 series loader 3rd function oil lines and hoses.
 Hydraulic functions on loader attachment require Third Function Hydraulic Lines and Hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic kit 5MP107610 is required to adapt buckets to 1/2 In. body couplers. 1/2 In. body

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2212XF		AY11E - 72 In. 4-In-1 Bucket for Current 300/400/500 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	3,046.00
--------	--	---	----------

TOOTH BAR

9000		Tooth Bar for 4-In-1 Bucket <i>For AY11E-72 In. Bucket.</i>	629.00
------	--	--	--------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AY11 and AY12 Series)	No Charge
------	--	--	-----------

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous		
5MP43054		FRENCH OM/DECAL-LDR ATTACHMENTS	51.52
5FP10643		Tooth Bar for 72 In. 4-In-1 Bucket (AY11E)	679.32

FRONTIER PRODUCTS

AY11E - 72 In. 4-In-1 Bucket for Current 300/400/500 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AY12D - 72 In. 4-In-1 Bucket for Current 600/700 Series Carrier
 Equipment for Base Machine

Cutting Width: 72 In.
 Loader Series:
 600 and 700
 Dimensions:
 W72 In. x H20 In. x D29.38 In.
 Capacity:
 17.07 Cubic Foot
 Grapple Opening: 34.78 In.
 Operational Weight: 900 lbs.
 Shipping Weight: 925 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2221XF		AY12D - 72 In. 4-In-1 Bucket for Current 600/700 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	4,804.00
--------	--	---	----------

TOOTH BAR

9000		Tooth Bar for 4-In-1 Bucket <i>For AY12-72 In. Bucket.</i>	692.00
------	--	---	--------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AY11 and AY12 Series)	No Charge
------	--	--	-----------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous			
5MP43054		FRENCH OM/DECAL-LDR ATTACHMENTS	51.52
5FP33823		Tooth Bar for 72 In. 4-In-1 Bucket (AY12)	747.36

FRONTIER PRODUCTS

AY12D - 72 In. 4-In-1 Bucket for Current 600/700 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AY12D - 78 In. 4-In-1 Bucket for Current 600/700 Series Carrier
 Equipment for Base Machine

Cutting Width: 78 In.
 Loader Series:
 600 and 700
 Dimensions:
 W78 In. x H20 In. x D29.38 In.
 Capacity:
 18.5 Cubic Foot
 Grapple Opening: 34.78 In.
 Operational Weight: 935 lbs.
 Shipping Weight: 960 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2223XF		AY12D - 78 In. 4-In-1 Bucket for Current 600/700 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	5,076.00
--------	--	---	----------

TOOTH BAR

9000		Tooth Bar for 4-In-1 Bucket <i>For AY12-78 In. Bucket.</i>	711.00
------	--	---	--------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AY11 and AY12 Series)	No Charge
------	--	--	-----------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous			
5MP43054	FRENCH OM/DECAL-LDR ATTACHMENTS		51.52
5FP16288	Tooth Bar for 78 In. 4-In-1 Bucket (AY12)		767.88

FRONTIER PRODUCTS

AY12D - 78 In. 4-In-1 Bucket for Current 600/700 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AY12D - 84 In. 4-In-1 Bucket for Current 600/700 Series Carrier
 Equipment for Base Machine

Cutting Width: 84 In.
 Loader Series:
 600 and 700
 Dimensions:
 W84 In. x H20 In. x D29.38 In.
 Capacity:
 19.93 Cubic Foot
 Grapple Opening: 34.78 In.
 Operational Weight: 975 lbs.
 Shipping Weight: 1000 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2225XF		AY12D - 84 In. 4-In-1 Bucket for Current 600/700 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	5,314.00
--------	--	---	----------

TOOTH BAR

9000		Tooth Bar for 4-In-1 Bucket <i>For AY12-84 In. Bucket.</i>	733.00
------	--	---	--------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AY11 and AY12 Series)	No Charge
------	--	--	-----------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous			
5MP43054	FRENCH OM/DECAL-LDR ATTACHMENTS		51.52
5FP16193	Tooth Bar for 84 In. 4-In-1 Bucket (AY12)		791.64

FRONTIER PRODUCTS

AY12D - 84 In. 4-In-1 Bucket for Current 600/700 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AY12G - 72 In. 4-In-1 Bucket for Current Loaders with Global Carrier
 Equipment for Base Machine

Cutting Width: 72 In.
 Loader Series:
 Global Carrier
 Dimensions:
 W72 In. x H20 In. x D29.38 In.
 Capacity:
 17.07 Cubic Foot
 Grapple Opening: 34.78 In.
 Operational Weight: 900 lbs.
 Shipping Weight: 925 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2222XF		AY12G - 72 In. 4-In-1 Bucket for Current Loaders with Global Carrier <i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	4,770.00
--------	--	--	----------

TOOTH BAR

9000		Tooth Bar for 4-In-1 Bucket <i>For AY12-72 In. Bucket.</i>	692.00
------	--	---	--------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AY11 and AY12 Series)	No Charge
------	--	--	-----------

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous		
5MP43054		FRENCH OM/DECAL-LDR ATTACHMENTS	51.52
5FP33823		Tooth Bar for 72 In. 4-In-1 Bucket (AY12)	747.36

FRONTIER PRODUCTS

AY12G - 72 In. 4-In-1 Bucket for Current Loaders with Global Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AY12G - 78 In. 4-In-1 Bucket for Current Loaders with Global Carrier
 Equipment for Base Machine

Cutting Width: 78 In.
 Loader Series:
 Global Carrier
 Dimensions:
 W78 In. x H20 In. x D29.38 In.
 Capacity:
 18.5 Cubic Foot
 Grapple Opening: 34.78 In.
 Operational Weight: 935 lbs.
 Shipping Weight: 960 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2224XF		AY12G - 78 In. 4-In-1 Bucket for Current Loaders with Global Carrier <i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	5,040.00
--------	--	--	----------

TOOTH BAR

9000		Tooth Bar for 4-In-1 Bucket <i>For AY12-78 In. Bucket.</i>	711.00
------	--	---	--------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AY11 and AY12 Series)	No Charge
------	--	--	-----------

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous		
5MP43054		FRENCH OM/DECAL-LDR ATTACHMENTS	51.52
5FP16288		Tooth Bar for 78 In. 4-In-1 Bucket (AY12)	767.88

FRONTIER PRODUCTS

AY12G - 78 In. 4-In-1 Bucket for Current Loaders with Global Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AY12G - 84 In. 4-In-1 Bucket for Current Loaders with Global Carrier
 Equipment for Base Machine

Cutting Width: 84 In.
 Loader Series:
 Global Carrier
 Dimensions:
 W84 In. x H20 In. x D29.38 In.
 Capacity:
 19.93 Cubic Foot
 Grapple Opening: 34.78 In.
 Operational Weight: 975 lbs.
 Shipping Weight: 1000 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2226XF		AY12G - 84 In. 4-In-1 Bucket for Current Loaders with Global Carrier <i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	5,345.00
--------	--	--	----------

TOOTH BAR

9000		Tooth Bar for 4-In-1 Bucket <i>For AY12-84 In. Bucket.</i>	733.00
------	--	---	--------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AY11 and AY12 Series)	No Charge
------	--	--	-----------

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous		
5MP43054		FRENCH OM/DECAL-LDR ATTACHMENTS	51.52
5FP16193		Tooth Bar for 84 In. 4-In-1 Bucket (AY12)	791.64

FRONTIER PRODUCTS

AY12G - 84 In. 4-In-1 Bucket for Current Loaders with Global Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AY11F - 53 In. 4-in-1 Bucket for 100 - 300E Series Loader
 Equipment for Base Machine

Cutting Width: 53 In.
 Loader Series:
 (F) 100 to 300
 Dimensions:
 W53.6 In. x H23.7 In. x D25.0 In.
 Bucket Capacity:
 Struck: 6.1 Cubic Foot
 Heaped: 8.5 Cubic Foot
 Clam Opening: 32 In.

Operational Weight: 280 lbs.
 Shipping Weight: 308 lbs.
 Warranty: 1 Year

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2371XF		AY11F - 53 In. 4-in-1 Bucket for 100 - 300E Series Loader <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	2,100.00
--------	--	---	----------

DESTINATION

0202	North America UNITED STATES		In Base Price
0184	CANADA		No Added Cost
0205	QUEBEC		No Added Cost

OPERATOR'S MANUAL AND DECALS

0409	AY11F ENGLISH OM		In Base Price
0413	AY11F FRENCH OM		No Added Cost
0437	AY11F SPANISH OM		No Added Cost

ATTACHMENTS FOR FIELD CONVERSION

5MP43126	Grapples SPANISH OPERATOR'S MANUAL		81.09
5MP43052	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS		113.12
5MP76314	Miscellaneous ENGLISH OPERATOR'S MANUAL		13.44

FRONTIER PRODUCTS

AY11F - 53 In. 4-in-1 Bucket for 100 - 300E Series Loader

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AB16A Small Square Bale Handler for Current 800 Series Carrier
 Equipment for Base Machine

Hydraulics:
 Single Auxiliary Hydraulic Service
 Shipping Weight With Pallet:
 1190 lbs.
 Operational Weight: 1090 lbs.
 Dimensions: 31H x 80W x 90L
 32 Engaging Teeth

as well as a tractor with (3) SCV's. Please
 reference the loader and tractor sales information
 for additional information.

Hydraulic functions on loader attachment require
 third function hydraulic lines and hoses on loader

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2051XF		AB16A Small Square Bale Handler for Current 800 Series Carrier <i>Picks up 8 flat or 10 indexed small square bales.</i> <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	8,362.00
--------	--	--	----------

OPERATOR'S MANUAL AND DECAL KIT

9200		French Operators Manual and Decal Kit for Models: (AB16 Series)	No Charge
------	--	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

		Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	113.12
--	--	---	--------

FRONTIER PRODUCTS

AB16A Small Square Bale Handler for Current 800 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AB16D Small Square Bale Handler for Current 600/700 Series Carrier
 Equipment for Base Machine

Hydraulics:
 Single Auxiliary Hydraulic Service
 Shipping Weight With Pallet:
 1190 lbs.
 Operational Weight: 1090 lbs.
 Dimensions: 31H x 80W x 90L
 32 Engaging Teeth

as well as a tractor with (3) SCV's. Please
 reference the loader and tractor sales information
 for additional information.

Hydraulic functions on loader attachment require
 third function hydraulic lines and hoses on loader

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2052XF		AB16D Small Square Bale Handler for Current 600/700 Series Carrier <i>Picks up 8 flat or 10 indexed small square bales. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	7,292.00
--------	--	---	----------

OPERATOR'S MANUAL AND DECAL KIT

9200		French Operators Manual and Decal Kit for Models: (AB16 Series)	No Charge
------	--	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43052		Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	113.12
----------	--	---	--------

FRONTIER PRODUCTS

AB16D Small Square Bale Handler for Current 600/700 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AB16G Small Square Bale Handler for Current Loaders with Global Carrier
 Equipment for Base Machine

Hydraulics:
 Single Auxiliary Hydraulic Service
 Shipping Weight With Pallet:
 1190 lbs.
 Operational Weight: 1090 lbs.
 Dimensions: 31H x 80W x 90L
 32 Engaging Teeth

as well as a tractor with (3) SCV's. Please
 reference the loader and tractor sales information
 for additional information.

Hydraulic functions on loader attachment require
 third function hydraulic lines and hoses on loader

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2053XF		AB16G Small Square Bale Handler for Current Loaders with Global Carrier <i>Picks up 8 flat or 10 indexed small square bales. Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	7,231.00
--------	--	--	----------

OPERATOR'S MANUAL AND DECAL KIT

9200		French Operators Manual and Decal Kit for Models: (AB16 Series)	No Charge
------	--	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43052	Miscellaneous	FRENCH OM/DECAL-LDR ATTACHMENTS	113.12
----------	----------------------	---------------------------------	--------

FRONTIER PRODUCTS

AB16G Small Square Bale Handler for Current Loaders with Global Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AB17K Large Square Bale Squeeze for Global Category 2 Carrier
 Equipment for Base Machine

Two 96 In. Arms
 110 In. Opening Width
 Capacity: Two Large Square Bales
 Hydraulics:
 Single Auxiliary
 Shipping Weight: 1875 lbs.
 Operational Weight: 1665 lbs.
 Dimensions: 68H x 91W x 99L

third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2311XF		AB17K Large Square Bale Squeeze for Global Category 2 Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	9,293.00
--------	--	---	----------

OPERATOR'S MANUAL AND DECAL KIT

9200		French Operators Manual and Decal Kit for Models: (AB17K)	No Charge
------	--	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

		<p>Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS</p>	113.12
--	--	--	--------

FRONTIER PRODUCTS

AB17K Large Square Bale Squeeze for Global Category 2 Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AH11A Round Bale Hugger for Current 800 Series Carrier
 Equipment for Base Machine

Capacity:
 1 Round Bale
 Hydraulic Service:
 Single Auxiliary
 Shipping Weight with Pallet:
 825 lbs.
 Operational Weight:
 725 lbs.
 Dimensions:
 50H x 57W x 60L

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2131XF		AH11A Round Bale Hugger for Current 800 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	5,506.00
--------	--	--	----------

OPERATOR'S MANUAL AND DECAL KIT

9200		French Operators Manual and Decal Kit (AH11 Series)	No Charge
------	--	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

		Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	113.12
--	--	---	--------

FRONTIER PRODUCTS

AH11A Round Bale Hugger for Current 800 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AH11D Round Bale Hugger for Current 600/700 Series Carrier
 Equipment for Base Machine

Capacity:
 1 Round Bale
 Hydraulic Service:
 Single Auxiliary
 Shipping Weight with Pallet:
 825 lbs.
 Operational Weight:
 725 lbs.
 Dimensions:
 50H x 57W x 60L

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2132XF		AH11D Round Bale Hugger for Current 600/700 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	5,432.00
--------	--	--	----------

OPERATOR'S MANUAL AND DECAL KIT

9200		French Operators Manual and Decal Kit (AH11 Series)	No Charge
------	--	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

		Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	113.12
--	--	---	--------

FRONTIER PRODUCTS

AH11D Round Bale Hugger for Current 600/700 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AH11G Round Bale Hugger for Current Loaders with Global Carrier
 Equipment for Base Machine

Capacity:
 1 Round Bale
 Hydraulic Service:
 Single Auxiliary
 Shipping Weight with Pallet:
 825 lbs.
 Operational Weight:
 725 lbs.
 Dimensions:
 50H x 57W x 60L

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2133XF		AH11G Round Bale Hugger for Current Loaders with Global Carrier <i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	4,923.00
--------	--	---	----------

OPERATOR'S MANUAL AND DECAL KIT

9200		French Operators Manual and Decal Kit (AH11 Series)	No Charge
------	--	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43052		Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	113.12
----------	--	---	--------

FRONTIER PRODUCTS

AH11G Round Bale Hugger for Current Loaders with Global Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AD11H - 60 In. Debris Grapple Bucket for Current 300/400 Series Carrier
 Equipment for Base Machine

Cutting Width: 60 In.
 Loader Series:
 300 and 400 Only (Not 500 Series)
 Dimensions:
 W60 In. x H22 In. x D32 In.
 Capacity:
 0.3 Cubic Foot Struck
 0.4 Cubic Foot Heaped
 Grapple Opening: 32.75 In.

Operational Weight: 540 lbs.
 Shipping Weight: 570 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2061XF		AD11H - 60 In. Debris Grapple Bucket for Current 300/400 Series Carrier	3,678.00
--------	--	---	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit(AD11 and AD12 Series)	No Charge
------	--	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43054		Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	51.52
----------	--	---	-------

FRONTIER PRODUCTS

AD11H - 60 In. Debris Grapple Bucket for Current 300/400 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AD11E - 72 In. Debris Grapple Bucket for Current 300/400/500 Series Carrier
 Equipment for Base Machine

Cutting Width: 72 In.

Loader Series:
 300, 400, and 500

Dimensions:
 W72 In. x H22 In. x D32 In.

Capacity:
 0.4 Cubic Foot Struck
 0.5 Cubic Foot Heaped
 Grapple Opening: 34.5 In.

Operational Weight: 615 lbs.

Shipping Weight: 684 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2062XF		AD11E - 72 In. Debris Grapple Bucket for Current 300/400/500 Series Carrier <i>Hydraulic Kit 5MP107610 is required to adapt buckets to 1/2 In. body couplers. 1/2 In. body couplers are standard equipment for 500 series loader 3rd function oil lines and hoses. Order Hydraulic Kit through parts.</i> <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	3,947.00
--------	--	--	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit(AD11 and AD12 Series)	No Charge
------	--	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43054		Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	51.52
----------	--	---	-------

FRONTIER PRODUCTS

AD11E - 72 In. Debris Grapple Bucket for Current 300/400/500 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AD12D - 76 In. Debris Grapple Bucket for Current 600/700 Series Carrier
 Equipment for Base Machine

Cutting Width: 76 In.

Loader Series:

600 and 700

Dimensions:

W77 In. x H29 In. x D41 In.

Capacity:

0.6 Cubic Foot Struck

0.7 Cubic Foot Heaped

Grapple Opening: 39.4 In.

Operational Weight: 1100 lbs.

Shipping Weight: 1150 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2071XF		AD12D - 76 In. Debris Grapple Bucket for Current 600/700 Series Carrier	5,198.00
--------	--	---	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit(AD11 and AD12 Series)	No Charge
------	--	---	-----------

DEBRIS BUCKET CUTTING EDGE KIT

9000		Cutting Edge Kit (AD12 Series Only) For 76 In. Debris Bucket	467.00
------	--	---	--------

TOOTH BAR

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous

5FP10123		76 In. Debris Bucket Cutting Edge Kit (AD12 Series Only)	504.36
5MP43054		FRENCH OM/DECAL-LDR ATTACHMENTS	51.52

FRONTIER PRODUCTS

AD12D - 76 In. Debris Grapple Bucket for Current 600/700 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AD12D - 82 In. Debris Grapple Bucket for Current 600/700 Series Carrier
 Equipment for Base Machine

Cutting Width: 82" In.

Loader Series:

600 and 700

Dimensions:

W83 In. x H29 In. x D41 In.

Capacity:

0.7 Cubic Foot Struck

0.8 Cubic Foot Heaped

Grapple Opening: 39.4 In.

Operational Weight: 1150 lbs.

Shipping Weight: 1200 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2073XF		AD12D - 82 In. Debris Grapple Bucket for Current 600/700 Series Carrier	5,509.00
--------	--	---	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit(AD11 and AD12 Series)	No Charge
------	--	---	-----------

DEBRIS BUCKET CUTTING EDGE KIT

9000		Cutting Edge Kit (AD12 Series Only) For 82 In. Debris Bucket	482.00
------	--	---	--------

TOOTH BAR

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous		
5FP10089	82 In. Debris Bucket Cutting Edge Kit (AD12 Series Only)	520.56
5MP43054	FRENCH OM/DECAL-LDR ATTACHMENTS	51.52

FRONTIER PRODUCTS

AD12D - 82 In. Debris Grapple Bucket for Current 600/700 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AD12D - 88 In. Debris Grapple Bucket for Current 600/700 Series Carrier
 Equipment for Base Machine

Cutting Width: 88 In.

Loader Series:

600 and 700

Dimensions:

W89 In. x H29 In. x D41 In.

Capacity:

0.85 Cubic Foot Struck

1.0 Cubic Foot Heaped

Grapple Opening: 39.4 In.

Operational Weight: 1200 lbs.

Shipping Weight: 1250 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2075XF		AD12D - 88 In. Debris Grapple Bucket for Current 600/700 Series Carrier	5,689.00
--------	--	---	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit(AD11 and AD12 Series)	No Charge
------	--	---	-----------

DEBRIS BUCKET CUTTING EDGE KIT

9000		Cutting Edge Kit (AD12 Series Only) For 88 In. Debris Bucket	509.00
------	--	---	--------

TOOTH BAR

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous

5FP10124		88 In. Debris Bucket Cutting Edge Kit (AD12 Series Only)	549.72
5MP43054		FRENCH OM/DECAL-LDR ATTACHMENTS	51.52

FRONTIER PRODUCTS

AD12D - 88 In. Debris Grapple Bucket for Current 600/700 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AD12D - 96 In. Debris Grapple Bucket for Current 600/700 Series Carrier
 Equipment for Base Machine

Cutting Width: 96 In.

Loader Series:

600 and 700

Dimensions:

W96 In. x H29 In. x D41 In.

Capacity:

1.0 Cubic Foot Struck

1.2 Cubic Foot Heaped

Grapple Opening: 39.4 In.

Operational Weight: 1250 lbs.

Shipping Weight: 1300 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2077XF		AD12D - 96 In. Debris Grapple Bucket for Current 600/700 Series Carrier	5,792.00
--------	--	---	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit(AD11 and AD12 Series)	No Charge
------	--	---	-----------

DEBRIS BUCKET CUTTING EDGE KIT

9000		Cutting Edge Kit (AD12 Series Only) For 96 In. Debris Bucket	515.00
------	--	---	--------

TOOTH BAR

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous

5FP10125		96 In. Debris Bucket Cutting Edge Kit (AD12 Series Only)	556.20
5MP43054		FRENCH OM/DECAL-LDR ATTACHMENTS	51.52

FRONTIER PRODUCTS

AD12D - 96 In. Debris Grapple Bucket for Current 600/700 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AD12G - 76 In. Debris Grapple Bucket for Current Loaders with Global Carrier
 Equipment for Base Machine

Cutting Width: 76 In.
 Loader Series:
 Global Carrier
 Dimensions:
 W77 In. x H29 In. x D39 In.
 Capacity:
 0.6 Cubic Foot Struck
 0.7 Cubic Foot Heaped
 Grapple Opening: 39.4 In.

Operational Weight: 1080 lbs.
 Shipping Weight: 1130 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2072XF		AD12G - 76 In. Debris Grapple Bucket for Current Loaders with Global Carrier <i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	5,146.00
--------	--	--	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit(AD11 and AD12 Series)	No Charge
------	--	---	-----------

DEBRIS BUCKET CUTTING EDGE KIT

9000		Cutting Edge Kit (AD12 Series Only) <i>For 76 In. Debris Bucket</i>	467.00
------	--	--	--------

TOOTH BAR

ATTACHMENTS FOR FIELD CONVERSION

		Miscellaneous	
5FP10123		76 In. Debris Bucket Cutting Edge Kit (AD12 Series Only)	504.36
5MP43054		FRENCH OM/DECAL-LDR ATTACHMENTS	51.52

FRONTIER PRODUCTS

AD12G - 76 In. Debris Grapple Bucket for Current Loaders with Global Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AD12G - 82 In. Debris Grapple Bucket for Current Loaders with Global Carrier
 Equipment for Base Machine

Cutting Width: 82 In.
 Loader Series:
 Global Carrier
 Dimensions:
 W83 In. x H29 In. x D39 In.
 Capacity:
 0.7 Cubic Foot Struck
 0.8 Cubic Foot Heaped
 Grapple Opening: 39.4 In.

Operational Weight: 1130 lbs.
 Shipping Weight: 1180 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2074XF		AD12G - 82 In. Debris Grapple Bucket for Current Loaders with Global Carrier <i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	5,349.00
--------	--	--	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit(AD11 and AD12 Series)	No Charge
------	--	---	-----------

DEBRIS BUCKET CUTTING EDGE KIT

9000		Cutting Edge Kit (AD12 Series Only) <i>For 82 In. Debris Bucket</i>	482.00
------	--	--	--------

TOOTH BAR

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous		
5FP10089		82 In. Debris Bucket Cutting Edge Kit (AD12 Series Only)	520.56
5MP43054		FRENCH OM/DECAL-LDR ATTACHMENTS	51.52

FRONTIER PRODUCTS

AD12G - 82 In. Debris Grapple Bucket for Current Loaders with Global Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AD12G - 88 In. Debris Grapple Bucket for Current Loaders with Global Carrier
 Equipment for Base Machine

Cutting Width: 88 In.
 Loader Series:
 Global Carrier
 Dimensions:
 W89 In. x H29 In. x D39 In.
 Capacity:
 0.85 Cubic Foot Struck
 1.0 Cubic Foot Heaped
 Grapple Opening: 39.4 In.

Operational Weight: 1180 lbs.
 Shipping Weight: 1230 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2076XF		AD12G - 88 In. Debris Grapple Bucket for Current Loaders with Global Carrier <i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	5,582.00
--------	--	--	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit(AD11 and AD12 Series)	No Charge
------	--	---	-----------

DEBRIS BUCKET CUTTING EDGE KIT

9000		Cutting Edge Kit (AD12 Series Only) <i>For 88 In. Debris Bucket</i>	509.00
------	--	--	--------

TOOTH BAR

ATTACHMENTS FOR FIELD CONVERSION

		Miscellaneous	
5FP10124		88 In. Debris Bucket Cutting Edge Kit (AD12 Series Only)	549.72
5MP43054		FRENCH OM/DECAL-LDR ATTACHMENTS	51.52

FRONTIER PRODUCTS

AD12G - 88 In. Debris Grapple Bucket for Current Loaders with Global Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AD12G - 96 In. Debris Grapple Bucket for Current Loaders with Global Carrier
 Equipment for Base Machine

Cutting Width: 96 In.
 Loader Series:
 Global Carrier
 Dimensions:
 W96 In. x H29 In. x D39 In.
 Capacity:
 1.0 Cubic Foot Struck
 1.2 Cubic Foot Heaped
 Grapple Opening: 39.4 In.

Operational Weight: 1230 lbs.
 Shipping Weight: 1280 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2078XF		AD12G - 96 In. Debris Grapple Bucket for Current Loaders with Global Carrier <i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	5,586.00
--------	--	--	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit(AD11 and AD12 Series)	No Charge
------	--	---	-----------

DEBRIS BUCKET CUTTING EDGE KIT

9000		Cutting Edge Kit (AD12 Series Only) <i>For 96 In. Debris Bucket</i>	515.00
------	--	--	--------

TOOTH BAR

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous		
5FP10125	96 In. Debris Bucket Cutting Edge Kit (AD12 Series Only)	556.20
5MP43054	FRENCH OM/DECAL-LDR ATTACHMENTS	51.52

FRONTIER PRODUCTS

AD12G - 96 In. Debris Grapple Bucket for Current Loaders with Global Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AE11E - 60 In. Free Stall Scraper for Current 300/400/500 Series Carrier
 Equipment for Base Machine

Cutting Width: 60 In.
 Loader Series:
 300, 400, and 500
 Dimensions:
 W60 In. x H28 In. x D29 In.
 Optional Bolt-on Backdrag Weight:
 138 lbs.
 Operational Weight: 240 lbs.

Shipping Weight: 290 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2081XF		AE11E - 60 In. Free Stall Scraper for Current 300/400/500 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	1,541.00
--------	--	--	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AE11 Series)	No Charge
------	--	---	-----------

BACK DRAG ATTACHMENT

9000		Back Drag Attachment (AE11E) <i>For 60 In. Free Stall Scraper.</i>	602.00
------	--	---	--------

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous		
5FP10736		60 In. Back Drag Attachment (AE11E)	650.16
5MP43052		FRENCH OM/DECAL-LDR ATTACHMENTS	113.12

FRONTIER PRODUCTS

AE11E - 60 In. Free Stall Scraper for Current 300/400/500 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AE11E - 72 In. Free Stall Scraper for Current 300/400/500 Series Carrier
 Equipment for Base Machine

Cutting Width: 72 In.
 Loader Series:
 300, 400, and 500
 Dimensions:
 W72 In. x H28 In. x D29 In.
 Optional Bolt-on Backdrag Weight:
 161 lbs.
 Operational Weight: 265 lbs.

Shipping Weight: 315 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2082XF		AE11E - 72 In. Free Stall Scraper for Current 300/400/500 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	1,784.00
--------	--	--	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AE11 Series)	No Charge
------	--	---	-----------

BACK DRAG ATTACHMENT

9000		Back Drag Attachment (AE11E) <i>For 72 In. Free Stall Scraper.</i>	626.00
------	--	---	--------

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous		
5FP10737		72 In. Back Drag Attachment (AE11E)	676.08
5MP43052		FRENCH OM/DECAL-LDR ATTACHMENTS	113.12

FRONTIER PRODUCTS

AE11E - 72 In. Free Stall Scraper for Current 300/400/500 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AE11E - 84 In. Free Stall Scraper for Current 300/400/500 Series Carrier
 Equipment for Base Machine

Cutting Width: 84 In.
 Loader Series:
 300, 400, and 500
 Dimensions:
 W84 In. x H28 In. x D29 In.
 Optional Bolt-on Backdrag Weight:
 194 lbs.
 Operational Weight: 285 lbs.

Shipping Weight: 335 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2083XF		AE11E - 84 In. Free Stall Scraper for Current 300/400/500 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	1,859.00
--------	--	--	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AE11 Series)	No Charge
------	--	---	-----------

BACK DRAG ATTACHMENT

9000		Back Drag Attachment (AE11E) <i>For 84 In. Free Stall Scraper.</i>	789.00
------	--	---	--------

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous		
5FP10738		84 In. Back Drag Attachment (AE11E)	852.12
5MP43052		FRENCH OM/DECAL-LDR ATTACHMENTS	113.12

FRONTIER PRODUCTS

AE11E - 84 In. Free Stall Scraper for Current 300/400/500 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AE11E - 96 In. Free Stall Scraper for Current 300/400/500 Series Carrier
 Equipment for Base Machine

Cutting Width: 96 In.
 Loader Series:
 300, 400, and 500
 Dimensions:
 W96 In. x H28 In. x D29 In.
 Optional Bolt-on Backdrag Weight:
 226 lbs.
 Operational Weight: 305 lbs.

Shipping Weight: 355 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2084XF		AE11E - 96 In. Free Stall Scraper for Current 300/400/500 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	1,957.00
--------	--	--	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AE11 Series)	No Charge
------	--	---	-----------

BACK DRAG ATTACHMENT

9000		Back Drag Attachment (AE11E) <i>For 96 In. Free Stall Scraper.</i>	834.00
------	--	---	--------

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous		
5FP10739		96 In. Back Drag Attachment (AE11E)	900.72
5MP43052		FRENCH OM/DECAL-LDR ATTACHMENTS	113.12

FRONTIER PRODUCTS

AE11E - 96 In. Free Stall Scraper for Current 300/400/500 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AF10F - 60" Boom Mounted Front Blade with Manual Adjust for H120 and 220R Loaders
 Equipment for Base Machine

Cutting Width 59.6	lbs max
Moldboard Height 21	Optional Equipment
Moldboard Thickness 12 GA	Rubber Deflector, Plow Guides, Urethane
Overall Depth 26.5	Cutting Edge & Urethane Skid Shoes
Weight 168 lbs	
Ship Weight 180 lbs	
Cutting Edge 1/4 x 6 Reversible	
Angle Adjustments 5, up to 30°	
Loader Compatibility H120, H130	
Tractor Compatibility 1 & 2 Series, 25 HP max, 3774	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2401XF		AF10F - 60" Boom Mounted Front Blade with Manual Adjust for H120 and 220R Loaders	1,572.00
--------	--	---	----------

DESTINATION

0202		United States	In Base Price
0184		Canada	No Added Cost

OPERATOR'S MANUAL AND DECALS

0409		English Operator's Manual	In Base Price
0413		French Operator's Manual	No Added Cost
0437		Spanish Operator's Manual	No Added Cost

URETHANE CUTTING EDGE KIT

9862		Urethane Cutting Edge Kit	438.00
------	--	---------------------------	--------

RUBBER DEFLECTOR KIT

9860		Rubber Deflector Kit	91.00
------	--	----------------------	-------

PLOW GUIDE KIT

9861		Plow Guide Kit	119.00
------	--	----------------	--------

URETHANE SKID SHOE KIT

9863		Urethane Skid Shoe Kit	254.00
------	--	------------------------	--------

HYDRAULICS

9561		HYDRAULIC ANGLE KIT	625.00
------	--	---------------------	--------

ATTACHMENTS FOR FIELD CONVERSION

FRONTIER PRODUCTS

AF10F - 60" Boom Mounted Front Blade with Manual Adjust for H120 and 220R Loaders

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION ...Continued...			
		Miscellaneous	
	5WD1044511	AF10 Rubber Deflector Kit	101.92
	5WD1044515	French Operator's Manual and Decal Kit	See Parts
	5WD1044517	HYDRAULIC ANGLE KIT	675.00
	5WD1044516	Spanish Operator's Manual and Decal Kit	See Parts
	5WD1044513	Urethane Cutting Edge Kit	473.04
		Plow Guide Kit	
	5WD1044512	AF10 Plow Guide Kit	133.28
		Urethane Skid Shoe Kit	
	5WD1044514	Urethane Skid Shoe Kit	274.32

FRONTIER PRODUCTS

AF11E - 6 Ft. Boom Mounted Front Blade with Manual Angle for Current 300/400/500 Series Carrier
 Equipment for Base Machine

Cutting Width: 6 Ft.
 Loader Series:
 300, 400, and 500
 Dimensions:
 W72 In. x H23 In. x D34 In.
 Operational Weight: 400 lbs.
 Shipping Weight: 430 lbs.

as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2091XF		AF11E - 6 Ft. Boom Mounted Front Blade with Manual Angle for Current 300/400/500 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	2,501.00
--------	--	---	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Charge
------	--	--	-----------

RUBBER EDGE KIT

9020		Rubber Edge Kit <i>For 6 Ft. AF11E</i>	483.00
------	--	---	--------

HYDRAULICS

9000		Hydraulic angle Kit for 6 Ft. and 7 Ft. AF11E	573.00
------	--	---	--------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous			
5MP43052	FRENCH OM/DECAL-LDR ATTACHMENTS		113.12
5FP10726	Hydraulic Angle Kit for 6 Ft. and 7 Ft. AF11E		618.84
5FPLAF6486	Rubber Edge Kit for 6 Ft. AF11E		521.64

FRONTIER PRODUCTS

**AF11E - 6 Ft. Boom Mounted Front Blade with Manual Angle for Current 300/400/500
Series Carrier**
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AF11E - 7 Ft. Boom Mounted Front Blade with Manual Angle for Current 300/400/500 Series Carrier
 Equipment for Base Machine

Cutting Width: 7 Ft.
 Loader Series:
 300, 400, and 500
 Dimensions:
 W84 In. x H23 In. x D34 In.
 Operational Weight: 450 lbs.
 Shipping Weight: 480 lbs.

as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2093XF		AF11E - 7 Ft. Boom Mounted Front Blade with Manual Angle for Current 300/400/500 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	2,539.00
--------	--	---	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Charge
------	--	--	-----------

RUBBER EDGE KIT

9020		Rubber Edge Kit <i>For 7 Ft. AF11E</i>	518.00
------	--	---	--------

HYDRAULICS

9000		Hydraulic angle Kit for 6 Ft. and 7 Ft. AF11E	573.00
------	--	---	--------

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous		
5MP43052		FRENCH OM/DECAL-LDR ATTACHMENTS	113.12
5FP10726		Hydraulic Angle Kit for 6 Ft. and 7 Ft. AF11E	618.84
5FPLAF6487		Rubber Edge Kit for 7 Ft. AF11E	559.44

FRONTIER PRODUCTS

**AF11E - 7 Ft. Boom Mounted Front Blade with Manual Angle for Current 300/400/500
Series Carrier**
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AF11D - 7 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier
 Equipment for Base Machine

Cutting Width: 7 Ft.
 Loader Series:
 600 Series Loaders
 on 6000 Series Tractors
 Dimensions:
 W84 In. x H32 In. x D48 In.
 Operational Weight: 730 lbs.
 Shipping Weight: 780 lbs.

third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2092XF		AF11D - 7 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier <i>ONLY 6000 series tractors.</i> <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	4,739.00
--------	--	---	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Charge
------	--	--	-----------

RUBBER EDGE KIT

9020		Rubber Edge Kit <i>For 7 Ft. AF11D and AF11G</i>	607.00
9010		Rubber Top Flap Kit <i>For 7 Ft. AF11D and AF11G.</i>	230.00

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous			
5MP43052	FRENCH OM/DECAL-LDR ATTACHMENTS		113.12
5FPLAF1551	Rubber Edge Kit for 7 Ft. AF11D and AF11G		655.56
5FPLAF6492	Rubber Top Flap Kit for 7 Ft. AF11D and AF11G		248.40

FRONTIER PRODUCTS

**AF11D - 7 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700
Series Carrier**
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AF11D - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier
 Equipment for Base Machine

Cutting Width: 8 Ft.
 Loader Series:
 600 Series Loaders
 on 6000 Series Tractors
 Dimensions:
 W96 In. x H32 In. x D54 In.
 Operational Weight: 1195 lbs.
 Shipping Weight: 1245 lbs.

third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2095XF		AF11D - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier <i>ONLY 6000 series tractors.</i> <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	4,893.00
--------	--	---	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Charge
------	--	--	-----------

RUBBER EDGE KIT

9020		Rubber Edge Kit <i>For 8 Ft. AF11D, AF11G, AF12D and AF12G</i>	673.00
9010		Rubber Top Flap Kit <i>For 8 Ft. AF11D, AF11G, AF12D and AF12G.</i>	248.00

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous			
5MP43052	FRENCH OM/DECAL-LDR ATTACHMENTS		113.12
5FPLAF1552	Rubber Edge Kit for 8 Ft. AF11D, AF11G, AF12D and AF12G		726.84
5FPLAF6493	Rubber Top Flap Kit for 8 Ft. AF11D, AF11G, AF12D and AF12G		267.84

FRONTIER PRODUCTS

**AF11D - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700
Series Carrier**

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AF11G - 7 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier
 Equipment for Base Machine

Cutting Width: 7 Ft.
 Loader Series:
 Global Carrier on 6000 Series Tractors
 Dimensions:
 W84 In. x H32 In. x D48 In.
 Operational Weight: 710 lbs.
 Shipping Weight: 760 lbs.

as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2094XF		AF11G - 7 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier <i>ONLY 6000 series tractors and smaller.</i> <i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	4,447.00
--------	--	--	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Charge
------	--	--	-----------

RUBBER EDGE KIT

9020		Rubber Edge Kit <i>For 7 Ft. AF11D and AF11G</i>	607.00
9010		Rubber Top Flap Kit <i>For 7 Ft. AF11D and AF11G.</i>	230.00

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous		
5MP43052	FRENCH OM/DECAL-LDR ATTACHMENTS	113.12
5FPLAF1551	Rubber Edge Kit for 7 Ft. AF11D and AF11G	655.56
5FPLAF6492	Rubber Top Flap Kit for 7 Ft. AF11D and AF11G	248.40

FRONTIER PRODUCTS

**AF11G - 7 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with
Global Carrier**
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AF11G - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier
 Equipment for Base Machine

Cutting Width: 8 Ft.
 Loader Series:
 Global Carrier on 6000 Series Tractors
 Dimensions:
 W96 In. x H32 In. x D54 In.
 Operational Weight: 1175 lbs.
 Shipping Weight: 1225 lbs.

as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2096XF		AF11G - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier <i>ONLY 6000 series tractors and smaller.</i> <i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	4,874.00
--------	--	--	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Charge
------	--	--	-----------

RUBBER EDGE KIT

9020		Rubber Edge Kit <i>For 8 Ft. AF11D, AF11G, AF12D and AF12G</i>	673.00
9010		Rubber Top Flap Kit <i>For 8 Ft. AF11D, AF11G, AF12D and AF12G.</i>	248.00

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous			
5MP43052	FRENCH OM/DECAL-LDR ATTACHMENTS		113.12
5FPLAF1552	Rubber Edge Kit for 8 Ft. AF11D, AF11G, AF12D and AF12G		726.84
5FPLAF6493	Rubber Top Flap Kit for 8 Ft. AF11D, AF11G, AF12D and AF12G		267.84

FRONTIER PRODUCTS

**AF11G - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with
Global Carrier**
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AF12D - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier
 Equipment for Base Machine

Cutting Width: 8 Ft.
 Loader Series:
 600 and 700
 Dimensions:
 W96 In. x H32 In. x D54 In.
 Operational Weight: 1195 lbs.
 Shipping Weight: 1245 lbs.

as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2101XF		AF12D - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	6,507.00
--------	--	--	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Charge
------	--	--	-----------

RUBBER EDGE KIT

9020		Rubber Edge Kit <i>For 8 Ft. AF11D, AF11G, AF12D and AF12G</i>	673.00
9010		Rubber Top Flap Kit <i>For 8 Ft. AF11D, AF11G, AF12D and AF12G.</i>	248.00

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous		
5MP43052	FRENCH OM/DECAL-LDR ATTACHMENTS	113.12
5FPLAF1552	Rubber Edge Kit for 8 Ft. AF11D, AF11G, AF12D and AF12G	726.84
5FPLAF6493	Rubber Top Flap Kit for 8 Ft. AF11D, AF11G, AF12D and AF12G	267.84

FRONTIER PRODUCTS

**AF12D - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700
Series Carrier**
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AF12D - 9 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier
 Equipment for Base Machine

Cutting Width: 9 Ft.
 Loader Series:
 600 and 700
 Dimensions:
 W96 In. x H32 In. x D54 In.
 Operational Weight: 1195 lbs.
 Shipping Weight: 1245 lbs.

as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2103XF		AF12D - 9 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	7,208.00
--------	--	--	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Charge
------	--	--	-----------

RUBBER EDGE KIT

9020		Rubber Edge Kit <i>For 9 Ft. AF12D and AF12G</i>	735.00
9010		Rubber Top Flap Kit <i>For 9 Ft. AF12D and AF12G.</i>	266.00

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous		
5MP43052	FRENCH OM/DECAL-LDR ATTACHMENTS	113.12
5FPLAF1553	Rubber Edge Kit for 9 Ft. AF12D and AF12G	793.80
5FPLAF6494	Rubber Top Flap Kit for 9 Ft. AF12D and AF12G	287.28

FRONTIER PRODUCTS

**AF12D - 9 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700
Series Carrier**
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AF12D - 10 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier
 Equipment for Base Machine

Cutting Width: 10 Ft.
 Loader Series:
 600 and 700
 Dimensions:
 W96 In. x H32 In. x D54 In.
 Operational Weight: 1195 lbs.
 Shipping Weight: 1245 lbs.

as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2105XF		AF12D - 10 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	7,258.00
--------	--	---	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Charge
------	--	--	-----------

RUBBER EDGE KIT

9020		Rubber Edge Kit <i>For 10 Ft. AF12D and AF12G</i>	799.00
------	--	--	--------

9010		Rubber Top Flap Kit <i>For 10 Ft. AF12D and AF12G.</i>	284.00
------	--	---	--------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous		
5MP43052	FRENCH OM/DECAL-LDR ATTACHMENTS	113.12
5FPLAF1554	Rubber Edge Kit for 10 Ft. AF12D and AF12G	862.92
5FPLAF6495	Rubber Top Flap Kit for 10 Ft. AF12D and AF12G	306.72

FRONTIER PRODUCTS

**AF12D - 10 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700
Series Carrier**
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AF12G - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier
 Equipment for Base Machine

Cutting Width: 8 Ft.
 Loader Series:
 Global Carrier
 Dimensions:
 W96 In. x H32 In. x D54 In.
 Operational Weight: 1175 lbs.
 Shipping Weight: 1225 lbs.

as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2102XF		AF12G - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier <i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	5,798.00
--------	--	---	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Charge
------	--	--	-----------

RUBBER EDGE KIT

9020		Rubber Edge Kit <i>For 8 Ft. AF11D, AF11G, AF12D and AF12G</i>	673.00
9010		Rubber Top Flap Kit <i>For 8 Ft. AF11D, AF11G, AF12D and AF12G.</i>	248.00

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous			
5MP43052	FRENCH OM/DECAL-LDR ATTACHMENTS		113.12
5FPLAF1552	Rubber Edge Kit for 8 Ft. AF11D, AF11G, AF12D and AF12G		726.84
5FPLAF6493	Rubber Top Flap Kit for 8 Ft. AF11D, AF11G, AF12D and AF12G		267.84

FRONTIER PRODUCTS

**AF12G - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with
Global Carrier**
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AF12G - 9 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier
 Equipment for Base Machine

Cutting Width: 9 Ft.
 Loader Series:
 Global Carrier
 Dimensions:
 W96 In. x H32 In. x D54 In.
 Operational Weight: 1175 lbs.
 Shipping Weight: 1225 lbs.

as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2104XF		AF12G - 9 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier <i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	6,489.00
--------	--	---	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Charge
------	--	--	-----------

RUBBER EDGE KIT

9020		Rubber Edge Kit <i>For 9 Ft. AF12D and AF12G</i>	735.00
9010		Rubber Top Flap Kit <i>For 9 Ft. AF12D and AF12G.</i>	266.00

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous			
5MP43052	FRENCH OM/DECAL-LDR ATTACHMENTS		113.12
5FPLAF1553	Rubber Edge Kit for 9 Ft. AF12D and AF12G		793.80
5FPLAF6494	Rubber Top Flap Kit for 9 Ft. AF12D and AF12G		287.28

FRONTIER PRODUCTS

**AF12G - 9 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with
Global Carrier**
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

**AF12G - 10 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders
 with Global Carrier
 Equipment for Base Machine**

Cutting Width: 10 Ft.
 Loader Series:
 Global Carrier
 Dimensions:
 W96 In. x H32 In. x D54 In.
 Operational Weight: 1175 lbs.
 Shipping Weight: 1225 lbs.

as well as a tractor with (3) SCV's. Please
 reference the loader and tractor sales information
 for additional information.

Hydraulic functions on loader attachment require
 third function hydraulic lines and hoses on loader

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2106XF		AF12G - 10 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier <i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	6,680.00
--------	--	--	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Charge
------	--	--	-----------

RUBBER EDGE KIT

9020		Rubber Edge Kit <i>For 10 Ft. AF12D and AF12G</i>	799.00
9010		Rubber Top Flap Kit <i>For 10 Ft. AF12D and AF12G.</i>	284.00

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous			
5MP43052		FRENCH OM/DECAL-LDR ATTACHMENTS	113.12
5FPLAF1554		Rubber Edge Kit for 10 Ft. AF12D and AF12G	862.92
5FPLAF6495		Rubber Top Flap Kit for 10 Ft. AF12D and AF12G	306.72

FRONTIER PRODUCTS

**AF12G - 10 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders
with Global Carrier**
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AM20F - 50 in. Manure Fork
 Equipment for Base Machine

Operating Width: 50 In.
 Loader Series:
 120/H120/220R/D160 (Check Compatibility Chart For
 Complete Loader List)
 Dimensions:
 W50 In. x H21.13 In. x D25 In.
 7 tines at 1.25 In. diameter solid round steel
 Operational Weight: 141 lbs.

Shipping Weight: 178 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2361XF		AM20F - 50 in. Manure Fork	765.00
--------	--	----------------------------	--------

DESTINATION

0202		United States	In Base Price
0184		Canada	No Added Cost

OPERATOR'S MANUAL AND DECALS

0409		English Operator's Manual	In Base Price
0413		French Operator's Manual	No Added Cost
0437		Spanish Operator's Manual	No Added Cost

ATTACHMENTS FOR FIELD CONVERSION

Operator's Manual and Decals			
5WS105009		English Operator's Manual - AM20F Manure Fork	49.28
5WS101364		French Operator's Manual - AP10F, AP11F Pallet Fork & AM20F Manure Fork	49.28
5WS101375		Spanish Operator's Manual - AP10F, AP11F Pallet Fork & AM20F Manure Fork	49.28

FRONTIER PRODUCTS

AM20F - 50 in. Manure Fork

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AM20F - 60 in. Manure Fork
 Equipment for Base Machine

Operating Width: 60 In.
 Loader Series:
 120/H120/220R/D160 (Check Compatibility Chart For
 Complete Loader List)
 Dimensions:
 W60 In. x H21.13 In. x D25 In.
 8 tines at 1.25 In. diameter solid round steel
 Operational Weight: 167 lbs.

Shipping Weight: 204 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2362XF		AM20F - 60 in. Manure Fork	1,004.00
--------	--	----------------------------	----------

DESTINATION

0202		United States	In Base Price
0184		Canada	No Added Cost

OPERATOR'S MANUAL AND DECALS

0409		English Operator's Manual	In Base Price
0413		French Operator's Manual	No Added Cost
0437		Spanish Operator's Manual	No Added Cost

ATTACHMENTS FOR FIELD CONVERSION

Operator's Manual and Decals			
5WS105009		English Operator's Manual - AM20F Manure Fork	49.28
5WS101364		French Operator's Manual - AP10F, AP11F Pallet Fork & AM20F Manure Fork	49.28
5WS101375		Spanish Operator's Manual - AP10F, AP11F Pallet Fork & AM20F Manure Fork	49.28

FRONTIER PRODUCTS

AM20F - 60 in. Manure Fork

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AM11H - 60 In. Manure Fork with Grapple for Current 300CX/400 Series Carrier
 Equipment for Base Machine

Cutting Width: 60 In.
 Loader Series:
 300 and 400 Only (Not 500 Series)
 Dimensions:
 W60 In. x H26.5 In. x D34 In.
 Grapple Opening: 37 In.
 Operational Weight: 457 lbs.
 Shipping Weight: 507 lbs.

third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2141XF		AM11H - 60 In. Manure Fork with Grapple for Current 300CX/400 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	2,875.00
--------	--	--	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AM11 Series)	No Charge
------	--	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43054		Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	51.52
----------	--	---	-------

FRONTIER PRODUCTS

AM11H - 60 In. Manure Fork with Grapple for Current 300CX/400 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

**AM11E - 72 In. Manure Fork with Grapple for Current 300CX/400/500 Series Carrier
 Equipment for Base Machine**

Cutting Width: 72 In.
 Loader Series:
 300, 400, and 500
 Dimensions:
 W72 In. x H26.5 In. x D34 In.
 Grapple Opening: 37 In.
 Operational Weight: 471 lbs.
 Shipping Weight: 521 lbs.
 Hydraulic functions on loader attachment require
 third function hydraulic lines and hoses on loader

as well as a tractor with (3) SCV's. Please
 reference the loader and tractor sales information
 for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2142XF		AM11E - 72 In. Manure Fork with Grapple for Current 300CX/400/500 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	2,945.00
--------	--	--	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AM11 Series)	No Charge
------	--	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43054		Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	51.52
----------	--	---	-------

FRONTIER PRODUCTS

AM11E - 72 In. Manure Fork with Grapple for Current 300CX/400/500 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AM11D - 84 In. Manure Fork with Grapple for Current 600/700 Series Carrier
 Equipment for Base Machine

Cutting Width: 84 In.
 Loader Series:
 600 and 700
 Dimensions:
 W84 In. x H27.5 In. x D26 In.
 Grapple Opening: 37 In.
 Operational Weight: 587 lbs.
 Shipping Weight: 637 lbs.

third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2143XF		AM11D - 84 In. Manure Fork with Grapple for Current 600/700 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	3,395.00
--------	--	--	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AM11 Series)	No Charge
------	--	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43054		Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	51.52
----------	--	---	-------

FRONTIER PRODUCTS

AM11D - 84 In. Manure Fork with Grapple for Current 600/700 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AM11D - 96 In. Manure Fork with Grapple for Current 600/700 Series Carrier
 Equipment for Base Machine

Cutting Width: 96 In.
 Loader Series:
 600 and 700
 Dimensions:
 W96 In. x H27.5 In. x D26 In.
 Grapple Opening: 37 In.
 Operational Weight: 651 lbs.
 Shipping Weight: 701 lbs.

third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2145XF		AM11D - 96 In. Manure Fork with Grapple for Current 600/700 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	3,974.00
--------	--	--	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AM11 Series)	No Charge
------	--	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43054		Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	51.52
----------	--	---	-------

FRONTIER PRODUCTS

AM11D - 96 In. Manure Fork with Grapple for Current 600/700 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AM11G - 84 In. Manure Fork with Grapple for Current Loaders with Global Carrier
 Equipment for Base Machine

Cutting Width: 84 In.
 Loader Series:
 Global Carrier
 Dimensions:
 W84 In. x H24 In. x D35 In.
 Grapple Opening: 37 In.
 Operational Weight: 537 lbs.
 Shipping Weight: 587 lbs.

third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2144XF		AM11G - 84 In. Manure Fork with Grapple for Current Loaders with Global Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	3,607.00
--------	--	---	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AM11 Series)	No Charge
------	--	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43054		Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	51.52
----------	--	---	-------

FRONTIER PRODUCTS

AM11G - 84 In. Manure Fork with Grapple for Current Loaders with Global Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AM11G - 96 In. Manure Fork with Grapple for Current Loaders with Global Carrier
 Equipment for Base Machine

Cutting Width: 96 In.
 Loader Series:
 Global Carrier
 Dimensions:
 W96 In. x H24 In. x D35 In.
 Grapple Opening: 37 In.
 Operational Weight: 601 lbs.
 Shipping Weight: 651 lbs.

third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2146XF		AM11G - 96 In. Manure Fork with Grapple for Current Loaders with Global Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	4,183.00
--------	--	---	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AM11 Series)	No Charge
------	--	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43054		Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	51.52
----------	--	---	-------

FRONTIER PRODUCTS

AM11G - 96 In. Manure Fork with Grapple for Current Loaders with Global Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AP10F Pallet Fork Fixed Tines
 Equipment for Base Machine

Pallet Forks (36 In. or 42 In. in Length): (36 In. Forks or 42 In. Forks):
 Two - Class I Solid 1.0 In. x 3.0 or 1.18 x 3.13 170 or 198 lbs.
 In. Tines
 H120, D120 Series Loaders (Check Compatibility
 Chart For Complete Loader List)
 Frame Load Rating: 1250 lbs.
 Dimensions (36 In. Forks or 42 In. Forks):
 24.5H x 49.25W x 45L or 51L
 Operational Weight

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2341XF		AP10F Pallet Fork Fixed Tines	671.00
--------	--	-------------------------------	--------

DESTINATION

0202		United States	In Base Price
0184		Canada	No Added Cost

OPERATOR'S MANUAL AND DECALS

0409		English Operator's Manual	In Base Price
0413		French Operator's Manual	No Added Cost
0437		Spanish Operator's Manual	No Added Cost

PALLET TINE

2401		36 in. tines (900 lbs)	In Base Price
2400		42 in. tines (2000 lbs)	75.00

ATTACHMENTS FOR FIELD CONVERSION

	Operator's Manual and Decals		
5WS105008	English Operator's Manual - AP10F, AP11F Pallet Fork		49.28
5WS101364	French Operator's Manual - AP10F, AP11F Pallet Fork & AM20F Manure Fork		49.28
5WS101375	Spanish Operator's Manual - AP10F, AP11F Pallet Fork & AM20F Manure Fork		49.28

FRONTIER PRODUCTS

AP10F Pallet Fork Fixed Tines

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AP11F Pallet Fork Fixed Tines
 Equipment for Base Machine

Pallet Forks (36 In. or 42 In. in Length):
 Two - Class I Solid 1.0 In. x 3.0 or 1.18 x 3.13 In. Tines
 120/H120/220R/D160 Loaders (Check Compatibility Chart For Complete Loader List)
 Frame Load Rating: 2000 lbs.
 Dimensions (36 In. Forks or 42 In. Forks):
 24.5H x 49.38W x 44L or 50L
 Operational Weight

(36 In. Forks or 42 In. Forks):
 219 or 247 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2351XF		AP11F Pallet Fork Fixed Tines	823.00
--------	--	-------------------------------	--------

DESTINATION

0202		United States	In Base Price
0184		Canada	No Added Cost

OPERATOR'S MANUAL AND DECALS

0409		English Operator's Manual	In Base Price
0413		French Operator's Manual	No Added Cost
0437		Spanish Operator's Manual	No Added Cost

PALLET TINE

2401		36 in. tines (900 lbs)	-75.00
2400		42 in. tines (2000 lbs)	In Base Price

ATTACHMENTS FOR FIELD CONVERSION

	Operator's Manual and Decals	
5WS105008	English Operator's Manual - AP10F, AP11F Pallet Fork	49.28
5WS101364	French Operator's Manual - AP10F, AP11F Pallet Fork & AM20F Manure Fork	49.28
5WS101375	Spanish Operator's Manual - AP10F, AP11F Pallet Fork & AM20F Manure Fork	49.28

FRONTIER PRODUCTS

AP11F Pallet Fork Fixed Tines

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AP12A Fixed Pallet Fork for Current 800 Series Carrier
 Equipment for Base Machine

Pallet Forks (42 In. or 48 In. in Length):
 Two - 1.57 In. x 5.12 In.
 (600, 700, Global, and
 800 Series Loaders)
 Load Rating: 5500 lbs.
 (600, 700, Global, and
 800 Series Loaders)
 Dimensions (42 In. Forks or 48 In. Forks):
 37H x 60W x 54L or 60L

Operational Weight
 (42 In. Forks or 48 In. Forks):
 445 or 465 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2151XF		AP12A Fixed Pallet Fork for Current 800 Series Carrier <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	1,932.00
--------	--	--	----------

PALLET TINE

1000		42 In. Pallet Tine <i>Rated for 5500 lbs.</i>	In Base Price
1010		48 In. Pallet Tine <i>Rated for 5500 lbs.</i>	56.00

OPERATOR'S MANUAL AND DECALS

9200		French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14 Bale Spear and AP12 and AP13 Pallet Forks	No Charge
------	--	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

	5MP43053	Miscellaneous French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	34.72
--	----------	--	-------

FRONTIER PRODUCTS

AP12A Fixed Pallet Fork for Current 800 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AP12F Fixed Pallet Fork for Current 200/300/400/500 Series Carrier
 Equipment for Base Machine

Pallet Forks (42 In. or 48 In. in Length):
 Two - 1.38 In. x 4.72 In.
 (200, 300, 400, and
 500 Series Loaders)
 Load Rating: 3750 lbs.
 (200, 300, 400, and
 500 Series Loaders)
 Dimensions (42 In. Forks or 48 In. Forks):
 34H x 50W x 51L or 57L

Operational Weight
 (42 In. Forks or 48 In. Forks):
 380 or 395 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2153XF		AP12F Fixed Pallet Fork for Current 200/300/400/500 Series Carrier <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	1,120.00
--------	--	--	----------

PALLET TINE

1000		42 In. Pallet Tine <i>Rated for 3750 lbs.</i>	In Base Price
1010		48 In. Pallet Tine <i>Rated for 3750 lbs.</i>	41.00

OPERATOR'S MANUAL AND DECALS

9200		French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14 Bale Spear and AP12 and AP13 Pallet Forks	No Charge
------	--	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

	5MP43053	Miscellaneous French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	34.72
--	----------	--	-------

FRONTIER PRODUCTS

AP12F Fixed Pallet Fork for Current 200/300/400/500 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AP12D Fixed Pallet Fork for Current 600/700 Series Carrier
 Equipment for Base Machine

Pallet Forks (42 In. or 48 In. in Length):
 Two - 1.57 In. x 5.12 In.
 (600, 700, Global, and
 800 Series Loaders)
 Load Rating: 5500 lbs.
 (600, 700, Global, and
 800 Series Loaders)
 Dimensions (42 In. Forks or 48 In. Forks):
 34H x 50W x 54L or 60L

Operational Weight
 (42 In. Forks or 48 In. Forks):
 445 or 465 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2152XF		AP12D Fixed Pallet Fork for Current 600/700 Series Carrier <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	1,384.00
--------	--	--	----------

PALLET TINE

1000		42 In. Pallet Tine <i>Rated for 5500 lbs.</i>	In Base Price
1010		48 In. Pallet Tine <i>Rated for 5500 lbs.</i>	56.00

OPERATOR'S MANUAL AND DECALS

9200		French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14 Bale Spear and AP12 and AP13 Pallet Forks	No Charge
------	--	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

	5MP43053	Miscellaneous French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	34.72
--	----------	--	-------

FRONTIER PRODUCTS

AP12D Fixed Pallet Fork for Current 600/700 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AP12G Fixed Pallet Fork for Current Loaders with Global Carrier
 Equipment for Base Machine

Pallet Forks (42 In. or 48 In. in Length):
 Two - 1.57 In. x 5.12 In.
 (600, 700, Global, and
 800 Series Loaders)
 Load Rating: 5500 lbs.
 (600, 700, Global, and
 800 Series Loaders)
 Dimensions (42 In. Forks or 48 In. Forks):
 37H x 60W x 54L or 60L

Operational Weight
 (42 In. Forks or 48 In. Forks):
 456 or 476 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2154XF		AP12G Fixed Pallet Fork for Current Loaders with Global Carrier <i>Note: Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	1,333.00
--------	--	---	----------

PALLET TINE

1000		42 In. Pallet Tine <i>Rated for 5500 lbs.</i>	In Base Price
1010		48 In. Pallet Tine <i>Rated for 5500 lbs.</i>	56.00

OPERATOR'S MANUAL AND DECALS

9200		French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14 Bale Spear and AP12 and AP13 Pallet Forks	No Charge
------	--	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43053	Miscellaneous	French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	34.72
----------	----------------------	--	-------

FRONTIER PRODUCTS

AP12G Fixed Pallet Fork for Current Loaders with Global Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AP12K Fixed Pallet Fork for Current Loaders with Global Category 2 Carrier (H480 Loader only)
 Equipment for Base Machine

Pallet Forks (48 In. in Length):
 Two - 2.00 In. x 5.00 In.
 (Global Category 2,
 Loader Carrier)
 Load Rating: 10,000 lbs.
 (Global Category 2 Carrier, H480 Loader)
 Dimensions (48 In. Forks):
 43H x 59W x 60L
 Operational Weight

(48 In. Forks):
 812 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2155XF	AP12K Fixed Pallet Fork for Current Loaders with Global Category 2 Carrier (H480 Loader only) <i>Note: 48 In Pallet Forks Included as Standard Equipment. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	3,352.00
--------	---	----------

FRONTIER PRODUCTS

**AP12K Fixed Pallet Fork for Current Loaders with Global Category 2 Carrier (H480
Loader only)**
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AP13F Floating Pallet Fork for Current 200/300/400/500 Series Carrier
 Equipment for Base Machine

Pallet Forks (42 In. or 48 In. in Length): 360 or 375 lbs.
 Two - 1.38 In. x 4.72 In.
 Load Rating: 3750 lbs.
 Dimensions (42 In. Forks or 48 In. Forks):
 31H x 50W x 51L or 57L
 Operational Weight
 (42 In. Forks or 48 In. Forks):

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2162XF		AP13F Floating Pallet Fork for Current 200/300/400/500 Series Carrier <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	1,169.00
--------	--	---	----------

PALLET TINE

1000		42 In. Pallet Tine <i>Rated for 3750 lbs.</i>	In Base Price
1010		48 In. Pallet Tine <i>Rated for 3750 lbs.</i>	73.00

OPERATOR'S MANUAL AND DECALS

9200		French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14 Bale Spear and AP12 and AP13 Pallet Forks	No Charge
------	--	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43053		Miscellaneous French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	34.72
----------	--	--	-------

FRONTIER PRODUCTS

AP13F Floating Pallet Fork for Current 200/300/400/500 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AP13D Floating Pallet Fork for Current 600/700 Series Carrier
 Equipment for Base Machine

Pallet Forks (42 In. or 48 In. in Length): 425 or 445 lbs.
 Two - 1.57 In. x 5.12 In.
 Load Rating: 5500 lbs.
 Dimensions (42 In. Forks or 48 In. Forks):
 34H x 50W x 54L or 60L
 Operational Weight
 (42 In. Forks or 48 In. Forks):

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2161XF		AP13D Floating Pallet Fork for Current 600/700 Series Carrier <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	1,331.00
--------	--	---	----------

PALLET TINE

1000		42 In. Pallet Tine <i>Rated for 5500 lbs.</i>	In Base Price
1010		48 In. Pallet Tine <i>Rated for 5500 lbs.</i>	92.00

OPERATOR'S MANUAL AND DECALS

9200		French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14 Bale Spear and AP12 and AP13 Pallet Forks	No Charge
------	--	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43053		Miscellaneous French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	34.72
----------	--	--	-------

FRONTIER PRODUCTS

AP13D Floating Pallet Fork for Current 600/700 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AP13G Floating Pallet Fork for Current Loaders with Global Carrier
 Equipment for Base Machine

Pallet Forks (42 In. or 48 In. in Length): 440 or 460 lbs.
 Two - 1.57 In. x 5.12 In.
 Load Rating: 5500 lbs.
 Dimensions (42 In. Forks or 48 In. Forks):
 32H x 49W x 52L or 58L
 Operational Weight
 (42 In. Forks or 48 In. Forks):

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2163XF		AP13G Floating Pallet Fork for Current Loaders with Global Carrier <i>Note: Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	1,272.00
--------	--	--	----------

PALLET TINE

1000		42 In. Pallet Tine <i>Rated for 5500 lbs.</i>	In Base Price
1010		48 In. Pallet Tine <i>Rated for 5500 lbs.</i>	92.00

OPERATOR'S MANUAL AND DECALS

9200		French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14 Bale Spear and AP12 and AP13 Pallet Forks	No Charge
------	--	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43053		Miscellaneous French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	34.72
----------	--	--	-------

FRONTIER PRODUCTS

AP13G Floating Pallet Fork for Current Loaders with Global Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AP13K Floating Pallet Fork for Current Loaders with Global Category 2 Carrier (H480 Loader only)
 Equipment for Base Machine

Pallet Forks (48 In. in Length):
 Two - 2.0 In. x 5.0 In.
 Load Rating: 10,000 lbs.
 Dimensions:
 42H x 62W x 61L
 Operational Weight
 773 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2331XF		AP13K Floating Pallet Fork for Current Loaders with Global Category 2 Carrier (H480 Loader only) <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	3,315.00
--------	--	--	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14 Bale Spear and AP12 and AP13 Pallet Forks	No Charge
------	--	---	-----------

FRONTIER PRODUCTS

**AP13K Floating Pallet Fork for Current Loaders with Global Category 2 Carrier (H480
Loader only)**
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AR10H - 55 In. Rock Bucket for Current 300/400 Series Carrier
 Equipment for Base Machine

Cutting Width: 55 In.
 Loader Series:
 300 and 400 Only (Not 500 Series)
 Dimensions:
 W54.8 In. x H22 In. x D23 In.
 Capacity:
 0.32 Cubic Foot
 Tine Diameter: 1-1/8 In.
 Tine Length: 22 In.

Operational Weight: 282 lbs.
 Shipping Weight: 352 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2171XF		AR10H - 55 In. Rock Bucket for Current 300/400 Series Carrier <i>Tine spacing is 2 In. on 55 In. model.</i> <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	1,746.00
--------	--	--	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit(AR10 and AR12 Series)	No Charge
------	--	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43054	Miscellaneous	FRENCH OM/DECAL-LDR ATTACHMENTS	51.52
----------	----------------------	---------------------------------	-------

FRONTIER PRODUCTS

AR10H - 55 In. Rock Bucket for Current 300/400 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AR10E - 66 In. Rock Bucket for Current 300/400/500 Series Carrier
 Equipment for Base Machine

Cutting Width: 60 In.

Loader Series:
 300, 400, and 500

Dimensions:
 W68.4 In. (W65.9 In.) x H21.7 In. x D45 In.

Capacity:
 0.82 Cubic Foot

Optional Hydraulic Grapple - Opening:
 60 In.

Optional Hydraulic Grapple - Weight:
 375 lbs.

Tine Diameter: 1-1/8 In.

Tine Length: 39 In.

Operational Weight:
 585 lbs. (458 lbs.)

Shipping Weight:
 670 lbs. (550 lbs.)

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2172XF		AR10E - 66 In. Rock Bucket for Current 300/400/500 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	2,420.00
--------	--	---	----------

TINE SPACING

1000		2 In. Tine Spacing	In Base Price
1010		3 In. Tine Spacing	-194.00

GRAPPLES

9050		Grapple Attachment for Rock Bucket <i>Fits AR10E models with 66 In. and 75 In. working widths and used on 300/400/500 series loaders. Includes Grapple Attachment and Hydraulic Kit.</i>	2,686.00
------	--	---	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AR10 and AR12 Series)	No Charge
------	--	--	-----------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous			
5MP43054		FRENCH OM/DECAL-LDR ATTACHMENTS	51.52
5MP106503		Grapple Attachment for Rock Bucket Fits AR10E, AR10D, and AR10G Models with 66 In. and 75 In. Working Widths <i>No Hydraulic included when ordered as AFC. Order 5MP103533 for hydraulics. No Hydraulic included when ordered as AFC. Order either 5MP106524 or 5MP103533 for hydraulics.</i>	2,974.32
5MP103533		Hydraulic Kit for use with 5MP106503 Rock Bucket Grapple Attachment <i>Fitting compatible with 500, 600 and 700 series loaders as well as loaders with global carrier that do not have the multicoupler installation.</i>	142.24

FRONTIER PRODUCTS

AR10E - 66 In. Rock Bucket for Current 300/400/500 Series Carrier

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION ...Continued...	
	5MP106524	Hydraulic Kit for use with 5MP106503 Rock Bucket Grapple Attachment <i>Fittings compatible with 300 and 400 series loaders.</i>	123.20

FRONTIER PRODUCTS

AR10E - 75 In. Rock Bucket for Current 300/400/500 Series Carrier
 Equipment for Base Machine

Cutting Width: 75 In.

Loader Series:
 300, 400, and 500

Dimensions:
 W74.7 In. (W74.4 In.) x H21.7 In. x D45 In.

Capacity:
 0.89 Cubic Foot

Optional Hydraulic Grapple - Opening:
 60 In.

Optional Hydraulic Grapple - Weight:
 375 lbs.

Tine Diameter: 1-1/8 In.

Tine Length: 39 In.

Operational Weight:
 632 lbs. (528 lbs.)

Shipping Weight:
 707 lbs. (603 lbs.)

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2174XF		AR10E - 75 In. Rock Bucket for Current 300/400/500 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	2,640.00
--------	--	---	----------

TINE SPACING

1000		2 In. Tine Spacing	In Base Price
1010		3 In. Tine Spacing	-264.00

GRAPPLES

9050		Grapple Attachment for Rock Bucket <i>Fits AR10E models with 66 In. and 75 In. working widths and used on 300/400/500 series loaders. Includes Grapple Attachment and Hydraulic Kit.</i>	2,686.00
------	--	---	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AR10 and AR12 Series)	No Charge
------	--	--	-----------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous			
5MP43054		FRENCH OM/DECAL-LDR ATTACHMENTS	51.52
5MP106503		Grapple Attachment for Rock Bucket Fits AR10E, AR10D, and AR10G Models with 66 In. and 75 In. Working Widths <i>No Hydraulic included when ordered as AFC. Order 5MP103533 for hydraulics. No Hydraulic included when ordered as AFC. Order either 5MP106524 or 5MP103533 for hydraulics.</i>	2,974.32
5MP103533		Hydraulic Kit for use with 5MP106503 Rock Bucket Grapple Attachment <i>Fitting compatible with 500, 600 and 700 series loaders as well as loaders with global carrier that do not have the multicoupler installation.</i>	142.24

FRONTIER PRODUCTS

AR10E - 75 In. Rock Bucket for Current 300/400/500 Series Carrier

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
5MP106524	ATTACHMENTS FOR FIELD CONVERSION ...Continued...	Hydraulic Kit for use with 5MP106503 Rock Bucket Grapple Attachment <i>Fittings compatible with 300 and 400 series loaders.</i>	123.20

FRONTIER PRODUCTS

AR10D - 75 In. Rock Bucket for Current 600/700 Series Carrier
 Equipment for Base Machine

Cutting Width: 75 In.

Loader Series:
 600 and 700

Dimensions:

W74.7 In. (W74.4 In.) x H21.7 In. x D45 In.

Capacity:

0.89 Cubic Foot

Optional Hydraulic Grapple - Opening:
 60 In.

Optional Hydraulic Grapple - Weight:
 375 lbs.

Tine Diameter: 1-1/8 In.

Tine Length: 39 In.

Operational Weight:
 632 lbs. (528 lbs.)

Shipping Weight:

707 lbs. (603 lbs.)

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2173XF		AR10D - 75 In. Rock Bucket for Current 600/700 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	2,809.00
--------	--	---	----------

TINE SPACING

1000		2 In. Tine Spacing	In Base Price
1010		3 In. Tine Spacing	-254.00

GRAPPLES

9060		Grapple Attachment for Rock Bucket <i>Fits AR10D, and AR10G models with 66 In. and 75 In. working widths and used on 600/700 series loaders as well as loaders with global carriers. Includes Grapple Attachment and Hydraulic Kit.</i>	2,701.00
------	--	--	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AR10 and AR12 Series)	No Charge
------	--	--	-----------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous

5MP43054		FRENCH OM/DECAL-LDR ATTACHMENTS	51.52
5MP106503		Grapple Attachment for Rock Bucket Fits AR10E, AR10D, and AR10G Models with 66 In. and 75 In. Working Widths <i>No Hydraulic included when ordered as AFC. Order 5MP103533 for hydraulics. No Hydraulic included when ordered as AFC. Order either 5MP106524 or 5MP103533 for hydraulics.</i>	2,974.32
5MP103533		Hydraulic Kit for use with 5MP106503 Rock Bucket Grapple Attachment <i>Fitting compatible with 500, 600 and 700 series loaders as well as loaders with global carrier that do not have the multicoupler installation.</i>	142.24

FRONTIER PRODUCTS

AR10D - 75 In. Rock Bucket for Current 600/700 Series Carrier

Continued

FRONTIER PRODUCTS

AR10G - 75 In. Rock Bucket for Current Loaders with Global Carrier
 Equipment for Base Machine

Cutting Width: 75 In.

Loader Series:
 Global Carrier

Dimensions:
 W74.7 In. (W74.4 In.) x H21.7 In. x D45 In.

Capacity:
 0.89 Cubic Foot

Optional Hydraulic Grapple - Opening:
 60 In.

Optional Hydraulic Grapple - Weight:
 375 lbs.

Tine Diameter: 1-1/8 In.

Tine Length: 39 In.

Operational Weight:
 739 lbs. (619 lbs.)

Shipping Weight:
 814 lbs. (694 lbs.)

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2175XF		AR10G - 75 In. Rock Bucket for Current Loaders with Global Carrier <i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	2,993.00
--------	--	--	----------

TINE SPACING

1000		2 In. Tine Spacing	In Base Price
1010		3 In. Tine Spacing	-158.00

GRAPPLES

9060		Grapple Attachment for Rock Bucket <i>Fits AR10D, and AR10G models with 66 In. and 75 In. working widths and used on 600/700 series loaders as well as loaders with global carriers. Includes Grapple Attachment and Hydraulic Kit.</i>	2,701.00
------	--	--	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AR10 and AR12 Series)	No Charge
------	--	--	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43054	Miscellaneous	FRENCH OM/DECAL-LDR ATTACHMENTS	51.52
5MP106503		Grapple Attachment for Rock Bucket Fits AR10E, AR10D, and AR10G Models with 66 In. and 75 In. Working Widths <i>No Hydraulic included when ordered as AFC. Order 5MP103533 for hydraulics. No Hydraulic included when ordered as AFC. Order either 5MP106524 or 5MP103533 for hydraulics.</i>	2,974.32

FRONTIER PRODUCTS

AR10G - 75 In. Rock Bucket for Current Loaders with Global Carrier

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION ...Continued...	
5MP103533		Hydraulic Kit for use with 5MP106503 Rock Bucket Grapple Attachment <i>Fitting compatible with 500, 600 and 700 series loaders as well as loaders with global carrier that do not have the multicoupler installation.</i>	142.24

FRONTIER PRODUCTS

AR12A - 84 In. Rock Bucket for Current 800 Series Carrier
 Equipment for Base Machine

Cutting Width: 84 In.
 Loader Series: 800
 Dimensions:
 W85 In. x H35 In. x D61 In.
 Capacity:
 1.02 Cubic Foot
 Tine Diameter: 1-5/8 In.
 Tine Length: 46 In.

Operational Weight: 1536 lbs.
 Shipping Weight: 1666 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2181XF		AR12A - 84 In. Rock Bucket for Current 800 Series Carrier <i>Tine spacing is 3 In. on AR12 series rock buckets. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	7,250.00
--------	--	---	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit(AR10 and AR12 Series)	No Charge
------	--	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

	5MP43054	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	51.52
--	----------	---	-------

FRONTIER PRODUCTS

AR12A - 84 In. Rock Bucket for Current 800 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AR12A - 93 In. Rock Bucket for Current 800 Series Carrier
 Equipment for Base Machine

Cutting Width: 93 In.
 Loader Series: 800
 Dimensions:
 W94 In. x H35 In. x D61 In.
 Capacity:
 1.17 Cubic Foot
 Tine Diameter: 1-5/8 In.
 Tine Length: 46 In.

Operational Weight: 1680 lbs.
 Shipping Weight: 1810 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2184XF		AR12A - 93 In. Rock Bucket for Current 800 Series Carrier <i>Tine spacing is 3 In. on AR12 series rock buckets. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	8,085.00
--------	--	---	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit(AR10 and AR12 Series)	No Charge
------	--	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

	5MP43054	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	51.52
--	----------	---	-------

FRONTIER PRODUCTS

AR12A - 93 In. Rock Bucket for Current 800 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AR12D - 84 In. Rock Bucket for Current 600/700 Series Carrier
 Equipment for Base Machine

Cutting Width: 84 In.

Loader Series:

600 and 700

Dimensions:

W82.7 In. x H35 In. x D61 In.

Capacity:

1.02 Cubic Foot

Tine Diameter: 1-5/8 In.

Tine Length: 46 In.

Operational Weight: 1561 lbs.

Shipping Weight: 1691 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2182XF		AR12D - 84 In. Rock Bucket for Current 600/700 Series Carrier <i>Tine spacing is 3 In. on AR12 series rock buckets. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	7,385.00
--------	--	---	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit(AR10 and AR12 Series)	No Charge
------	--	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43054	Miscellaneous	FRENCH OM/DECAL-LDR ATTACHMENTS	51.52
----------	----------------------	---------------------------------	-------

FRONTIER PRODUCTS

AR12D - 84 In. Rock Bucket for Current 600/700 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AR12D - 93 In. Rock Bucket for Current 600/700 Series Carrier
 Equipment for Base Machine

Cutting Width: 93 In.

Loader Series:

600 and 700

Dimensions:

W94 In. x H35 In. x D61 In.

Capacity:

1.17 Cubic Foot

Tine Diameter: 1-5/8 In.

Tine Length: 46 In.

Operational Weight: 1718 lbs.

Shipping Weight: 1848 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2185XF		AR12D - 93 In. Rock Bucket for Current 600/700 Series Carrier <i>Tine spacing is 3 In. on AR12 series rock buckets. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	7,500.00
--------	--	---	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit(AR10 and AR12 Series)	No Charge
------	--	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43054	Miscellaneous	FRENCH OM/DECAL-LDR ATTACHMENTS	51.52
----------	----------------------	---------------------------------	-------

FRONTIER PRODUCTS

AR12D - 93 In. Rock Bucket for Current 600/700 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AR12G - 84 In. Rock Bucket for Current Loaders with Global Carrier
 Equipment for Base Machine

Cutting Width: 84 In.
 Loader Series:
 Global Carrier
 Dimensions:
 W82.7 In. x H35 In. x D61 In.
 Capacity:
 1.02 Cubic Foot
 Tine Diameter: 1-5/8 In.
 Tine Length: 46 In.

Operational Weight: 1481 lbs.
 Shipping Weight: 1611 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2183XF		AR12G - 84 In. Rock Bucket for Current Loaders with Global Carrier <i>Tine spacing is 3 In. on AR12 series rock buckets. Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	6,976.00
--------	--	--	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit(AR10 and AR12 Series)	No Charge
------	--	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43054		Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	51.52
----------	--	---	-------

FRONTIER PRODUCTS

AR12G - 84 In. Rock Bucket for Current Loaders with Global Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AR12G - 93 In. Rock Bucket for Current Loaders with Global Carrier
 Equipment for Base Machine

Cutting Width: 93 In.
 Loader Series:
 Global Carrier
 Dimensions:
 W94 In. x H35 In. x D61 In.
 Capacity:
 1.17 Cubic Foot
 Tine Diameter: 1-5/8 In.
 Tine Length: 46 In.

Operational Weight: 1623 lbs.
 Shipping Weight: 1753 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2186XF		AR12G - 93 In. Rock Bucket for Current Loaders with Global Carrier <i>Tine spacing is 3 In. on AR12 series rock buckets.</i> <i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	6,855.00
--------	--	---	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit(AR10 and AR12 Series)	No Charge
------	--	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43054		Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	51.52
----------	--	---	-------

FRONTIER PRODUCTS

AR12G - 93 In. Rock Bucket for Current Loaders with Global Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AV20H Root Grapple - 60 In. for Current 300/400 Series Carrier
 Equipment for Base Machine

Cutting Width: 60 In.
 Loader Series:
 300CX and 400 Only (Not 500 Series)
 Dimensions:
 W60 In. x H23 In. x D38.8 In.
 Grapple Opening: 27 In.
 Operational Weight: 381 lbs.

Shipping Weight: 421 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2271XF		AV20H Root Grapple - 60 In. for Current 300/400 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	2,284.00
--------	--	--	----------

PARKING STAND KIT

9000		AV20 Series Parking Stand Kit - Bolt On	171.00
------	--	---	--------

ATTACHMENTS FOR FIELD CONVERSION

	5WS811395	Miscellaneous AV20 Series Parking Stand Kit - Bolt On	184.68
--	-----------	---	--------

FRONTIER PRODUCTS

AV20H Root Grapple - 60 In. for Current 300/400 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AV20E Root Grapple - 62 In. for Current 400/500 Series Carrier
 Equipment for Base Machine

Cutting Width: 62 In.
 Loader Series:
 400CX and 500 Only
 Dimensions:
 W62 In. x H25 In. x D54 In.
 Grapple Opening: 50 In.
 Operational Weight: 818 lbs.

Shipping Weight: 858 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2272XF		AV20E Root Grapple - 62 In. for Current 400/500 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	3,729.00
--------	--	--	----------

PARKING STAND KIT

9000		AV20 Series Parking Stand Kit - Bolt On	171.00
------	--	---	--------

ATTACHMENTS FOR FIELD CONVERSION

5WS811395	Miscellaneous	AV20 Series Parking Stand Kit - Bolt On	184.68
-----------	----------------------	---	--------

FRONTIER PRODUCTS

AV20E Root Grapple - 62 In. for Current 400/500 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AV20D Root Grapple - 77 In. for Current 600/700 Series Carrier
 Equipment for Base Machine

Cutting Width: 77 In.
 Loader Series:
 600 and 700
 Dimensions:
 W77 In. x H25 In. x D15 In.
 Grapple Opening: 50 In.
 Operational Weight: 1,000 lbs.

Shipping Weight: 1,040 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2273XF		AV20D Root Grapple - 77 In. for Current 600/700 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	4,416.00
--------	--	--	----------

PARKING STAND KIT

9000		AV20 Series Parking Stand Kit - Bolt On	171.00
------	--	---	--------

ATTACHMENTS FOR FIELD CONVERSION

5WS811395	Miscellaneous	AV20 Series Parking Stand Kit - Bolt On	184.68
-----------	----------------------	---	--------

FRONTIER PRODUCTS

AV20D Root Grapple - 77 In. for Current 600/700 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AV20G Root Grapple - 77 In. for Current Loaders with Global Carrier
 Equipment for Base Machine

Cutting Width: 77 In.
 Loader Series:
 Global Carriers
 Dimensions:
 W77 In. x H25 In. x D15 In.
 Grapple Opening: 50 In.
 Operational Weight: 972 lbs.

Shipping Weight: 1012 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2274XF		AV20G Root Grapple - 77 In. for Current Loaders with Global Carrier <i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	4,324.00
--------	--	---	----------

PARKING STAND KIT

9000		AV20 Series Parking Stand Kit - Bolt On	171.00
------	--	---	--------

ATTACHMENTS FOR FIELD CONVERSION

	5WS811395	Miscellaneous AV20 Series Parking Stand Kit - Bolt On	184.68
--	-----------	---	--------

FRONTIER PRODUCTS

AV20G Root Grapple - 77 In. for Current Loaders with Global Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AV20F - 53 In. Root Grapple for 120R Loader
 Equipment for Base Machine

Cutting Width: 60 In.
 Loader Series:
 (F) 100 to 500
 Dimensions:
 W53 In. x H25 In. x D23.8 In.
 Grapple Opening: 36 In.
 Operational Weight: 191 lbs.
 Shipping Weight: 219 lbs.
 Upper grapple tine qty: 4
 Upper grapple tine spacing: 8.5

Lower grapple tine qty: 7
 Lower grapple tine spacing: 8.5
 Warranty: 1 Year

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2381XF		AV20F - 53 In. Root Grapple for 120R Loader	1,570.00
--------	--	---	----------

DESTINATION

0202		UNITED STATES	In Base Price
0184		CANADA	No Added Cost

OPERATOR'S MANUAL AND DECALS

0409		AV20F ENGLISH OM	In Base Price
0413		AV20F FRENCH OM	No Added Cost
0437		AV20F SPANISH OM	No Added Cost

ATTACHMENTS FOR FIELD CONVERSION

	Grapples		
5MP43126		SPANISH OPERATOR'S MANUAL	81.09
	Miscellaneous		
5MP43054		FRENCH OM/DECAL-LDR ATTACHMENTS	51.52
	Miscellaneous		
5MP76314		ENGLISH OPERATOR'S MANUAL	13.44

FRONTIER PRODUCTS

AV20F - 53 In. Root Grapple for 120R Loader

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AG10A Silage Defacer for Current 800 Series Carrier
 Equipment for Base Machine

Shipping Weight: 870 lbs.
 Non-Sizing Cutting Tooth
 Motor Shaft: 1.5 In.
 Motor Chain Type: 80-ASA
 Equipment Weight: 735 lbs.
 Cutting Width: 96 In.
 Bearing: Greaseable Spherical Type
 Tooth Material:
 50,000 Yield Strength Material

third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2111XF		AG10A Silage Defacer for Current 800 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	8,159.00
--------	--	---	----------

OPERATOR'S MANUAL AND DECAL KIT

9200		French Operators Manual and Decal Kit (AG10 Series)	No Charge
------	--	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

		Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	113.12
--	--	---	--------

FRONTIER PRODUCTS

AG10A Silage Defacer for Current 800 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AG10D Silage Defacer for Current 600/700 Series Carrier
 Equipment for Base Machine

Shipping Weight: 870 lbs.
 Non-Sizing Cutting Tooth
 Motor Shaft: 1.5 In.
 Motor Chain Type: 80-ASA
 Equipment Weight: 735 lbs.
 Cutting Width: 96 In.
 Bearing: Greaseable Spherical Type
 Tooth Material:
 50,000 Yield Strength Material

third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2112XF		AG10D Silage Defacer for Current 600/700 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	7,397.00
--------	--	---	----------

OPERATOR'S MANUAL AND DECAL KIT

9200		French Operators Manual and Decal Kit (AG10 Series)	No Charge
------	--	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

		Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	113.12
--	--	---	--------

FRONTIER PRODUCTS

AG10D Silage Defacer for Current 600/700 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AG10G Silage Defacer for Current Loaders with Global Carrier
 Equipment for Base Machine

Shipping Weight: 870 lbs.
 Non-Sizing Cutting Tooth
 Motor Shaft: 1.5 In.
 Motor Chain Type: 80-ASA
 Equipment Weight: 735 lbs.
 Cutting Width: 96 In.
 Bearing: Greaseable Spherical Type
 Tooth Material:
 50,000 Yield Strength Material

third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2113XF		AG10G Silage Defacer for Current Loaders with Global Carrier <i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	6,493.00
--------	--	--	----------

OPERATOR'S MANUAL AND DECAL KIT

9200		French Operators Manual and Decal Kit (AG10 Series)	No Charge
------	--	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

		<p>Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS</p>	113.12
--	--	--	--------

FRONTIER PRODUCTS

AG10G Silage Defacer for Current Loaders with Global Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AG11S Silage Defacer for Skid Steers
Equipment for Base Machine

Non-Sizing Cutting Tooth
Bearing: Greaseable Spherical Type
Motor Shaft: 1.5 In.
Cutting Width: 96 In.
Drive System: 80 ASA Chain

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2121XF		AG11S Silage Defacer for Skid Steers <i>Unit has reduced reach to address skid steers with limited lift capacity.</i>	7,247.00
--------	--	--	----------

FRONTIER PRODUCTS

AG11S Silage Defacer for Skid Steers

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AG12S Silage Defacer for Skid Steers
Equipment for Base Machine

Non-Sizing Cutting Tooth
Bearing: Greaseable Spherical Type
Motor Shaft: 1.5 In.
Cutting Width: 96 In.
Drive System: 80 ASA Chain

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2122XF		AG12S Silage Defacer for Skid Steers	7,729.00
--------	--	--------------------------------------	----------

FRONTIER PRODUCTS

AG12S Silage Defacer for Skid Steers

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS
Telehandler Attachments

AT1096G Grapple - Hay & Forage
Equipment for Base Machine

Shipping Weight With Pallet: 740 lbs.
Mounting Hardware: Included
Width: 96 Ins.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2251XF		AT1096G Grapple - Hay & Forage	5,949.00
--------	--	--------------------------------	----------

FRONTIER PRODUCTS
Telehandler Attachments

AT1096G Grapple - Hay & Forage
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS
Telehandler Attachments

AT2016G Bucket - Hay & Forage
Equipment for Base Machine

Capacity: 1.6 Cubic Yard
Cutting Edge: Standard Bolt On
Shipping Weight With Pallet: 1350 lbs.
Quick Attach: Yes
Operational Weight: 1201 lbs.
Width: 96 Ins.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2252XF		AT2016G Bucket - Hay & Forage	3,865.00
--------	--	-------------------------------	----------

FRONTIER PRODUCTS
Telehandler Attachments

AT2016G Bucket - Hay & Forage
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS
Telehandler Attachments

AT2016U Bucket & Grapple - Hay & Forage
 Equipment for Base Machine

Shipping Weight with Pallet:
 2090 lbs.
 Grapple Opening-Bucket Edge to
 Point of Tines: 62.86 Ins.
 Grapple Length: 94.63 Ins.
 Outside to Outside
 Grapple Height Open-Bucket
 Bottom/Grapple Top: 89.98 Ins.
 Grapple Height Closed-Bucket
 Bottom/Grapple Top: 57.28 Ins.

Bucket Width - Cutting Edge to
 Rear Most Point: 48.15 Ins.
 Bucket Length: 96 Ins. Outside
 Bucket Height: 29.61 Ins.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2253XF		AT2016U Bucket & Grapple - Hay & Forage	9,739.00
--------	--	---	----------

FRONTIER PRODUCTS
Telehandler Attachments

AT2016U Bucket & Grapple - Hay & Forage
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS
Telehandler Attachments

MJ4062 Grapple Debris Bucket
 Equipment for Base Machine

Capacity: 2.25 Cubic Yard
 Hydraulic Service: Single Auxiliary
 Shipping Weight with Pallet: 2336 lbs.
 Quick Attach: Yes
 Operational Weight: 2236 lbs.
 Heap Capacity: 2-1/2 Cubic Yard
 Dimensions: 53 In. H x 65 In. W x 96 In. L

Bolt on Cutting Edge: Optional

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

225BXF		MJ4062 Grapple Debris Bucket	12,079.00
--------	--	------------------------------	-----------

FRONTIER PRODUCTS
Telehandler Attachments

MJ4062 Grapple Debris Bucket
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS
Telehandler Attachments

BG1096 Grapple - Brush - Skeleton Bucket
Equipment for Base Machine

Capacity: 1.19 Cubic Yard
Hydraulic Service: Single Auxiliary
Shipping Weight with Pallet: 1880 lbs.
Quick Attach: Yes
Operational Weight: 1780 lbs.
Dimensions: 35 In. H x 43.5 In. W x 99 In. L

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2255XF		BG1096 Grapple - Brush - Skeleton Bucket	14,688.00
--------	--	--	-----------

FRONTIER PRODUCTS
Telehandler Attachments

BG1096 Grapple - Brush - Skeleton Bucket
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS
Telehandler Attachments

MJ4060A Large Square Bale Fork
Equipment for Base Machine

Hydraulic Service: Single Auxiliary
Shipping Weight with Pallet: 990 lbs.
Quick Attach: Yes
Operational Weight: 890 lbs.
Dimensions: 95 In. Tall (Will Extend
Above 4 x 4 Bales) and 75 In. Wide

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2259XF		MJ4060A Large Square Bale Fork <i>Handles up to two 4 Ft. x 4 Ft. x 8 Ft. bales or three 3 Ft. x 3 Ft. x 8 Ft. bales.</i>	10,495.00
--------	--	--	-----------

FRONTIER PRODUCTS
Telehandler Attachments

MJ4060A Large Square Bale Fork
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS
Telehandler Attachments

MJ4074 Bale Fork
Equipment for Base Machine

8 Small Square Bales Flat or
10 On Their Side
Hydraulic Service: Single Auxiliary
Quick Attach: Yes
Operational Weight: 1090 lbs.
Shipping Weight with Pallet: 1190 lbs.
Dimensions: 31 In. H x 80 In. W x 90 In. L

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

225DXF		MJ4074 Bale Fork <i>For flat 8 or Index 10 small square.</i>	9,074.00
--------	--	---	----------

FRONTIER PRODUCTS
Telehandler Attachments

MJ4074 Bale Fork
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS
Telehandler Attachments

MJ4076 - 72 In. Manure Fork & Grab
Equipment for Base Machine

Hydraulic Service: Single Auxiliary
Shipping Weight with Pallet: 1677 lbs.
Quick Attach: Yes
Operational Weight: 1577 lbs.
Heap Capacity: 62 Cubic Feet
Dimensions: 57 In. H x 62 In. W x 72 In. L

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

225EXF		MJ4076 - 72 In. Manure Fork & Grab <i>Handles loose material and bales.</i>	9,666.00
--------	--	--	----------

FRONTIER PRODUCTS
Telehandler Attachments

MJ4076 - 72 In. Manure Fork & Grab
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS
Telehandler Attachments

MJ4077 - 96 In. Manure Fork & Grab
Equipment for Base Machine

Hydraulic Service: Single Auxiliary
Shipping Weight with Pallet: 1892 lbs.
Quick Attach: Yes
Operational Weight: 1792 lbs.
Heap Capacity: 83 Cubic Feet
Dimensions: 57 In. H x 62 In. W x 96 In. L

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

225FXF		MJ4077 - 96 In. Manure Fork & Grab <i>Handles loose material and bales.</i>	10,051.00
--------	--	--	-----------

FRONTIER PRODUCTS
Telehandler Attachments

MJ4077 - 96 In. Manure Fork & Grab
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS
Telehandler Attachments

BF1102S Bale Spear - Single or Dual Large Square
Equipment for Base Machine

Shipping Weight: 873 lbs.
Dimensions: 60 In. H x 72 In. W x 60 In. L

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2254XF		BF1102S Bale Spear - Single or Dual Large Square	3,168.00
--------	--	--	----------

FRONTIER PRODUCTS
Telehandler Attachments

BF1102S Bale Spear - Single or Dual Large Square
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS
Telehandler Attachments

MJ4037 Single Round Bale Spear
Equipment for Base Machine

Capacity: 1 Round Bale
Shipping Weight with Pallet: 334 lbs.
Quick Attach: Yes
Operational Weight: 259 lbs.
Dimensions: 17 In. H x 30 In. W x 49 In. L

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2256XF		MJ4037 Single Round Bale Spear	2,029.00
--------	--	--------------------------------	----------

FRONTIER PRODUCTS
Telehandler Attachments

MJ4037 Single Round Bale Spear
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS
Telehandler Attachments

MJ4081 Bale Spear
Equipment for Base Machine

Capacity: Two Round Bales or
One Large Square Bale
Shipping Weight with Pallet: 465 lbs.
Quick Attach: Yes
Operational Weight: 390 lbs.
Dimensions: 17 In. H x 25 In. W x 70 In. L

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

225HXF		MJ4081 Bale Spear <i>Dual round or single square.</i>	1,994.00
--------	--	--	----------

FRONTIER PRODUCTS
Telehandler Attachments

MJ4081 Bale Spear
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS
Telehandler Attachments

MJ4090 Bale Squeeze
Equipment for Base Machine

Hydraulic Services: Single Auxiliary
Shipping Weight with Pallet: 1850 lbs.
Quick Attach: Yes
Operational Weight: 1600 lbs.
Dimensions: 40 In. H x 92 In. W x 104 In. L
Carrying Capacity: 4000 lbs.
Maximum Width: 110 In.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

225KXF		MJ4090 Bale Squeeze <i>Maximum width 110 In.</i>	11,381.00
--------	--	---	-----------

FRONTIER PRODUCTS
Telehandler Attachments

MJ4090 Bale Squeeze
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS
Telehandler Attachments

MJ4091 Bale Squeeze
Equipment for Base Machine

Hydraulic Services: Single Auxiliary
Shipping Weight with Pallet: 1650 lbs.
Quick Attach: Yes
Operational Weight: 1400 lbs.
Dimensions: 40 In. H x 60 In. W x 106 In. L
Carrying Capacity: 2000 lbs.
Maximum Width: 48 In.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

225LXF		MJ4091 Bale Squeeze <i>Maximum width 48 In.</i>	6,972.00
--------	--	--	----------

FRONTIER PRODUCTS
Telehandler Attachments

MJ4091 Bale Squeeze
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS
Telehandler Attachments

MJ4099 Round Bale Hugger
Equipment for Base Machine

Capacity: 1 Round Bale
Hydraulic Service: Single Auxiliary
Shipping Weight with Pallet: 825 lbs.
Quick Attach: Yes
Operational Weight: 725 lbs.
Dimensions: 50 In. H x 57 In. W x 60 In. L

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

225NXF		MJ4099 Round Bale Hugger <i>Maximum to 5 1/2 Ft. diameter.</i>	5,108.00
--------	--	---	----------

FRONTIER PRODUCTS
Telehandler Attachments

MJ4099 Round Bale Hugger
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS
Telehandler Attachments

MJ4059A Bucket - Light Material Handling (3.25 Cubic Yard) with Cutting Edge
Equipment for Base Machine

Capacity: 3.25 Cubic Yard
Weight with Pallet: 1529 lbs.
Quick Attach: Yes
Operational Weight: 1429 lbs.
Heap Capacity: 3-1/4 Cubic Yard
Dimensions: 56 In. H x 62 In. W x 96 In. L

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2258XF		MJ4059A Bucket - Light Material Handling (3.25 Cubic Yard) with Cutting Edge	5,724.00
--------	--	--	----------

FRONTIER PRODUCTS
Telehandler Attachments

MJ4059A Bucket - Light Material Handling (3.25 Cubic Yard) with Cutting Edge
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS
Telehandler Attachments

MJ4061A Bucket - Light Material Handling (2.50 Cubic Yard) with Cutting Edge
Equipment for Base Machine

Capacity: 2.50 Cubic Yard
Shipping Weight with Pallet: 1386 lbs.
Quick Attach: Yes
Operational Weight: 1286 lbs.
Heap Capacity: 2-1/2 Cubic Yard
Dimensions: 51 In. H x 55 In. W x 96 In. L

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

225AXF		MJ4061A Bucket - Light Material Handling (2.50 Cubic Yard) with Cutting Edge	5,938.00
--------	--	--	----------

FRONTIER PRODUCTS
Telehandler Attachments

MJ4061A Bucket - Light Material Handling (2.50 Cubic Yard) with Cutting Edge
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS
Telehandler Attachments

MJ4063A Bucket - Light Material Handling (2.25 Cubic Yard) with Cutting Edge
Equipment for Base Machine

Capacity: 2.25 Cubic Yard
Shipping Weight with Pallet: 1378 lbs.
Quick Attach: Yes
Operational Weight: 1278 lbs.
Heap Capacity: 2-1/2 Cubic Yard
Dimensions: 48 In. H x 52 In. W x 96 In. L

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

225CXF		MJ4063A Bucket - Light Material Handling (2.25 Cubic Yard) with Cutting Edge	4,931.00
--------	--	--	----------

FRONTIER PRODUCTS
Telehandler Attachments

MJ4063A Bucket - Light Material Handling (2.25 Cubic Yard) with Cutting Edge
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS
Telehandler Attachments

MJ4079A Bucket - General Purpose (1.75 Cubic Yard) with Cutting Edge
Equipment for Base Machine

Capacity: 1.75 Cubic Yard
Shipping Weight with Pallet: 1256 lbs.
Quick Attach: Yes
Operational Weight: 1156 lbs.
Heap Capacity: 1-3/4 Cubic Yard
Dimensions: 45 In. H x 45 In. W x 96 In. L

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

225GXF		MJ4079A Bucket - General Purpose (1.75 Cubic Yard) with Cutting Edge	4,862.00
--------	--	--	----------

FRONTIER PRODUCTS
Telehandler Attachments

MJ4079A Bucket - General Purpose (1.75 Cubic Yard) with Cutting Edge
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS
Telehandler Attachments

MJ4118 Bucket - Silage & Light Materials (2.50 Cubic Yard) with Cutting Edge
Equipment for Base Machine

Capacity: 2.50 Cubic Yards
Shipping Weight: 1672 lbs.
Shipping Weight with Pallet: 1672 lbs.
Quick Attach: Yes
Operational Weight: 1572 lbs.
Heap Capacity: 2-1/2 Cubic Yards
Dimensions: 49 In. H x 55 In. W x 96 In. L

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

225OXF	MJ4118 Bucket - Silage & Light Materials (2.50 Cubic Yard) with Cutting Edge	7,196.00
--------	--	----------

FRONTIER PRODUCTS
Telehandler Attachments

MJ4118 Bucket - Silage & Light Materials (2.50 Cubic Yard) with Cutting Edge
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS
Telehandler Attachments

MJ4058 - 48 In. Quick Attach Carriage
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS
Telehandler Attachments

MJ4084 - 48 In. Quick Attach Side Tilt Carriage
 Equipment for Base Machine

Single Auxiliary Hydraulic Service
 Shipping Weight with Pallet: 870 lbs.
 Quick Attach: Yes
 Heap Capacity: 6000 lbs.
 Forks: Not Included
 Dimensions: 28 In. H x 48 In. W x 49 In. L
 42 In. Pallet Forks: Optional
 48 In. Pallet Forks: Optional

60 In. Pallet Forks: Optional

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

225IXF		MJ4084 - 48 In. Quick Attach Side Tilt Carriage <i>Forks not included.</i>	4,892.00
--------	--	---	----------

PALLET TINE

9000		42 In. Pallet Forks (Pair)	841.00
9010		48 In. Pallet Forks (Pair)	1,377.00
9020		60 In. Pallet forks (Pair)	1,584.00

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous		
5MP11906	42 In. Pallet Forks (Pair)	908.28
5MP11907	48 In. Pallet Forks (Pair)	1,487.16
5MP12262	60 In. Pallet Forks (Pair)	1,710.72

FRONTIER PRODUCTS
Telehandler Attachments

MJ4084 - 48 In. Quick Attach Side Tilt Carriage
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS
Telehandler Attachments

MJ4085 - 48 In. Quick Attach Side Shift Carriage
 Equipment for Base Machine

Hydraulic Service: Single Auxiliary
 Shipping Weight with Pallet: 884 lbs.
 Quick Attach: Yes
 Operational Weight: 809 lbs.
 Heap Capacity: 6000 lbs.
 Forks: Not Included
 Dimensions: 17 In. H x 48 In. W x 49 In. L
 42 In. Pallet Forks: Optional

48 In. Pallet Forks: Optional
 60 In. Pallet Forks: Optional

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

225JXF		MJ4085 - 48 In. Quick Attach Side Shift Carriage <i>Forks not included.</i>	5,560.00
--------	--	--	----------

PALLET TINE

9000		42 In. Pallet Forks (Pair)	841.00
9010		48 In. Pallet Forks (Pair)	1,377.00
9020		60 In. Pallet forks (Pair)	1,584.00

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous			
5MP11906	42 In. Pallet Forks (Pair)		908.28
5MP11907	48 In. Pallet Forks (Pair)		1,487.16
5MP12262	60 In. Pallet Forks (Pair)		1,710.72

FRONTIER PRODUCTS
Telehandler Attachments

MJ4085 - 48 In. Quick Attach Side Shift Carriage
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS
Telehandler Attachments

QC1072 - 72 in. Quick Attach Carriage
 Equipment for Base Machine

Shipping Weight: 469 lbs.
 Forks: Not Included
 Dimensions: 18 In. H x 48 In. W x 74 In. L
 42 In. Pallet Forks: Optional
 48 In. Pallet Forks: Optional
 60 In. Pallet Forks: Optional

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

225QXF		QC1072 - 72 in. Quick Attach Carriage <i>Forks not included.</i>	3,789.00
--------	--	---	----------

PALLET TINE

9000		42 In. Pallet Forks (Pair)	841.00
9010		48 In. Pallet Forks (Pair)	1,377.00
9020		60 In. Pallet forks (Pair)	1,584.00

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous			
5MP11906	42 In. Pallet Forks (Pair)		908.28
5MP11907	48 In. Pallet Forks (Pair)		1,487.16
5MP12262	60 In. Pallet Forks (Pair)		1,710.72

FRONTIER PRODUCTS
Telehandler Attachments

QC1072 - 72 in. Quick Attach Carriage
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS
Telehandler Attachments

**SD1096A Silage Defacer without Auxiliary Hydraulic Motor Kit for 3800/3220/3420
 Telehandlers**
 Equipment for Base Machine

Cutting Tooth: Non-sizing
 Bearings: Greaseable Spherical Type
 Motor Shaft: 1.5 In.
 Cutting Width: 96 Ins.
 Drive System: 80 ASA Chain

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

225PXF		SD1096A Silage Defacer without Auxiliary Hydraulic Motor Kit for 3800/3220/3420 Telehandlers	8,881.00
--------	--	--	----------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous		
5MP11906	42 In. Pallet Forks (Pair)	908.28
5MP11907	48 In. Pallet Forks (Pair)	1,487.16
5MP12262	60 In. Pallet Forks (Pair)	1,710.72

FRONTIER PRODUCTS
Telehandler Attachments

**SD1096A Silage Defacer without Auxiliary Hydraulic Motor Kit for 3800/3220/3420
Telehandlers**
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AB11E Single Tine Bale Spear for Current 300CX/400/500 Series Carrier
 Equipment for Base Machine

Primary Spear: One - 49 In. x 2 In.
 Approximate 44 In. Usable Length
 Stabilizing Spears:
 One - 20 In. x 1.25 In.
 Capacity:
 One Large Round Bale (2000 lbs.)
 Dimensions: 21H x 50W x 52L
 (300, 400, and 500 Series Loaders)

Operational Weight: 125 lbs.
 (300, 400, and 500 Series Loaders)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2002XF		AB11E Single Tine Bale Spear for Current 300CX/400/500 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i>	590.00
--------	--	--	--------

OPERATOR'S MANUAL AND DECAL KIT

9200		French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Charge
------	--	--	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43053		Miscellaneous French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	34.72
----------	--	--	-------

FRONTIER PRODUCTS

AB11E Single Tine Bale Spear for Current 300CX/400/500 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AB11D Single Tine Bale Spear for Current 600/700 Series Carrier
 Equipment for Base Machine

Primary Spear: One - 49 In. x 2 In.
 Approximate 44 In. Usable Length
 Stabilizing Spears:
 One - 20 In. x 1.25 In.
 Capacity:
 One Large Round Bale (2000 lbs.)
 Dimensions: 24H x 50W x 56L
 (600 and 700 Series Loaders)

Operational Weight: 170 lbs.
 (600 and 700 Series Loaders)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2001XF		AB11D Single Tine Bale Spear for Current 600/700 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: DM00, DM01; 2L - JDLA; 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador, and U.S.</i>	813.00
--------	--	---	--------

OPERATOR'S MANUAL AND DECAL KIT

9200		French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Charge
------	--	--	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43053		Miscellaneous French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	34.72
----------	--	--	-------

FRONTIER PRODUCTS

AB11D Single Tine Bale Spear for Current 600/700 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

**AB11G Single Tine Bale Spear for Current Loaders with Global Carrier
 Equipment for Base Machine**

Primary Spear: One - 49 In. x 2 In.
 Approximate 44 In. Usable Length
 Stabilizing Spears:
 One - 20 In. x 1.25 In.
 Capacity:
 One Large Round Bale (2000 lbs.)
 Dimensions: 20H x 46W x 54L
 (Global Series Loaders)

Operational Weight: 138 lbs.
 (Global Series Loaders)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2003XF		AB11G Single Tine Bale Spear for Current Loaders with Global Carrier <i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i>	774.00
--------	--	---	--------

OPERATOR'S MANUAL AND DECAL KIT

9200		French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Charge
------	--	--	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43053	Miscellaneous	French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	34.72
----------	----------------------	--	-------

FRONTIER PRODUCTS

AB11G Single Tine Bale Spear for Current Loaders with Global Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AB12E Three Tine Bale Spear for Current 300CX/400/500 Series Carrier
 Equipment for Base Machine

Primary Spears: Three - 49 In. x 2 In. (300CX, 400, and 500 Series Loaders)
 (Approximate 44 In. Usable Length)
 Capacity:
 One Large Round Bale (2500 lbs.)
 or One Large Square Bale (2500 lbs.)
 Dimensions: 21H x 50W x 52L
 (300CX, 400, and 500 Series Loaders)
 Operational Weight: 155 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2013XF		AB12E Three Tine Bale Spear for Current 300CX/400/500 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i>	788.00
--------	--	---	--------

OPERATOR'S MANUAL AND DECAL KIT

9200		French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Charge
------	--	--	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43053		Miscellaneous French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	34.72
----------	--	--	-------

FRONTIER PRODUCTS

AB12E Three Tine Bale Spear for Current 300CX/400/500 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AB12D Three Tine Bale Spear for Current 600/700 Series Carrier
 Equipment for Base Machine

Primary Spears: Three - 49 In. x 2 In. (600 and 700 Series Loaders)
 (Approximate 44 In. Usable Length)
 Capacity:
 One Large Round Bale (2500 lbs.)
 or One Large Square Bale (2500 lbs.)
 Dimensions: 24H x 50W x 56L
 (600 and 700 Series Loaders)
 Operational Weight: 210 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2012XF		AB12D Three Tine Bale Spear for Current 600/700 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i>	972.00
--------	--	---	--------

OPERATOR'S MANUAL AND DECAL KIT

9200		French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Charge
------	--	--	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43053		Miscellaneous French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	34.72
----------	--	--	-------

FRONTIER PRODUCTS

AB12D Three Tine Bale Spear for Current 600/700 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AB12G Three Tine Bale Spear for Current Loaders with Global Carrier
 Equipment for Base Machine

Primary Spears: Three - 49 In. x 2 In. (Global Series Loaders)
 (Approximate 44 In. Usable Length)
 Capacity:
 One Large Round Bale (2500 lbs.)
 or One Large Square Bale (2500 lbs.)
 Dimensions: 20H x 46W x 54L
 (Global Series Loaders)
 Operational weight: 173 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2014XF		AB12G Three Tine Bale Spear for Current Loaders with Global Carrier <i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i>	900.00
--------	--	--	--------

OPERATOR'S MANUAL AND DECAL KIT

9200		French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Charge
------	--	--	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43053	Miscellaneous	French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	34.72
----------	----------------------	--	-------

FRONTIER PRODUCTS

AB12G Three Tine Bale Spear for Current Loaders with Global Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AB12A Three Tine Bale Spear for Current 800 Series Carrier
 Equipment for Base Machine

Primary Spears: Three - 49 In. x 2 In. (800 Series Loaders)
 (Approximate 44 In. Usable Length)
 Capacity:
 One Large Round Bale (2500 lbs.)
 or One Large Square Bale (2500 lbs.)
 Dimensions: 25H x 55W x 58L
 (800 Series Loaders)
 Operational weight: 255 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2011XF		AB12A Three Tine Bale Spear for Current 800 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i>	1,161.00
--------	--	---	----------

OPERATOR'S MANUAL AND DECAL KIT

9200		French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Charge
------	--	--	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43053		Miscellaneous French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	34.72
----------	--	--	-------

FRONTIER PRODUCTS

AB12A Three Tine Bale Spear for Current 800 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AB13E Heavy Duty Single Tine Bale Spear for Current 300CX/400/500 Series Carrier
 Equipment for Base Machine

Primary Spear: One - 53 In. x 2.25 In.
 (Approximate 46 In. Usable Length)
 Stabilizing Spears:
 Two - 20 In. x 1.25 In.
 Capacity:
 One Large Round Bale (2500 lbs.)
 Dimensions: 20H x 49W x 56L
 (300, 400, and 500 Series Loaders)

Operational Weight: 165 lbs.
 (300, 400, and 500 Series Loaders)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2022XF		AB13E Heavy Duty Single Tine Bale Spear for Current 300CX/400/500 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> <i>Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA,</i> <i>22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina;</i> <i>Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i>	773.00
--------	--	---	--------

OPERATOR'S MANUAL AND DECAL KIT

9200		French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Charge
------	--	--	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43053	Miscellaneous	French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	34.72
----------	----------------------	--	-------

FRONTIER PRODUCTS

AB13E Heavy Duty Single Tine Bale Spear for Current 300CX/400/500 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AB13D Heavy Duty Single Tine Bale Spear for Current 600/700 Series Carrier
 Equipment for Base Machine

Primary Spear: One - 53 In. x 2.25 In.
 (Approximate 46 In. Usable Length)
 Stabilizing Spears:
 Two - 20 In. x 1.25 In.
 Capacity:
 One Large Round Bale (2500 lbs.)
 Dimensions: 24H x 50W x 59L
 (600 and 700 Series Loaders)

Operational Weight: 215 lbs.
 (600 and 700 Series Loaders)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2021XF		AB13D Heavy Duty Single Tine Bale Spear for Current 600/700 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> <i>Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA,</i> <i>22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina;</i> <i>Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i>	917.00
--------	--	---	--------

OPERATOR'S MANUAL AND DECAL KIT

9200		French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Charge
------	--	--	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43053	Miscellaneous	French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	34.72
----------	----------------------	--	-------

FRONTIER PRODUCTS

AB13D Heavy Duty Single Tine Bale Spear for Current 600/700 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

**AB13G Heavy Duty Single Tine Bale Spear for Current Loaders with Global Carrier
 Equipment for Base Machine**

Primary Spear: One - 53 In. x 2.25 In.
 (Approximate 46 In. Usable Length)
 Stabilizing Spears:
 Two - 20 In. x 1.25 In.
 Capacity:
 One Large Round Bale (2500 lbs.)
 Dimensions: 23H x 46W x 56L
 (Global Series Loaders)

Operational Weight: 185 lbs.
 (Global Series Loaders)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2023XF		AB13G Heavy Duty Single Tine Bale Spear for Current Loaders with Global Carrier <i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i>	921.00
--------	--	--	--------

OPERATOR'S MANUAL AND DECAL KIT

9200		French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Charge
------	--	--	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43053		Miscellaneous French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	34.72
----------	--	--	-------

FRONTIER PRODUCTS

AB13G Heavy Duty Single Tine Bale Spear for Current Loaders with Global Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AB13K Heavy Duty Single Tine Bale Spear for Current Loaders with Global Category 2 Carrier (H480 Loader only)
 Equipment for Base Machine

Primary Spear: One - 53 In. x 2.25 In.
 (Approximate 46 In. Usable Length)
 Stabilizing Spears:
 Two - 20 In. x 1.25 In.
 Capacity:
 One Large Round Bale (3000 lbs.)
 Dimensions: 29H x 59W x 63L
 (Global Category 2 Carrier, H480 Loader)

Operational Weight: 331 lbs.
 (Global Category 2 Carrier, H480 Loader)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2164XF	AB13K Heavy Duty Single Tine Bale Spear for Current Loaders with Global Category 2 Carrier (H480 Loader only) <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDIA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i>	1,093.00
--------	--	----------

FRONTIER PRODUCTS

**AB13K Heavy Duty Single Tine Bale Spear for Current Loaders with Global Category 2
Carrier (H480 Loader only)**
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AB14A - Bale Spear
 Equipment for Base Machine

Primary Spears:
 Two - 49 In. x 2 In.
 Stabilizing Spears:
 Two - 28 In. x 1.25 In.
 Shipping Weight: 465 lbs.
 Operational Weight: 390 lbs.
 Dimensions: 17H x 25W x 70L

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2031XF		AB14A - Bale Spear <i>Handles (2) 6 Ft. or less round bales or (1) 4 x 8 square bale with 800 series loaders. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i>	1,799.00
--------	--	---	----------

OPERATOR'S MANUAL AND DECAL KIT

9200		French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Charge
------	--	--	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43053		Miscellaneous French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	34.72
----------	--	--	-------

FRONTIER PRODUCTS

AB14A - Bale Spear

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AB14D - Bale Spear
 Equipment for Base Machine

Primary Spears:
 Two - 49 In. x 2 In.
 Stabilizing Spears:
 Two - 28 In. x 1.25 In.
 Shipping Weight: 465 lbs.
 Operational Weight: 390 lbs.
 Dimensions: 17H x 25W x 70L

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2032XF		AB14D - Bale Spear <i>Handles (2) 6 Ft. or less round bales with 700 series loaders OR (1) 4 x 8 square bale with 600 and 700 series loaders. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i>	1,535.00
--------	--	---	----------

OPERATOR'S MANUAL AND DECAL KIT

9200		French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Charge
------	--	--	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43053		Miscellaneous French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	34.72
----------	--	--	-------

FRONTIER PRODUCTS

AB14D - Bale Spear

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AB14G - Bale Spear
 Equipment for Base Machine

Primary Spears:
 Two - 49 In. x 2 In.
 Stabilizing Spears:
 Two - 28 In. x 1.25 In.
 Shipping Weight: 465 lbs.
 Operational Weight: 390 lbs.
 Dimensions: 17H x 25W x 70L

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2033XF		AB14G - Bale Spear <i>Handles (2) 6 Ft. or less round bales or (1) 4 x 8 square bale on loaders with Global Carrier. Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i>	1,485.00
--------	--	--	----------

OPERATOR'S MANUAL AND DECAL KIT

9200		French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Charge
------	--	--	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43053	Miscellaneous	French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	34.72
----------	----------------------	--	-------

FRONTIER PRODUCTS

AB14G - Bale Spear

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AB14K Heavy Duty Bale Spear for Loaders with Global Category 2 Carrier
 Equipment for Base Machine

Two Primary Spear Options:
 Two - 53 In. x 2.2 In.
 Two - 41 In. x 2.2 In.
 Stabilizing Spears:
 Two - 20 In. x 1.25 In.
 Capacity: Two Large Round Bales / One Large Square Bale
 Shipping Weight: 436 lbs.

Operational Weight: 511 lbs.
 Dimensions: 29H x 81W x 61L

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2291XF		AB14K Heavy Duty Bale Spear for Loaders with Global Category 2 Carrier <i>Handles (2) 6 Ft. or less round bales or (1) 4 x 8 square bale on loaders with Global Category 2 Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i>	1,921.00
--------	--	---	----------

BALE SPEAR LENGTH

2410		41 In. Bale Spear <i>For use with 3 Ft. x 4 Ft. x 8 Ft. Square Bales.</i>	304.00
2411		53 In. Bale Spear <i>For use with 4 Ft. x 4 Ft. x 8 Ft. Square Bales.</i>	320.00

OPERATOR'S MANUAL AND DECAL KIT

9200		French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Charge
------	--	--	-----------

FRONTIER PRODUCTS

AB14K Heavy Duty Bale Spear for Loaders with Global Category 2 Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AB15A - Bale Spear
 Equipment for Base Machine

Two Primary Bottom Spear Options:
 Four - 53 In. x 2.2 In.
 Four - 41 In. x 2.2 In.
 Top Stabilizing Spears:
 Two - 28 In. x 1.25 In.
 Capacity: Two Large Square Bales
 Operational Weight: 808 lbs.
 Shipping Weight: 873 lbs.

Dimensions: 60H x 72W x 60L

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2041XF		AB15A - Bale Spear <i>Handles two large 4 x 8 square bales for use with 800 series loaders. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i>	4,652.00
--------	--	---	----------

BALE SPEAR LENGTH

2410		41 In. Bale Spear <i>For use with 3 Ft. x 4 Ft. x 8 Ft. Square Bales.</i>	620.00
2411		53 In. Bale Spear <i>For use with 4 Ft. x 4 Ft. x 8 Ft. Square Bales.</i>	650.00

OPERATOR'S MANUAL AND DECAL KIT

9200		French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Charge
------	--	--	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43053		Miscellaneous French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	34.72
----------	--	--	-------

FRONTIER PRODUCTS

AB15A - Bale Spear

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AB15K Heavy Duty Bale Spear for 2 Large Square Bales for Loaders with Global Category 2 Carrier
 Equipment for Base Machine

Two Primary Bottom Spear Options:
 Four - 53 In. x 2.2 In.
 Four - 41 In. x 2.2 In.
 Top Stabilizing Spears:
 Two - 28 In. x 1.25 In.
 Capacity: Two Large Square Bales
 Operational Weight: 800 lbs.
 Shipping Weight: 875 lbs.

Dimensions: 69H x 72W x 60L

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2301XF		AB15K Heavy Duty Bale Spear for 2 Large Square Bales for Loaders with Global Category 2 Carrier <i>Handles two large 4 x 8 square bales on loaders with Global Category 2 Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i>	3,930.00
--------	--	--	----------

BALE SPEAR LENGTH

2410		41 In. Bale Spear <i>For use with 3 Ft. x 4 Ft. x 8 Ft. Square Bales.</i>	620.00
2411		53 In. Bale Spear <i>For use with 4 Ft. x 4 Ft. x 8 Ft. Square Bales.</i>	650.00

OPERATOR'S MANUAL AND DECAL KIT

9200		French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Charge
------	--	--	-----------

ATTACHMENTS FOR FIELD CONVERSION

5MP43053		Miscellaneous French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	34.72
----------	--	--	-------

FRONTIER PRODUCTS

**AB15K Heavy Duty Bale Spear for 2 Large Square Bales for Loaders with Global
Category 2 Carrier**
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

AB18K Bale Spear for 3 Large Square Bales for Loaders with Global Category 2 Carrier
 Equipment for Base Machine

Two Primary Bottom Spear Options:

Dimensions: 116H x 72W x 61L

Four - 53 In. x 2.2 In.

Four - 41 In. x 2.2 In.

Top Stabilizing Spears:

Two - 20 In. x 1.25 In.

Capacity: Three Large Square Bales

Operational Weight: 931 lbs.

Shipping Weight: 1,062 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
Select One Code From Each Required Category			
BASE MACHINE			
2321XF		AB18K Bale Spear for 3 Large Square Bales for Loaders with Global Category 2 Carrier <i>Handles three large 4 x 4 x 8 square bales on loaders with Global Category 2 Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S., Canada, QC.</i>	5,460.00
BALE SPEAR LENGTH			
2410		41 In. Bale Spear <i>For use with 3 Ft. x 4 Ft. x 8 Ft. Square Bales.</i>	620.00
2411		53 In. Bale Spear <i>For use with 4 Ft. x 4 Ft. x 8 Ft. Square Bales.</i>	650.00
OPERATOR'S MANUAL AND DECAL KIT			
9200		French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Charge

FRONTIER PRODUCTS

AB18K Bale Spear for 3 Large Square Bales for Loaders with Global Category 2 Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK
